

UNIVERSAL ROOF ARMOUR

Premium Roofing Paint



DESCRIPTION:

A premium grade, fast drying roof paint formulated using UV color fading-resistant materials.

This product dries to a hard glossy yet flexible finish ensuring long-lasting weather protection for your roof.

RECOMMENDED USES:

Galvanized iron, pre-painted galvanized sheet, concrete and unglazed tiles.

PRODUCT APPEARANCE	: Liquid		
PACKAGE VISCOSITY	: 100-110 kus		
DRY FILM THICKNESS	:		
DRY SET TO TOUCH	: 30 minutes		
DRY HARD	: 2 hours		
COATING INTERVAL	: 1-2 hours depending on temperature		
THINNING	: Apply at package consistency		
APPLICATION	: brush, roller		
COVERAGE	: 20-25 m ² /4L depending on surface porosity & texture		
CLEAN-UP	: Water		
PACKAGING SIZE	: 4, 16 liters		
AVAILABLE COLORS	: Atlantic Blue RA-803	Baguio Green RA-753	
	Spanish Red RA-752	Chocolate Hills RA-756	
	Samar Beige RA-751	Ocean Blue RA-754	
	Laguna White RA-750	Vigan Orange RA-755	
FINISH	: Gloss		

SURFACE PREPARATION:

New or unpainted GI

Treat with Universal Professional Rust Converter diluted with water at 1:8 ratio. Allow to dry. Wipe surface with paint thinner.

Old or previously painted GI

1. Old - Remove all loose and peeling paint. Wipe surface clean.
2. Rusty - Remove rust by scraping with sand paper or treat with Universal Professional Rust Converter. Wipe surface with paint thinner.

New unglazed tiles and concrete surface

Treat surface with Universal Professional Concrete Neutralizer PRO-15. Allow to dry overnight, rinse with water and let dry.

APPLICATION:

Do not thin. Inter-mix all cans of same color to ensure color uniformity and consistency. Always stir paint before and occasionally during application. Apply only when temperature is from 10° – 35°C. Do not paint in rain or rain imminent weather. For best results always use high quality roller and brush.

UNIVERSAL ROOF ARMOUR

Premium Roofing Paint



PAINTING DIRECTIONS: For best results use:

For GI:

1st coat: Universal Professional Metal Primer Red Oxide PRO-17.
Allow 3-4 hours drying time.

2nd-3rd coat Roof Armor Paint of desired color.
Allow to dry 1-2 hours drying time between coats.

New unglazed tiles and concrete surfaces

1st coat: Universal Professional Uni-Tile Primer White PRO-600 or
Aqua Guard Satin Finish White AG-100. Allow 1-2 hours drying time.

2nd-3rd coat Roof Armor Paint of desired color.
Allow to dry 1-2 hours drying time between coats.