

S35 - LPL-BAREILLY  
JAIHIND KOTHI, MACCANIAR ROAD, PREM  
NAGA R, BAREILLY-243005, U.P.

Name	: Mr. AASHUTOSH KHANDELWAL	Collected	: 21/9/2021 3:34:00PM
Lab No.	: 302263762	Received	: 22/9/2021 3:47:55PM
Age: 23 Years	Gender: Male	Reported	: 22/9/2021 6:23:48PM
A/c Status : P	Ref By : SELF	Report Status	: Final

SRF ID : 0913120015812

Test Name	Results
-----------	---------

**SARS-CoV-2 (COVID-19) QUALITATIVE REAL TIME RT-PCR @**  
(Real Time PCR)

Type of Specimen	Nasopharyngeal / Oropharyngeal Sw abs
Result	<b>Negative</b>
N- Gene ct value	42.00

#### Note

1. ICMR Registration number for Covid -19 is DRLAL001.
2. Negative result does not rule out the possibility of Covid -19 infection. Presence of inhibitors, mutations & insufficient RNA specific to SARS-CoV-2 can influence the test result. Kindly correlate the results with clinical findings. A negative result in a single upper respiratory tract sample does not rule out SARS-CoV-2 infection. Hence in such cases a repeat sample should be sent. Lower respiratory tract samples like Sputum, BAL, ET aspirate are appropriate samples especially in severe and progressive lung disease.
3. Covid-19 Test conducted as per kits approved by ICMR / CE-IVD / USFDA.
4. Kindly consult referring Physician / Authorized hospitals for appropriate follow up.
5. Test conducted on Nasopharyngeal & Oropharyngeal Swabs
6. This is a qualitative test. The Ct values do not provide a measure of viral load due to inherent variability in sampling and kits. According to ICMR guidelines Ct values should not be used to gauge the severity of the disease.  
[https://www.icmr.gov.in/pdf/covid/techdoc/Advisory\\_on\\_correlation\\_of\\_COVID\\_severity\\_with\\_Ct\\_values.pdf](https://www.icmr.gov.in/pdf/covid/techdoc/Advisory_on_correlation_of_COVID_severity_with_Ct_values.pdf)

#### Comments


Coronaviruses (CoV) are a large family of viruses that cause illness ranging from the common cold to more severe diseases such as Middle East Respiratory Syndrome (MERS-CoV) and Severe Acute Respiratory Syndrome (SARS-CoV). Coronavirus disease (COVID-19) is a new strain that was discovered in 2019 and has not been previously identified in humans. Common signs of infection include respiratory symptoms,


S35 - LPL-BAREILLY  
JAIHIND KOTHI, MACCANIAR ROAD, PREM  
NAGA R, BAREILLY-243005, U.P.

<b>Name</b>	: Mr. AASHUTOSH KHANDELWAL	<b>Collected</b>	: 21/9/2021 3:34:00PM
<b>Lab No.</b>	: 302263762	<b>Age: 23 Years</b>	<b>Gender: Male</b>
<b>A/c Status</b>	: P	<b>Ref By: SELF</b>	<b>Report Status</b> : Final

fever, cough, shortness of breath and breathing difficulties. In more severe cases, infection can cause pneumonia, severe acute respiratory syndrome and kidney failure.

Please note, this test is not a part of CAP scope

  
DMC-28322  
Dr Lopamudra Deka  
DCP, DNB (Pathology)  
Deputy HOD Histopath, Cytopath  
& Chief of Academic Program - NRL

  
Dr Atul Thakral  
PhD, Biotechnology  
National Head - Molecular Diagnostics  
/R & D  
NRL - Dr Lal PathLabs Ltd

  
Dr Shalabh Malik  
MD, Microbiology  
National Head - Microbiology &  
Serology  
NRL - Dr Lal PathLabs Ltd

.....End of report .....



#### IMPORTANT INSTRUCTIONS

\*Test results released pertain to the specimen submitted.\*All test results are dependent on the quality of the sample received by the Laboratory .  
\*Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician .\*Sample repeats are accepted on request of Referring Physician within 7 days post reporting.\*Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.\*Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting.\*Test results may show interlaboratory variations .\*The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s).\*Test results are not valid for medico legal purposes. \*Contact customer care Tel No. +91-11-39885050 for all queries related to test results.  
(#) Sample drawn from outside source.