

Wahyu Teri Aripin : Korespondensi Published article pada
jurnal Operations Research Forum

1. Submission Received (1 January 2024)
2. First Revision: Accept with Major Revision (5 Maret 2024)
3. First Revision Submitted (31 Maret 2024)
4. Second Revision: Accept with Minor Revision (9 May 2024)
5. Second Revision Submitted (10 May 2024)
6. Third Revision: Accept with Minor Revision (15 July 2024)
7. Third Revision Submitted (22 July 2024)
8. Submission Accepted (8 Agustus 2024)
9. Submission Published (22 Agustus 2024)

Subject:	Operations Research Forum - Receipt of Manuscript 'A Unique Perspective...'	
From:	"Operations Research Forum" <kenneth.cervantes@springernature.com>	Jan 2, 2024 2:22:12 AM
To:	wahyu@mail.dlut.edu.cn	

Ref: Submission ID fed33bc4-9365-476e-8c52-107da596ccb3

Dear Dr Arpin,

Thank you for submitting your manuscript to Operations Research Forum.

Your manuscript is now at our initial Technical Check stage, where we look for adherence to the journal's submission guidelines, including any relevant editorial and publishing policies. If there are any points that need to be addressed prior to progressing we will send you a detailed email. Otherwise, your manuscript will proceed into peer review.

Using the link below, you can check on the status of your submission by creating a new account, or logging in with an existing one. <https://researcher.nature.com/validate?token=eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzUxMiJ9.eyJpbnZpdGF0aW9uSWQiOiJiOGU5ZmM5Yy04MWI3LTQ2MjgtOTVmOS0wNmRkYzBiOGM3ZGYifQ.0J0eii8X0jlvWsJ5EPWmoEVAIIrhf142vVHihbHtiNzdehPAJhCQUpDuDuRgXPGrmUNJTRoi-nZvLrPKJnFoMw>

Kind regards,

Editorial Assistant
Operations Research Forum

Operations Research Forum is a transformative journal. This means it offers a hybrid publication model. When the journal accepts research for publication, the article may be published using either immediate gold open access or the subscription publishing route. For further information please visit <https://www.springernature.com/gp/open-research/transformative-journals>

Subject:	Operations Research Forum: Decision on your manuscript	
From:	"Operations Research Forum" <kenneth.cervantes@springernature.com>	Mar 5, 2024 10:34:01 PM
To:	wahyu@mail.dlut.edu.cn	

Ref: Submission ID fed33bc4-9365-476e-8c52-107da596ccb3

Decision: major revision

Dear Dr Arpin,
Your manuscript, "A Unique Perspective on Vulnerability and Route Dynamics in the Global Liner Shipping Network", has now been assessed.

The reviewer and myself both agree that there is quite the work to be done in order for the manuscript to be considered for publication. This major revision will need to include a bigger discussion in the advances that optimization and network science have done in the last few years for resilience studies. I echo the recommendations of the reviewer and I urge you to update carefully the literature review and the introduction, as well as update the methodological aspects of the manuscript to be in line with the recent advancements. I want to thank the reviewer for doing such a great job identifying pertinent literature and avenues for you and your team to continue on.

Overall, I would like to invite you to revise your paper and perform these major revisions asked by the reviewer. When your revision is ready, please submit the updated manuscript and a point-by-point response.

<https://submission.springernature.com/submit-revision/fed33bc4-9365-476e-8c52-107da596ccb3>

To support the continuity of the peer review process, we recommend returning your manuscript to us within 28 days. If you think you will need additional time, please let us know by replying to this email.

Kind regards,

Chrysafis Vogiatzis
Editor
Operations Research Forum

SUBMISSION INSTRUCTIONS FOR REVISED PAPERS
Once you have revised your paper, the submitter Wahyu Aripin can use the following link to submit it:

<https://submission.springernature.com/submit-revision/fed33bc4-9365-476e-8c52-107da596ccb3>

In order to process your paper (please note if there are review reports these will be included below), we require:

- A point-by-point response to the comments, including a description of any additional experiments that were carried out and a detailed rebuttal of any criticisms or requested revisions that you disagreed with.

This must be uploaded as a 'Point-by-point response' file. All changes to the manuscript must be highlighted or indicated by using tracked changes.

At this stage, please also ensure that you have replaced your initial-submission image files with production quality figures. These should be supplied at 300 dpi resolution for .jpeg and .tiff or as .eps files. Figures should not include Figure number labels in the image.

Please ensure you conform to our authorship policies, also outlined here:
<https://www.springer.com/journal/43069/submit-revision>

If you have been asked to improve the language or presentation of your manuscript and would like the assistance of paid editing services, then our expert help at Springer Nature Author Services can help you improve your manuscript through services including English language editing, developmental comments, manuscript formatting, figure preparation, translation, and more.

To find out more and get 15% off your order then click the link below.

https://authorservices.springernature.com/go/sn/?utm_source=SNAPP&utm_medium=Revision+Email&utm_campaign=SNAS+Referrals+2022&utm_id=ref2022

Please note that use of an editing service is neither a requirement nor a guarantee of publication. Free assistance is available from our resources page:
<https://www.springernature.com/gp/researchers/campaigns/english-language-forauthors>

REVIEWER REPORTS

Reviewer Comments:

Reviewer 1
Please see the attached for my comments.

Attachments:
• <https://reviewer-feedback.springernature.com/download/attachment/c5cf50dc-aae2-4fe7-b884-2b1f99d5e9f1>

Review for “A Unique Perspective on Vulnerability and Route Dynamics in the Global Liner Shipping Network”

Summary

In this work, the authors analyze global liner shipping networks from the years 2019, 2020, and 2021. They analyze how the shipping routes alter after the global pandemic and discuss that maximum degree centrality does not indicate the most vulnerable nodes. During their experiments, the authors drop one node at a time and compare a) the increase in efficiency gap, and b) strongly connected component in different years. They discuss that the liner shipping network is negatively impacted by the pandemic in 2020 but managed to rebound in the following year. I have provided detailed comments in the following sections below. Overall, I find the current contribution of the paper minor. I recommend the authors analyze my comments and make some substantial changes if they agree.

Thank you for the constructive feedback. We have revised our work accordingly. To highlight our revisions, we have incorporated them in blue text both in the point-by-point response and in the original document.

The referencing has also been corrected.

Main Comments

1. One major drawback is that the authors completely ignore the optimization body of research in network resilience. Both resilience and centrality, used to measure resiliency, have been extensively studied. I'll share some of those works below. The authors should discuss these works or similar ones and compare their study with them to express its novelty.
 - Sharkey, T. C., Nurre Pinkley, S. G., Eisenberg, D. A., & Alderson, D. L. (2021). In search of network resilience: An optimization-based view. *Networks*, 77(2), 225-254.
 - Wan, Z., Mahajan, Y., Kang, B. W., Moore, T. J., & Cho, J. H. (2021). A survey on centrality metrics and their network resilience analysis. *IEEE Access*, 9, 104773-104819.

Thank you for the constructive comment. We've revised our work accordingly. Building upon the foundation laid by Sharkey et al. (2021), our work expands on Jaccard analysis to develop an adaptability index based on network analysis. This index serves as a tool to assess both network resilience and route vulnerability. We conduct our analysis within two distinct scenarios: the 'as is' scenario, which depicts the existing conditions, and the deliberate attack scenario, which simulates potential disruptions.

Our methodology is grounded in network theory and extends existing research by incorporating adaptability metrics to evaluate the Global Liner Shipping Network (GLSN). By leveraging Jaccard analysis, we identify similarities between routes and develop an adaptability index to quantify the network's ability to respond to disruptions.

In the 'as is' scenario, we examine the GLSN's current state to understand its resilience and vulnerability under normal operating conditions. Conversely, the deliberate attack scenario allows us to simulate various attack strategies, such as targeting high-degree ports, most initial ports and most end ports to assess the network's response to intentional disruptions.

2. Secondly, the authors state that *“Notably, the comprehensive assessment of an entire network using real-world data remains an underexplored area”*. I respectfully disagree since network

interdiction models also cover a similar research area. I am positive that there should be multiple research utilizing real-world data.

- Smith, J. C., & Song, Y. (2020). A survey of network interdiction models and algorithms. *European Journal of Operational Research*, 283(3), 797-811.

Thank you for your feedback. We have incorporated your suggestions and revised our statement accordingly.

3. While the authors utilize centrality concept, they do not reference any of the existing research on centrality. I highly suggest them to add another paragraph in Literature Review and discuss centrality related research as well.
 - Camur, M. C., & Vogiatzis, C. (2024). A Survey on Optimization Studies of Group Centrality Metrics. *arXiv preprint arXiv:2401.05235*.
 - Lagos, T., Prokopyev, O. A., & Veremyev, A. (2024). Finding groups with maximum betweenness centrality via integer programming with random path sampling. *Journal of Global Optimization*, 88(1), 199-232.

Thank you for your suggestion. In response to this matter, we have added paragraphs addressing both centrality and adaptability as we will be focusing more on these aspects.

4. The authors mention that “*where nodes are systematically removed one by one*”, however, in real, group of nodes are removed after a disruption. That is why the impact of group of nodes would be a better research direction to examine.

Thank you for your constructive feedback. In response, we have revised our approach by implementing a deliberate attack strategy to remove 20 targeted ports simultaneously, rather than removing nodes one by one. This allows us to assess the impact on both the adaptability index and traffic change more comprehensively.

5. Within the same context, the authors write “*Through this simulation, we focus on two crucial aspects:*” and use the word of simulation in many places. I do not think that they use any simulation techniques like discrete event, agent-based or systems dynamics. If they are removing nodes one by one, this cannot be called simulation. The authors should clarify what they are doing and avoid the word of simulation if they are not actually running a simulation model.

Thank you for the feedback. We have revised our work accordingly, removing the term “simulation” as it does not accurately describe our methodology.

6. The authors also mention that “*efficiency (shortest path length) after removal.*”. Yet, it is not clear how this is better than measuring betweenness centrality of each node. The literature does not only focus on nodes with maximum degree centrality as the authors claim.

Thank you for the feedback. We have revised our work to focus more on adaptability and route vulnerability rather than efficiency.

7. The authors discuss how GLSN rebounds during the pandemic and present several graphics. However, it is not clear if they just obtain insights from the existing data sets or they implement a certain methodology to identify alternative routes. That is why it is not quite clear what the current novelty and contribution of the paper is.

Thank you for the constructive feedback. We have revised our work and divided our analysis into two scenarios: the "as is" scenario and the deliberate attack scenario. In the "as is" scenario, we provide a report on the existing GLSN before delving further into the adaptability analysis.

8. During the vulnerability analysis, the authors use the term of "efficiency gap", however, it is not officially defined in the paper which makes it hard to understand the numerical analysis.

Thank you for the constructive feedback. We have revised our work accordingly, placing a stronger emphasis on adaptability and traffic change.

9. The authors mention that *"nodes most vulnerable to the entire network may not always correlate with those having the highest degree."* That is a correct claim, but this is a well-known fact that has been proven by many researchers in the centrality community for decades. For instance, if the authors use betweenness and closeness centralities, I feel like they may get the exact same results. So I find it crucial for the authors examine different centrality metrics from the group centrality perspective. Having said that plain nodal centrality metric may be even beneficial to obtain the same results.
 - Lagos, T., Prokopyev, O. A., & Veremyev, A. (2024). Finding groups with maximum betweenness centrality via integer programming with random path sampling. *Journal of Global Optimization*, 88(1), 199-232.
 - Vogiatzis, C., & Camur, M. C. (2019). Identification of essential proteins using induced stars in protein-protein interaction networks. *INFORMS Journal on Computing*, 31(4), 703-718.

Thank you for your feedback. We have revised our work accordingly. We have incorporated the removal of the most initial and most end ports into our strategies, complementing the removal of highest degree ports. This provides a more comprehensive view of the results.

10. The authors measure the resiliency mostly based on routing and shortest path discussions. It is expected that maximum degree centrality won't be providing matching results. So it is more like comparing apples with oranges.

Thank you for your feedback. We have revised our work to place more emphasis on adaptability and route vulnerability.

11. In conclusion, the authors mention that *"employed in response to the disruption is the rerouting strategy."* After reading the paper two times, I still cannot see what rerouting strategy is applied by the authors. I even searched the word of "routing", I cannot find it anywhere in the manuscript except two places.

Thank you for the constructive feedback. We have revised our work accordingly by removing that statement as it falls beyond the scope of this study. Instead, we have listed it as a potential research direction for future investigation.

12. Currently, the paper reads as analyzing three datasets on liner shipping and obtaining insights, which does not seem like a sufficient research contribution.

Thank you for the constructive feedback. We have revised our work accordingly. Our study now comprises three main sections. First, we obtain insights from the dataset to understand the current state of the network. Second, we delve deeper into route analysis, utilizing Jaccard analysis to develop an adaptability index that measures the network's adaptability. We also conduct deliberate attacks to assess the network's resilience to potential disruptions. Third, we analyze route vulnerability, identifying adaptable and vulnerable routes based on specific situations or attacks on the network. With these revisions, I am confident that our work makes a valuable research contribution.

Minor Comments

Introduction

- In the first paragraph, the authors mention "...simulation, disruption, and measurement". While they define the first two terms, they do not introduce what measurement is in the context of resilience.

Thank you for the feedback. We've revised it accordingly.

- There is a need for proof reading. The authors should put blank space before and after references. Some example are: "... assessments(Bai et al., 2023)," ; "(X. Xu et al., 2022)and".

Thank you for the feedback. We've revised it accordingly.

- The authors should use dot rather than comma when summarizing the structure of the paper in the last paragraph.

Thank you for the feedback. We've revised it accordingly.

Literature Review

- Similar blank space issues repeat. "robustness(M. Xu et al., 2023)."

Thank you for the feedback. We've revised it accordingly.

Methodology

- The equations created should be referenced in the text. For instance, the calculation of density shown in Equation 2, but it is not clear where it is mentioned in the written text.
- The authors mention that '*Efficiency: Assessed by evaluating the shortest path length within the network.*' This is not clearly explained. Are they evaluating the increase in shortest path when a

node is removed? Why don't they compute closeness or betweenness centrality of each node which already gives a good amount of information regarding shortest paths.

Thank you for the feedback. We have revised our work accordingly, with a greater focus on adaptability and route vulnerability. As a result, the highlighted statement has been omitted from our revised work.

Subject:	Operations Research Forum: Decision on your manuscript	
From:	"Operations Research Forum" <kenneth.cervantes@springernature.com>	May 9, 2024 9:59:58 PM
To:	wahyu@mail.dlut.edu.cn	

Ref: Submission ID fed33bc4-9365-476e-8c52-107da596ccb3

Dear Dr Arpin,
Your revision of your manuscript, "A Unique Perspective on Vulnerability and Route Dynamics in the Global Liner Shipping Network", has now been preliminary assessed.

During the screening, I observed that some of the references mentioned in the document are absent from the reference list, or are incorrectly referenced. For example: in Page 4, last paragraph "Calatayud et al." is not referenced numerically to the reference in the end, or in Page 6, second paragraph "Camur et al." is also not provided in the reference list correctly. In general, the referencing is inconsistent, with some publications being referenced numerically, others by name and year, and others both. Additionally, some publications are missing from the reference list in the end of the manuscript.

Can you make these corrections? When you have, I will make sure the work is reviewed by the same set of reviewers. When your revision is ready, please submit the updated manuscript and a point-by-point response.

<https://submission.springernature.com/submit-revision/fed33bc4-9365-476e-8c52-107da596ccb3>

To support the continuity of the peer review process, we recommend returning your manuscript to us within 14 days. If you think you will need additional time, please let us know by replying to this email.

Kind regards,

Chrysafis Vogiatzis
Editor
Operations Research Forum

SUBMISSION INSTRUCTIONS FOR REVISED PAPERS
Once you have revised your paper, the submitter Wahyu Aripin can use the following link to submit it:

<https://submission.springernature.com/submit-revision/fed33bc4-9365-476e-8c52-107da596ccb3>

In order to process your paper (please note if there are review reports these will be included below), we require:

- A point-by-point response to the comments, including a description of any additional experiments that were carried out and a detailed rebuttal of any criticisms or requested revisions that you disagreed with.

This must be uploaded as a 'Point-by-point response' file. All changes to the manuscript must be highlighted or indicated by using tracked changes.

At this stage, please also ensure that you have replaced your initial-submission image files with production quality figures. These should be supplied at 300 dpi resolution for .jpeg and .tiff or as .eps files. Figures should not include Figure number labels in the image.

Please ensure you conform to our authorship policies, also outlined here:
<https://www.springer.com/journal/43069/submit-revision>

If you have been asked to improve the language or presentation of your manuscript and would like the assistance of paid editing services, then our expert help at Springer Nature Author Services can help you improve your manuscript through services including English language editing, developmental comments, manuscript formatting, figure preparation, translation, and more.

To find out more and get 15% off your order then click the link below.

https://authorservices.springernature.com/go/sn/?utm_source=SNAPP&utm_medium=Revision+Email&utm_campaign=SNAS+Referrals+2022&utm_id=ref2022

Please note that use of an editing service is neither a requirement nor a guarantee of publication. Free assistance is available from our resources page:
<https://www.springernature.com/gp/researchers/campaigns/english-language-forauthors>

REVIEWER REPORTS

Subject:	Operations Research Forum: Decision on your manuscript	
From:	"Operations Research Forum" <kenneth.cervantes@springernature.com>	Jul 16, 2024 3:06:58 AM
To:	wahyu@mail.dlut.edu.cn	

Ref: Submission ID fed33bc4-9365-476e-8c52-107da596ccb3

Decision: minor revision

Dear Dr Arpin,
Your manuscript, "A Unique Perspective on Vulnerability and Route Dynamics in the Global Liner Shipping Network", has now been assessed.

The reviewer comments, which I agree with, ask you to carefully check some calculations, ensure that you follow standard graph theory notation, and further clarify some key aspects of your methodology. The reviewer sees a substantial quality improvement, and I agree. We are happy that your manuscript seems to be making its contributions clearer with each iteration.

We invite you to revise your paper. When your revision is ready, please submit the updated manuscript and a point-by-point response.

<https://submission.springernature.com/submit-revision/fed33bc4-9365-476e-8c52-107da596ccb3>

To support the continuity of the peer review process, we recommend returning your manuscript to us within 14 days. If you think you will need additional time, please let us know by replying to this email.

Kind regards,

Chrysafis Vogiatzis
Editor
Operations Research Forum

SUBMISSION INSTRUCTIONS FOR REVISED PAPERS
Once you have revised your paper, the submitter Wahyu Aripin can use the following link to submit it:

<https://submission.springernature.com/submit-revision/fed33bc4-9365-476e-8c52-107da596ccb3>

In order to process your paper (please note if there are review reports these will be included below), we require:

- A point-by-point response to the comments, including a description of any additional experiments that were carried out and a detailed rebuttal of any criticisms or requested revisions that you disagreed with.

This must be uploaded as a 'Point-by-point response' file. All changes to the manuscript must be highlighted or indicated by using tracked changes.

At this stage, please also ensure that you have replaced your initial-submission image files with production quality figures. These should be supplied at 300 dpi resolution for .jpeg and .tiff or as .eps files. Figures should not include Figure number labels in the image.

Please ensure you conform to our authorship policies, also outlined here:
<https://www.springer.com/journal/43069/submit-revision-guidelines>

If you have been asked to improve the language or presentation of your manuscript and would like the assistance of paid editing services, then our expert help at Springer Nature Author Services can help you improve your manuscript through services including English language editing, developmental comments, manuscript formatting, figure preparation, translation, and more.

To find out more and get 15% off your order then click the link below.

https://authorservices.springernature.com/go/sn/?utm_source=SNAPP&utm_medium=Revision+Email&utm_campaign=SNAS+Referrals+2022&utm_id=ref2022

Please note that use of an editing service is neither a requirement nor a guarantee of publication. Free assistance is available from our resources page:
<https://www.springernature.com/gp/researchers/campaigns/english-language-forauthors>

REVIEWER REPORTS

Reviewer Comments:

Reviewer 1
Please see the PDF file for the detailed comments.

Attachments:
• <https://reviewer-feedback.springernature.com/download/attachment/715bc9c2-842b-48d7-9efe-ea1c4c11bafb>

Review for “A Unique Perspective on Vulnerability and Route Dynamics in the Global Liner Shipping Network”

Summary

In this work, the authors analyze global liner shipping networks from the years 2019, 2020, and 2021. They analyze how the shipping routes alter after the global pandemic and discuss that maximum degree centrality does not indicate the most vulnerable nodes. During their experiments, the authors drop one node at a time and compare a) the increase in efficiency gap, and b) strongly connected component in different years. They discuss that the liner shipping network is negatively impacted by the pandemic in 2020 but managed to rebound in the following year. I have provided detailed comments in the following sections below. Overall, I find the current contribution of the paper minor. I recommend the authors analyze my comments and make some substantial changes if they agree.

Thank you for the constructive feedback. We have revised our work accordingly. To highlight our revisions, we have incorporated them in blue text both in the point-by-point response and in the original document.

The referencing has also been corrected.

Main Comments

1. One major drawback is that the authors completely ignore the optimization body of research in network resilience. Both resilience and centrality, used to measure resiliency, have been extensively studied. I'll share some of those works below. The authors should discuss these works or similar ones and compare their study with them to express its novelty.
 - Sharkey, T. C., Nurre Pinkley, S. G., Eisenberg, D. A., & Alderson, D. L. (2021). In search of network resilience: An optimization-based view. *Networks*, 77(2), 225-254.
 - Wan, Z., Mahajan, Y., Kang, B. W., Moore, T. J., & Cho, J. H. (2021). A survey on centrality metrics and their network resilience analysis. *IEEE Access*, 9, 104773-104819.

Thank you for the constructive comment. We've revised our work accordingly. Building upon the foundation laid by Sharkey et al. (2021), our work expands on Jaccard analysis to develop an adaptability index based on network analysis. This index serves as a tool to assess both network resilience and route vulnerability. We conduct our analysis within two distinct scenarios: the 'as is' scenario, which depicts the existing conditions, and the deliberate attack scenario, which simulates potential disruptions.

Our methodology is grounded in network theory and extends existing research by incorporating adaptability metrics to evaluate the Global Liner Shipping Network (GLSN). By leveraging Jaccard analysis, we identify similarities between routes and develop an adaptability index to quantify the network's ability to respond to disruptions.

In the 'as is' scenario, we examine the GLSN's current state to understand its resilience and vulnerability under normal operating conditions. Conversely, the deliberate attack scenario allows us to simulate various attack strategies, such as targeting high-degree ports, most initial ports and most end ports to assess the network's response to intentional disruptions.

2. Secondly, the authors state that *“Notably, the comprehensive assessment of an entire network using real-world data remains an underexplored area”*. I respectfully disagree since network

interdiction models also cover a similar research area. I am positive that there should be multiple research utilizing real-world data.

- Smith, J. C., & Song, Y. (2020). A survey of network interdiction models and algorithms. *European Journal of Operational Research*, 283(3), 797-811.

Thank you for your feedback. We have incorporated your suggestions and revised our statement accordingly.

3. While the authors utilize centrality concept, they do not reference any of the existing research on centrality. I highly suggest them to add another paragraph in Literature Review and discuss centrality related research as well.
 - Camur, M. C., & Vogiatzis, C. (2024). A Survey on Optimization Studies of Group Centrality Metrics. *arXiv preprint arXiv:2401.05235*.
 - Lagos, T., Prokopyev, O. A., & Veremyev, A. (2024). Finding groups with maximum betweenness centrality via integer programming with random path sampling. *Journal of Global Optimization*, 88(1), 199-232.

Thank you for your suggestion. In response to this matter, we have added paragraphs addressing both centrality and adaptability as we will be focusing more on these aspects.

4. The authors mention that “*where nodes are systematically removed one by one*”, however, in real, group of nodes are removed after a disruption. That is why the impact of group of nodes would be a better research direction to examine.

Thank you for your constructive feedback. In response, we have revised our approach by implementing a deliberate attack strategy to remove 20 targeted ports simultaneously, rather than removing nodes one by one. This allows us to assess the impact on both the adaptability index and traffic change more comprehensively.

5. Within the same context, the authors write “*Through this simulation, we focus on two crucial aspects:*” and use the word of simulation in many places. I do not think that they use any simulation techniques like discrete event, agent-based or systems dynamics. If they are removing nodes one by one, this cannot be called simulation. The authors should clarify what they are doing and avoid the word of simulation if they are not actually running a simulation model.

Thank you for the feedback. We have revised our work accordingly, removing the term “simulation” as it does not accurately describe our methodology.

6. The authors also mention that “*efficiency (shortest path length) after removal.*”. Yet, it is not clear how this is better than measuring betweenness centrality of each node. The literature does not only focus on nodes with maximum degree centrality as the authors claim.

Thank you for the feedback. We have revised our work to focus more on adaptability and route vulnerability rather than efficiency.

7. The authors discuss how GLSN rebounds during the pandemic and present several graphics. However, it is not clear if they just obtain insights from the existing data sets or they implement a certain methodology to identify alternative routes. That is why it is not quite clear what the current novelty and contribution of the paper is.

Thank you for the constructive feedback. We have revised our work and divided our analysis into two scenarios: the "as is" scenario and the deliberate attack scenario. In the "as is" scenario, we provide a report on the existing GLSN before delving further into the adaptability analysis.

8. During the vulnerability analysis, the authors use the term of "efficiency gap", however, it is not officially defined in the paper which makes it hard to understand the numerical analysis.

Thank you for the constructive feedback. We have revised our work accordingly, placing a stronger emphasis on adaptability and traffic change.

9. The authors mention that *"nodes most vulnerable to the entire network may not always correlate with those having the highest degree."* That is a correct claim, but this is a well-known fact that has been proven by many researchers in the centrality community for decades. For instance, if the authors use betweenness and closeness centralities, I feel like they may get the exact same results. So I find it crucial for the authors examine different centrality metrics from the group centrality perspective. Having said that plain nodal centrality metric may be even beneficial to obtain the same results.
 - Lagos, T., Prokopyev, O. A., & Veremyev, A. (2024). Finding groups with maximum betweenness centrality via integer programming with random path sampling. *Journal of Global Optimization*, 88(1), 199-232.
 - Vogiatzis, C., & Camur, M. C. (2019). Identification of essential proteins using induced stars in protein-protein interaction networks. *INFORMS Journal on Computing*, 31(4), 703-718.

Thank you for your feedback. We have revised our work accordingly. We have incorporated the removal of the most initial and most end ports into our strategies, complementing the removal of highest degree ports. This provides a more comprehensive view of the results.

10. The authors measure the resiliency mostly based on routing and shortest path discussions. It is expected that maximum degree centrality won't be providing matching results. So it is more like comparing apples with oranges.

Thank you for your feedback. We have revised our work to place more emphasis on adaptability and route vulnerability.

11. In conclusion, the authors mention that *"employed in response to the disruption is the rerouting strategy."* After reading the paper two times, I still cannot see what rerouting strategy is applied by the authors. I even searched the word of "routing", I cannot find it anywhere in the manuscript except two places.

Thank you for the constructive feedback. We have revised our work accordingly by removing that statement as it falls beyond the scope of this study. Instead, we have listed it as a potential research direction for future investigation.

12. Currently, the paper reads as analyzing three datasets on liner shipping and obtaining insights, which does not seem like a sufficient research contribution.

Thank you for the constructive feedback. We have revised our work accordingly. Our study now comprises three main sections. First, we obtain insights from the dataset to understand the current state of the network. Second, we delve deeper into route analysis, utilizing Jaccard analysis to develop an adaptability index that measures the network's adaptability. We also conduct deliberate attacks to assess the network's resilience to potential disruptions. Third, we analyze route vulnerability, identifying adaptable and vulnerable routes based on specific situations or attacks on the network. With these revisions, I am confident that our work makes a valuable research contribution.

Minor Comments

Introduction

- In the first paragraph, the authors mention "...simulation, disruption, and measurement". While they define the first two terms, they do not introduce what measurement is in the context of resilience.

Thank you for the feedback. We've revised it accordingly.

- There is a need for proof reading. The authors should put blank space before and after references. Some example are: "... assessments(Bai et al., 2023)," ; "(X. Xu et al., 2022)and".

Thank you for the feedback. We've revised it accordingly.

- The authors should use dot rather than comma when summarizing the structure of the paper in the last paragraph.

Thank you for the feedback. We've revised it accordingly.

Literature Review

- Similar blank space issues repeat. "robustness(M. Xu et al., 2023)."

Thank you for the feedback. We've revised it accordingly.

Methodology

- The equations created should be referenced in the text. For instance, the calculation of density shown in Equation 2, but it is not clear where it is mentioned in the written text.
- The authors mention that '*Efficiency: Assessed by evaluating the shortest path length within the network.*' This is not clearly explained. Are they evaluating the increase in shortest path when a

node is removed? Why don't they compute closeness or betweenness centrality of each node which already gives a good amount of information regarding shortest paths.

Thank you for the feedback. We have revised our work accordingly, with a greater focus on adaptability and route vulnerability. As a result, the highlighted statement has been omitted from our revised work.

Subject:	Operations Research Forum: Decision on your manuscript	
From:	"Operations Research Forum" <kenneth.cervantes@springernature.com>	Aug 8, 2024 11:09:25 AM
To:	wahyu@mail.dlut.edu.cn	

Ref: Submission ID fed33bc4-9365-476e-8c52-107da596ccb3

Dear Dr Arpin,

Re: "A Unique Perspective on Vulnerability and Route Dynamics in the Global Liner Shipping Network"

We're delighted to let you know that your manuscript has been accepted for publication in Operations Research Forum.

Prior to publication, our production team will check the format of your manuscript to ensure that it conforms to the journal's requirements. They will be in touch shortly to request any necessary changes, or to confirm that none are needed.

Checking the proofs

Once we've prepared your paper for publication, you will receive a proof. At this stage, for the main text, only errors that have been introduced during the production process, or those that directly compromise the scientific integrity of the paper, may be corrected.

As the corresponding (or nominated) author, you are responsible for the accuracy of all content, including spelling of names and current affiliations.

To ensure prompt publication, your proofs should be returned within two working days.

Publication policies

Acceptance of your manuscript is conditional on all authors agreeing to our publication policies at: <https://www.springernature.com/gp/policies/editorial-policies>

Operations Research Forum is a transformative journal. This means it offers a hybrid publication model. When the journal accepts research for publication, the article may be published using either immediate gold open access or the subscription publishing route. For further information please visit <https://www.springernature.com/gp/open-research/transformative-journals>

Once again, thank you for choosing Operations Research Forum, and we look forward to publishing your article.

Kind regards,

Panos Pardalos
Editor
Operations Research Forum

Query Details

Back to Main Page

1. Please check if the corresponding author is identified correctly; otherwise, kindly amend.

2. Please check captured article note if presented correctly.

Checked and correct.

3. Please check if the section headings are assigned to appropriate levels.

Checked; the headings are all correct.

4. Instances of “Adaptability Index” were slightly modified to “adaptability index” for consistency in presentation throughout the text. Kindly check if appropriate and amend if deemed necessary.

Checked and thank you. It is better.

5. Please check if figures and captions are captured/presented correctly.

Checked; the captions are presented correctly.

6. The presentation for each table was slightly modified in line with standard instructions. Kindly check if presented correctly.

Checked and thank you for the modification. It is all correct.

7. Please check if the table captions, cell entries, and footnotes are captured and presented correctly.

Checked and all correct.

8. The sentence “Further about route dynamics...” was slightly modified for clarity. Kindly check if the intended meaning was retained and amend if deemed necessary.

Checked and thank you, it is better.

9. Please check captured display table if presented correctly.

Checked and correct.

10. Please check if appendix are captured and presented correctly.

Checked, Ok.

11. Please provide complete bibliographic details for reference [6], [9], [17].

I have added the DOI link to the references.

Research

A Unique Perspective on Vulnerability and Route Dynamics in the Global Liner Shipping Network

Springer Nature or its licensor (e.g. a society or other partner) holds exclusive rights to this article under a publishing agreement with the author(s) or other rightsholder(s); author self-archiving of the accepted manuscript version of this article is solely governed by the terms of such publishing agreement and applicable law.

Wahyu Teri Arpin ✉

Email : wahyu@mail.dlut.edu.cn

Affiliationids : Aff1 Aff2, Correspondingaffiliationid : Aff1

Qian Pan Affiliationids : Aff3

Xia Haoxiang Affiliationids : Aff1

Aff1 School of Ecomomics and Management, Dalian University of Technology, Dalian, China

Aff2 Industrial Engineering, ~~Industrial Engineering Department, STT Cipasung~~STT Cipasung, Tasikmalaya, Indonesia

Aff3 College of Business, Jiaxing University, Jiaxing, China

Received: 1 January 2024 / Accepted: 8 August 2024

Abstract

The **AQ1** resilience of the Global Liner Shipping Network (GLSN) has been examined in various studies under different scenarios, with some indicating resilience to random attacks but vulnerable to deliberate attacks, particularly targeting high-degree nodes. This study uniquely focuses on assessing GLSN resilience as adaptability using two different scenarios of real-world data in the face of a significant disruption like pandemic. Through comprehensive network analysis, which includes route dynamic assessment in two different scenarios, we observe that the GLSN demonstrates moderate adaptability to substantial disruptions. Our investigation extends to the dynamic evolution of shipping routes during disruptive periods. Our findings reveal that top-degree nodes are vulnerable for unique routes, while both the highest initial and end ports are vulnerable for similar cross-year routes. Additionally, all scenarios have various impacts on both the adaptability index and traffic change across the years.

Keywords

Global liner shipping network
Pandemic
Resilience
Vulnerability
Route

Subject classification **AQ2** codes: Maritime transport, Logistics.

1. Introduction

In general, resilience is defined as the capacity **AQ3** to adapt to new challenges or restore to a normal state after disruption [1]. Resilience assessment involves considerations of simulation, disruption, and measurement. Simulation entails determining the scenarios used to assess resilience, while disruption involves specifying the type of attack or removal strategy employed to closely mimic real-world events. Measurement is employed to evaluate and interpret the results of the simulation. Ultimately, it will be determined whether the network exhibits resilience or not. Various strategies, such as random removal [2], deliberate attacks targeting high-degree nodes [3], and multi-centrality assessments [4], have been utilized. Additionally, attacking strategies may differ, including static [5] and dynamic states [4], as well as partial removal [6].

Resilience assessments frequently narrow their focus to specific scenarios, such as the impact of natural disasters like the 2011 tsunami on Kobe Port [3] or events similar to those experienced by Shanghai Port in 2020 [4,7]. However, when evaluating the resilience of the global liner shipping network, it is crucial to acknowledge that nodes and links primarily represent the sequence of routes taken by ships rather than discrete start and end points. Therefore, assessing route dynamics emerges as the most suitable method for evaluating the network’s resilience, specifically resilience as adaptability [8].

To this end, two distinct scenarios are proposed for assessment: the “as is” scenario and the deliberate node removal scenario. The “as is” scenario involves analyzing existing data, with 2019 data serving as the baseline, 2020 representing a disruption period, and 2021 indicating a rebounding period. Conversely, the deliberate node removal scenario comprises ~~three~~**two** scenarios: the group of highest centrality node removal, ~~and~~ the group of most initial **and end** port removal.

For the assessment of resilience as adaptability, we will use Jaccard [9] similarity analysis where the adaptability index will be generated as a measure for the network adaptability. Additionally, it is worth noting that existing simulations often target high-degree nodes for removal [4,10], under the assumption that they are more susceptible to disruption.

When assessing node vulnerability, we rely on a range of measures, encompassing centrality degree, most initial port point, and most end point port. A centrality degree offers valuable insights into port activity by considering both incoming and outgoing traffic, effectively pinpointing the busiest ports within the network. The designation of the most initial port point typically denotes where ships commence their journeys, while the identification of the most end point port signifies the termination point of these voyages. Our study aims to assess the Global Liner Shipping Network’s response to the recent pandemic disruption using real-world data. We take a unique approach to vulnerability assessment, aiming to identify nodes most susceptible to disruption.

The structure of the remaining paper will unfold as follows: Sect. 2 will present the literature review. Section 3 will cover data and methodology. Section 4 will delve into results and discussions. Section 5 will conclude the paper.

2. Literature Review

The resilience of the Global Liner Shipping Network (GLSN) has been a significant area of research, with numerous studies contributing to our understanding of its vulnerabilities and adaptive capacities. Xu et al. (2022) investigate the GLSN’s vulnerability, particularly focusing on cascading failures during interruptions such as the COVID-19 pandemic. By employing a bipartite network model, they reveal the dynamic nature of GLSN’s vulnerability and emphasize the importance of adjusting port rotations. Their recommendations to skip failed

ports rather than choosing alternatives and to expand port capacity for long-term robustness underscore critical strategies for maintaining network stability [6]. Our research builds on this by examining how adaptive routing algorithms can further enhance these resilience strategies.

In the realm of adaptability, Silva et al. (2017) introduce “k-adaptive,” a novel routing approach designed to handle uncertainty in network loading. This method allows decision-makers to iteratively refine multiple potential solutions, thereby improving overall network quality [11]. Similarly, Nemeth (2015) underscores the importance of adaptive routing algorithms in managing Internet traffic, proposing a rate-adaptive multipath routing model with new centralized algorithms and a hybrid distributed-centralized approach [12]. Sharkey et al. (2021) further highlight the significance of network optimization methods in enhancing adaptability to future uncertainties, calling for extensive research to maximize network adaptability [8]. Our study extends these findings by applying adaptive routing principles specifically to GLSN, demonstrating their potential to mitigate disruptions and improve resilience.

Bai et al. (2023) contribute a two-dimensional framework for analyzing GLSN’s static and dynamic resilience. Using vessel movement and AIS data, they apply the clique percolation method and a knock-on effect simulation model to uncover the influence of overlapping structures and traffic flow on GLSN’s static resilience, particularly to random disruptions [4]. Their dynamic analysis provides valuable insights into disruption propagation, aiding contingency planning. Our work integrates these insights with adaptive routing techniques to enhance both the static and dynamic resilience of GLSN.

Calatayud et al. (2017) and Liu et al. (2018) both utilize complex network analyses to assess vulnerability in international freight flows and maritime supply chains, respectively. Calatayud et al. advocate for multiplex network modelling to manage supply chain risks, highlighting the need to consider a country’s position in the maritime network [3]. Liu et al. emphasize the robustness of maritime networks to random failures but increased vulnerability to targeted attacks on hub ports, stressing a comprehensive approach to identifying weaknesses [2]. Building on these studies, our research explores how adaptive routing and strategic port rotation can address these vulnerabilities and improve overall network resilience.

Dui et al. (2021) address Maritime Transportation Systems (MTS) resilience through a dynamic optimization model that prioritizes the recovery of critical supply nodes and connecting links, considering socio-economic impacts [13]. Qin et al. (2023) further investigate port node resilience using a three-dimensional model, analyzing data from China’s container ports to identify trends and dominant factors influencing resilience [14]. Our study complements these approaches by incorporating adaptive routing strategies to enhance the resilience of both MTS and port nodes within GLSN.

Narasimha et al. (2021) and Notteboom et al. (2021) analyze the impact of COVID-19 on seaport transportation and the shipping industry. Narasimha et al. reveal significant negative growth in cargo and vessel traffic in India, stressing the industry’s lack of preparedness and the need for resilient recovery strategies [15]. Notteboom et al. compare the impacts of COVID-19 and the 2008–2009 financial crisis on container ports, highlighting differences in adaptation mechanisms and operational adaptability [16]. Our research aims to integrate these findings with adaptive routing to develop more robust recovery strategies for GLSN in the face of global disruptions.

Camur et al. (2024) provide an in-depth exploration of centrality metrics in network analysis and optimization, particularly group centrality. They highlight the importance of identifying influential groups of nodes with connectivity constraints and call for further research into probabilistic group centrality metrics and stochastic optimization techniques [17]. Our work leverages these centrality metrics to enhance the identification and protection of critical nodes within GLSN, contributing to a more resilient network structure.

In summary, while existing studies have extensively explored GLSN resilience through various models and frameworks, our research uniquely integrates adaptive routing algorithms and network optimization techniques to address both static and dynamic resilience. By building on previous findings and introducing novel approaches, we aim to enhance the overall robustness of GLSN and provide practical recommendations for improving its adaptability to future disruptions.

3. Data and Methodology

3.1. Data

We utilized data from alphaliner.com for the years 2019, 2020, and 2021 to gather information on global liner shipping routes [18]. The dataset includes crucial details such as service ID, carrier, capacity, frequency, duration, and rotation.

Once the data was obtained, we performed a thorough cleaning process to ensure its accuracy and reliability. This involved addressing issues such as misspelled entries, redundant information, empty strings, and numerical inconsistencies. By carefully cleaning the data, we were able to enhance its quality and eliminate any potential errors.

The resulting dataset consists of 2601 ports located around the world, along with approximately 29903 link that span across various regions globally. This comprehensive coverage enables a robust analysis of the global liner shipping network, facilitating a deeper understanding of its structure and dynamics.

3.2. Methodology

We adopted the L-space approach [19] to construct directed graphs representing the global liner shipping network for the years 2019, 2020, and 2021. Subsequent to the construction of these networks, our analytical focus shifted towards visualizing their structures. Given the sparsity of the networks, our topological analysis was tailored to key metrics, including the count of nodes, edges, total shipped weight, average clustering coefficient, density, and the size of the strongly connected components.

$$C = \frac{\text{Number of directed triangles}}{\text{Number of connected triples}}$$

where C stands for the clustering coefficient, *Number of directed triangles* is the number of sets of three nodes where each node has a directed edge to another node in the set, forming a cycle, and *Number of connected triples* is the number of sets of three nodes connected by either directed or undirected paths.

$$Density = \frac{|E|}{|V| * (|V| - 1)}$$

2

where $|E|$ is the total number of directed edges in the graph, and $|V|$ is the total number of vertices (nodes) in the graph.

A strongly connected component (SCC) in a directed graph is a maximal subgraph in which every pair of vertices (nodes) is mutually reachable. This means that for any two nodes u and v within the SCC, there exists a directed path from u to v and a directed path from v to u . In other words, all nodes in an SCC are interconnected such that travel between any two nodes within the component is possible in both directions.

Formally, for a directed graph $G = (V, E)$, where V is a set of nodes (ports) and E is a set of directed edges between nodes. An SCC is defined as a subgraph $G' = (V', E')$ such that for every pair of node $u, v \in V'$, there exists a directed path from u to v and from v to u .

Moving forward, we delved into route analysis, aiming to quantify the number of operational routes in each respective year. Additionally, we conducted a comparative assessment of route similarities within the same year and across different years. This analysis allowed us to discern the relative busyness of specific routes. Here is how it is done [9]:

$$J(R_i, R_j) = \frac{|N_i \cap N_j|}{|N_i \cup N_j|}$$

3

where $J(R_i, R_j)$ is the similarity index, N_i is the set of nodes in route R_i , and N_j is the set of nodes in route R_j . To consider the two routes similar, we use the following mathematical condition:

$$Similar(R_i, R_j) = f(x) = \begin{cases} 1, & \text{if } J(R_i, R_j) > 0.9 \\ 0, & \text{otherwise} \end{cases}$$

4

$$Similar\ Routes = \{(R_i, R_j) | Similar(R_i, R_j) = 1\}$$

5

Continuing our exploration, we turned our attention to develop the adaptability index. To understand how routes in the Global Liner Shipping Network (GLSN) adapt to changes over time, we developed an adaptability index by comparing traffic changes to traffic volumes across different years. The adaptability index provides a measure of how well the network adapts to disruptions or shifts in demand.

1. Traffic volume (TV) represents the amount of cargo travelling on a specific route within a given year. For each route R_i in the GLSN, the traffic volume $TV_{i,y}$ for year y is recorded.
2. Traffic change (TC) is defined as the difference in traffic volume for each route between two consecutive years. For route R_i , the traffic change from year y to year $y + 1$ is calculated as:

$$TC_{i,y,y+1} = TV_{i,y+1} - TV_{i,y}$$

6

This value can be positive, indicating an increase in traffic, or negative, indicating a decrease.

3. The adaptability **AQ4** index (AI) for each route is a measure that reflects how adaptable the route is to changes in traffic volume. It is calculated by normalizing the traffic change by the average traffic volume over the two years. For route R_i , the adaptability index from year y to year $y + 1$ is given by:

$$AI_{i,y,y+1} = \frac{TC_{i,y,y+1}}{\left(\frac{TV_{i,y} + TV_{i,y+1}}{2}\right)}$$

7

This normalization helps in understanding the relative change in traffic, accounting for the scale of the traffic volumes.

4. To get an overall sense of the network's adaptability, we calculate the average adaptability index and average traffic change across all routes for each year pair. These aggregate measures provide insights into the general trends in network adaptability and traffic fluctuations.

$$ATC_{y,y+1} = \frac{1}{N} \sum_{i=1}^N TC_{i,y,y+1}$$

8

where ATC is the average traffic change, and N is the total number of routes.

$$AAI_{y,y+1} = \frac{1}{N} \sum_{i=1}^N AI_{i,y,y+1}$$

9

where AAI is the average adaptability index, and N is the total number of routes.

By using these calculations, we can analyze how the GLSN adapts over time. For instance, a high positive adaptability index indicates that the network routes can effectively handle increased traffic, while a negative index points to challenges in accommodating traffic changes.

Moving forward to vulnerability assessment, to comprehensively assess network vulnerability, we adopt a systematic approach using the routing adaptability index and traffic change as our metrics. These indices help us measure the network’s adaptability to changes. We employ three deliberate removal strategies: targeting the top 20 highest degree ports, the top 20 most initial ports, and the top 20 most end ports. This allows us to identify which routes are most adaptable and which are most vulnerable to such disruptions. Furthermore, we analyze which strategy is most detrimental to specific routes, aiding stakeholders in mitigating disruption impacts on route adaptability. Our study consists of two scenarios: the “as is” scenario, where we analyze the dataset to understand the network’s current state, and the deliberate attack scenario, where we implement various removal strategies to assess both route adaptability and vulnerability under different attack scenarios.

4. Result

4.1. As is Analysis

The initial phase involves the meticulous construction of the Global Liner Shipping Network (GLSN) for the years 2019, 2020, and 2021. The subsequent visualization of these networks provides a comprehensive understanding of their structures. Figures 1, 2, and 3 visually encapsulate the essence of these networks.

Fig. 1

Visual of Global Liner Shipping Network (GLSN) in 2019. The red dots are ports and the blue lines are the routes





Fig. 2

Visual of Global Liner Shipping Network (GLSN) in 2020. The red dots are ports and the green lines are the routes



Fig. 3
Visual of Global Liner Shipping Network (GLSN) in 2021. The green dots are ports and the yellow lines are the routes



Figures 1, 2, and 3 offer a visual insight into the dynamics of GLSN across the considered years. Notably, GLSN in 2020 (Fig. 2) appears sparser in comparison to 2019 (Fig. 1) and 2021 (Fig. 3). This observation serves as a compelling piece of evidence, indicating a significant disruption [4,7] in the shipping network during the year 2020.

Despite the apparent disruption in 2020, the resilience of the network becomes evident as it rebounds in 2021. The visualization portrays a renewed and robust network structure, signifying the adaptability and recovery of the global liner shipping network.

This visual exploration lays the foundation for subsequent analyses, allowing for a more in-depth investigation into the network’s properties, routes, and vulnerabilities during these critical years.

Table 1 offers a comprehensive overview of key properties within the Global Liner Shipping Network (GLSN) across the years 2019, 2020, and 2021 (Table 1). Notably, a consistent trend emerges, revealing a decline in ports, links, and weights in 2020 followed by a

substantial rebound in 2021. This distinctive pattern signifies a temporary disruption in 2020 [7], succeeded by a resilient recovery that surpasses previous network levels in 2021.

Table 1

Global liner shipping network **AQ6** basic property comparison

	2019	2020	2021
Number of nodes	936	730	982
Number of edges	5093	3979	5265
Total weight shipped	279,687,870	263,393,021	299,488,907
Average clustering coefficient ¹	0.259	0.319	0.270
Density ²	0.0058	0.0074	0.0054
Strongly connected components	54	4	54
¹ Calculated using Eq. 1			
² Calculated using Eq. 2			

4.1.1. Ports, Links, and Weights

A clear trend showcases a decline in these fundamental metrics in 2020, reflecting the disruptive impact on the network during that period. The subsequent surge in 2021 indicates a robust recovery, showcasing the system’s resilience.

4.1.2. Average Clustering Coefficient and Density

The noticeable increase in the average clustering coefficient in 2020 corresponds with the observed decrease in the number of nodes, edges, and weight in GLSN during that year. This suggests a strategic response, with nodes forming clusters or interconnected groups, potentially adapting to disruptions.

4.1.3. Shifts in Structure

The decrease in both the average clustering coefficient and density in 2021 signals a shift in the network structure. Reduced density implies a reconfiguration or streamlining of shipping routes, while the decline in the clustering coefficient indicates fewer tightly-knit clusters within the network.

4.1.4. Strongly Connected Components

Dynamic shifts in the number of strongly connected components further illustrate network adaptations. The substantial reduction from 54 to 4 components in 2020 mirrors disruptions, leading to a reconfiguration. The subsequent rebound to 54 components in 2021 signifies a robust recovery and restructuring, highlighting the network’s resilience in the face of external pressures.

This comprehensive analysis provides a nuanced understanding of the GLSN’s evolution, offering valuable insights into its response to disruptions and its subsequent recovery and adaptability [1,2,16].

By utilizing Eqs. 3–5, Table 2 provides a comprehensive analysis of the dynamic routes within the Global Liner Shipping Network (GLSN) for the years 2019, 2020, and 2021 (Table 2). The shipping industry, marked by its adaptability, crafts unique networks of routes to efficiently transport cargo, and understanding the evolution of these routes reveals insightful trends.

Table 2

Analysis of route dynamics in the **AQ7** Global Liner Shipping Network (GLSN) 2019, 2020, 2021

	Number of similar and unique routes				Total routes
	2019	2020	2021	Unique	
2019	99	300	703	480	1582
2020	300	22	409	386	1117
2021	703	409	84	422	1618

4.1.5. Route Evolution

2019 Infrastructure: In 2019, the GLSN exhibited a robust infrastructure, boasting a total of 1582 distinct routes, highlighting the expansive nature of the network [20,21].

Impact of 2020 disruptions: The subsequent year, 2020, witnessed a notable contraction, with the number of routes decreasing to 1117. This dip can be attributed to the disruptions, likely a consequence of the global pandemic, reflecting the industry’s response to unprecedented challenges [22].

4.1.6. Similar Routes Analysis

Instances of similar routes: Examining the concept of “similar routes”—services covering identical sequences of ports—reveals insightful trends. In 2019, there were 99 instances of similar routes, suggesting multiple services catering to the same destinations. This count diminished to 22 in 2020, indicative of challenges faced during the disruptive period. Encouragingly, the situation improved in 2021, with 84 similar routes identified, marking a recovery in services and a return to operational normalcy.

Adaptive strategies: Further analysis delves into the continuity of routes over the years. In 2019, only 300 routes persisted into 2020, highlighting disruptions in the majority of existing routes. However, 817 new routes emerged in 2020, showcasing an adaptive strategy to navigate disruptions.

Resilience and rebound: This adaptive strategy proved successful, as evidenced by the continuity of routes in 2021. By utilizing Eqs. 3–5, it is identified that out of the 1582 total routes in 2019, only 300 persisted in 2020, and 703 were found again in 2021 or to put it differently, out of the total of 1618 routes in 2021, 703 is the same routes as those in 2019 and 409 routes persisted from 2020. This indicates that the shipping industry demonstrated resilience and an effective rebound strategy, adapting and recovering its route network efficiently.

4.1.7. Adaptability Analysis

In the analysis spanning from 2019 to 2020, we observe a positive average adaptability index of 0.0759 and a positive average traffic change of 4860.41. This suggests that during the normal state in 2019, the routes demonstrated a moderate level of adaptability, effectively coping with the disruptions experienced in 2020. Conversely, when examining the period from 2020 to 2021, both the average adaptability index (− 0.056) and traffic change (− 1831.80) exhibit negative values. This indicates that during the disruptive period in 2020, the routes faced challenges in adapting to the subsequent recovery phase in 2021. Further exploration into the 2019 to 2021 timeframe reveals positive values for both indexes (average adaptability index: 0.0172, average traffic change: 1935.71), suggesting that overall, the routes displayed a moderate level of adaptability during the normal state. In order to illustrate further, the visualization is available in Appendix 1 (A, B, C) and its summary in Table 6.

4.2. Deliberate Attack Scenario

We implemented three node removal strategies to simulate disruption: removing the top 20 highest degree ports, the top 20 initial ports, and the top 20 end ports. Regardless of the strategy, the number of similar routes within the same year remained constant, indicating sustained adaptability in service provision. When removing the top 20 highest degree ports, we observed a decrease of 20 routes in 2019 and 19 routes in both 2020 and 2021. Interestingly, the most impacted were unique routes, existing only in a specific year. For instance, removal caused 15 unique routes to disappear in 2019, 18 in 2020, and 13 in 2021. This dynamic can be observed further in Table 3. Further investigation is warranted to explore potential rerouting strategies for network adaptability in future research.

Table 3
Analysis of route dynamics in the GLSN after removing the top 20 highest degree port

	Number of similar and unique routes				Total routes
	2019	2020	2021	Unique	
2019	99	300	698	465	1562
2020	300	22	408	368	1098
2021	698	408	84	409	1599

Shifting to the second removal strategy, removing the top 20 initial ports had a milder impact on the total number of routes compared to removing the highest degree ports. However, it significantly disrupted the dynamics of similar routes across different years like 8 routes in 2019 to 2020, 45 routes in 2020 to 2021, and 34 routes in 2019 to 2021. At the same time, the removal simultaneously increases the number of unique routes to adapt to changes or disruptions. It is observed that 31 routes in 2019, 49 routes in 2020, and 69 routes in 2021 emerged as an adaptive strategy. These numbers can be calculated when we compare Table 4 with Table 2 as the benchmark. The network’s ability to reconfigure around these disruptions results in the introduction of more unique routes, adapting to the loss of these critical nodes. Therefore, removing the most initial ports do not completely disrupt the network because alternative origins or routing strategies are employed. Further AQ8 route dynamics after most initial port removal can be observed in Table 4.

Table 4
Analysis of route dynamics in the GLSN after removing the top 20 most initial port

	Number of similar and unique routes				Total routes
	2019	2020	2021	Unique	
2019	99	292	669	511	1571
2020	292	22	364	435	1113
2021	669	364	84	491	1608

Similarly, the third removal strategy, removing the top 20 end ports, also disrupted similar routes across the years, while augmenting the number of unique routes to adapt to the disruption. Nonetheless, the impact of removing the most end ports is deemed lighter compared to removing the most initial ports. It is observed that 4 routes in 2019 to 2020 and 39 routes in 2019 to 2021 experienced a decrease after the

removal, while 5 extra routes continued to persist in 2021 following the attack in 2020. The adaptation step is seen when we observed the emergence of 30 and 26 more unique routes in 2019 and 2021 [AQ9](#).

	Number of similar and unique routes				Total routes
	2019	2020	2021	Unique	
2019	0	− 4	− 39	+ 30	− 13
2020	− 4	0	+ 5	− 3	− 2
2021	− 39	+ 5	0	+ 26	− 8

The number can easily be calculated by comparing Tables [5](#) and [2](#). Further route dynamics after most end port removal can be observed in Table [5](#).

Table 5

Analysis of route dynamics in the GLSN after removing the top 20 most end port

	Number of similar and unique routes				Total routes
	2019	2020	2021	Unique	
2019	99	296	664	510	1569
2020	296	22	414	383	1115
2021	664	414	84	448	1610

4.2.1. Adaptability Analysis

Upon analyzing the adaptability following the first removal strategy of the top 20 highest degree ports, it is evident that from 2019 to 2020, there is a slight decrease in the average adaptability index, dropping from 0.0759 to 0.070. Concurrently, there is a slight increase in traffic change, rising from 4860.41 in the baseline scenario to 5799.378. This indicates that while some routes experienced an increase in traffic flow, the overall network’s adaptability diminished. This finding suggests that removing high-degree ports, which often serve as critical connections or central hubs, leads to congestion or inefficiencies in traffic rerouting. While it is a known fact that high-degree node removals negatively impact logistics networks, our analysis quantifies this impact within the specific context of the GLSN. It highlights how the disruption of central hubs can lead to a less adaptable network, where increased traffic on remaining routes may cause bottlenecks and operational challenges. Furthermore, this scenario aligns with the dynamic assessment of the GLSN by Bai et al. [\[4\]](#), supporting their conclusion that high-degree nodes are crucial for maintaining network resilience. Our study adds empirical evidence to this understanding by demonstrating the measurable effects on traffic flow and adaptability when such nodes are removed.

Conversely, in the period from 2020 to 2021, both the average adaptability index (− 0.011) and traffic change (2134.37) experience an increase from the baseline scenario (− 0.056 and − 1831.80, respectively). This suggests that during the disruptive period in 2020, removing the top highest degree ports led to a more efficient redistribution of traffic, albeit still struggling, as indicated by the negative index. However, when considering the period from 2019 to 2021, there is a decrease from the baseline scenario. For further illustration, visualizations are available in Appendix 2 (A, B, C) and its summary in Table [6](#).

Table 6

Summary of adaptability analysis. It shows average traffic change, average adaptability index, most adaptable route, and most vulnerable route in the normal state (as is), after the highest degree removal, most initial port removal, and most end port removal strategy

Removal strategy	2019 to 2020				2020 to 2021				2019 to 2021			
	ATC	AAI	MA	MV	ATC	AAI	MA	MV	ATC	AAI	MA	MV
As is	4860.41	0.076	699	1155	− 1831.8	− 0.056	361	11	1935.71	0.017	1227	927
Degree	5799.378	0.070	699	1155	2134.373	− 0.010	361	11	114.597	− 0.001	1227	975
Initial	4943.85	0.079	699	1155	− 1463	− 0.050	361	11	1859.768	0.017	1227	972
End	5348.7	0.072	699	1155	427.522	− 0.027	361	11	324.11	− 0.002	1227	927
ATC average traffic change, AAI average adaptability index, MA most adaptable route, MV most vulnerable route												

Moving to the second strategy, which involves removing the 20 most initial ports, the results show a slight increase in both the adaptability index and traffic change from 2019 to 2020. This suggests that these initial ports might have experienced congestion during that time, and their removal helped alleviate congestion, improving traffic flow and leading to better adaptation to the disruption. This finding supports the work of Dirzka et al. (2020), stating that during the pandemic, some ports were only partially open [\[7\]](#). In the period from 2020 to 2021, both the average adaptability index (− 0.050) and traffic change (− 1463) experienced an increase from the baseline scenario (− 0.056 and − 1831.80, respectively). This suggests that during the disruptive period in 2020, removing the top initial ports led to a more efficient redistribution of traffic, albeit still struggling, as indicated by the negative index. In 2019 to 2021, the results were almost the same as the baseline, indicating that the removal did not have a significant impact on adaptability. The visualization can be found in Appendix 3 (A, B, C) and its summary in Table [6](#).

Moving to the third strategy, which involves removing the 20 most end ports, it is surprising that the results show a similar pattern as removing the highest degree ports. In the period from 2019 to 2020, there was a slight decrease in the average adaptability index, dropping to 0.072 compared to the normal state of 0.0759. However, there is a corresponding slight increase in traffic change, rising to 5348.7 from 4860.41 in the normal state. This suggests that although certain routes experience increased traffic flow, the overall network’s adaptability decreases. This scenario may indicate that removing most end ports disrupts critical connections or central hubs in the network, leading to congestion or inefficiencies in traffic rerouting, supporting the work of dynamic assessment of GLSN by Bai et al. [4]. Despite the increased traffic, the network may struggle to redistribute it effectively due to the loss of key ports, resulting in decreased adaptability. Conversely, in the period from 2020 to 2021, both the average adaptability index (− 0.027) and traffic change (427.522) experience an increase from the baseline scenario (− 0.056 and − 1831.80, respectively). This suggests that during the disruptive period in 2020, removing the most end ports led to a more efficient redistribution of traffic, albeit still struggling, as indicated by the negative index. However, when considering the period from 2019 to 2021, there is a decrease from the normal state. For further illustration, visualizations are available in Appendix 4 (A, B, C) and its summary in Table 6.

4.3. Vulnerability Analysis

In terms of adaptability, the GLSN has demonstrated moderate adaptability, particularly in response to significant disruptions during the pandemic in 2020. However, this does not imply that all routes within the GLSN are equally adaptable. Each route has its own adaptability index, and when averaged across the network, it suggests moderate adaptability overall. However, individual routes may exhibit vulnerability to disruptions. In this section, we discuss the results of our analysis. First, focusing on route dynamics, we observe that disruptions did not impact similar routes within the same year, but they did affect similar routes across different years. Removal of the most initial and most end ports resulted in the disruption of such routes, leading to the creation of new unique routes to adapt. On the other hand, removing the highest degree ports primarily disrupted unique routes and had minimal impact on similar routes across different years. Consequently, the highest degree ports are vulnerable to unique routes, while most initial and most end ports are vulnerable to similar routes across different years.

Continuing our analysis, we identify the most adaptable and vulnerable routes. The most adaptable routes are those with the highest adaptability index over the years, while the most vulnerable routes are those with the lowest adaptability index. In 2019 to 2020, Route 699 (Fig. 4) consistently emerges as the most adaptable route across all scenarios, while Route 1155 (Fig. 5) consistently appears as the most vulnerable route. In 2020 to 2021, Route 361 (Fig. 6) is consistently the most adaptable route, while Route 11 (Fig. 7) is consistently the most vulnerable. In the period from 2019 to 2021, Route 1227 (Fig. 8) is the most adaptable across all scenarios, while Route 927 (Fig. 9) emerges as the most vulnerable for the normal state and end port removal scenarios. For the highest degree removal strategy, Route 975 (Fig. 10) is the most vulnerable, while for the most initial port removal strategy, Route 972 (Fig. 11) exhibits the highest vulnerability.

Fig. 4

Illustration of Route 699 in network form, the most adaptable route in 2019 to 2020 for all scenarios



Fig. 5

Illustration of Route 1155 in network form, the most vulnerable route in 2019 to 2020 for all scenarios

Route 1155 on GLSN (Most Vulnerable Route 2019 to 2020)




Fig. 6

Illustration of Route 361 in network form, the most adaptable route in 2020 to 2021 for all scenarios

Route 361 on GLSN (Most Adaptable Route 2020 to 2021)




Fig. 7

Illustration of Route 11 in network form, the most vulnerable route in 2020 to 2021 for all scenarios

Route 11 on GLSN (Most Vulnerable Route 2020 to 2021)




Fig. 8
Illustration of Route 1227 in network form, the most adaptable route in 2019 to 2021 for all scenarios

Route 1227 on GLSN (Most Adaptable Route 2019 to 2021)




Fig. 9
Illustration of Route 927 in network form, the most vulnerable route in 2019 to 2021 for normal state and most end port removal

Route 927 on GLSN (Most Vulnerable Route 2019 to 2021 for normal state & most end port removal)




Fig. 10

Illustration of Route 975 in network form, the most vulnerable route in 2019 to 2021 for the highest degree removal

Route 975 on GLSN (Most Vulnerable Route 2019 to 2021 for Highest Degree removal)





Fig. 11

Illustration of Route 972 in network form, the most vulnerable route in 2019 to 2021 for most initial port removal

Route 972 on GLSN (Most Vulnerable Route 2019 to 2021 for Most Initial Port removal)



5. Discussion

In terms of the resilience of the global liner shipping network (GLSN), an examination of both its visual representation and structure unequivocally demonstrates its proven resilience, even in the face of significant disruptions like the pandemic in 2020. All metrics employed in this study consistently indicate a substantial decline in GLSN’s performance in 2020, followed by a resilient rebound in 2021. This concept of resilience was also highlighted by (1) referencing some of the previous work about adaptability, robustness, and recoverability [2,3,16]. The network is considered resilient when, after a disruption, it successfully returns to a normal state.

In terms of adaptability, while the overall Global Liner Shipping Network (GLSN), as represented by the average adaptability index, demonstrates moderate adaptability both in normal states and during recovery periods, it is noteworthy that the index values are relatively small. This suggests that there is room for improvement. Further investigation using optimization approaches for adaptability can be implemented to delve deeper into the route dynamics within the GLSN.

Regarding route vulnerability, it is crucial to note that the most vulnerable route changes each year, particularly depending on which port is being targeted. This study sheds light on how to pinpoint the exact routes vulnerable to specific attacks, facilitating discussions on mitigation actions to prevent such vulnerabilities from being exploited.

6. Conclusion

The pandemic has wrought unprecedented impacts on various facets of life, notably affecting the supply chain, with a particular emphasis on the global liner shipping network (GLSN). The disruptive force of the pandemic has served as a litmus test for the resilience of the GLSN. The network has demonstrated its resilience by effectively returning to a normal operational state in the year following the disruption. All metrics employed in this study consistently affirm this outcome, indicating a substantial disturbance in the GLSN in 2020, followed by a successful restoration to a normal state in 2021. Consequently, the network is deemed resilient.

Through network analysis in the “as is” scenario, we have determined that the Global Liner Shipping Network (GLSN) exhibits moderate adaptability overall, particularly when operating under normal conditions. However, during disruptive periods such as 2020, the adaptability index showed instability, indicating potential challenges in responding to major disruptions. In the deliberate attack scenario, most strategies resulted in moderate adaptability, except during the disruption period in 2020 where all strategies showed negative adaptability. Notably, the highest degree removal strategy disrupted unique routes in specific years, while attacks on the most initial and end ports disrupted similar routes across multiple years.

Furthermore, our study highlights the dynamic nature of route vulnerability, with the most vulnerable routes changing over time and depending on the type of port targeted. This insight underscores the importance of further research into mitigating disruptions to ensure the resilience and adaptability of the GLSN in the face of evolving challenges.

Author Contribution

W.T.A wrote the main manuscript text, Q.P prepared the data and H.X. supervised and validated the whole works. All authors reviewed the manuscript.

Data Availability

No datasets were generated or analysed during the current study.

Declarations

Competing Interests


The authors declare no competing interests.

Appendix 1 AQ10

Appendix 1 shows the adaptability index and traffic change graph in the “as is” scenario.

The adaptability index graph showcases the adaptability of each route, represented by blue dots. Closer proximity to 1 indicates higher adaptability, while proximity to negative 1 signifies greater vulnerability.

Meanwhile, the traffic change graph illustrates traffic fluctuations on each route, with yellow dots. Positive values indicate increasing traffic, while negative values denote decreasing traffic.




Appendix 2

Appendix 2 shows the adaptability index and traffic change graph in a deliberate attack scenario for the highest-degree port removal strategy.

The adaptability index graph showcases the adaptability of each route after removal, represented by blue dots. Closer proximity to 1 indicates higher adaptability, while proximity to negative 1 signifies greater vulnerability.


Meanwhile, the traffic change graph illustrates traffic fluctuations on each route after removal, with yellow dots. Positive values indicate increasing traffic, while negative values denote decreasing traffic.



Appendix 3

Appendix 3 shows the adaptability index and traffic change graph in the deliberate attack scenario for most initial port removal strategy.


The adaptability index graph showcases the adaptability of each route after removal, represented by blue dots. Closer proximity to 1 indicates higher adaptability, while proximity to negative 1 signifies greater vulnerability. Meanwhile, the traffic change graph illustrates traffic fluctuations on each route after removal, with yellow dots. Positive values indicate increasing traffic, while negative values denote decreasing traffic.



Appendix 4

Appendix 4 shows the adaptability index and traffic change graph in the deliberate attack scenario for most end port removal strategy.

The adaptability index graph showcases the adaptability of each route after removal, represented by blue dots. Closer proximity to 1 indicates higher adaptability, while proximity to negative 1 signifies greater vulnerability. Meanwhile, the traffic change graph illustrates traffic fluctuations on each route after removal, with yellow dots. Positive values indicate increasing traffic, while negative values denote decreasing traffic.



References **AQ11**

1. Gu B, Liu J (2023) A systematic review of resilience in the maritime transport. *Int J Logist Res Appl* [Internet] 0(0):1–22. <https://doi.org/10.1080/13675567.2023.2165051>

2. Liu H, Tian Z, Huang A, Yang Z (2018) Analysis of vulnerabilities in maritime supply chains. *Reliab Eng Syst Saf* [Internet] 169(June 2016):475–84. <https://doi.org/10.1016/j.ress.2017.09.018>

3. Calatayud A, Mangan J, Palacin R (2017) Vulnerability of international freight flows to shipping network disruptions: a multiplex network perspective. *Transp Res E Logist Transp Rev* 108(November):195–208

4. Bai X, Ma Z, Zhou Y (2023) Data-driven static and dynamic resilience assessment of the global liner shipping network. *Transp Res E Logist Transp Rev* [Internet] 170(January):103016. <https://doi.org/10.1016/j.tre.2023.103016>

5. Xu X, Zhu Y, Xu M, Deng W, Zuo Y (2022) Vulnerability analysis of the global liner shipping network : from static structure to cascading failure dynamics. *Ocean Coast Manag* [Internet] 229(2):106325. <https://doi.org/10.1016/j.ocecoaman.2022.106325>

6. Xu M, Li T, Zhu Y, Deng W, Shen Y (2023) Assessing the efficiency and vulnerability of global liner shipping network. (December 2022):1–27. <https://doi.org/10.1111/glob.12445>

7. Dirzka C, Acciaro M (2022) Global shipping network dynamics during the COVID-19 pandemic’s initial phases. *J Transp Geogr* 99:103265

8. Sharkey TC, NurrePinkley SG, Eisenberg DA, Alderson DL (2021) In search of network resilience: an optimization-based view. *Networks* 77(2):225–254

9. Fletcher S, Islam Z (2018) Comparing sets of patterns with the Jaccard index. *Australasian J Inform Syst* 22. Fletcher & Islam. <https://doi.org/10.3127/ajis.v22i0.1538>

10. Liu Z, Meng Q, Wang S, Sun Z (2014) Global intermodal liner shipping network design. *Trans Res Part E* [Internet] 61:28–39. <https://doi.org/10.1016/j.tre.2013.10.006>

11. Silva M, Poss M, Maculan N (2018) Solving the bifurcated and nonbifurcated robust network loading problem with k-adaptive routing. *Networks* 72(1):151–170

12. Németh G, Rétvári G (2015) Rate-adaptive multipath routing: distributed, centralized, and hybrid architectures. *Networks* 66(2):118–135

13. Dui H, Zheng X, Wu S (2021) Resilience analysis of maritime transportation systems based on importance measures. Reliab Eng Syst Saf [Internet]. 209(August 2020):107461. <https://doi.org/10.1016/j.ress.2021.107461>

14. Qin Y, Guo J, Liang M, Feng T (2023) Resilience characteristics of port nodes from the perspective of shipping network: empirical evidence from China. Ocean Coast Manag [Internet] 237(December 2022):106531. <https://doi.org/10.1016/j.ocecoaman.2023.106531>

15. Narasimha PT, Jena PR, Majhi R (2021) Impact of COVID-19 on the Indian seaport transportation and maritime supply chain. Transp Policy (Oxf) [Internet] 110(May):191–203. <https://doi.org/10.1016/j.tranpol.2021.05.011>

16. Notteboom T, Pallis T, Rodrigue JP (2021) Disruptions and resilience in global container shipping and ports: the COVID-19 pandemic versus the 2008–2009 financial crisis [Internet]. Marit Econ Logist 23:179–210. <https://doi.org/10.1057/s41278-020-00180-5>. Palgrave Macmillan UK

17. Camur MC, Vogiatzis C (2024) A survey on optimization studies of group centrality metrics. <https://doi.org/10.48550/arXiv.2401.05235>

18. Alphaliner. ALPHALINER - Container services on selected trades [Internet]. 2021 [cited 2022 Jul 21]. Available from: <https://public.alexsmarine.com/alphaliner>

19. Xu M, Pan Q, Xia H, Masuda N (2020) Estimating international trade status of countries from global liner shipping networks: Shipping network and International trade. R Soc Open Sci 7(10):200386

20. Mańkowska M, Pluciński M, Kotowska I, Filina-Dawidowicz L (2021) Seaports during the COVID-19 pandemic: the terminal operators’ tactical responses to disruptions in maritime supply chains. Energies (Basel) 14(14):4339

21. Zhen L, Shen T, Wang S, Yu S (2016) Models on ship scheduling in transshipment hubs with considering bunker cost. Int J Prod Econ [Internet] 173:111–21. <https://doi.org/10.1016/j.ijpe.2015.12.008>

22. Dirzka C, Acciaro M (2022) Global shipping network dynamics during the COVID-19 pandemic’s initial phases. J Transp Geogr [Internet] 99(December 2021):103265. <https://doi.org/10.1016/j.jtrangeo.2021.103265>

Licensee:	Springer Nature Switzerland AG	(the 'Licensee')
Journal Name:	Operations Research Forum	(the 'Journal')
Manuscript Number:	fed33bc4-9365-476e-8c52-107da596ccb3	
Proposed Title of Article:	A Unique Perspective on Vulnerability and Route Dynamics in the Global Liner Shipping Network	(the 'Article')
Author(s) [Please list all named Authors]:	Wahyu Teri Arpin, Qian Pan, Xia Haoxiang	(the 'Author')
Corresponding Author Name:	Wahyu Teri Arpin	

1 Grant of Rights

- a) For good and valuable consideration, the Author hereby grants to the Licensee the perpetual, exclusive, world-wide, assignable, sublicensable and unlimited right to: publish, reproduce, copy, distribute, communicate, display publicly, sell, rent and/ or otherwise make available the article identified above, including any supplementary information and graphic elements therein (e.g. illustrations, charts, moving images) (the "Article") in any language, in any versions or editions in any and all forms and/or media of expression (including without limitation in connection with any and all end-user devices), whether now known or developed in the future. Without limitation, the above grant includes: (i) the right to edit, alter, adapt, adjust and prepare derivative works; (ii) all commercial use, advertising, and marketing rights, including without limitation graphic elements on the cover of the journal and in relation to social media; (iii) rights for any training, educational and/or instructional purposes; (iv) the right to add and/or remove links or combinations with other media/works; and (v) the right to create, use and/or license and/or sublicense content data or metadata of any kind in relation to the Article (including abstracts and summaries) without restriction. The above rights are granted in relation to the Article as a whole or any part and with or in relation to any other works.
- b) Without limiting the rights granted above, Licensee is granted the rights to use the Article for the purposes of analysis, testing, and development of publishing- and research-related workflows, systems, products, projects, and services; to confidentially share the Article with select third parties to do the same; and to retain and store the Article and any associated correspondence/files/forms to maintain the historical record, and to facilitate research integrity investigations. The grant of rights set forth in this clause (b) is irrevocable.
- c) The Licensee will have the right, but not the obligation, to exercise any or all of the rights granted herein. If the Licensee elects not to publish the Article for any reason, all publishing rights under this Agreement as set forth in clause 1.a) above will revert to the Author.

2 Copyright

Ownership of copyright in the Article will be vested in the name of the Author. When reproducing the Article or extracts from it, the Author will acknowledge and reference first publication in the Journal.

3 Use of Article Versions

- a) For purposes of this Agreement: (i) references to the "Article" include all versions of the Article; (ii) "Submitted Manuscript" means the version of the Article as first submitted by the Author; (iii) "Accepted Manuscript" means the version of the Article accepted for publication, but prior to copy-editing and typesetting; and (iv) "Version of Record" means the version of the Article published by the Licensee, after copy-editing and typesetting. Rights to all versions of the Manuscript are granted on an exclusive basis, except for the Submitted Manuscript, to which rights are granted on a non-exclusive basis.
- b) The Author may make the Submitted Manuscript available at any time and under any terms (including, but not limited to, under a CC BY licence), at the Author's discretion. Once the Article has been published, the Author will include an acknowledgement and provide a link to the Version of Record on the publisher's website: "This preprint has not undergone peer review (when applicable) or any post-submission improvements or corrections. The Version of Record of this article is published in [insert journal title], and is available online at [https://doi.org/\[insert DOI\]](https://doi.org/[insert DOI])".

- c) The Licensee grants to the Author (i) the right to make the Accepted Manuscript available on their own personal, self-maintained website immediately on acceptance, (ii) the right to make the Accepted Manuscript available for public release on any of the following twelve (12) months after first publication (the "Embargo Period"): their employer's internal website; their institutional and/or funder repositories. Accepted Manuscripts may be deposited in such repositories immediately upon acceptance, provided they are not made publicly available until after the Embargo Period.

The rights granted to the Author with respect to the Accepted Manuscript are subject to the conditions that (i) the Accepted Manuscript is not enhanced or substantially reformatted by the Author or any third party, and (ii) the Author includes on the Accepted Manuscript an acknowledgement in the following form, together with a link to the published version on the publisher's website: "This version of the article has been accepted for publication, after peer review (when applicable) but is not the Version of Record and does not reflect post-acceptance improvements, or any corrections. The Version of Record is available online at: [http://dx.doi.org/\[insert DOI\]](http://dx.doi.org/[insert DOI]). Use of this Accepted Version is subject to the publisher's Accepted Manuscript terms of use <https://www.springernature.com/gp/open-research/policies/accepted-manuscript-terms>". Under no circumstances may an Accepted Manuscript be shared or distributed under a Creative Commons or other form of open access licence.

- d) The Licensee grants to the Author the following non-exclusive rights to the Version of Record, provided that, when reproducing the Version of Record or extracts from it, the Author acknowledges and references first publication in the Journal according to current citation standards. As a minimum, the acknowledgement must state: "First published in [Journal name, volume, page number, year] by Springer Nature".
- i. to reuse graphic elements created by the Author and contained in the Article, in presentations and other works created by them;
 - ii. the Author and any academic institution where they work at the time may reproduce the Article for the purpose of course teaching (but not for inclusion in course pack material for onward sale by libraries and institutions);
 - iii. to reuse the Version of Record or any part in a thesis written by the same Author, and to make a copy of that thesis available in a repository of the Author(s)' awarding academic institution, or other repository required by the awarding academic institution. An acknowledgement should be included in the citation: "Reproduced with permission from Springer Nature"; and
 - iv. to reproduce, or to allow a third party to reproduce the Article, in whole or in part, in any other type of work (other than thesis) written by the Author for distribution by a publisher after an embargo period of 12 months.

For clarity, where any graphic element is used on the cover of the Journal all intellectual property rights in any compilation constituting the cover will be vested solely in the Licensee, and the Author is not entitled to make or authorise any other person to make use of any such compilation without the prior written consent of the Licensee.

4 Warranties & Representations

Author warrants and represents that:

- a)
- i. the Author is the sole copyright owner or has been authorised by any additional copyright owner(s) to grant the rights defined in clause 1,
 - ii. the Article does not infringe any intellectual property rights (including without limitation copyright, database rights or trade mark rights) or other third party rights and no licence from or payments to a third party are required to publish the Article,
 - iii. the Article has not been previously published or licensed, nor has the Author committed to licensing any version of the Article under a licence inconsistent with the terms of this Agreement,
 - iv. if the Article contains materials from other sources (e.g. illustrations, tables, text quotations), Author has obtained written permissions to the extent necessary from the copyright holder(s), to

license to the Licensee the same rights as set out in clause 1 but on a non-exclusive basis and without the right to use any graphic elements on a stand-alone basis and has cited any such materials correctly;

- b) all of the facts contained in the Article are according to the current body of research true and accurate;
- c) nothing in the Article is obscene, defamatory, violates any right of privacy or publicity, infringes any other human, personal or other rights of any person or entity or is otherwise unlawful and that informed consent to publish has been obtained for any research participants;
- d) nothing in the Article infringes any duty of confidentiality owed to any third party or violates any contract, express or implied, of the Author;
- e) all institutional, governmental, and/or other approvals which may be required in connection with the research reflected in the Article have been obtained and continue in effect;
- f) all statements and declarations made by the Author in connection with the Article are true and correct; and
- g) the signatory who has signed this agreement has full right, power and authority to enter into this agreement on behalf of all of the Authors.

5 Cooperation

- a) The Author will cooperate fully with the Licensee in relation to any legal action that might arise from the publication of the Article, and the Author will give the Licensee access at reasonable times to any relevant accounts, documents and records within the power or control of the Author. The Author agrees that any Licensee affiliate through which the Licensee exercises any rights or performs any obligations under this Agreement is intended to have the benefit of and will have the right to enforce the terms of this Agreement.
- b) Author authorises the Licensee to take such steps as it considers necessary at its own expense in the Author's name(s) and on their behalf if the Licensee believes that a third party is infringing or is likely to infringe copyright in the Article including but not limited to initiating legal proceedings.

6 Author List

Changes of authorship, including, but not limited to, changes in the corresponding author or the sequence of authors, are not permitted after acceptance of a manuscript.

7 Post Publication Actions

The Author agrees that the Licensee may remove or retract the Article or publish a correction or other notice in relation to the Article if the Licensee determines that such actions are appropriate from an editorial, research integrity, or legal perspective.

8 Controlling Terms

The terms of this Agreement will supersede any other terms that the Author or any third party may assert apply to any version of the Article.

9 Governing Law

This Agreement will be governed by, and construed in accordance with, the laws of Switzerland. The courts of Zug, Switzerland will have exclusive jurisdiction.

Signed for and on behalf of the Author(s)

Corresponding Author: Wahyu Teri Arpin

Email: wahyu@mail.dlut.edu.cn

IP Address: 114.10.146.205

Time Stamp: 2024-08-18 10:19:45

