SCOPUS Q2 – TELKOMNIKA (Telecommunication, Computing, Electronics and Control)

http://telkomnika.uad.ac.id/index.php/TELKOMNIKA



Home > TELKOMNIKA (Telecommunication Computing Electronics and Control)

TELKOMNIKA (Telecommunication Computing Electronics and Control)

TELKOMNIKA (Telecommunication, Computing, Electronics and Control) ISSN: 1693-6930, e-ISSN: 2302-9293 is a peer-reviewed, scientific journal published by Universitas Ahmad Dahlan (UAD) in collaboration with Institute of Advanced Engineering and Science (IAES). The aim of this journal is to publish high-quality articles dedicated to all aspects of the latest outstanding developments in the field of electrical & electronics engineering and computer science. Its scope encompasses the applications of Telecommunication, Computing, Electrical & Electronics, and Instrumentation & Control. It was first published in 2003. Beginning with issue 1 of volume 16 (2018), TELKOMNIKA will be published as a bimonthly journal (6 issues/year). The journal registered in the CrossRef system with Digital Object Identifier (DOI) prefix 10.12928. The Journal has been indexed by SCOPUS (CiteScore 2022: 3.8, Q2 CiteScore Quartile in Electrical and Electronic Engineering, SNIP 2022: 0.558, SJR 2022: 0.286), ScimagoJR, Google Scholar, Scholar Metrics etc; accredited 'A' Grade by DGHE (Ministry of Research, Technology and Higher Education, Republic of Indonesia); registered BASE - Bielefeld Academic Search Engine and CORE KMi, etc. The journal also has a license agreement with ProQuest LLC and EBSCO Publishing.



A submitted paper should be an original work, and should not have been presented or published previously. Submission for publication in this journal presumes that the paper is not being considered for publication elsewhere and is not under review by any other publication. All articles undergo a thorough evaluation process while following all ethical guidelines to maintain the highest publishing standards. The TELKOMNIKA Team strictly review suitability, originality of manuscripts for publication. Our Editors maintain transparency of research, assess manuscript for scientific value, ensure that content is free from any manifestations of discrimination, and evaluate information objectively without any conflict of interests. **Publication integrity is one of the principle responsibilities we take.**

Authors should submit only papers that have been carefully proofread and polished. Manuscripts are accepted with the understanding that they are an original or extended version of previously published papers in conferences and/or journals and that, if the work received an official sponsorship, it has been duly released for open publication. Before submission please make sure that your paper is prepared using the journal paper template. The authors must refer to TELKOMNIKA Journal for writing format and style (Please download and use as a template for initial manuscript submission in .DOCX or LATEX). This will ensure fast processing and publication. Any papers not fulfilling the requirements based on the guideline to authors will not be processed. If you have any problems with the online submission, please do email to telkomnika [at] uad.ac.id (subject: Your Name_Problem with Online Submission), and cc: telkomnika [at] ee.uad.ac.id.

Focus and Scope

TELKOMNIKA (Telecommunication Computing Electronics and Control) publishes six issues per year (February, April, June, August, October and December). The aim of TELKOMNIKA is to publish **high-quality articles** dedicated to all aspects of the latest outstanding developments in the field of electrical & electronics engineering, and computer science **from authors world-wide**. Its scope encompasses the engineering of telecommunication, computing, electrical & electronics, and instrumentation & control, which covers, but not limited to, the following scope:

Communication Engineering: Antenna and wave propagation; Communication electronics and microwave; Communication network and systems; Compression through intelligent communication; Cooperative and cognitive wireless networks; Design, modelling and optimisation of photonics devices; Diamond-based photonics devices; Error control coding; Fiber-optic communication; Global navigation satellite systems; High-speed switching architectures; LDPC coding; MIMO systems; Mobile content distribution systems; Modal propagation in electromagnetic optical waveguides; Modulation and signal processing for telecommunication; Multiuser information theory; Nanophotonics; OFDM; Optical networks; Photonic signal processing technologies; Quantum communications; Radar and sonar signal processing; Radar imaging; Radio communication; Robust communication of scalable multimedia content; Routing protocols; Space-time coding; Telematics services and security network; Cognitive radio; Turbo coding; Wideband-CDMA; Wireless and mobile communications; Wireless communications; Wireless positioning systems; Wireless security; Wireless sensor network; Wireless systems; Wireless, mobile & satellite communications; etc.

Computer Network and System Engineering: Computer and communication networks: planning, implementation, operation and management of a communications network; Computer control systems design; Micro-controller applications, designs, programming and integration; Microprocessor, digital and electronic theory and application; Network and systems security: mechanisms and techniques for the security and privacy of information in the media and systems that transport and process it; Network communication theory, test, design, and applications; Network implementation and administration; Operating systems; Project Management; Real-time control networks; Software development and applications; Systems management: design, installation and management of different types of services and systems, hardware and software technologies; etc.

Computer Science and Information System: Analog computing; Approximate computing; Big data; Bioinformatics; Blockchain; Business process; Case studies and experimental and theoretical evaluations; Cloud computing (runtime systems, parallel and distributed systems, virtualization, and software-hardware interactions); Cognitive systems; Computational theory and mathematics; Computer architecture; Computer components and interconnection networks; Computer graphics and computer-aided design; Computer network security; Computer networks and communications; Computer organizations and architectures (multicores, accelerators, application-specific, processing-in-memory, near-data processing, and datacenters); Computer science applications; Computer security; Computer vision; Data mining; Data and knowledge level modelling; Dependable computing; Distributed computing system; Edge computing; High performance computing; Human-computer interaction; Human-machine interface; Information management practices; Information retrieval; Information search engine; Internet service architectures; Internet trust and privacy; IT governance; Knowledge based management system; Knowledge discovery in data; Mobile processing; Multimedia security; Networking technology; New and important applications and trends; Next generation media; Next network generation; Operating systems; Parallel and distributed computer; Performance modelling; Performance, fault tolerance, reliability, security, and testability; Pervasive computing; Programming (programming methodology and paradigm); Quantum computing; Neuromorphic computing; Software developments; Software engineering (software: lifecycle, management, engineering process, engineering tools and methods); Software systems; Specification, design, prototyping, and testing methods and tools; Stochastic systems; Virtual/augmented reality; etc.

Machine Learning, AI and Soft Computing: Agent systems; Ant algorithm; Ant colony optimization; Approximate reasoning; Artificial intelligence; Artificial neural networks; Automated reasoning; Bayesian network; Bayesian statistics; Biologically inspired computing; Brain emotional learning; Business intelligence; Chaos theory; Chaotic systems; Cognitive science; Complex systems theory; Computational creativity; Decision support system; Deep learning; Differential evolution; Early cybernetics and brain simulation; Evolutionary algorithms; Evolutionary computing; Expert system; Functional approximation; Fuzzy logic; Fuzzy set theory; Fuzzy systems; Genetic algorithm; Genetic programming; Hidden Markov model; Hybrid neural network; Intelligent controller; Intelligent system; Kalman filter; Machine intelligence; Machine learning techniques; Metaheuristic; Natural intelligence; Natural language processing (NLP); Nouvelle AI; Neural net systems; Neural science; Neural systems; Particle swarm optimization; Perceptron; Probabilistic models; Randomized search; Recurrent neural network; Regression trees; Superintelligence; Support vector machines; Symbolic AI; Swarm intelligence; etc.

Signal, Image and Video Processing: Acoustic and vibration signal processing; Biomedical imaging and image processing; Biomedical signal processing; Biometrics; Communication signal processing; Compression; Data processing; Detection and estimation; Digital signal & data processing; Digital signal processing; Earth resources signal processing; Emotion detection; Environmental signal processing; Facial recognition systems; Feature extraction; Filtering; Forensic voice comparison; Genomic signal processing; Geophysical and astrophysical signal processing; Handwriting recognition; Image and video compression: scalability, interactivity, international; Image processing; statistical inverse problems, motion estimation; Image processing; Industrial applications; Medical imaging equipment and techniques; Multi-dimensional signal processing; New applications; Emotion and mental state recognition from speech; Optical signal processing; Pattern recognition; Radar signal processing; Remote sensing; Segmentation; Seismic signal processing; Signal processing systems; Signal processing technology; Signal theory; Sonar signal processing; Spectral analysis; Speech and audio coding; Speech and speaker recognition; Speech based emotion recognition; Speech enhancement; Speech modelling and feature extraction; Speech processing, signal processing for audio; Statistical and multidimensional signal processing; Stochastic processes; Video processing; Visual and performance arts; etc.

Electronics Engineering: Amplifying electronic signals; Analog circuits; Application-specific polymer optical fibres and devices; Application-specific silica optical fibres and devices; Biomechanics and rehabilitation engineering; Biomedical circuits; Biomedical transducers and instrumentation; Building blocks and systems; Circuit theory and applications; Circuits; Complementary metal-oxide-semiconductor (CMOS); Consumer electronics; Design and implementation of application specific integrated circuits (ASIC); Digital electronics; Electromagnetic theory; Electronic components; Electronic devices; Electronic instrumentation; Electronic materials; Electronic sensors; Electronic systems; Embedded system; Filters; High levels design languages; Integrated circuits; Interface circuits; Measurement and acquisition of physical quantities; Medical electronics; Memristors and memristive circuits; Microcontrollers; Microelectronic system; Microprocessor; Mixed signal circuits; MOSFET; Network analysis and synthesis; Neuromorphic circuits; Organic field-effect transistor; Oscillators; Phase-locked loop

Electrical Power Engineering: Development modelling and analysis of environmental impact of electric power systems; Development, stability, availability, reliability and operational safety of electric power system subsystems; Disturbances and transient phenomena in power systems; Economic analysis in electrical power engineering; Efficient use of energy and energy conservation; Electric facilities automation; Electric power generation; Electric traction; Electric usage; Electrical apparatus connected to such systems; Electrical engineering materials; Electrical measurements; Electromagnetic compatibility; Energy efficiency methods; Energy management; Environmental protection; Establishment of open market environment, risk management and electrical energy trading; Flexible alternating current transmission system (FACTS); High voltage apparatuses; High voltage insulation technologies; Lightning detection and protection; Mathematical modelling of power plants components and subsystems; Deterministic and reliability analysis of operational safety; New power system technologies; Optimization methods applied to power systems; Power economic; Power electronics; Power generation; Power transmission and distribution; Power system control and stability; High voltage engineering; Dielectrics and insulation technology; Electrical machinery; Power quality; Power system analysis; Power system protection; Reactive power control; Reliability theory; Renewable energy (wind, solar/photovoltaic, hydro, tidal, geothermal, biomass); Smart grid; Micro grid; Distributed generation; Industrial power systems; Green facilities and industries; Electromagnetic compatibility; SCADA; Theory of power systems control; Transmission and distribution networks network planning; Transmission and distribution; Utilization of electric power; etc.

Power Electronics and Drives: Active components; Adjustable speed drives; Advanced power converter topologies; All types of converters, inverters, active filters, switched mode power and uninterruptible power supplies; Batteries and Fuses; Batteries and management systems (BMS); Contactless power supply; Control and conversion of electric power in electric machine drives; Current control for shunt active power filters using predictive control; Current control of AC/DC or AC/DC/AC converters using predictive control; Current control; Distributed power supplies; Electrical machines; Electronic ballasts and solid-state lighting; EMC and noise mitigation; EV's battery chargers: contact and contact-less, standards and regulations; Fault coordination and protection of DC grids; Hard and soft switching techniques; High performance drives; High-voltage direct current (HVDC); Model predictive control in industrial electronics; Motion control; New applications of predictive control for power converters; New materials and active devices; Packaging & thermal management; Passive components; Photovoltaic devices; Power converters for electric vehicles; Power electronics and Applications; Simulation and animation in power semiconductor devices; Predictive control for power electronics and drives applications; Simulation and animation in power electronics and drives systems; Special drives; Static Synchronous Compensator (STATCOM); Techniques for controlling, analysing, modelling and/or simulation of power electronics circuits and complete power electronic systems; Uninterruptible power supplies (UPS); Vehicles and applications where a movement is created by an electric propulsion system; etc.

Instrumentation and Control Engineering: Adaptive controls; Advanced computing for measurement; Advanced control techniques; Advanced manufacturing systems; Applications of control theory in industry; Automated guided vehicles; Automation industrial applications; Complex adaptive systems; Control and automation; Control and intelligent systems; Control stochastic; Control theory and applications; Digital control; Distributed control; Dynamic simulation Man/Machine interface; Fault detection and isolation; Fieldbus technology and interfaces; Hybrid and switching control; Image-based control; Industrial automation; Linear and nonlinear control systems; Manufacturing systems and automation; Mathematical control theory; Measurement techniques; Mechatronics; Modelling and identification; Optimization and optimal control; Predictive Internet of Things (IoT): Applications of the IoT; Authentication and access control in IoT; Channel and traffic models; Circuit and system design for secure smart objects in the IoT; Circuit and system design for smart objects in the IoT; Communication systems and network architectures for the IoT; Computation, storage, and network virtualization in Mobile Cloud Computing (MCC); Emerging IoT business models and process changes; Energy efficient designs of architecture and device in IoT; Ethics and legal considerations in IoT; Experience reports from the introduction and operation of networked things in areas such as healthcare, logistics & transport; Green by IoT/Green of IoT Technology; Identification and biometrics in IoT; IoT access network technologies and capillary networks; IoT architectures and system such as things-centric, data-centric, service-centric architecture, CPS and SCADA platforms, future Internet design for IoT, cloud-based IoT, and system security and manageability; IoT enabling technologies such as sensors, radio frequency identification, low power and energy harvesting, sensor networks, machine-type communication, resource-constrained networks, real-time systems, IoT data analytics, in situ processing, and embedded software; IoT networking and communication, infrastructure and security; IoT protocols; IoT secure access network technologies and capillary networks; IoT secure network infrastructure; IoT security protocols; IoT services, applications, standards, and test-beds such as streaming data management and mining platforms, service middleware, open service platform, semantic service management, security and privacy-preserving protocols, design examples of smart services and applications, and IoT application support; Liability and policy enforcement in IoT; Methods for IoT security analysis and audit; Methods for secure by design IoT; Modeling, analysis, and optimization of MCC and IoT; Novel architecture designs and evaluations of MCC and IoT; Novel mobile cloud applications and services for IoT; Privacy and anonymization techniques in IoT; Privacy in applications of the IoT; Quality of Service (QoS) of MCC and IoT; Secure cloud of things; Secure spectrum management for M2M/IoT radio communications; Security of Big data in IoT; Security, privacy, and reliability issues of MCC and IoT; Spectrum management for M2M/IoT radio communications; Trends and challenges of MCC and IoT; etc.

Section Policies

Peer Review Process

Submitted papers are evaluated by anonymous referees by single blind peer review for contribution, originality, relevance, and presentation. The Editor shall inform you of the results of the review as soon as possible, hopefully in 10 weeks. Please notice that because of the great number of submissions that TELKOMNIKA has received during the last few months the duration of the review process can be up to 14 weeks.



TELKOMNIKA

http://telkomnika.uad.ac.id/index.php/TELKOMNIKA ISSN 1693-6930, e-ISSN 2302-9293

(Telecommunication Computing Electronics and Control)

номе

ABOUT

LOGIN

REGISTER

SEARCH

CURRENT

ARCHIVES

ANNOUNCEMENTS

Home > About the Journal > Editorial Team

Editorial Team

Editor-in-Chief

Prof. Dr. Ir. Tole Sutikno, ASEAN Eng., Universitas Ahmad Dahlan, Indonesia

Area Editor for Electrical Power Engineering

Assoc. Prof. Dr. Ahmet Teke, Cukurova University, Turkey

Area Editor for Electronics Engineering

Prof. Ing. Mario Versaci, Università degli Studi di Reggio Calabria, Italy

Area Editor for Power Electronics and Drives

Prof. Dr. Yang Han, University of Electronic Science and Technology of China, China

Area Editor for Instrumentation and Control Engineering Prof. Dr. Paolo Visconti, University of Salento, Italy

Area Editor for Signal, Image and Video Processing

Prof. Dr. Nidhal Carla Bouaynaya, Rowan University, United States

Area Editor for Communication System Engineering

Prof. Dr. Zahriladha Zakaria, Universiti Teknikal Malaysia Melaka, Malaysia

Area Editor for Computer Network and System Engineering

Assoc. Prof. Dr. Muhammad Nadzir Marsono, Universiti Teknologi Malaysia, Malaysia

Area Editor for Computer Science and Information System

Assoc. Prof. Dr. Wanquan Liu, Curtin University of Technology, Australia

Area Editor for Machine Learning, AI and Soft Computing

Prof. Dr. Luis Paulo Reis, Universidade do Porto, Portugal

Area Editor for Internet of Things

Assoc. Prof. Dr. Chau Yuen, Singapore University of Technology and Design, Singapore

Associate Editors

Prof. Viranjay Mohan Srivastava, University of KwaZulu-Natal, South Africa

Prof. Dr. Media Anugerah Ayu, Sampoerna University, Indonesia

Prof. Dr. Simon X. Yang, University of Guelph, Canada

Prof. Dr. Ahmad Saudi Samosir, Lampung University, Indonesia

Prof. Dr. Alex Pappachen James, Indian Institute of Information Technology and Management-Kerala, India

<u>Prof. Dr. Antonios Gasteratos</u>, Democritus University of Thrace, Greece

Prof. Dr. Badrul Hisham Ahmad, Universiti Teknikal Malaysia Melaka, Malaysia

Prof. Dr. Chi-Hua Chen, Fuzhou University, China

Prof. Dr. Emilio Jimenez-Macias, University of La Rioja, Spain

Prof. Dr. Francis C. M. Lau, Hong Kong Polytechnic University, Hong Kong

Prof. Franco Frattolillo, Ph.D., University of Sannio, Italy

```
Prof. Dr. George A. Papakostas, International Hellenic University, Greece
 Prof. Dr. Huchang Liao, Sichuan University, China
 Prof. Longquan Yong, Shaanxi University of Technology, China
 Prof. Dr. Mahmoud Moghavvemi, University of Malaya, Malaysia
 Prof. Ing. Mario Versaci, Università degli Studi di Reggio Calabria, Italy
 Prof. Dr. Melchior Pierre, University of Bordeaux, France
 Prof. Dr. Pascal Lorenz, University of Haute Alsace, France
 Prof. Dr. Qiang Yang, Zhejiang University, China
 Prof. Dr. Sanjay Misra, Covenant University, Nigeria
 Prof. Dr. Surinder Singh, SLIET Longowal, India
 Prof. Dr. Teddy Surya Gunawan, International Islamic University of Malaysia, Malaysia
 Prof. Dr. Zhenyu Zhou, North China Electric Power University, China
 Prof. Dr. Zita Vale, Instituto Politécnico do Porto, Portugal
 Assoc. Prof. Dr. D. Jude Hemanth, Karunya University, India
 Assoc. Prof. Dr. Hamed Mojallali, The University of Guilan, Iran, Islamic Republic of
 Assoc. Prof. Dr. Imran Sarwar Bajwa, Islamia University, Pakistan
 Assoc. Prof. Dr. Jumril Yunas, Universiti Kebangsaan Malaysia, Malaysia
 Assoc. Prof. Dr. Peng Zhang, University of Connecticut, United States
 Assoc. Prof. Dr. Shahrin Md Ayob, Universiti Teknologi Malaysia, Malaysia
 Asst. Prof. Dr. Andrea Francesco Morabito, University of Reggio Calabria, Italy
 Asst. Prof. Dr. Domenico Ciuonzo, University of Naples Federico II, Italy
 Dr. Eng. Roberto de Fazio, Università del Salento, Italy
 Dr. Abdullah M. Iliyasu, Tokyo Institute of Technology, Japan
 Dr. Adamu I. Abubakar, International Islamic University Malaysia, Malaysia
 Dr. Anh-Huy Phan, Skolkovo Institute of Science and Technology (Skoltech), Russian Federation
 Dr. Arafat Al-Dweik, Khalifa University, United Arab Emirates
 Dr. Arcangelo Castiglione, University of Salerno, Italy
 Dr. Arianna Mencattini, University of Rome "Tor Vergata", Italy
 Dr. Athanasios Kakarountas, University of Thessaly, Greece
 Dr. Aniello Castiglione, University of Naples Parthenope, Italy
 Dr. Grienggrai Rajchakit, Maejo University, Thailand
 Dr. Javed Iqbal, Sarhad University of Science and Information Technology, Pakistan
 Dr. Kennedy O. Okokpujie, Covenant University, Nigeria
 Dr. Khader Shameer, Mount Sinai Health System, United States
 Dr. Lai Khin Wee, Universiti Malaya, Malaysia
 Asst. Prof. Dr. Makram A. Fakhri, University of Technology, Iraq
 Mark S. Hooper, IEEE Consultants' Network of Silicon Valley, United States
 <u>Prof. Dr. Paolo Crippa</u>, Universita' Politecnica delle Marche, Italy
 Dr. Qammer Hussain Abbasi, University of Glasgow, United Kingdom
 Dr. Saleem Abdullah, Abdul Wali Khan University Mardan, Pakistan
Dr. Santhanakrishnan V. R. Anand, New York Institute of Technology, United States
 Dr. Sudhanshu Tyagi, Thapar Institute of Engineering and Technology, India
 Dr. Winai Jaikla, King Mongkut's Institute of Technology Ladkrabang, Thailand
```

TELKOMNIKA Telecommunication, Computing, Electronics and Control

ISSN: 1693-6930, e-ISSN: 2302-9293 Universitas Ahmad Dahlan, 4th Campus

Jl. Ringroad Selatan, Kragilan, Tamanan, Banguntapan, Bantul, Yogyakarta, Indonesia 55191

Phone: +62 (274) 563515, 511830, 379418, 371120

Fax: +62 274 564604

04170713

View TELKOMNIKA Stats

All Issues:

```
• 2024: Vol. 22 No. 1, Vol. 22 No. 2, Vol. 22 No. 3, Vol. 22 No. 4, Vol. 22 No. 5, Vol. 22 No. 6
• 2023: Vol. 21 No. 1, Vol. 21 No. 2, Vol. 21 No. 3, Vol. 21 No. 4, Vol. 21 No. 5, Vol. 21 No. 6
• 2022: Vol. 20 No. 1, Vol. 20 No. 2, Vol. 20 No. 3, Vol. 20 No. 4, Vol. 20 No. 5, Vol. 20 No. 6
• 2021: Vol. 19 No. 1, Vol. 19 No. 2, Vol. 19 No. 3, Vol. 19 No. 4, Vol. 19 No. 5, Vol. 19 No. 6
• 2020: Vol. 18 No. 1, Vol. 18 No. 2, Vol. 18 No. 3, Vol. 18 No. 4, Vol. 18 No. 5, Vol. 18 No. 6

    2019: Vol. 17 No. 1, Vol. 17 No. 2, Vol. 17 No. 3, Vol. 17 No. 4, Vol. 17 No. 5, Vol. 17 No. 6

• 2018: Vol. 16 No. 1, Vol. 16 No. 2, Vol. 16 No. 3, Vol. 16 No. 4, Vol. 16 No. 5, Vol. 16 No. 6

    2017: Vol. 15 No. 1, Vol. 15 No. 2, Vol. 15 No. 3, Vol. 15 No. 4

• 2016: Vol. 14 No. 1, Vol. 14 No. 2, Vol. 14 No. 3, Vol. 14 No. 4
• 2015: Vol. 13 No. 1, Vol. 13 No. 2, Vol. 13 No. 3, Vol. 13 No. 4
• 2014: Vol. 12 No. 1, Vol. 12 No. 2, Vol. 12 No. 3, Vol. 12 No. 4
• 2013: Vol. 11 No. 1, Vol. 11 No. 2, Vol. 11 No. 3, Vol. 11 No. 4
• 2012: Vol. 10 No. 1, Vol. 10 No. 2, Vol. 10 No. 3, Vol. 10 No. 4

    2011: Vol. 9 No. 1, Vol. 9 No. 2, Vol. 9 No. 3

    2010: Vol. 8 No. 1, Vol. 8 No. 2, Vol. 8 No. 3

• 2009: Vol. 7 No. 1, Vol. 7 No. 2, Vol. 7 No. 3
• 2008: Vol. 6 No. 1, Vol. 6 No. 2, Vol. 6 No. 3
• 2007: Vol. 5 No. 1, Vol. 5 No. 2, Vol. 5 No. 3

    2006: Vol. 4 No. 1, Vol. 4 No. 2, Vol. 4 No. 3


    2005: Vol. 3 No. 1, Vol. 3 No. 2, Vol. 3 No. 3

• 2004: Vol. 2 No. 1, Vol. 2 No. 2, Vol. 2 No. 3
```

Daftar Isi Vol. 22 No. 5: September 2024

Pada SCOPUS Source, Percentile = 56% sehingga masuk Q2

Dapat dilihat pada: https://www.scopus.com/sourceid/21100256101



ISSN: 1693-6930, DOI: 10.12928/TELKOMNIKA.v22i5.26037

MDI and PI XGBoost regression-based methods: regional best pricing prediction for logistics services

Agus Purnomo¹, Aji Gautama Putrada², Roni Habibi³, Syafrianita¹

¹Department of Master Logistics Management, Faculty of Logistics, Technology, and Business, Universitas Logistik Dan Bisnis Internasional, Bandung, Indonesia

²Advanced and Creative, Networks Research Center, Telkom University, Bandung, Indonesia ³Department of Informatics Engineering, Faculty of Vocational Schools, Universitas Logistik dan Bisnis Internasional, Bandung, Indonesia

Article Info

Article history:

Received Feb 1, 2024 Revised May 15, 2024 Accepted May 26, 2024

Keywords:

Explainable artificial intelligence Extreme gradient boosting Mean decrease in impurity Permutation importance Retail price prediction

ABSTRACT

The logistics industry in Indonesia, with PT Pos Indonesia as the dominant player, is confronted with intense price competition. The challenge lies in establishing the most favorable price for regional logistics services in every region, with the aim of gaining a competitive edge and augmenting revenue. This intricate task encompasses local market conditions, competition, customer preferences, operational costs, and economic factors. To address this complexity, this study proposes the utilization of machine learning for price prediction. The price prediction model devised incorporates the extreme gradient boosting regression (XGBR), support vector machine (SVM), random forest, and logistics regression algorithms. This research contributes to the field by employing mean decrease in impurity (MDI) and permutation importance (PI) to elucidate how machine learning models facilitate optimal price predictions. The findings of this study can assist company management in enhancing their comprehension of how to make informed pricing decisions. The test results demonstrate values of 0.001, 0.005, 0.458, 0.009, and 0.9998. By employing machine learning techniques and explanatory models, PT Pos Indonesia can more accurately determine optimal prices in each region, bolster profits, and effectively compete in the expanding regional market.

This is an open access article under the CC BY-SA license.



1157

П

Corresponding Author:

Agus Purnomo

Department of Master Logistics Management, Faculty of Logistics, Technology, and Business Universitas Logistik Dan Bisnis Internasional

St. Sari Asih No.54, Bandung, West Java, Indonesia

Email: aguspurnomo@ulbi.ac.id

1. INTRODUCTION

The influence of digital technology developments is a challenge for the largest logistics company in Indonesia, namely PT Pos Indonesia, the challenges faced by PT Pos Indonesia can compete globally to provide the best service, one of which is determining the regional best pricing, referring to determining the best price for products or services in various regions or different geographical areas [1]. The main objective of determining the regional best pricing is to optimize the company's revenue and profits by considering relevant factors such as local market conditions, competition, customer demand, operational costs, and other relevant factors [2].

Digital technology has changed how customers interact with brands and products, influencing their preferences and purchasing decisions. Therefore, understanding local consumer behavior is key to determining optimal prices in various regions. Many recent research have discussed similar problems. Rickert *et al.* [3]

Journal homepage: http://telkomnika.uad.ac.id

mentioned that determining regional best pricing involves analyzing the data and information available for each region, including sales data, competitor prices, customer demographics, purchasing power levels, local preferences, and other economic factors. Phillips [4] said that determining regional best pricing often involves a combination of global price standards applied by the company and price adjustments specific to each region. Palmatier and Sridhar [5] used factors such as cost differences, level of competition, customer preferences, and local policies, which influenced price adjustments made in each region. However, Zhang [6] stated that this isn't easy to do based on the complex and fluctuating data characteristics, so computing is needed so that every need in determining the optimal best price is based on relevant factors.

Based on previous research, Chen *et al.* [7] used extreme gradient boosting (XGBoost), a machine learning approach to create optimal price prediction modeling in each region based on relevant factors. According to Zheng *et al.* [8], machine learning can help identify important pricing factors and provide appropriate price recommendations for each region using a regression approach. The features used in the research of Akyildirim *et al.* [9] include demographic variables, competitor prices, geographic data, customer preferences, and other factors related to pricing. Ullah *et al.* [10] used the mean squared error (MSE), root mean squared error (RMSE), and mean absolute percentage error (MAPE) metrics to measure the performance of their prediction model. Next, Jain *et al.* [11] used the best machine learning models to make optimal price predictions for each region based on relevant factors. Machine learning can solve complex problems such as local consumer behavior analysis. However, the problem is that the results are difficult for humans to interpret [10]. Fumagalli *et al.* [12] showed that permutation importance (PI) is another useful method for explainable artificial intelligence (XAI).

The best pricing of PT Pos Indonesia's logistics services in different regions could be more optimal, so it loses sales competition with other logistics providers. The non-optimal price is because PT Pos Indonesia has not used the best price prediction method in determining the regional best prices, which includes relevant factors such as the variable total price of competitors, the number of customers, the freight price, the number of competitors and the product score given by the customer. As a result, the price of logistics services set from period to period becomes uncompetitive and loses competition with the prices of other logistics service providers. Therefore, the problem in this study is how to create the best logistics service price prediction model by including relevant factors that can be used for each region of PT Pos Indonesia to compete with other logistics service providers. Inspired by the gap that has been explained, our research aims to create the best regional price prediction for logistics services by including relevant factors with a high level of explanation so that PT Pos Indonesia can be competitive with other logistics providers.

We suggest using mean decrease in impurity (MDI) and PI to provide the expected level of explanation based on relevant factors. We used XGBoost regression (XGBR) to predict the price of logistics services and compared it with eight other regression models. The model performance is then evaluated using R-squared, MSE, RMSE, or MAPE. Furthermore, the best machine learning model is used to make optimal price predictions for each region based on relevant factors. This research uses local consumer behavior data analysis and machine learning approaches to help companies such as PT Pos Indonesia understand consumer preferences and behavior in different regions. Finally, we use MDI and PI methods to improve the interpretation of PT Pos Indonesia's local consumer behavior analysis. To the best of our knowledge, no research uses machine learning to analyze local consumer behavior for optimal regional pricing, especially for logistics service providers. The contributions of this research are, therefore, as follows:

- a. To create an optimal price prediction model for logistics services using XGBR that can be applied in different regions so that the company can be competitive with its competitors in terms of price.
- b. Produce a logistics services price forecasting model that can be explained by MDI and PI, illustrating the sensitivity of the model to various relevant factors.

The remainder of this paper is presented in several parts. Section 2 contains a review of previous research that supports our findings and the research design and method. The results of our research are presented in section 3. Finally, section 4 summarises and highlights the main points of our contribution.

2. METHOD

This research aims to determine the optimal regional price using a machine learning model. Machine learning involves creating and adapting models for data analysis, which allows programs to learn through experience. Jain *et al.* [11] performed price prediction using regression models and support vector machine (SVM), with a high degree of accuracy. In addition, machine learning approaches are also effective for price comparison. Derdouri and Murayama [13] conducted a comparative study of price estimation using the machine learning random forest model, achieving 79% accuracy, with RMSE 0.1537 and MAE 0.1139. Gu *et al.* [14] achieved 99.1% accuracy with the random forest regression (RFR) model, while Mohd *et al.* [15] achieved 92.4%

for SVM. In addition to machine learning methods, price prediction can also be done using statistical approaches. Lu *et al.* [16] use a stepwise regression statistical model for price prediction.

We propose a research method consisting of several steps, as shown in Figure 1. First, we collect the best pricing data. The next step is the data pre-processing stage to identify missing values and transformation. After data pre-processing is complete, regression modeling will be carried out to determine the best pricing based on the data and each specific factor throughout the region. Then, the results of the modeling are evaluated for performance. The final step is to report the research results.




Figure 1. Proposed method

2.1. The retail price dataset

Data collection is collecting information or data from various sources for analysis, research, decision-making, or other purposes [17]. This process is essential in scientific research, providing the foundation for testing hypotheses and drawing conclusions. In business analysis, data collection helps organizations understand market trends and customer behaviour. Similarly, it is crucial in product development, project management, and numerous other fields where informed, evidence-based decisions are necessary.

2.2. Data understanding

Furthermore, data understanding is one of the important stages in the data analysis process. This involves exploration and initial understanding of the data used in the analysis. The goal of this stage is to gain a better understanding of the data, including its characteristics, structure, and context.

2.3. Pre-processing

The data pre-processing stage is one of the most important stages in data analysis. This is the process of preparing data before the data can be used for analysis or modeling. The goal is to clean, tidy, and organize data so that the data becomes more useful and ready to be used in statistical analysis or modeling [18]. Using the average to fill in missing values by replacing the missing values with the average of all data in the dataset column used. The formula is as (1):

$$\mu_V = \frac{\sum_{n \in N} V_n}{N} \tag{1}$$

where μ_V is the final result of the data sought, namely the average value of a data group. Then $\sum_{n \in N} V_n$ is the total of all values in the data group. Add all the numbers together to get this value. Finally, N is the total number of values in the data group, measuring how much data one has.

2.4. The prediction model

At the modeling stage, we carry out retail price prediction using XGBR. We benchmark it with various regression models such as linear regression (LR), ridge regression (RR), Lasso, RFR, gradient boosting regression (GBR), AdaBoost regression (ABR), K-nearest neighbor regression (KNR), and super vector regression (SVR). Regression is a statistical technique to analyze the relationship between two or more variables. LR is a technique in statistics and machine learning that is used to model linear relationships between one or more independent variables (predictors) and dependent variables (targets) [19]. RR is a linear regression technique used in statistics and regression analysis. This is a method used to overcome multicollinearity problems in regression analysis [20], where the independent variables in the regression model have a high correlation with each other. This ridge penalty term can also be used for feature selection in some other research. Lasso regression is a linear regression method used to overcome multicollinearity problems (when two or more independent variables are highly correlated) and influence feature selection in the model [21]. RFR is a method in machine learning that is used to carry out regression or predictions [22]. GBR is an ensemble algorithm in machine learning used for regression modeling [23]. ABR is an ensemble algorithm in machine learning used for regression modeling [24]. KNR is a regression algorithm used to predict the value of a dependent variable based on the independent variable values of K nearest neighbors in the [25] training dataset. This is a simple but effective method in case of regression. SVR is a regression algorithm that uses the concept of SVM to make predictions on regression data [26]. XGBR is a type of ensemble learning, namely a machine learning method that uses several models simultaneously to improve [27] performance. XGBR specifically is a boosting type learning ensemble, namely ensemble learning that lines up weak learners serially, where each weak learner reduces the error from the previous weak learner by optimizing the loss function with the Newton-Raphson method [28].

2.5. Feature engineering

Feature engineering is a process in which a data scientist or data engineer creates new features (variables) or changes existing features in a dataset to improve the quality of a machine learning model [29]. The main goal of feature engineering is to create more informative datasets, reduce noise, and enable models to understand patterns in the data better. Feature engineering is very important in machine learning because good features can have a big impact on model quality.

2.6. Evaluation metric

The approach used in the final step of this research is based on general statistical assessments, namely MSE, RMSE, and MAPE [30]. The MSE, RMSE, MAE, MAPE, and R-squared assessments measure the model's effectiveness in predicting best pricing. MSE, RMSE, MAE, and MAPE assess model performance, while R-squared assesses the model's predictive ability.

2.7. The explainability model

The goal of model explainability is to explain how a machine-learning model makes decisions so that the model being used can be understood and trusted [31]. In this research, two methods are MDI and PI, to achieve this goal. MDI is a measure commonly used in decision tree-based models, such as random forests. It assesses the importance of a feature by evaluating how much the feature contributes to reducing the impurity or uncertainty in the model's predictions. In other words, MDI helps identify which features are most influential in making accurate predictions. At each node in a decision tree, we measure the Gini impurity, which is a metric indicating how mixed the target classes are within that node. The formula for Gini impurity at a node t with K classes is:

$$Gini(t) = 1 - \sum_{i=1}^{K} (p(i \setminus t))^2$$
 (2)

where $p(i \mid t)$ represents the proportion of samples from class i within node t. For a specific feature, MDI is computed by averaging the reduction in Gini impurity across all nodes that use that feature to make decisions. For instance, if feature X is used in n nodes and Gini(t) is the Gini impurity at node t, then the MDI for feature X is expressed as (3):

$$MDI(X) = \frac{1}{n} \sum_{t} Gini(t)$$
 (3)

A higher MDI indicates that the feature is more crucial in making predictions within the random forest model. PI is a method used to measure how important each feature is in a machine-learning model [32]. It observes a feature by randomly permuting the feature's values. If the model performance fluctuates, the model is sensitive towards that feature and insensitive if otherwise [33]. The main goal is to provide an understanding of the relative contribution of each feature to the model's ability to make predictions. Let the score baseline be the model performance score on the original data (without permutation), and the score permuted be the model performance score after permuting a particular feature. If *N* is the number of permutations conducted, then the PI for a feature *X* can be computed using the formula:

$$PI(X) = \frac{1}{N} \sum_{i=1}^{N} (score_{permuted}^{(i)} - score_{baseline})$$
 (4)

where i is the permutation index.

3. RESULTS AND DISCUSSION

3.1. Result

In the first test, we analyzed the retail price periodically. Here, the total price is aggregated monthly by summing every value. We plot a regression line between total price and aggregate customers (also summed up monthly) from the dataset. This can model the relationship between these two variables. Figure 2 shows the linear relationship between total price and customers. We can interpret the linear relationship objectively with the R-squared value, which is 0.98. That number is considered very high because it approximates the best value of R-squared, 1.0. The p-value of the regression line is 0.01, meaning the null hypothesis is rejected. In regression analysis, rejecting the null hypothesis means there is a significance in the slope of the regression line and that the two variables are strongly related. In normative terms, the increase in total price is related to the increase of customers that visit the store.



Figure 2. Linear regression and customer per-month analysis; total price vs customers

In the second test, we plot a regression line between the total price and the number of weekends per month from the dataset to observe the relationship between these two variables. Figure 3 shows the linear relationship between total price and customers. The R-squared value of the regression line is 0.86. That number is considered high, however, it is not as high as the previous result. On the other hand, the p-value of the regression line is 0.01, meaning the null hypothesis is also rejected, which leads to the conclusion that the null hypothesis is rejected. There is still a significance in the slope of the regression line, while the two variables are strongly related. In normative terms, the increase in total price is correlated to the increase in the number of weekends per month of retail.

Analysis of the customer per-month bar chart can be useful for several things, including trend analysis, churn, market effectiveness, customer planning, and prediction. Figure 4 shows that the most customers were in November 2017, and the fewest were in January 2017. After conducting data exploration, we carry out the data pre-processing stage. At this stage, we group data between average and total. The data grouped to calculate the average is 'product id,' 'month year,' 'comp1 diff,' 'comp2 diff,' 'comp3 diff,' 'fp1 diff,' 'fp2 diff,' 'fp3 diff,' 'product score,' and 'unit price.' Meanwhile, the data that is grouped to calculate the total amount is 'product id,' 'month year,' 'total price,' 'freight price,' and 'customers'.

After the data has been grouped into average and total, the next step is to calculate the average and total of the two data groups. The results of these calculations are stored in two variables, namely, product mean and product sum. Next, after getting the average and total results, the two are combined into one data frame,

which contains information about the average and total based on 'product id'. The final stage in the feature engineering process is calculating the logarithm of the variable to be predicted, namely 'unit price,' and the results will be stored in the variable y log, which contains the logarithm values from 'unit price'. The next step is modelling. At this stage, eight regression models are compared to get the best prediction value. The Table 1 displays the evaluation value of each regression model. The XGBR model has the best results compared to other regression models, with an MSE value of 0.0001, MAE of 0.005, MAPE of 0.458, RMSE of 0.009, and R-square of 0.9998.



Figure 3. Linear regression and customer per-month analysis; Weakly analysis of total




Figure 4. Linear regression and customer per-month analysis; customer per-month

Table 1. Regression model performance comparison								
Model	Evaluation metrics							
	MSE	MAE	MAPE	RMSE	R2			
LR	0.1121	0.258	28.193	0.335	0.7243			
RR	0.1127	0.263	28.082	0.336	0.7229			
Lasso	0.1525	0.333	35.971	0.390	0.6250			
RFR	0.0149	0.101	10.212	0.122	0.9633			
GBR	0.0016	0.031	3.117	0.040	0.9961			
ABR	0.0148	0.097	9.728	0.122	0.9645			
XGBR	0.0001	0.005	0.458	0.009	0.9998			
KNR	0.1008	0.253	25.286	0.318	0.7520			
SVR	0.1503	0.294	34.944	0.388	0.6302			

The explainability model stage is to explain and describe why the XGBR model produces certain decisions and results. The MDI graph in Figure 5 shows the relationship between feature values and their impact on predicted values. MDI values on the y-axis (vertical) play a crucial role in understanding the significance of features in the prediction-making process. The elevation of MDI values indicates the level of importance each feature holds in influencing predictions. Visualized as bars on the graph, each feature's bar height signifies the magnitude of its impact. The emphasis should be placed on bars with the highest MDI values, as these features are deemed the most pivotal in shaping the model's predictions. Features characterized by elevated MDI values play a substantial role in minimizing impurity during the construction of decision trees. Furthermore, a positive MDI value signifies a positive correlation between the feature and the prediction outcome. In simpler terms, higher values of the feature generally support higher predictions. This analysis aids in comprehending the pivotal features that contribute significantly to the accuracy of the model's predictions.




Figure 5. MDI summary plot

The PI value serves as a valuable metric for understanding the impact of features on a model's performance when their values are randomly permuted. In Figure 6 and Table 2, we present the PI results, wherein feature names are arranged based on their weight magnitudes. Subsequently, we compute the maximum and minimum error values derived from the PI analysis. It is noteworthy that the features of the highest PI weight correspond with the MDI, specifically the 'total price'. This consistent alignment indicates that 'total price' significantly influences both MDI and PI, underscoring its importance in predicting outcomes.




Figure 6. PI summary plot

However, disparities arise when comparing the lowest weight in PI with the MDI score. While PI identifies 'fp1 diff' as the feature with the lowest weight, MDI designates 'freight price' as having the lowest MDI value. This discrepancy highlights the nuanced nature of PI, which is inherently model-specific. In In this particular instance, the model under examination is XGBoost (XGBR), revealing that PI results can be influenced by the intricacies of the underlying model. A comprehensive understanding of these differences enhances our insight into how features contribute to model performance, taking into account both MDI and PI perspectives.

Table 2. The PI result				
Weight	Feature			
0.9896±0.2898	'total'			
0.1006 ± 0.0450	'comp2'			
0.0966 ± 0.0172	'comp1'			
0.0845 ± 0.0341	'customers'			
0.0302 ± 0.0231	'comp3'			
0.0123 ± 0.0025	'product'			
0.0119 ± 0.0057	'fp2'			
0.0084 ± 0.0013	'fp3'			
0.0048 ± 0.0022	'freight'			

3.2. Discussion

Several studies have carried out price predictions with various regression models. Shahrel *et al.* [34] proved that SVR is better than linear regression in price prediction. Durganjali and Pujitha [35] proposed ABR for house price prediction. Finally, Bonamutial and Prasetyo [36] demonstrated that RFR is better than KNR in smartphone price prediction. Our research shows that XGBR has better overall performance than LR, RR, Lasso, RFR, ABR, KNR, and SVR in predicting retail prices. Our research contribution is an optimum retail price prediction using XGBR.

In our research, we highlight the different interpretations offered by MDI and PI techniques in analyzing features. These interpretations, when combined, contribute to a more comprehensive XAI. While both methods score features based on their contribution to predictive power, MDI goes a step further by providing insight into the positive/negative impact of each feature. In contrast, PI offers error values that indicate the sensitivity of features and their influence on overfitting. Our dual contribution is to improve the explanation of retail price prediction models through PI techniques and to leverage MDI and PI to analyze influential features, especially 'total price'. Our analysis underscores the important role of 'total price,' 'comp1 diff,' and 'customer' in model development, with 'total price' being the most influential. The choice between MDI and PI depends on the research needs. Overall, the findings emphasize the importance of 'total price' in forming an optimized pricing model. Our research contributions are summarised in Table 3 by comparing them with state-of-the-art research in retail price prediction.

Table 3. A comparison of state-of-the-art research on the retail price prediction

D-f	D., 41-41-1	R-squared	Explainability method	
Reference	Prediction model		MDI	PI
Shahrel et al. [34]	SVR	0.6302	×	×
Durganjali and Pujitha [35]	ABR	0.9645	×	×
Bonamutial and Prasetyo [36]	RFR	0.9633	×	×
Proposed method	XGBR	0.9998	✓	✓

4. CONCLUSION

In this study, a regional best price prediction model for logistics services was successfully constructed using the XGBR and its accompanying explanation model. The aim was to enhance the interpretability of the price prediction. To compare the effects of various factors on the model's analysis, XGBR was tested against LR, RR, Lasso, RFR, GBR, ABR, KNR, and SVR. Additionally, two XAI methods, namely MDI and PI, were employed. The results of the tests revealed that XGBR surpassed the benchmark method. This was corroborated by the MSE, MAE, MAPE, RMSE, and R-squared values, which were found to be 0.0001, 0.005, 0.458, 0.009, and 0.9998, respectively. Furthermore, based on the MDI and PI explanatory models, it was determined that total price was the most influential factor in predicting the optimal regional best price for logistics services.

This study demonstrates the superiority of XGBR over eight other regression models, establishing it as the most effective approach. Moreover, it holds practical implications for the logistics industry, enabling companies to determine the optimal regional best pricing prediction for logistics services. This knowledge gives them a competitive advantage over their rivals, leading to increased sales and profits.

This study proposes two potential directions for further academic inquiry aimed at enhancing the precision of regional best pricing prediction as a strategy for gaining a competitive advantage in the logistics industry. Firstly, we advocate for the utilization of datasets sourced directly from the company in order to enhance the accuracy and applicability of the model to the company's specific circumstances. In terms of model development, we suggest integrating constraint functions to accommodate intricate decision-making strategies in order to determine the optimal regional best pricing prediction for logistics services. This objective can be accomplished by implementing evolutionary algorithms, which enable the model to adapt to fluctuations in market dynamics.

ACKNOWLEDGEMENTS

All authors would like to thank Universitas Logistik Dan Bisnis Internasional (ULBI). Then also to Mr. Harsh Singh who has published the data on Kaggle. then to the supporting colleagues in this research namely Mr. Rofi Nafiis Zain and Mr. Bahtiar Ramadhan as applied undergraduate study program students of informatics engineering.

П

REFERENCES

- D. L. Huff, "Defining and estimating a trading area," Journal of Marketing, vol. 28, no. 3, pp. 34–38, 1964, doi: 10.1177/002224296402800307.
- [2] J. Lintner, "Dividends, earnings, leverage, stock prices and the supply of capital to corporations," *The Review of Economics and Statistics*, vol. 44, no. 3, pp. 243–269, 1962, doi: 10.2307/1926397.
- [3] D. Rickert, J. P. Schain, and J. Stiebale, "Local market structure and consumer prices: Evidence from a retail merger," *The Journal of Industrial Economics*, vol. 69, no. 3, pp. 692–729, 2021, doi: 10.1111/joie.12275.
- [4] R. L. Phillips, *Pricing and revenue optimization*. Stanford university press, 2021.
- [5] R. W. Palmatier and S. Sridhar, Marketing strategy: Based on first principles and data analytics. Bloomsbury Publishing, 2020.
- [6] X. Zhang, C. Zhang, and Z. Wei, "Carbon Price Forecasting Based on Multi-Resolution Singular Value Decomposition and Extreme Learning Machine Optimized by the Moth–Flame Optimization Algorithm Considering Energy and Economic Factors," *Energies*, vol. 12, no. 22, p. 4283, Nov. 2019, doi: 10.3390/en12224283.
- [7] L. Chen et al., "Measuring impacts of urban environmental elements on housing prices based on multisource data—a case study of Shanghai, China," ISPRS International Journal of Geo-Information, vol. 9, no. 2, p. 106, 2020, doi: 10.3390/ijgi9020106.
- [8] Q. Zheng, J. Chen, R. Zhang, and H. H. Wang, "What factors affect Chinese consumers' online grocery shopping? Product attributes, e-vendor characteristics and consumer perceptions," *China Agricultural Economic Review*, vol. 12, no. 2, pp. 193–213, 2020. doi: 10.1108/CAER-09-2018-0201.
- [9] E. Akyildirim, A. Goncu, and A. Sensoy, "Prediction of cryptocurrency returns using machine learning," *Annals of Operations Research*, vol. 297, pp. 3–36, 2021, doi: 10.1007/s10479-020-03575-y.
- [10] I. Ullah, K. Liu, T. Yamamoto, M. Zahid, and A. Jamal, "Modeling of machine learning with SHAP approach for electric vehicle charging station choice behavior prediction," *Travel Behav. Soc.*, vol. 31, pp. 78–92, 2023, doi: 10.1016/j.tbs.2022.11.006.
- [11] M. Jain, H. Rajput, N. Garg, and P. Chawla, "Prediction of House Pricing using Machine Learning with Python," 2020 International Conf. on Electronics and Sustainable Communication Systems (ICESC), 2020, pp. 570–574, doi: 10.1109/ICESC48915.2020.9155839.
- [12] F. Fumagalli, M. Muschalik, E. Hüllermeier, and B. Hammer, "Incremental permutation feature importance (iPFI): towards online explanations on data streams," Mach Learn, vol. 112, no. 12, pp. 4863–4903, 2023, doi: 10.1007/s10994-023-06385-y.
- [13] A. Derdouri and Y. Murayama, "A comparative study of land price estimation and mapping using regression kriging and machine learning algorithms across Fukushima prefecture, Japan," *Journal of Geographical Sciences*, vol. 30, pp. 794–822, 2020, doi: 10.1007/s11442-020-1756-1.
- [14] S. Gu, B. Kelly, and D. Xiu, "Empirical asset pricing via machine learning," The Review of Financial Studies, vol. 33, no. 5, pp. 2223–2273, May 2020, doi: 10.1093/rfs/hhaa009.
- [15] T. Mohd, S. Masrom, and N. Johari, "Machine learning housing price prediction in Petaling Jaya, Selangor, Malaysia," *International Journal of Recent Technology and Engineering*, vol. 8, no. 2, pp. 542–546, 2019.
- [16] H. Lu, X. Ma, K. Huang, and M. Azimi, "Carbon trading volume and price forecasting in China using multiple machine learning models," *Journal of Cleaner Production*, vol. 249, p. 119386, 2020, doi: 10.1016/j.jclepro.2019.119386.
- [17] L. E. Tomaszewski, J. Zarestky, and E. Gonzalez, "Planning qualitative research: Design and decision making for new researchers," International Journal of Qualitative Methods, vol. 19, 2020, doi: 10.1177/1609406920967174.
- [18] M. K. Shende, A. E. Feijoo-Lorenzo, and N. D. Bokde, "cleanTS: Automated (AutoML) tool to clean univariate time series at microscales," *Neurocomputing*, vol. 500, pp. 155–176, 2022, doi: 10.1016/j.neucom.2022.05.057.
- [19] F. Fang et al., "Cryptocurrency trading: a comprehensive survey," Financial Innovation, vol. 8, no. 1, pp. 1–59, 2022, doi: 10.1186/s40854-021-00321-6.
- [20] S. Çankaya, S. Eker, and S. H. Abac, "Comparison of Least Squares, Ridge Regression and Principal Component approaches in the presence of multicollinearity in regression analysis," *Turkish Journal of Agriculture-Food Science and Technology*, vol. 7, no. 8, pp. 1166–1172, 2019, doi: 10.24925/turjaf.v7i8.1166-1172.2515.
- [21] B. Liu, Y. Jin, D. Xu, Y. Wang, and C. Li, "A data calibration method for micro air quality detectors based on a LASSO regression and NARX neural network combined model," Scientific Reports, vol. 11, no. 1, p. 21173, 2021, doi: 10.1038/s41598-021-00804-7.
- [22] E. M. M. der Heide, R. F. Veerkamp, M. L. V. Pelt, C. Kamphuis, I. Athanasiadis, and B. J. Ducro, "Comparing regression, naive Bayes, and random forest methods in the prediction of individual survival to second lactation in Holstein cattle," *Journal of Dairy Science*, vol. 102, no. 10, pp. 9409–9421, Oct. 2019, doi: 10.3168/jds.2019-16295.
- [23] S. F. Pane, A. G. Putrada, N. Alamsyah, and M. N. Fauzan, "A PSO-GBR Solution for Association Rule Optimization on Supermarket Sales," 2022 Seventh International Conference on Informatics and Computing (ICIC), Denpasar, Bali, Indonesia, 2022, pp. 1–6, doi: 10.1109/ICIC56845.2022.10007001.
- [24] B. Liu, C. Liu, Y. Xiao, L. Liu, W. Li, and X. Chen, "AdaBoost-based transfer learning method for positive and unlabelled learning problem," *Knowledge-Based Systems*, vol. 241, 2022, doi: 10.1016/j.knosys.2022.108162.
- [25] N. A. Sami and D. S. Ibrahim, "Forecasting multiphase flowing bottom-hole pressure of vertical oil wells using three machine learning techniques," *Petroleum Research*, vol. 6, no. 4, pp. 417–422, 2021, doi: 10.1016/j.ptlrs.2021.05.004.
- [26] M. Zulfiqar, M. Kamran, M. B. Rasheed, T. Alquthami, and A. H. Milyani, "Hyperparameter optimization of support vector machine using adaptive differential evolution for electricity load forecasting," *Energy Reports*, vol. 8, pp. 13333–13352, 2022, doi: 10.1016/j.egyr.2022.09.188
- [27] M. Abdurohman and A. G. Putrada, "Forecasting Model for Lighting Electricity Load with a Limited Dataset using XGBoost," Kinetik: Game Technology, Information System, Computer Network, Computing, Electronics, and Control, vol. 8, no. 2, 2023, doi: 10.22219/kinetik.v8i2.1687.
- [28] A. G. Putrada, N. Alamsyah, S. F. Pane, and M. N. Fauzan, "XGBoost for IDS on WSN Cyber Attacks with Imbalanced Data," 2022 Int. Symposium on Electronics and Smart Devices (ISESD), 2022, pp. 1–7, doi: 10.1109/ISESD56103.2022.9980630.
- [29] A. Popov, "Feature engineering methods," in Advanced Methods in Biomedical Signal Processing and Analysis, 2023, pp. 1–29, doi: 10.1016/B978-0-323-85955-4.00004-1.
- [30] S. Kumar, T. Kolekar, K. Kotecha, S. Patil, and A. Bongale, "Performance evaluation for tool wear prediction based on Bi-directional, Encoder—Decoder and Hybrid Long Short-Term Memory models," *International Journal of Quality & Reliability Management*, vol. 39, no. 7, pp. 1551–1576, 2022, doi: 10.1108/IJQRM-08-2021-0291.
- [31] D. Lundstrom and M. Razaviyayn, "Distributing Synergy Functions: Unifying Game-Theoretic Interaction Methods for Machine-Learning Explainability," arXiv preprint arXiv:2305.03100, 2023.
- [32] C. Molnar, T. Freiesleben, G. König, G. Casalicchio, M. N. Wright, and B. Bischl, "Relating the partial dependence plot and permutation feature importance to the data generating process," World Conference on Explainable Artificial Intelligence, 2023, pp. 456-479, doi: 10.1007/978-3-031-44064-9_24.

[33] A. G. Putrada, M. Abdurohman, D. Perdana, and H. H. Nuha, "EdgeSL: Edge-Computing Architecture on Smart Lighting Control with Distilled KNN for Optimum Processing Time," *IEEE Access*, vol. 11, pp. 64697–64712, 2023, doi: 10.1109/ACCESS.2023.3288425.

- [34] M. Z. Shahrel, S. Mutalib, and S. Abdul-Rahman, "PriceCop-Price Monitor and Prediction Using Linear Regression and LSVM-ABC Methods for E-commerce Platform," *International Journal of Information Engineering & Electronic Business*, vol. 13, no. 1, 2021, doi: 10.5815/ijieeb.2021.01.01.
- [35] P. Durganjali and M. V. Pujitha, "House Resale Price Prediction Using Classification Algorithms," 2019 International Conference on Smart Structures and Systems (ICSSS), Chennai, India, 2019, pp. 1–4, doi: 10.1109/ICSSS.2019.8882842.
- [36] M. Bonamutial and S. Y. Prasetyo, "Exploring the Impact of Feature Data Normalization and Standardization on Regression Models for Smartphone Price Prediction," 2023 International Conference on Information Management and Technology (ICIMTech), Malang, Indonesia, 2023, pp. 294–298, doi: 10.1109/ICIMTech59029.2023.10277860.

BIOGRAPHIES OF AUTHORS



Agus Purnomo (D) (S) (S) is a full time Associate Professor at the Department of Master Logistics Management, Universitas Logistik Dan Bisnis Internasional. His research experience is in the field of logistics and supply chain management. He earned his Ph.D. degree in 2009 at the Universitas Padjadjaran Bandung in the field of Operations Management. Master's degree in 1997 at the Institut Teknologi Bandung majoring in Industrial Engineering. Bachelor's degree in 1989 at Universitas Pasundan Bandung majoring in Industrial Engineering. He can be contacted at email: aguspurnomo@ulbi.ac.id.







Syafrianita is a lecturer at the Department of Transportation Management, Universitas Logistik Dan Bisnis Internasional. She has an interest in research using fuzzy numbers in selecting the location of bonded logistics centers. She earned her Ph.D. degree in 2023 at Institut Teknologi Bandung in the field of Transportation. Master's degree received from Department of Transportation, Institut Teknologi Bandung. Bachelor's degree in 2000 at Universitas Pasundan Bandung majoring in Industrial Engineering. She can be contacted at email: syafrianita@ulbi.ac.id.