

Notes:

1. Material: RoHS compliant 12AWG (0.08") Aluminum.
2. Break all sharp edges and mask threads prior to powder coat.
3. Part is to be powder coated with Cardinal color C031-WH120.
Thickness of coating must be between 0.05 and 0.12mm.
4. Ink mark in area indicated with first initial of manufacturer name.
5. During finishing, do not hang from holes indicated on page 3.

DRAWN BY:
West

DATE:
3/19/19

MATERIAL:
See notes

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN MILLIMETERS.
TOLERANCES ARE:

DECIMALS	ANGLES
.X \pm .75	X \pm 1°
.XX \pm .25	
.XXX \pm .125	
.XXXX \pm .050	

BREAK EDGES 0.1/0.5
FILLET RADIUS 0.1/0.5



**ALEPH
OBJECTS**
INCORPORATED

626 West 66th Street
Loveland, Colorado 80538, USA
Phone +1-970-377-1111
www.alephobjects.com

TITLE

top plate mini

SIZE **A** DWG NO. **PP-FP0168**

REV.
IR

SCALE **NA** DO NOT SCALE DRAWING SHEET **1 of 3**

31.00

7.00

2X 9.00

2X 21.00

4X FEX-M3 Inserts
Install from other side

2X R10

18.0

31.00

7.00


18.0

2X 45.00

View A-A

View A-A

TITLE			
top plate mini			
SIZE A	DWG NO. PP-FP0168		REV. IR
SCALE NA	DO NOT SCALE DRAWING	SHEET 2 of 3	



TITLE			
top plate mini			
SIZE	DWG NO.	REV.	
A	PP-FP0168	IR	
SCALE	NA	SHEET	3 of 3
DO NOT SCALE DRAWING			