

The group  $G$  is isomorphic to the group labelled by [ 147, 4 ] in the Small Groups library.  
Ordinary character table of  $G \cong (\text{C7} \times \text{C7}) : \text{C3}$ :

[illegible]

Trivial source character table of  $G \cong (\text{C7} \times \text{C7}) : \text{C3}$  at  $p = 7$ :

[illegible]
$$\begin{aligned} P_1 &= \text{Group}([(1)]) \cong 1 \\ P_2 &= \text{Group}([(1, 7, 6, 5, 4, 3, 2)]) \cong C7 \\ P_3 &= \text{Group}([(8, 14, 13, 12, 11, 10, 9)]) \cong C7 \\ P_4 &= \text{Group}([(1, 7, 6, 5, 4, 3, 2)(8, 14, 13, 12, 11, 10, 9)]) \cong C7 \\ P_5 &= \text{Group}([(1, 7, 6, 5, 4, 3, 2)(8, 13, 11, 9, 14, 12, 10)]) \cong C7 \\ P_6 &= \text{Group}([(1, 7, 6, 5, 4, 3, 2)(8, 12, 9, 13, 10, 14, 11)]) \cong C7 \\ P_7 &= \text{Group}([(1, 7, 6, 5, 4, 3, 2)(8, 11, 14, 10, 13, 9, 12)]) \cong C7 \\ P_8 &= \text{Group}([(1, 7, 6, 5, 4, 3, 2)(8, 10, 12, 14, 9, 11, 13)]) \cong C7 \\ P_9 &= \text{Group}([(1, 7, 6, 5, 4, 3, 2)(8, 9, 10, 11, 12, 13, 14)]) \cong C7 \\ P_{10} &= \text{Group}([(1, 7, 6, 5, 4, 3, 2), (8, 14, 13, 12, 11, 10, 9)]) \cong C7 \times C7 \end{aligned}$$
$$\begin{aligned}
N_1 &= \text{Group}([(2, 3, 5)(4, 7, 6)(9, 10, 12)(11, 14, 13), (8, 9, 10, 11, 12, 13, 14), (1, 2, 3, 4, 5, 6, 7)]) \cong (C7 \times C7) : C3 \\
N_2 &= \text{Group}([(2, 3, 5)(4, 7, 6)(9, 10, 12)(11, 14, 13), (8, 9, 10, 11, 12, 13, 14), (1, 2, 3, 4, 5, 6, 7)]) \cong (C7 \times C7) : C3 \\
N_3 &= \text{Group}([(2, 3, 5)(4, 7, 6)(9, 10, 12)(11, 14, 13), (8, 9, 10, 11, 12, 13, 14), (1, 2, 3, 4, 5, 6, 7)]) \cong (C7 \times C7) : C3 \\
N_4 &= \text{Group}([(2, 3, 5)(4, 7, 6)(9, 10, 12)(11, 14, 13), (8, 9, 10, 11, 12, 13, 14), (1, 2, 3, 4, 5, 6, 7)]) \cong (C7 \times C7) : C3 \\
N_5 &= \text{Group}([(2, 3, 5)(4, 7, 6)(9, 10, 12)(11, 14, 13), (8, 9, 10, 11, 12, 13, 14), (1, 2, 3, 4, 5, 6, 7)]) \cong (C7 \times C7) : C3 \\
N_6 &= \text{Group}([(2, 3, 5)(4, 7, 6)(9, 10, 12)(11, 14, 13), (8, 9, 10, 11, 12, 13, 14), (1, 2, 3, 4, 5, 6, 7)]) \cong (C7 \times C7) : C3 \\
N_7 &= \text{Group}([(2, 3, 5)(4, 7, 6)(9, 10, 12)(11, 14, 13), (8, 9, 10, 11, 12, 13, 14), (1, 2, 3, 4, 5, 6, 7)]) \cong (C7 \times C7) : C3 \\
N_8 &= \text{Group}([(2, 3, 5)(4, 7, 6)(9, 10, 12)(11, 14, 13), (8, 9, 10, 11, 12, 13, 14), (1, 2, 3, 4, 5, 6, 7)]) \cong (C7 \times C7) : C3 \\
N_9 &= \text{Group}([(2, 3, 5)(4, 7, 6)(9, 10, 12)(11, 14, 13), (8, 9, 10, 11, 12, 13, 14), (1, 2, 3, 4, 5, 6, 7)]) \cong (C7 \times C7) : C3 \\
N_{10} &= \text{Group}([(2, 3, 5)(4, 7, 6)(9, 10, 12)(11, 14, 13), (8, 9, 10, 11, 12, 13, 14), (1, 2, 3, 4, 5, 6, 7)]) \cong (C7 \times C7) : C3
\end{aligned}$$