Table S6. Exploratory B: equal-size subsampling (28 cases per centre, 75 steps per case, 20 draws).

Probe	Set	Draws	Median BA	2.5–97.5% across draws	Min–max
FM-P, transport					
linear	S1	20	0.250	0.250 to 0.250	0.250 to 0.250
linear	S2	20	0.250	0.250 to 0.250	0.250 to 0.250
linear	S3	20	0.250	0.250 to 0.250	0.250 to 0.250
MLP	S1	20	0.955	0.933 to 0.978	0.929 to 0.982
MLP	S2	20	0.964	0.946 to 0.978	0.946 to 0.982
MLP	S3	20	0.884	0.857 to 0.906	0.857 to 0.911
FM-P, within-set refit					
linear	S1	20	0.339	0.235 to 0.420	0.214 to 0.429
linear	S2	20	0.290	0.213 to 0.353	0.196 to 0.357
linear	S3	20	0.362	0.304 to 0.429	0.304 to 0.429
MLP	S1	20	0.902	0.852 to 0.942	0.848 to 0.946
MLP	S2	20	0.902	0.848 to 0.956	0.848 to 0.964
MLP	S3	20	0.446	0.321 to 0.603	0.321 to 0.607
FM-S, transport					
linear	S1	20	0.250	0.250 to 0.250	0.250 to 0.250
linear	S2	20	0.250	0.250 to 0.250	0.250 to 0.250
linear	S3	20	0.250	0.250 to 0.250	0.250 to 0.250
MLP	S1	20	0.491	0.451 to 0.541	0.446 to 0.554
MLP	S2	20	0.473	0.446 to 0.492	0.446 to 0.500
MLP	S3	20	0.500	0.469 to 0.523	0.464 to 0.527
FM-S, within-set refit					
linear	S1	20	0.259	0.187 to 0.349	0.187 to 0.357
linear	S2	20	0.214	0.179 to 0.281	0.179 to 0.286
linear	S3	20	0.357	0.308 to 0.442	0.304 to 0.446
MLP	S1	20	0.451	0.285 to 0.630	0.277 to 0.634
MLP	S2	20	0.384	0.257 to 0.533	0.223 to 0.562
MLP	S3	20	0.388	0.281 to 0.455	0.277 to 0.455
REF, transport					
linear	S1	20	0.250	0.250 to 0.250	0.250 to 0.250
linear	S2	20	0.250	0.250 to 0.250	0.250 to 0.250
linear	S3	20	0.250	0.250 to 0.250	0.250 to 0.250

Probe	Set	Draws	Median BA	2.5–97.5% across draws	Min–max
MLP	S1	20	0.857	0.825 to 0.884	0.812 to 0.884
MLP	S2	20	0.866	0.802 to 0.906	0.777 to 0.911
MLP	S3	20	0.790	0.763 to 0.812	0.759 to 0.812
REF, within-set refit					
linear	S1	20	0.308	0.232 to 0.389	0.223 to 0.402
linear	S2	20	0.286	0.241 to 0.353	0.241 to 0.357
linear	S3	20	0.379	0.316 to 0.464	0.304 to 0.464
MLP	S1	20	0.790	0.678 to 0.857	0.670 to 0.857
MLP	S2	20	0.763	0.674 to 0.857	0.670 to 0.857
MLP	S3	20	0.527	0.351 to 0.656	0.321 to 0.661

Exploratory (analysis B; plan registered on OSF, osf.io/g9ymw); no verdict. In each of S1–S3, 28 cases per centre and 75 steps per case were drawn 20 times; for each draw the point BA was computed (transport: the S1-fitted probe; within-set refit: refitted within the subsample); the table gives the median, the 2.5–97.5% range across the 20 draws and the minimum–maximum; descriptive point estimates, no bootstrap, no judgement.
Ceiling (fact base §9): B locates where the judgement changes; it does not identify why. BA, case-level site balanced accuracy (chance 0.25); MLP, two-layer multilayer perceptron.