Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.

Volcanoes form where molten rock reaches the surface of the Earth. Most of them are found along the edges of tectonic plates, especially around the Pacific Ocean. When pressure builds beneath the crust, magma rises through cracks and erupts as lava, ash and gas.

Scientists monitor volcanoes with seismometers, satellite images and gas sensors. Small earthquakes and changes in the shape of the ground can warn that an eruption is coming. Even so, predicting the exact timing remains difficult.

Eruptions can be destructive, but volcanic soil is also extremely fertile. Farmers in many regions grow coffee, fruit and vegetables on the slopes of active volcanoes. Living near a volcano therefore involves a careful balance between risk and reward.