


Carl Daniel Santiago **BSIT-3B**


Non user and user IU










(all files are located in zip file)



Available Donuts
VIEW ALL PRODUCTS
White crisp donut
₱40
chocolate milk coated donut
buy and taste
Donut strawberry
₱17
strawberry donut cream
buy and taste
Basic donut
₱10
basic donut no add ons
buy and taste



DUNKING DONUT
Home
Our Menus
About Us
Contact Us
Log In
Register
chocolate donut
₱16
chocolate coated donut cream
buy and taste
bavarian donut
₱19
bavarian donut tartar cream filling
buy and taste
3 donut flavor
₱45
budget meal donut
buy and taste
About Dunking donut
Dunking donut
Read More
DUNKING DONUT CONCEPT. - FOR: WEB FRAMEWORK



127...
DUNKING DONUT
Home
Our Menus
About Us
Contact Us
Log In
Register
buy and taste



127...
DUNKING DONUT
ENJOY THE FOOD
Available Donuts
VIEW ALL PRODUCTS


Admin UI



127.0.0.1:8000/redirect
Search products
+ Create New Project
admin
Admin
staff
Navigation
Dashboard
Add new Food Menu
Show all Food Menu



127.0.0.1:8000/showproduct
Search products
+ Create New Project
admin
Title
Description
Quantity
Price
Image
Update
Delete
White crisp donut
chocolate milk coated donut
5
₱40
Donut strawberry
strawberry donut cream
5
₱17
Basic donut
Basic donut no add-ons
5
₱10
chocolate donut
chocolate coated donut cream
6
₱16
bavarian donut
bavarian donut tartar cream filling
8
₱19
3 donut flavor
budget meal donut
6
₱45


Search
+ Create New Project
Add Food
Product title
Food name?
Price
Price?
Description
Food name?
Quantity
Quantity
Choose file
No file chosen
Submit



Search
+ Create New Project
Add Food
Product title
donut filling
Price
20
Description
crispy bite
Quantity
6
Choose file
No file chosen
Submit



Add Food
x Add Food Successfully
Product title
Food name?
Price
Price?
Description
Food name?
Quantity
Quantity
Choose file
No file chosen
Submit



Search products
+ Create New Project
Title
Description
Quantity
Price
Image
Update
Delete
White crisp donut
chocolate milk coated donut
5
₱40
Donut strawberry
strawberry donut cream
5
₱17
Basic donut
Basic donut no add-ons
5
₱10
chocolate donut
chocolate coated donut cream
6
₱16
bavarian donut
bavarian donut tartar cream filling
8
₱19
3 donut flavor
budget meal donut
6
₱45
donut filling
crispy bite
6
₱20



Search products
+ Create New Project
x Deleted Food Successfully
Title
Description
Quantity
Price
Image
Update
Delete
White crisp donut
chocolate milk coated donut
5
₱40
Donut strawberry
strawberry donut cream
5
₱17
Basic donut
Basic donut no add-ons
5
₱10
chocolate donut
chocolate coated donut cream
6
₱16
bavarian donut
bavarian donut tartar cream filling
8
₱19
3 donut flavor
budget meal donut
6
₱45

PHPMyadmin



XAMPP Control Panel v3.3.0 [Compiled: Apr 6th 2021]
XAMPP Control Panel v3.3.0
Modules
Service Module PID(s) Port(s) Actions
Apache 5952 7472 80, 443 Stop Admin Config Logs
MySQL 1780 3306 Stop Admin Config Logs
FileZilla Start Admin Config Logs
Mercury Start Admin Config Logs
Tomcat Start Admin Config Logs
Config
Netstat
Shell
Explorer
Services
Help
Quit
4:26:27 am [Apache] Attempting to stop Apache (PID: 8204)
4:26:28 am [Apache] Status change detected: stopped
4:26:28 am [mysql] Attempting to stop MySQL app...
4:26:28 am [mysql] Status change detected: stopped
4:26:29 am [Apache] Attempting to start Apache app...
4:26:29 am [mysql] Attempting to start MySQL app...
4:26:29 am [Apache] Status change detected: running
4:26:29 am [mysql] Status change detected: running



localhost/phpmyadmin/index.php?route=/sql&server=1&db=dunking&table=carts&pos=0
phpMyAdmin
Recent Favorites
New
dunking
New
carts
failed_jobs
migrations
password_resets
personal_access_tokens
products
sessions
users
information_schema
mysql
nice
performance_schema
phpmyadmin
test
Server: 127.0.0.1 » Database: dunking » Table: carts
Browse Structure SQL Search Insert Export Import Privileges Operations Tracking
Showing rows 0 - 0 (1 total, Query took 0.0014 seconds.)
SELECT * FROM `carts`
Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]
Show all Number of rows: 25 Filter rows: Search this table
+ Options
id name phone address product_title quantity price created_at updated_at
Edit Copy Delete 1 user 123 NULL Donut strawberry 1 17 2023-01-31 00:09:20 2023-01-31 00:09:20
Check all With selected: Edit Copy Delete Export
Show all Number of rows: 25 Filter rows: Search this table
Query results operations
Print Copy to clipboard Export Display chart Create view
Bookmark this SQL query
Label:
Let every user access this bookmark
Bookmark this SQL query


localhost/phpmyadmin/index.php?route=/sql&server=1&db=dunking&table=products&pos=0
phpMyAdmin
Server: 127.0.0.1 » Database: dunking » Table: products
Browse Structure SQL Search Insert Export Import Privileges Operations Tracking Triggers
Showing rows 0 - 6 (7 total, Query took 0.0013 seconds.)
SELECT * FROM `products`
Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]
Show all | Number of rows: 25 Filter rows: Search this table Sort by key: None
+ Options
id title price description quantity image created_at updated_at
2 White crisp donut 40 chocolate milk coated donut 5 1675113036.jpg 2023-01-30 21:10:36 2023-01-30 23:01:04
5 Donut strawberry 17 strawberry donut cream 5 1675119454.jpg 2023-01-30 22:57:34 2023-01-30 22:57:34
6 Basic donut 10 Basic donut no add-ons 5 1675119495.jpg 2023-01-30 22:58:15 2023-01-30 22:58:15
7 chocolate donut 16 chocolate coated donut cream 6 1675119545.webp 2023-01-30 22:59:05 2023-01-30 22:59:05
8 bavarian donut 19 bavarian donut tartar cream filling 8 1675119588.jpg 2023-01-30 22:59:48 2023-01-30 22:59:48
9 3 donut flavor 45 budget meal donut 6 1675119839.jpg 2023-01-30 23:03:59 2023-01-30 23:03:59
11 donut filling 20 crispy bite 6 1675130377.png 2023-01-31 01:59:37 2023-01-31 01:59:37
Check all With selected: Edit Copy Delete Export
Query results operations
Print Copy to clipboard Export Display chart Create view
Bookmark this SQL query
Label: Let every user access this bookmark
New
dunking
carts
failed_jobs
migrations
password_resets
personal_access_tokens
products
sessions
users
information_schema
mysql
nice
performance_schema
phpmyadmin
test


localhost/phpmyadmin/index.php?route=/sql&server=1&db=dunking&table=migrations&pos=0
phpMyAdmin
Server: 127.0.0.1 » Database: dunking » Table: migrations
Browse Structure SQL Search Insert Export Import Privileges Operations Tracking
Showing rows 0 - 7 (8 total, Query took 0.0070 seconds.)
SELECT * FROM `migrations`
Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]
Show all | Number of rows: 25 Filter rows: Search this table Sort by key: None
+ Options
id migration batch
7 2014_10_12_000000_create_users_table 1
8 2014_10_12_100000_create_password_resets_table 1
9 2014_10_12_200000_add_two_factor_columns_to_users_... 1
10 2019_08_19_000000_create_failed_jobs_table 1
11 2019_12_14_000001_create_personal_access_tokens_ta... 1
12 2023_01_30_031239_create_sessions_table 1
13 2023_01_30_202058_create_products_table 2
14 2023_01_30_235233_create_carts_table 3
Check all With selected: Edit Copy Delete Export
Query results operations
Print Copy to clipboard Export Display chart Create view
Bookmark this SQL query
Label: Let every user access this bookmark
New
dunking
carts
failed_jobs
migrations
password_resets
personal_access_tokens
products
sessions
users
information_schema
mysql
nice
performance_schema
phpmyadmin
test

Models/Controllers/Middleware





Source Code

Models

Cart.php (for buy btn)

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Cart extends Model
{
    use HasFactory;
}
```

Product.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Product extends Model
{
    use HasFactory;
}
```

User.php

```php
<?php

namespace App\Models;

use Illuminate\Contracts\Auth\MustVerifyEmail;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;
use Laravel\Fortify\TwoFactorAuthenticatable;
use Laravel\Jetstream\HasProfilePhoto;
use Laravel\Sanctum\HasApiTokens;

class User extends Authenticatable
{
    use HasApiTokens;
    use HasFactory;
    use HasProfilePhoto;
    use Notifiable;
    use TwoFactorAuthenticatable;

    /**
     * The attributes that are mass assignable.
     *
     * @var array<int, string>
     */
    protected $fillable = [
        'name',
        'email',
        'password',
        'phone',
        'àddress',

    ];

    /**
     * The attributes that should be hidden for serialization.
     *
     * @var array<int, string>
     */
    protected $hidden = [
        'password',
        'remember_token',
        'two_factor_recovery_codes',
        'two_factor_secret',
    ];

    /**
     * The attributes that should be cast.
     *
     * @var array<string, string>
```

```
     */
    protected $casts = [
        'email_verified_at' => 'datetime',
    ];

    /**
     * The accessors to append to the model's array form.
     *
     * @var array<int, string>
     */
    protected $appends = [
        'profile_photo_url',
    ];
}
```

Middleware

(important files)

Authenticated.php

```
<?php

namespace App\Http\Middleware;

use Illuminate\Auth\Middleware\Authenticate as Middleware;

class Authenticate extends Middleware
{
    /**
     * Get the path the user should be redirected to when they are not authenticated.
     *
     * @param  \Illuminate\Http\Request  $request
     * @return string|null
     */
    protected function redirectTo($request)
    {
        if (! $request->expectsJson()) {
            return route('login');
        }
```

```
  }
}
```

Kernel.php

```
<?php

namespace App\Http;

use Illuminate\Foundation\Http\Kernel as HttpKernel;

class Kernel extends HttpKernel
{
   /**
    * The application's global HTTP middleware stack.
    *
    * These middleware are run during every request to your application.
    *
    * @var array<int, class-string|string>
    */
   protected $middleware = [
      // \App\Http\Middleware\TrustHosts::class,
      \App\Http\Middleware\TrustProxies::class,
      \Illuminate\Http\Middleware\HandleCors::class,
      \App\Http\Middleware\PreventRequestsDuringMaintenance::class,
      \Illuminate\Foundation\Http\Middleware\ValidatePostSize::class,
      \App\Http\Middleware\TrimStrings::class,

\Illuminate\Foundation\Http\Middleware\ConvertEmptyStringsToNull::c
lass,
   ];

   /**
    * The application's route middleware groups.
    *
    * @var array<string, array<int, class-string|string>>
    */
   protected $middlewareGroups = [
```

```
        'web' => [
            \App\Http\Middleware\EncryptCookies::class,

\Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse::class,
            \Illuminate\Session\Middleware\StartSession::class,
            \Illuminate\View\Middleware\ShareErrorsFromSession::class,
            \App\Http\Middleware\VerifyCsrfToken::class,
            \Illuminate\Routing\Middleware\SubstituteBindings::class,
        ],

        'api' => [
            //
\Laravel\Sanctum\Http\Middleware\EnsureFrontendRequestsAreStatef
ul::class,
            'throttle:api',
            \Illuminate\Routing\Middleware\SubstituteBindings::class,
        ],
    ];

    /**
     * The application's route middleware.
     *
     * These middleware may be assigned to groups or used individually.
     *
     * @var array<string, class-string|string>
     */
    protected $routeMiddleware = [
        'auth' => \App\Http\Middleware\Authenticate::class,
        'auth.basic' =>
\Illuminate\Auth\Middleware\AuthenticateWithBasicAuth::class,
        'auth.session' =>
\Illuminate\Session\Middleware\AuthenticateSession::class,
        'cache.headers' =>
\Illuminate\Http\Middleware\SetCacheHeaders::class,
        'can' => \Illuminate\Auth\Middleware\Authorize::class,
        'guest' => \App\Http\Middleware\RedirectIfAuthenticated::class,
        'password.confirm' =>
\Illuminate\Auth\Middleware\RequirePassword::class,
        'signed' => \App\Http\Middleware\ValidateSignature::class,
```

```
        'throttle' =>
\Illuminate\Routing\Middleware\ThrottleRequests::class,
        'verified' =>
\Illuminate\Auth\Middleware\EnsureEmailIsVerified::class,
    ];
}
```

Controllers

AdminController.php

```
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;
use App\Models\Product;

class AdminController extends Controller
{
    public function product()
    {
        return view ('admin.product');
    }

    public function uploadproduct(Request $request)
    {

        $data=new product;

        $image=$request->file;

        $imagename=time().'.'.$image->getClientOriginalExtension();

        $request->file->move('productimage', $imagename);

        $data->image=$imagename;


        $data->title=$request->title;


        $data->price=$request->price;
```

```
    $data->description=$request->des;
    $data->quantity=$request->quantity;

    $data->save();

    return redirect()->back()->with('message','Add Food Successfully');
}

     public function showproduct()
{

    $data=product::all();
    return view ('admin.showproduct',compact('data'));

}

public function deleteproduct($id)

{
    $data=product::find($id);

    $data->delete();

    return redirect() ->back()->with('message','Deleted Food Successfully');;
}

public function updateview($id)
{
    $data =product::find($id);

    return view('admin.updateview', compact('data'));
}
    public function updateproduct(Request $request,$id){

        $data = product::find($id);



        $image=$request->file;

        if($image)
        {



    $imagename=time().'.'.$image->getClientOriginalExtension();
```

```
        $request->file->move('productimage', $imagename);

        $data->image=$imagename;
    }

        $data->title=$request->title;


        $data->price=$request->price;

        $data->description=$request->des;
        $data->quantity=$request->quantity;

        $data->save();

        return redirect()->back()->with('message','Updated Food information
Successfully');
        }


    }
```

Controller.php

```
<?php

namespace App\Http\Controllers;

use Illuminate\Foundation\Auth\Access\AuthorizesRequests;
use Illuminate\Foundation\Bus\DispatchesJobs;
use Illuminate\Foundation\Validation\ValidatesRequests;
use Illuminate\Routing\Controller as BaseController;

class Controller extends BaseController
{
    use AuthorizesRequests, DispatchesJobs, ValidatesRequests;
}
```

HomeController.php

```
<?php

namespace App\Http\Controllers;
```

```
use Illuminate\Http\Request;

use Illuminate\Support\Facades\Auth;


use App\Models\User;

use App\Models\Product;

use App\Models\Cart;


class HomeController extends Controller
{
   public function redirect()
   {
      $usertype=Auth::user()->usertype;


      if ($usertype=='1')
      {
         return view('admin.home');
      }

      else
      {
          $data = product::paginate(3);

                  return view('user.home',compact('data'));
      }
   }

      public function index()

      {

         if (Auth::id())

         {
```

```
        return redirect('redirect');
    }


else
    {

            $data = product::all();

             return view('user.home',compact('data'));
 }

    }

    public function addcart(Request $request, $id)

    {
              if (Auth::id())

              {
                 $user=auth()->user();

                 $product=product::find($id);
                 $cart=new cart;


                 $cart->name=$user->name;

                  $cart->phone=$user->phone;

                   $cart->address=$user->address;

                   $cart->product_title=$product->title;

                   $cart->price=$product->price;

                   $cart->quantity = $request->quantity;
                   $cart->save();
```

```
                    return redirect()->back()->with('message','Add Food
Successfully');;
                }

                else
                {
                    return redirect('login');
                }

        }

   }
```

Home.blade.php (most important codes are located)

Admin

```
<!DOCTYPE html>
<html lang="en">
  <head>
    @include('admin.css')
  </head>
  <body>

     <!-- partial -->

     @include('admin.sidebar')

     @include ('admin.navbar')

       <!-- partial -->

      @include('admin.body')
        <!-- partial -->
```

```
        @include('admin.script')

  </body>
</html>
```

User

```
<!DOCTYPE html>
<html lang="en">

  <head>

    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">
    <link
href="https://fonts.googleapis.com/css?family=Poppins:100,200,300,40
0,500,600,700,800,900&display=swap" rel="stylesheet">

    <title>Dunking Donut</title>

    <link rel="shortcut icon" type="image/png"
href="assets/favicon.png">

    <!-- Bootstrap core CSS -->
    <link href="vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
<!--



-->

    <!-- Additional CSS Files -->
    <link rel="stylesheet" href="assets/css/fontawesome.css">
    <link rel="stylesheet" href="assets/css/templatemo-sixteen.css">
```

```
  <link rel="stylesheet" href="assets/css/owl.css">

 </head>

 <body>

  <!-- ***** Preloader Start ***** -->
  <div id="preloader">
    <div class="jumper">
      <div></div>
      <div></div>
      <div></div>
    </div>
  </div>
  <!-- ***** Preloader End ***** -->

  <!-- Header -->
  <header class="">
   <nav class="navbar navbar-expand-lg">
    <div class="container">

      <a class="navbar-brand" href="index.html"><h2>Dunking
<em>Donut</em></h2></a>
      <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarResponsive" aria-
controls="navbarResponsive" aria-expanded="false" aria-label="Toggle
navigation">
       <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarResponsive">
       <ul class="navbar-nav ml-auto">
        <li class="nav-item active">
         <a class="nav-link" href="index.html">Home
          <span class="sr-only">(current)</span>
         </a>
        </li>
        <li class="nav-item">
         <a class="nav-link" href="products.html">Our Menus</a>
        </li>
        <li class="nav-item">
```

```
            <a class="nav-link" href="about.html">About Us</a>
           </li>
           <li class="nav-item">
            <a class="nav-link" href="contact.html">Contact Us</a>
           </li>

<li class="nav-item">
   @if (Route::has('login'))

               @auth

              <li>
        <x-app-layout>

                                        </x-app-layout>
           </li>

               @else
                  <li><a class="nav-link" href="{{ route('login') }}" >Log
in</a></li>

                  @if (Route::has('register'))
                     <li><a class="nav-
link"href="{{ route('register') }}" >Register</a></li>
                  @endif
               @endauth
            </div>
         @endif

</li>

         </ul>

      </div>

   </header>

   <!-- Page Content -->
   <!-- Banner Starts Here -->
   <div class="banner header-text">
```

```
    <div class="owl-banner owl-carousel">
      <div class="banner-item-01">
        <div class="text-content">
          <h4></h4>
          <h2>Enjoy the food</h2>
        </div>
      </div>
      <div class="banner-item-02">
        <div class="text-content">
          <h4>Eat now</h4>
          <h2>Get yourself a treat</h2>
        </div>
      </div>
      <div class="banner-item-03">
        <div class="text-content">
          <h4>Relax</h4>
          <h2>hang out and eat</h2>
        </div>
      </div>
    </div>
  </div>
  <!-- Banner Ends Here -->

 @include('user.product')

  <div class="best-features">
    <div class="container">
      <div class="row">
        <div class="col-md-12">
          <div class="section-heading">
            <h2>About Dunking donut</h2>
          </div>
        </div>
        <div class="col-md-6">
          <div class="left-content">
            <h4>Dunking donut </h4>
            <p><a rel="nofollow" href="https://templatemo.com/tm-546-
sixteen-clothing" target="_parent">A doughnut or donut (/ˈdoʊnət/) is a
type of food made from leavened fried dough. It is popular in many
countries and is prepared in various forms as a sweet snack that can be
```

homemade or purchased in bakeries, supermarkets, food stalls, and franchised specialty vendors. Contact us for more info.

Read More

<img src="assets/images/feature-image.jpg" alt="">

<footer>

 Dunking donut concept.

- For: Web Framework

```
  </footer>


  <!-- Bootstrap core JavaScript -->
  <script src="vendor/jquery/jquery.min.js"></script>
  <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>


  <!-- Additional Scripts -->
  <script src="assets/js/custom.js"></script>
  <script src="assets/js/owl.js"></script>
  <script src="assets/js/slick.js"></script>
  <script src="assets/js/isotope.js"></script>
  <script src="assets/js/accordions.js"></script>


  <script language = "text/Javascript">
    cleared[0] = cleared[1] = cleared[2] = 0; //set a cleared flag for each
field
    function clearField(t){                //declaring the array outside of the
    if(! cleared[t.id]){                   // function makes it static and global
       cleared[t.id] = 1;  // you could use true and false, but that's more
typing
       t.value='';        // with more chance of typos
       t.style.color='#fff';
       }
    }
  </script>


 </body>

</html>
```