

Functional Pathway-Centric Medical Knowledge Graph with Exclusion Logic

A System-Medicine Architecture for Differential Diagnosis Support

Lukas Geiger

Independent Researcher, Bernau, Germany

ORCID: <https://orcid.org/0009-0005-7296-1534>

June 2026

Abstract

We present the design and prototype implementation of a functional pathway-centric medical knowledge graph for differential-diagnosis research. Many clinical decision support systems organize knowledge around diagnoses, symptoms, or genes as primary entities. In contrast, the proposed system uses *biological functional pathways* as its central organizing principle, linking genes, proteins, laboratory values, anatomical locations, cell types, and clinical diagnoses as secondary annotations.

This architecture supports a specific form of *exclusion reasoning*: if a functional pathway is supported as sufficiently intact by laboratory markers, genes required for that pathway can be deprioritized as primary explanations for the current presentation, subject to redundancy, pleiotropy, and measurement-quality constraints. The system is implemented as a SQLite-backed prototype with a PySide6 graphical interface and integrates public data sources (Reactome, Gene Ontology, UniProt, HGNC, UBERON, Cell Ontology).

We describe the formal exclusion model—in both binary and probabilistic variants—together with its assumptions, limitations, and validation requirements. The prototype is demonstrated on a hemolysis–immunodeficiency scenario involving five functional pathways, eleven genes, and seven laboratory markers. The system is positioned as a research tool for exploring pathway-centric exclusion logic, not as a validated clinical decision support system.

Keywords: knowledge graph, differential diagnosis, functional pathways, exclusion reasoning, system medicine, Reactome, Gene Ontology

1 Introduction and Motivation

Differential diagnosis in complex, multi-system diseases often fails not only because data are missing, but because heterogeneous evidence is difficult to integrate systematically. A patient with abnormal laboratory values may have hundreds of candidate genetic causes; current clinical tools often present these as ranked lists without making full use of the logical structure of *excluded* possibilities.

The central observation motivating this work is:

If a biological functional pathway is sufficiently supported as intact, then genes whose pathogenic effect would be expected to disrupt that pathway can be deprioritized as primary explanations for the current presentation.

This transforms positive evidence (apparently preserved pathway function) into negative diagnostic constraints (lower-priority candidate genes), potentially reducing the candidate space before more detailed differential-diagnostic review begins.

Existing systems organize knowledge differently. PhenoTips (Girdea et al., 2013) and Phenomizer (Köhler et al., 2009) match patient phenotypes to disease databases via the Human Phenotype Ontology (Robinson et al., 2008). These systems excel at symptom-to-disease matching but do not exploit pathway integrity as exclusion evidence. Pathway databases such as Reactome (Fabregat et al., 2018) and KEGG (Kanehisa et al., 2023) organize around biochemical reactions but are not designed for clinical exclusion reasoning. Gene Ontology (Ashburner et al., 2000) provides fine-grained process descriptions but lacks the clinical decision framework.

The proposed system addresses this gap by treating functional pathways as *primary anchor entities* in a knowledge graph, with all other biomedical concepts—genes, anatomical locations, cell types, laboratory markers, and diagnoses—attached as secondary annotations. This structural choice makes pathway-status reasoning explicit and computationally tractable while preserving a biologically interpretable intermediate layer.

1.1 Contributions

1. A **data model** centering on functional pathways as the primary organizing principle for clinical reasoning, linking six entity types through semantically typed edges.
2. A **formal exclusion framework** with both binary and probabilistic variants, enabling systematic prioritization and deprioritization of candidate genes based on pathway-integrity evidence.
3. A **prototype implementation** with data ingestion from six public biological databases, an interactive graph explorer, and a diagnosis query engine.
4. A **validation framework** specifying metrics, benchmark requirements, and comparison criteria for evaluating the approach.

2 Problem Statement and Formal Hypothesis

2.1 Formal Problem Statement

Let $\mathcal{P} = \{p_1, \dots, p_n\}$ be the set of biological functional pathways for a given patient context. Let $\mathcal{G}$ be the set of candidate genes. Let $\mathcal{E}(p_i) \subseteq \mathcal{G}$ be the set of genes *essential*

to pathway p_i . Let $s(p_i) \in \{0, 1\}$ be the observed pathway status: 1 = intact, 0 = disrupted or unknown.

Definition 1 (Binary Exclusion Rule). *If $s(p_i) = 1$, then $\forall g \in \mathcal{E}(p_i)$: gene g is flagged for exclusion from the current primary-cause candidate set, provided g is essential only in pathways that are all assessed as intact:*

$$\text{excluded}(g) \iff \forall p_i \text{ s.t. } g \in \mathcal{E}(p_i) : s(p_i) = 1 \quad (1)$$

Definition 2 (Probabilistic Exclusion Score). *For a gene g , the exclusion confidence is:*

$$\text{excl}(g) = \prod_{i: g \in \mathcal{E}(p_i)} c(p_i) \cdot b(g) \quad (2)$$

where $c(p_i) \in [0, 1]$ is the pathway status confidence (intact: 0.95, unknown: 0.50, disrupted: 0.05), and $b(g) \in [0, 1]$ is a multi-pathway bonus factor:

$$b(g) = \min\left(1.0, 0.7 + 0.1 \cdot |\{p_i : g \in \mathcal{E}(p_i) \wedge s(p_i) = 1\}|\right) \quad (3)$$

The suspicion score incorporates gene redundancy:

$$\text{susp}(g) = (1 - \text{excl}(g)) \cdot r(g) \quad (4)$$

where $r(g) \in \{1.0, 0.85, 0.6, 0.3\}$ maps the gene's redundancy degree (none, low, medium, high).

2.2 Core Hypothesis

Pathway-status-based exclusion logic systematically reduces the candidate gene set for complex rare disease cases by at least 30% relative to phenotype-only filtering, when evaluated on a curated benchmark dataset.

This is a specific, falsifiable hypothesis. The 30% threshold is used here as a pragmatic target for a meaningful reduction in review workload; a null result ($< 10\%$ reduction) would indicate that the exclusion logic adds little value beyond existing filtering tools.

The candidate reduction rate (CRR) is defined as:

$$\text{CRR} = 1 - \frac{|\mathcal{G}_{\text{after exclusion}}|}{|\mathcal{G}_{\text{before exclusion}}|} \quad (5)$$

3 System Architecture

3.1 Data Model

The central entity is the **FunctionalPathway** node, representing a discrete biological process with observable inputs and outputs. Figure 1 illustrates the complete data model.




Figure 1: Entity-relationship diagram of the pathway-centric knowledge graph. Solid arrows indicate primary relationships through the pathway hub; dashed arrows indicate secondary cross-links.

Each entity type carries domain-specific attributes:

- **FunctionalPathway**: name, description, primary output, temporal class (acute or chronic), status (intact, disrupted, or unknown), and external ID (Reactome/GO).
- **BodyLocation** (Uberon): organ, subcompartment, circulation type, immune role.
- **CellType** (Cell Ontology): lineage, maturation stage, lifespan, mobility.
- **Gene/Protein** (HGNC/UniProt): symbol, function type (structural, regulatory, signaling, metabolic), redundancy degree, expression sites.
- **MeasurementType**: name, LOINC code, reference range, measurement site, sensitivity, specificity.
- **ClinicalDiagnosis**: name, ICD-10 code, description.

Edge types carry semantic labels (Table 1) and, for gene–pathway edges, an `is_essential` flag that distinguishes modulatory from essential gene contributions.

Table 1: Semantic edge types in the knowledge graph.

Source	Target	Relation
Pathway	BodyLocation	OCCURS_IN
Pathway	CellType	EXECUTED_BY
Gene	Pathway	REQUIRES (essential) / MODULATES
Measurement	Pathway	MONITORS_OUTPUT_OF
Measurement	BodyLocation	REPRESENTS_ACTIVITY_IN
Pathway	Diagnosis	DISRUPTION_LEADS_TO
Gene	BodyLocation	EXPRESSED_IN

3.2 Implementation

The prototype uses **SQLite** as its backend, with relational and association tables emulating graph structure (Figure 2). The system comprises four main modules:

1. **Ingestion module:** Downloads and parses six public data sources (Section 3.3), with a manifest-based tracking system to avoid redundant downloads.
2. **Engine module:** Implements the exclusion logic (binary and probabilistic), graph traversal queries, pattern detection for measurement signatures, and human-readable explanation generation.
3. **GUI module:** A PySide6-based desktop application with four tabs: Graph Explorer (interactive network visualization via NetworkX), Exclusion Panel (pathway status management and analysis), Diagnosis Query (measurement-driven hypothesis generation), and Data Browser (raw table inspection).
4. **Database module:** Schema definition, CRUD helpers, and edge-linking functions with foreign key constraints.




Figure 2: SQLite relational schema. Gray boxes are entity tables; blue boxes are association (edge) tables with foreign keys.

A dedicated **Graph Explorer** (NetworkX-based) visualizes subgraphs with on-demand neighborhood loading. Graph layout is computed in a background thread to maintain GUI responsiveness. Nodes are color-coded by entity type; pathway nodes additionally display their status (intact/disrupted/unknown) through border colors.

Note on graph database choice. The current SQLite implementation enables rapid prototyping but introduces known limitations for deep graph traversal (see Section 6). A production system would benefit from Neo4j or a comparable native graph database. The prototype demonstrates the conceptual model; performance comparisons with graph-native backends are planned.

3.3 Data Sources

The system integrates six public biological databases, each contributing a specific entity type to the knowledge graph:

Table 2: Integrated data sources and their roles.

Source	Entity Type	Format	Status
Reactome (Fabregat et al., 2018)	Pathways, reactions	TSV	Integrated
Gene Ontology (Ashburner et al., 2000)	Biological processes	OBO, GAF	Integrated
UniProt (The UniProt Consortium, 2023)	Proteins, gene links	TSV	Integrated
HGNC (Braschi et al., 2019)	Gene nomenclature	TSV	Integrated
Uberon (Mungall et al., 2012)	Anatomical locations	OBO	Integrated
Cell Ontology (Diehl et al., 2016)	Cell types	OBO	Integrated
KEGG (Kanehisa et al., 2023)	Pathway maps	REST API	Planned
OMIM (Amberger et al., 2019) / HPO (Robinson et al., 2008)	Disease-gene links	—	Planned

Data ingestion follows a defined order (HGNC $\rightarrow$ Uberon $\rightarrow$ Cell Ontology $\rightarrow$ UniProt $\rightarrow$ Reactome $\rightarrow$ GO) to satisfy foreign key dependencies. Each source is tracked via a manifest file recording download timestamps, SHA-256 checksums, and import status.

4 Exclusion Logic

4.1 Binary Exclusion

The binary exclusion engine (Definition 1) iterates over all genes marked as essential in at least one pathway. For each gene, it retrieves all pathways in which the gene is essential and checks whether *all* of those pathways are marked “intact.” If so, the gene is excluded; otherwise, it remains a candidate.

Algorithm 1 Binary Exclusion Analysis

Require: Set of pathways $\mathcal{P}$ with status $s(p_i)$, essential gene mapping $\mathcal{E}$

Ensure: Sets $\mathcal{G}_{\text{excluded}}$, $\mathcal{G}_{\text{candidate}}$

- 1: $\mathcal{I} \leftarrow \{p_i \in \mathcal{P} : s(p_i) = \text{intact}\}$
 - 2: **for all** $g \in \bigcup_{p \in \mathcal{P}} \mathcal{E}(p)$ **do** $\triangleright$ All essential genes
 - 3: $P_g \leftarrow \{p \in \mathcal{P} : g \in \mathcal{E}(p)\}$ $\triangleright$ Pathways requiring g
 - 4: **if** $P_g \subseteq \mathcal{I}$ **and** $P_g \neq \emptyset$ **then**
 - 5: $\mathcal{G}_{\text{excluded}} \leftarrow \mathcal{G}_{\text{excluded}} \cup \{g\}$
 - 6: **else**
 - 7: $\mathcal{G}_{\text{candidate}} \leftarrow \mathcal{G}_{\text{candidate}} \cup \{g\}$
 - 8: **end if**
 - 9: **end for**
-

Confidence in exclusion depends on the number of intact pathways: a gene excluded

via multiple independent intact pathways has stronger support than one excluded via a single pathway.

4.2 Probabilistic Exclusion

The probabilistic engine (Definition 2) extends the binary model by assigning continuous confidence scores. Three factors contribute:

1. **Pathway evidence:** Each pathway status maps to a confidence value (intact: 0.95, unknown: 0.50, disrupted: 0.05). The combined pathway confidence for a gene is the product over all its essential pathways.
2. **Multi-pathway bonus:** Genes essential in multiple intact pathways receive a bonus factor, reflecting stronger evidence from independent sources.
3. **Redundancy weighting:** The suspicion score is modulated by the gene’s redundancy degree. Genes with no functional backup (redundancy = “none”) receive full suspicion weight ($r = 1.0$); highly redundant genes receive reduced weight ($r = 0.3$).

Genes are categorized by exclusion confidence: high (≥ 0.8), moderate (0.3–0.8), or suspect (< 0.3). This tripartite classification is intended to support ranked review rather than to produce an automatic clinical decision.

4.3 Pattern Detection

In addition to exclusion reasoning, the system implements **measurement signature detection**. A signature is a predefined pattern of abnormal laboratory values (e.g., “hemolysis signature”: low haptoglobin + high LDH + high indirect bilirubin + high reticulocytes + low hemoglobin). Each component carries a weight reflecting its diagnostic importance.

Given a set of abnormal measurements, the system computes a weighted match score against all defined signatures:

$$\text{match}(S) = \frac{\sum_{c \in S_{\text{matched}}} w_c}{\sum_{c \in S_{\text{all}}} w_c} \quad (6)$$

Signatures with $\text{match} \geq 0.3$ are reported, enabling rapid identification of known clinical patterns.

5 Hemolysis and Immunodeficiency Demonstration

The prototype includes a curated seed dataset modeling the intersection of hereditary spherocytosis, autoimmune hemolytic anemia, and agammaglobulinemia. This scenario was chosen because it involves multiple interacting pathways with shared anatomical locations (spleen, bone marrow) and demonstrates the exclusion logic across independent functional domains.

5.1 Functional Pathways

Five pathways are modeled (Table 3), spanning two clinical domains (hematology and immunology) with distinct temporal characteristics.

Table 3: Functional pathways in the demonstration scenario.

Pathway	Output	Temporal
Erythrocyte membrane integrity	Stable biconcave RBCs	Chronic
Erythrocyte degradation (hemolysis)	Free Hb $\rightarrow$ bilirubin	Acute
Splenic filtration	Removal of defective cells	Acute
Early B-cell differentiation	Functional pre-B cells	Chronic
Antibody production	IgG, IgM, IgA	Both

5.2 Gene–Pathway Essentiality

Eleven genes are linked to these pathways with explicit essentiality annotations (Table 4). The essentiality flag is the critical attribute enabling exclusion logic: only essential genes can be excluded when their pathway is intact.

Table 4: Genes and their pathway essentiality in the demonstration scenario.

Gene	Pathway	Essential	Redundancy
ANK1	Membrane integrity	Yes	None
SLC4A1	Membrane integrity	Yes	None
SPTA1	Membrane integrity	Yes	Low
SPTB	Membrane integrity	Yes	None
EPB42	Membrane integrity	Yes	Low
HMOX1	Hemolysis	Yes	Low
HP	Hemolysis	No	Low
BLNK	B-cell differentiation	Yes	None
CD19	B-cell differentiation	Yes	None
PAX5	B-cell differentiation	Yes	None
NOTCH2	Splenic filtration, B-cell diff.	Yes / No	Low

5.3 Exclusion Scenario

Consider a patient presenting with:

- Low hemoglobin (anemia)
- Low haptoglobin (hemolysis marker)
- High LDH, high indirect bilirubin (hemolysis)
- Normal B-cell count (CD19+)
- Normal IgG levels

The system derives:

1. Normal B-cell count $\Rightarrow$ B-cell differentiation pathway *intact* $\Rightarrow$ **exclude** BLNK, CD19, PAX5.
2. Normal IgG $\Rightarrow$ antibody production pathway *intact*.
3. Hemolysis markers abnormal $\Rightarrow$ hemolysis pathway *disrupted*.
4. NOTCH2 is essential in splenic filtration (status unknown) and non-essential in B-cell differentiation $\Rightarrow$ **remains candidate**.
5. Membrane genes (ANK1, SLC4A1, SPTA1, SPTB, EPB42) are essential only in the membrane integrity pathway (status unknown/disrupted) $\Rightarrow$ **remain candidates**.

Result: 3 of 10 essential genes are deprioritized (CRR = 30%), matching the hypothesis threshold in this demonstration case. The remaining candidates include the membrane-structural genes associated with hereditary spherocytosis.

6 Assumptions and Limitations

6.1 Independence Assumption

The binary exclusion model assumes that pathways are *functionally independent*: an intact pathway p_i excludes its essential genes regardless of the status of other pathways. This assumption is **known to be false** in many biological contexts:

- Many genes participate in multiple pathways (*pleiotropy*). A gene excluded via pathway p_i may still be causative via a different pathway p_j that is not assessed. The model addresses this by requiring *all* pathways of a gene to be intact before exclusion.
- Compensatory mechanisms can maintain measured pathway outputs even when an essential gene is partially dysfunctional.
- The binary status $s(p_i) \in \{0, 1\}$ is a simplification; real pathway activity exists on a continuum.

The probabilistic model partially mitigates these limitations through continuous confidence scores, but the weight parameters are currently assigned heuristically.

6.2 Essentiality Definition

“Essential gene” is defined operationally as a gene annotated in Reactome or curated sources as *required* for at least one reaction in the pathway. This definition is intentionally conservative and should be refined using curated essentiality databases (e.g., DepMap, CRISPR essentiality screens) and disease-specific expert review.

6.3 Database Backend

The SQLite implementation suffices for the current prototype (~ 17 MB database, < 2000 pathways) but introduces limitations for full-scale deployment:

- Deep graph traversals (depth > 3) require multiple JOIN operations that scale poorly.
- No native support for shortest-path or pattern-matching queries available in graph databases (e.g., Neo4j Cypher).
- Concurrent write access is limited by SQLite’s file-level locking.

6.4 Data Completeness

Not all pathways have adequate Reactome coverage. Orphan pathways, tissue-specific metabolism, and recently characterized mechanisms may not be represented. The Gene Ontology integration adds breadth but at the cost of granularity—many GO biological process terms are too generic to serve as meaningful functional pathways.

6.5 EHR Interoperability

A practical deployment of exclusion-based clinical decision support would require integration with electronic health record (EHR) systems to obtain structured patient laboratory data. Without interoperable access to real-time laboratory values via standards such as HL7 FHIR ([HL7 International, 2023](#)), the system remains limited to manually entered measurements. EHR interoperability is a well-documented challenge in clinical informatics; addressing it is beyond the scope of this concept paper but remains a critical requirement for any future clinical application.

6.6 Measurement Redundancy and Contextuality

The probabilistic exclusion formula (Definition 2) assumes that laboratory measurements provide independent evidence about pathway status. However, Dzhaifarov and Kujala’s Contextuality-by-Default (CbD) framework ([Dzhaifarov and Kujala, 2016](#)) warns that parallel measurements may exhibit informational redundancy rather than genuine independence. When two laboratory values decline simultaneously, this may reflect redundant measurement of the same pathway output rather than independent evidence of a shared genetic cause (pleiotropy). A rigorous treatment would require a CbD-inspired correction term in the exclusion score that accounts for measurement context overlap. This refinement is planned for future versions of the probabilistic model.

7 Related Work

7.1 Phenotype-Driven Diagnosis Support

Phenomizer ([Köhler et al., 2009](#)) and PhenoTips ([Girdea et al., 2013](#)) are widely used phenotype-driven diagnosis systems. Both match patient phenotypes (HPO terms) to disease databases and rank candidate diagnoses by semantic similarity. They are effective

for symptom-to-disease matching but do not model biological pathways or exploit pathway integrity for exclusion reasoning.

7.2 Pathway Analysis in Genomics

Gene Set Enrichment Analysis (GSEA) (Subramanian et al., 2005) and related tools identify dysregulated pathways from expression data. These methods operate at the population level and require omics data that are not typically available in routine clinical settings. The proposed system instead uses individual patient laboratory values, making it more compatible with standard clinical workflows, although clinical applicability remains to be validated.

7.3 Graph-Based Clinical Reasoning

Knowledge graphs for clinical decision support have been explored in several contexts. Clinical knowledge graphs built from electronic health records (Rotmensch et al., 2017) capture statistical associations between diagnoses, laboratory values, and treatments. Large-scale biomedical knowledge graphs such as Hetionet (Himmelstein et al., 2017) integrate diverse data sources for drug repurposing and hypothesis generation. However, none of these systems use pathway status as an explicit constraint in exclusion reasoning.

7.4 LLM-Augmented Biomedical Reasoning

Recent work combines large language models with biomedical knowledge graphs. ESCARGOT (Matsumoto et al., 2025) integrates LLMs with a dynamic “Graph of Thoughts” architecture and biomedical knowledge graphs for multihop reasoning tasks. While ESCARGOT reports effective graph-based reasoning in biomedical contexts, it operates as a general-purpose reasoning agent without explicit exclusion logic. The proposed system shares the emphasis on knowledge graph-guided reasoning but differs in its organizing principle: functional pathways as explicit diagnostic constraints rather than general-purpose graph traversal.

HealthGenie (Gao et al., 2025) demonstrates knowledge-driven LLM integration for personalized health guidance. Its approach organizes knowledge graphs around user profiles and dietary recommendations—a symptom-centric (or need-centric) organization. In contrast, the proposed system organizes around biological functional pathways, enabling a mechanistic form of exclusion reasoning that is not typically explicit in symptom-centric architectures.

7.5 Comparison Summary

Table 5: Comparison of the proposed system with related approaches.

System	Primary Entity	Exclusion	Lab Values	Pathways
Phenomizer	HPO phenotypes	No	No	No
PhenoTips	Patient phenotypes	No	Limited	No
GSEA/KEGG	Pathways	No	Omics only	Yes
Hetionet	Heterogeneous	No	No	Partial
Clinical KGs	EHR data	No	Yes	No
ESCARGOT	KG + LLM	No	No	Partial
HealthGenie	KG + LLM	No	No	No
Proposed	Pathways	Yes	Yes	Yes

8 Evaluation Framework

8.1 Benchmark Dataset

A rigorous validation requires a curated benchmark of 20–50 confirmed genetic diagnoses where:

1. Patient laboratory profiles are available at the time of initial presentation (before genetic diagnosis).
2. The genetic diagnosis is confirmed (variant + phenotype + functional study).
3. The patient’s pathway status can be retrospectively reconstructed from laboratory data.

Target sources include rare disease registries (EURORDIS), OMIM clinical synopsis entries, and published case series with comprehensive laboratory workups.

8.2 Evaluation-Gate Ledger

Evaluation cannot be reduced to a single accuracy score. Demonstration data, synthetic stress tests, real patient benchmarks, temporal validity, provenance, and external comparators answer different questions. Table 6 separates these layers so that a positive result in one layer is not mistaken for validation in another.

Table 6: Evaluation gates for pathway-certificate validation.

Gate	Minimum data object	Pass / hold rule	Overclaim prevented
Demonstration seed	Curated hemolysis–immunodeficiency subgraph with manually assigned pathway states	Expected candidate-reduction logic is reproduced and plausible disease genes are retained	No clinical performance estimate
Synthetic stress tests	Planted causal gene, simulated laboratory perturbation, and known internal ground truth	The causal gene is never excluded; non-causal genes are deprioritized only when the pathway logic warrants it	No replacement for real-case validation
Real-case benchmark	20–50 confirmed rare-disease cases with pre-diagnosis laboratory profiles	$\text{CRR} \geq 0.30$ with false-exclusion rate = 0	No autonomous diagnostic claim
Temporal certificate gate	Age window, disease stage, observation time, and validity horizon for each pathway certificate	Hard exclusion is allowed only inside the certificate’s valid time window; otherwise review is required	No timeless exclusion rule
Provenance and evidence tier	Source identifier, evidence span, database version, and confidence tier for each pathway-status claim	Each retained or excluded gene is traceable to explicit source evidence	No source-free graph inference
Comparator suite	Same case set evaluated with HPO/Phenomizer and reproducible rare-disease KG or embedding baselines	Added value beyond HPO-only filtering and current baseline systems is demonstrable	No isolated benchmark claim

8.3 Primary Metric

The candidate reduction rate (CRR, Equation (5)) is used here as the primary success criterion. A $\text{CRR} > 0.30$ supports the core hypothesis; a $\text{CRR} < 0.10$ would indicate insufficient diagnostic value.

Safety constraint: The confirmed causal gene must *never* be excluded (false exclusion rate = 0). Any false exclusion in the benchmark invalidates the model for clinical application.

8.4 Alternative Validation: Synthetic Patient Scenarios

An alternative validation pathway addresses the scarcity of annotated real-world datasets for rare diseases. Synthetic patient scenarios can be constructed by introducing targeted perturbations in the pathway graph—for example, simulating an ANK1 defect by setting the erythrocyte membrane integrity pathway to “disrupted” and deriving internally consistent laboratory values. Because the causal gene is defined *a priori*, the exclusion engine can be evaluated against exact internal ground truth: the system should deprioritize non-causal genes (measuring CRR) while retaining the planted causal gene (measuring false exclusion rate). This approach complements, but cannot replace, a real-case benchmark; it is useful for stress-testing the algorithmic logic rather than for estimating clinical performance.

8.5 Secondary Metrics

- **Rank improvement:** Position of the correct gene in the ranked candidate list after exclusion filtering.

- **Coverage:** Percentage of benchmark cases where at least one pathway can be assessed from available laboratory data.
- **Comparison:** CRR versus standard HPO-only filtering on the same case set.

9 Discussion

The pathway-centric approach addresses a structural gap in current clinical decision support: the systematic use of *negative evidence* (what can be treated as functionally preserved under stated assumptions) to constrain the diagnostic space. This is conceptually analogous to industrial fault diagnosis, where functioning subsystems eliminate entire branches of the fault tree.

Several design decisions merit discussion:

Why pathways as the center, not genes or diagnoses? Genes are candidate causes; diagnoses are clinical endpoints. Neither alone provides the mechanistic intermediate layer needed for exclusion reasoning. Pathways represent functional units that connect genetic variation to clinical effects, making them a useful pivot for both inclusion and exclusion logic.

Binary vs. probabilistic exclusion. The binary model is conceptually simpler and easier to validate (a gene is either retained or deprioritized), but it cannot express uncertainty. The probabilistic model captures graded evidence but requires calibrated parameters. We therefore treat the binary model as the initial validation target and the probabilistic model as an exploratory extension.

Scalability. The current prototype handles the demonstration scenario (~ 50 nodes, ~ 80 edges) without performance concerns. Scaling to the full Reactome database (> 2400 pathways, $> 10,000$ reactions) will require performance testing and likely a migration to a graph database backend.

10 Conclusion and Future Work

The functional pathway-centric knowledge graph represents a structurally distinct approach to differential-diagnosis research, using pathway-status evidence as explicit diagnostic constraints. The prototype implementation demonstrates prototype-level technical feasibility across the core components: data ingestion from six public databases, graph modeling with semantic edge types, binary and probabilistic exclusion reasoning, pattern detection, and interactive visualization.

The core hypothesis—that pathway exclusion reduces the candidate gene space by $\geq 30\%$ without false exclusions—is testable and constitutes the primary empirical target for future work.

10.1 Key Open Tasks

1. **Benchmark dataset:** Curate 20–50 cases from rare disease registries with laboratory profiles and confirmed genetic diagnoses.

2. **Weight calibration:** Develop a data-driven method for estimating pathway confidence weights $c(p_i)$ from measurement reliability and pathway redundancy.
3. **OMIM/HPO integration:** Link disease–gene associations from OMIM and HPO annotations to enable direct comparison with phenotype-only filtering.
4. **Graph database migration:** Evaluate Neo4j or similar backends for scalability beyond the SQLite prototype.
5. **Clinical tool comparison:** Benchmark against Phenomizer on the same case set to quantify the added value of pathway-centric exclusion.
6. **Temporal modeling:** Extend the framework to capture disease progression and time-dependent pathway status changes.

Data and Software Availability

The prototype source code, including database schema, ingestion pipelines, exclusion engines, and GUI application, is available in the [public GitHub repository](#). The system integrates exclusively public data sources; no patient data is used or required.

AI Disclosure

Generative AI tools were used as non-authorial support tools during preparation of this manuscript, particularly for literature organization, code development support, text structuring, translation assistance, consistency checks, and LaTeX/PDF quality assurance. These tools did not serve as authors, co-authors, acknowledgement recipients, ground-truth sources, or independent validation authorities. The conceptual design, scientific argumentation, formal model development, final editorial decisions, and responsibility for all content lie exclusively with the author.

References

- Amberger, J. S., Bocchini, C. A., Scott, A. F., and Hamosh, A. (2019). OMIM.org: leveraging knowledge across phenotype–gene relationships. *Nucleic Acids Research*, 47(D1):D1038–D1043.
- Ashburner, M., Ball, C. A., Blake, J. A., Botstein, D., Butler, H., Cherry, J. M., Davis, A. P., Dolinski, K., Dwight, S. S., Eppig, J. T., Harris, M. A., Hill, D. P., Issel-Tarver, L., Kasarskis, A., Lewis, S., Matese, J. C., Richardson, J. E., Ringwald, M., Rubin, G. M., and Sherlock, G. (2000). Gene Ontology: tool for the unification of biology. *Nature Genetics*, 25(1):25–29.
- Braschi, B., Denny, P., Gray, K., Jones, T., Seal, R., Tweedie, S., Yates, B., and Bruford, E. (2019). Genenames.org: the HGNC and VGNC resources in 2019. *Nucleic Acids Research*, 47(D1):D786–D792.

- Diehl, A. D., Meehan, T. F., Bradford, Y. M., Brush, M. H., Dahdul, W. M., Dougall, D. S., He, Y., Osumi-Sutherland, D., Ruttenberg, A., Sarntivijai, S., Van Slyke, C. E., Vasilevsky, N. A., Haendel, M. A., Blake, J. A., and Mungall, C. J. (2016). The Cell Ontology 2016: enhanced content, modularization, and ontology interoperability. *Journal of Biomedical Semantics*, 7(1):44.
- Dzhafarov, E. N. and Kujala, J. V. (2016). Context-content systems of random variables: The contextuality-by-default theory. *Journal of Mathematical Psychology*, 74:11–33.
- Fabregat, A., Jupe, S., Matthews, L., Sidiropoulos, K., Gillespie, M., Garapati, P., Haw, R., Jassal, B., Korninger, F., May, B., Milacic, M., Duenas Roca, C., Rothfels, K., Sevilla, C., Shamovsky, V., Shorser, S., Varusai, T., Viteri, G., Weiser, J., Wu, G., Stein, L., Hermjakob, H., and D’Eustachio, P. (2018). The Reactome pathway knowledgebase. *Nucleic Acids Research*, 46(D1):D649–D655.
- Gao, F., Zhao, X., Xia, D., Zhou, Z., Yang, R., Lu, J., Jiang, H., Park, C., and Li, I. (2025). HealthGenie: A knowledge-driven LLM framework for tailored dietary guidance. In *Proceedings of the 34th ACM International Conference on Information and Knowledge Management*, CIKM ’25, pages 6639–6643. ACM.
- Girdea, M., Dumitriu, S., Fiume, M., Bowdin, S., Boycott, K. M., Chénier, S., Chitayat, D., Faghfoury, H., Meyn, M. S., Ray, P. N., So, J., Stavropoulos, D. J., and Brudno, M. (2013). PhenoTips: Patient phenotyping software for clinical and research use. *Human Mutation*, 34(8):1057–1065.
- Himmelstein, D. S., Lizee, A., Hessler, C., Brueggeman, L., Chen, S. L., Hadley, D., Green, A., Khankhanian, P., and Baranzini, S. E. (2017). Systematic integration of biomedical knowledge prioritizes drugs for repurposing. *eLife*, 6:e26726.
- HL7 International (2023). FHIR release 5. <https://hl7.org/fhir/R5/>. Accessed: 2026-03-16.
- Kanehisa, M., Furumichi, M., Sato, Y., Kawashima, M., and Ishiguro-Watanabe, M. (2023). KEGG for taxonomy-based analysis of pathways and genomes. *Nucleic Acids Research*, 51(D1):D587–D592.
- Köhler, S., Schulz, M. H., Krawitz, P., Bauer, S., Dölken, S., Ott, C. E., Mundlos, C., Horn, D., Mundlos, S., and Robinson, P. N. (2009). Clinical diagnostics in human genetics with semantic similarity searches in ontologies. *American Journal of Human Genetics*, 85(4):457–464.
- Matsumoto, N., Choi, H., Moran, J., Hernandez, M. E., Venkatesan, M., Li, X., Chang, J.-H., Wang, P., and Moore, J. H. (2025). ESCARGOT: an AI agent leveraging large language models, dynamic graph of thoughts, and biomedical knowledge graphs for enhanced reasoning. *Bioinformatics*, 41(2).
- Mungall, C. J., Torniai, C., Gkoutos, G. V., Lewis, S. E., and Haendel, M. A. (2012). Uberon, an integrative multi-species anatomy ontology. *Genome Biology*, 13(1):R5.
- Robinson, P. N., Köhler, S., Bauer, S., Seelow, D., Horn, D., and Mundlos, S. (2008). The Human Phenotype Ontology: a tool for annotating and analyzing human hereditary disease. *American Journal of Human Genetics*, 83(5):610–615.

- Rotmensch, M., Halpern, Y., Tlimat, A., Horng, S., and Sontag, D. (2017). Learning a health knowledge graph from electronic medical records. *Scientific Reports*, 7(1):5994.
- Subramanian, A., Tamayo, P., Mootha, V. K., Mukherjee, S., Ebert, B. L., Gillette, M. A., Paulovich, A., Pomeroy, S. L., Golub, T. R., Lander, E. S., and Mesirov, J. P. (2005). Gene set enrichment analysis: A knowledge-based approach for interpreting genome-wide expression profiles. *Proceedings of the National Academy of Sciences*, 102(43):15545–15550.
- The UniProt Consortium (2023). UniProt: the Universal Protein Knowledgebase in 2023. *Nucleic Acids Research*, 51(D1):D523–D531.

Funktionaler Pathway-zentrierter medizinischer Wissensgraph mit Ausschlusslogik

Eine systemmedizinische Architektur zur Unterstützung der
Differentialdiagnose

Lukas Geiger

Unabhängiger Forscher, Bernau, Deutschland

ORCID: <https://orcid.org/0009-0005-7296-1534>

Juni 2026

Zusammenfassung

Wir stellen den Entwurf und die prototypische Implementierung eines funktionalen Pathway-zentrierten medizinischen Wissensgraphen für die Differentialdiagnoseforschung vor. Herkömmliche klinische Entscheidungsunterstützungssysteme organisieren Wissen um Diagnosen, Symptome oder Gene als primäre Entitäten. Im Gegensatz dazu verwendet das vorgeschlagene System *biologische funktionelle Pathways* als zentrales Ordnungsprinzip, wobei Gene, Proteine, Laborwerte, anatomische Lokalisationen, Zelltypen und klinische Diagnosen als sekundäre Annotationen verknüpft werden.

Diese Architektur unterstützt eine spezifische Form des *ausschlussbasierten Schließens*: Wenn ein funktioneller Pathway auf Basis von Laborwerten als hinreichend intakt gilt, können Gene, die für diesen Pathway erforderlich sind, als primäre Krankheitsursachen beim aktuellen Patienten zurückgestuft werden, vorbehaltlich von Redundanz, Pleiotropie und Einschränkungen der Messqualität. Das System ist als SQLite-gestützter Prototyp mit einer grafischen PySide6-Oberfläche implementiert und integriert öffentliche Datenquellen (Reactome, Gene Ontology, UniProt, HGNC, Uberon, Cell Ontology).

Wir beschreiben das formale Ausschlussmodell in binärer und probabilistischer Variante, seine Annahmen und Einschränkungen und schlagen einen Validierungsrahmen vor. Der Prototyp wird an einem Hämolyse-Immundefizienz-Szenario demonstriert, das fünf funktionelle Pathways, elf Gene und sieben Labormarker umfasst. Das System ist als Forschungswerkzeug zur Erkundung einer Pathway-zentrierten Ausschlusslogik positioniert, nicht als validiertes klinisches Entscheidungsunterstützungssystem.

Schlüsselwörter: Wissensgraph, Differentialdiagnose, funktionelle Pathways, Ausschlusslogik, Systemmedizin, Reactome, Gene Ontology

1 Einleitung und Motivation

Die Differentialdiagnose bei komplexen Multisystemerkrankungen scheitert häufig nicht am Mangel an Daten, sondern an der Unfähigkeit, heterogene Evidenz systematisch zu integrieren. Ein Patient mit abnormalen Laborwerten kann Hunderte genetischer Kandidatenursachen haben; aktuelle klinische Werkzeuge präsentieren diese größtenteils als Ranglisten, ohne die logische Struktur *ausgeschlossener* Möglichkeiten auszunutzen.

Die zentrale Beobachtung, die diese Arbeit motiviert, lautet:

Wenn ein biologischer funktioneller Pathway durch die vorliegenden Daten hinreichend als intakt gestützt ist, dann können Gene, deren pathogene Wirkung diesen Pathway voraussichtlich stören würde, als primäre Ursachen einer Funktionsstörung zurückgestuft werden.

Dies transformiert positive Evidenz (offenbar intakte Pathway-Funktion) in negative diagnostische Einschränkungen (geringer priorisierte Kandidatengene) und kann so den Kandidatenraum verkleinern, bevor eine detailliertere differentialdiagnostische Prüfung erfolgt.

Bestehende Systeme organisieren Wissen unterschiedlich. PhenoTips ([Girdea et al., 2013](#)) und Phenomizer ([Köhler et al., 2009](#)) gleichen Patientenphänotypen über die Human Phenotype Ontology ([Robinson et al., 2008](#)) mit Krankheitsdatenbanken ab. Diese Systeme sind hervorragend im Symptom-Krankheits-Abgleich, nutzen aber nicht die Pathway-Integrität als Ausschlussevidenz. Pathway-Datenbanken wie Reactome ([Fabregat et al., 2018](#)) und KEGG ([Kanehisa et al., 2023](#)) organisieren sich um biochemische Reaktionen, sind aber nicht für ausschlussbasiertes klinisches Schließen konzipiert. Gene Ontology ([Ashburner et al., 2000](#)) liefert feingranulare Prozessbeschreibungen, es fehlt jedoch der klinische Entscheidungsrahmen.

Das vorgeschlagene System schließt diese Lücke, indem es funktionelle Pathways als *primäre Entitäten* in einem Wissensgraphen behandelt, wobei alle anderen biomedizinischen Konzepte – Gene, anatomische Lokalisationen, Zelltypen, Labormarker und Diagnosen – als sekundäre Annotationen angebunden werden. Diese strukturelle Entscheidung macht das Schließen über den Pathway-Status explizit und rechnerisch handhabbar, ohne die biologisch interpretierbare Zwischenschicht zu verlieren.

1.1 Beiträge

1. Ein **Datenmodell**, das funktionelle Pathways als zentrales Ordnungsprinzip für klinisches Schließen verwendet und sechs Entitätstypen über semantisch typisierte Kanten verknüpft.
2. Ein **formaler Ausschlussrahmen** mit sowohl binärer als auch probabilistischer Variante, der die systematische Priorisierung und Zurückstufung von Kandidatengen auf Basis von Pathway-Integritätsevidenz ermöglicht.
3. Eine **prototypische Implementierung** mit Datenaufnahme aus sechs öffentlichen biologischen Datenbanken, einem interaktiven Graphen-Explorer und einer Diagnoseabfrage-Engine.
4. Ein **Validierungsrahmen**, der Metriken, Anforderungen an den Benchmark und Vergleichskriterien zur Bewertung des Ansatzes spezifiziert.

2 Problemstellung und formale Hypothese

2.1 Formale Problemstellung

Sei $\mathcal{P} = \{p_1, \dots, p_n\}$ die Menge der biologischen funktionellen Pathways für einen gegebenen Patientenkontext. Sei $\mathcal{G}$ die Menge der Kandidatengene. Sei $\mathcal{E}(p_i) \subseteq \mathcal{G}$ die Menge der für Pathway p_i *essentiellen* Gene. Sei $s(p_i) \in \{0, 1\}$ der beobachtete Pathway-Status: 1 = intakt, 0 = gestört oder unbekannt.

Definition 1 (Binäre Ausschlussregel). *Wenn $s(p_i) = 1$, dann gilt $\forall g \in \mathcal{E}(p_i)$: Gen g ist im aktuellen Kandidatenset für primäre Krankheitsursachen als ausgeschlossen markiert, sofern g nur in Pathways essentiell ist, die alle intakt sind:*

$$\text{excluded}(g) \iff \forall p_i \text{ s.t. } g \in \mathcal{E}(p_i) : s(p_i) = 1 \quad (1)$$

Definition 2 (Probabilistischer Ausschlusswert). *Für ein Gen g ist die Ausschlusskonfidenz:*

$$\text{excl}(g) = \prod_{i: g \in \mathcal{E}(p_i)} c(p_i) \cdot b(g) \quad (2)$$

wobei $c(p_i) \in [0, 1]$ die Pathway-Statuskonfidenz ist (intakt: 0,95, unbekannt: 0,50, gestört: 0,05) und $b(g) \in [0, 1]$ ein Multi-Pathway-Bonusfaktor:

$$b(g) = \min\left(1.0, 0.7 + 0.1 \cdot |\{p_i : g \in \mathcal{E}(p_i) \wedge s(p_i) = 1\}|\right) \quad (3)$$

Der Verdachtswert berücksichtigt die Genredundanz:

$$\text{susp}(g) = (1 - \text{excl}(g)) \cdot r(g) \quad (4)$$

wobei $r(g) \in \{1.0, 0.85, 0.6, 0.3\}$ den Redundanzgrad des Gens abbildet (keine, gering, mittel, hoch).

2.2 Kernhypothese

Ausschlusslogik auf Basis des Pathway-Status reduziert die Kandidatengenmenge bei komplexen seltenen Erkrankungen systematisch um mindestens 30 % gegenüber rein phänotypbasierter Filterung, wenn sie auf einem kuratierten Benchmark-Datensatz evaluiert wird.

Dies ist eine spezifische, falsifizierbare Hypothese. Die 30 %-Schwelle ist als minimale klinisch bedeutsame Reduktion gesetzt; ein Nullergebnis ($< 10\%$ Reduktion) würde darauf hinweisen, dass die Ausschlusslogik über bestehende Werkzeuge hinaus wenig diagnostischen Mehrwert bietet.

Die Kandidatenreduktionsrate (CRR) ist definiert als:

$$\text{CRR} = 1 - \frac{|\mathcal{G}_{\text{after exclusion}}|}{|\mathcal{G}_{\text{before exclusion}}|} \quad (5)$$

3 Systemarchitektur

3.1 Datenmodell

Die zentrale Entität ist der **FunctionalPathway**-Knoten, der einen diskreten biologischen Prozess mit beobachtbaren Ein- und Ausgaben repräsentiert. Abbildung 1 zeigt das vollständige Datenmodell.




Abbildung 1: Entity-Relationship-Diagramm des Pathway-zentrierten Wissensgraphen. Durchgezogene Pfeile zeigen primäre Beziehungen über den Pathway-Hub; gestrichelte Pfeile zeigen sekundäre Querverbindungen.

Jeder Entitätstyp trägt domänenspezifische Attribute:

- **FunctionalPathway**: Name, Beschreibung, primäre Ausgabe, Zeitklasse (akut oder chronisch), Status (intakt, gestört oder unbekannt) und externe ID (Reactome/GO).
- **BodyLocation** (Uberon): Organ, Subkompartiment, Zirkulationstyp, Immunrolle.
- **CellType** (Cell Ontology): Linie, Reifungsstadium, Lebensdauer, Mobilität.
- **Gene/Protein** (HGNC/UniProt): Symbol, Funktionstyp (strukturell, regulatorisch, signalgebend, metabolisch), Redundanzgrad, Expressionsorte.
- **MeasurementType**: Name, LOINC-Code, Referenzbereich, Messort, Sensitivität, Spezifität.
- **ClinicalDiagnosis**: Name, ICD-10-Code, Beschreibung.

Kantentypen tragen semantische Bezeichnungen (Tabelle 1) und bei Gen-Pathway-Kanten ein `is_essential`-Flag, das modulatorische von essentiellen Genbeiträgen unterscheidet.

Tabelle 1: Semantische Kantentypen im Wissensgraphen.

Quelle	Ziel	Relation
Pathway	BodyLocation	OCCURS_IN
Pathway	CellType	EXECUTED_BY
Gene	Pathway	REQUIRES (essentiell) / MODULATES
Measurement	Pathway	MONITORS_OUTPUT_OF
Measurement	BodyLocation	REPRESENTS_ACTIVITY_IN
Pathway	Diagnosis	DISRUPTION_LEADS_TO
Gene	BodyLocation	EXPRESSED_IN

3.2 Implementierung

Der Prototyp verwendet **SQLite** als Backend, wobei relationale Tabellen eine Graphstruktur über Assoziationstabellen simulieren (Abbildung 2). Das System umfasst vier Hauptmodule:

1. **Importmodul:** Lädt sechs öffentliche Datenquellen herunter und parst sie (Abschnitt 3.3), mit einem manifestbasierten Tracking-System zur Vermeidung redundanter Downloads.
2. **Engine-Modul:** Implementiert die Ausschlusslogik (binär und probabilistisch), Graphtraversierungsabfragen, Mustererkennung für Messwert-Signaturen und die Erzeugung menschenlesbarer Erklärungen.
3. **GUI-Modul:** Eine PySide6-basierte Desktop-Anwendung mit vier Tabs: Graph Explorer (interaktive Netzwerkvisualisierung über NetworkX), Ausschluss-Panel (Pathway-Statusverwaltung und -analyse), Diagnoseabfrage (messwertgesteuerte Hypothesengenerierung) und Datenbrowser (Inspektion von Rohdaten-Tabellen).
4. **Datenbankmodul:** Schemadefinition, CRUD-Hilfsfunktionen und Kantenverknüpfungsfunktionen mit Fremdschlüsselconstraints.




Abbildung 2: Relationales SQLite-Schema. Graue Kästen sind Entitätstabellen; blaue Kästen sind Assoziations-(Kanten-)Tabellen mit Fremdschlüsseln.

Ein dedizierter **Graph Explorer** (NetworkX-basiert) visualisiert Teilgraphen mit bei Bedarf nachgeladenen Nachbarschaften. Das Layout des Graphen wird in einem Hintergrund-Thread berechnet, um die GUI-Responsivität zu erhalten. Knoten sind nach Entitätstyp farbcodiert; Pathway-Knoten zeigen zusätzlich ihren Status (intakt/gestört/unbekannt) durch Randfarben an.

Hinweis zur Wahl der Graphdatenbank. Die aktuelle SQLite-Implementierung ermöglicht schnelles Prototyping, führt aber zu bekannten Einschränkungen bei tiefer Graphtraversierung (siehe Abschnitt 6). Ein Produktivsystem würde von Neo4j oder einer vergleichbaren nativen Graphdatenbank profitieren. Der Prototyp demonstriert das konzeptuelle Modell; Leistungsvergleiche mit graphnativen Backends sind geplant.

3.3 Datenquellen

Das System integriert sechs öffentliche biologische Datenbanken, die jeweils einen spezifischen Entitätstyp zum Wissensgraphen beitragen:

Tabelle 2: Integrierte Datenquellen und ihre Rollen.

Quelle	Entitätstyp	Format	Status
Reactome (Fabregat et al., 2018)	Pathways, Reaktionen	TSV	Integriert
Gene Ontology (Ashburner et al., 2000)	Biologische Prozesse	OBO, GAF	Integriert
UniProt (The UniProt Consortium, 2023)	Proteine, Gen-Links	TSV	Integriert
HGNC (Braschi et al., 2019)	Gennomenklatur	TSV	Integriert
Uberon (Mungall et al., 2012)	Anatomische Lokalisationen	OBO	Integriert
Cell Ontology (Diehl et al., 2016)	Zelltypen	OBO	Integriert
KEGG (Kanehisa et al., 2023)	Pathway-Karten	REST API	Geplant
OMIM (Amberger et al., 2019) / HPO (Robinson et al., 2008)	Krankheits-Gen-Links	—	Geplant

Die Datenaufnahme folgt einer definierten Reihenfolge (HGNC → Uberon → Cell Ontology → UniProt → Reactome → GO), um Fremdschlüsselabhängigkeiten zu erfüllen. Jede Quelle wird über eine Manifestdatei verfolgt, die Download-Zeitstempel, SHA-256-Prüfsummen und Importstatus aufzeichnet.

4 Ausschlusslogik

4.1 Binärer Ausschluss

Die binäre Ausschluss-Engine (Definition 1) iteriert über alle Gene, die in mindestens einem Pathway als essentiell markiert sind. Für jedes Gen werden alle Pathways abgerufen, in denen das Gen essentiell ist, und es wird geprüft, ob *alle* dieser Pathways den Status „intakt“ haben. Ist dies der Fall, wird das Gen ausgeschlossen; andernfalls bleibt es ein Kandidat.

Algorithm 1 Binäre Ausschlussanalyse

Require: Menge von Pathways $\mathcal{P}$ mit Status $s(p_i)$, essentielle Gen-Zuordnung $\mathcal{E}$

Ensure: Mengen $\mathcal{G}_{\text{excluded}}$, $\mathcal{G}_{\text{candidate}}$

```
1:  $\mathcal{I} \leftarrow \{p_i \in \mathcal{P} : s(p_i) = \text{intakt}\}$ 
2: for all  $g \in \bigcup_{p \in \mathcal{P}} \mathcal{E}(p)$  do ▷ Alle essentiellen Gene
3:    $P_g \leftarrow \{p \in \mathcal{P} : g \in \mathcal{E}(p)\}$  ▷ Pathways, die  $g$  benötigen
4:   if  $P_g \subseteq \mathcal{I}$  und  $P_g \neq \emptyset$  then
5:      $\mathcal{G}_{\text{excluded}} \leftarrow \mathcal{G}_{\text{excluded}} \cup \{g\}$ 
6:   else
7:      $\mathcal{G}_{\text{candidate}} \leftarrow \mathcal{G}_{\text{candidate}} \cup \{g\}$ 
8:   end if
9: end for
```

Die Konfidenz des Ausschlusses hängt von der Anzahl intakter Pathways ab: Ein Gen, das über mehrere unabhängige intakte Pathways ausgeschlossen wird, hat stärkere Evidenz als eines, das über einen einzelnen Pathway ausgeschlossen wird.

4.2 Probabilistischer Ausschluss

Die probabilistische Engine (Definition 2) erweitert das binäre Modell durch Zuweisung kontinuierlicher Konfidenzwerte. Drei Faktoren tragen bei:

1. **Pathway-Evidenz:** Jeder Pathway-Status wird auf einen Konfidenzwert abgebildet (intakt: 0,95, unbekannt: 0,50, gestört: 0,05). Die kombinierte Pathway-Konfidenz für ein Gen ist das Produkt über alle seine essentiellen Pathways.
2. **Multi-Pathway-Bonus:** Gene, die in mehreren intakten Pathways essentiell sind, erhalten einen Bonusfaktor, der die stärkere Evidenz aus unabhängigen Quellen widerspiegelt.
3. **Redundanzgewichtung:** Der Verdachtswert wird durch den Redundanzgrad des Gens moduliert. Gene ohne funktionelle Absicherung (Redundanz = „keine“) erhalten volles Verdachtsgewicht ($r = 1,0$); hoch redundante Gene erhalten reduziertes Gewicht ($r = 0,3$).

Gene werden nach Ausschlusskonfidenz kategorisiert: hoch ($\geq 0,8$), moderat (0,3–0,8) oder verdächtig ($< 0,3$). Diese dreiteilige Klassifikation soll eine priorisierte fachliche Prüfung unterstützen, statt automatisch eine klinische Entscheidung zu erzeugen.

4.3 Mustererkennung

Zusätzlich zur Ausschlusslogik implementiert das System eine **Signaturerkennung für Messwerte**. Eine Signatur ist ein vordefiniertes Muster abnormaler Laborwerte (z. B. „Hämolyse-Signatur“: niedriges Haptoglobin + hohes LDH + hohes indirektes Bilirubin + hohe Retikulozyten + niedriges Hämoglobin). Jede Komponente trägt ein Gewicht, das ihre diagnostische Bedeutung widerspiegelt.

Bei einer Menge abnormaler Messwerte berechnet das System einen gewichteten Übereinstimmungswert gegen alle definierten Signaturen:

$$\text{match}(S) = \frac{\sum_{c \in S_{\text{matched}}} w_c}{\sum_{c \in S_{\text{all}}} w_c} \quad (6)$$

Signaturen mit $\text{match} \geq 0,3$ werden gemeldet, was eine schnelle Identifikation bekannter klinischer Muster ermöglicht.

5 Hämolysen und Immundefizienz als Demonstration

Der Prototyp enthält einen kuratierten Seed-Datensatz, der die Überschneidung von hereditärer Sphärozytose, autoimmunhämolytischer Anämie und Agammaglobulinämie modelliert. Dieses Szenario wurde gewählt, weil es mehrere interagierende Pathways mit gemeinsamen anatomischen Lokalisationen (Milz, Knochenmark) umfasst und die Ausschlusslogik über unabhängige funktionelle Domänen hinweg demonstriert.

5.1 Funktionelle Pathways

Fünf Pathways werden modelliert (Tabelle 3), die zwei klinische Domänen (Hämatologie und Immunologie) mit unterschiedlichen zeitlichen Charakteristiken umfassen.

Tabelle 3: Funktionelle Pathways im Demonstrationsszenario.

Pathway	Ausgabe	Zeitlich
Erythrozytenmembran-Integrität	Stabile bikonkave Erythrozyten	Chronisch
Erythrozytenabbau (Hämolysen)	Freies Hb $\rightarrow$ Bilirubin	Akut
Milzfiltration	Entfernung defekter Zellen	Akut
Frühe B-Zell-Differenzierung	Funktionelle Prä-B-Zellen	Chronisch
Antikörperproduktion	IgG, IgM, IgA	Beides

5.2 Gen-Pathway-Essentialität

Elf Gene sind mit diesen Pathways verknüpft, mit expliziten Essentialitätsannotationen (Tabelle 4). Das Essentialitätsflag ist das entscheidende Attribut, das die Ausschlusslogik ermöglicht: Nur essentielle Gene können ausgeschlossen werden, wenn ihr Pathway intakt ist.

Tabelle 4: Gene und ihre Pathway-Essentialität im Demonstrationsszenario.

Gen	Pathway	Essentiell	Redundanz
ANK1	Membranintegrität	Ja	Keine
SLC4A1	Membranintegrität	Ja	Keine
SPTA1	Membranintegrität	Ja	Gering
SPTB	Membranintegrität	Ja	Keine
EPB42	Membranintegrität	Ja	Gering
HMOX1	Hämolysen	Ja	Gering
HP	Hämolysen	Nein	Gering
BLNK	B-Zell-Differenzierung	Ja	Keine
CD19	B-Zell-Differenzierung	Ja	Keine
PAX5	B-Zell-Differenzierung	Ja	Keine
NOTCH2	Milzfiltration, B-Zell-Diff.	Ja / Nein	Gering

5.3 Ausschlusszenario

Betrachten wir einen Patienten mit folgenden Befunden:

- Niedriges Hämoglobin (Anämie)
- Niedriges Haptoglobin (Hämolyse-Marker)
- Hohes LDH, hohes indirektes Bilirubin (Hämolyse)
- Normale B-Zell-Zahl (CD19+)
- Normale IgG-Spiegel

Das System leitet ab:

1. Normale B-Zell-Zahl $\Rightarrow$ B-Zell-Differenzierungs-Pathway *intakt* $\Rightarrow$ **Ausschluss** von BLNK, CD19, PAX5.
2. Normales IgG $\Rightarrow$ Antikörperproduktions-Pathway *intakt*.
3. Hämolyse-Marker abnormal $\Rightarrow$ Hämolyse-Pathway *gestört*.
4. NOTCH2 ist essentiell in der Milzfiltration (Status unbekannt) und nicht-essentiell in der B-Zell-Differenzierung $\Rightarrow$ **bleibt Kandidat**.
5. Die Membrangene ANK1, SLC4A1, SPTA1, SPTB und EPB42 sind nur im Membran-Pathway essentiell. Bei unbekanntem oder gestörtem Status $\Rightarrow$ **bleiben Kandidaten**.

Ergebnis: 3 von 10 essentiellen Genen werden zurückgestuft (CRR = 30 %), was in diesem Demonstrationsfall der Hypothesenschwelle entspricht. Die verbleibenden Kandidaten umfassen die membranstrukturellen Gene, die mit hereditärer Sphärozytose assoziiert sind.

6 Annahmen und Einschränkungen

6.1 Unabhängigkeitsannahme

Das binäre Ausschlussmodell nimmt an, dass Pathways *funktionell unabhängig* sind: Ein intakter Pathway p_i schließt seine essentiellen Gene unabhängig vom Status anderer Pathways aus. Diese Annahme ist **bekanntermaßen falsch** in vielen biologischen Kontexten:

- Viele Gene sind in mehreren Pathways beteiligt (*Pleiotropie*). Ein über Pathway p_i ausgeschlossenes Gen könnte dennoch über einen anderen Pathway p_j , der nicht erfasst wird, ursächlich sein. Das Modell adressiert dies, indem es verlangt, dass *alle* Pathways eines Gens intakt sein müssen, bevor ein Ausschluss erfolgt.
- Kompensationsmechanismen können die gemessenen Pathway-Ausgaben aufrechterhalten, selbst wenn ein essentielles Gen teilweise dysfunktional ist.
- Der binäre Status $s(p_i) \in \{0, 1\}$ ist eine Vereinfachung; die reale Pathway-Aktivität existiert auf einem Kontinuum.

Das probabilistische Modell mildert diese Einschränkungen teilweise durch kontinuierliche Konfidenzwerte, aber die Gewichtsparameter werden derzeit heuristisch zugewiesen.

6.2 Definition der Essentialität

„Essentielles Gen“ ist operationell definiert als ein Gen, das in Reactome oder kuratierten Quellen als *erforderlich* für mindestens eine Reaktion im Pathway annotiert ist. Diese Definition ist konservativ und sollte unter Verwendung kuratierter Essentialitätsdatenbanken (z. B. DepMap, CRISPR-Essentialitätsscreens) verfeinert werden.

6.3 Datenbank-Backend

Die SQLite-Implementierung genügt für den aktuellen Prototyp (~17 MB Datenbank, <2000 Pathways), führt aber zu Einschränkungen bei der Vollskalierung:

- Tiefe Graphtraversierungen (Tiefe > 3) erfordern mehrfache JOIN-Operationen, die schlecht skalieren.
- Keine native Unterstützung für Kürzeste-Wege- oder Musterabgleich-Abfragen, die in Graphdatenbanken verfügbar sind (z. B. Neo4j Cypher).
- Gleichzeitiger Schreibzugriff ist durch SQLites Dateisperrung auf Dateiebene limitiert.

6.4 Datenvollständigkeit

Nicht alle Pathways haben eine ausreichende Reactome-Abdeckung. Verwaiste Pathways, gewebespezifischer Metabolismus und kürzlich charakterisierte Mechanismen sind möglicherweise nicht repräsentiert. Die Gene-Ontology-Integration erhöht die Breite, jedoch auf Kosten der Granularität – viele GO-Begriffe für biologische Prozesse sind zu generisch, um als aussagekräftige funktionelle Pathways zu dienen.

6.5 EHR-Interoperabilität

Ein praktischer Einsatz ausschlussbasierter klinischer Entscheidungsunterstützung erfordert die Integration mit elektronischen Gesundheitsaktensystemen (EHR), um strukturierte Laborwerte des Patienten zu erhalten. Ohne interoperablen Zugang zu Echtzeit-Laborwerten über Standards wie HL7 FHIR ([HL7 International, 2023](#)) bleibt das System auf manuell eingegebene Messwerte beschränkt. EHR-Interoperabilität ist eine gut dokumentierte Herausforderung in der klinischen Informatik; ihre Lösung liegt außerhalb des Rahmens dieses Konzeptpapiers, stellt aber eine kritische Anforderung für jede zukünftige klinische Anwendung dar.

6.6 Messredundanz und Kontextualität

Die probabilistische Ausschlussformel (Definition 2) nimmt an, dass Labormessungen unabhängige Evidenz über den Pathway-Status liefern. Jedoch warnt der Contextuality-by-Default-(CbD)-Rahmen von Dzhaferov und Kujala ([Dzhaferov and Kujala, 2016](#)), dass parallele Messungen informationelle Redundanz statt genuiner Unabhängigkeit aufweisen können. Wenn zwei Laborwerte gleichzeitig abfallen, kann dies eine redundante Messung derselben Pathway-Ausgabe widerspiegeln, anstatt unabhängige Evidenz für eine gemeinsame genetische Ursache (Pleiotropie) darzustellen. Eine rigorose Behandlung würde einen CbD-inspirierten Korrekturterm im Ausschlusswert erfordern, der die Überlappung des

Messkontexts berücksichtigt. Diese Verfeinerung ist für zukünftige Versionen des probabilistischen Modells geplant.

7 Verwandte Arbeiten

7.1 Phänotypgesteuerte Diagnoseunterstützung

Phenomizer (Köhler et al., 2009) und PhenoTips (Girdea et al., 2013) repräsentieren den Stand der Technik in der phänotypgesteuerten Diagnose. Beide Systeme gleichen Patientenphänotypen (HPO-Terme) mit Krankheitsdatenbanken ab und ordnen Kandidatendiagnosen nach semantischer Ähnlichkeit. Sie sind effektiv beim Symptom-Krankheits-Abgleich, modellieren aber keine biologischen Pathways und nutzen die Pathway-Integrität nicht für ausschlussbasiertes Schließen.

7.2 Pathway-Analyse in der Genomik

Gene Set Enrichment Analysis (GSEA) (Subramanian et al., 2005) und verwandte Werkzeuge identifizieren dysregulierte Pathways aus Expressionsdaten. Diese Methoden arbeiten auf Populationsebene und erfordern Omics-Daten, die in der klinischen Routineversorgung typischerweise nicht verfügbar sind. Das vorgeschlagene System arbeitet stattdessen mit individuellen Laborwerten des Patienten und liegt damit näher an klinischen Standardabläufen, auch wenn seine klinische Anwendbarkeit noch validiert werden muss.

7.3 Graphbasiertes klinisches Schließen

Wissensgraphen für die klinische Entscheidungsunterstützung wurden in verschiedenen Kontexten untersucht. Klinische Wissensgraphen aus elektronischen Gesundheitsakten (Rotmensch et al., 2017) erfassen statistische Assoziationen zwischen Diagnosen, Laborwerten und Behandlungen. Großskalige biomedizinische Wissensgraphen wie Hetionet (Himmelstein et al., 2017) integrieren diverse Datenquellen für Drug-Repurposing und Hypothesengenerierung. Keines dieser Systeme nutzt jedoch den Pathway-Status als primäre Einschränkung in der Ausschlusslogik.

7.4 LLM-gestütztes biomedizinisches Schließen

Neuere Arbeiten kombinieren große Sprachmodelle mit biomedizinischen Wissensgraphen. ESCARGOT (Matsumoto et al., 2025) integriert LLMs mit einer dynamischen „Graph of Thoughts“-Architektur und biomedizinischen Wissensgraphen für Multihop-Schlussfolgerungsaufgaben. Während ESCARGOT effektives graphbasiertes Schließen in biomedizinischen Kontexten demonstriert, arbeitet es als Allzweck-Schlussfolgerungsagent ohne explizite Ausschlusslogik. Das vorgeschlagene System teilt die Betonung des wissensgraphgesteuerten Schließens, unterscheidet sich aber grundlegend in seinem Ordnungsprinzip: funktionelle Pathways als primäre diagnostische Einschränkungen statt allgemeiner Graphtraversierung.

HealthGenie (Gao et al., 2025) demonstriert wissensgetriebene LLM-Integration für personalisierte Gesundheitsberatung. Sein Ansatz organisiert Wissensgraphen um Benutzerprofile und Ernährungsempfehlungen – eine symptomzentrierte (oder bedarfszentrierte) Organisation. Im Gegensatz dazu organisiert das vorgeschlagene System um biologische

funktionelle Pathways, was eine mechanistische Ausschlusslogik ermöglicht, die in symptomzentrierten Architekturen nicht verfügbar ist.

7.5 Vergleichszusammenfassung

Tabelle 5: Vergleich des vorgeschlagenen Systems mit verwandten Ansätzen.

System	Primäre Entität	Ausschluss	Laborwerte	Pathways
Phenomizer	HPO-Phänotypen	Nein	Nein	Nein
PhenoTips	Patientenphänotypen	Nein	Begrenzt	Nein
GSEA/KEGG	Pathways	Nein	Nur Omics	Ja
Hetionet	Heterogen	Nein	Nein	Teilweise
Klinische KGs	EHR-Daten	Nein	Ja	Nein
ESCARGOT	KG + LLM	Nein	Nein	Teilweise
HealthGenie	KG + LLM	Nein	Nein	Nein
Vorgeschlagen	Pathways	Ja	Ja	Ja

8 Evaluationsrahmen

8.1 Benchmark-Datensatz

Eine rigorose Validierung erfordert einen kuratierten Benchmark von 20–50 bestätigten genetischen Diagnosen, bei denen:

1. Laborprofile des Patienten zum Zeitpunkt der Erstvorstellung (vor der genetischen Diagnose) vorliegen.
2. Die genetische Diagnose bestätigt ist (Variante + Phänotyp + funktionelle Studie).
3. Der Pathway-Status des Patienten retrospektiv aus Labordaten rekonstruiert werden kann.

Zielquellen umfassen Register für seltene Erkrankungen (EURORDIS), klinische Synopsen aus OMIM und publizierte Fallserien mit umfassenden Laboruntersuchungen.

8.2 Evaluations-Prüfmatrix

Das Evaluationsproblem ist kein einzelner Genauigkeitswert. Demonstrationsdaten, synthetische Stresstests, Realfall-Benchmarks, zeitliche Gültigkeit, Provenienz und externe Vergleichssysteme beantworten unterschiedliche Fragen. Tabelle 6 trennt diese Ebenen, damit ein positives Ergebnis in einer Schicht nicht als Validierung einer anderen Schicht überlesen wird.

Tabelle 6: Evaluations-Prüfmatrix für die Validierung von Pathway-Zertifikaten.

Prüfkriterium	Minimales Datenobjekt	Bestehensregel	Verhinderte Überinterpretation
Demonstrationsfall	Kuratierter Hämolyse-Immundefizienz-Teilgraph mit manuell gesetzten Pathway-Statuswerten	Erwartete Kandidatenreduktionslogik wird reproduziert und plausible Krankheitsgene bleiben erhalten	Keine Schätzung klinischer Leistungsfähigkeit
Synthetische Stresstests	Eingepflanztes ursächliches Gen, simulierte Laborstörung und bekannte interne Grundwahrheit	Das ursächliche Gen wird nie ausgeschlossen; nicht-ursächliche Gene werden nur bei tragender Pathway-Logik zurückgestuft	Kein Ersatz für Realfallvalidierung
Realfall-Benchmark	20–50 bestätigte seltene Erkrankungsfälle mit Laborprofilen vor der genetischen Diagnose	$CRR \geq 0,30$ bei Falschausschlussrate = 0	Kein autonomer Diagnoseclaim
Temporales Zertifikatskriterium	Altersfenster, Krankheitsstadium, Beobachtungszeitpunkt und Gültigkeitshorizont je Pathway-Zertifikat	Harter Ausschluss ist nur im gültigen Zeitfenster erlaubt; sonst ist eine Nachprüfung erforderlich	Keine zeitlose Ausschlussregel
Provenienz und Evidenzstufe	Quellenkennung, Evidenzspanne, Datenbankversion und Konfidenzstufe je Pathway-Statusaussage	Jedes beibehaltene oder ausgeschlossene Gen ist auf explizite Quellevidenz rückführbar	Keine quellenfreie Graphinferenz
Vergleichssuite	Derselbe Fallsatz für HPO/Phenomizer und reproduzierbare Rare-Disease-KG- oder Embedding-Baselines	Zusatznutzen gegenüber rein HPO-basierter Filterung und aktuellen Vergleichssystemen wird sichtbar	Kein isolierter Benchmark-Claim

8.3 Primäre Metrik

Die Kandidatenreduktionsrate (CRR, Gleichung (5)) dient als primäres Erfolgskriterium. Ein $CRR > 0,30$ unterstützt die Kernhypothese; ein $CRR < 0,10$ würde auf unzureichenden diagnostischen Mehrwert hinweisen.

Sicherheitseinschränkung: Das bestätigte ursächliche Gen darf *niemals* ausgeschlossen werden (Falschausschlussrate = 0). Jeder Falschausschluss im Benchmark invalidiert das Modell für die klinische Anwendung.

8.4 Alternative Validierung: Synthetische Patientenszenarien

Ein alternativer Validierungsweg trägt dem Mangel an annotierten realen Datensätzen für seltene Erkrankungen Rechnung. Synthetische Patientenszenarien können durch gezielte Störungen im Pathway-Graphen konstruiert werden – beispielsweise durch Simulation eines ANK1-Defekts, indem der Erythrozytenmembranintegritäts-Pathway auf „gestört“ gesetzt wird und intern konsistente Laborwerte abgeleitet werden. Da das ursächliche Gen *a priori* definiert ist, kann die Ausschluss-Engine mit exakter interner Grundwahrheit evaluiert werden: Das System sollte nicht-ursächliche Gene zurückstufen (Messung der CRR) und das eingepflanzte ursächliche Gen beibehalten (Messung der Falschausschlussrate). Dieser Ansatz ergänzt einen Realfall-Benchmark, kann ihn aber nicht ersetzen; er eignet sich dazu, die algorithmische Logik einem Stresstest zu unterziehen, nicht dazu, klinische Leistungsfähigkeit zu schätzen.

8.5 Sekundäre Metriken

- **Rangverbesserung:** Position des korrekten Gens in der ranggeordneten Kandidatenliste nach Ausschlussfilterung.
- **Abdeckung:** Prozentsatz der Benchmark-Fälle, bei denen mindestens ein Pathway anhand verfügbarer Labordaten bewertet werden kann.
- **Vergleich:** CRR gegenüber standardmäßiger rein HPO-basierter Filterung auf dem gleichen Fallsatz.

9 Diskussion

Der Pathway-zentrierte Ansatz adressiert eine strukturelle Lücke in der aktuellen klinischen Entscheidungsunterstützung: die systematische Nutzung *negativer Evidenz* (was nachweislich funktioniert), um den diagnostischen Raum einzuschränken. Dies ist konzeptionell analog zur industriellen Fehlerdiagnose, bei der funktionierende Subsysteme ganze Äste des Fehlerbaums eliminieren.

Mehrere Gestaltungsentscheidungen verdienen Diskussion:

Warum Pathways als Zentrum, nicht Gene oder Diagnosen? Gene sind Ursachen; Diagnosen sind Folgen. Keines von beiden bietet die mechanistische Zwischenschicht, die für ausschlussbasiertes Schließen benötigt wird. Pathways repräsentieren die funktionellen Einheiten, die genetische Ursachen mit klinischen Auswirkungen verbinden, und sind damit der natürliche Drehpunkt für sowohl Einschluss- als auch Ausschlusslogik.

Binärer vs. probabilistischer Ausschluss. Das binäre Modell ist konzeptionell einfacher und leichter zu validieren (ein Gen wird entweder beibehalten oder zurückgestuft), kann aber keine Unsicherheit ausdrücken. Das probabilistische Modell erfasst abgestufte Evidenz, erfordert jedoch kalibrierte Parameter. Wir behandeln deshalb das binäre Modell als initiales Validierungsziel und das probabilistische Modell als explorative Erweiterung.

Skalierbarkeit. Der aktuelle Prototyp bewältigt das Demonstrationsszenario (~50 Knoten, ~80 Kanten) ohne Leistungsprobleme. Die Skalierung auf die vollständige Reactome-Datenbank (>2400 Pathways, >10 000 Reaktionen) wird Leistungstests und wahrscheinlich eine Migration zu einer Graphdatenbank-Backend erfordern.

10 Fazit und zukünftige Arbeiten

Der funktionale Pathway-zentrierte Wissensgraph repräsentiert einen strukturell eigenständigen Ansatz zur Differentialdiagnoseforschung, der Pathway-Status-Evidenz als explizite diagnostische Einschränkungen nutzt. Die prototypische Implementierung demonstriert die Machbarkeit über alle Kernkomponenten hinweg: Datenaufnahme aus sechs öffentlichen Datenbanken, Graphmodellierung mit semantischen Kantentypen, binäre und probabilistische Ausschlusslogik, Mustererkennung und interaktive Visualisierung.

Die Kernhypothese – dass Pathway-Ausschluss den Kandidatengenraum um $\geq 30\%$ ohne Falschausschlüsse reduziert – ist testbar und stellt das primäre empirische Ziel für zukünftige Arbeiten dar.

10.1 Zentrale offene Aufgaben

1. **Benchmark-Datensatz:** Kuratierung von 20–50 Fällen aus Registern für seltene Erkrankungen mit Laborprofilen und bestätigten genetischen Diagnosen.
2. **Gewichtskalibrierung:** Entwicklung einer datengetriebenen Methode zur Schätzung der Pathway-Konfidenzgewichte $c(p_i)$ aus Messzuverlässigkeit und Pathway-Redundanz.
3. **OMIM/HPO-Integration:** Verknüpfung von Krankheits-Gen-Assoziationen aus OMIM und HPO-Annotationen, um einen direkten Vergleich mit rein phänotypbasierter Filterung zu ermöglichen.
4. **Graphdatenbank-Migration:** Evaluation von Neo4j oder ähnlichen Backends für Skalierbarkeit über den SQLite-Prototyp hinaus.
5. **Vergleich mit klinischen Werkzeugen:** Benchmark gegen Phenomizer auf demselben Fallsatz zur Quantifizierung des Mehrwerts der Pathway-zentrierten Ausschlusslogik.
6. **Temporale Modellierung:** Erweiterung des Modells zur Erfassung der Krankheitsprogression und zeitabhängiger Pathway-Statusänderungen.

Daten- und Softwareverfügbarkeit

Der Quellcode des Prototyps, einschließlich Datenbankschema, Aufnahmepipelines, Ausschlussmodulen und grafischer Oberfläche, ist im [öffentlichen GitHub-Repository](#) verfügbar. Das System integriert ausschließlich öffentliche Datenquellen; es werden keine Patientendaten verwendet oder benötigt.

KI-Offenlegung

Bei der Erstellung dieses Manuskripts wurden Generative KI-Werkzeuge als nicht-autorschaftliche Hilfsmittel eingesetzt, insbesondere für Literaturorganisation, Code-Unterstützung, Textstrukturierung, Übersetzungshilfe, Konsistenzprüfung und LaTeX-/PDF-Qualitätssicherung. Diese Werkzeuge hatten keine Autorenschaft, keine Koautorrolle, keine Danksagungsempfängerrolle, keine Wahrheits- oder Ground-Truth-Funktion und keine Rolle als unabhängige Validierungsinstanz. Die inhaltliche Konzeption, wissenschaftliche Argumentation, formale Modellentwicklung, finalen redaktionellen Entscheidungen und Verantwortung für den gesamten Inhalt liegen ausschließlich beim Autor.

Literatur

Amberger, J. S., Bocchini, C. A., Scott, A. F., and Hamosh, A. (2019). OMIM.org: leveraging knowledge across phenotype–gene relationships. *Nucleic Acids Research*, 47(D1):D1038–D1043.

- Ashburner, M., Ball, C. A., Blake, J. A., Botstein, D., Butler, H., Cherry, J. M., Davis, A. P., Dolinski, K., Dwight, S. S., Eppig, J. T., Harris, M. A., Hill, D. P., Issel-Tarver, L., Kasarskis, A., Lewis, S., Matese, J. C., Richardson, J. E., Ringwald, M., Rubin, G. M., and Sherlock, G. (2000). Gene Ontology: tool for the unification of biology. *Nature Genetics*, 25(1):25–29.
- Braschi, B., Denny, P., Gray, K., Jones, T., Seal, R., Tweedie, S., Yates, B., and Bruford, E. (2019). Genenames.org: the HGNC and VGNC resources in 2019. *Nucleic Acids Research*, 47(D1):D786–D792.
- Diehl, A. D., Meehan, T. F., Bradford, Y. M., Brush, M. H., Dahdul, W. M., Dougall, D. S., He, Y., Osumi-Sutherland, D., Ruttenberg, A., Sarntivijai, S., Van Slyke, C. E., Vasilevsky, N. A., Haendel, M. A., Blake, J. A., and Mungall, C. J. (2016). The Cell Ontology 2016: enhanced content, modularization, and ontology interoperability. *Journal of Biomedical Semantics*, 7(1):44.
- Dzhafarov, E. N. and Kujala, J. V. (2016). Context-content systems of random variables: The contextuality-by-default theory. *Journal of Mathematical Psychology*, 74:11–33.
- Fabregat, A., Jupe, S., Matthews, L., Sidiropoulos, K., Gillespie, M., Garapati, P., Haw, R., Jassal, B., K€orninger, F., May, B., Milacic, M., Duenas Roca, C., Rothfels, K., Sevilla, C., Shamovsky, V., Shorser, S., Varusai, T., Viteri, G., Weiser, J., Wu, G., Stein, L., Hermjakob, H., and D’Eustachio, P. (2018). The Reactome pathway knowledgebase. *Nucleic Acids Research*, 46(D1):D649–D655.
- Gao, F., Zhao, X., Xia, D., Zhou, Z., Yang, R., Lu, J., Jiang, H., Park, C., and Li, I. (2025). HealthGenie: A knowledge-driven LLM framework for tailored dietary guidance. In *Proceedings of the 34th ACM International Conference on Information and Knowledge Management*, CIKM ’25, pages 6639–6643. ACM.
- Girdea, M., Dumitriu, S., Fiume, M., Bowdin, S., Boycott, K. M., Chénier, S., Chitayat, D., Faghfoury, H., Meyn, M. S., Ray, P. N., So, J., Stavropoulos, D. J., and Brudno, M. (2013). PhenoTips: Patient phenotyping software for clinical and research use. *Human Mutation*, 34(8):1057–1065.
- Himmelstein, D. S., Lizée, A., Hessler, C., Brueggeman, L., Chen, S. L., Hadley, D., Green, A., Khankhanian, P., and Baranzini, S. E. (2017). Systematic integration of biomedical knowledge prioritizes drugs for repurposing. *eLife*, 6:e26726.
- HL7 International (2023). FHIR release 5. <https://hl7.org/fhir/R5/>. Accessed: 2026-03-16.
- Kanehisa, M., Furumichi, M., Sato, Y., Kawashima, M., and Ishiguro-Watanabe, M. (2023). KEGG for taxonomy-based analysis of pathways and genomes. *Nucleic Acids Research*, 51(D1):D587–D592.
- Köhler, S., Schulz, M. H., Krawitz, P., Bauer, S., Dölken, S., Ott, C. E., Mundlos, C., Horn, D., Mundlos, S., and Robinson, P. N. (2009). Clinical diagnostics in human genetics with semantic similarity searches in ontologies. *American Journal of Human Genetics*, 85(4):457–464.

- Matsumoto, N., Choi, H., Moran, J., Hernandez, M. E., Venkatesan, M., Li, X., Chang, J.-H., Wang, P., and Moore, J. H. (2025). ESCARGOT: an AI agent leveraging large language models, dynamic graph of thoughts, and biomedical knowledge graphs for enhanced reasoning. *Bioinformatics*, 41(2).
- Mungall, C. J., Torniai, C., Gkoutos, G. V., Lewis, S. E., and Haendel, M. A. (2012). Uberon, an integrative multi-species anatomy ontology. *Genome Biology*, 13(1):R5.
- Robinson, P. N., Köhler, S., Bauer, S., Seelow, D., Horn, D., and Mundlos, S. (2008). The Human Phenotype Ontology: a tool for annotating and analyzing human hereditary disease. *American Journal of Human Genetics*, 83(5):610–615.
- Rotmensch, M., Halpern, Y., Tlimat, A., Horng, S., and Sontag, D. (2017). Learning a health knowledge graph from electronic medical records. *Scientific Reports*, 7(1):5994.
- Subramanian, A., Tamayo, P., Mootha, V. K., Mukherjee, S., Ebert, B. L., Gillette, M. A., Paulovich, A., Pomeroy, S. L., Golub, T. R., Lander, E. S., and Mesirov, J. P. (2005). Gene set enrichment analysis: A knowledge-based approach for interpreting genome-wide expression profiles. *Proceedings of the National Academy of Sciences*, 102(43):15545–15550.
- The UniProt Consortium (2023). UniProt: the Universal Protein Knowledgebase in 2023. *Nucleic Acids Research*, 51(D1):D523–D531.