
# OSSM

## Stand Build Guide

Pivot-plate stand · Version 0.1.1

RESEARCH + DESIRE



Support
**support@researchanddesire.com**


Assembly instructions
**ohai.researchanddesire.com/ossm**

# Actual size





Print at 100 % (actual size). Lay a part on its dashed outline to identify it.


## Bolts




**M6×12 Screw**




**M5×20 Screw**



**M6×16 Screw**



**M4×25 Screw**



**M6×25 Screw**

## Nuts and washers




M5 Nut



M4 Nut



M6 Washer



M6 T-nut

## Hex keys



**5 mm Hex key**




**4 mm Hex key**




**3 mm Hex key**

# Parts


## Aluminium extrusion (3030)




**1×**
Body





**1×**
Arm





**2×**
Leg

## 3D printed




**1×**
Pivot plate (right)



**1×**
Pivot plate (left)



**8×**
Handle spacer




**1×**
Upper clamp base




**1×**
Clasp with handle



**1×**
Link (bolt side)



**1×**
Link (nut side)



**4×**
Foot



**6×**
End cap


## Other



**2×**
M6
Adjustable handle



**2×**
38 mm
Rubber washer




**4×**
Corner bracket




**4×**
Grip pad

# Parts


## Bolts





**12×**
M6×12 Screw





**2×**
M6×16 Screw




**6×**
M6×25 Screw




**1×**
M5×20 Screw




**2×**
M4×25 Screw

## Nuts




**1×**
M5 Nut



**2×**
M4 Nut

## T-nuts



**24×**
M6 T-nut

## Washers



**16×**
M6 Washer

# Tools

## Required



3 mm Hex key



4 mm Hex key




5 mm Hex key


## Recommended



Rubber mallet




Tape measure



Threadlocker
(blue 243)

## Optional




Super glue


## Legend


In a step's parts box, this drop beside a screw's quantity means:
put threadlocker (blue 243) on the screw's thread before it goes in.

# 1 The base




# 1








**2×**
Leg


**4×**
M6 T-nut









# 2




4×
Foot





4×
M6×12 Screw




5 mm Hex key




# 3



**4×**
Grip pad





Super glue



**Optional: super glue under each pad, in this pattern.**


# 4





**1×**
Body

**8×**
M6 T-nut




# 5





**4×** Corner bracket

**4×** M6×12 Screw

**4×** M6 Washer




# 6




**4×**

M6 T-nut





# 7




**4×** M6×12 Screw

**4×** M6 Washer







**Leave these screws loose until the next step.**


# 8




5 mm Hex key



Tape measure



# 9





**4×**

End cap





Rubber mallet






# 10







# 2 The pivot and the arm




# 11



Tape measure



# 12




**2×** M6×25 Screw


**2×** M6 Washer


**1×** Pivot plate (right)

**2×** Handle spacer




5 mm Hex key








# 13




Tape measure







# 14




**2×** M6×25 Screw


**2×** M6 Washer


**1×** Pivot plate (left)

**2×** Handle spacer




5 mm Hex key







# 15





**1×**
Arm




**4×**
M6 T-nut



Tape measure




# 16





**1×**

End cap




# 17





# 18





**1×** M6×25 Screw

**1×** M6 Washer


**1×** Handle spacer




5 mm Hex key




# 19



| 1× | 1× | 1× | 1× |
|---|---|---|---|
| M6 Washer | M6 Adjustable handle | Handle spacer | 38 mm Rubber washer |



# 20





**1×** M6×25 Screw


**1×** M6 Washer


**1×** Handle spacer




5 mm Hex key









# 21




| 1× | 1× | 1× | 1× |
|---|---|---|---|
| M6 Washer | M6 Adjustable handle | Handle spacer | 38 mm Rubber washer |



# 3 The PitClamp Mini




# 22




**1×** Link (nut side)

**2×** M4 Nut




# 23




**1×**

Clasp with handle



**1×**

Link (bolt side)





**1×**


M4×25 Screw



3 mm Hex key



# 24






**1×**

M4×25 Screw




3 mm Hex key







# 25




**1×** Upper clamp base

**1×** M5 Nut





# 26






**1×**

M5×20 Screw




4 mm Hex key







# 27




**2×**
M6 T-nut




Tape measure




# 28




**2×**
M6 T-nut



Tape measure




# 29




**1×**

End cap




# 30





2× M6×16 Screw





5 mm Hex key







# 31









**You may now proceed to installing the actuator.**

RESEARCH + DESIRE

# OSSM Stand Build Guide

Pivot-plate stand · Version 0.1.1

Support
**support@researchanddesire.com**

Assembly instructions
**ohai.researchanddesire.com/ossm**