
OSSM

Stand Build Guide

Pivot-plate stand · Version 0.1.0

RESEARCH + DESIRE



Support
support@researchanddesire.com


Assembly instructions
ohai.researchanddesire.com/ossm

Actual size




Print at 100 % (actual size). Lay a part on its dashed outline to identify it.


Bolts




M6×12 Screw




M5×20 Screw



M6×16 Screw



M4×25 Screw



M6×25 Screw

Nuts and washers




M5 Nut



M4 Nut



M6 Washer



M6 T-nut

Hex keys



5 mm Hex key




4 mm Hex key




3 mm Hex key

Parts


Aluminium extrusion (3030)



1×
Body




1×
Arm




2×
Leg

3D printed




1×
Pivot plate (right)



1×
Pivot plate (left)



8×
Handle spacer




1×
Upper clamp base




1×
Clasp with handle



1×
Link (bolt side)



1×
Link (nut side)



4×
Foot



6×
End cap


Other



2×
M6
Adjustable handle



2×
38 mm
Rubber washer




4×
Corner bracket




4×
Grip pad

Parts


Bolts




12×
M6×12 Screw




2×
M6×16 Screw



6×
M6×25 Screw



1×
M5×20 Screw



2×
M4×25 Screw

Nuts




1×
M5 Nut



2×
M4 Nut

T-nuts



24×
M6 T-nut

Washers



16×
M6 Washer

Tools

Required



3 mm Hex key



4 mm Hex key




5 mm Hex key


Recommended



Rubber mallet




Tape measure



Threadlocker
(blue 243)

Optional




Super glue


Legend


In a step's parts box, this drop beside a screw's quantity means:
put threadlocker (blue 243) on the screw's thread before it goes in.

1 The base




1







2×
Leg


4×
M6 T-nut








2









4× Foot

4× M6×12 Screw

5 mm Hex key




3




4× Grip pad


Super glue



Optional: super glue under each pad, in this pattern.


4







1×
Body

8×
M6 T-nut






5




4× Corner bracket

4× M6×12 Screw

4× M6 Washer




6




4×

M6 T-nut





7



4× M6×12 Screw

4× M6 Washer






Leave these screws loose until the next step.


8




5 mm Hex key



Tape measure





9




4×
End cap

Rubber mallet







10




2 The pivot and the arm




11



Tape measure



12




2× M6×25 Screw


2× M6 Washer

5 mm Hex key


1× Pivot plate (right)

2× Handle spacer








13




Tape measure







14




2× M6×25 Screw


2× M6 Washer

5 mm Hex key


1× Pivot plate (left)

2× Handle spacer







15




1×
Arm




4×
M6 T-nut



Tape measure




16





1×

End cap




17





18




1× M6×25 Screw


1× M6 Washer

5 mm Hex key


1× Handle spacer




19



1×	1×	1×	1×
M6 Washer	M6 Adjustable handle	Handle spacer	38 mm Rubber washer



20





1× M6×25 Screw

1× M6 Washer


5 mm Hex key

1× Handle spacer







21




1×	1×	1×	1×
M6 Washer	M6 Adjustable handle	Handle spacer	38 mm Rubber washer



3 The PitClamp Mini




22




1× Link (nut side)


2× M4 Nut




23



1×
Clasp with handle




1×
Link (bolt side)




1×
M4×25 Screw



3 mm Hex key




24






1×
M4×25 Screw


3 mm Hex key









25




1× Upper clamp base

1× M5 Nut






26






1×
M5×20 Screw


4 mm Hex key









27




2×
M6 T-nut




Tape measure




28




2×
M6 T-nut



Tape measure




29




1×

End cap




30







2× M6×16 Screw


5 mm Hex key






31







You may now proceed to installing the actuator.

RESEARCH + DESIRE

OSSM Stand Build Guide

Pivot-plate stand · Version 0.1.0

Support
support@researchanddesire.com

Assembly instructions
ohai.researchanddesire.com/ossm