

Epitalon (AEDG) for Sleep **Available for Research Use Only**

(Epitalon nightly 100–300 mcg, Intranasal or subcutaneous)

Epitalon (AEDG) is a synthetic tetrapeptide originally developed as a standardized, reproducible analogue of the Russian pineal extract Epithalamin. While Epitalon is often discussed in the context of multi-axis longevity protocols, this document focuses exclusively on community use of Epitalon as a sleep and circadian rhythm–reset peptide, a practice that has emerged independently of the original Russian gerontology literature.

💉 Short-term safety is plausible. Long-term safety is speculative.

★ ★ Changes in measured melatonin and circadian-gene biomarkers are likely. Broader pineal and circadian regulatory effects are plausible. Efficacy for improving human sleep is speculative.

Disclaimer: These notes are not authoritative and should not be interpreted as definitive scientific guidance. They are summaries, compilations and plausible extrapolations drawn from the most relevant research I was able to locate, and may omit nuances, conflicting data, or emerging evidence. The material reflects an attempt to organize and understand complex topics, not to provide clinical recommendations or expert interpretation.



This document was updated 2-Oct-26. The most recent version of this document is available at <https://pdfs.researcher6076.com/pdfs/epitalon.pdf>

How Evidence Scope Was Applied in This Review

Much of the Epitalon evidence comes from a single regional research network, including small or methodologically limited studies that have not been independently replicated. When a claim depended primarily on this evidence, its classification was reduced to reflect the additional uncertainty while still recognizing the evidence as informative.

Limited, regionally concentrated human evidence and animal findings support plausible short-term safety of synthetic Epitalon. Frequent practitioner use without a consistent pattern of serious adverse effects is reassuring but is not evidence. Long-term safety remains speculative, including uncertainty about possible epigenetic effects.

Limited regional human evidence makes changes in a melatonin metabolite and measured circadian-gene expression likely. Broader effects on pineal and circadian regulation are plausible. Improved human sleep from synthetic Epitalon is speculative. Widespread but mixed community reports describe sleep benefits, but these uncontrolled observations do not increase the evidence classification.

Epitalon (AEDG) for Sleep **Available for Research Use Only**

(Epitalon nightly 100–300 mcg, Intranasal or subcutaneous)

Biological Mechanism

Limited regional human evidence makes changes in a urinary melatonin metabolite and measured circadian-gene expression likely. Regionally concentrated animal evidence makes broader pineal, melatonin-related, and circadian regulation plausible. Independent cellular studies support plausible effects on telomerase activity, telomere maintenance, oxidative stress, and cellular repair. Specific effects on CLOCK/BMAL1 regulatory loops and chromatin organization remain speculative. Through these pathways, improvements in sleep timing, nighttime continuity, morning alertness, or human sleep-wake alignment are speculative.

Dose for Sleep

A small regional human study administered synthetic AEDG sublingually at approximately 0.5 mg daily for 20 days and reported changes in a urinary melatonin metabolite and circadian-gene expression; it did not evaluate sleep outcomes. Subcutaneous and intramuscular dosing for sleep or circadian reset remains speculative.

The finite 20-day human AEDG course supports likely changes in measured melatonin and circadian-gene biomarkers. Efficacy for sleep, persistence after a course, optimal timing, and the effects of nightly or continuous use are speculative.

Low-dose Epitalon use for sleep is a speculative community practice. Reports most commonly describe 100 mcg, with 200–300 mcg sometimes used for more difficult sleep problems, administered intranasally or subcutaneously about one hour before bed. Both intermittent and continuous patterns are reported. These patterns are not established dosing recommendations.

Possible Drivers of Diminished Response

Epitalon is not an established classical receptor agonist, so conventional receptor desensitization is less directly applicable. Neutralizing-antibody formation is mechanistically unlikely because Epitalon is a small tetrapeptide, while its clinical immunogenicity remains speculative. Adaptation within circadian, transcriptional, or other downstream regulatory networks is possible and could reduce perceived effects during repeated or continuous use. Community reports differ, with some users describing fading effects and others reporting continued benefit. The frequency and mechanism of any waning response remain speculative.

Combined Use

Community users sometimes combine Epitalon with:

- **DSIP**
- **Melatonin**
- **Sleep hygiene protocols**
- **Stress-reduction routines**

Epitalon (AEDG) for Sleep **Available for Research Use Only**

(Epitalon nightly 100–300 mcg, Intranasal or subcutaneous)

Melatonin, sleep-hygiene practices, and stress-reduction approaches have independent evidence relevant to sleep. Their combined use with Epitalon, including any additional or interactive benefit, is speculative. Combined use of DSIP and Epitalon is also speculative.

Benefits

Community reports describe the following speculative benefits:

- Smoother sleep onset
- Improved sleep continuity
- Fewer nighttime awakenings
- More stable sleep timing after travel or stress

These observations are anecdotal. A connection to sleep timing is biologically plausible because limited human biomarker data and regional animal research suggest effects on melatonin-related and circadian regulation. Improved sleep onset, continuity, architecture, or resilience after travel and stress remains speculative.

Potential Applications

The following are speculative potential applications discussed in community use:

- Difficulty maintaining sleep
- Irregular sleep timing or circadian disruption
- Jet lag
- Shift-work-related sleep disruption
- Age-related sleep fragmentation
- Re-establishing sleep timing after stress or travel

Community-Reported Tolerability

Community reports include no noticeable effect, mild headache, and occasional vivid dreams. The frequency of these experiences and their causal relationship to Epitalon are unknown.

Cancer Risks

Epitalon can plausibly activate telomerase and increase telomere length in normal human cells based on in vitro research. Because many cancers use telomerase to maintain replicative capacity, this creates a plausible theoretical concern in existing or developing malignancy. Regionally concentrated animal studies also make antitumor effects plausible in certain experimental models, including delayed tumor appearance or reductions in tumor burden or metastasis. **The net effect of Epitalon on human cancer risk is unknown.**

Epitalon (AEDG) for Sleep **Available for Research Use Only**

(Epitalon nightly 100–300 mcg, Intranasal or subcutaneous)

References

1. U.S. Food and Drug Administration. Evaluation of Epitalon-Related Bulk Drug Substances (Epitalon [Free Base] and Epitalon Acetate) for Inclusion on the 503A Bulk Drug Substances List. FDA Briefing Document, Pharmacy Compounding Advisory Committee Meeting; July 23–24, 2026.
2. Khavinson V, Linkova N, Ivko O. AEDG peptide regulates the expression of circadian genes Clock, Cry2, Csnk1e in human immune cells. World Heart J. 2021;13(1):189–191.
3. Korkushko OV, Khavinson VK, Shatilo VB, Magdich LV. Effect of peptide preparation Epithalamin on circadian rhythm of epiphyseal melatonin-producing function in elderly people. Bull Exp Biol Med. 2004;137(4):389–391. PMID: 15452611.
4. Khavinson VK, Goncharova ND, Lapin BA. Synthetic tetrapeptide Epitalon restores disturbed neuroendocrine regulation in senescent monkeys. Neuro Endocrinol Lett. 2001;22(4):251–254. PMID: 11524632.
5. Al-Dulaimi S, Thomas R, Matta S, Roberts T. Epitalon increases telomere length in human cell lines through telomerase upregulation or ALT activity. Biogerontology. 2025;26(5):178. doi:10.1007/s10522-025-10315-x. PMID: 40908429.
6. Gatta M, Dovizio M, Milillo C, et al. The antioxidant tetrapeptide Epitalon enhances delayed wound healing in an in vitro model of diabetic retinopathy. Stem Cell Rev Rep. 2025;21(6):1822–1834. doi:10.1007/s12015-025-10911-x. PMID: 40493162.
7. Khavinson VK, Bondarev IE, Butyugov AA. Epithalon peptide induces telomerase activity and telomere elongation in human somatic cells. Bull Exp Biol Med. 2003;135(6):590–592. doi:10.1023/A:1025493705728. PMID: 12937682.
8. Khavinson VK, Lezhava TA, Monaselidze JR, et al. Peptide Epitalon activates chromatin at the old age. Neuro Endocrinol Lett. 2003;24(5):329–333. PMID: 14647006.
9. Anisimov VN, Khavinson VK, Popovich IG, et al. Effect of Epitalon on biomarkers of aging, life span and spontaneous tumor incidence in female Swiss-derived SHR mice. Biogerontology. 2003;4(4):193–202. doi:10.1023/A:1025114230714. PMID: 14501183.
10. Anisimov VN, Khavinson VK, Provinciali M, et al. Inhibitory effect of the peptide Epitalon on the development of spontaneous mammary tumors in HER-2/neu transgenic mice. Int J Cancer. 2002;101(1):7–10. doi:10.1002/ijc.10570. PMID: 12209581.

Epitalon (AEDG) for Sleep Available for Research Use Only

(Epitalon nightly 100–300 mcg, Intranasal or subcutaneous)

11. Anisimov VN, Khavinson VK, Popovich IG, Zabezhinski MA. Inhibitory effect of peptide Epitalon on colon carcinogenesis induced by 1,2-dimethylhydrazine in rats. *Cancer Lett.* 2002;183(1):1–8. doi:10.1016/S0304-3835(02)00090-3. PMID: 12049808.
12. Kossoy G, Anisimov VN, Ben-Hur H, Kossoy N, Zusman I. Effect of the synthetic pineal peptide Epitalon on spontaneous carcinogenesis in female C3H/He mice. *In Vivo.* 2006;20(2):253–257. PMID: 16634527.