Five Supplements for Cellular Energy

Daily oral: NMN 1 g; ALCAR 1 g; CoQ10 200 mg; EPA/DHA 660/440 mg; creatine 3 g

NMN, acetyl-L-carnitine (ALCAR), CoQ10, omega-3 fatty acids, and creatine are proposed to support energy, exercise performance, recovery, cognition, and mood, with selected benefits demonstrated for individual ingredients. [3,8,11,12,15,24] NMN is a precursor of NAD+, which participates in cellular redox reactions and NAD+-dependent signaling. [9,37,38] ALCAR participates in acetyl-group metabolism, while CoQ10 transfers electrons within mitochondria. [23,4] Omega-3 fatty acids influence membranes and inflammatory signaling, and creatine buffers ATP availability. [6,12,14] Their experimental combination has plausible metabolic synergies.

Safety depends on the ingredient, dose, population, and exposure duration. [10–12,20,21,24,36]

⭐ Plausibly effective as a combination. Evidence for individual outcomes ranges from established benefits to plausible mechanistic synergies.

Disclaimer: These notes are not authoritative and should not be interpreted as definitive scientific guidance. They are summaries, compilations and plausible extrapolations drawn from the most relevant research I was able to locate, and may omit nuances, conflicting data, or emerging evidence. The material reflects an attempt to organize and understand complex topics, not to provide clinical recommendations or expert interpretation.

The experimental combination has plausible benefits. Proposed daily oral amounts are shown in bold below; individual doses have differing levels of supporting evidence. [3,10,24]

Supplement	***Primary target***	***Evidence level***	***Product examples***	***Proposed daily dose***
NMN	NAD+ pools [9]	Human trials show increased blood-cell NAD+ and selected functional benefits; short-term tolerability is supported. [8–10]	Nutricost NMN: 500 mg per two capsules [43]	**• 1,000 mg daily [10]**
ALCAR	Acetyl-group metabolism; neuronal function [23]	Clinical studies in specific cognitive and mood disorders; findings vary. [3,24]	Nutricost Acetyl L-Carnitine: 500 mg per capsule [44]	**• 1,000 mg daily**

Five Supplements for Cellular Energy

Daily oral: NMN 1 g; ALCAR 1 g; CoQ10 200 mg; EPA/DHA 660/440 mg; creatine 3 g

Supplement	*Primary target*	*Evidence level*	*Product examples*	*Proposed daily dose*
CoQ10	Mitochondrial electron transport; antioxidant protection [4]	Human trials support fatigue reduction and benefits in selected clinical conditions. [11,5]	Nutricost CoQ10: 200-mg option [45]	• **200 mg daily**
Omega-3 (EPA + DHA)	Membrane composition; inflammation; mitochondrial function [6,14]	Human studies support membrane changes, anti-inflammatory effects, and selected recovery benefits after eccentric exercise. [6,14,15,29]	Nordic Naturals Ultimate Omega Plant-Based: 1,210 mg total omega-3s per two soft gels [26]	• **660 mg EPA + 440 mg DHA daily [26]**
Creatine monohydrate	ATP buffering [12]	Human trials support improved high-intensity exercise performance and greater gains in strength and muscle mass when combined with resistance training. [12]	Nutricost Micronized Creatine Monohydrate [46]	• **3 g daily [12,13]**

Functional Benefits

Energy

CoQ10 reduced fatigue on average across randomized trials involving differing populations and regimens. [11] A benefit for fatigue is likely; improved daily physical and mental energy in otherwise healthy users is plausible.

Endurance and Fatigue Resistance

In 48 amateur runners undertaking exercise training, six weeks of NMN improved selected ventilatory-threshold measures, particularly in the 600- and 1,200-mg/day groups; maximal oxygen uptake did not improve relative to placebo. [8] The broader synthesis likewise

This document provides educational summaries of limited and evolving data. Nothing here is medical advice for diagnosis or treatment. © 2026 Researcher6076

supports endpoint-specific rather than uniform functional benefits. [34] Improved stamina during sustained physical activity is plausible.

Recovery and Training Capacity

Omega-3 supplementation can reduce muscle soreness and improve selected recovery measures after eccentric exercise, although effects vary across studies. [15] A trial in 24 men using 600 mg EPA plus 260 mg DHA daily for eight weeks found better strength and range-of-motion recovery and less soreness. [29] Improved recovery and training capacity is plausible.

Cognition and Mental Clarity

Creatine monohydrate improved selected cognitive outcomes during sleep deprivation in small trials using single doses of 0.2–0.35 g/kg. [28,33] Reviews report mixed cognitive findings, and the EFSA assessment did not establish a general cognitive benefit. [2,27,35] Improved mental clarity, less brain fog, and quicker recall at 3 g/day remain plausible.

Inflammation and Resilience

Omega-3 fatty acids influence inflammatory signaling and can provide anti-inflammatory benefits in selected conditions. [6] Support for inflammatory regulation is a plausible.

Mood

ALCAR reduced depressive symptoms in trials of adults with depression, with stronger findings in some older populations and substantial variation between studies. [24,31] Benefit in selected patients is likely; improvement of mood in otherwise healthy users is plausible.

Magnitude and Timing

Benefits can develop over weeks to months. Creatine monohydrate at 3 g/day gradually increased muscle creatine stores over 28 days. [13] The cited omega-3 recovery and mitochondrial studies used supplementation periods of eight and twelve weeks, respectively. [29,14] Timing varies by ingredient and outcome, and performance improvements also depend on training and baseline status. [12]

Biological Mechanisms

Mitochondrial Energy Production

The supplements act on complementary pathways involved in cellular energy metabolism. NMN raised blood-cell NAD+ and improved muscle insulin sensitivity. [9] Mouse studies

This document provides educational summaries of limited and evolving data. Nothing here is medical advice for diagnosis or treatment. © 2026 Researcher6076

demonstrated improved mitochondrial oxidative metabolism and NAD+-dependent DNA-repair activity. [37,38]. ALCAR participates in acetyl-group handling and helps maintain the balance between acetyl-CoA and free coenzyme A, making improved cellular energy production through supplementation plausible. [23] CoQ10 transfers electrons from complexes I and II to complex III in the mitochondrial electron transport chain and acts as an antioxidant. [4] EPA plus DHA altered skeletal-muscle mitochondrial membranes and increased ADP sensitivity. [14] Creatine increases muscle creatine stores, and phosphocreatine helps regenerate ATP from ADP during high energy demand. [12,13] T

Oxygen Utilization and Metabolic Efficiency

CoQ10's role in mitochondrial electron transport makes improved oxygen utilization through supplementation plausible. [4] NMN restores nitric-oxide-dependent neurovascular coupling improves related endothelial signaling. [19]

Neuronal Energy and Cognitive Function

Creatine participates in neuronal ATP buffering. [25,28,33] ALCAR participates in acetyl-group metabolism relevant to neuronal function. [3,23] DHA is a component of neuronal membranes. [20]

Cellular Repair and Stress Resilience

NMN improved mitochondrial oxidative metabolism and NAD+-dependent DNA-repair activity. [37,38] ALCAR's role in acetyl-group metabolism makes improved recovery from metabolic stress plausible. [23] CoQ10 limits lipid peroxidation, while omega-3 fatty acids alter membrane composition and can reduce soreness after eccentric exercise. [4,14,15]

Inflammation and Redox Signaling

Omega-3 fatty acids influence eicosanoid and resolvin pathways and can provide anti-inflammatory benefits in selected conditions. [6] CoQ10 acts as an antioxidant and helps limit lipid peroxidation. [4] NMN and ALCAR act on pathways involved in cellular metabolism and repair. [19,23]

Synergy

The combination has six plausible synergy patterns based on complementary mechanisms.

This document provides educational summaries of limited and evolving data. Nothing here is medical advice for diagnosis or treatment. © 2026 Researcher6076

Five Supplements for Cellular Energy

Daily oral: NMN 1 g; ALCAR 1 g; CoQ10 200 mg; EPA/DHA 660/440 mg; creatine 3 g

NAD+ and Complementary Metabolic Roles

NMN can raise NAD+ levels in blood cells, while ALCAR, CoQ10, and omega-3 fatty acids contribute to acetyl-group metabolism, electron transport, and membrane function. [9,23,4,14]

Energy continuum

ALCAR participates in acetyl-group metabolism, creatine buffers cytosolic ATP, and CoQ10 supports mitochondrial electron transport. [23,12,4]

Membrane and signaling synergy

Omega-3 fatty acids influence membrane composition and the environment of membrane proteins. [14] Synergy with the roles of NMN, ALCAR, and CoQ10 in cellular metabolism is plausible.

Redox stabilization synergy

CoQ10 helps limit lipid peroxidation, while omega-3 fatty acids influence inflammatory signaling. [4,6] Synergy between these roles and the metabolic roles of NMN and ALCAR is plausible.

Neuronal energy synergy

Creatine buffers neuronal ATP, ALCAR participates in acetyl-group metabolism, and DHA contributes to neuronal membrane structure and function. [25,23,20]

Recovery and repair synergy

NMN supports NAD+-dependent pathways, ALCAR participates in acetyl-group metabolism, CoQ10 acts as an antioxidant, and omega-3 fatty acids contribute to membrane composition. [9,23,4,14]

Compatibility

NMN, ALCAR, CoQ10, creatine, and omega-3 fatty acids act on complementary aspects of cellular energy metabolism. [9,23,4,12,14]

Cautions

Higher doses do not necessarily provide greater benefits and can increase adverse effects. [20,40,42]

CoQ10 may interact with warfarin or insulin and may be incompatible with some cancer treatments; use should be discussed with the treating clinician. [21]

This document provides educational summaries of limited and evolving data. Nothing here is medical advice for diagnosis or treatment. © 2026 Researcher6076

Omega-3 use also warrants medication review when anticoagulants are prescribed. [20]

Creatine may modestly increase serum creatinine without reducing measured filtration. [36] Human studies reviewed over months to years support favorable renal tolerability; continued low renal risk at 3 g/day is likely in healthy adults with comparable conditions. [12,36] Kidney disease requires individualized assessment. Maintain normal hydration, and interpret creatinine-based estimates in light of supplementation. [12,36]

Omega-3 fatty acids affect platelet biology, but clinical trials generally have not shown a clinically important bleeding increase at conventional supplemental intakes. [20]

Carnitine-related TMAO production is a mechanistic cardiovascular concern whose clinical significance, especially for ALCAR, remains uncertain. [40]

Side Effects

Several of these supplements can cause digestive upset.

CoQ10 can cause insomnia. [21]

If You Can Only Pick Three

If you can only choose three supplements, prioritize evidence relevant to your goals. Creatine has strong evidence for high-intensity exercise performance. [12] CoQ10 can reduce fatigue, and omega-3 fatty acids can reduce soreness after eccentric exercise. [11,15] NMN has improved selected ventilatory-threshold measures during training, while ALCAR has been studied in specific cognitive and mood disorders. [8,34,3,24]

Optional Additional Supplements

These three supplements are optional additions with different potential applications.

Apigenin inhibits CD38 in cell studies and has increased NAD+ levels in mice. [16] These findings make NAD+ preservation and synergy with NMN plausible in humans.

PQQ stimulates mitochondrial biogenesis through CREB phosphorylation and PGC-1α-related signaling in cell studies. [7] A small human study reported changes in inflammatory and mitochondrial-related metabolic markers. [17] Improved human mitochondrial function through supplementation is plausible. A placebo-controlled trial using PQQ disodium salt at 20 mg/day for 12 weeks reported improved composite and verbal memory. [32] Broader cognitive benefits are possible.

This document provides educational summaries of limited and evolving data. Nothing here is medical advice for diagnosis or treatment. © 2026 Researcher6076

Daily oral: NMN 1 g; ALCAR 1 g; CoQ10 200 mg; EPA/DHA 660/440 mg; creatine 3 g

Beta-alanine raises muscle carnosine, which buffers acidity during intense exercise. Supplementation can improve performance in high-intensity efforts lasting roughly one to four minutes. Commonly studied regimens use 4–6 g daily in divided doses for at least two to four weeks. [18]

Choose Supplements with Verified Quality

Choose supplements with clearly stated ingredient amounts and independent testing for identity, potency, and contaminants. Standardized manufacturing can improve consistency, while evidence for the specific formulation and dose helps assess likely benefits. Labels such as “clinically formulated” do not by themselves establish quality, bioavailability, or effectiveness. [22]

References

[1] Irie J, Inagaki E, Fujita M, et al. Effect of oral administration of nicotinamide mononucleotide on clinical parameters and nicotinamide metabolite levels in healthy Japanese men. *Endocr J.* 2020;67(2):153-160. doi:10.1507/endocrj.ej19-0313

[2] Avgerinos KI, Spyrou N, Bougioukas KI, Kapogiannis D. Effects of creatine supplementation on cognitive function of healthy individuals: A systematic review of randomized controlled trials. *Exp Gerontol.* 2018;108:166-173. doi:10.1016/j.exger.2018.04.013

[3] Pennisi M, Lanza G, Cantone M, et al. Acetyl-L-Carnitine in Dementia and Other Cognitive Disorders: A Critical Update. *Nutrients.* 2020;12(5):E1389. doi:10.3390/nu12051389

[4] Littarru GP, Tiano L. Clinical aspects of coenzyme Q10: an update. *Curr Opin Clin Nutr Metab Care.* 2005;8(6):641-646. doi:10.1097/01.mco.0000171123.60665.16

[5] Mortensen SA, Rosenfeldt F, Kumar A, et al. The effect of coenzyme Q10 on morbidity and mortality in chronic heart failure: results from Q-SYMBIO: a randomized double-blind trial. *JACC Heart Fail.* 2014;2(6):641-649. doi:10.1016/j.jchf.2014.06.008

[6] Calder PC. Omega-3 fatty acids and inflammatory processes: from molecules to man. *Biochem Soc Trans.* 2017;45(5):1105-1115. doi:10.1042/bst20160474

[7] Chowanadisai W, Bauerly KA, Tchaparian E, Wong A, Cortopassi GA, Rucker RB. Pyrroloquinoline quinone stimulates mitochondrial biogenesis through cAMP response element-binding protein phosphorylation and increased PGC-1alpha expression. *J Biol Chem.* 2010;285(1):142-152. doi:10.1074/jbc.m109.030130

This document provides educational summaries of limited and evolving data. Nothing here is medical advice for diagnosis or treatment. © 2026 Researcher6076

[8] Liao B, Zhao Y, Wang D, Zhang X, Hao X, Hu M. Nicotinamide mononucleotide supplementation enhances aerobic capacity in amateur runners: a randomized, double-blind study. *J Int Soc Sports Nutr.* 2021;18(1):54. doi:10.1186/s12970-021-00442-4

[9] Yoshino M, Yoshino J, Kayser BD, et al. Nicotinamide mononucleotide increases muscle insulin sensitivity in prediabetic women. *Science.* 2021;372(6547):1224-1229. doi:10.1126/science.abe9985

[10] Yang W, Huang J, Tang Z, Chen C, Sun Y. Safety and Metabolism-Related Outcomes of Oral Nicotinamide Mononucleotide Supplementation in Adults: A Systematic Review and Meta-Analysis. *Nutrients.* 2026;18(14):2251. doi:10.3390/nu18142251

[11] Tsai IC, Hsu CW, Chang CH, Tseng PT, Chang KV. Effectiveness of Coenzyme Q10 Supplementation for Reducing Fatigue: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Front Pharmacol.* 2022;13:883251. doi:10.3389/fphar.2022.883251

[12] Kreider RB, Kalman DS, Antonio J, et al. International Society of Sports Nutrition position stand: safety and efficacy of creatine supplementation in exercise, sport, and medicine. *J Int Soc Sports Nutr.* 2017;14:18. doi:10.1186/s12970-017-0173-z

[13] Hultman E, Söderlund K, Timmons JA, Cederblad G, Greenhaff PL. Muscle creatine loading in men. *J Appl Physiol (1985).* 1996;81(1):232-237. doi:10.1152/jappl.1996.81.1.232

[14] Herbst EA, Paglialunga S, Gerling C, et al. Omega-3 supplementation alters mitochondrial membrane composition and respiration kinetics in human skeletal muscle. *J Physiol.* 2014;592(6):1341-1352. doi:10.1113/jphysiol.2013.267336

[15] Yaghoobi E, Pashaei F, Allsopp GL, et al. Effects of LC n-3 PUFA Supplementation on Muscle Pain, Function, and Damage Markers in Healthy Young to Middle-Aged Adults Following Acute or Chronic Exercise: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Nutrients.* 2026;18(9):1447. doi:10.3390/nu18091447

[16] Escande C, Nin V, Price NL, et al. Flavonoid apigenin is an inhibitor of the NAD+ ase CD38: implications for cellular NAD+ metabolism, protein acetylation, and treatment of metabolic syndrome. *Diabetes.* 2013;62(4):1084-1093. doi:10.2337/db12-1139

[17] Harris CB, Chowanadisai W, Mishchuk DO, Satre MA, Slupsky CM, Rucker RB. Dietary pyrroloquinoline quinone (PQQ) alters indicators of inflammation and mitochondrial-related metabolism in human subjects. *J Nutr Biochem*. 2013;24(12):2076-2084. doi:10.1016/j.jnutbio.2013.07.008

[18] Trexler ET, Smith-Ryan AE, Stout JR, et al. International society of sports nutrition position stand: Beta-Alanine. *J Int Soc Sports Nutr*. 2015;12:30. doi:10.1186/s12970-015-0090-y

[19] Tarantini S, Valcarcel-Ares MN, Toth P, et al. Nicotinamide mononucleotide (NMN) supplementation rescues cerebromicrovascular endothelial function and neurovascular coupling responses and improves cognitive function in aged mice. *Redox Biol*. 2019;24:101192. doi:10.1016/j.redox.2019.101192

[20] National Institutes of Health Office of Dietary Supplements. Omega-3 Fatty Acids: Fact Sheet for Health Professionals. Accessed October 20, 2026. Source

[21] National Center for Complementary and Integrative Health. Coenzyme Q10. Accessed October 20, 2026. Source

[22] National Institutes of Health Office of Dietary Supplements. Dietary Supplements: What You Need To Know. Accessed October 20, 2026. Source

[23] Adeva-Andany MM, Calvo-Castro I, Fernández-Fernández C, Donapetry-García C, Pedre-Piñeiro AM. Significance of l-carnitine for human health. *IUBMB Life*. 2017;69(8):578-594. doi:10.1002/iub.1646

[24] Veronese N, Stubbs B, Solmi M, Ajnakina O, Carvalho AF, Maggi S. Acetyl-L-Carnitine Supplementation and the Treatment of Depressive Symptoms: A Systematic Review and Meta-Analysis. *Psychosom Med*. 2018;80(2):154-159. doi:10.1097/psy.0000000000000537

[25] Dolan E, Gualano B, Rawson ES. Beyond muscle: the effects of creatine supplementation on brain creatine, cognitive processing, and traumatic brain injury. *Eur J Sport Sci*. 2019;19(1):1-14. doi:10.1080/17461391.2018.1500644

[26] Nordic Naturals. Ultimate Omega Plant-Based. Accessed October 20, 2026. Source

[27] EFSA Panel on Nutrition, Novel Foods and Food Allergens (NDA), Turck D, Bohn T, et al. Creatine and improvement in cognitive function: Evaluation of a health claim pursuant to article 13(5) of regulation (EC) No 1924/2006. *EFSA J*. 2024;22(11):e9100. doi:10.2903/j.efsa.2024.9100

© 2026 Researcher6076

[28] Gordji-Nejad A, Matusch A, Kleedörfer S, et al. Single dose creatine improves cognitive performance and induces changes in cerebral high energy phosphates during sleep deprivation. *Sci Rep.* 2024;14(1):4937. doi:10.1038/s41598-024-54249-9

[29] Tsuchiya Y, Yanagimoto K, Nakazato K, Hayamizu K, Ochi E. Eicosapentaenoic and docosahexaenoic acids-rich fish oil supplementation attenuates strength loss and limited joint range of motion after eccentric contractions: a randomized, double-blind, placebo-controlled, parallel-group trial. *Eur J Appl Physiol.* 2016;116(6):1179-1188. doi:10.1007/s00421-016-3373-3

[30] Zhang J, Poon ET, Wong SH. Efficacy of oral nicotinamide mononucleotide supplementation on glucose and lipid metabolism for adults: a systematic review with meta-analysis on randomized controlled trials. *Crit Rev Food Sci Nutr.* 2025;65(22):4382-4400. doi:10.1080/10408398.2024.2387324

[31] Kumar R, Hashempour Z, Shahriarirad S, et al. Current Evidence of Acetyl-L-Carnitine Use in Mood Disorders-: A Systematic Review and Meta-Analysis. *Neuropsychiatr Dis Treat.* 2026;22:586506. doi:10.2147/ndt.s586506

[32] Tamakoshi M, Suzuki T, Nishihara E, Nakamura S, Ikemoto K. Pyrroloquinoline quinone disodium salt improves brain function in both younger and older adults. *Food Funct.* 2023;14(5):2496-2501. doi:10.1039/d2fo01515c

[33] Gordji-Nejad A, Matusch A, Hengstler L, et al. Single-Dose Creatine Reduces Sleep Deprivation-Induced Deterioration in Cognitive Performance. *Nutrients.* 2026;18(8):1192. doi:10.3390/nu18081192

[34] Gao Y, Li S, Guan J, Yin Y, Kong X, Yu L. Domain-specific effects of NAD+ precursors on fatigue and functional performance: a systematic review and network meta-analysis. *Front Nutr.* 2026;13:1890335. doi:10.3389/fnut.2026.1890335

[35] McMorris T, Hale BJ, Pine BS, Williams TB. Creatine supplementation research fails to support the theoretical basis for an effect on cognition: Evidence from a systematic review. *Behav Brain Res.* 2024;466:114982. doi:10.1016/j.bbr.2024.114982

[36] Naeini EK, Eskandari M, Mortazavi M, Gholaminejad A, Karevan N. Effect of creatine supplementation on kidney function: a systematic review and meta-analysis. *BMC Nephrol.* 2025;26(1):622. doi:10.1186/s12882-025-04558-6

[37] Li J, Bonkowski MS, Moniot S, et al. A conserved NAD+ binding pocket that regulates protein-protein interactions during aging. *Science.* 2017;355(6331):1312-1317. doi:10.1126/science.aad8242

[38] Mills KF, Yoshida S, Stein LR, et al. Long-Term Administration of Nicotinamide Mononucleotide Mitigates Age-Associated Physiological Decline in Mice. *Cell Metab*. 2016;24(6):795-806. doi:10.1016/j.cmet.2016.09.013

[39] US Food and Drug Administration. Information for Consumers on Using Dietary Supplements. Accessed October 20, 2026. Source

[40] National Institutes of Health Office of Dietary Supplements. Carnitine: Fact Sheet for Health Professionals. Accessed October 20, 2026. Source

[41] Albert CM, Cook NR, Pester J, et al. Effect of Marine Omega-3 Fatty Acid and Vitamin D Supplementation on Incident Atrial Fibrillation: A Randomized Clinical Trial. *JAMA*. 2021;325(11):1061-1073. doi:10.1001/jama.2021.1489

[42] Nicholls SJ, Lincoff AM, Garcia M, et al. Effect of High-Dose Omega-3 Fatty Acids vs Corn Oil on Major Adverse Cardiovascular Events in Patients at High Cardiovascular Risk: The STRENGTH Randomized Clinical Trial. *JAMA*. 2020;324(22):2268-2280. doi:10.1001/jama.2020.22258

[43] Nutricost. Nutricost NMN. Accessed October 20, 2026. Source

[44] Nutricost. Nutricost Acetyl L-Carnitine 500mg. Accessed October 20, 2026. Source

[45] Nutricost. Nutricost CoQ10. Accessed October 20, 2026. Source

[46] Nutricost. Nutricost Creatine Monohydrate Powder. Accessed October 20, 2026. Source