Epitalon (AEDG) for Sleep

Epitalon nightly 50–200 mcg, intranasal or subcutaneous

Epitalon (Ala-Glu-Asp-Gly; AEDG) is a synthetic tetrapeptide developed from research on the pineal extract Epithalamin. While short courses of Epitalon are proposed for longevity, continuous micro doses of Epitalon are proposed for sleep onset, sleep continuity, and circadian alignment; these clinical applications are speculative. [1] Human sublingual reports describe changes in urinary 6-sulfatoxymelatonin and circadian-gene expression. [2,13] Pineal and neuroendocrine findings in aged monkeys support a plausible circadian mechanism. [4] Telomere, chromatin, and oxidative-stress effects have also been observed in specific cell systems. [5,6,7,8] This survey focuses on sleep and circadian applications rather than broader healthspan protocols.

💉 Short-course tolerability has limited human observations; risks depend on route, formulation, and endpoint. [1,14]

⭐ ⭐ Melatonin-metabolite and circadian-gene changes were reported during a 20-day human course. [2,13]

⭐ Broader pineal and circadian regulatory effects are plausible. [2,4,13]

🅾️ *Clinical sleep benefits are speculative.*

Disclaimer: These notes are not authoritative and should not be interpreted as definitive scientific guidance. They are summaries, compilations and plausible extrapolations drawn from the most relevant research I was able to locate, and may omit nuances, conflicting data, or emerging evidence. The material reflects an attempt to organize and understand complex topics, not to provide clinical recommendations or expert interpretation.

A 10-day course ophthalmic Epitalon study reported no side effects, which offers limited short-term use reassurance. [14] Acceptable short-course tolerability is possible, but extrapolation to nightly SC or intranasal administration remains speculative.

The human circadian reports describe biomarker changes during treatment. [2,13] Broader pineal and circadian regulation is plausible when considered with the aged-monkey findings. [4] Better human sleep remains a speculative clinical extrapolation.

How Evidence Scope Was Applied in This Review

Evidence was evaluated here with an adjustment for source quality. Much of the Epitalon evidence comes from a single regional source, including small or methodologically limited studies that have not been independently replicated. When a claim depended primarily on this evidence, its evidence classification was reduced to reflect the additional uncertainty while still recognizing the evidence as informative.

This document provides educational summaries of limited and evolving peptide data. Nothing here is medical advice for diagnosis or treatment. © 2026 Researcher6076

Epitalon (AEDG) for Sleep

Epitalon nightly 50–200 mcg, intranasal or subcutaneous

Biological Mechanism

Human circadian biomarkers: In women with reduced pineal melatonin production, Epitalon treatment increased urinary 6-sulfatoxymelatonin and was reported to alter Clock, Cry2, and Csnk1e expression in immune cells. [2,13] These are peripheral biomarkers rather than direct measurements of the central circadian clock or sleep architecture. The gene report describes extraction of genomic DNA despite interpreting its PCR results as gene expression, which limits confidence in that assay description. [2] Broader effects involving CLOCK/BMAL1 regulatory loops remain a mechanistic hypothesis.

Pineal and neuroendocrine regulation: Epitalon increased evening melatonin and reduced elevated cortisol in aged monkeys, with little effect in young animals. [4] But an isolated rat-pineal experiment found no significant stimulation of melatonin secretion, suggesting that effects may depend on age, systemic context, or indirect regulation. [15]

Dose for Sleep

The human circadian reports used Epitalon sublingually at 0.5 mg daily for 20 days, divided between morning and midday administrations. The study included 75 women: 35 with normal melatonin production and 40 with reduced production assigned to Epitalon or placebo. The reports describe biomarker outcomes rather than clinical sleep endpoints. [2,13]

Persistence afterward, optimal bedtime timing, and the effects of nightly or continuous administration are speculative. Sublingual exposure is distinct from the proposed SC, intranasal, or intramuscular approaches. [1,2,13]

The speculative, experimental sleep pattern is

- **50–200 mcg intranasally or SC about one hour before bed, intermittently or nightly**

Possible Drivers of Diminished Response

Classical receptor desensitization is not an established mechanism for Epitalon. [1] Adaptation within circadian, transcriptional, or other downstream regulatory networks could plausibly reduce perceived effects during repeated use; this remains a mechanistic hypothesis based on the reported regulatory changes. [2,8,13]

Combined Use

Proposed combinations include Epitalon with:

- **Sleep hygiene protocols**
- **Stress-reduction routines**
- **DSIP**
- **Melatonin**

This document provides educational summaries of limited and evolving peptide data. Nothing here is medical advice for diagnosis or treatment. © 2026 Researcher6076

Epitalon (AEDG) for Sleep

Epitalon nightly 50–200 mcg, intranasal or subcutaneous

Melatonin combined with scheduled sleep timing improved sleep initiation in a randomized trial of patients with delayed sleep-wake phase disorder. [17] For chronic insomnia, multicomponent cognitive behavioral therapy has a strong guideline recommendation and relaxation therapy a conditional recommendation; sleep hygiene alone is not recommended as a stand-alone treatment. [16] Additional benefit from combining these approaches with Epitalon is speculative, as is combined use of DSIP and Epitalon.

Benefits

The proposed speculative benefits are:

- Smoother sleep onset
- Improved sleep continuity
- Fewer nighttime awakenings
- More stable sleep timing after travel or stress

A connection to sleep timing is biologically plausible from the human circadian biomarkers and aged-monkey neuroendocrine findings. [2,4,13] The listed sleep benefits, improved sleep architecture, and resilience after travel or stress are speculative.

Potential Applications

- Difficulty maintaining sleep
- Irregular sleep timing or circadian disruption
- Jet lag
- Shift-work-related sleep disruption
- Age-related sleep fragmentation
- Re-establishing sleep timing after stress or travel

Tolerability and Endpoint-Specific Safety

Cancer Risks

Epitalon induced telomerase activity and telomere elongation in cultured human fibroblasts. [7] A later study found telomere extension with increased telomerase activity in normal epithelial and fibroblast cells, while breast-cancer cell lines showed increased markers of alternative lengthening of telomeres (ALT). [5] These findings support a plausible concern about sustaining replicative capacity in existing or developing malignancy; the direction and magnitude of clinical cancer effects remain speculative.

In female SHR mice, overall tumor incidence was unchanged despite fewer leukemias. [9] In HER-2/neu mice, Epitalon reduced mammary-tumor burden and the size, but not number, of lung metastases. [10] In chemically exposed rats, some treatment schedules reduced colon-

This document provides educational summaries of limited and evolving peptide data. Nothing here is medical advice for diagnosis or treatment. © 2026 Researcher6076

tumor multiplicity, although colon carcinomas still developed in 90–100% of animals. [11] In female C3H/He mice, fewer malignant-tumor-bearing animals and fewer metastases were reported. [12] These findings support context-dependent antitumor activity in the tested models; protection against human cancer remains speculative.

References

[1] US Food and Drug Administration. Pharmacy Compounding Advisory Committee briefing document: epitalon (free base) and epitalon acetate. July 23–24, 2026. Accessed October 20, 2026. Source

[2] Khavinson V, Linkova N, Ivko O. AEDG Peptide Regulates the Expression of Circadian Genes Clock, Cry2, Csnk1e in Human Immune Cells. *World Heart J.* 2021;13(1):189-191. Full text

[3] Korkushko OV, Khavinson VKh, Shatilo VB, Magdich LV. Effect of peptide preparation epithalamin on circadian rhythm of epiphyseal melatonin-producing function in elderly people. *Bull Exp Biol Med.* 2004;137(4):389-391. doi:10.1023/b:bebm.0000035139.31138.bf

[4] Khavinson V, Goncharova N, Lapin B. Synthetic tetrapeptide epitalon restores disturbed neuroendocrine regulation in senescent monkeys. *Neuro Endocrinol Lett.* 2001;22(4):251-254. PubMed PMID:11524632

[5] Al-Dulaimi S, Thomas R, Matta S, Roberts T. Epitalon increases telomere length in human cell lines through telomerase upregulation or ALT activity. *Biogerontology.* 2025;26(5):178. doi:10.1007/s10522-025-10315-x

[6] Gatta M, Dovizio M, Milillo C, et al. The Antioxidant Tetrapeptide Epitalon Enhances Delayed Wound Healing in an in Vitro Model of Diabetic Retinopathy. *Stem Cell Rev Rep.* 2025;21(6):1822-1834. doi:10.1007/s12015-025-10911-x

[7] Khavinson VKh, Bondarev IE, Butyugov AA. Epithalon peptide induces telomerase activity and telomere elongation in human somatic cells. *Bull Exp Biol Med.* 2003;135(6):590-592. doi:10.1023/a:1025493705728

[8] Khavinson VKh, Lezhava TA, Monaselidze JR, et al. Peptide Epitalon activates chromatin at the old age. *Neuro Endocrinol Lett.* 2003;24(5):329-333. PubMed PMID:14647006

[9] Anisimov VN, Khavinson VKh, Popovich IG, et al. Effect of Epitalon on biomarkers of aging, life span and spontaneous tumor incidence in female Swiss-derived SHR mice. *Biogerontology.* 2003;4(4):193-202. doi:10.1023/a:1025114230714

This document provides educational summaries of limited and evolving peptide data. Nothing here is medical advice for diagnosis or treatment. © 2026 Researcher6076

[10] Anisimov VN, Khavinson VK, Provinciali M, et al. Inhibitory effect of the peptide epitalon on the development of spontaneous mammary tumors in HER-2/neu transgenic mice. *Int J Cancer.* 2002;101(1):7-10. doi:10.1002/ijc.10570

[11] Anisimov VN, Khavinson VKh, Popovich IG, Zabezhinski MA. Inhibitory effect of peptide Epitalon on colon carcinogenesis induced by 1,2-dimethylhydrazine in rats. *Cancer Lett.* 2002;183(1):1-8. doi:10.1016/s0304-3835(02)00090-3

[12] Kossoy G, Anisimov VN, Ben-Hur H, Kossoy N, Zusman I. Effect of the synthetic pineal peptide epitalon on spontaneous carcinogenesis in female C3H/He mice. *In Vivo.* 2006;20(2):253-257. PubMed PMID:16634527

[13] Ivko OM, Linkova NS, Ilina AR, Sharova AA, Ruzhak GA. AEDG Peptide Regulation of the Expression of Human Circadian Rhythm Genes upon Accelerated Aging of the Pineal Gland. *Adv Gerontol.* 2021;11(1):53-58. doi:10.1134/S2079057021010380

[14] Khavinson V, Razumovsky M, Trofimova S, Grigorian R, Razumovskaya A. Pineal-regulating tetrapeptide epitalon improves eye retina condition in retinitis pigmentosa. *Neuro Endocrinol Lett.* 2002;23(4):365-368. PubMed PMID:12195242

[15] Djeridane Y, Khavinson VKh, Anisimov VN, Touitou Y. Effect of a synthetic pineal tetrapeptide (Ala-Glu-Asp-GLy) on melatonin secretion by the pineal gland of young and old rats. *J Endocrinol Invest.* 2003;26(3):211-215. doi:10.1007/bf03345159

[16] Edinger JD, Arnedt JT, Bertisch SM, et al. Behavioral and psychological treatments for chronic insomnia disorder in adults: an American Academy of Sleep Medicine clinical practice guideline. *J Clin Sleep Med.* 2021;17(2):255-262. doi:10.5664/jcsm.8986

[17] Sletten TL, Magee M, Murray JM, et al. Efficacy of melatonin with behavioural sleep-wake scheduling for delayed sleep-wake phase disorder: A double-blind, randomised clinical trial. *PLoS Med.* 2018;15(6):e1002587. doi:10.1371/journal.pmed.1002587