

Classification of Handwritten Numbers

Randy Grant

INTRODUCTION

ISSUE

Client known as FakeBank needs an initial method to recognize handwritten numbers for check deposits.

SOLUTION

Create a Convolutional Neural Network to recognize the digits and save the model for transfer learning.

GOAL

Create a method to recognize handwritten digits from 0-9 that can then be applied toward larger numbers later on.

METHODS

MNIST dataset that contains images of handwritten digits from 0-9 compiled from multiple sources

Data science Python libraries, neural network Python libraries

Logistic Regression for baseline

CNN

- Sequential configured with
- 2D Convolutional
- Dense

ResNet-50 (pre-trained CNN)



DATA USED

TOOLS USED

MODELS / NETS

DATASET INFO

Number of digit images
for training

60,000

10,001

Number of digit images
for test

Pixels



28x28

206,922

Trainable parameters

SAMPLE DATA

Handwritten Digits




RESULTS

BASELINE ACCURACY SCORE: 0.897

CNN ACCURACY SCORE: 0.988


RESNET-50 CNN ACCURACY SCORE: 0.926

WHAT WENT RIGHT / WRONG




Handwritten digits from test set
included in the MNIST dataset

Handwritten number written on
paper towel




Loss and Accuracy / Confusion Matrix


Training and Validation Loss



Training and Validation Accuracy



Confusion Matrix



CLIENT RECOMMENDATIONS

- FakeBank take CNN model trained with high accuracy
- Start gathering more data as to different backgrounds for better recognition of those such as the “number 9” example
- Integrate the CNN model and add to it from those new backgrounds
- Start combining numbers together and train model for recognizing large numbers

REFERENCES

- https://app.thisismetis.com/courses/222/pages/chapter-10-keras?module_item_id=12549
- https://www.tensorflow.org/datasets/keras_example
- <https://www.analyticsvidhya.com/blog/2021/06/mnist-dataset-prediction-using-keras/>
- <https://datascience.stackexchange.com/questions/46885/how-to-reshape-xtrain-array-and-what-about-input-shape>
- https://www.tensorflow.org/api_docs/python/tf/keras/datasets/cifar100/load_data
- <https://www.kaggle.com/code/leokaka/cnn-66-acc-on-cifar100-without-transfer-learning>
- <https://www.kaggle.com/code/jsrshivam/mnist-digit-recognition-nn/notebook>
- <https://github.com/aswintechguy/Data-Science-Concepts/blob/main/Deep%20Learning/Deep%20Learning%20Concepts%20-%20Hackers%20Realm.ipynb>
- <https://github.com/keras-team/keras>
- <https://towardsdatascience.com/cifar-100-pre-processing-for-image-recognition-task-68015b43d658>
- <https://olaralex.com/cnn-on-cifar100/>
- <https://stackoverflow.com/questions/66190989/input-0-of-layer-sequential-is-incompatible-with-the-layer-expected-axis-1-of>
- https://www.tensorflow.org/guide/keras/train_and_evaluate/
- <https://www.pluralsight.com/guides/data-visualization-deep-learning-model-using-matplotlib>
- https://github.com/chetnakhanna16/CIFAR100_ImageRecognition
- <https://stackoverflow.com/questions/46345098/proper-way-to-save-transfer-learning-model-in-keras>
- https://github.com/andrewkruger/tensorflow_tutorials/blob/master/cnn.ipynb
- https://in2techs.com/mnist-classification-using-logistic-regression-classifier-in-python/?doing_wp_cron=1667074980.2064399719238281250000
- <https://www.cs.toronto.edu/~kriz/learning-features-2009-TR.pdf>
- <https://github.com/christianversloot/machine-learning-articles/blob/main/how-to-build-a-convnet-for-cifar-10-and-cifar-100-classification-with-keras.md>
- https://github.com/andrewkruger/cifar100_CNN
- <https://andrewkruger.github.io/projects/2017-08-05-keras-convolutional-neural-network-for-cifar-100>

THANKS!

Questions?

randywgrant@gmail.com

CREDITS: This presentation template was created by **Slidesgo**, including icons by **Flaticon**, and infographics & images by **Freepik**.

Please keep this slide for attribution.