Bootstrap Examples

Bootstrap Forms

- 1. Stacked form
- 2. Inline form

Stacked Form

- 1. We have class name as .form-group(wrapper class)
- 2. Form-control for the input fields

```
<!DOCTYPE html>
<html>
       <title>Bootstrap Forms</title>
       <\link rel="StyleSheet" href="bootstrap-4.5.0-dist/bootstrap-4.5.0-dist/css/bootstrap.min.css" />
       <script type="text/javascript" src="bootstrap-4.5.0-dist/bootstrap-4.5.0-dist/js/bootstrap.min.js"></script>
       <style type="text/css">
       </style>
    </head>
    <body>
       <div class="container">
           <form action="" method="POST">
           <div class="form-group">
              <label for="Username">Username</label>
               <input type="text" class="form-control" id="txtUsername" placeholder="Enter Username"/>
           <div class="form-group">
               <label for="password">Password</label>
               <input type="text" class="form-control" id="txtPassword" placeholder="Enter Password" />
           <button type="button" class="btn btn-primary">Login</button>
    </div>
    </body>
</html>
```

Username		
Enter Username		
Password		
Enter Password		
Login		

Inline form

```
<!Doctype Html>
<html>
    <head>
       <title>Bootstrap Forms</title>
       <link rel="StyleSheet" href="bootstrap-4.5.0-dist/bootstrap-4.5.0-dist/css/bootstrap.min.css" />
       <script type="text/javascript" src="bootstrap-4.5.0-dist/bootstrap-4.5.0-dist/js/bootstrap.min.js"></script>
       <style type="text/css">
       </style>
    </head>
    <body>
        <div class="container">
            <form class="form-inline">
               <label for="Username">Username</label>
                <input type="text" id="txtUsername" placeholder="Enter Username" class="form-control" />
                <label for="Password">Password</label>
                <input type="text" id="txtPassword" placeholder="Enter Password" class="form-control" />
                <button type="button" class="btn btn-primary">Login</button>
           </form>
        </div>
    </body>
</html>
```

Username Enter Username Password Enter Password Login

Rows and Columns

```
<body>
    <div class="container">
        <form>
            <div class="row">
                <div class="col input-group form-group">
                   <div class="input-group-prepend">
                       <span class="input-group-text"><i class="fas fa-user"></i></span>
                    <input type="text" class="form-control" id="txtUsername" placeholder="Enter Username" />
                </div>
               <div class="col input-group form-group">
                   <div class="input-group-prepend">
                       <span class="input-group-text"><i class="fas fa-key"></i></span>
                   <input type="text" class="form-control" id="txtPassword" placeholder="Enter Password" />
                </div>
            </div>
           <button type="button" class="btn btn-primary lg center login_btn">Login/button>
       </form>
   </div>
</body>
```

Bootstrap NavBar