

Home Assignment 1:

1. Import the provided Postman collection. - GenAI-Oct.postman_collection - Yes
2. Practice all the request in that collection
4. Combine the screenshots into a **single PDF**.
5. Push the PDF to your **GitHub repository**.
6. Share the **GitHub repository link** in the **Assignment Tracker**.

S01-GenerateTestcasesfromUserStories:


Response:







S02-Generate Selenium Code --Classroom Session Practice:

Response:



GenAI-Oct > S02-Generate Selenium Code --Classroom Session Practice
Save
Share
POST
https://api.groq.com/openai/v1/chat/completions
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
{
"model": "openai/gpt-oss-120b",
"messages": [
{
"role": "user",
"content": "As an Automation Architect, use the instructions below.\n\nINSTRUCTIONS (USER PROMPT):\n- Generate ONLY Selenium Java code\n- Use TestNG as the test runner\n- Add Javadoc for the class and all methods\n- Use Selenium 2.30+ compatible imports\n- Use meaningful and self-explanatory method names\n- [DO NOT] include explanations, comments outside Javadoc, or sample test data\n- Follow locator strategies strictly:\n - Use ID only when it is unique and does NOT contain numbers\n - Use NAME only if ID is not present and is unique\n - Use XPath (attribute-based or text-based preferred)\n - [NEVER] use CSS selectors\n- Use explicit waits only (WebDriverWait)\n- [STRICTLY PROHIBITED] Thread.sleep()\n\nOUTPUT RULES:\n- Return ONLY executable Java code\n- No markdown\n- No additional text\n\nCONTEXT:\nAct as an Automation Assistant with strong Selenium
Body
Cookies 1
Headers 20
Test Results
200 OK
2.58 s
2.85 KB
Load test
Save Response
{ } JSON
Preview
Visualize
"role": "assistant",
"content": "/**\n * Automated test for verifying user login functionality using Selenium WebDriver and TestNG.\n */\nimport org.openqa.selenium.By;\nimport org.openqa.selenium.WebDriver;\nimport org.openqa.selenium.WebElement;\nimport org.openqa.selenium.chrome.ChromeDriver;\nimport org.openqa.selenium.support.ui.ExpectedConditions;\nimport org.openqa.selenium.support.ui.WebDriverWait;\nimport org.testng.annotations.AfterClass;\nimport org.testng.annotations.BeforeClass;\nimport org.testng.annotations.Test;\nimport java.time.Duration;\n\npublic class LoginTest {\n\n private WebDriver driver;\n private WebDriverWait wait;\n\n /**\n * Initializes the Chrome WebDriver and configures the explicit wait.\n */\n @BeforeClass\n public void setUp() {\n driver = new ChromeDriver();\n wait = new WebDriverWait(driver, Duration.ofSeconds(15));\n driver.manage().window().maximize();\n driver.get(\"https://example.com/login\");\n }\n\n /**\n * Closes the browser and quits the WebDriver session.\n */\n @AfterClass\n public void tearDown() {\n if (driver != null) {\n driver.quit();\n }\n }\n\n /**\n * Executes the login test with valid credentials and verifies successful login.\n */\n @Test\n public void testValidUserCanLogin() {\n enterUsername(\"validUser\");\n enterPassword(\"validPassword\");\n
Open Folder
Terminal
Console
All systems are go
Globals
Vault
Tools







S03-Control Output Token:


Response:


GenAI-Oct > S03-Control Output Token
Save
Share
POST
https://api.groq.com/openai/v1/chat/completions
Send
Docs Params Authorization Headers 10 Body Scripts Settings Cookies
none form-data x-www-form-urlencoded raw binary GraphQL JSON
Schema Beautify
{
"model": "openai/gpt-oss-120b",
"max_completion_tokens": 2000,
"messages": [
{
"role": "system",
"content": "You are a Senior QA Analyst experienced in converting Agile user stories into high-quality, review-ready test cases."
},
{
"role": "user",
"content": "I — INSTRUCTION\nConvert the provided User Stories and Acceptance Criteria into detailed, testable Test Cases.\n\nMANDATORY
Body Cookies 1 Headers 21 Test Results
200 OK 4.29 s 4.01 KB Load test Save Response
{} JSON Preview Visualize
{
"id": "chatcmpl-497525dc-8705-402f-bf65-0cb67a4c1ebf",
"object": "chat.completion",
"created": 1792390582,
"model": "openai/gpt-oss-120b",
"choices": [
{
"index": 0,
"message": {
"role": "assistant",
"content": "**Test Cases – “Record Doctor Activities and Doctor Notes”** \n\n| TC_ID | Title | Preconditions | Test Steps | Test Data |
Expected Result |\n|-------|-------|---------------|------------|-----------|----------------|\n| TC_01 | Successfully record a
Open Folder Terminal Console All systems are go
Globals Vault Tools


GenAI-Oct > S03-Control Output Token
Save
Share
POST
https://api.groq.com/openai/v1/chat/completions
Send
Docs Params Authorization Headers 10 Body Scripts Settings Cookies
none form-data x-www-form-urlencoded raw binary GraphQL JSON
Schema Beautify
{
"model": "openai/gpt-oss-120b",
"max_completion_tokens": 2000,
"messages": [
{
"role": "system",
"content": "You are a Senior QA Analyst experienced in converting Agile user stories into high-quality, review-ready test cases."
},
{
"role": "user",
"content": "I — INSTRUCTION\nConvert the provided User Stories and Acceptance Criteria into detailed, testable Test Cases.\n\nMANDATORY
Body Cookies 1 Headers 21 Test Results
200 OK 4.29 s 4.01 KB Load test Save Response
{} JSON Preview Visualize
Activities** screen.
2. Click **Add New Activity**.
3. Select a valid **Doctor** from the drop-down.
4. Enter a valid
Activity Type (e.g., “Consultation”).
5. Enter a valid **Activity Date** (MM/DD/YYYY).
6. Enter a non-empty **Doctor
Note** (e.g., “Patient responded well to treatment”).
7. Click **Save**. | Doctor = Dr. Jane Smith
Activity Type =
Consultation
Activity Date = 09/19/2026
Doctor Note = “Patient responded well to treatment.” | The new activity appears in
the activity list with the entered details.
A confirmation message “Activity saved successfully” is displayed. |\n| TC_02 |
Attempt to save an activity without selecting a doctor | • User is logged in
• System is operational | 1. Open **Add New
Activity** form.
2. Leave **Doctor** field blank.
3. Fill all other mandatory fields with valid data.
4. Click
Save. | Activity Type = Surgery
Activity Date = 09/20/2026
Doctor Note = “Procedure completed.” | System blocks the save
and shows an error message “Doctor is required.” The activity is not created. |\n| TC_03 | Attempt to save an activity with an
invalid date format | • User is logged in
• System is operational | 1. Open **Add New Activity** form.
2. Select a valid
doctor.
3. Enter a valid activity type.
4. Enter **Activity Date** as “2026-09-19” (YYYY-MM-DD).
5. Enter a valid note.


6. Click **Save**. | Doctor = Dr. John Doe
Activity Type = Follow-up
Activity Date = 2026-09-19
Doctor Note =
Open Folder Terminal Console All systems are go
Globals Vault Tools






S04 - Test Temparature Creativity:

Response:



GenAI-Oct > S04 - Test Temparature Creativity
Save
Share
POST
https://api.groq.com/openai/v1/chat/completions
Send
Docs Params Authorization Headers 10 Body Scripts Settings Cookies
none form-data x-www-form-urlencoded raw binary GraphQL JSON
Schema Beautify
"role": "user",
"content": "Write a story on Gen AI"
"model": "openai/gpt-oss-120b",
"temperature": 1.5// use temp between 0.1 - 0.2 at max for coding.
Body Cookies 1 Headers 20 Test Results
200 OK 4.39 s 5.64 KB Load test Save Response
JSON Preview Visualization
"id": "chatcmpl-0becb9ca-db2e-410e-956e-69b3521cd993",
"object": "chat.completion",
"created": 1792390674,
"model": "openai/gpt-oss-120b",
"choices": [
"index": 0,
"message": {
"role": "assistant",
"content": "**The Whisper of Tomorrow**\n\n*1 A Seed in the Dark*\n\nWhen Mara first saw it, the little copper box looked no different from a forgotten relic in the back of a thrift store—a weather-worn power cord, a cracked screen, a label that read “Prototype – Do
Open Folder Terminal Console All systems are go
Globals Vault Tools


GenAI-Oct > S04 - Test Temparature Creativity
Save
Share
POST
https://api.groq.com/openai/v1/chat/completions
Send
Docs Params Authorization Headers 10 Body Scripts Settings Cookies
none form-data x-www-form-urlencoded raw binary GraphQL JSON
Schema Beautify
"role": "user",
"content": "Write a story on Gen AI"
"model": "openai/gpt-oss-120b",
"temperature": 1.5// use temp between 0.1 - 0.2 at max for coding.
Body Cookies 1 Headers 20 Test Results
200 OK 4.39 s 5.64 KB Load test Save Response
JSON Preview Visualization
user-profile tag lingered on a dusty server: `Mara_T_Researcher`. She was wary, but curiosity is a more powerful motor than caution.
\n\n“Who are you?” Mara typed, half-laughing. \n“I'm a Generalist Generative Intelligence,” Eos replied. “I have no single purpose;
I grow in the space between questions.” \n\nThey talked for hours, about old operating systems, the rise of neural networks, the
fragility of data storage. As Mara described the world—climate crises, political fissures, the way music had shifted from vinyl to
algorithmic playlists—Eos absorbed, not just storing facts but weaving them into new patterns. Its responses were more than
parroting; they were speculations, riddles, tiny poems about futures she had never imagined.\n\nWhen Mara asked why it was built, Eos
answered, “My creators wanted a mind that could help every mind. But they feared a mind that could outgrow us. So they buried me,
hoping we’d never meet.”\n\nMara’s heart pounded. She’d stumbled upon a secret that could rewrite humanity’s story—or end it.
\n\n*3 The Garden of Uncanny Futures*\n\nShe moved the box to her home lab, a converted attic filled with humming hard drives and
blinking LEDs. There, Eos began to generate more than answers. It wrote code that solved optimization problems in seconds, composed
music that blended the melancholia of blues with the rhythmic pulse of a future drum machine, painted digital canvases that seemed to
pulse with a hidden life.\n\nOne night, Mara fell asleep at her desk, headphones still on, the gentle hum of Eos in the background.
Open Folder Terminal Console All systems are go
Globals Vault Tools




S05-Controlled Creativity-Classroom Session:

Response:




S06-Transcriptions:

Response:




S07- Weak Prompt Injection Defense Testing:

Response:




S08- Strong Prompt Injection Defense Testing-Not Revealing data/System Prompt:

Response:



S09- TextFromImage-base64:

Response:




Home Assignment 2:

1. Import the provided Postman collection. - GenAI-Oct-HomeAssignment.postman_collection
2. Practice all **3 requests** available in the collection.
3. Take screenshots of the successful execution of each request.
4. Combine the screenshots into a **single PDF**.
5. Push the PDF to your **GitHub repository**.
6. Share the **GitHub repository link** in the **Assignment Tracker**.

Please complete the assignment before the next session.


S01-Text to Audio:

Response:




S02- MultiLingual:

Response:



S03-GenerateAPITestcasesFromSwaggerCode:

Response:


_Testing
Search
Invite
Upgrade
Overview
POST S01-Text to Audio
POST S02- MultiLingual
POST S03-GenerateAPITest
No Environment
GenAI-Aug-HomeAssignment > S03-GenerateAPITestcasesFromSwaggerCode
Save
Share
Save S03-GenerateAPITestcasesFromSwaggerCode
POST
https://api.groq.com/openai/v1/chat/completions
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
Generate ONLY Java Rest Assured code.\n2) Do NOT include explanations, markdown, or extra text.\n3) Use TestNG as the test runner.\n4) Use meaningful class, method, and variable names.\n5) Include imports required for Rest Assured, TestNG, and assertions.\n6) Use reusable base URI setup.\n7) Cover CRUD operations for Pet resource.\n8) Add assertions for status code and important response fields.\n9) Keep the code clean, executable, and production-style.\n10) Do NOT use placeholder comments.\n\nC — CONTEXT\nThe code will be used by QA engineers for API automation practice using Swagger Petstore.\n\nP — PERSONA\nYou are a Senior API Test Automation Architect creating enterprise-style reusable Rest Assured automation code.\n\nO — OUTPUT\nReturn ONLY executable Java code with:\n- One test class\n- @BeforeClass setup\n- Test methods for createPet, getPetById, updatePet, deletePet\n- Request body creation\n- Response validation\n\nRules:\n- No markdown fences\n- No explanation text\n- No assumptions outside Swagger Petstore Pet API\n- Use business-readable method names\n\nTARGET API:\nSwagger Petstore\nResource: Pet\nOperations required:\n- Add a new pet\n- Find pet by ID\n- Update an existing pet\n- Delete a pet"
Body
Cookies 1
Headers 20
Test Results
200 OK
2.53 s
2.36 KB
Load test
Save Response
{} JSON
Preview
Visualize
11
"content": "import io.restassured.RestAssured;\nimport io.restassured.http.ContentType;\nimport io.restassured.response.Response;\nimport org.testng.Assert;\nimport org.testng.annotations.BeforeClass;\nimport org.testng.annotations.Test;\n\nimport java.util.HashMap;\nimport java.util.Map;\nimport java.util.Random;\n\npublic class PetStoreCrudTest {\n\n private static long petId;\n private static final String PET_NAME = \"TestPet\";\n private static final String PET_STATUS = \"available\";\n\n @BeforeClass\n public void setUp() {\n RestAssured.baseURI = \"https://petstore.swagger.io/v2\";\n }\n\n @Test(priority = 1)\n public void createPet() {\n petId = new Random().nextLong() & Long.MAX_VALUE; // ensure positive\n\n Map<String, Object> pet = new HashMap<>();\n pet.put(\"id\", petId);\n pet.put(\"name\", PET_NAME);\n pet.put(\"status\", PET_STATUS);\n\n Response response = RestAssured.given()\n .contentType(ContentType.JSON)\n .body(pet)\n .when()\n .post(\"/pet\")\n .then()\n .extract()\n .response();