

after restoring do this to avoid sending mails to server

after restoring do this to avoid sending mails to server

```
update res_users set active=False where id not in (549,589,349,372);
```

```
update ir_mail_server set
```

```
smtp_pass=concat(smtp_pass,'123'),smtp_user=concat('1233',smtp_user,'434') where id=1;
```

```
update ir_config_parameter set value='40.120.92.13:5432:lbhg:postgres:openpgpwd' where key='ebs_cloud.host';
```

```
update ir_config_parameter set value=concat('ef811',value,'48ef5s') where key='database.uuid';
```

```
update ir_config_parameter set value='2025-12-31 10:43:14' where key='database.expiration_date';
```

```
update res_users set active=False where id not in (549,589,349,372,652);
```

```
update ir_mail_server set
```

```
smtp_pass=concat(smtp_pass,'123'),smtp_user=concat('1233',smtp_user,'434') where id=1;
```

```
update fetchmail_server set password='1524s',active=False,port=114 where id=1;
```

```
update ir_config_parameter set value='40.120.92.13:5432:lbhg:postgres:openpgpwd' where key='ebs_cloud.host';
```

```
update ir_config_parameter set value=concat('ef811',value,'48ef5s') where key='database.uuid';
```

```
update ir_config_parameter set value='2025-12-31 10:43:14' where key='database.expiration_date';
```

```
update ir_config_parameter set value='http://localhost:8069' where key='web.base.url';
```

```
update ir_config_parameter set value='40.120.88.200:5432:customer_portal:postgres:openpgpwd' where key='ebs_portal.host';
```

```
update ir_cron set active=False where id=97;
```

```
update ir_cron set active=False where id=107;
```