




Gaussian
 Poisson
 AsymmetricGaussian
 Unconstrained

CMS Internal

$\hat{r} = 1.00^{+0.23}_{-0.21}$










Gaussian
 AsymmetricGaussian
 Poisson
 Unconstrained


CMS *Internal*


$\hat{r} = 1.00^{+0.23}_{-0.21}$




























































Gaussian
 AsymmetricGaussian
 Poisson
 Unconstrained


CMS *Internal*

$\hat{r} = 1.00^{+0.23}_{-0.21}$

721 CMS_NPS26012_zgammaNonclosure_lowdm_u600toInf_2025
722 prop_biny2024_QCPCR_lowdm_Nb2plus_u450to550_bin0_Top
723 MS_NPS26012_topWComposition_lowdm_Nb1_binu750toInf_2024
724 prop_biny2024_SR_highdm_bin71_bin0_VV_VVV
725 MS_NPS26012_topWComposition_lowdm_Nb1_binu500to600_2025
726 prop_biny2024_QCPCR_lowdm_Nb2plus_u450to550_bin0_WtoLNu
727 prop_biny2024_SR_lowdm_bin33_bin0_Zto2Nu
728 prop_biny2025_QCPCR_lowdm_Nb2plus_u450to550_bin0_WtoLNu
729 NPS26012_topWComposition_lowdm_Nb2plus_binu550to650_2025
730 prop_biny2025_GCR_lowdm_Nb2plus_u500toInf_bin0
731 MS_NPS26012_topWComposition_lowdm_Nb1_binu650to750_2024
732 prop_biny2025_SR_highdm_bin53_bin0_VV_VVV
733 MS_NPS26012_topWComposition_lowdm_Nb1_binu500to600_2024
734 NPS26012_topWComposition_lowdm_Nb2plus_binu450to550_2025
735 prop_biny2025_SR_lowdm_bin16_bin0
736 prop_biny2025_SR_lowdm_bin33_bin0_Zto2Nu
737 prop_biny2024_SR_lowdm_bin33_bin0_sig_mStop1200_mLSP500
738 prop_biny2024_QCPCR_lowdm_Nb2plus_u450to550_bin0_Zto2Nu
739 MS_NPS26012_topWComposition_lowdm_Nb1_binu550to650_2025
740 NPS26012_topWComposition_lowdm_Nb2plus_binu550to650_2024
741 NPS26012_topWComposition_lowdm_Nb2plus_binu450to550_2024
742 CMS_NPS26012_zgammaNonclosure_highdm_u350to400_2025
743 prop_biny2025_QCPCR_lowdm_Nb2plus_u450to550_bin0_Zto2Nu
744 MS_NPS26012_topWComposition_lowdm_Nb1_binu450to550_2024
745 MS_NPS26012_topWComposition_lowdm_Nb1_binu550to650_2024
746 MS_NPS26012_topWComposition_lowdm_Nb1_binu400to500_2025
747 MS_NPS26012_topWComposition_lowdm_Nb1_binu400to500_2024
748 prop_biny2025_SR_lowdm_bin31_bin0_Zto2Nu
749 MS_NPS26012_topWComposition_lowdm_Nb1_binu650to750_2025
750 prop_biny2025_SR_lowdm_bin33_bin0_sig_mStop1200_mLSP500



Fit
 Pull
 +1σ Impact
 -1σ Impact



Gaussian
 AsymmetricGaussian
 Poisson
 Unconstrained

CMS *Internal*

$\hat{r} = 1.00^{+0.23}_{-0.21}$

