responder Res	sponder	Standardised Mean Difference	SMD	95%-CI	-	Weight (random)
17	9		-0.23 [-	-1.04; 0.58]	8.4%	8.4%
15	24		0.01 [-	-0.64; 0.65]	13.2%	13.2%
13	30		-0.39 [-	-1.05; 0.27]	12.8%	12.8%
26	16	<u></u>	-0.28 [-	-0.90; 0.35]	14.1%	14.1%
46	41		-0.04 [-	-0.46; 0.38]	31.1%	31.1%
21	45	- 	-0.05 [-	-0.57; 0.47]	20.5%	20.5%
138	165		-0.13 [-	-0.36; 0.11]	100.0%	
		*	-0.13 [-	-0.36; 0.11]		100.0%
= 0.93				-		
	17 15 13 26 46 21	15 24 13 30 26 16 46 41 21 45 138 165	17 9 15 24 13 30 26 16 46 41 21 45 138 165	17 9 -0.23 [-15] 15 24 0.01 [-16] 13 30 -0.39 [-16] 26 16 -0.28 [-16] 46 41 -0.04 [-16] 21 45 -0.05 [-16] 138 165 -0.13 [-16]	17 9 -0.23 [-1.04; 0.58] 15 24 0.01 [-0.64; 0.65] 13 30 -0.39 [-1.05; 0.27] 26 16 -0.28 [-0.90; 0.35] 46 41 -0.04 [-0.46; 0.38] 21 45 -0.05 [-0.57; 0.47] 138 165 -0.13 [-0.36; 0.11] -0.13 [-0.36; 0.11] -0.13 [-0.36; 0.11]	responder Responder Difference SMD 95%-CI (fixed) 17 9 -0.23 [-1.04; 0.58] 8.4% 15 24 0.01 [-0.64; 0.65] 13.2% 13 30 -0.39 [-1.05; 0.27] 12.8% 26 16 -0.28 [-0.90; 0.35] 14.1% 46 41 -0.04 [-0.46; 0.38] 31.1% 21 45 -0.05 [-0.57; 0.47] 20.5% 138 165 -0.13 [-0.36; 0.11] 100.0% -0.13 [-0.36; 0.11]