Non-responder F	Responder	Standardised Mean Difference	SMD	95%-CI	Weight (fixed)	Weight (random)
17	9	- <u>-</u> 	0.11	[-0.70; 0.92]	8.5%	8.5%
15	24		-0.23	[-0.88; 0.41]	13.2%	13.2%
13	30	+ -	0.63	[-0.04; 1.29]	12.5%	12.5%
26	16		0.20	[-0.42; 0.83]	14.2%	14.2%
46	41		0.17	[-0.25; 0.59]	31.1%	31.1%
21	45		0.16	[-0.36; 0.67]	20.6%	20.6%
138	165	÷	0.17	[-0.07; 0.40]	100.0%	
		<u> </u>	0.17	[-0.07; 0.40]		100.0%
= 0, p = 0.65				- · · · -		
	17 15 13 26 46 21	15 24 13 30 26 16 46 41 21 45 138 165	Non-responder Responder Difference 17 9 15 24 13 30 26 16 46 41 21 45	Non-responder Responder Difference SMD 17 9 0.11 15 24 -0.23 13 30 0.63 26 16 0.20 46 41 0.17 21 45 0.16 138 165 0.17 0.17 0.17	Non-responder Difference SMD 95%-CI 17 9 0.11 [-0.70; 0.92] 15 24 -0.23 [-0.88; 0.41] 13 30 0.63 [-0.04; 1.29] 26 16 0.20 [-0.42; 0.83] 46 41 0.17 [-0.25; 0.59] 21 45 0.16 [-0.36; 0.67] 138 165 0.17 [-0.07; 0.40] 0.17 [-0.07; 0.40] 0.17 [-0.07; 0.40]	Non-responder Difference SMD 95%-CI (fixed) 17 9 0.11 [-0.70; 0.92] 8.5% 15 24 -0.23 [-0.88; 0.41] 13.2% 13 30 0.63 [-0.04; 1.29] 12.5% 26 16 0.20 [-0.42; 0.83] 14.2% 46 41 0.17 [-0.25; 0.59] 31.1% 21 45 0.17 [-0.36; 0.67] 20.6% 138 165 0.17 [-0.07; 0.40] 100.0% 0.17 [-0.07; 0.40]