Non-responder	Responder	Standardised Mean Difference	SMD	95%-CI	Weight (fixed)	Weight (random)
17	9		-0.21	[-1.02; 0.60]	8.5%	10.7%
15	24		-0.03	[-0.67; 0.62]	13.4%	15.0%
13	30		0.87	[0.19; 1.55]	12.1%	13.9%
26	16	- 1 1	-0.04	[-0.66; 0.59]	14.4%	15.7%
46	41		0.35	[-0.08; 0.77]	31.0%	24.8%
21	45	- !	-0.12	[-0.64; 0.40]	20.7%	19.9%
138	165	-	0.16	[-0.08; 0.40]	100.0%	
			0.15	[-0.15; 0.45]		100.0%
$p^2 = 0.0473, p = 0.18$	3			- · · •		
	17 15 13 26 46 21	15 24 13 30 26 16 46 41 21 45 138 165	Non-responder Responder Difference 17 9 15 24 13 30 26 16 46 41 21 45 138 165	Non-responder Responder Difference SMD 17 9 -0.21 15 24 -0.03 13 30 0.87 26 16 -0.04 46 41 0.35 21 45 -0.12 138 165 0.16 0.15 0.15	Non-responder Responder Difference SMD 95%-CI 17 9 -0.21 [-1.02; 0.60] 15 24 -0.03 [-0.67; 0.62] 13 30 0.87 [0.19; 1.55] 26 16 -0.04 [-0.66; 0.59] 46 41 0.35 [-0.08; 0.77] 21 45 -0.12 [-0.64; 0.40] 138 165 0.16 [-0.08; 0.40] 0.15 [-0.15; 0.45] 0.15 [-0.15; 0.45]	Non-responder Difference SMD 95%-Cl (fixed) 17 9 -0.21 [-1.02; 0.60] 8.5% 15 24 -0.03 [-0.67; 0.62] 13.4% 13 30 0.87 [0.19; 1.55] 12.1% 26 16 -0.04 [-0.66; 0.59] 14.4% 46 41 0.35 [-0.08; 0.77] 31.0% 21 45 -0.12 [-0.64; 0.40] 20.7% 0.16 [-0.08; 0.40] 100.0% 0.15 [-0.15; 0.45]