responder Re	sponder	Standardised Mean Difference	SMD	95%-CI	Weight (fixed)	Weight (random)
17	9		0.00 [-	-0.81; 0.81]	8.4%	8.4%
15	24	<del>-    </del>	-0.31 <sup>[</sup> -	-0.96; 0.34]	13.0%	13.0%
13	30	<del>-  </del>	0.00 [-	-0.65; 0.65]	13.0%	13.0%
26	16	<del></del>	-0.23 [-	-0.85; 0.40]	14.1%	14.1%
46	41		-] 00.0	-0.42; 0.42]	31.0%	31.0%
21	45		-0.06 [-	-0.58; 0.46]	20.5%	20.5%
138	165		-0.09 [-	-0.32; 0.15]	100.0%	
		<b>~</b>	-	•		100.0%
= 0.97						
	17 15 13 26 46 21	15 24 13 30 26 16 46 41 21 45 138 165	17 9 15 24 13 30 26 16 46 41 21 45 138 165	17  9  0.00 [-15]    15  24  -0.31 [-15]    13  30  0.00 [-15]    26  16  -0.23 [-15]    46  41  0.00 [-15]    21  45  -0.06 [-15]    138  165  -0.09 [-15]	Presponder Responder  Difference  SMD  95%-CI    17  9  0.00 [-0.81; 0.81]  0.01 [-0.96; 0.34]    13  30  0.00 [-0.65; 0.65]  0.00 [-0.65; 0.40]    26  16  0.00 [-0.85; 0.40]  0.00 [-0.42; 0.42]  0.00 [-0.42; 0.42]    21  45  0.09 [-0.58; 0.46]  0.09 [-0.32; 0.15]  0.09 [-0.32; 0.15]	Presponder Responder  Difference  SMD  95%-CI (fixed)    17  9  0.00 [-0.81; 0.81]  8.4%    15  24  -0.31 [-0.96; 0.34]  13.0%    13  30  0.00 [-0.65; 0.65]  13.0%    26  16  -0.23 [-0.85; 0.40]  14.1%    46  41  0.00 [-0.42; 0.42]  31.0%    21  45  -0.06 [-0.58; 0.46]  20.5%    138  165  -0.09 [-0.32; 0.15]  100.0%    -0.09 [-0.32; 0.15]