Non-responder	Responder	Standardised Mean Difference	SMD	95%-CI	•	Weight (random)
17	9	-+-	0.00	[-0.81; 0.81]	8.5%	8.5%
15	24	- •	0.28	[-0.37; 0.92]	13.2%	13.2%
13	30	 = -	0.37	[-0.29; 1.02]	12.9%	12.9%
26	16	 •	0.32	[-0.31; 0.94]	14.1%	14.1%
46	41		0.43	[0.00; 0.85]	30.6%	30.6%
21	45		0.14	[-0.38; 0.66]	20.6%	20.6%
138	165		0.29	[0.05; 0.52]	100.0%	
		<u></u>				100.0%
= 0, p = 0.94		1 1		- , -		
	17 15 13 26 46 21	15 24 13 30 26 16 46 41 21 45 138 165	Non-responder Responder Difference 17 9 15 24 13 30 26 16 46 41 21 45 138 165	Non-responder Responder Difference SMD 17 9 0.00 15 24 0.28 13 30 0.37 26 16 0.32 46 41 0.43 21 45 0.14 138 165 0.29 0.29 0.29	Non-responder Responder Difference SMD 95%-CI 17 9 0.00 [-0.81; 0.81] 0.28 [-0.37; 0.92] 13 30 0.37 [-0.29; 1.02] 0.37 [-0.29; 1.02] 26 16 0.32 [-0.31; 0.94] 0.43 [0.00; 0.85] 21 45 0.14 [-0.38; 0.66] 138 165 0.29 [0.05; 0.52] 0.29 [0.05; 0.52] 0.29 [0.05; 0.52]	Non-responder Difference SMD 95%-CI (fixed) 17 9 0.00 [-0.81; 0.81] 8.5% 15 24 0.28 [-0.37; 0.92] 13.2% 13 30 0.37 [-0.29; 1.02] 12.9% 26 16 0.32 [-0.31; 0.94] 14.1% 46 41 0.43 [0.00; 0.85] 30.6% 21 45 0.14 [-0.38; 0.66] 20.6% 138 165 0.29 [0.05; 0.52] 100.0% 0.29 [0.05; 0.52]