Non-responder	Responder	Standardised Mean Difference	SMD	95%-CI	•	Weight (random)
17	9	<del>-   <u> -</u></del>	0.29	[-0.53; 1.10]	8.5%	10.8%
15	24	<del>                                      </del>	0.44	[-0.22; 1.09]	13.1%	14.8%
13	30	1	0.78	[ 0.10; 1.45]	12.3%	14.2%
26	16		-0.47	[-1.10; 0.16]	14.0%	15.5%
46	41	<del></del>	0.17	[-0.26; 0.59]	31.4%	24.8%
21	45	-	0.13	[-0.38; 0.65]	20.8%	19.9%
138	165		0.19	[-0.05; 0.43]	100.0%	
			0.20	[-0.10; 0.50]		100.0%
$p^2 = 0.0500, p = 0.17$	,			- , -		
	17 15 13 26 46 21	15 24 13 30 26 16 46 41 21 45 138 165	Non-responder Responder Difference  17 9 15 24 13 30 26 16 46 41 21 45  138 165	Non-responder Responder         Difference         SMD           17         9         0.29           15         24         0.44           13         30         0.78           26         16         -0.47           46         41         0.17           21         45         0.13           138         165         0.19           0.20         0.20	Non-responder         Difference         SMD         95%-CI           17         9         0.29 [-0.53; 1.10]           15         24         0.44 [-0.22; 1.09]           13         30         0.78 [0.10; 1.45]           26         16         -0.47 [-1.10; 0.16]           46         41         0.17 [-0.26; 0.59]           21         45         0.13 [-0.38; 0.65]           138         165         0.19 [-0.05; 0.43]           0.20 [-0.10; 0.50]         0.50]	Non-responder         Difference         SMD         95%-Cl (fixed)           17         9         0.29 [-0.53; 1.10] 8.5%           15         24         0.44 [-0.22; 1.09] 13.1%           13         30         0.78 [0.10; 1.45] 12.3%           26         16         -0.47 [-1.10; 0.16] 14.0%           46         41         0.17 [-0.26; 0.59] 31.4%           21         45         0.13 [-0.38; 0.65] 20.8%           138         165         0.19 [-0.05; 0.43] 100.0%           0.20 [-0.10; 0.50]