

STANDARD OPERATING PROCEDURE

Website Architecture & Build-Out — tdiusa.com

TDI® Builders, Inc.

Document Owner	Rob Carpenter
Created	May 2026
Version	1.0
Classification	Internal — Confidential
Project Domain	tdiusa.com
Migrating From	buildwithtdi.com
Strategy Rating	9.3 / 10 (per executive strategy review, May 2026)

1. Purpose & Scope

This SOP documents the complete architecture, content, technical, and operational specification for the TDI® Builders website at tdiusa.com. It is the master reference for design, development, content, and operations teams responsible for building, launching, and maintaining the site.

This document exists so the website can be fully built, migrated, and launched by any authorized vendor or internal team without requiring institutional memory or external assistance. It also serves as the source of truth for ongoing content production and phased build-out through the first 18 months of operation.

In Scope

- Full information architecture for ~550 pages across 10 top-level silos
- Page-by-page specifications for every template type
- Brand application standards based on the TDI® Branding Guidelines
- Technical & SEO requirements (schema, performance, accessibility, security)
- Conversion architecture, speed-to-lead engineering, and CRM integration
- Content strategy, production workflow, and writer/SME structure
- Photography and visual asset production plan
- Internal linking architecture
- Phased build-out roadmap (6 phases over 12–18 months)
- Migration plan from buildwithtdi.com
- Operational alignment requirements (what dispatch and ops must deliver)
- QA, validation, and launch checklist

Out of Scope

- Paid media campaign management (Google Ads, LSAs) — separate SOP when implemented

- Social media lead intake — covered in the Social Media Lead Intake SOP (HubSpot)
- CallRail routing setup — separate SOP when implemented
- Email marketing nurture sequences beyond website conversion confirmation
- Spanish-language site implementation — deferred to Phase 6 or later

2. Strategic Objectives

The website is the primary digital asset of TDI® Builders. It must serve four audiences in parallel and convert each to qualified inbound leads while building the long-term domain authority required to dominate Northern California restoration search.

Primary Business Objectives

1. Establish tdiusa.com as the highest-ranking restoration website in Northern California for both residential and commercial intent searches.
2. Migrate domain authority from buildwithtdi.com without ranking loss.
3. Position TDI® Builders as the operator-led, expertise-driven alternative to franchise restoration brands.
4. Generate qualified inbound leads in three categories: residential emergency, commercial facility (B2B), and insurance / legal referrals.
5. Build a portable, ownership-controlled digital asset that contributes to long-term enterprise value.

Target Audiences

Audience	Primary Pages	Conversion Action
Residential homeowners — water, fire, mold emergencies	Geo + service pages, homeowner FAQs, insurance content	Call hotline, request emergency dispatch
Commercial facility managers — multi-property, multi-vertical	Industry pages, large-loss page, business continuity, vendor program	Request facility assessment, join vendor network
Insurance adjusters and TPAs	Insurance silo, IICRC standards, adjuster portal	Refer claim, request work authorization
Public adjusters and insurance attorneys	Expert witness, Xactimate consulting, denied claim recovery	Engage expert services, refer claims
Property managers, HOAs, REITs	Property management vertical, multifamily, vendor program	Add TDI® to approved vendor list
Government and municipal procurement	Government-municipal vertical, certifications, RFP info	Submit RFP, prequalify TDI®

Competitive Differentiation

The following capabilities must be architecturally visible across the site — not buried — because they are the strategic moat against franchise restoration brands.

Differentiator	How It Shows Up	Competitor Gap
Insurance claims advocacy	Dedicated /insurance-claims/ silo with 14 sub-pages — denied claim recovery, Xactimate disputes, CA Insurance Code 2695 content	Franchise sites are network-bound to carriers and cannot publish policyholder advocacy content
Large-loss capability	Dedicated /commercial-services/large-loss/ section, large-loss case study portfolio, mentorship page	Most local franchises lack multi-million-dollar loss experience or content

Differentiator	How It Shows Up	Competitor Gap
Expert witness & consulting	/expert-services/ silo — expert witness, construction consulting, Xactimate consulting, mentorship	No franchise competitor offers these services
Industry-vertical depth	14 industry verticals with sub-services (ICRA compliance, HIPAA-compliant restoration, casino 24/7 protocols)	Most competitors carry 3–5 generic vertical pages
Geo-service matrix	30 cities × 7 services + neighborhood-level pages for Sacramento	Franchise sites typically have a single city page per location with no service breakout
Operator authority	Rob Carpenter bio, 40-year legacy, IICRC certifications prominent	Franchise sites use generic corporate boilerplate

3. Brand Application

All design, content, and visual decisions must conform to the TDI® Branding Guidelines. This section translates those brand standards into specific website application rules.

Color Palette

Color	Hex	RGB	Application
TDI® Blue (Primary)	#0080C4	0, 128, 196	Primary CTA buttons, headings, link color, header bar, brand accents
Light/Medium Grey	#A4B0BA	164, 176, 186	Secondary buttons, supporting UI, dividers, icon strokes
White	#FFFFFF	255, 255, 255	Page background, card backgrounds, primary content surface
Black / Dark Text	#1A1A1A	26, 26, 26	Body text, paragraph copy
Accent Light Grey	#F4F6F8	244, 246, 248	Section backgrounds, alternating table rows, code blocks

Black is the default body text color. Accent (TDI® Blue) is reserved for headings, subheadings, breakout type, and conversion elements. Greys are used as connective tissue — never for primary CTAs or critical messaging.

Typography

Type Style	Font	Weight	Use
Display / Hero Headlines	Futura PT	Bold or Demi	Page hero H1s, marquee statements
Section Headings (H2)	Futura PT	Demi or Medium	Section dividers, mid-page headers
Subheadings (H3 / H4)	Futura PT	Medium	Tertiary headers, card titles
Body Copy	Futura PT Book	Book / Regular	Paragraph text, list items
UI / Buttons	Futura PT	Medium or Demi	Buttons, navigation, form labels
Fallback Stack	Inter, system-ui, Arial, sans-serif	—	If Futura PT fails to load, browser falls back to Inter then system sans

Futura PT is a licensed font (Adobe Fonts / Monotype). The development team must include a valid license for web embedding. License costs should be budgeted in the project.

Logo Application

- Primary logo lockup: TDI® square mark with optional 'Commercial / Industrial / Residential' descriptor block to the right
- Logo appears in white when placed on TDI® Blue background, blue when placed on white or light grey background
- Minimum clear space around logo equals the height of the 'D' character in the wordmark
- Logo never appears smaller than 32px tall on screens (favicon excepted)
- Logo must always include the ® registered mark

- Do not stretch, recolor outside palette, add effects (drop shadow, glow), or rotate the logo

Brand Patterns & Accents

- The angular line patterns from the brand guidelines are used as accents, dividers, and section backgrounds
- Patterns may be used at varying opacity (10–40%) as background texture
- Patterns may be combined or repeated but should not overwhelm content
- Patterns are restricted to TDI® Blue, light grey, or white. No other colors permitted

Voice & Tone

- Operator voice — direct, confident, expertise-led. Not corporate or generic.
- Short sentences. Strong verbs. No fluff.
- Technical accuracy required — IICRC standards, insurance code references, building science terminology
- Empathy for homeowners in distress; outcome-focused for commercial decision-makers
- Avoid: 'world-class,' 'industry-leading,' 'committed to excellence,' 'turnkey solution,' generic restoration boilerplate
- Use: real specifics, real outcomes, real terminology, real local references

4. Information Architecture

The site is organized into 10 top-level silos. URLs shown are the production slugs and must be implemented as specified. Slug changes require strategic review.

URL Conventions

- All slugs lowercase, hyphenated
- All directories use trailing slashes
- Sub-services live under their parent service category
- City pages live under /service-areas/
- Industry pages live under /industries/
- Geo-service matrix lives at /service-areas/{city-state}/{service}/

Top-Level Structure

```
tdiusa.com/
├── /residential-services/
├── /commercial-services/
├── /industries/
├── /insurance-claims/
├── /service-areas/
├── /local-services/
├── /case-studies/
├── /resources/
├── /about/
├── /trust-signals/
├── /expert-services/
├── /contact/
└── /legal/
```

Page Count Summary

Silo	Pages	Purpose
Residential Services	~70	Long-tail residential service capture
Commercial Services	~50	B2B service depth
Industries	~70	14 verticals + sub-services
Insurance Claims	14	Policyholder advocacy moat
Service Areas (Geo)	~250	30 cities × 7 services + Sacramento neighborhoods
Local Services	14	Cross-cutting trust pages
Case Studies	10+	Project portfolio
Resources	40+ at launch, growing	Topical authority
About / Trust / Expert / Contact	~30	Authority and conversion
Total at full build-out	~550	—

Residential Services Silo (~70 pages)

```

/residential-services/
├── /water-damage/
│   ├── /emergency-water-extraction/
│   ├── /flood-damage-restoration/
│   ├── /burst-pipe-repair/
│   ├── /sewage-cleanup/
│   ├── /basement-flooding/
│   ├── /ceiling-water-damage/
│   ├── /hardwood-floor-water-damage/
│   ├── /carpet-water-extraction/
│   ├── /structural-drying/
│   └── /dehumidification-services/
├── /fire-smoke-damage/
│   ├── /fire-damage-restoration/
│   ├── /smoke-damage-cleanup/
│   ├── /soot-removal/
│   ├── /odor-removal/
│   ├── /board-up-services/
│   ├── /tarping-services/
│   ├── /kitchen-fire-cleanup/
│   ├── /electrical-fire-restoration/
│   ├── /wildfire-damage-restoration/
│   └── /puff-back-cleanup/
├── /mold-remediation/
│   ├── /mold-inspection-testing/
│   ├── /black-mold-removal/
│   ├── /attic-mold-removal/
│   ├── /basement-mold-removal/
│   ├── /crawl-space-mold-removal/
│   ├── /bathroom-mold-removal/
│   ├── /hvac-mold-cleaning/
│   ├── /post-remediation-verification/
│   └── /mold-prevention/
├── /storm-damage/
│   ├── /wind-damage-repair/
│   ├── /hail-damage-restoration/
│   ├── /tree-impact-damage/
│   ├── /roof-tarping/
│   ├── /emergency-board-up/
│   ├── /flooded-property-recovery/
│   └── /hurricane-tornado-recovery/
├── /reconstruction/
│   ├── /post-loss-rebuild/
│   ├── /kitchen-rebuild/
│   ├── /bathroom-rebuild/
│   ├── /flooring-replacement/
│   ├── /drywall-repair-replacement/
│   ├── /roofing-replacement/
│   ├── /siding-replacement/
│   ├── /framing-structural/
│   └── /full-home-rebuild/
├── /contents-cleaning/
│   ├── /pack-out-services/
│   ├── /document-restoration/
│   ├── /electronics-restoration/
│   ├── /textile-cleaning/
│   └── /art-antique-restoration/

```

- /furniture-restoration/
- /ultrasonic-cleaning/
- /storage-during-restoration/
- /biohazard-trauma-cleanup/
- /crime-scene-cleanup/
- /unattended-death-cleanup/
- /suicide-cleanup/
- /blood-cleanup/
- /hoarding-cleanup/
- /infectious-disease-cleanup/
- /tear-gas-residue-cleanup/
- /asbestos-lead-abatement/
- /asbestos-testing/
- /asbestos-removal/
- /lead-paint-testing/
- /lead-paint-abatement/
- /specialty-cleaning/
- /carpet-cleaning/
- /upholstery-cleaning/
- /air-duct-cleaning/
- /dryer-vent-cleaning/
- /odor-removal-deodorization/
- /post-construction-cleaning/

Commercial Services Silo (~50 pages)

- /commercial-services/
 - /water-damage/
 - /commercial-water-extraction/
 - /multi-floor-water-damage/
 - /commercial-sewage-cleanup/
 - /sprinkler-system-flooding/
 - /roof-leak-water-damage/
 - /commercial-structural-drying/
 - /document-records-recovery/
 - /fire-smoke-damage/
 - /commercial-fire-restoration/
 - /commercial-smoke-cleanup/
 - /electrical-fire-recovery/
 - /kitchen-hood-fire-cleanup/
 - /warehouse-fire-restoration/
 - /office-fire-recovery/
 - /soot-odor-decontamination/
 - /mold-remediation/
 - /commercial-mold-inspection/
 - /hvac-mold-decontamination/
 - /large-scale-mold-removal/
 - /occupied-building-remediation/
 - /large-loss/
 - /catastrophic-loss-response/
 - /multi-million-dollar-claims/
 - /multi-property-loss-coordination/
 - /national-account-response/
 - /complex-claims-mentorship/
 - /reconstruction/
 - /commercial-rebuild/
 - /tenant-improvement/
 - /office-buildout/
 - /retail-buildout/

- /restaurant-buildout/
- /multi-family-rebuild/
- /emergency-response/
 - /24-7-emergency-services/
 - /priority-response-program/
 - /pre-loss-planning/
 - /emergency-board-up-tarpping/
 - /temporary-power-services/
 - /catastrophic-event-mobilization/
- /biohazard-decontamination/
 - /infectious-disease-cleaning/
 - /covid-pathogen-decontamination/
 - /commercial-trauma-cleanup/
 - /workplace-violence-cleanup/
- /specialty-commercial-cleaning/
 - /post-construction-cleaning/
 - /commercial-carpet-cleaning/
 - /commercial-air-duct-cleaning/
 - /facility-deep-cleaning/
 - /high-rise-window-exterior/
- /business-continuity/
 - /business-interruption-mitigation/
 - /temporary-relocation-coordination/
 - /pre-loss-emergency-planning/
 - /facility-recovery-management/

Industries Silo (~70 pages)

- /industries/
 - /healthcare-hospitals/ (+ 7 sub-pages)
 - /retail/ (+ 5 sub-pages)
 - /hospitality-hotels/ (+ 5 sub-pages)
 - /schools-education/ (+ 5 sub-pages)
 - /churches-religious/ (+ 5 sub-pages)
 - /casinos-gaming/ (+ 5 sub-pages)
 - /property-management/ (+ 5 sub-pages)
 - /government-municipal/ (+ 5 sub-pages)
 - /industrial-manufacturing/ (+ 5 sub-pages)
 - /office-corporate/ (+ 4 sub-pages)
 - /restaurants-foodservice/ (+ 4 sub-pages)
 - /financial-banking/ (+ 3 sub-pages)
 - /legal-professional/ (+ 3 sub-pages)
 - /senior-living/ (+ 4 sub-pages)

Insurance Claims Silo (14 pages)

- /insurance-claims/
 - /how-to-file-a-claim/
 - /working-with-your-adjuster/
 - /direct-insurance-billing/
 - /preferred-vendor-network/
 - /claims-advocacy/
 - /xactimate-disputes/
 - /supplemental-claims/
 - /denied-claim-recovery/
 - /public-adjuster-coordination/
 - /california-insurance-code-2695/
 - /iicrc-standards-explained/
 - /policy-coverage-guide/
 - /actual-cash-value-vs-replacement-cost/

— /loss-of-use-additional-living-expense/

Service Areas Silo (~250 pages)

Each city page is a hub linking to 7 service-specific child pages. Top 5 markets receive a /neighborhoods/ layer.

Tier 1 — Primary Markets (with neighborhood breakout)

- Sacramento, CA
- Roseville, CA
- Elk Grove, CA
- Folsom, CA
- Modesto, CA

Tier 2 — Greater Sacramento Metro

- Rocklin, Citrus Heights, Rancho Cordova, Fair Oaks, Carmichael
- West Sacramento, Lincoln, Granite Bay, El Dorado Hills, Loomis

Tier 3 — Foothills, Central Valley, North Bay Extension

- Davis, Woodland, Auburn, Placerville, Galt
- Lodi, Stockton, Tracy, Manteca, Turlock
- Vacaville, Fairfield, Napa, Yuba City, Marysville

Per-City URL Pattern

```
/service-areas/{city-state}/
/service-areas/{city-state}/water-damage-restoration/
/service-areas/{city-state}/fire-damage-restoration/
/service-areas/{city-state}/mold-remediation/
/service-areas/{city-state}/storm-damage/
/service-areas/{city-state}/reconstruction/
/service-areas/{city-state}/commercial-restoration/
/service-areas/{city-state}/emergency-services/
```

Local Services Horizontal Layer (14 pages)

Cross-cutting trust and capability pages, linked from every geo and service page.

```
/local-services/24-hour-emergency-restoration/
/local-services/same-day-water-extraction/
/local-services/weekend-emergency-service/
/local-services/spanish-speaking-restoration/
/local-services/insurance-direct-billing-locations/
/local-services/licensed-bonded-insured/
/local-services/iicrc-certified-technicians/
/local-services/senior-discount-program/
/local-services/military-veteran-discount/
/local-services/first-responder-discount/
/local-services/free-inspection-estimate/
/local-services/no-cost-claim-review/
/local-services/community-partnerships/
/local-services/service-radius-coverage-map/
```

Supporting Sections

/case-studies/ (10+ project pages, Fair Oaks church as hero)

/resources/ (homeowner guides, commercial guides, insurance guides, industry insights, local content, video library, downloads)
/about/ (story, leadership, Rob Carpenter bio, TDI® difference, certifications, careers)
/trust-signals/ (reviews, BBB, licensing, insurance, IICRC, affiliations)
/expert-services/ (expert witness, consulting, mentorship, training, Xactimate, advocacy)
/contact/ (emergency hotline, request estimate, commercial inquiry, adjuster portal, vendor application)
/legal/ (privacy, terms, accessibility, sitemap, licenses)

5. Page Template Inventory

The site is built from a finite library of templates. The development team designs each template once, then populates pages via the CMS. Total templates: 27. Total pages at full build-out: ~550.

#	Template	Used For	Pages
1	Homepage	/	1
2	Service Silo Hub	/residential-services/, /commercial-services/	2
3	Service Category Page	Top-level service pages (water, fire, mold, etc.)	~20
4	Service Sub-Page	Third-level service detail pages	~100
5	Industries Hub	/industries/	1
6	Industry Vertical Page	14 industry parent pages	14
7	Industry Sub-Page	Sub-pages within each vertical	~55
8	Insurance Hub	/insurance-claims/	1
9	Insurance Sub-Page	14 insurance claim sub-pages	14
10	Service Areas Hub	/service-areas/	1
11	City Hub Page	30 city pages	30
12	Geo-Service Page	City × Service matrix (30 × 7)	~210
13	Neighborhood Page	Tier 1 city neighborhoods	~30
14	Local Services Page	Horizontal-layer trust pages	14
15	Case Studies Hub	/case-studies/	1
16	Case Study Detail	Individual project pages	10+
17	Resources Hub	/resources/	1
18	Resource Category	Each resource category landing	7
19	Article / Blog Post	Individual articles	40+ at launch
20	About / Story Page	Editorial-style about pages	~10
21	Bio Page	Rob Carpenter, leadership team	~5
22	Trust Signal Page	Certifications, licensing, reviews	~8
23	Expert Service Page	Expert witness, consulting, mentorship	6
24	Contact / Form Page	All contact and conversion pages	7
25	Legal Page	Privacy, terms, accessibility, sitemap	5
26	404 / Error Page	Site error handling	1
27	Search Results Page	Internal search (Phase 2 optional)	1

DESIGN BUDGET ANCHOR

Designing 27 templates is the actual scope of work — not 550 pages. The design team should price by template count, not page count. Each template must include desktop, tablet, and mobile breakpoints, plus all interactive states (hover, active, error, loading, empty).

6. Page Specifications

This section defines required components for every distinct page type. Pages that share a template are specified once with variables called out.

Global Header

- TDI® logo — left-aligned, links to homepage. White on blue background; blue on white background.
- Primary navigation mega-menu: Residential | Commercial | Industries | Service Areas | Resources | About
- Phone number — top-right, click-to-call, sticky on mobile
- Secondary CTA button — 'Request Service' / 'Free Estimate'
- Optional location selector — 'Sacramento, CA ▼'

Mega-Menu Structure

Nav Item	Dropdown Columns
Residential	Col 1: Water / Fire / Mold Col 2: Storm / Reconstruction / Contents Col 3: Biohazard / Asbestos / Specialty
Commercial	Col 1: Water / Fire / Mold Col 2: Large Loss / Reconstruction / Emergency Col 3: Biohazard / Specialty / Business Continuity
Industries	Col 1: Healthcare / Retail / Hospitality / Schools Col 2: Churches / Casinos / Property Mgmt / Government Col 3: Industrial / Office / Restaurants / Senior Living
Service Areas	Tier 1 cities highlighted, full list link, 'View Coverage Map' CTA
Resources	Col 1: Homeowner Guides Col 2: Insurance Claims Col 3: Industry Insights / Video / Downloads
About	Col 1: Our Story / Leadership / Rob Carpenter / Certifications Col 2: Careers / Community / Partner / Expert Services

Global Footer

- Column 1: Logo, NAP (name/address/phone), license number, BBB badge, Google rating widget
- Column 2: Service quick links (top 6 residential + top 6 commercial)
- Column 3: Service area quick links (Tier 1 cities + 'View All')
- Column 4: About / Resources / Insurance Claims / Contact links
- Bottom bar: Copyright, privacy, terms, accessibility, sitemap, social icons
- Certification badges: IICRC, RIA, BBB, Google Guaranteed (when active)

Mobile Sticky Phone Bar

- Persistent bottom-of-screen on every mobile page
- Single tap-to-call CTA — 'CALL 24/7: (XXX) XXX-XXXX'
- Background TDI® Blue, white text, full width, ~60px tall
- Auto-hides only when contact form field is focused

Homepage Structure (Top to Bottom)

Section 1: Hero

- Headline: bold brand statement (e.g., 'Restoration Built on Tradition, Dedication, and Integrity.')
- Subhead: one-sentence positioning covering both residential and commercial
- Primary CTA: '24/7 Emergency Hotline' click-to-call
- Secondary CTA: 'Request Commercial Assessment' linking to /contact/commercial-inquiry/
- Hero imagery: real project photo or short loop video — Fair Oaks church or large loss
- Trust strip below hero: 40+ years • IICRC certified • Licensed & insured • Largest service radius

Section 2: Audience Router

- Two-up split — 'I'm a Homeowner →' and 'I'm a Facility Manager →'
- Each card has brief copy, 3 capability bullets, primary CTA

Section 3: Service Grid (6-up)

- Six tiles — Water Damage / Fire & Smoke / Mold / Storm / Reconstruction / Large Loss
- Each tile: icon, name, 1-line description, 'Learn more →' link

Section 4: Why TDI®

- Three-column block — Insurance Claims Advocacy / 40+ Year Legacy / Large Loss Capability

Section 5: Service Area Map

- Interactive map showing Northern California coverage radius
- Pinned markers for Tier 1 markets
- CTA: 'Find your city →' linking to /service-areas/

Section 6: Industries We Serve

- Industry icon grid (12-up) linking to /industries/ pages

Section 7: Featured Case Study — Fair Oaks Church

- Before/after slider, 2-3 sentence narrative, 'View case study →'

Section 8: Insurance Claims Strip

- Headline: 'We Fight for Policyholders'
- 3 quick wins — Direct billing / Denied claim recovery / Xactimate dispute support
- CTA: 'Free claim review →'

Section 9: Reviews / Social Proof

- Live Google reviews carousel (3 visible at a time)
- BBB rating, Google rating, total review count

Section 10: Recent Resources

- 3 latest blog posts from /resources/

Section 11: Final CTA Band

- 'Damage doesn't wait. Neither do we.'
- Dual CTA: 24/7 hotline + free estimate form

Service Category Page Template

Used for residential and commercial service category pages (water, fire, mold, etc.)

Section	Specification
Hero	Service-specific headline, click-to-call, hero image
Quick stats strip	Response time / Years of experience / IICRC certifications
What We Do	2-3 paragraph operator-voice overview
Sub-Services Grid	Cards linking to all child pages
Our Process	Visual process stepper specific to service
Equipment & Standards	IICRC standards, equipment photos, certifications
Insurance & Claims	How TDI® handles this service through insurance, link to /insurance-claims/
FAQ	8–12 service-specific FAQs with FAQ schema
Case Studies	2-3 related case study cards
Service Area Reminder	Map + linked city list
Final CTA Band	Emergency hotline + estimate form

Service Sub-Page Template

Used for third-level service pages — these are the long-tail SEO pages.

Section	Specification
Hero (H1)	Hyper-specific headline matching search intent
Phone CTA	Above the fold, click-to-call
What is [problem]	200–300 word search-intent explainer
Signs You Need This Service	Bulleted symptoms / triggers
Our Process	5–7 step process specific to this sub-service
Why TDI®	3 differentiators relevant to service
Common Questions	5–8 FAQs with FAQ schema
Related Services	Internal links to 3–5 related pages
Geo Reminder	Linked service area cities
CTA Band	Local phone + estimate form

Industry Vertical Page Template

Section	Specification
Hero	Industry-specific headline + decision-maker CTA

Section	Specification
Industry-specific challenges	What makes restoration in this vertical unique
Compliance & Standards	ICRA, HIPAA, OSHA, FDA, FERPA as relevant
Service Capabilities	Cross-link to commercial service pages
Sub-Vertical Pages	Cards linking to specialty sub-pages
Operational Considerations	Occupied facility protocols, after-hours work, infection control
Case Studies	Vertical-specific projects
Decision-Maker FAQ	Questions facility managers actually ask
Vendor Onboarding CTA	How to add TDI® as preferred vendor
Contact Form	Commercial inquiry form, vertical pre-tagged

City Hub Page Template

Section	Specification
Hero	City-specific H1, click-to-call, local image
Local NAP block	Phone, hours, response time for this city
Service Grid (7-up)	Links to all 7 service pages for this city
Local Knowledge Block	Climate factors, common loss types, neighborhoods, local codes
Embedded Map	Google Map centered on city with service radius
Local Case Studies	Projects in this city or surrounding area
Local Reviews	Google reviews from this city when available
Neighborhoods (Tier 1)	Linked neighborhood pages
Local FAQ	City-specific questions
Cross-link to nearby cities	3–5 nearest TDI® service areas
CTA Band	City-specific phone + form

Geo-Service Page Template

Highest-volume page type on the site. ~210 pages total. Each must be unique — no spinning, no templating beyond structure.

Section	Specification
Hero (H1)	'{Service Name} in {City}, CA' — exact-match primary keyword
Local response messaging	Response time, service radius, local crew availability
Service overview	200–400 words written specifically for this city + service combo
Why TDI® in {City}	Local credibility — years serving area, local case studies, certifications

Section	Specification
Process	Reuse stepper from parent service page
Local FAQ	3–5 questions specific to this city + service
Local case study or testimonial	From this city when available
Linked related services in this city	Cross-links to other 6 service pages
CTA	Local phone + estimate form
UNIQUENESS RULE Every geo-service page must have at least 60% unique content compared to its siblings. Templated intros, spun paragraphs, or near-duplicate copy will trigger Google's helpful-content algorithm and damage rankings for the entire silo. Allocate writing budget accordingly.	

Insurance Sub-Page Critical Specs

Page	Strategic Purpose	Key Content
how-to-file-a-claim	Top-of-funnel education	Step-by-step claim filing, documentation requirements
denied-claim-recovery	High-intent conversion	Why claims get denied, supplemental processes
xactimate-disputes	Industry credibility	Scope disputes, line-item methodology, market pricing
california-insurance-code-2695	Authority + SEO	Plain-language explainer of CA Code 2695.9(b), claim handling timelines
iicrc-standards-explained	Technical credibility	S500, S520 explained for homeowners and adjusters
claims-advocacy	Primary silo conversion	How TDI® advocates, real outcomes, when to call first

Case Study Page Template

Section	Specification
Hero	Project title, location, scope summary, lead photo
Project Snapshot	Type of loss, date, square footage, project value (when shareable), duration
The Situation	What happened — narrative, 200–400 words
TDI® Response	How we mobilized, what we did, key decisions

Section	Specification
The Restoration	Step-by-step with photos and timeline
Outcome / Results	Final result, client outcome, measurable wins
Before / After Gallery	5–10 image pairs with captions
Video walkthrough	Embedded video when available
Testimonial	Quote from client when available
Services Used	Linked relevant service pages
Related Case Studies	3 cards of similar projects
CTA	'Have a similar project?' form

7. Technical & SEO Requirements

These are non-negotiable technical specifications. Compliance is what allows the architecture to actually rank — without these, even perfect content underperforms.

Platform & Hosting

- CMS: WordPress (recommended) or comparable platform with full structural control
- Hosting: Managed WordPress (WP Engine, Kinsta, or equivalent) — premium tier
- CDN: Cloudflare or built-in edge caching
- SSL: Full HTTPS site-wide, HTTP/2 minimum (HTTP/3 preferred)
- PHP version: 8.2+
- Backups: Daily automated, 30-day retention minimum
- Staging environment: Required for all releases

Performance Targets

Metric	Target	Measurement
Largest Contentful Paint (LCP)	< 2.5 seconds	Core Web Vitals via PageSpeed Insights
Interaction to Next Paint (INP)	< 200 ms	Core Web Vitals
Cumulative Layout Shift (CLS)	< 0.1	Core Web Vitals
Time to First Byte (TTFB)	< 800 ms	Server response time
Total page weight	< 2 MB on critical pages	Network transfer size
Mobile PageSpeed score	90+	PageSpeed Insights mobile
Desktop PageSpeed score	95+	PageSpeed Insights desktop

SEO Technical Requirements

- Clean semantic HTML5 markup — proper use of <header>, <main>, <article>, <nav>, <footer>
- Single H1 per page, hierarchical H2/H3/H4 structure
- Meta title and description fields editable per page in CMS
- Open Graph and Twitter Card tags configurable per page
- Canonical URL on every page
- XML sitemap auto-generated, submitted to Google Search Console and Bing Webmaster Tools
- HTML sitemap at /legal/sitemap/
- Robots.txt configured to allow live pages, disallow staging/admin
- Hreflang tags ready for future Spanish-language version
- Pretty URLs — lowercase, hyphenated, no parameters
- Trailing slash convention enforced site-wide
- 301 redirects for any URL changes
- Custom 404 page with search and popular content

- Breadcrumb navigation on every page below top level

Schema Markup Requirements

Page Type	Required Schema
All pages (global)	Organization, WebSite, BreadcrumbList
Homepage	LocalBusiness with Place locations, AggregateRating
Service pages	Service, Offer (where applicable), AggregateRating
Geo / city pages	LocalBusiness with Place markup, Service area markup
Industry pages	Service with audience targeting
Insurance / informational	Article, FAQPage where FAQ block present
Case study pages	Article, ImageObject for galleries
Blog / resources	Article, BlogPosting, FAQPage where applicable, Author
About / Bio pages	Person (Rob Carpenter), Organization
Reviews pages	Review, AggregateRating from real reviews only
Contact pages	ContactPoint within LocalBusiness
Video content	VideoObject

Local SEO Configuration

- Google Business Profile linked from every geo page footer
- NAP consistency — same format across site, GBP, all directories
- Citation strategy — submit to top 50 local citations (Yelp, BBB, Angi, Houzz, IICRC, RIA, Chamber of Commerce)
- Review schema pulling live from Google Business Profile
- Service area schema specifying coverage radius
- Embedded Google Maps on every geo page
- Local phone numbers (or CallRail tracking numbers) on each city page

Analytics & Tracking

- Google Analytics 4 with full event tracking
- Google Search Console verified for tdiusa.com and buildwithtdi.com
- Google Tag Manager for central tag management
- CallRail integration — Dynamic Number Insertion, call tracking, recording where legal
- HubSpot tracking pixel — CRM lead attribution (Account ID 48033708)
- Conversion goals: phone calls, form submissions, downloads, calendar bookings
- Heatmap tool — Hotjar or Microsoft Clarity
- UTM tagging convention documented for all paid campaigns

Lead-Response Automation

New requirement, added per strategy review. The website is the front door for the speed-to-lead system specified in Section 9.

- Form submissions trigger immediate HubSpot contact creation
- Emergency form submissions trigger SMS to dispatch within 30 seconds
- Form data carries source attribution (page, UTM, campaign) into HubSpot record
- Auto-response email sent within 60 seconds of submission
- CallRail missed-call webhook fires SMS to dispatch and creates HubSpot record
- All lead events flow into HubSpot for unified attribution and reporting

Accessibility (WCAG 2.1 AA)

- All images have meaningful alt text
- Color contrast meets WCAG AA on all text
- Keyboard navigation works fully — every interactive element reachable
- Form fields have visible labels (no label-as-placeholder)
- ARIA roles and landmarks implemented
- Focus states clearly visible on all interactive elements
- Skip-to-content link present
- Accessibility statement page at </legal/accessibility-statement/>

Security

- HTTPS site-wide with HTTP→HTTPS redirect
- HSTS header enabled
- Web Application Firewall (Cloudflare WAF or equivalent)
- Daily malware scanning
- CMS login: 2FA enforced, login attempt limits
- Database hardening, prefix randomization (WordPress)
- Form spam protection — reCAPTCHA v3 or honeypot fields, no real-user blocking
- PII protection on all form submissions

8. Conversion & Speed-to-Lead Engineering

Architecture and SEO drive traffic. Conversion architecture turns traffic into qualified leads. Per the strategy review, this section now includes explicit speed-to-lead engineering — the operational handoff from form submission to dispatch — because most restoration websites leak revenue here.

Primary Conversion Hierarchy

6. Phone call to 24/7 emergency hotline (highest value, fastest conversion)
7. Form submission — quick estimate (residential)
8. Form submission — commercial inquiry / facility assessment (B2B)
9. Form submission — adjuster portal / claim referral
10. Resource download (lead capture into HubSpot)
11. Live chat engagement (Phase 2)

Click-to-Call Standards

- Phone number visible in top-right of header on every page (sticky on scroll for desktop)
- Mobile sticky bottom bar with full-width tap-to-call across every page
- Phone number embedded as click-to-call CTA in every hero and CTA band
- Phone number is a tracked CallRail DNI number for source attribution
- Local phone number variants on geo pages
- Optional 'Click to text' alongside phone for younger demographics

Form Standards

- Quick estimate form: 4 fields max — Name, Phone, Address, Brief description
- Commercial inquiry form: 8 fields max with progressive disclosure
- All forms submit to HubSpot with proper UTM and source tagging
- Confirmation pages with expected response time and next-step messaging
- Email auto-response confirming receipt
- SMS notification to operations team for emergency form submissions
- Form abandonment tracking via Hotjar
- Mobile-optimized — tel, email, address input types
- Trust signals near every form (BBB, license number, 'Your info is never shared')

Speed-to-Lead SLAs

Every form submission and missed call triggers a defined response cadence. These are commitments dispatch must staff for. Marketing copy never promises a response time the operation cannot deliver.

Lead Source	Business Hours SLA	After Hours SLA	Weekend SLA
Emergency hotline call (answered)	Live answer	Live answer (on-call)	Live answer (on-call)
Emergency hotline call (missed)	Callback within 5 min	Callback within 15 min	Callback within 30 min

Lead Source	Business Hours SLA	After Hours SLA	Weekend SLA
Quick estimate form (residential)	Callback within 15 min	Callback within 30 min	Callback within 60 min
Commercial inquiry form	Callback within 30 min	Email reply within 60 min, callback next business day	Email reply within 2 hours, callback Monday
Adjuster portal submission	Callback within 30 min	Email reply within 2 hours	Email reply within 4 hours
Resource download	Email auto-response, no callback	Email auto-response	Email auto-response

Business hours = Mon–Fri 7:00 AM–6:00 PM PT. After hours = weekday 6:00 PM–7:00 AM. Weekend = Saturday and Sunday all day. All SLAs measured from form submission timestamp to first outbound contact attempt.

Lead-Response Automation Stack

Trigger	Action	System
Emergency form submission	SMS to dispatch within 30 sec, HubSpot record created, auto-email sent	HubSpot + Twilio
Standard estimate form	HubSpot record + email notification + auto-response	HubSpot
Commercial inquiry	HubSpot record + sales pipeline assignment + email notification	HubSpot
Missed phone call (CallRail)	SMS to dispatch + HubSpot contact created + voicemail transcribed and emailed	CallRail + HubSpot
Form abandoned mid-fill	If email captured: re-engagement email at +24h	HubSpot
Resource download	HubSpot record + nurture sequence enrollment	HubSpot

Trust Signal Placement

Page Zone	Trust Signals to Include
Header / above the fold	Phone number, BBB rating, Google rating, license number
Hero	Years in business, 24/7 availability, certified badge
Below hero (trust strip)	IICRC, RIA certifications, insurance carrier logos, review counts
Mid-page	Customer testimonials, case study link, before/after imagery
Near forms	Privacy assurance, license number, BBB badge
Footer	Full certification badges, license & bonding info, social proof

Mobile Experience Requirements

- Mobile-first design — every template designed at mobile width first
- Tap targets minimum 44×44 px
- Phone CTA reachable in thumb zone without scrolling
- No horizontal scrolling at any breakpoint
- Forms optimized for mobile keyboards

- Hamburger menu accessible, scannable, logically grouped
- Image lazy loading
- Critical CSS inlined for above-the-fold rendering
- Tested on iPhone SE (small screen worst case), iPhone 15 Pro Max, Galaxy S24, iPad

Conversion Tracking & Attribution

- Every CTA tagged with GA4 event
- Phone calls tracked via CallRail with source attribution
- Form submissions create HubSpot contact records with full attribution chain
- UTM parameters captured and persisted to HubSpot
- Multi-touch attribution model — first touch, last touch, assisted conversions
- Monthly conversion report by source, campaign, page, service line

9. Content Strategy & Production

Content is the largest line item in this build. A 550-page site cannot be built from generic AI-generated copy without triggering Google's helpful-content algorithm. Every page must demonstrate Experience, Expertise, Authoritativeness, and Trustworthiness (E-E-A-T). This section defines voice, word counts, writer roles, the production workflow, and the photography plan — strengthened per the strategy review's call for a structured content production system.

Word Count Targets by Page Type

Page Type	Word Count	Approach
Homepage	600–800	Strategic copy, high polish, multiple revisions
Silo hub pages	500–700	Strategic positioning
Service category pages	1,200–1,800	Operator-written or expert-edited, technical depth
Service sub-pages	800–1,200	Search-intent matched, problem/solution structure
Industry vertical pages	1,500–2,200	Decision-maker focused, compliance-heavy
Industry sub-pages	800–1,200	Sub-vertical specifics
Insurance claims pages	1,500–2,500	Highly authoritative, technically accurate
Geo city hub pages	600–900	Local credibility, landmarks, case studies
Geo-service pages	500–800	Unique local + service intersection
Neighborhood pages	400–600	Hyper-local
Case study pages	800–1,500	Narrative-driven with project details
Resource articles	1,200–2,500	Expert-written, internally linked, FAQ-rich
About / story pages	500–1,000	Brand voice, narrative
Local services pages	600–900	Capability-statement style
Trust signal pages	300–600	Direct, fact-based

Writer & SME Structure

Per the strategy review, this is now a named-role structure rather than a generic role list. Each role must be filled before content production begins.

Role	Responsibility
Lead Content Strategist	Editorial planning, briefs, internal linking strategy, voice consistency. Owns the editorial calendar.
Restoration SME Writer	Service pages, sub-services, technical content. Must be familiar with IICRC standards, building science, and restoration operations.
Insurance / Claims Writer	Insurance silo, claims advocacy, regulatory content. Public adjuster, restoration claims specialist, or attorney with PA experience preferred.

Role	Responsibility
Local Content Writer	Geo-service pages, neighborhood pages, local content. Sacramento-based writer familiar with NorCal markets.
B2B / Industry Writer	Industry vertical pages, commercial decision-maker content. B2B services writer with facility management exposure.
Editor	Voice consistency, fact-checking, internal linking enforcement. Senior editor managing all freelance contributors.
Rob Carpenter (TDI® Owner)	Direct authorship of 6–12 cornerstone articles, all bio content, Q&A inputs, final approval on insurance silo. Establishes E-E-A-T.

Content Production Workflow

Every page follows this workflow without exception. Skipping steps produces inconsistent quality and misaligned voice.

Stage	Owner	Output	Duration
1. Brief	Lead Content Strategist	Page brief: target keyword, search intent, word count, required sections, internal links, CTA	1 day
2. SME Input	Rob Carpenter or designated SME	Bullet-point input on technical accuracy, operator voice, real specifics	1 day
3. Draft	Assigned writer	First draft matching brief and SME input	2–3 days
4. SME Review	Rob Carpenter or designated SME	Technical accuracy review, voice check	1 day
5. Editorial Review	Editor	Voice consistency, grammar, style, internal linking, fact-check	1 day
6. SEO Check	SEO lead	Title, meta description, H1/H2 structure, schema, image alt, keyword usage	0.5 day
7. Publish	Web manager	Upload to CMS, format, add images, schedule or publish	0.5 day
8. QA	Web manager + Editor	Live page review, link check, mobile check, schema validate	0.5 day

Total cycle time: 7–9 business days from brief to live page. Production capacity scales by paralleling drafts (10 active drafts = ~25 pages/month sustainable output with one editor and one SME reviewer).

Voice & Tone Guidelines

- Operator voice — Rob's voice, not a marketing agency's voice. Direct, confident, action-oriented.
- Short sentences. Strong verbs. No fluff.
- Technical accuracy required — IICRC standards, insurance code references, building science
- Empathy where appropriate — homeowner copy must acknowledge stress and emotion of property loss
- B2B copy shifts to outcome-focused — uptime, business continuity, occupant safety, compliance
- Avoid: 'we are committed to,' 'world-class,' 'industry-leading,' generic restoration boilerplate
- Use: real specifics, real outcomes, real terminology, real local references

Photography & Visual Asset Production

New section per strategy review. The architecture rejects stock imagery — that rejection is a strategic moat against franchise competitors who all look identical. To sustain it, photography must be planned and produced systematically.

Required Photography Categories

- Project before/after photography — every active project, ongoing capture
- Crew on-site photography — uniformed technicians at active jobs, equipment in use
- Equipment and facility photography — branded vehicles, equipment, warehouse, office
- Leadership and team portraits — Rob Carpenter and senior staff, professional headshots
- Location and city photography — Sacramento area landmarks, neighborhoods (for geo pages)
- Process documentation — photos of restoration process steps for service page galleries

Production Cadence

Frequency	Activity	Owner
Per project (ongoing)	Field crew captures before/during/after photos on every job ≥\$10K project value, uploads to shared drive	Project Manager + crew
Quarterly	Professional photographer on-site for crew/equipment/facility shots	Marketing
Annual	Leadership portraits and corporate photography refresh	Marketing
Annual	Sacramento and Tier 1 city location/landmark photography	Local photographer
Per case study	Dedicated case study photo shoot for hero projects (Fair Oaks church standard)	Marketing + Project Manager

Field Capture Standards

- Field crews must capture before/during/after photos on every project ≥\$10K
- Minimum 10 photos per project — wide shots, detail shots, equipment in use, finished result
- Phone camera acceptable; landscape orientation preferred
- Consent form required for photos showing customer property — included in master service agreement
- Photos uploaded to shared drive within 48 hours of project completion
- Marketing reviews and tags photos weekly for use in case studies, social media, and service pages

Visual Asset Library

- Centralized DAM (Digital Asset Management) system — Google Drive, Dropbox, or dedicated DAM
- All photos tagged by: project name, service type, city, date, consent status
- Approved-for-marketing flag on consented, polished photos
- Quarterly audit — flag photos in active rotation that need replacement

10. Internal Linking Architecture

A 550-page site lives or dies by internal linking. The link graph tells Google which pages are most important and which topics this site has authority over. Automated linking patterns where possible; clear editor guidance for manual linking.

Linking Principles

- Every page must link to at least 3 other relevant pages on the site
- Every page must be linked to from at least 3 other pages (no orphans)
- Hub pages link down to all children; children link back up to hub
- Sibling cross-linking: sub-pages link to 2–3 related siblings
- Geo and service silos cross-link: every geo-service page links back to parent service AND parent city, plus 2–3 nearby city pages
- Resource articles link to 3–7 silo pages within body content
- Anchor text descriptive, keyword-rich, varied — not exact-match every time

Automated Linking Patterns

Pattern	Implementation
Breadcrumbs	Auto-generated on every page below top level
Sibling navigation	Auto-generated 'related services' block on service sub-pages
Parent-child	Hub pages auto-list all child pages in grid format
Geo cross-linking	City pages auto-show 5 nearest cities by lat/long
Service cross-linking	Service pages auto-link to all geo pages where service is offered
Industry-service intersection	Industry pages auto-show relevant service capabilities
Related case studies	Case studies tagged by service and industry, auto-displayed where relevant
Recent / related articles	Article pages auto-show related content by tag
Footer mega-links	Auto-generated from sitemap: top services, top cities, top industries

Manual / Editorial Linking

- In-body article links — editor's responsibility to weave 3–7 contextual internal links per article
- Service page in-body links — operator-written overview should naturally link to insurance silo, related services, relevant case studies
- Industry page in-body links — link to relevant case studies, commercial service capabilities, expert services
- Insurance content links to relevant service pages where mitigation is discussed

Anchor Text Strategy

- Mix exact-match, partial-match, and branded anchors

- Avoid 'click here' or 'learn more' as primary anchors
- Use natural-language anchors describing the destination
- Internal anchor text helps Google associate keywords with destination pages

11. Phased Build-Out Roadmap

Building 550 pages at once produces thin pages and triggers Google's helpful-content algorithm. The site rolls out in 6 phases over 12–18 months. Per the strategy review, Phase 1 has been reduced from 40 to 22 high-quality pages and re-prioritized toward revenue-generating commercial / large-loss / reconstruction services.

Phase Overview

Phase	Timeline	Pages	Focus
Phase 1: Revenue-Priority Foundation	Months 1–3	22 pages	High-margin commercial, top 3 cities, insurance silo, hero case study, migration
Phase 2: Geo Tier 1 + Insurance Completion	Months 3–6	~80 pages	Top 10 cities × 7 services + Sacramento neighborhoods + Insurance silo completion
Phase 3: Service Depth	Months 4–8	~80 pages	Third-level service sub-pages (residential + commercial)
Phase 4: Industries	Months 6–10	~70 pages	All 14 industry verticals + sub-pages
Phase 5: Geo Completion	Months 9–14	~140 pages	Remaining 20 cities × 7 services
Phase 6: Expert Services & Optimization	Months 12–18+	Ongoing	Expert services silo, conversion optimization, link building, ongoing content

Phase 1: Revenue-Priority Foundation (Months 1–3)

Goal: Launch tdiusa.com with a high-quality, indexable foundation focused on the highest-margin services. Migrate buildwithtdi.com authority. Establish design system and CMS for all future phases. Quality over quantity — 22 polished pages outperform 40 thin pages.

Phase 1 Page List (22 pages)

#	Page	Priority Rationale
1	Homepage	Required entry point
2	/commercial-services/ (hub)	Highest-margin audience, B2B routing
3	/commercial-services/water-damage/	Top commercial revenue driver
4	/commercial-services/fire-smoke-damage/	Top commercial revenue driver
5	/commercial-services/large-loss/	Strategic differentiator + high-value
6	/commercial-services/reconstruction/	High-margin reconstruction
7	/residential-services/ (hub)	Required residential entry
8	/residential-services/water-damage/	Highest-volume residential service
9	/residential-services/fire-smoke-damage/	High-value residential service
10	/residential-services/reconstruction/	High-margin residential reconstruction

#	Page	Priority Rationale
11	/service-areas/sacramento-ca/ (hub)	Tier 1 primary market
12	/service-areas/roseville-ca/ (hub)	Tier 1 secondary market
13	/service-areas/elk-grove-ca/ (hub)	Tier 1 tertiary market
14	/insurance-claims/ (hub)	Strategic moat — primary differentiator
15	/insurance-claims/claims-advocacy/	Primary insurance silo conversion page
16	/insurance-claims/denied-claim-recovery/	High-intent insurance conversion
17	/case-studies/ (hub)	Required for hero case study
18	/case-studies/fair-oaks-church-remodel/	Hero project — gold-standard case study
19	/about/our-story/	40-year legacy positioning
20	/about/rob-carpenter-bio/	E-E-A-T authority signal
21	/contact/ (hub + emergency hotline + commercial inquiry forms)	Conversion infrastructure
22	/local-services/24-hour-emergency-restoration/	Trust signal anchoring

Excluded from Phase 1 (deferred to later phases): residential mold/storm/contents/biohazard, commercial mold/biohazard/specialty, all industry verticals, all geo-service intersection pages, remaining insurance silo pages, additional cities, secondary case studies. These are high-value but not where the first 90 days of revenue impact lives.

Phase 1 Deliverables

- Complete design system & component library (27 templates designed)
- WordPress CMS configured and ready
- All 22 foundation pages built, populated, reviewed
- Migration from buildwithtdi.com complete with 301 redirects verified
- Google Search Console verified, sitemaps submitted, Change of Address filed
- Analytics, CallRail, HubSpot integration live and tested
- Speed-to-lead automation operational with documented SLAs
- All schema markup implemented and validated
- Site speed audit passed (PageSpeed 90+ mobile)
- Accessibility audit passed (WCAG 2.1 AA)
- Photography library populated with Fair Oaks church + minimum 5 other project sets

Phase 2: Geo Tier 1 + Insurance Completion (Months 3–6)

- Top 10 cities × 7 service pages = 70 pages
- Sacramento neighborhood layer (6 pages)
- Service Areas hub page
- Local Services horizontal layer (remaining 13 pages)
- Insurance Claims silo completion (10 remaining sub-pages)

Phase 3: Service Depth (Months 4–8, parallel)

- Residential service sub-pages: ~50 pages
- Commercial service sub-pages: ~30 pages
- Ongoing case study production (3–5 new case studies)

Phase 4: Industries (Months 6–10)

- Industries hub page
- All 14 industry vertical parent pages
- ~55 industry sub-pages
- Industry-specific case studies
- Industry-specific commercial inquiry forms

Phase 5: Geo Completion (Months 9–14)

- Remaining 20 cities × 7 service pages = 140 pages
- Tier 1 neighborhood expansion if applicable
- Ongoing case study + resource content

Phase 6: Expert Services & Optimization (Months 12–18+)

- Expert Services silo: 6 pages
- Conversion rate optimization sprint based on first 6 months of data
- Link building campaign — outreach to industry directories, local press, partner sites
- Spanish-language site (Phase 6.5 optional)
- Ongoing weekly content production
- Quarterly site-wide audits

12. Migration from buildwithtdi.com

buildwithtdi.com is a 16-page site currently hosted on Scorpion. Migration must preserve all SEO equity while moving to a controlled platform. This is a routine migration but requires precision.

Pre-Migration Audit (Week 1)

12. Verify tdiusa.com in Google Search Console
13. Pull last-12-months data from buildwithtdi.com GSC: top pages by clicks, top pages by impressions, top ranking keywords, pages with backlinks
14. Run Screaming Frog crawl of buildwithtdi.com — full URL inventory
15. Pull backlink profile from Ahrefs/Semrush — referring domains and target URLs
16. Document all 16 URLs in master URL mapping spreadsheet

URL Mapping (Week 1–2)

Each old URL maps 1:1 to a new URL on tdiusa.com. Sample mapping below — completed in spreadsheet form for engineering.

buildwithtdi.com URL	tdiusa.com URL	Priority
/	/	Critical
/water-damage-restoration	/residential-services/water-damage/	High
/fire-damage-restoration	/residential-services/fire-smoke-damage/	High
/mold-remediation	/residential-services/mold-remediation/	Deferred (Phase 2)
/commercial-services	/commercial-services/	Critical
/about-us	/about/our-story/	Medium
/contact	/contact/	High
/sacramento	/service-areas/sacramento-ca/	Critical
[blog posts]	/resources/{matched-slug}/	Per traffic
[any URL with no Phase 1 equivalent]	Map to nearest topical match — never to homepage	Per case

Migration Execution (Launch Week)

17. tdiusa.com fully built with all 22 Phase 1 pages live and indexable
18. Coordinate with Scorpion to implement 301 redirects
19. Confirm in writing that redirects are 301 (permanent), not 302 (temporary)
20. Submit new tdiusa.com XML sitemap in Google Search Console
21. Use Google Search Console 'Change of Address' tool in buildwithtdi.com property
22. Resubmit buildwithtdi.com sitemap one final time so Google re-crawls and sees redirects
23. Update Google Business Profile URLs to tdiusa.com

24. Update all citations and directory listings
25. Update social profiles, email signatures, business cards, vehicle wraps, invoices, proposals, Buildertrend templates, HubSpot email templates
26. Reach out to top 30 referring domains requesting direct link updates

Post-Migration Monitoring

- Daily check of Google Search Console Coverage report for 30 days post-launch
- Weekly check of rankings for top 50 priority keywords
- Monthly backlink audit for 6 months post-launch
- Monitor 404 errors and fix any missed redirects within 24 hours
- Keep buildwithtdi.com domain registered indefinitely (minimum 3 years; ideally permanently)

Migration Risk Mitigation

- Expect a 2–6 week temporary ranking dip — this is normal
- Do NOT make additional content or design changes during the migration window
- Document every redirect for engineering reference
- Test every redirect manually post-launch using httpstatus.io

13. Operational Alignment

New section per the strategy review. The website's positioning — 24/7 response, fast dispatch, insurance advocacy, large-loss capability — must be backed by actual operational delivery. A site that promises faster than the operation can deliver creates trust damage worse than a less-aggressive site. This section defines what operations must commit to in order to back the marketing.

Operational Commitments Required

Marketing Promise	Operational Requirement	Owner
24/7 emergency response	On-call dispatch staffed every hour, every day. Documented escalation path. Backup on-call rotation.	Operations Manager
Live phone answer	Phone answering service or staffed line covering all hours. CallRail tracking with missed-call escalation.	Operations Manager
Speed-to-lead SLAs (Section 8)	Dispatch staffing aligned to volume. SMS notification system tested. Backup notification path.	Operations Manager
Direct insurance billing	Documented carrier relationships. Billing process trained across team. Direct contact for adjusters.	Office Manager
IICRC-certified technicians	Certification tracking system. Training calendar. License/cert renewal alerts.	Training Lead
Spanish-speaking restoration	Bilingual technicians available on team or via contractor network. Translation support for customer communications.	Operations Manager
Same-day water extraction	Equipment readiness, crew availability, geographic coverage validated.	Operations Manager
Large-loss capability	Crew sizing capability, equipment inventory, multi-trade coordination protocols documented.	Operations Manager
Senior / military / first responder discount	Discount terms documented and trained. Eligibility verification process.	Office Manager

Operations Sign-Off Requirement

- Before any service or capability page goes live, the Operations Manager must sign off that the operation can deliver what the page promises
- Sign-off documented in the page's CMS metadata or content brief
- If operations cannot back a promise, the page copy must be adjusted to match capability — not the other way around
- Quarterly review: marketing and operations meet to validate continued alignment

Capability Audit Cadence

Frequency	Audit	Action
Monthly	Speed-to-lead SLA compliance review	Pull HubSpot + CallRail data, measure actual response times against SLA, flag misses

Frequency	Audit	Action
Monthly	Phone answer rate audit	Pull CallRail data — missed calls, time-to-answer, voicemail volume
Quarterly	Capability vs. marketing review	Walk every service/capability page and confirm operational delivery
Quarterly	Certification & training review	Confirm team certifications current, training calendar on track
Annual	Full operational alignment audit	Comprehensive review of every promise on the site against current capability
MARKETING- OPERATIONS RULE If a service page promises something the operation cannot consistently deliver, the page copy is wrong — not the operation. Every page must be backable. This rule is non-negotiable. A trust failure costs more than a less-aggressive page.		

14. Testing & Validation

This checklist must be completed before each phase launch. Treat as a release gate — no launch without sign-off on every applicable item.

Pre-Launch QA — Technical

Check	How to Test	Pass Criteria
Cross-browser rendering	Test on Chrome, Safari, Firefox, Edge (last 2 versions)	Pages render correctly
Mobile rendering	Test on iOS Safari and Android Chrome	Pages render correctly
Form submission	Submit each form end-to-end	HubSpot record created, confirmation email sent
Click-to-call	Tap phone number on mobile	Phone dialer opens with correct number
Schema validation	Run each page through Google Rich Results Test	All schema validates
Sitemap generation	Inspect XML sitemap	Contains all live pages, excludes drafts/staging
Robots.txt	Inspect robots.txt	Allows live, blocks staging/admin
Canonical tags	View page source on each page	Canonical present and correct
Image alt text	Crawl with Screaming Frog	Every image has meaningful alt
Page speed	PageSpeed Insights on top 20 pages	Mobile 90+, Desktop 95+
Core Web Vitals	PageSpeed Insights / CrUX	LCP <2.5s, INP <200ms, CLS <0.1
Accessibility	Wave + Axe DevTools scan	WCAG 2.1 AA compliance
SSL	Browser inspect	HTTPS valid, HTTP redirects to HTTPS
404 page	Navigate to nonexistent URL	Custom 404 with search and popular content

Pre-Launch QA — SEO

- Every page has unique meta title (under 60 chars) and meta description (under 160 chars)
- Every page has single H1, hierarchical heading structure
- Every page has at least 3 internal links in (no orphans)
- Every page has at least 3 internal links out
- Open Graph and Twitter Card tags configured per page
- Schema validates on every page type
- URL structure clean, lowercase, hyphenated
- Trailing slash convention enforced
- No mixed content warnings
- Google Search Console verified, sitemap submitted
- Google Business Profile verified and linked
- 301 redirects from buildwithtdi.com tested and confirmed

Pre-Launch QA — Content

- All pages reviewed by editor for voice, tone, accuracy
- All technical content reviewed by SME (IICRC standards, insurance code references)
- All NAP information consistent across site
- All license numbers, certification numbers verified accurate
- All phone numbers correctly tagged with CallRail
- All forms route to correct HubSpot pipeline
- All case studies have proper image rights and consent
- All testimonials have written authorization
- All photography is original or properly licensed
- Operations sign-off received on all service/capability pages

Pre-Launch QA — Conversion & Speed-to-Lead

- Phone CTAs visible above the fold on every page
- Mobile sticky phone bar functional on all pages
- All forms tested with real submissions on mobile and desktop
- Form confirmation pages display expected response time
- Email auto-responses tested
- HubSpot lead routing configured per source / form
- CallRail Dynamic Number Insertion verified per source
- UTM parameters captured and persisted to HubSpot
- Conversion goals configured in GA4
- SMS notification system tested for emergency form submissions
- Missed-call webhook tested end-to-end

Post-Launch Monitoring (Week 1)

- Monitor uptime — 99.9%+ target
- Daily GSC Coverage report check
- Daily 404 monitoring
- Daily form submission verification
- Daily phone call verification (CallRail)
- Heatmap analysis of homepage and top 10 pages
- First user feedback session

30-Day Post-Launch Review

- Traffic vs. pre-launch baseline
- Indexed page count vs. submitted sitemap count
- Ranking comparison vs. pre-launch baseline (top 50 keywords)
- Conversion rate vs. pre-launch baseline

- Speed-to-lead SLA compliance report
- Issue log review and prioritized backlog for Phase 2

15. Ongoing Maintenance

Long-term ranking and conversion performance depend on consistent maintenance cadence. The following schedule is the minimum standard.

Frequency	Activity
Weekly	Publish 1–2 new resource articles per editorial calendar
Weekly	Review form submissions, missed calls, and SLA compliance
Weekly	Field crew uploads project photos to shared drive
Weekly	Marketing tags and approves new project photos for marketing use
Bi-weekly	Publish 1 new case study or update existing case study with newer projects
Monthly	Review Google Search Console — coverage, errors, search performance
Monthly	Audit speed-to-lead SLA compliance
Monthly	Review Google Business Profile activity, respond to reviews
Monthly	Backlink audit — flag and disavow toxic links if any
Monthly	Update homepage featured case study or featured content
Quarterly	Operational alignment audit — marketing promises vs. capability
Quarterly	Site-wide content refresh on stale pages
Quarterly	Conversion rate optimization sprint based on heatmap and analytics data
Quarterly	Technical SEO audit — Core Web Vitals, schema, broken links
Quarterly	Photography refresh — new project photos integrated
Annual	Full content audit — every page reviewed for accuracy and refresh needs
Annual	Brand and design refresh review
Annual	Leadership and team photography refresh
Annual	Comprehensive backlink building campaign
As needed	Update license numbers, certifications, contact info
As needed	Add new geo pages as service area expands
As needed	Add new industry sub-pages as commercial accounts diversify

16. Rebuild Checklist (If Starting From Scratch)

If this site needs to be recreated in a new platform or after data loss, follow these steps in order.

- Verify domain ownership of tdiusa.com and renew registration
- Provision hosting (managed WordPress on WP Engine, Kinsta, or equivalent — premium tier)
- Install WordPress with SSL, configure CDN (Cloudflare or built-in)
- Install required plugins: SEO (RankMath Pro or Yoast Premium), Forms (Gravity or HubSpot native), Backup (UpdraftPlus + hosting-native), Security (Wordfence or Sucuri)
- Configure HubSpot integration with Account ID 48033708
- Configure CallRail account, set up DNI, install tracking script
- Configure Google Analytics 4, Google Search Console, Google Tag Manager, Google Business Profile
- Build design system: install Futura PT web fonts (verify license), apply brand color palette per Section 3
- Build all 27 page templates per Sections 5 and 6
- Implement schema markup per Section 7
- Configure speed-to-lead automation per Section 8
- Build Phase 1 page list (22 pages) per Section 11
- Run full QA per Section 14
- Implement 301 redirects from buildwithtdi.com per Section 12
- Submit sitemaps to Google Search Console, file Change of Address
- Update all citations, directories, social profiles, and offline brand assets to tdiusa.com
- Begin Phase 2 build-out per roadmap

Estimated rebuild time for Phase 1 foundation: 8–12 weeks for an experienced team. Full 550-page build-out: 12–18 months at sustainable production pace.

17. Strategy Review Response

This section maps each finding from the executive strategy review (May 2026, rating 9.3/10) to the corresponding amendment in this SOP. Included for traceability and to confirm that every documented risk and recommended improvement has been addressed.

Critical Risks — How Addressed

Risk Identified	Section Addressing It	Mitigation
Massive content production requirements across 550+ pages	Section 9, Section 11	Phased rollout 12–18 months, content production workflow defined, named SME structure
Risk of low-quality or templated content impacting SEO	Section 9	8-stage content production workflow with SME review, editorial review, SEO check before publish. 60% uniqueness rule on geo-service pages.
High-risk domain migration	Section 12	Detailed migration plan, URL mapping, 30-day post-launch monitoring, retain buildwithtdi.com indefinitely
Operational misalignment with marketing promises	Section 13 (NEW)	Operational Alignment section added. Operations sign-off required before publishing service/capability pages. Quarterly capability audits.
Speed-to-lead limitations reducing conversion	Section 8	Speed-to-Lead Engineering subsection added with documented SLAs by lead source and time-of-day. Lead-response automation stack specified.
Dependence on real photography and project documentation	Section 9	Photography & Visual Asset Production plan added with field capture standards, quarterly professional shoots, DAM system, consent process.

Recommended Improvements — How Addressed

Improvement Recommended	Action Taken
Reduce Phase 1 launch to 20–25 high-quality pages	Phase 1 reduced from 40 pages to 22 pages (Section 11)
Prioritize revenue-generating services (commercial, large loss, reconstruction)	Phase 1 page list re-prioritized — 5 commercial pages including Large Loss, all reconstruction pages prioritized (Section 11)
Implement structured content production system with internal SMEs	8-stage Content Production Workflow defined with named roles and ownership (Section 9)
Increase emphasis on emergency response speed and availability	Speed-to-Lead Engineering subsection added with documented SLAs and automation stack (Section 8)
Develop consistent case study production pipeline	Photography production cadence defined including per-project field capture standards and dedicated case study shoots (Section 9)
Enhance conversion elements including trust signals and response automation	Lead-Response Automation Stack table added (Section 8). Trust Signal Placement matrix defined (Section 8).
Ensure operational systems support marketing positioning	Operational Alignment section added (Section 13). Marketing-Operations Rule established. Quarterly audits scheduled.

Execution Priorities — Mapped to Roadmap

Priority	Phase / Section
Launch high-impact service and city pages first	Phase 1 (Section 11) — commercial services + Tier 1 cities prioritized
Build scalable content workflows before expansion	Section 9 — workflow defined and operational before Phase 2 begins
Implement CRM, call tracking, and automation systems	Phase 1 deliverables (Section 11) — all integrations live before Phase 1 launch
Focus on speed-to-lead and response time optimization	Section 8 (Speed-to-Lead Engineering)
Continuously produce and publish case studies and content	Section 15 — weekly cadence on resources, bi-weekly on case studies
Monitor SEO performance and refine content strategy	Section 15 — monthly GSC review, quarterly content refresh

18. Document Revision History

Version	Date	Author	Changes
1.0	May 2026	Rob Carpenter	Initial release. Incorporates executive strategy review (May 2026) findings: revised Phase 1 to 22 revenue-prioritized pages, added Speed-to-Lead Engineering section, added Operational Alignment section, added Photography & Visual Asset Production plan, added Content Production Workflow. Removed all references to franchise affiliations and prior corporate identity.

DOCUMENT CONTROL

This SOP is a living specification. The latest version supersedes all prior versions. Material changes require Document Owner approval. Distribution is limited to authorized internal team members and contracted vendors operating under confidentiality. Stakeholders should reference the version date when making decisions.