What Leaves With Them

When a colleague leaves, a team lead has to find out who owns what now, and why, from chat, tickets and documents that disagree and keep changing.

67%

of 1,000 IT managers at large UK and US organizations are concerned about losing knowledge when people leave

64%

say their organization has already lost knowledge that way

Who it is for


A team lead or new owner who asks "Who owns billing-api now?" or "Who decided ADR-0014?" and needs an answer they can check, not a confident guess from an old copy.

Source: Sinequa press release, August 2022 (survey of 1,000 IT managers, UK and US)

Two agents that check each other against the source

- **Investigator** answers from a memory graph and cites every claim: record id, one quoted line, the claim it backs.
- **Verifier** re-reads each cited record through Zetaris, in the system it lives in. A quote that is not there any more is rejected, even if a model says it fits.
- A rejection goes back with notes and the record as it reads now. The Investigator revises, at most twice.
- Only an answer whose every citation survived is **stored**. Everything else says what was dropped and why.

Output: answer · citations (system, id, quote, verdict) · dropped citations with the reason · rounds · stored or not · trace file



The panel (real screenshot, sample mode): the answer card shows DOC-14 and DOC-16, docs REST API, round 1, quote found.

A loop, not a pipeline

Three systems
Postgres chat
tickets CSV
docs REST API

registered in Zetaris

Memory graph
built from 3 SELECTs through Zetaris; pre-existing write gate (FalkorDB)

H-MEM memories in front of the model

Investigator
graph tools (21) → answer + citations; Nemotron via Nightshift

draft ↓

Verifier
re-read by id through Zetaris → quote check (hard) → model judgement (Nemotron via Nightshift)

Rejected → notes + each record as its source holds it now → Investigator revises (max 2 revisions, 3 rounds) → Verifier again

All citations accepted
write gate stores a Finding; H-MEM keeps it as a long-term memory

Something left unverified
status says what was verified; nothing stored; dropped citations listed with the reason

Name in no system
one UNION ALL over all three systems → absence_confirmed, nothing stored

Code: open_agent/run.py (loop), open_agent/agents.py (agents), open_agent/sources.py (SQL)

Trace: logs/trace-<run_id>.jsonl, one event per step

Runs with one command, no keys

LAYER	WHAT	WHERE IN THE REPO
Data access	Zetaris 2.4.3.1, local bundle, Lightning SQL over Postgres (JDBC), CSV, REST	`zetaris_spike/, open_agent/sources.py`
Agents and loop	Python 3.12, plain code, OpenAI-compatible client	`open_agent/`
Models	NVIDIA Nemotron 3.5 Lightning 30B-A3B (Investigator), Nemotron 3 Nano 30B-A3B (Verifier)	`docs/METERLESS.md`
Model provider	Meterless Nightshift 1.2.1, headless, loopback only, signed receipts	`open_agent/nightshift.py`
Agent memory	Meterless H-MEM reference engine, pinned, Node sidecar	`vendor/hmem/, open_agent/hmem_bridge.py`
Graph, gate, tools	FalkorDB 6.0.2 (pre-existing core)	`honest_memory/`
Run path	`docker compose up --build` · `POST /run` · SAMPLE_MODE on by default	`serve.py, docker-compose.yml`

Fresh clone, empty .env: build, up, 5 input examples + 1 new question through POST /run, all success (SUBMISSION/FRESH-CLONE-TEST.md)

No GPU, no hosted API

Zetaris for every read, Nightshift for every model call

Zetaris

- 3 SELECTs build the memory graph: 403 records, 0 field differences from the corpus
- The Verifier re-reads each cited record by id; p50 0.20 s (chat), 0.38 s (docs) in the live runs
- Absence: one UNION ALL over the three systems
- Spike: JOIN 45/45, tampered quotes 8/8 rejected

Meterless Nightshift

- Primary provider for both agents, one app id per agent with a one-lane allowlist
- 20 live runs: 95 model calls, 95 signed receipts, $0 each, 0 routing mismatches
- Every response checked: routed model, lane, cost 0; a mismatch raises, it is not hidden
- Receipts signed Ed25519 by the daemon, one file per run, e.g. `logs/receipts-20261024T133813Z-5253.jsonl`

Meterless H-MEM + NVIDIA

- H-MEM stores answers that passed the gate, recalls them before the model answers, takes the Verifier's verdict as feedback (0.70 → 0.75 in the cross-session proof)
- Nemotron 3.5 Lightning: Investigator, 59 of 59 calls. Nemotron 3 Nano: Verifier, 36 of 36 (routed, from the receipts)

Sources: docs/OPEN-AGENT-NEW-WORK.md (Measured), zetaris_spike/README.md, docs/METERLESS.md

Cursor: not used; the organizer says it is optional

The Verifier trusts the source, not the memory and not a model

Before any answer counts, the Verifier goes back through Zetaris to the system that owns each cited record and re-reads the line. That check is plain code, and no model can overrule it.

In an earlier run (Nemotron 3 Nano on Ollama), the Investigator's model quoted a chat sentence as if it were ADR-0009, and the Verifier's model said "supports". The quote check rejected it, and the revision quoted the ADR's own line.

Only answers that survived reach H-MEM, so the agents' memory does not learn from a stale or misquoted answer.


Tampered source, 5 live runs (Zetaris, Nightshift, H-MEM)

msg-0148 edited in Postgres after the memory read it

- Round 1: `quote_not_in_record`, model note: "Sana Petrov remains the owner"
- Round 2: verified on ADR-0009; msg-0148 flagged on its own conflict line
- Stored; the edit restored at the end

5 of 5 runs: round 1 rejected msg-0148, round 2 verified, restored. p50 164.5 s: thinking on every call, one Nemotron lane loaded at a time

The evidence is on screen and in the trace



The answer card, cropped from a real screenshot of the panel (sample mode). Everything below the divider is new: the Verifier's re-read of each record at its source system. Before, the card ended at the CONFIRM receipt (full screenshots: SUBMISSION/panel-before-answer-card.png, panel-after-answer-card.png).

```
docs/open-agent-runs-2026-10-24-nightshift/
trace-20261024T135040Z-1dba.jsonl  (live; abridged, values from the
trace)

 4 Operator     tamper_source  msg-0148  Postgres chat
12 Investigator llm_call cite  Lightning  19.4 s  rcpt_req_f0k9ldbp
19 Verifier     reread         msg-0148  Postgres chat  0.332 s
20 Verifier     llm_call judge Nano  2.0 s  rcpt_req_hxemwnrr
21 Verifier     check          msg-0148  found=False
   contradicts · quote_not_in_record
   "The record states that Sana Petrov remains the
    owner of billing-api until further notice..."
23 Verifier     feedback       round 1 -> Investigator
26 Investigator llm_call revise Lightning  39.5 s
27 Investigator conflict_flagged  reported on its own line
33 Verifier     check          ADR-0009  supports  round 2
36 Investigator write_gate     accepted
37 Verifier     memory_feedback  helpful  mem-1 0.85 -> 0.90
38 Operator     restore_source msg-0148
40 Run          end            118.71 s  verified
```

Next: real systems, same rule

- Refresh the memory graph when the Verifier finds a record changed at its source (today the catch is reported, the graph keeps the old copy).
- Zetaris semantic layer with a read-only agent user, so the agents see only the views they need.
- Case-insensitive absence checks and semantic recall in H-MEM (both lexical today).
- Faster live runs: both Nemotron lanes resident and thinking off per call (today one lane at a time, p50 18 s to 165 s per question).
- More sources behind Zetaris: meeting notes, HR system end dates, code ownership files.
- A pilot on a real team's records, measured against the same benchmark questions.
- Handoff cards that a successor confirms, written back through the same gate.