

int_retailtune

Version 1.0



[Table of Contents](#)

| | |
|----------------------------------|----------|
| 1. Summary | 3 |
| 2. Component Overview | 3 |
| <i>Use Cases</i> | 3 |
| <i>Limitations, Constraints</i> | 3 |
| <i>Compatibility</i> | 3 |
| <i>Privacy, Payment</i> | 3 |
| 3. Implementation Guide | 4 |
| <i>Retailtune Administrator</i> | 4 |
| <i>Setup of Business Manager</i> | 4 |
| <i>Configuration</i> | 4 |
| <i>Custom Code</i> | 6 |
| <i>External Interfaces</i> | 6 |
| <i>Firewall Requirements</i> | 6 |
| <i>Data Storage</i> | 7 |
| <i>Availability</i> | 7 |
| <i>Failover/Recovery Process</i> | 7 |
| <i>Support</i> | 7 |
| 4. Known Issues | 7 |
| 5. Release History | 7 |

1. Summary

This cartridge integrates *Retailtune Storelocator* with *SFRA-Based* eShops.

Retailtune Products

Retailtune REST API v1

Salesforce Commerce Cloud SFRA release 5.3 and later

It contains core functionality required for integration:

- Controller Storelocator and related templates

2. Component Overview

Use Cases

Integrating Retailtune Storelocator into an SFCC eShop

Limitations, Constraints

The *frontend SDK* currently does not offer methods for the eShop to populate the stores details. Stores and related infos will be populate in Retailtune

Compatibility

Tested with

SFRA 6.2.0 COMPATIBILITY MODE 22.7

SFRA 5.3.0 COMPATIBILITY MODE 19.10

Privacy, Payment

The cartridge does not store or access customer data.

It integrates Retailtune Storelocator, which has a separate privacy policy.

3. Implementation Guide

Retailtune Administrator

Retailtune administrator after you have signed the agreement with the partner will provide you with the API Key Service to be configured in the custom preferences as described in the next points.

Then you must communicate to the etailtune administrator the domain of your e-commerce or the one where the store locator will be called, so that the administrator can enable it.

Setup of Business Manager

- Run `$ npm i; npm run build` in the repo route directory to compile the frontend client. Run `$ npm run build:dev` for development purposes.
- Add this cartridge to a SFRA-based project as outlined https://documentation.b2c.commercecloud.salesforce.com/DOC2/topic/com.demandware.dochelp/content/b2c_commerce/topics/sfra/b2c_sfra_features_and_comps.html
- Include it in the cartridge path as outlined https://documentation.b2c.commercecloud.salesforce.com/DOC2/topic/com.demandware.dochelp/content/b2c_commerce/topics/sfra/b2c_sfra_overview.html.
- Upload and import metadata from the site_metadata folder. To do it, go to **Business Manager > Administration > Site Development > Site Import & Export**. Then apply the standard procedure for uploading metadata into the Commerce Cloud site. You can compress metadata to a .zip archive (Figure 2) or upload it via XML files and import it separately that it can found in rt_import subfolders. In the site_metadata folder we provide a default import file named rt_import, you can use this to default installation.

RefArch Administration Storefront Toolkit

Cache Search Indexes Code Versions Cartridge Path Search with ease...

Administration > Site Development > Site Import & Export

Site Import & Export

This page allows you to export the current configuration of your organization including all of its sites. To download an archive, just click its file name.

Import

You can delete a file only if it's a local file or if you're logged into the instance where the file was created.

Upload Archive:
☒ Local ☐ Remote
[Selegli file] Nessun file selezionato [Upload]

| Select | Name | Location | Delete Allowed? | File Size | Last Modified |
|----------------------------------|--|----------|-----------------|-----------|--------------------|
| <input checked="" type="radio"/> | instance/rt_import.zip | local | Yes | 3.59 KB | 9/23/22 9:18:13 am |
| <input type="radio"/> | SiteGenesis Demo Site | | | | |
| <input type="radio"/> | Storefront Reference Architecture Demo Sites | | | | |

[Import] [Delete]

Export

Configuration

There are four configuration to do in Business Manager. Each configuration described below refers to a standard installation of a **RefArch** site:

- **Site Customer Preference:** go to **Business Manager > Merchant Tools > Site Preferences > Custom Preferences > Retailtune** to fill the field **Retailtune ApiKey Services** with **Api Key** provided by Retailtune Administrator; Then you can set the call namespace by retailtune filling the *retailtune_pipeline_name* field, default value is "stores". The indicated namespace then must be indicate in Dynamic Mapping

RefArch
Merchant Tools
Administration
Storefront
Toolkit
Cache
Search Indexes
Code Versions
Cartridge Path
Search with ease...
Merchant Tools / Site Preferences / Custom Site Preference Groups /
Retailtune configurations
Cancel
Apply to Other Sites
Save

Instance Type
Sandbox

Search by ID

1-2 of 2

| Name | Value | Default Value |
|--|---|-------------------|
| Retailtune ApiKey Services (retailtune_apikey_services) (String) | vnpV12mXXKZzjrmAai5OAJUOUskPKwhiZ69uU2rhFFpBkOypnZR5tm2EgikCnoVXRexpgnYT9194jgK | Edit Across Sites |
| Retailtune Pipeline Name* (retailtune_pipeline_name) (String) | stores | Edit Across Sites |

configuration described at fourth point of this bullet list.

RefArch
Merchant Tools
Administration
Storefront
Toolkit
Cache
Search Indexes
Code Versions
Cartridge Path
Search with ease...
Merchant Tools / Site Preferences / Custom Site Preference Groups /
Retailtune configurations
Cancel
Apply to Other Sites
Save

Instance Type
Sandbox

Search by ID

1-1 of 1

| Name | Value | Default Value |
|--|---|-------------------|
| Retailtune ApiKey Services (retailtune_apikey_services) (String) | vnpV12mXXKZzjrmAai5OAJUOUskPKwhiZ69uU2rhFFpBkOypnZR5tm2EgikCnoVXRexpgnYT9194jgK | Edit Across Sites |

- Services:** go to **Business Manager > Administration > Operations > Services** click to *Credentials* tab, then to *int_retailtun.RTEndpoint* and substitute default test URL provided with the one production services URL provided by Retailtune Administrator;
- URL Rules:** go to **Merchant Tools > SEO > URL Rules** then click to Pipeline URL, then maps the Storelocator-Stores Controller to Retailtune defined pipeline url. Default configuration seated is the alias value “stores,storelocator” with Pipeline value “Storelocator-Stores”. Any other pipeline definition can be agreed with Retailtune Administrator;


RefArch
Merchant Tools
Administration
Storefront
Toolkit

| Alias | URL |
|---|---|
| <input type="checkbox"/> giftcertedit | resolves To GiftCert-Edit |
| <input type="checkbox"/> giftcentpurchase | resolves To GiftCent-Purchase |
| <input type="checkbox"/> giftregistrysearch | resolves To GiftRegistry-Search |
| <input type="checkbox"/> showgiftregistrybyid | resolves To GiftRegistry-ShowRegistryById |
| <input type="checkbox"/> giftregistry | resolves To GiftRegistry-Start |
| <input type="checkbox"/> giftregistryshow | resolves To GiftRegistryCustomer-Show |
| <input type="checkbox"/> 404 | resolves To Home-ErrorNotFound |
| <input type="checkbox"/> home | resolves To Home-Show |
| <input type="checkbox"/> orders | resolves To Order-History |
| <input type="checkbox"/> wallet | resolves To PaymentInstruments-List |
| <input type="checkbox"/> search | resolves To Search-Show |
| <input type="checkbox"/> contentsearch | resolves To Search-ShowContent |
| <input type="checkbox"/> sitemap | resolves To SiteMap-Start |
| <input type="checkbox"/> storelocator | resolves To Storelocator-Stores |
| <input type="checkbox"/> stores | resolves To Stores-Find |
| <input type="checkbox"/> searchwishlists | resolves To Wishlist-Search |
| <input type="checkbox"/> wishlist | resolves To Wishlist-Show |
| <input type="checkbox"/> showotherwishlist | resolves To Wishlist-ShowOther |
| New Alias: | resolves To |

Apply
Delete

- **Dynamic Mappings:** go to **Merchant Tools > SEO > Dynamic Mappings** and fill the following two rows, take care of replace “stores” with any other namespace if is indicate in custom preferences on *retailtune_pipeline_name* field:

```
/**/stores/** p,,,Storelocator-Stores,{0},storepath,{1},locale,{0}
/**/stores p,,,Storelocator-Stores,{0},storepath,stores,locale,{0}
```



Custom Code

The cartridge works as-is without further code modification when integrating with SFRA.

External Interfaces

Frontend: Custom template storelocator load Retailtune Script and integrate urls calls with Storelocator controller.

Backend: Retailtune rest API Endpoint.

Firewall Requirements

None.

Data Storage

None by the integration cartridge.

For Information on the Retailtune storage policy, please refer to the Retailtune Documentation

Availability

Please refer to the Retailtune documentation for information on service availability.

Failover/Recovery Process

The frontend client will fail silently if the Retailtune cartridge path is not compiled.

Support

[MAIL SUPPORT RETAILTUNE]

4. Known Issues

none

5. Release History

| Version | Date | Changes |
|---------|------------|------------------------------------|
| 1.0.0 | 2022-09-26 | Initial release |
| 1.0.1 | 2022-09-30 | Add Dynamic Mappings configuration |
| | | |
| | | |
| | | |