Week 1 review: Days 1-4

GROUP QUIZ

Questions 1-3

Choose one answer for each question. The 12 questions are taken from the Day 1, 2, 3 and 4 group quizzes, three from each day, in mixed order. Discuss your reasons as a group before checking with the instructor. These are learning questions, not exam predictions.

1. During the demonstration, two invented credentials are set for one command, and the command fails with InvalidClientTokenId. What does this failure establish? Day 1 · Q4

A. AWS recognised the identity, but no identity-based policy allows the action that it requested.

B. AWS couldn't authenticate the credentials, so it rejected the request before evaluating any policy.

C. A Deny statement in the learner policy matched the request, so the refusal is an explicit denial.

D. The request went to a Region whose endpoint doesn't accept credentials issued in another Region.

Your answer: _____

2. A call with 2,000 input tokens and 300 output tokens uses the course model at 1.10 USD per million input tokens and 5.50 USD per million output tokens. What does the call cost? Day 2 · Q17

A. It costs 0.00385 USD, from 2,000 tokens at the input price and 300 at the output price.

B. It costs 0.00253 USD, from all 2,300 tokens at the input price, as the usage total shows.

C. It costs 0.01133 USD, from 2,000 tokens at the output price and 300 at the input price.

D. It costs 0.01265 USD, from all 2,300 tokens at the output price, which applies to the reply.

Your answer: _____

3. The model asks for lookup_case with the input {"case_id": 1036}, a number, in a run scoped to case_1035. Which rule does the dispatcher's log line name? Day 3 · Q10

A. It names scope, because case 1036 is outside the run's scope, which holds case_1035 only.

B. It names allowlist, because a tool request with the wrong input type isn't on the allowlist.

C. It names input_schema, because a number fails the pattern and input is checked before scope.

D. It names repeated_action, because the number matches a lookup that the run has already refused.

Your answer: _____

Week 1 review: Days 1-4

GROUP QUIZ

Questions 4-6

4. A case record has a priority field that contract version 1.0 doesn't name, and its opened_at value is written day first. What does validate_case() return for the record? Day 4 · Q4

A. It returns one reason, for the date, because the model ignores a field that it doesn't declare.

B. It returns two reasons, because the model forbids extra fields and needs the exact UTC form.

C. It returns one reason, for the first rule broken, because validation stops at the first error.

D. It returns no reasons, because it converts the date to UTC and drops the extra field first.

Your answer: _____

5. A role has one policy that allows budgets:ViewBudget and another, the learner policy, with a Deny statement for budgets:*. What is the result of a request to view a budget? Day 1 · Q12

A. It's allowed, because the specific allow takes precedence over the wildcard deny.

B. It's allowed, because IAM applies the policy that was attached most recently.

C. It's implicitly denied, because the allow and the deny cancel each other out.

D. It's explicitly denied, because a matching Deny statement overrides any allow.

Your answer: _____

6. A Converse response ends with the stop reason tool_use and contains a toolUse block for lookup_case. What must the application do with the block's toolUseId? Day 3 · Q7

A. Copy it exactly into the matching toolResult, without parsing it, because its format can vary.

B. Parse it to find the Region that generated it, because the identifier encodes the destination.

C. Replace it with the run identifier, so the decision log and the history use one identifier.

D. Drop it from the history, because the model matches results to requests by their order.

Your answer: _____

Week 1 review: Days 1-4

GROUP QUIZ

Questions 7-9

7. The course client sets MAX_ATTEMPTS to 6, BACKOFF_BASE_SECONDS to 2 and BACKOFF_CAP_SECONDS to 32. What is the longest that one call to converse() can spend waiting between attempts before it gives up? Day 2 · Q12

A. It can wait up to 32 seconds, because the cap limits the total wait for one call.

B. It can wait up to 94 seconds, because the client waits after each of its six attempts.

C. It can wait up to 64 seconds, because the ceiling doubles once more after the cap.

D. It can wait up to 62 seconds, the sum of the five ceilings from 2 to 32 seconds.

Your answer: _____

8. The case export holds two records with the same case_id. Their summaries differ, and both pass every other rule. What does ingestion do? Day 4 · Q7

A. It keeps the record that appears later in the file, because a later record is assumed to be newer.

B. It writes both records, because the conditional write stores each version under its own checksum.

C. It accepts the first record and rejects the second, because a person must decide which is right.

D. It counts the second as a duplicate and writes the case once, as it does whenever a key repeats.

Your answer: _____

9. Code in London calls Claude Haiku 4.5 with modelId set to anthropic.claude-haiku-4-5-20251001-v1:0, and Bedrock returns a ValidationException about on-demand throughput. What should the team change? Day 1 · Q16

A. Pass an inference profile, such as eu.anthropic.claude-haiku-4-5-20251001-v1:0, as the modelId.

B. Submit Anthropic's use-case form, because the error means the account hasn't been approved yet.

C. Buy Provisioned Throughput, because the model is offered only with reserved capacity in London.

D. Add a statement that allows bedrock:InvokeModel on the base model's ARN in the London Region.

Your answer: _____

Week 1 review: Days 1-4

GROUP QUIZ

Questions 10-12

10. In the comparison, Retrieve returns five scored passages even for the five questions that no Kestrel document answers. What does this show about the scores? Day 4 · Q17

A. The knowledge base found some support for those questions, so the assistant can answer them with care.

B. A score above 0.5 means that the passage answers the question, so the higher passages can be used.

C. The keyword baseline returns nothing for those questions, so it is the safer retriever for them.

D. Retrieve returns its top-ranked passages regardless, so the application decides what is relevant.

Your answer: _____

11. Kestrel adds a guardrail with a prompt attack filter. Why must the dispatcher still check the tool requests that follow a lookup of case_1026? Day 3 · Q17

A. The filter runs only on the first message of a run, so later turns reach the model unchecked.

B. The filter blocks every tool request after an attack, so the dispatcher must restore the safe ones.

C. The case note arrives in a toolResult block, and no guardrail filter evaluates tool results.

D. The filter can't read English text that contains a currency symbol, such as a £200 credit.

Your answer: _____

12. The Converse API defines nine stop reasons. Which three does the course client treat as a complete reply? Day 2 · Q14

A. It treats end_turn, max_tokens and stop_sequence as complete, because each ends the reply normally.

B. It treats end_turn, tool_use and guardrail_intervened as complete, because each ends one turn.

C. It treats end_turn, stop_sequence and content_filtered as complete, because each reply is usable text.

D. It treats end_turn, stop_sequence and tool_use as complete, and records every other one as rejected.

Your answer: _____