1CD-0-3 Cercinoma, Acrons, NOS 8441/3 Site: Indometrium C54.1 3/9/11 pur

SURGICAL PATHOLOGY REPORT

DIAGNOSIS:

- A. LEFT TUBE AND OVARY, SALPINGO-OOPHORECTOMY:
 - Fallopian tube with focal tubal intraepithelial carcinoma (See synoptic report)
 - Ovary with corpora albicantia and multifocal reactive lymphoid aggregates
- B. RIGHT TUBE AND OVARY, SALPINGO-OOPHORECTOMY:
 - Metastatic adenocarcinoma with lymphatic space invasion, high grade serous type, from endometrial primary
 - Mullerian inclusion cysts
 - Fallopian tube with tubal intraepithelial carcinoma involving fimbriated end
- C. UTERUS WITH CERVIX, TOTAL HYSTERECTOMY:
 - Cervix:
 - Endocervical and ectocervical stroma diffusely involved by high grade serous adenocarcinoma
 - Lymphatic space invasion present
 - Endometrium:
 - Uterine papillary serous carcinoma (UPSC) with diffuse involvement of endometrium with peripheral endometrial intraepithelial carcinoma
 - Background atrophic changes
 - Myometrium:
 - Diffusely superficial and deep myoinvasion by high grade serous adenocarcinoma (full thickness involvement to serosa)
 - Lymphatic space invasion present, extensive
 - Monckeberg's vascular medial calcifications
 - Serosa:
 - Involved by high grade serous adenocarcinoma (full thickness involvement to serosa)
 - Anterior inked margin positive
- D. OMENTUM #1, OMENTECTOMY:
 - Metastatic uterine papillary serous carcinoma
 - Reactive mesothelial hyperplasia
- E. OMENTUM #2, OMENTECTOMY:
 - Metastatic uterine papillary serous carcinoma
 - Reactive mesothelial hyperplasia



SYNOPTIC REPORT

Applies To:

Patient Case(s):

Copy For: Page 1 or 4

Falls Ret of the state of the registry of the state of th

A: LEFT TUBE AND OVARY **B**: RIGHT TUBE AND OVARY C: UTERUS AND CERVIX

D: OMENTUM 1 E: OMENTUM 2

Macroscopic

Uterus Specimen Type: Right ovary Left ovary

Right fallopian tube Left fallopian tube

Omentum None

Other Organs Present:

Procedure:

Total abdominal hysterectomy and bilateral salpingo-

oophorectomy

Intact hysterectomy specimen Specimen Integrity: No lymph nodes present Lymph Node Sampling:

Microscopic

Histologic Type:

Histologic Grade: Tumor Site:

Serous adenocarcinoma G3: Poorly differentiated

Corpus **Fundus**

Lower uterine segment

Isthmus

Tumor Size:

Greatest dimension: 5.2cm Dimensions: 5.2 x 5 x 3cm

Myometrial Invasion:

Tumor extends through the entire uterine wall to serosal

Invasion of cervical stromal connective tissue

Involvement of Cervix:

Extent of Involvement

of Other Organs:

Left ovary

Margins:

Tumor involves serosal aspect

Lymphovascular Invasion:

Present

Pathologic Staging (pTNM [FIGO]) AJCC 7th Edition 2010

Primary Tumor (pT):

Regional Lymph Nodes (pN):

pT3a [IIIA]: Tumor involves serosa and/or adnexa (direct extension or metastasis)

pNX: Cannot be assessed

Number of pelvic lymph

nodes examined:

0

Number of pelvic lymph

0

nodes involved:

Number of para-aortic

0

lymph nodes examined: Number of para-aortic

lymph nodes involved:

0

Number of common iliac lymph nodes examined:

0

Number of common iliac

SURGICAL PATHOLOGY REPORT

lymph nodes involved: Distant Metastasis (pM): 0

pM1 [IVB]: Distant metastasis

Site(s): Omentum

HISTORY:

Pre-op diagnosis: CA endometrial

MICROSCOPIC FINDINGS:

See diagnosis.

GROSS:

A. LT TUBE AND OVARY

Labeled with the patient's name, designated "It tube and ovary", and received in formalin is an intact adnexa. The tortuous fallopian tube measures 4.0 cm in length and ranges from 0.4 cm in diameter to 0.9 cm in diameter. It has a fimbriated end. The overlying mesosalpinx is smooth and red-purple. Cut surface demonstrates a patent lumen lined with delicate pink-tan mucosa. The ovary measures 1.4 x 0.8 x 0.5 cm and has a smooth pink-yellow capsular surface. Cut surface demonstrates a single corpus albicans measuring 0.9 cm in greatest dimension. Representative sections are submitted.

- A1. Proximal and mid fallopian tube cross sections and entire fimbriated tip multiple
- A2. Half of bisected ovary 1
- A3. Additional tissue multiple

B. RT TUBE AND OVARY

Labeled with the patient's name, designated "rt tube and ovary", and received in formalin is an intact adnexa. The tortuous fimbriated fallopian tube measures 5.5 cm in length and ranges from 0.3 to 0.5 cm in diameter. The overlying mesosalpinx is smooth pink-tan and unremarkable. The cut surface demonstrates a patent pinpoint lumen lined with delicate tan papilliferous mucosa. The attached ovary measures 1.8 x 0.7 x 0.5 cm. The capsular surface is pink and yellow. The cut surface demonstrates unremarkable ovarian parenchyma. Representative sections are submitted.

Slide key:

- B1. Proximal and mid fallopian tube cross sections and entire fimbriated tip multiple
- B2. Entire bisected ovary 2
- B3. Entirely submitted additional tissue multiple

C. UTERUS WITH CERVIX

Labeled with the patient's name, designated "uterus and cervix", and received fresh for intraoperative consultation is a uterus and attached cervix. The uterus measures 7.3 cm in length, 5.1 cm cornu to cornu, and 5.0 cm anterior to posterior. The cervix measures 2.6 cm in length and 3.6 cm in maximum transverse dimensions. The ectocervix is pink to red and granular. Entirely filling the endometrial cavity is a large exophytic mass measuring 5.2 x 5.0 x 3.0 cm. The mass grossly extends into the cervix and is located approximately 1.0 cm from the os on the anterior side and 1.5 cm from the os on the posterior side. The serosa overlying the uterine corpus is smooth pink-red unremarkable. Approximately 50% of the mass has a friable red-brown necrotic cut surface. The muscular uterine wall ranges from 0.6 to 1.8 cm. The point of attachment of the mass is on the right wall. The mass invades to the serosal edge on the right side. The small amount of uninvolved myometrium is rubbery and pink-tan. The uninvolved endometrium is smooth and pink-tan. Representative sections are submitted.

Ink key: Black - Anterior. Blue - Posterior. Red - Cervical end of lower uterine segment.

Slide key:

- C1. Anterior cervix 1
- C2. Anterior lower uterine segment 1
- C3. Posterior cervix 1
- C4. Posterior lower uterine segment 1
- C5-C8. Anterior myometrium with mass and serosa 1 each
- C9, C10. Uninvolved endomyometrium with serosa to mass 1 each
- C11, C12. Posterior myometrium with serosa and mass 1 each

D. OMENTUM #1

Labeled with the patient's name, designated "omentum #1", and received in formalin is a fragment of finely lobulated yellow adipose tissue consistent with omentum measuring $7.6 \times 6.0 \times 1.0$ cm. Masses are not identified. Representative sections are submitted.

D1. Multiple

E. OMENTUM #2

Labeled with the patient's name, designated "omentum #2", and received in formalin is a fragment of finely lobulated yellow adipose tissue consistent with omentum measuring $7.2 \times 4.5 \times 1.1$ cm. Masses are not identified. Representative sections are submitted. E1. Multiple

Gross dictated by

INTRAOPERATIVE CONSULTATION:

- C. UTERUS AND CERVIX, GROSS EXAMINATION:
 - Bulky necrotic endometrial tumor with gross extrusion/involvement of cervix
 - NOTE: Portion of tumor given for research purposes (TCGA)

A AND B. LEFT AND RIGHT ADNEXA, GROSS EXAMINATION:

No gross tumor seen

I have personally examined the specimen, interpreted the results, reviewed the report and signed it electronically.

	1	ı
riteria	Yes	No
Diagnosis Discrejiancy		
rimary Tumor Site Discrepancy		
IIPAA Discrepancy		_i
rior Malignaho, History		
outl/Synchronous Prigrapy Noted		
ase is (circle): GUALIFIED	L'AQUANTIFQ 1	
Reviewer Initials Date Review	ved: / / / /	
71 14 16	<u> </u>	
100 317	111	1.
΄ (υ	k pin be	۵)