UUID:402A6ED4-B9EC-43A0-B47C-A0B95282678D
TCGA-A5-A7WJ-01A-PR
Redacted

	111 (111 11 1)	
Patient:		Accession Number:
Hospital No: Date of Birth:	Pathologist Assistant:	Ordering M.D.:
Age/Sex:	Date of Procedure: Date Received:	Copies To:
Location:	Data Kacaliladi;	
	SURGICAL PATHOLO	DGY REPORT
DIAGNOSIS:		
- Endomy - Endo - Tumo - Lym	PINGO-OOPHORECTOMY): cometrium: ometrial adenocarcinoma, endor or invades through 11% of the m phovascular invasion is indeterr	minate
- Ader	iomyosis	TED-0-3 Adexocaremona, endonetrioid NO: 8380/3 Juli Endonetrium C 54.1 QD 10/29/13
- Cervix: - Squa	mous metaplasia	A LAD
	itive for tumor	(Idenscaremona) indonetriolar
- Serosa:		888/3
	nous adhesions	J. t. Endometrum
_	itive for tumor	C 54.1
- Right ov - Atro		(1) 10/20/13
- Left ova		900 10121110
	us cyst (3.7 cm)	
- Bilateral	fallopian tubes:	
- No s	pecific pathologic change	
B. PELVIC LYMPI  One lym	H NODE #1, RIGHT (EXCISION): ph node, negative for tumor (0/1	1)
<ul> <li>Fibrocor</li> </ul>	H NODE #2, RIGHT (EXCISION): nnective tissue, negative for tum h node is identified	nor
	DE, RIGHT (EXCISION): ph node, negative for tumor (0/1	<b>()</b>
E. PA LYMPH NO - Two lym	DE, LEFT (EXCISION): ph nodes, negative for tumor (0/	<b>/2)</b>
F. PELVIC LYMPH - One lym	NODE, LEFT (EXCISION): ph node, negative for tumor (0/1	)
SYNOPTIC REPORTANTIAL Applies To:	т:	
Patient Case(s):		
	Copy For ; Page 1 of 6	

ACCESSION #:

A: UTERUS, CERVIX, BILATERAL FALLOPIAN TUBES AND OVARIES

**B: RIGHT PELVIC LN #1** C: RIGHT PELVIC LN #2

D: RIGHT PA LN E: LEFT PA LN F: LEFT PELVIC LN

Macroscopic

Procedure:

Total abdominal hysterectomy and bilateral salpingo-

oophorectomy

Specimen Integrity: **Lymph Node Sampling:**  Intact hysterectomy specimen

Pelvic lymph nodes

Para-aortic lymph nodes

**Microscopic** 

Histologic Type:

Endometrioid adenocarcinoma, not otherwise

characterized

Histologic Grade:

FIGO grade II

**Tumor Site:** 

Corpus

**Fundus** 

Lower uterine segment

Tumor Size: Myometrial invasion: Dimensions: 5.7 x 3.8 x 1cm

Invasion present

Depth of invasion: 0.2cm Myometrial thickness: 1.7cm

Less than 50% myometrial invasion No involvement

Involvement of Cervix:

Extent of involvement

of Other Organs:

None

Margins:

Uninvolved by invasive carcinoma

Lymphovascular Invasion:

Indeterminate

Pathologic Staging (pTNM) AJCC 7th Edition 2010

Primary Tumor (pT):

pT1a: Tumor limited to endometrium or invades less

Regional Lymph Nodes (pN):

than one-half of the myometrium pN0: No regional lymph node metastasis

Number of pelvic lymph

nodes examined:

Number of pelvic lymph

nodes involved:

0

Number of para-aortic

lymph nodes examined:

3

Number of para-aortic lymph nodes involved:

HISTORY:

Uterine cancer, hepatitis B

ACCESSION #:

MICROSCOPIC FINDINGS:

See diagnosis.

GROSS:

A. UTERUS, CERVIX, BILATERAL FALLOPIAN THIRFS AND OVARIES

Patient name, label:

designated "uterus, cervix, bilateral

Specimen type:

tubes and ovaries"

Received:

Total hysterectomy and bilateral salpingo-oophorectomy Fresh for intraoperative consultation and subsequently fixed in

Specimen integrity:

Previously incised

Specimen weight:

76 grams

Specimen size:

Overall uterine dimensions:

7.0 x 5.0 x 4.0 cm

Cervix alone:

2.5 cm in length, up to 3.0 cm in diameter

Vaginal cuff:

**Absent** 

Endometrial cavity: **Endometrial thickness:**  3.8 cm in width, 4.0 cm in length Ranges from 0.1 to 1.0 cm Ranges from 0.7 to 1.2 cm

Myometrial thickness: Left parametrium:

Absent Absent

Right parametrium: Left ovary:

3.7 x 2.2 x 1.3 cm

Left fallopian tube:

2.0 cm in length, 0.2 to 0.4 cm in diameter with a 0.1 cm

maximum luminal diameter, fimbria not identified

Right ovary:

2.1 x 0.8 x 0.7 cm

Right fallopian tube:

2.7 cm in length, 0.2 to 0.4 cm in diameter with a 0.1 cm

maximum luminal diameter, fimbria not identified

Pathologic findings:

Tumor:

Location:

Uterine fundus, uterine corpus (anterior and posterior), lower

uterine segment (anterior and posterior)

Size:

5.7 x 3.8 x 1.0 cm Pale tan

Color: Consistency:

Soft and friable

Configuration:

Papillary, fungating

Myometrial invasion:

Present and involves up to 0.7 cm of the wall thickness where

the wall is up to 1.8 cm

Grossly evident vascular

**Absent** 

invasion:

Uterine serosal involvement:

**Absent** Absent

Cervical involvement: Parametrial involvement:

Absent

Left ovary:

Uninvolved by metastatic tumor Uninvolved by metastatic tumor

Left fallopian tube: Right ovary:

Uninvolved by metastatic tumor

Right fallopian tube:

Uninvolved by metastatic tumor

Other Findings:

Non-neoplastic endometrium:

Other myometrial lesion(s):

Unremarkable

Endometrial polyp(s):

Not identified Not identified

Leiomyoma(s):

Not identified

Uterine serosa:

Unremarkable

Unremarkable

Cervix:

## ACCESSION #:

Vaginal cuff:

Unremarkable

Left ovary:

Shows that the left ovary appears to be entirely replaced with a

unilocular cyst. The cyst wall is smooth and no papillary

excrescences are identified.

Left fallopian tube: Right ovary:

Unremarkable Unremarkable.

Right fallopian tube:

Unremarkable

Additional findings:

None

A portion of the tumor, right ovary and right fallopian tube are released to operating procedure. Representative sections of the remaining tissue are submitted.

per standard

Slide key:

A1. Anterior cervix - 1 A2. Posterior cervix - 1

A3, A4. Anterior lower uterine segment with tumor - 1 each A5, A6. Posterior lower uterine segment with tumor - 1 each

A7, A8. Anterior uterine corpus with tumor - 1 each A9, A10. Posterior uterine corpus with tumor - 1 each

A11. Uterine fundus with tumor - 1

A12. Right ovary, entirely submitted - 2

A13. Proximal, mid, distal end of right fallopian tube - 3

A14. Left ovary - 3

A15. Proximal, mid, distal end of left fallopian tube - 3

B. RIGHT PELVIC LN #1

Patient name, label:

designated "right pelvic LN #1"

, designated "right pelvic LN #2"

Specimen type:

Lymph node sampling Received: In formalin

Specimen contents:

Adipose tissue and lymph nodes

Number of pieces of tissue:

Four One

Size of specimen:

 $2.8 \times 2.2 \times 0.7$  cm in aggregate

Number of lymph nodes:

Size of lymph nodes:

1.0 x 0.8 x 0.5 cm in maximum dimension

**Tumor:** 

No gross tumor is seen.

Additional findings:

None

The lymph node is entirely embedded.

B1. One lymph node, bisected - 2

C. RIGHT PELVIC LN #2

Patient name, label:

Excision

Specimen type: Received:

In formalin Adipose tissue

Specimen contents:

Number of pieces of tissue:

One

Size of specimen:

1.9 x 0.8 x 0.3 cm

Number of lymph nodes:

Tumor:

No gross tumor is seen.

Additional findings:

None

Entirely submitted.

SURGICAL PATHOLOGY REPORT

## ACCESSION #:

Slide key: C1. 1

D. RIGHT PA LN Patient name, label:

designated "right PA LN"

designated "left PA LN"

Specimen type: Received:

Lymph node sampling In formalin

Specimen contents:

Number of pieces of tissue:

Adipose tissue and lymph nodes

Size of specimen:

Two

Number of lymph nodes:

1.2 x 0.9 x 0.5 cm

One

Size of lymph nodes: Tumor:

0.9 x 0.7 x 0.6 cm No gross tumor is seen.

Additional findings:

None

The lymph node is entirely submitted.

Slide key:

D1. One lymph node - 1

E. LEFT PA LN

Patient name, label:

Lymph node sampling

Specimen type:

Received:

In formalin

Specimen contents:

Adipose tissue and lymph node

Number of pieces of tissue: Size of specimen:

Two

Number of lymph nodes:

 $2.2 \times 0.8 \times 0.4$  cm in aggregate

Size of lymph nodes:

One

Tumor:

1.4 cm in maximum dimension No gross tumor is seen.

Additional findings:

None

Entirely submitted.

Slide key:

E1. One possible lymph node - 1

E2. Additional tissue - 1

F. LEFT PELVIC LN

designated "left pelvic LN"

Patient name, label: Specimen type:

Lymph node sampling

Received:

In formalin

Specimen contents:

Adipose tissue and lymph node

Number of pieces of tissue:

Three

Size of specimen: Number of lymph nodes:

2.8 x 2.4 x 0.9 cm One

Size of lymph nodes:

1.1 x 0.8 x 0.7 cm in maximum dimension

Tumor:

No gross tumor is seen.

Additional findings:

None

The lymph node is entirely submitted.

Slide key:

SURGICAL PATHOLOGY REPORT

ACCESSION #:

F1. One lymph node, bisected - 2

Gross dictated by

**INTRAOPERATIVE CONSULTATION: OPERATIVE CALL OPERATIVE CONSULT (GROSS):** 

- A. UTERUS, CERVIX, BILATERAL FALLOPIAN TUBES AND OVARIES:
  - Grossly the lesion is in the endometrium. It is compatible with the patient's diagnosis of endometrial carcinoma.
  - Portions of the tumor, right ovary and right fallopian tube are procured for tissue bank

I have personally examined the specimen. Interpreted the results, reviewed the report and signed it electronically. Electronically signed

If this report includes immunohistochemical test results, olease note the following: Numerous immunohistochemical tests were developed and their Those immunohistochemical tests have not been cleared or approved by the U.S. Food and Drug Administration (FDA), and FDA approval is not required.

Page 6 of 6

Criteria hw 9/28/17	l <u>.</u> .	
Diagnosis Discrepancy	Yes	No
Primary Turnor Site Discrepancy		<u>-×</u>
HIPAA Discrepancy		L_ <b>Y</b> /
Prior Malignancy History		-V/-,
Dual/Synchronous Primary Noted		
Carait Isinalah		
Reviewer Initials Date Reviewed Date	<del>肾13</del> .	