adenocarcenome, indometrioid, Nos 8380/3 S. te Code: Indometrium C54.1

UUID:7F264403-0A76-4FAD-9A57-7C555F69375C TCGA-AX-A1CI-01A-PR 

MR #: Name:

Birthdate:

Accession No: Report to Dr:

Location:

Accn. Date: Coll. Date:

DIAGNOSIS:

A. CLINICALLY UTERUS, CERVIX, TUBES AND OVARIES:
1. EXTENSIVE SUPERFICIALLY INVASIVE WELL DIFFERENTIATED ENDOMETRICID ADENOCARCINOMA, FIGO GRADE I, WITH MINIMAL MYOMETRIAL INVASION AND NO LYMPHOVASCULAR INVASION, LOWER UTERINE SEGMENT NEGATIVE, EXCISED.

2. MAXIMUM TUMOR DIMENSION, 12 CM.

3. OVARIES AND TUBES CONSISTENT WITH AGE.

4. MILD CHRONIC CERVICITIS.

B. CLINICALLY LEFT PELVIC LYMPH NODES: FIVE LYMPH NODES, NEGATIVE FOR

C. CLINICALLY LEFT PERIAORTIC LYMPH NODES: TWO LYMPH NODES, NEGATIVE FOR

D. CLINICALLY RIGHT PELVIC LYMPH NODES: EIGHT REGIONAL LYMPH NODES,

FOR METASTATIC CARCINOMA (0/8).

E. CLINICALLY RIGHT PARA-AORTIC LYMPH NODES: THREE LYMPH NODES, NEGATIVE METASTATIC CARCINOMA (0/1).

TISSUE:

A. Uterus, cervix, tubes, ovaries (F.S with (undecipherable)

Left pelvic lymph node

Left periaortic lymph node C. Right pelvic lymph node Pariaortic lymph node

PRE-OP DX:

Adenocarcinoma of uterus

POST-OP DX:

Same as pre-op

HISTORY:

FROZEN SECTION:

A. Endometrial carcinoma superficially invasive as per

GROSS:

The specimen is received fresh in five parts.

Part A consists of an intact uterus and cervix with bilaterally attached adnexa weighing 470 grams. The uterus measures 13 X 10 X 10 cm. The right fallopian tube appears previously ligated and measures 2.5 X 1 X 1 cm. attached ovary measures 2 X 1 X 1 cm. On sectioning is has a solid pink tan parenchyma which is not grossly remarkable. The left fallopian tube is previously ligated and measures 2.5 X 0.5 X 0.5 cm. The attached ovary

(continued on next page)

MR #: Name: Birthdate:

Accession No: Report to Dr:

Location:

Accn. Date: Coll. Date:

## DIAGNOSIS:

A. CLINICALLY UTERUS, CERVIX, TUBES AND OVARIES:

1. EXTENSIVE SUPERFICIALLY INVASIVE WELL DIFFERENTIATED ENDOMETRIOID ADENOCARCINOMA, FIGO GRADE I, WITH MINIMAL MYOMETRIAL INVASION AND NO LYMPHOVASCULAR INVASION, LOWER UTERINE SEGMENT NEGATIVE, EXCISED.

2. MAXIMUM TUMOR DIMENSION, 12 CM.

3. OVARIES AND TUBES CONSISTENT WITH AGE.

4. MILD CHRONIC CERVICITIS.

B. CLINICALLY LEFT PELVIC LYMPH NODES: FIVE LYMPH NODES, NEGATIVE FOR

C. CLINICALLY LEFT PERIAORTIC LYMPH NODES: TWO LYMPH NODES, NEGATIVE FOR METASTATIC CARCINOMA (0/2).

D. CLINICALLY RIGHT PELVIC LYMPH NODES: EIGHT REGIONAL LYMPH NODES,

FOR METASTATIC CARCINOMA (0/8).

E. CLINICALLY RIGHT PARA-AORTIC LYMPH NODES: THREE LYMPH NODES, NEGATIVE METASTATIC CARCINOMA (0/1).

## TISSUE:

Uterus, cervix, tubes, ovaries (F.S with (undecipherable)

Left pelvic lymph node
Left periaortic lymph node
Right pelvic lymph node
E. Pariaortic lymph node

PRE-OP DX:

Adenocarcinoma of uterus

POST-OP DX:

Same as pre-op

HISTORY:


FROZEN SECTION:

A. Endometrial carcinoma superficially invasive as per

The specimen is received fresh in five parts.

Part A consists of an intact uterus and cervix with bilaterally attached Part A consists of an intact uterus and cervix with bilaterally attached adnexa weighing 470 grams. The uterus measures 13 X 10 X 10 cm. The right fallopian tube appears previously ligated and measures 2.5 X 1 X 1 cm. The attached ovary measures 2 X 1 X 1 cm. On sectioning is has a solid pink tan parenchyma which is not grossly remarkable. The left fallopian tube is previously ligated and measures 2.5 X 0.5 X 0.5 cm. The attached ovary

ontinued on next page)



.continued)

PAGE

MR #: Name: Birthdate:

;

Accession No: Report to Dr:

Surgical Pathology Cancer Case Summary (Checklist) Applies to invasive carcinomas only Based on AJCC/UICC TNM, 6th edition, Organ: MAČROSCOPIC SPECIMEN TYPE: Hysterectomy TUMOR SITE Specify location: TUMOR SIZĒ Greatest dimension: 12 cm OTHER ORGANS PRESENT Bilateral ovaries, fallopian tubes MICROSCOPIC HISTOLOGIC TYPE: Endometrioid adenocarcinoma, NOS HISTOLOGIC GRADE: G1: 5% or less nonsquamous solid growth MYOMETRIAL INVASION Invasion present Specify depth of invasion: 2.2 mm Specify myometrial thickness: 14.3 mm
EXTENT OF INVASION TNM pTib: Tumor invades less than one-half REGIONAL LYMPH NODES (pN) pNO: No regional lymph node metastasis Specify Number examined: 16; Number involved: 0 DISTÂNT MÉTASTASIS (PM) pMX: Cannot be assessed

VENOUS/LYMPHATIC (LARGE/SMALL VESSEL) INVASION (V/L)

MR #:

Accession No:

ontinued on next page)