FINAL DIAGNOSIS:

PART 1: ADNEXUM, RIGHT, RIGHT SALPINGO-OOPHORECTOMY -

- A. OVARY WITH SMALL INCLUSION CYST.
- B. UNREMARKABLE FALLOPIAN TUBE.

PART 2: ADNEXUM, LEFT, LEFT SALPINGO-OOPHORECTOMY -

- A. OVARY WITH METASTATIC ADENOCARCINOMA.
- B. UNREMARKABLE FALLOPIAN TUBE.

PART 3: UTERUS (276 GRAMS), TOTAL ABDOMINAL HYSTERECTOMY -

- A. POORLY-DIFFERENTIATED ADENOCARCINOMA OF ENDOMETRIUM, PAPILLARY SEROUS TYPE, FIGO GRADE 3.
- B. NEOPLASM INVADES 100% OF MYOMETRIUM POSTERIORLY WITHOUT SEROSAL EXTENSION.
- C. NEOPLASM INVOLVES 100% OF ENDOMETRIAL SURFACE.
- D. LYMPHOVASCULAR INVASION IDENTIFIED.
- E. PATHOLOGIC STAGE pT3a pN1 pMX, FIGO STAGE 3C.
- F. LEIOMYOMA, 4.5 CM.

PART 4: CERVIX, TOTAL ABDOMINAL HYSTERECTOMY -

- A. PAPILLARY SEROUS ADENOCARCINOMA EXTENDING INTO ENDOCERVICAL GLANDS AND DEEPLY INVOLVING CERVICAL STROMA.
- B. NEOPLASM EXTENDS TO DEEP MARGIN OF RESECTION POSTERIORLY.
- C. ECTOCERVICAL MARGIN OF RESECTION APPEARS FREE OF NEOPLASM.

PART 5: OMENTUM, OMENTECTOMY — UNREMARKABLE ADIPOSE TISSUE, NO NEOPLASM IDENTIFIED.

PART 6: ABDOMINAL PERITONEUM, LEFT, BIOPSY A – UNREMARKABLE ADIPOSE TISSUE, NO NEOPLASM IDENTIFIED.

105-0-3

PART 7: ABDOMINAL PERITONEUM, LEFT, BIOPSY B - SOFT TISSUE, NO NEOPLASM IDENTIFIED.

adinocarcinoma, perous, Nos 8441/3 Siti: Endometrium C54.1 lu 5/3/11

UUID: 39EC3673-5B31-403B-8328-9DEA5FF7CD1A TCGA-BG-A0M6-01A-PR Re

Redacted

PART 8: PELVIC PERITONEUM, LEFT, BIOPSY – SOFT TISSUE, NO NEOPLASM IDENTIFIED.

PART 9: ANTERIOR CUL-DE-SAC, BIOPSY --FIBROADIPOSE TISSUE, NO NEOPLASM IDENTIFIED.

PART 10: PELVIC PERITONEUM, RIGHT, BIOPSY – SOFT TISSUE, NO NEOPLASM IDENTIFIED.

PART 11: ABDOMINAL PERITONEUM, RIGHT, BIOPSY A - SOFT TISSUE, NO NEOPLASM IDENTIFIED.

PART 12: ABDOMINAL PERITONEUM, RIGHT, BIOPSY B - SOFT TISSUE, NO NEOPLASM IDENTIFIED.

í Yes	No
	18
	لايا - ا
	- 15 -
	 Yy-
DISQUALIFIED	DC
vgd: 5/2/11	
11 /2/11	
	DISQUALIFIED vert: \$ /2 / II

PART 13: LYMPH NODE, LEFT PELVIC, DISSECTION –
TWO LYMPH NODES NEGATIVE FOR METASTATIC CARCINOMA (0/2).

PART 14: LYMPH NODES, LEFT PELVIC, DISSECTION –
TWO LYMPH NODES NEGATIVE FOR METASTATIC CARCINOMA (0/2).

PART 15: LYMPH NODES, LEFT COMMON ILIAC, DISSECTION –
TWO OF FOUR LYMPH NODES POSITIVE FOR METASTATIC CARCINOMA (2/4), ONE WITH EXTRACAPSULAR EXTENSION.

PART 16: LYMPH NODES, LEFT PERIAORTIC, DISSECTION –
ONE OF THREE LYMPH NODES POSITIVE FOR METASTATIC CARCINOMA (1/3).

PART 17: LYMPH NODES, RIGHT PELVIC, DISSECTION –
TWO OF SEVEN LYMPH NODES POSITIVE FOR METASTATIC CARCINOMA (2/7), ONE WITH EXTRACAPSULAR
EXTENSION.

PART 18: LYMPH NODES, RIGHT PELVIC, DISSECTION –
ONE LYMPH NODE POSITIVE FOR METASTATIC CARCINOMA (1/1).

PART 19: LYMPH NODES, RIGHT PERIAORTIC, DISSECTION –
TWO OF TWO LYMPH NODES POSITIVE FOR METASTATIC CARCINOMA (2/2).

PART 20: APPENDIX, APPENDECTOMY FIBROUS OBLITERATION OF DISTAL APPENDICEAL LUMEN, NO NEOPLASM IDENTIFIED



CASE SYNOPSIS:

SYNOPTIC - PRIMARY UTERINE ENDOMETRIAL TUMORS: HYSTERECTOMY SPECIMENS

TUMOR TYPE:

Serous adenocarcinoma

HISTOLOGIC GRADE (epithelial neoplasm) [combined architectural and nuclear]:

ARCHITECTURAL GRADE:

Poorly differentiated (FIGO 3) Poorly differentiated

NUCLEAR GRADE:

Grade 3

TUMOR SIZE:

Maximum dimension: 6.5 cm

PERCENT OF ENDOMETRIAL SURFACE INVOLVEMENT:

DEPTH OF INVASION:**

Anterior endomyometrium: 100 %, Posterior endomyometrium: 100 %

STRUCTURES INVOLVED:

Greater than 1/2 thickness of myometrium Endocervical glands, Cervical stroma, Adnexa

ANGIOLYMPHATIC INVASION:

Yes

OTHER:

(epithelial, smooth muscle, others), Leiomyoma

LYMPH NODES POSITIVE:

Number of lymph nodes positive:: 8

LYMPH NODES EXAMINED:

Total number of lymph nodes examined: 21

LYMPH NODE GROUPS INVOLVED:

Pelvic lymph nodes, Right, Common iliac lymph nodes, Left, Para-aortic lymph nodes,

Right, Para-aortic lymph nodes, Left

EXTRANODAL EXTENSION:

Yes T STAGE, PATHOLOGIC: pT3a N STAGE, PATHOLOGIC:

pN1

M STAGE, PATHOLOGIC:

pMX

FIGO STAGE:

IIIC