

100-0-3

Carcinoma, Serous, NOS

Site Code: Endometrium CS4.1

8441/3

12/8/10

ms

Surgical Pathology

TISSUE DESCRIPTION:

A1 A2 A3 A4 A5 A6 A7 A8 A9 A10 J1 K1 L1 M1 N1 O1  
P1 Q1 R1  
S1 B1 B2 B3 B4 B5 B6 B7 B8 C1 C2 C3 C4 C5 D1 E1 F1 G1 H1  
I1 I2  
Uterus, right ovary (2.5 x 1.2 x 0.8 cm) with 7.0 cm  
segment of  
right fallopian tube, and left ovary (2.0 x 1.2 x 0.8 cm)  
with 8.0  
cm segment of left fallopian tube together weighing 100.0  
grams,  
right and left pelvic lymph nodes, right and left para-  
aortic lymph  
nodes, additional right para-aortic lymph nodes below the  
inferior  
mesenteric artery, omentum (26.0 x 25.0 x 0.5 cm), and  
multiple  
staging biopsies (cul de sac, bladder peritoneum, right  
and left  
colic gutter, left and right pelvic sidewall, small and  
large bowel  
mesentery, right and left diaphragm; ranging in size 0.3  
cm to 1.2  
cm in greatest dimension).

**DIAGNOSIS:**

Uterus, total abdominal hysterectomy: FIGO grade III (of  
III)  
papillary serous carcinoma forming a 3.0 x 2.1 x 1.8 cm  
mass,  
invading 0.3 cm into a 1.5 cm thick myometrium. The lower  
uterine  
segment and cervix are uninvolved.

Right and left ovaries and fallopian tubes, right and left  
salpingo-oophorectomies: Without diagnostic abnormality,  
both  
sides.

Lymph nodes, right and left pelvic, excision: Multiple  
right (8  
obturator, 1 internal iliac, 5 external iliac) and left (7  
obturator, 8 internal iliac, 4 external iliac, 5 common  
iliac)

UUID:597F20F2-AE36-4A9F-A7AF-1647C856B453  
TCGA-D1-A15V-01A-PR

Redacted



pelvic lymph nodes are negative for tumor.

Lymph nodes, right and left para-aortic, excision:  
Multiple right

(2 above inferior mesenteric artery; 2 below inferior  
mesenteric

artery) and left (2 above inferior mesenteric artery; 9  
below

inferior mesenteric artery) lymph nodes are negative for  
tumor.

Lymph nodes, additional right para-aortic below inferior  
mesenteric

artery, excision: A single additional right para-aortic  
below

inferior mesenteric artery lymph node is negative for  
tumor.

Omentum, omentectomy: Negative for tumor.

Cul de sac, bladder peritoneum, right and left colic  
gutter, left

and right pelvic sidewall, small and large bowel  
mesentery, right

and left diaphragm, multiple staging biopsies: Negative  
for tumor,

all sites.

| Criteria                       | Yes       | No                                  |
|--------------------------------|-----------|-------------------------------------|
| Diagnosis Discrepancy          |           | <input checked="" type="checkbox"/> |
| Primary Tumor Site Discrepancy |           | <input checked="" type="checkbox"/> |
| III/AA Discrepancy             |           | <input checked="" type="checkbox"/> |
| Prior Malignancy History       |           | <input checked="" type="checkbox"/> |
| Met/Synchronous Primary Noted  |           | <input checked="" type="checkbox"/> |
| Site is (circle):              | QUALIFIED | DISQUALIFIED                        |
| Reviewer Initials              | W         | 12/2/70                             |