

Specimens Submitted:

- 1: SP: Uterus, cervix, parametria, upper vagina, bilateral tubes and ovaries
- 2: SP: Left external iliac lymph nodes
- 3: SP: Left external and internal iliac lymph nodes
- 4: SP: Right external iliac lymph node
- 5: SP: Right external and internal iliac lymph nodes
- 6: SP: Right obturator lymph nodes ()
- 7: SP: Right common iliac lymph nodes ()
- 8: SP: Right para-aortic nodes #1
- 9: SP: Interoartocaval lymph node

ICD-0-3

adenocarcinoma, serosa, NOS 8441/3
 Site: Endometrium C54.1
 lw
 5/1/11

DIAGNOSIS:

- 1) UTERUS AND BILATERAL ADNEXAE; RESECTION:
- ADENOCARCINOMA OF ENDOMETRIUM, PAPILLARY SEROUS TYPE.
 - THE TUMOR INVADES TO >HALF OF MYOMETRIUM.
 - THE MAXIMAL THICKNESS OF MYOMETRIAL INVASION IS IN THE LOWER UTERINE SEGMENT, WHERE THE TUMOR INVADES 1.0 CM OF A 1.2 CM WALL.
 - ENDOCERVICAL INVASION IS PRESENT BOTH IN THE MUCOSA AND THE STROMA.
 - THE ENDOMETRIUM SHOWS ATROPHY.
 - THE MYOMETRIUM SHOWS LEIOMYOMATA.
 - THE LEFT PARAMETRIUM IS INVOLVED BY TUMOR, BUT THE PARAMETRIAL MARGINS ARE NEGATIVE.
- 2) LYMPH NODE, LEFT EXTERNAL ILIAC; DISSECTION:
- METASTATIC CARCINOMA IN ONE OF THREE LYMPH NODES (1/3).
 - ENDOSALPINGIOSIS.
- 3) LYMPH NODES, LEFT EXTERNAL AND INTERNAL ILIAC; DISSECTION:
- METASTATIC CARCINOMA IN SEVEN OUT OF EIGHT LYMPH NODES (7/8).
- 4) LYMPH NODES, RIGHT EXTERNAL ILIAC; DISSECTION:
- METASTATIC CARCINOMA IN THREE OF FIVE LYMPH NODES (3/5).

** Continued on next page **

UUID:EFEA05D7-E720-4FE4-977C-6A6369B18A2E
 TCGA-AP-A0LI-01A-PR

Redacted



| Criteria | Yes | No |
|--------------------------------|-----------|--------------|
| Diagnosis Discrepancy | | X |
| Primary Tumor Site Discrepancy | | X |
| HIPAA Discrepancy | | X |
| Prior Malignancy History | | X |
| Dual/Synchronous Primary Notes | | X |
| Case is (circle): | QUALIFIED | DISQUALIFIED |
| Reviewer Initials | lw | |
| Date Reviewed | 5/1/11 | |

- 5) LYMPH NODES, RIGHT EXTERNAL AND INTERNAL ILIAC; BIOPSY:
 - METASTATIC CARCINOMA IN ONE OF ONE LYMPH NODE (1/1).
- 6) LYMPH NODES, RIGHT OBTURATOR; DISSECTION:
 - METASTATIC CARCINOMA IN TWO OF SIX LYMPH NODES (2/6).
- 7) LYMPH NODES, RIGHT COMMON ILIAC; DISSECTION:
 - METASTATIC CARCINOMA IN TWO OF THREE LYMPH NODES (2/3)
- 8) LYMPH NODES, RIGHT PARA-AORTIC; BIOPSY:
 - BENIGN FIBROADIPOSE TISSUE. DEEPER LEVELS WILL BE EXAMINED IN AN EFFORT TO IDENTIFY LYMPH NODES.
- 9) LYMPH NODES, INTERAORTOCAVAL; DISSECTION:
 - METASTATIC CARCINOMA IN TWO OF TWO LYMPH NODES (2/2).

I ATTEST THAT THE ABOVE DIAGNOSIS IS BASED UPON MY PERSONAL EXAMINATION OF THE SLIDES (AND/OR OTHER MATERIAL), AND THAT I HAVE REVIEWED AND APPROVED THIS REPORT.

TSS Name/#.

Procedures/Addenda:
Addendum

Addendum Diagnosis

ADDENDUM

SITE: LYMPH NODE, RIGHT PARA-AORTIC
PART #8.

THE ADDITIONAL DEEPER LEVELS REVEALED A SMALL (0.3CM) LYMPH NODE, NEGATIVE
FOR CARCINOMA.

** End of Report **