1CD-0-3 Adino carcinoma, endometrioid, NOS 8380/3 Site: Endometrium C54.1 hw 4/3/11

SPECIMEN

The specimen is received in five parts, labeled as follows:

- A. Uterus, cervix, ovaries, tubes, bilateral parametria, upper vagina
- B. Right pelvic lymph node
- C. Right periaortic lymph node
- D. Left pelvic lymph node
- E. Left periaortic lymph node

CLINICAL NOTES

PRE-OP DIAGNOSIS: Endometrial cancer.

GROSS DESCRIPTION

A. Received fresh, labeled "uterus, cervix, ovaries, tubes, bilateral parametria, upper vagina", is a 149 gram, 5.5 x 5.5 x 4.5 cm. symmetrical uterine corpus, with attached 3.5 cm. cervix and marked adnexa. The serosa is smooth tan-pink-red.

A

thin rim of wrinkled pale tan apparent vaginal mucosa circumferences

the 4.2×3.8 cm. dusky tan-pink-red ectocervix. The patent os measures 1 x 0.3 cm. The anterior paracervical surface is inked blue and the posterior paracervical surface is inked black. On opening, the cervical canal contains soft tan-white tumor, which extends into and filled the distorted 4×2.5 cm. endometrial cavity. Sectioning through the cervix and lower uterine segment reveals glistening tan-white tumor, which measures up to 2 cm. in thickness and extends to within 0.2 cm. of the inked paracervical surface. The tumor throughout the endometrial cavity measures up

to

2.2 cm. in thickness, involving greater than 75% of the myometrium grossly. The myometrium is tan-pink and measures up to 2 cm. in thickness. The 2.4 x 2.2 x 1.6 cm., rubbery tan-gold left ovary shows pale tan stroma on sectioning by identifiable corpora albicantia. The discontinuous-appearing fimbriated pink-purple left

fallopian tube measures 5.5 cm. in length and averages 0.5 cm. in diameter, with a pinpoint to stellate lumen on sectioning. Received

GROSS DESCRIPTION

а

separately within the specimen container is a 4 x 3.4 x 2.5 cm. attenuated tan-gold ovary and associated, fimbriated, 4 cm. pink-purple fallopian tube segment. On sectioning, the ovary is cystic, containing a copious amount of grumous, greasy tan-gold debris and brown hair. A tubercle is not identified grossly. Residual ovarian stroma is pale tan with identifiable corpora albicantia. The fallopian tube segment averages 0.5 cm. in diameter

with a pinpoint to stellate lumen on sectioning. Representative sections are submitted in twenty-two blocks, as labeled. RS-22

BLOCK SUMMARY: 1-4 - Vaginal margin sequentially beginning at 12 to

3 o'clock; 5,6 - anterior cervix/LUS (point of continuity inked orange); 7-9 - representative cervix containing tumor from 2 to 5 o'clock; 10,11 - posterior cervix/LUS (point of continuity inked green); 12,13 - representative cervix, including tumor from 7 to 11 o'clock; 14-16 - representative anterior endomyometrium with tumor full thickness sequentially from fundus to LUS; 16-19 - representative posterior endomyometrium, including tumor full thickness sequentially from fundus to LUS; 20 - left tube and

21,22 - separately received tube and ovary.

B. Received fresh, labeled "right pelvic lymph node", is

 $7.4 \times 6.8 \times 3.4$ cm. aggregate of soft, lobulated golden-yellow adipose tissue. A few soft to slightly rubbery tan-pink-gold tissues, in keeping with lymph nodes, measuring up to 5.4 cm. in greatest dimension, are recovered. The lymphoid tissues are entirely submitted in nine blocks, as labeled. RS-9

BLOCK SUMMARY: 1 - Two whole nodes; 2,3; 4,5 - one bisected node per pair of cassettes (one-half per cassette); 6-9 - quadrisected largest node.

C. Received in formalin, labeled "right periaortic lymph

GROSS DESCRIPTION

node", is a 6 x 3.6 x 1.7 cm. portion of soft, lobulated golden-yellow adipose tissue. A few soft to rubbery, lobulated tan-pink-gold tissues, in keeping with lymph nodes, measuring up to 3.2 cm. in greatest dimension, are recovered. The lymphoid tissues are entirely submitted in five blocks, as labeled. RS-5

BLOCK SUMMARY: 1 - Two whole nodes; 2,3 - one bisected node per cassette; 4,5 - bisected largest node (one-half per cassette).

D. Received in formalin, labeled "left pelvic lymph node",

is a 7.5 x 7.5 x 3.3 cm. aggregate of soft, lobulated golden-yellow adipose tissue. Several soft to slightly rubbery tan-pink-gold tissues, in keeping with lymph nodes, measuring up to 4.3 cm. in greatest dimension, are recovered. The lymphoid tissues are entirely submitted in eight blocks, as labeled. RS-8

BLOCK SUMMARY: 1 - Four whole lymph nodes; 2,3 - one bisected lymph

node per cassette; 4.5 - one bisected lymph node (one-half per cassette); 6-8 - trisected largest lymph node (one-third per cassette).

E. Received in formalin, labeled "left periaortic lymph node", is a 4.7 x 3.8 x 2.3 cm. portion of soft, lobulated golden-yellow adipose tissue. A few soft to rubbery tan-pink-gold tissues, in keeping with lymph nodes, measuring up to 4 cm. in greatest dimension, are recovered. The lymphoid tissues are entirely submitted in six blocks, as labeled. RS-6

BLOCK SUMMARY: 1 - Two whole nodes; 2 - one bisected node; 3-6 - quadrisected largest node (one-quarter per cassette).

MICROSCOPIC DESCRIPTION

A. The following template applies to the hysterectomy specimen.

Histologic type: Endometrioid adenocarcinoma with squamous

differentiation.

Histologic grade: 2 Myometrial invasion:

1.3 cm depth of invasion

1.7 cm depth of myometrial thickness

76% of myometrial wall

Cervix: Extensively involved by carcinoma replacing the stromal connective

tissue.

Primary tumor (pT) TNM: pT2b (FIGO IIB)

Margins of resection: Uninvolved.

Vascular invasion: foci suspicious.

Regional lymph nodes (pN): Positive as described below (pN1). Distant metastasis (pM): Cannot be evaluated by the specimen

(pMX). Other findings: There is a mature cystic teratoma of the left

- B. The right pelvic lymph nodes demonstrate six lymph nodes with no evidence of metastasis.
- C. The right periaortic lymph nodes demonstrate

metastatic

ovary.

disease in one of four lymph nodes.

- D. The left pelvic lymph nodes demonstrate seven lymph nodes with no evidence of metastasis.
- E. The left periaortic lymph nodes demonstrate metastatic disease in one of four lymph nodes.

5,4x4

DIAGNOSIS

- A. Uterus, cervix, resection:
 - Adenocarcinoma, endometrioid type, by direct extension from the uterine corpus, extensively involving the cervical stroma.

Uterus, endomyometrium, resection

- Adenocarcinoma, endometrioid type, grade 2 with squamous differentiation.
- Depth of invasion 76% through myometrial wall.

Ovary, left, resection

- Mature cystic teratoma.

Ovary, right, resection

- No evidence of malignancy.

Fallopian tubes, right and left, resection

- No pathologic diagnosis.
- B. Right pelvic lymph nodes, resection
 - No evidence of metastasis in six lymph nodes (0/6).
- C. Right periaortic lymph nodes, resection
 - Metastatic carcinoma involving one of four lymph nodes (1/4).
- D. Left pelvic lymph nodes, resection
 - No evidence of metastasis in seven lymph nodes (0/7).
- E. Left periaortic lymph nodes, resection
 - Metastatic carcinoma involving one of four lymph nodes (1/4).

, M.D, (Electronic Signature)

--- End Of Report ---

Criteria

Diagnosis Dicrepancy
Primary Tumor 5 to Discrepancy
risPAA Discrepancy
D