UUID:2043D579-6785-4775-8A28-CDE3F1400BA2
TCGA-BK-A13C-01A-PR Redacted

adeno carcinoma, Endometricia, NOS 8380/3 /w 11/14/10

Site indonetrum

## SPECIMEN

- A. Uterus, cervix, bilateral tubes and ovaries
- B. Right pelvic lymph node
- C. Left pelvic lymph node
- D. Periaortic lymph node

#### CLINICAL NOTES

PRE-OP DIAGNOSIS: Endometrial cancer.

## GROSS DESCRIPTION

A. Received is a container labeled with the patient's name

medical record number and uterus, cervix, bilateral tubes and ovaries. The specimen consists of uterus with attached ovaries and fallopian tubes. The uterus measures 10.5 cm the cervical tip to the fundus, 7.5 cm in breath and 5.5 cm in width. The uterus is bivalved and on sectioning there is a tan cerebriform firm tumor involving both anterior and posterior in the myometrial wall. The depth of invasion appears to be less than 50% of the myometrial wall. The lower uterine segment and endocervix are involved by tumor. The endocervical mucosa is tan smooth and glistening. The right and left ovaries average  $1.5 \times 1.5 \times 1$  cm. Accompany fallopian tubes average depth and centimeters in length and 0.5 cm in diameter. Representative sections after fixation.

B. Received fresh labeled "right pelvic lymph node" is a

x 4.8 x 1.8 cm aggregate of soft, lobulated, golden yellow adipose tissue. A few soft to slightly rubbery tan-pink-gold tissues in keeping with lymph nodes measuring up to 3 cm in greatest

dimension are recovered. The lymphoid tissues are entirely submitted in five blocks as labeled. RS-5.

BLOCK SUMMARY: 1 - Five whole lymph nodes, 2-5 - one bisected lymph

node per cassette.

# GROSS DESCRIPTION

6

C. Received fresh labeled "left pelvic lymph node" is a 5  $\times$  5  $\times$  2.8 cm aggregate of soft, lobulated, golden yellow adipose tissue. Several soft to slightly rubbery tan-pink-gold tissues in keeping with lymph nodes measuring up to 2.5 cm in greatest dimension are recovered. The lymphoid tissues are entirely

submitted in nine blocks as labeled. RS-9.

BLOCK SUMMARY: 1 and 2 - Three whole lymph nodes per cassette, 3-5 - one bisected lymph node per cassette, 6 and 7; 8 and 9 - one bisected node per pair of cassettes (one-half node per cassette - two nodes in toto represented).

D. Received fresh labeled "periaortic lymph node" is a 4

Х

 $3.5 \times 1.5$  cm aggregate of soft, lobulated, golden yellow adipose tissue. A few soft to slightly rubbery tan-pink-gold tissues in keeping with lymph nodes measuring up to 3 cm in greatest

dimension are recovered. The lymphoid tissues are entirely submitted in four blocks as labeled. RS-4.

BLOCK SUMMARY: 1 - Five whole lymph node, 2-4 - one bisected lymph node per cassette.

#### MICROSCOPIC DESCRIPTION

A. The following template applies to the hysterectomy.

Histologic type: Endometrioid adenocarcinoma

Histologic grade: (2

Myometrial invasion:

0.4 cm depth of invasion

2.4 cm depth of myometrial thickness

17% of myometrial wall

## MICROSCOPIC DESCRIPTION

Cervix: Not involved

Primary tumor: TNM 1b (FIGO): IB Margins of resection: Not involved Vascular invasion: Not identified

Regional lymph nodes (pN): Negative as described below pNO Distant metastasis (pM): Could not be evaluated by this specimen (pMX)

Other findings: There is extensive adenomyosis within the myometrium. The ovaries and fallopian tubes are uninvolved by carcinoma.

B. The right pelvic lymph nodes demonstrate no evidence

metastasis in 14 lymph nodes.

- C. The left pelvic lymph nodes demonstrate no evidence of metastasis in 11 lymph nodes.
- D. The periaortic lymph nodes demonstrate no evidence of metastasis in 5 lymph nodes.

4, 4x3

DIAGNOSIS

of

A. Uterus, cevix, resection:

No pathologic diagnosis.

Uterus, endomyometrium, hysterectomy:

Endometrioid adenocarcinoma, grade 2, depth of invasion 17% through myometrial wall.

Ovaries, right and left, resection:

No pathologic diagnosis.

Fallopian tubes, right and left, resection:

No pathologic diagnosis.

- B. Right pelvic pelvic lymph nodes, resection: No evidence of metastasis to 14 lymph nodes (0/14).
- C. Pelvic pelvic lymph nodes, resection: No evidence of metastasis

## DIAGNOSIS

to 11 lymph nodes (0/11).

D. Periaortic lymph nodes, resection: No evidence of metastasis to

5 lymph nodes (0/5).

(Electronic Signature)

Interfe Yes No Diagnosis Discrepancy Trimary Tumor Site Discrepancy 1/PAA Discrepanc