

1CD-0-3

Specimens Submitted:

1: SP: Uterus, cervix, bilateral tubes and ovaries (

2: SP: Left Jackson's lymph node

3: SP: Left external iliac lymph node (

4: SP: Left hypogastric lymph node (

5: SP: Left common iliac lymph node (

6: SP: Left common iliac lymph node (

7: SP: Right external iliac lymph node (

8: SP: Right hypogastric lymph node (

9: SP: Right common iliac lymph node (

10: SP: Right common iliac lymph node (

11: SP: Right para-aortic lymph node (

12: SP: Left para-aortic lymph node (

adenocacinoma, indometrioid, NOS 8380/3 Siti: Indometrium C54.1

> מק 114


## DIAGNOSIS:

- 1) UTERUS, CERVIX, BILATERAL OVARIES AND FALLOPIAN TUBES; TOTAL ABDOMINAL HYSTERECTOMY AND BILATERAL SALPINGO-OOPHORECTOMY:
- ADENOCARCINOMA OF ENDOMETRIUM, ENDOMETRIOID TYPE, NOS, WITH FOCAL SQUAMOUS DIFFERENTIATION.
- THE TUNOR PRESENTS AS A 4.0 CM POLYPOID LESION IN THE ENDOMETRIAL CAVITY, FIGO GRADE (<= 6% SOLID GROWTH), NUCLEAR GRADE 2-3.
  - THE TUMOR INVADES TO <= HALF OF MYOMETRIUM.
  - THE MAXIMAL THICKNESS OF MYOMETRIAL INVASION IS 1.0 MM.
- THE THICKNESS OF THE MYOMETRIUM IN THE AREA OF MAXIMAL TUMOR INVASION IS  $13.0\,$  Mm.
  - THE TUMOR INVOLVES ADENOMYOSIS.
  - ENDOCERVICAL INVOLVEMENT IS PRESENT IN THE MUCOSA.
  - NO VASCULAR INVASION IS IDENTIFIED.
- THE ENDOMETRIUM SHOWS THE FOLLOWING ABNORMALITY: COMPLEX HYPERPLASIA WITH ATYPIA.
  - THE MYOMETRIUM SHOWS THE FOLLOWING ABNORMALITY: ADENOMYOSIS.
  - THE RIGHT AND LEFT OVARIES SHOW ENDOSALPINGIOSIS.
  - ALL OTHER ADNEXAE ARE UNREMARKABLE.
- 2) LYMPH NODE, LEFT

EXCISION:

\*\* Continued on next page \*\*







Page 2 of 7 - ONE BENIGN LYMPH NODE (0/1).

- 3) LYMPH NODE, LEFT EXTERNAL ILIAC; EXCISION: - ONE BENIGN LYMPH NODE (0/1).
- LYMPH NODES, LEFT HYPOGASTRIC; EXCISION: 4) - THREE BENIGN LYMPH NODES (0/3).
- 5) LYMPH NODES, LEFT OBTURATOR; EXCISION: - SIX BENIGN LYMPH NODES (0/6).
- LYMPH NODES, LEFT COMMON ILIAC; EXCISION: 6) - SIX BENIGN LYMPH NODES (0/6).
- 7) LYMPH NODES, RIGHT EXTERNAL ILIAC; EXCISION:
  - TWO BENIGN LYMPH NODES (0/2).
- 8) LYMPH NODES, RIGHT HYPOGASTRIC; EXCISION: - TWO BENIGN LYMPH NODES (0/2).
- 9) LYMPH NODES, RIGHT OBTURATOR; EXCISION: - TWO BENIGN LYMPH NODES (0/2).
- LYMPH NODES, RIGHT COMMON ILIAC; EXCISION: 10)
- SIX BENIGN LYMPH NODES (0/6). 11) LYMPH NODES, RIGHT PARA-AORTIC; EXCISION:
- LYMPH NODES, LEFT PARA-AORTIC; EXCISION: 12)

- TWO BENIGN LYMPH NODES (0/2).

- SIX BENIGN LYMPH NODES (0/6).

