Specimens Submitted:

1: SP: Left pararectal implant (fs)

2: SP: Left tube and ovary and tumor from left ureter and sigmoid colon (fs)

3: SP: Uterus, cervix, bilateral parametrium; radical hysterectomy

4: SP: Right tube and ovary with tumor from right ureter

5: SP: Cul-de-sac tumor

6: SP: Left obturator lymph node

7: SP: Left external iliac lymph nodes

8: SP: Right external iliac lymph nodes

9: SP: Right obturator lymph nodes

10: SP: Right hypogastric lymph nodes

11: SP: Tumor from rectum

12: SP: Omentum

13: SP: Falciform ligament

14: SP: Right diaphragm peritoneum

15: SP: Tumor right Gerota's fascia

16: SP: Porta hepatis lymph node

17: SP: Proximal right ovarian vessel

18: SP: Right para-aortic nodes

19: SP: Right common iliac nodes

20: SP: Left renal lymph node

21: SP: Interaortocaval lymph node

22: SP: Precaval lymph node

23: SP: Inferior mesenteric lymph node

24: SP: High left para-aortic lymph node

25: SP: Rectosigmoid and tumor

26: SP: Proximal and distal margins colon

DIAGNOSIS:

- 1. Left pararectal implant; biopsy:
 - Benign fibroadipose tissue.
- 2. Left Fallopian tube and ovary and tumor from left ureter and sigmoid colon; resection:
 - Metastatic serous carcinoma involving left fallopian tube and ovary
 - Tumor also involves periadnexal soft tissue
 - No ureter or colon is identified

** Continued on next page **

carcinoma, (papillarg) serons 8441/3 Site: Indonetrium C54.1 /w/2/20/11

Criteria	Yes	No .
Diagnosis Discrepancy		-
Primary Tumor Site Discrepancy		
HIPAA Discrepancy		-4-
Prior Malignaricy History		1
Dual/Synchronous Primary Notes		
Case is (circle):QUALIFIFD /	DISQUALIFIED	
Reviewer Initials Date Reviewer	12/2011	·
	11720	iu

UUID: A2E4C9FE-F82D-440E-AA52-88379EBC2442

TCGA-AP-A3K1-01A-PR

Redacted

3. SP: Uterus, cervix, bilateral parametrium; radical hysterectomy: Tumor Type: Adenocarcinoma, serous (papillary serous) type V Myometrial Invasion: Measures10mm in maximum depth Myometrium thickness measures17mm in the area of maximal tumor invasion Endocervical Invasion: Mucosa and stroma Parametrial tissue is also involved by tumor Depth of cervical stromal invasion: Measures 15.5mm Cervical wall thickness measures 16mm in the area of maximum tumor invasion Lymphovascular invasion: Endometrium: Exhibits atrophy Myometrium: Unremarkable Vaginal cuff margin is benign Right Fallopian tube and ovary and tumor from right ureter; resection: - Metastatic serous carcinoma involving right fallopian tube and ovary Cul-de-sac tumor; excision: - Metastatic serous carcinoma Lymph nodes, left obturator; lymphadenectomy: - Six benign lymph nodes (0/6). Lymph nodes, left external iliac; lymphadenectomy: - Metastatic carcinoma in one of six lymph nodes (1/6) Lymph nodes, right external iliac; lymphadenectomy: - Metastatic carcinoma in one of six lymph nodes (1/6) Lymph nodes, right obturator; lymphadenectomy: - Eight benign lymph nodes (0/8) 10. Lymph nodes, right hypogastric; lymphadenectomy: - Metastatic carcinoma in one lymph node (1/1) 11. Tumor from rectum; excision: - Benign fibroadipose tissue - One benign lymph node (0/1)

** Continued on next page **

12. Omentum; omentectomy:

- Metastatic serous carcinoma

13. Falciform ligament; excision:

- Benign fibrous tissue
- 14. Right diaphragm peritoneum; excision:
 Metastatic serous carcinoma
- 15. Tumor right Gerota's fascia; excision:
 - Cauterized fibrous tissue.
 - No carcinoma seen
- 16. Lymph nodes, Porta hepatis; lymphadenectomy:
 Seven benign lymph nodes (0/7)
- 17. Proximal right ovarian vessel; excision:
 Serous carcinoma involving small vessel
- 18. Lymph nodes, Right para-aortic; lymphadenectomy:

 Bight benign lymph nodes (0/8)
- 19. Lymph nodes, Right common iliac; lymphadenectomy:
 Six benign lymph nodes (0/6)
- 20. Lymph nodes, Left renal; lymphadenectomy: - Metastatic carcinoma in four of six lymph nodes (4/6)
- 21. Lymph nodes, Interaortocaval; lymphadenectomy:

 Six benign lymph nodes (0/6)
- 22. Lymph nodes, Precaval; lymphadenectomy:
 Metastatic carcinoma in two lymph nodes (2/2)
- Lymph nodes, Inferior mesenteric; lymphadenectomy:
 Metastatic carcinoma in four lymph nodes (4/4)
- 24. Lymph nodes, high left para-aortic; lymphadenectomy: - Metastatic carcinoma in two of three lymph nodes (2/3)
- 25. Rectosigmoid and tumor; excision:
 - Metastatic carcinoma involving peri-rectal adipose tissue
 - Benign colonic mucosa
- 26. Colon, Proximal and distal margins; resection:Benign colonic tissue

I ATTEST THAT THE ABOVE DIAGNOSIS IS BASED UPON MY PERSONAL EXAMINATION OF THE SLIDES (AND/OR OTHER MATERIAL), AND THAT I HAVE REVIEWED AND APPROVED THIS REPORT.