

1CD-0-3

## Specimens Submitted:

- 1: SP: Left tube and ovary
- 2: SP: Right tube and ovary
- 3: SP: Uterus; total hysterectomy
- 4: SP: Enlarged left external iliac lymph node
- 5: SP: Enlarged left obturator lymph node (
- 6: SP: Enlarged distal left external iliac lymph nodes
- 7: SP: Enlarged right obturator lymph node #2
- 8: SP: Right jackson nobe
- 9: SP: Enlarged left superficial inguinal lymph node
- 10: SP: Enlarged left external iliac lymph node #2
- 11: SP: Left Jackson's lymph node
- 12: SP: Left common iliac lymph node
- 13: SP: Enlarged right common iliac lymph node
- 14: SP: Enlarged right external iliac lymph node
- 15: SP: Enlarged right obturator lymph node

adenocarcinoma, endometrioid, NOS

8380/3

Site: endometrium C54.1

hw  
5/1/11

## DIAGNOSIS:

1. SP: Fallopian tube and ovary, left; salpingo-oophorectomy:
  - Ovary with numerous cystic follicles and stromal hyperplasia.
  - Benign fallopian tube with paratubal cysts.
2. SP: Fallopian tube and ovary, right; salpingo-oophorectomy:
  - Ovary with numerous cystic follicles and stromal hyperplasia.
  - Benign fallopian tube with paratubal cysts.
3. SP: Uterus; total hysterectomy:
  - Tumor Type:
    - Adenocarcinoma, endometrioid type
  - Architectural Grade (For Endometrioid Types only):
    - I (<6% solid growth)
  - Nuclear Grade (For Endometrioid Types only):
    - Grade 2
  - FIGO Grade (For Endometrioid Types only):
    - Grade 1
  - Myometrial Invasion:

\*\* Continued on next page \*\*

 UUID: 75767804-9FDF-4EE9-8DFF-350B60AF281C  
 TCGA-AP-A0LV-01A-PR

Redacted



Criteria	Yes	No
Diagnosis Discrepancy		<input checked="" type="checkbox"/>
Primary Tumor Site Discrepancy		<input checked="" type="checkbox"/>
HIPAA Discrepancy		<input checked="" type="checkbox"/>
Prior Malignancy History		<input checked="" type="checkbox"/>
Dual/Synchronous Primary Sites		<input checked="" type="checkbox"/>
Case is (circle):	<input checked="" type="checkbox"/> QUALIFIED / <input type="checkbox"/> DISQUALIFIED	
Reviewer Initials:	hw 5/1/11	

(= $\leq$ 50%)

Page 2 of 8

Measures 10mm in maximum depth

Myometrium thickness measures 28mm in the area of maximal tumor

invasion

Endocervical Invasion:

Not identified

Lymphovascular invasion:

Not identified

Endometrium:

Exhibits complex hyperplasia with atypia

Myometrium:

Exhibits adenomyosis

- 
4. SP: Enlarged left external iliac lymph node; excision:
    - One benign lymph node (0/1).
  5. SP: Enlarged left obturator lymph node; excision:
    - Two benign reactive lymph nodes (0/2).
  6. SP: Enlarged distal left external iliac lymph nodes; excision:
    - One benign reactive lymph node (0/1).
  7. SP: Enlarged right obturator lymph node #2; excision:
    - Two benign lymph nodes (0/2).
  8. SP: Right jackson node; excision:
    - One benign lymph node (0/1).
  9. SP: Enlarged left superficial inguinal lymph node; excision:
    - One benign reactive lymph node showing reactive follicular hyperplasia (0/1, see note).

Note: Dr. [REDACTED] has reviewed these slides and concurs with the diagnosis.

10. SP: Enlarged left external iliac lymph node #2; excision:
  - Two benign reactive lymph nodes (0/2).
11. SP: Left lymph node; excision:
  - One benign reactive lymph node (0/1).
12. SP: Left common iliac lymph node; excision:
  - One benign lymph node (0/1).
13. SP: Enlarged right common iliac lymph node; excision:
  - One benign reactive lymph node (0/1).
14. SP: Enlarged right external iliac lymph node; excision:
  - Three benign reactive lymph nodes (0/3).
15. SP: Enlarged right obturator lymph node; excision:
  - One benign reactive lymph node (0/1).

\*\* Continued on next page \*\*

TSS Name/#:

Page 3 of 8

I ATTEST THAT THE ABOVE DIAGNOSIS IS BASED UPON MY PERSONAL EXAMINATION OF THE SLIDES (AND/OR OTHER MATERIAL), AND THAT I HAVE REVIEWED AND APPROVED THIS REPORT.