

Monthly Summary Report

Institution: CIM _____

Memorandum

Date: July 2, 2024
To: Statewide Heat Plan Coordinator
Subject: Heat Plan Activity - CIM

The following is a summary of the heat related activity for the month of June,
at CIM (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes _____
Number of days Stage I Alert initiated: 6
2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes _____
Number of days Stage II Alert initiated: 4
3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? Yes _____
Number of days Stage III Alert initiated: 1
4. Weekly list of heat risk patients archived? Yes _____

5. Number of patients with heat related illness: 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Travis Pennington

Warden Name

Warden Signature

Louie Escobell

Chief Executive Officer Name

Chief Executive Officer Signature

**STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CUCR 2030 (04/18)**

¹²⁷ Cf. *Wissenschaftliche Zeitschrift für Soziologie und Politik* 11, 2, 1973, pp. 1-24.

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

51 m

Date	Time	Temp.	Printed Name
	0100	59°	Frad for
	0200	59°	Frad for
	0300	58°	Frad for
	0400	58°	Frad for
	0500	58°	Frad for
	0600	57°	Frad for
	0700	60	Turbo
	0800	65	Turbo
	0900	70	Turbo
	1000	74	Turbo
	1100	74	Turbo
	1200	75	Turbo
	1300	77	Turbo
	1400	77	Turbo
	1500	79	V.VASQUEZ
	1600	78	V.VASQUEZ
	1700	76	V.VASQUEZ
	1800	73	V.VASQUEZ
	1900	70	V.VASQUEZ
	2000	65	V.VASQUEZ
	2100	63	V.VASQUEZ
	2200		Frad for
	2300		Frad for
	2400	57°	Frad for

JUN 01 2024

Date	Time	Temp.	Printed Name
	0100	57°	Bradford
	0200	56°	Bradford
	0300	55°	Bradford
	0400	55°	Bradford
	0500	55°	Bradford
	0600	56°	Bradford
	0700	60	ELEVENT
	0800	60	ELEVENT
	0900	61	ELEVENT
	1000	61	ELEVENT
	1100	65	ELEVENT
	1200	67	ELEVENT
	1300	72	ELEVENT
	1400	76	V.VASSNER
	1500	77	V.VASSNER
	1600	77	V.VASSNER
	1700	76	V.VASSNER
	1800	73	V.VASSNER
	1900	70	V.VASSNER
	2000	65	V.VASSNER
	2100	64	V.VASSNER
	2200	61	ARGELIO
	2300	59	ARGELIO
	2400	59	ARGELIO

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2020 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	58	ARGUELLO
	0200	57	ARGUELLO
	0300	57	ARGUELLO
	0400	56	ARGUELLO
	0500	56	ARGUELLO
	0600	59	ARGUELLO
	0700	60	ARGUELLO
	0800	61	ARGUELLO
	0900	60	ARGUELLO
	1000	62	ARGUELLO
	1100	64	ARGUELLO
	1200	66	ARGUELLO
	1300	67	ARGUELLO
	1400	71	TARNAGIN
	1500	72	TARNAGIN
	1600	71	TARNAGIN
	1700	69	TARNAGIN
	1800	67	TARNAGIN
	1900	65	TARNAGIN
	2000	62	TARNAGIN
	2100	62	TARNAGIN
	2200	61	TARNAGIN
	2300	60	ARGUELLO
	2400	59	ARGUELLO

June 2 / 2024

Date	Time	Temp.	Printed Name
	0100	59	ARGUELLO
	0200	57	ARGUELLO
	0300	56	ARGUELLO
	0400	56	ARGUELLO
	0500	55	ARGUELLO
	0600	57	TURNER
	0700	59	TURNER
	0800	60	TURNER
	0900	60	TURNER
	1000	61	TURNER
	1100	63	TURNER
	1200	65	TURNER
	1300	67	TURNER
	1400	71	TURNER
	1500	76	TARNAGIN
	1600	75	TARNAGIN
	1700	73	TARNAGIN
	1800	68	TARNAGIN
	1900	68	TARNAGIN
	2000	69	TARNAGIN
	2100	62	TARNAGIN
	2200	60	TARNAGIN
	2300	61	GRADFOOT
	2400	61	GRADFOOT

June 3 / 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	61	F. Bradford
	0200	61	F. Bradford
	0300	61	F. Bradford
	0400	61	F. Bradford
	0500	60	F. Bradford
	0600	60	F. Bradford
	0700	65	Turner
	0800	68	Turner
	0900	72	Turner
	1000	75	Turner
	1100	77	Turner
	1200	80	Turner
	1300	80	Turner
	1400	81	Turner
	1500	81	Turner
	1600	80	Turner
	1700	79	Turner
	1800	77	Turner
	1900	72	Turner
	2000	68	Turner
	2100	64	Turner
	2200	62	Turner
	2300	59	F. Bradford
	2400	59	F. Bradford

Date	Time	Temp.	Printed Name
JUN 05 2024	0100	61	F. Bradford
JUN 05 2024	0200	61	F. Bradford
JUN 05 2024	0300	61	F. Bradford
JUN 05 2024	0400	61	F. Bradford
JUN 05 2024	0500	60	F. Bradford
JUN 05 2024	0600	59	F. Bradford
JUN 05 2024	0700	66	Turner
JUN 05 2024	0800	68	Turner
JUN 05 2024	0900	70	Turner
JUN 05 2024	1000	75	Turner
JUN 05 2024	1100	77	Turner
JUN 05 2024	1200	80	Turner
JUN 05 2024	1300	84	Turner
JUN 05 2024	1400	85	Turner
JUN 05 2024	1500	85	Turner
JUN 05 2024	1600	84	Turner
JUN 05 2024	1700	82	Turner
JUN 05 2024	1800	79	Turner
JUN 05 2024	1900	73	Turner
JUN 05 2024	2000	69	Turner
JUN 05 2024	2100	67	Turner
JUN 05 2024	2200	65	Turner
JUN 05 2024	2300	63	F. Bradford
JUN 05 2024	2400	63	F. Bradford

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION (DCR)

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	63	F grad paf
	0200	63	F grad paf
	0300	62	F grad paf
	0400	62	F grad paf
	0500	62	F grad paf
	0600	62	F grad paf
	0700	68	Turn
	0800	70	Turn
	0900	75	Turn
	1000	79	Turn
	1100	77	Turn
	1200	80	Turn
	1300	81	Turn
	1400	83	Turn
	1500	83	TARNAGIN
	1600	82	TARNAGIN
	1700	81	TARNAGIN
	1800	79	TARNAGIN
	1900	74	TARNAGIN
	2000	71	TARNAGIN
	2100	70	TARNAGIN
	2200	69	TARNAGIN
	2300	64	F grad paf
	2400	64	F grad paf

JUN 03 2024
2024

Date	Time	Temp.	Printed Name
	0100	63	F grad paf
	0200	63	F grad paf
	0300	63	F grad paf
	0400	63	F grad paf
	0500	63	F grad paf
	0600	63	F grad paf
	0700	68	Turn
	0800	69	Turn
	0900	70	Turn
	1000	75	Turn
	1100	79	Turn
	1200	79	Turn
	1300	80	Turn
	1400	81	Turn
	1500	80	V.NASOVA
	1600	80	V.NASOVA
	1700	78	V.NASOVA
	1800	77	V.NASOVA
	1900	72	V.NASOVA
	2000	69	V.NASOVA
	2100	66	V.NASOVA
	2200	62	F grad paf
	2300	62	F grad paf
	2400	62	F grad paf

JUN 07 2024
2024

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2630 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	62	Firrad/pd
	0200	62	Firrad/pd
	0300	62	Firrad/pd
	0400	62	Firrad/pd
	0500	62	Firrad/pd
	0600	62	Firrad/pd
	0700	63	Basement
	0800	64	Basement
	0900	65	Basement
	1000	67	Basement
	1100	69	Basement
	1200	72	Basement
	1300	70	Basement
	1400	77	V.VASSNER
	1500	78	V.VASSNER
	1600	78	V.VASSNER
	1700	76	V.VASSNER
	1800	74	V.VASSNER
	1900	72	V.VASSNER
	2000	68	V.VASSNER
	2100	66	V.VASSNER
	2200	63	Arguello
	2300	62	Arguello
	2400	61	Arguello

Date	Time	Temp.	Printed Name
	0100	60	Arguello
	0200	59	Arguello
	0300	59	Arguello
	0400	59	Arguello
	0500	58	Arguello
	0600	63	Basement
	0700	62	Basement
	0800	63	Basement
	0900	64	Basement
	1000	65	Basement
	1100	68	Basement
	1200	71	Basement
	1300	74	Basement
	1400	76	Torregina
	1500	76	Torregina
	1600	76	Torregina
	1700	75	Torregina
	1800	73	Torregina
	1900	68	Torregina
	2000	65	Torregina
	2100	63	Torregina
	2200	61	Torregina
	2300	62	Arguello
	2400	61	Arguello

JUN 08 2024

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 3030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the outside ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUN 10 2024	0100	60	Arguello
	0200	59	Arguello
	0300	58	Arguello
	0400	58	Arguello
	0500	57	Arguello
	0600	65	Turner
	0700	72	Turner
	0800	75	Turner
	0900	77	Turner
	1000	77	Turner
	1100	80	Turner
	1200	81	Turner
	1300	81	Turner
	1400	82	Turner
	1500	80	Tarnagin
	1600	82	Tarnagin
	1700	80	Tarnagin
	1800	76	Tarnagin
	1900	70	Tarnagin
	2000	67	Tarnagin
	2100	65	Tarnagin
	2200	63	Tarnagin
	2300	63°	F. Gradel Jr.
	2400	63°	F. Gradel Jr.

Date	Time	Temp.	Printed Name
JUN 11 2024	0100	62°	F. Gradel Jr.
	0200	61°	F. Gradel Jr.
	0300	61°	F. Gradel Jr.
	0400	60°	F. Gradel Jr.
	0500	60°	F. Gradel Jr.
	0600	65	Turner
	0700	67	Turner
	0800	72	Turner
	0900	74	Turner
	1000	75	Turner
	1100	79	Turner
	1200	80	Turner
	1300	80	Turner
	1400	82	Turner
	1500	79	Tarnagin
	1600	77	Tarnagin
	1700	76	Tarnagin
	1800	71	Tarnagin
	1900	67	Tarnagin
	2000	65	Tarnagin
	2100	61	Tarnagin
	2200	60	Tarnagin
	2300	62	F. Gradel Jr.
	2400	62	F. Gradel Jr.

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
COPCR 2020 (04/18)

DEPARTMENT OF CORRECTIONS AND REVENGEFUL TREATMENT

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUN 13 2020	0100	60°	F-Bradford
	0200	60°	F-Bradford
	0300	59°	F-Bradford
	0400	59°	F-Bradford
	0500	59°	F-Bradford
	0600	60	F-Bradford
	0700	65	Turn
	0800	68	Turn
	0900	72	Turn
	1000	75	Turn
	1100	77	Turn
	1200	80	Turn
	1300	82	Turn
	1400	82	Turn
	1500	86	Tarnagin
	1600	84	Tarnagin
	1700	83	Tarnagin
	1800	79	Tarnagin
	1900	75	Tarnagin
	2000	71	Tarnagin
	2100	68	Tarnagin
	2200	65°	F-Bradford
	2300	65°	F-Bradford
	2400	63°	F-Bradford

Date	Time	Temp.	Printed Name
JUN 13 2020	0100	62°	F-Bradford
	0200	67°	F-Bradford
	0300	60°	F-Bradford
	0400	59°	F-Bradford
	0500	58°	F-Bradford
	0600	58°	F-Bradford
	0700	60	Turn
	0800	65	Turn
	0900	68	Turn
	1000	73	Turn
	1100	75	Turn
	1200	80	Turn
	1300	82	Turn
	1400	82	Turn
	1500	83	Tarnagin
	1600	81	Tarnagin
	1700	81	Tarnagin
	1800	80	Tarnagin
	1900	76	Tarnagin
	2000	70	Tarnagin
	2100	65	Tarnagin
	2200	63	F-Bradford
	2300	63	F-Bradford
	2400	62°	F-Bradford

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REVENGE TRAINING

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	61°	Fgrad ffc
JUN 14 2020	0200	69°	Fgrad ffc
	0300	78°	Fgrad ffc
	0400	57°	Fgrad ffc
	0500	66°	Fgrad ffc
	0600	66°	Fgrad ffc
	0700	60	Tur
	0800	65	Tur
	0900	69	Tur
	1000	75	Tur
	1100	78	Tur
	1200	81	Tur
	1300	82	Tur
	1400	84	Tur
	1500	83	Westlake
	1600	82	Westlake
	1700	80	Westlake
	1800	80	Westlake
	1900	79	Westlake
	2000	78	Westlake
	2100	76	Westlake
	2200	68	Fgrad ffc
	2300	68	Fgrad ffc
	2400	68°	Fgrad ffc

Date	Time	Temp.	Printed Name
JUN 15 2020	0100	67°	Fgrad ffc
	0200	66°	Fgrad ffc
	0300	65°	Fgrad ffc
	0400	64°	Fgrad ffc
	0500	67°	Fgrad ffc
	0600	66°	Fgrad ffc
	0700	65	ZABENA
	0800	67	ZABENA
	0900	72	ZABENA
	1000	78	ZABENA
	1100	84	ZABENA
	1200	88	ZABENA
	1300	89	ZABENA
	1400	89	ZABENA
	1500	87	DENIS
	1600	84	DENIS
	1700	89	DENIS
	1800	89	DENIS
	1900	89	DENIS
	2000	88	DENIS
	2100	82	DENIS
	2200	71	ACCOGLIO
	2300	69	MICIGLIO
	2400	66	AZGUGILO

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
June 16	0100	66	AZGUELLO	June 17	0100	72	JARAMILLO
	0200	64	Arbucello		0200	70	JARAMILLO
	0300	63	AZGUELLO		0300	69	JARAMILLO
	0400	62	AZGUELLO		0400	69	JARAMILLO
	0500	61	AZGUELLO		0500	68	JARAMILLO
	0600	62	Flemister		0600	70	TURNER
	0700	65	Flemister		0700	74	TURNER
	0800	67	Flemister		0800	76	TURNER
	0900	69	Flemister		0900	76	TURNER
	1000	74	Flemister		1000	76	TURNER
	1100	76	Flemister		1100	76	TURNER
	1200	81	Flemister		1200	74	TURNER
	1300	83	Flemister		1300	77	TURNER
	1400	85	JARNAGIN		1400	77	TURNER
	1500	83	JARNAGIN		1500	76	JARNAGIN
	1600	82	JARNAGIN		1600	76	JARNAGIN
	1700	80	JARNAGIN		1700	74	JARNAGIN
	1800	79	JARNAGIN		1800	70	JARNAGIN
	1900	73	JARNAGIN		1900	69	JARNAGIN
	2000	69	JARNAGIN		2000	64	JARNAGIN
	2100	65	JARNAGIN		2100	63	JARNAGIN
	2200	73	JARAMILLO		2200	63°	F. P. RADICAL
	2300	73	JARAMILLO		2300	62	F. P. RADICAL
	2400	72	JARAMILLO		2400	62°	F. P. RADICAL

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUN 18 2024	0100	62°	Fordaford
	0200	61°	Fordaford
	0300	61°	Fordaford
	0400	60°	Fordaford
	0500	60°	Fordaford
	0600	59°	Fordaford
	0700	65	Tur
	0800	70	TUR
	0900	72	TUR
	1000	75	TUR
	1100	77	TUR
	1200	80	TUR
	1300	82	TUR
	1400	84	TUR
	1500	81	TARNAGIN
	1600	81	TARNAGIN
	1700	76	TARNAGIN
	1800	72	TARNAGIN
	1900	72	TARNAGIN
	2000	67	TARNAGIN
	2100	65	TARNAGIN
	2200	64°	Fordaford
	2300	65°	Fordaford
	2400	62°	Fordaford

Date	Time	Temp.	Printed Name
JUN 19 2024	0100	61	Fordaford
	0200	61	Fordaford
	0300	61	Fordaford
	0400	60	Fordaford
	0500	60	Fordaford
	0600	60	Fordaford
	0700	65	Tur
	0800	70	TUR
	0900	75	TUR
	1000	77	TUR
	1100	79	TUR
	1200	80	TUR
	1300	81	TUR
	1400	82	TUR
	1500	81	TARNAGIN
	1600	79	TARNAGIN
	1700	78	TARNAGIN
	1800	77	TARNAGIN
	1900	73	TARNAGIN
	2000	69	TARNAGIN
	2100	66	TARNAGIN
	2200	66°	Fordaford
	2300	65°	Fordaford
	2400	63°	Fordaford

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUN 20 2024	0100	69	Frad prof
	0200	69	Frad prof
	0300	60	Frad prof
	0400	60	Frad prof
	0500	60	Frad prof
	0600	60	Frad prof
	0700	65	TWAN
	0800	68	TWAN
	0900	70	TWAN
	1000	74	TWAN
	1100	76	TWAN
	1200	80	TWAN
	1300	81	TWAN
	1400	83	TWAN
	1500	84	JARAGGIN
	1600	83	JARAGGIN
	1700	83	JARAGGIN
	1800	82	JARAGGIN
	1900	77	JARAGGIN
	2000	73	JARAGGIN
	2100	72	JARAGGIN
	2200	68	Frad prof
	2300	66	Frad prof
	2400	67	Frad prof

Date	Time	Temp.	Printed Name
JUN 21 2024	0100	65	Frad prof
	0200	64	Frad prof
	0300	63	Frad prof
	0400	62	Frad prof
	0500	61	Frad prof
	0600	61	Frad prof
	0700	65	TWAN
	0800	69	TWAN
	0900	70	TWAN
	1000	71	TWAN
	1100	80	TWAN
	1200	82	TWAN
	1300	89	TWAN
	1400	89	TWAN
	1500	89	V.VASSNER
	1600	88	V.VASSNER
	1700	88	V.VASSNER
	1800	86	V.VASSNER
	1900	82	V.VASSNER
	2000	77	V.VASSNER
	2100	76	V.VASSNER
	2200	73	Frad prof
	2300	72	Frad prof
	2400	71	Frad prof

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUN 22 2024	0100	69°	E.Gradefel
	0200	67°	E.Gradefel
	0300	66°	E.Gradefel
	0400	65°	E.Gradefel
	0500	65°	E.Gradefel
	0600	64°	E.Gradefel
	0700	71°	S.GARCIA
	0800	72°	S.GARCIA
	0900	71°	S.GARCIA
	1000	81°	S.GARCIA
	1100	87°	S.GARCIA
	1200	94°	S.GARCIA
	1300	96°	S.GARCIA
	1400	98°	S.GARCIA
	1500	98°	V.VASQUEZ
	1600	97°	V.VASQUEZ
	1700	94°	V.VASQUEZ
	1800	91°	V.VASQUEZ
	1900	88°	V.VASQUEZ
	2000	85°	V.VASQUEZ
	2100	80°	V.VASQUEZ
	2200	79	D.Martinez
	2300	77	D.Martinez
	2400	77	D.Martinez

Date	Time	Temp.	Printed Name
JUN 23 2024	0100	75	D.Martinez
	0200	73	D.Martinez
	0300	73	D.Martinez
	0400	72	D.Martinez
	0500	72	D.Martinez
	0600	71	D.Martinez
	0700	74	F.M.ARIAS
	0800	79	F.M.ARIAS
	0900	82	F.M.ARIAS
	1000	83	F.M.ARIAS
	1100	88	F.M.ARIAS
	1200	92	F.M.ARIAS
	1300	95	F.M.ARIAS
	1400	95	TARNAGIN
	1500	97	TARNAGIN
	1600	96	TARNAGIN
	1700	94	TARNAGIN
	1800	94	TARNAGIN
	1900	93	TARNAGIN
	2000	84	TARNAGIN
	2100	79	TARNAGIN
	2200	79	ARIAS
	2300	77	ARIAS
	2400	75	ARIAS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUN 24 2024	0100	73	ARIAS
	0200	72	ARIAS
	0300	71	ARIAS
	0400	70	ARIAS
	0500	69	ARIAS
	0600	75	TURNO
	0700	77	TURNO
	0800	80	TURNO
	0900	81	TURNO
	1000	85	TURNO
	1100	88	TURNO
	1200	90	TURNO
	1300	94	TURNO
	1400	96	TURNO
	1500	93	JARNAGIN
	1600	93	JARNAGIN
	1700	91	JARNAGIN
	1800	89	JARNAGIN
	1900	87	JARNAGIN
	2000	82	JARNAGIN
	2100	78	JARNAGIN
	2200	77°	E Grad fnd
	2300	73°	E Grad fnd
	2400	78°	E Grad fnd

Date	Time	Temp.	Printed Name
JUN 25 2024	0100	75°	E Grad fnd
	0200	69°	E Grad fnd
	0300	71°	E Grad fnd
	0400	70°	E Grad fnd
	0500	69°	E Grad fnd
	0600	69°	E Grad fnd
	0700	74	TURNO
	0800	79	TURNO
	0900	80	TURNO
	1000	85	TURNO
	1100	87	TURNO
	1200	90	TURNO
	1300	92	TURNO
	1400	92	TURNO
	1500	91	JARNAGIN
	1600	89	JARNAGIN
	1700	89	JARNAGIN
	1800	88	JARNAGIN
	1900	88	JARNAGIN
	2000	79	JARNAGIN
	2100	76	JARNAGIN
	2200	73°	E Grad fnd
	2300	73°	E Grad fnd
	2400	73°	E Grad fnd

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
JUN 26 2024	0100	70°	EBradfod	JUN 27 2024	0100	68°	EBradfod
	0200	69°	EBradfod		0200	67°	EBradfod
	0300	68°	EBradfod		0300	67°	EBradfod
	0400	67°	EBradfod		0400	66°	EBradfod
	0500	67°	EBradfod		0500	66°	EBradfod
	0600	66°	EBradfod		0600	65°	EBradfod
	0700	70	JWDR		0700	70	JWDR
	0800	75	JWDR		0800	75	JWDR
	0900	78	JWDR		0900	77	JWDR
	1000	82	JWDR		1000	79	JWDR
	1100	84	JWDR		1100	82	JWDR
	1200	86	JWDR		1200	84	JWDR
	1300	89	JWDR		1300	86	JWDR
	1400	89	JWDR		1400	87	JWDR
	1500	89	TARNAGIN		1500	82	JWDR
	1600	89	TARNAGIN		1600	89	TARNAGIN
	1700	87	TARNAGIN		1700	89	TARNAGIN
	1800	86	TARNAGIN		1800	86	TARNAGIN
	1900	82	TARNAGIN		1900	85	TARNAGIN
	2000	75	TARNAGIN		2000	80	TARNAGIN
	2100	73	TARNAGIN		2100	78	TARNAGIN
	2200	70°	EBradfod		2200	75	TARNAGIN
	2300	69°	EBradfod		2300	73	EBradfod
	2400	69°	EBradfod		2400	73	EBradfod

DISTRIBUTION: Original; Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUN 28 2024	0100	67	Fraadys
	0200	67	Fraadys
	0300	66	Fraadys
	0400	66	Fraadys
	0500	65	Fraadys
	0600	64	Fraadys
	0700	66	Tam
	0800	68	Tam
	0900	72	Tam
	1000	74	Tam
	1100	80	Tam
	1200	84	Tam
	1300	85	Tam
	1400	84	Tam
	1500	88	JP Cervantes
	1600	87	JP Cervantes
	1700	87	JP Cervantes
	1800	83	JP Cervantes
	1900	83	JP Cervantes
	2000	80	JP Cervantes
	2100	76	JP Cervantes
	2200		
	2300		
	2400		

Date	Time	Temp.	Printed Name
JUN 29 2024	0100		
	0200		
	0300		
	0400		
	0500		
	0600	64	ELBRENT
	0700	66	ELBRENT
	0800	69	ELBRENT
	0900	73	ELBRENT
	1000	75	ELBRENT
	1100	83	ELBRENT
	1200	88	ELBRENT
	1300	88	ELBRENT
	1400	91	JP Cervantes
	1500	93	JP Cervantes
	1600	93	JP Cervantes
	1700	92	JP Cervantes
	1800	88	JP Cervantes
	1900	87	JP Cervantes
	2000	83	JP Cervantes
	2100	79	JP Cervantes
	2200	78	D Roy
	2300	77	D Roy
	2400	76	D Roy

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUN 30 2024	0100	73	DLoz
	0200	70	DLoz
	0300	69	D Loz
	0400	67	D Loz
	0500	67	D Loz
	0600	66	EZBRENT
	0700	70	EZBRENT
	0800	71	EZBRENT
	0900	78	EZBRENT
	1000	83	EZBRENT
	1100	88	EZBRENT
	1200	92	EZBRENT
	1300	93	EZBRENT
	1400	96	JIMINEZ
	1500	96	JIMINEZ
	1600	94	JIMINEZ
	1700	95	JIMINEZ
	1800	94	JIMINEZ
	1900	82	JIMINEZ
	2000	77	JIMINEZ
	2100	77	JIMINEZ
	2200	75	JARAMILLO
	2300	74	JARAMILLO
	2400	73	JARAMILLO

Date	Time	Temp.	Printed Name
JUL 01 2024	0100	71	JARAMILLO
	0200	70	JARAMILLO
	0300	68	JARAMILLO
	0400	65	JARAMILLO
	0500	65	JARAMILLO
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

JUNE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAM Housing Unit: 4-1

Temp. Reading Location:

WEST SIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	M. Hernandez
	0600	70	Hernandez, M.
	0900	71	Hernandez, M.
	1200	73	Hernandez, M.
	1500	75	Argon
	1800	74	Argon
	2100	71	Argon
	2400	76	J. Alvarez

Tuesday

Date	Time	Temp.	Name (Print)
5-28	0300	70	J. Alvarez
	0600	70	Hernandez, M.
	0900	71	Hernandez, M.
	1200	73	Hernandez, M.
	1500	72	M. Nichols
	1800	72	M. Nichols
	2100	70	M. Nichols
	2400	71	Sanchez

Wednesday

Date	Time	Temp.	Name (Print)
5-29	0300	69	J. Alvarez
	0600	70	Hernandez, M.
	0900	69	Hernandez, M.
	1200	73	Hernandez, M.
	1500	72	M. Nichols
	1800	72	M. Nichols
	2100	72	M. Nichols
	2400	71	Holsey

Thursday

Date	Time	Temp.	Name (Print)
5-30	0300	70	Holsey
	0600	69	Hernandez, M.
	0900	71	Hernandez, M.
	1200	74	Hernandez, M.
	1500	74	M. Nichols
	1800	74	M. Nichols
	2100	73	M. Nichols
	2400	72	Holsey

Friday

Date	Time	Temp.	Name (Print)
5-31	0300	70	Holsey
	0600	70	R. Nichols
	0900	70	R. Nichols
	1200	75	R. Nichols
	1500	75	M. Nichols
	1800	74	M. Nichols
	2100	72	M. Nichols
	2400	74	M. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
6-1	0300	72	M. Hernandez
	0600	71	R. Nichols
	0900	72	R. Nichols
	1200	73	R. Nichols
	1500	73	M. Nichols
	1800	74	M. Nichols
	2100	73	M. Nichols
	2400	72	M. Hernandez

Sunday

Date	Time	Temp.	Name (Print)
6-2	0300	71	M. Hernandez
	0600	70	Hernandez, M.
	0900	68	Hernandez, M.
	1200	70	Hernandez, M.
	1500	72	#20100
	1800	73	#20100
	2100	71	Hernandez, M.
	2400	72	J. Alvarez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: 4-2 Temp. Reading Location: EAST SIDE/WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300	72	Pineda
	0600	72	Hayhurst
	0900	72	Hayhurst
	1200	72	Hayhurst
	1500	76	Torres
	1800	75	Torres
	2100	73	Torres
	2400	73	Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	73	Ramirez
	0600	73	J. Garcia
	0900	73	J. Garcia
	1200	73	J. Garcia
	1500	79	Torres
	1800	77	Torres
	2100	75	Torres
	2400	74	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	72	D. Perez
	0600	72	M. Aguilar
	0900	74	M. Aguilar
	1200	77	M. Aguilar
	1500	78	Torres
	1800	76	Torres
	2100	74	Torres
	2400	73	D. Perez

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	72	D. Perez
	0600	73	H. Zuniga
	0900	76	H. Zuniga
	1200	77	H. Zuniga
	1500	77	Torres
	1800	75	Torres
	2100	73	Torres
	2400	72	D. Perez

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	71	D. Perez
	0600	72	S. Johnson
	0900	74	S. Johnson
	1200	76	S. Johnson
	1500	73	R. Burns
	1800	74	R. Burns
	2100	73	R. Burns
	2400	72	D. Perez

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	70	D. Perez
	0600	73	K. Lopez
	0900	74	K. Lopez
	1200	74	K. Lopez
	1500	73	K. Lopez
	1800	72	K. Lopez
	2100	71	K. Lopez
	2400	70	D. Morelko

Notes

Date	Time	Temp.	Name (Print)
6/2	0300	68	D. Morelko
	0600	69	R. Nichols
	0900	72	R. Nichols
	1200	71	R. Nichols
	1500	72	Torres
	1800	70	Torres
	2100	69	Torres
	2400	70	Pineda

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FM Housing Unit: 1132 Temp. Reading Location: INSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/21	0300	74	J. SIEVA
	0600	69	P. Luna
	0900	74	P. Luna
	1200	76	P. Luna
	1500	75	
	1800	73	P. Luna
	2100	71	P. Luna
	2400	74	J. SIEVA

Wednesday

Date	Time	Temp.	Name (Print)
5/23	0300	74	J. SIEVA
	0600	73	J. SIEVA
	0900	74	J. SIEVA
	1200	76	J. SIEVA
	1500	75	S. ARIAS
	1800	74	S. ARIAS
	2100	73	S. ARIAS
	2400	74	J. SIEVA

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	74	J. AGUILAR
	0600	74	J. AGUILAR
	0900	75	J. AGUILAR
	1200	76	J. AGUILAR
	1500	75	J. AGUILAR
	1800	74	J. AGUILAR
	2100	74	J. AGUILAR
	2400	74	J. AGUILAR

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	69	J. DIAZ
	0600	69	J. DIAZ
	0900	71	J. DIAZ
	1200	72	J. DIAZ
	1500	71	J. DIAZ
	1800	71	J. DIAZ
	2100	71	J. DIAZ
	2400	70	J. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	74	J. SIEVA
	0600	70	P. Luna
	0900	70	P. Luna
	1200	71	P. Luna
	1500	76	J. Kelly
	1800	74	J. Kelly
	2100	72	J. Kelly
	2400	75	J. SIEVA

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	74	J. SIEVA
	0600	74	J. SIEVA
	0900	76	J. SIEVA
	1200	77	J. SIEVA
	1500	76	S. ARIAS
	1800	75	S. ARIAS
	2100	74	S. ARIAS
	2400	74	J. AGUILAR

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	72	J. AGUILAR
	0600	73	J. AGUILAR
	0900	74	J. AGUILAR
	1200	75	J. AGUILAR
	1500	76	A. ALALA
	1800	74	A. ALALA
	2100	73	A. ALALA
	2400	71	D. MUNIZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-5

Temp. Reading Location:

EAST SIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	70	MATHernah
	0600	70	S. SAVIA
	0900	70	S. SAVIA
	1200	70	S. SAVIA
	1500	70	MOMMAS
	1800	70	MOMMAS
	2100	70	MOMMAS
	2400	70	MATHernah

Tuesday

Date	Time	Temp.	Name (Print)
5-28-24	0300	70	MATHernah
	0600	69	S. SAVIA
	0900	70	S. SAVIA
	1200	70	S. SAVIA
	1500	70	MOMMAS
	1800	70	MOMMAS
	2100	70	MOMMAS
	2400	70	MATHernah

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	MATHernah
	0600	69	ANNA
	0900	70	ANNA
	1200	70	ANNA
	1500	70	A. COCON
	1800	68	D. DAVIS
	2100	68	D. DAVIS
	2400	68	MATHernah

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	68	MATHernah
	0600	69	ANNA
	0900	70	ANNA
	1200	71	ANNA
	1500	70	MOMMAS
	1800	70	MOMMAS
	2100	70	MOMMAS
	2400	70	J. MORTON

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	70	J. MORTON
	0600	69	ANNA
	0900	69	ANNA
	1200	70	ANNA
	1500	70	MOMMAS
	1800	70	MOMMAS
	2100	70	MOMMAS
	2400	70	J. MORTON

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	72	J. MORTON
	0600	71	P. LUNA
	0900	63	P. LUNA
	1200	70	P. LUNA
	1500	70	E. SANTOS
	1800	69	E. SANTOS
	2100	68	E. SANTOS
	2400	67	E. GALVAN

Notes

Date	Time	Temp.	Name (Print)
6-2-24	0300	68	J. GARCIA
	0600	67	P. LUNA
	0900	62	P. LUNA
	1200	67	P. LUNA
	1500	70	E. SANTOS
	1800	68	E. SANTOS
	2100	69	E. SANTOS
	2400	69	J. GARCIA

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A6

Temp. Reading Location: EAST / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/18	0300	70	K. Hono
	0600	70	Currie
	0900	72	Fayann
	1200	72	Reynor
	1500	72	Zacile
	1800	71	Zacile
	2100	70	Zacile
	2400	70	Zacile

Sunday

Date	Time	Temp.	Name (Print)
6/3/18	0300	70	BWV
	0600	71	Perez
	0900	72	Perez
	1200	72	Perez
	1500	71	Unk
	1800	70	Non
	2100	70	TVA
	2400	70	SWN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN-PAA Housing Unit: A

Temp. Reading Location:

BADT S112E

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	71	J. Lopez
	0600	69	K. Lopez
	0900	67	K. Lopez
	1200	69	K. Lopez
	1500	71.4°F	J. Diez
	1800	71.5°F	J. Diez
	2100	69.6°F	J. Diez
	2400	70	J. Lopez

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	71	L-CORONA
	0600	71	L-CORONA
	0900	71	L-CORONA
	1200	71	L-CORONA
	1500	71	L-CORONA
	1800	70	L-CORONA
	2100	71	L-CORONA
	2400	70	S. Avila

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	72	L-CORONA
	0600	71	L-CORONA
	0900	71	L-CORONA
	1200	71	L-CORONA
	1500	71	L-CORONA
	1800	71	L-CORONA
	2100	71	L-CORONA
	2400	69	L-CORONA

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	72	L-CORONA
	0600	71	E. Gomez
	0900	72	E. Gomez
	1200	73	E. Gomez
	1500	72	E. Gomez
	1800	71	E. Gomez
	2100	71	E. Gomez
	2400	71	E. Gomez

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	70	J. Lopez
	0600	69	L-CORONA
	0900	70	L-CORONA
	1200	71	L-CORONA
	1500	70.2°F	J. Diez
	1800	70.6°F	J. Diez
	2100	68.9°F	J. Diez
	2400	71	L-CORONA

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	69	S. Avila
	0600	69	L-CORONA
	0900	70	L-CORONA
	1200	71	L-CORONA
	1500	71	L-CORONA
	1800	70	L-CORONA
	2100	70	L-CORONA
	2400	72	L-CORONA

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	69	L-CORONA
	0600	70	L-CORONA
	0900	71	L-CORONA
	1200	72	L-CORONA
	1500	72	L-CORONA
	1800	72	L-CORONA
	2100	72	L-CORONA
	2400	72	L-CORONA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A8 Temp. Reading Location: EAST / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7142 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
6-1-24	0300	72	Lucen
	0600	72	
	0900	74	
	1200	75	
	1500	73	}) Brown
	1800	73	}) Brown
	2100	73	Brown
	2400	72	}) Moreno

Sunday			
Date	Time	Temp.	Name (Print)
6-2-24	0300	71	J. MORENO
	0600	77	Hernandez
	0900	79	Hernandez
	1200	72	Hernandez
	1500	73	J. Brown
	1800	73	J. Brown
	2100	74	J. Brown
	2400	73	J. MORENO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAM Housing Unit: A-1 Temp. Reading Location: WEST
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	0300	70	J. Acevedo
	0600	66	Hernandez, m
	0900	68	Hernandez, m
	1200	69	Hernandez, m
	1500	71	Toussaint
	1800	71	Toussaint
	2100	70	Toussaint
	2400	70	Boccino

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	0300	69	Boccino
	0600	70	Hernandez, m
	0900	69	Hernandez, m
	1200	71	Hernandez, m
	1500	71	MATABLE
	1800	70	MATABLE
	2100	74	Morano
	2400	74	Figueroa

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	0300	73	Figueroa
	0600	72	Hernandez
	0900	70	Hernandez
	1200	73	Hernandez
	1500	73	MATABLE
	1800	74	MATABLE
	2100	74	MATABLE
	2400	72	Halsay

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	0300	70	Halsay
	0600	71	Hernandez
	0900	71	Hernandez
	1200	73	Hernandez
	1500	72	MATABLE
	1800	72	MATABLE
	2100	77	MATABLE
	2400	73	Halsay

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	0300	72	Halsay
	0600	71	R. Nichols
	0900	72	R. Nichols
	1200	72	R. Nichols
	1500	73	MATABLE
	1800	73	MATABLE
	2100	74	MATABLE
	2400	70	Figueroa

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	0300	69	Figueroa
	0600	70	R. Nichols
	0900	71	R. Nichols
	1200	73	R. Nichols
	1500	74	MATABLE
	1800	74	MATABLE
	2100	73	MATABLE
	2400	71	CL GRIER

Notes

Date	Time	Temp.	Name (Print)
6/11/2024	0300	70	I. GRIER
	0600	69	O'Hernandez
	0900	70	O'Hernandez
	1200	71	O'Hernandez
	1500	74	C. CRAN
	1800	71	C. CRAN
	2100	70	C. CRAN
	2400	71	JAMES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-2

Temp. Reading Location: EAST SIDE/WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/1	0300	72	Pineda
3	0600	74	R. NICHOLS
	0900	75	R. NICHOLS
	1200	75	R. NICHOLS
	1500	74	E. GOMEZ
	1800	73	NABEZ
	2100	72	E. GOMEZ
	2400	71	D. HARRIS

Wednesday

Date	Time	Temp.	Name (Print)
6/1	0300	75	D. HARRIS
5	0600	72	J. KELLY
	0900	74	J. KELLY
	1200	76	J. KELLY
	1500	77	TOMMY
	1800	75	TOMMY
	2100	73	TOMMY
	2400	72	D. HARRIS

Friday

Date	Time	Temp.	Name (Print)
6/1	0300	73	D. HARRIS
7	0600	74	D. HARRIS
	0900	75	S. ANDERSON
	1200	76	S. ANDERSON
	1500	79	TOMMY
	1800	77	TOMMY
	2100	75	TOMMY
	2400	74	D. HARRIS

Sunday

Date	Time	Temp.	Name (Print)
6/1	0300	76	CHAN
9	0600	76	R. NICHOLS
	0900	71	R. NICHOLS
	1200	75	R. NICHOLS
	1500	75	TOMMY
	1800	74	TOMMY
	2100	73	TOMMY
	2400	72	S. ANDERSON

Tuesday

Date	Time	Temp.	Name (Print)
6/1	0300	70	D. HARRIS
4	0600	71	J. KELLY
	0900	73	J. KELLY
	1200	74	J. KELLY
	1500	71	TOMMY
	1800	79	TOMMY
	2100	77	TOMMY
	2400	76	D. HARRIS

Thursday

Date	Time	Temp.	Name (Print)
6/1	0300	70	D. HARRIS
6	0600	71	J. KELLY
	0900	73	J. KELLY
	1200	76	J. KELLY
	1500	73	TOMMY
	1800	76	TOMMY
	2100	75	TOMMY
	2400	74	D. HARRIS

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	73	D. HARRIS
8	0600	71	C. BRAYBOY
	0900	74	C. BRAYBOY
	1200	76	C. BRAYBOY
	1500	75	TOMMY
	1800	75	TOMMY
	2100	75	TOMMY
	2400	76	CHAN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A3 Temp. Reading Location: EAST / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
6/19/24	0300		
	0600	69°	JURADO
	0900	71°	JURADO
	1200	71°	JURADO
	1500	72°	PICKENS
	1800	71°	PICKENS
	2100	71°	PICKENS
	2400	70°	A. OREGG

Notes
Re-open on 6/01/2024
C. DeLo

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: All Temp. Reading Location: EAST / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	70	J-DIAZ
	0600	74	P.Luna
	0900	71	P.Luna
	1200	74	P.Luna
	1500	71	J-PAL
	1800	71	PYPVP
	2100	71	A.MAZ
	2400	71	J-DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	70	J-DIAZ
	0600	74	P.Luna
	0900	72	P.Luna
	1200	73	P.Luna
	1500	79	J-KELG
	1800	74	J-KELG
	2100	74	S.Cald
	2400	74	GARLAND

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	73	GARLAND
	0600	77	GARLAND
	0900	73	Varela
	1200	73	Varela
	1500	76	S.Anderson
	1800	75	S.Jahn
	2100	74	S.Jahn
	2400	74	Figueroa

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	71	Figueroa
	0600	77	Varela
	0900	77	Varela
	1200	75	Varela
	1500	76	S.Ahn
	1800	76	S.Ahn
	2100	75	S.Ahn
	2400	75	J.Aguirre

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	71	J.Aguirre
	0600	72	Varela
	0900	74	Varela
	1200	76	Varela
	1500	75	J.Andison
	1800	75	S.Andison
	2100	74	S.Andison
	2400	74	Varela

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	70	Varela
	0600	70	Varela
	0900	72	Varela
	1200	73	Varela
	1500	74	Alcalde
	1800	74	Alcalde
	2100	72	Alcalde
	2400	71	ECobeling

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	70	ECobeling
	0600	71	Varela
	0900	71	Varela
	1200	70	Varela
	1500	71	TUCUMAN
	1800	70	TUCUMAN
	2100	71	TUCUMAN
	2400	70	Silva

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: #5 Temp. Reading Location: East/Westside
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7182 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	69	MA Hernandez
	0600	71	AJ GEGGIO
	0900	71	ABOVE (D)
	1200	71	ABOVE (D)
	1500	72	MORALEZ
	1800	71	Morales
	2100	71	Morales
	2400	69	MA Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	69	MA Hernandez
	0600	70	McCook
	0900	70	McCook
	1200	70	McCook
	1500	71	Morales
	1800	70	Morales
	2100	70	Morales
	2400	70	McCook

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	70	J. COON
	0600	71	K. KELLY
	0900	71	K. KELLY
	1200	71	K. KELLY
	1500	71	Morales
	1800	70	Morales
	2100	70	Morales
	2400	75	J. COON

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	74	J. COON
	0600	73	Morales
	0900	73	Morales
	1200	72	Morales
	1500	74	Morales
	1800	74	Morales
	2100	74	Morales
	2400	73	J. COON

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	71	J. COON
	0600	71	J. COON
	0900	72	J. COON
	1200	73	J. COON
	1500	71	Morales
	1800	70	Morales
	2100	71	Morales
	2400	71	J. COON

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	71	J. COON
	0600	71	J. COON
	0900	72	J. COON
	1200	74	J. COON
	1500	75	E. SANTOS
	1800	73	E. SANTOS
	2100	72	E. SANTOS
	2400	75	R. MAY

Notes

Date	Time	Temp.	Name (Print)
6-9-24	0300	73	R. MAY
	0600	69	J. COON
	0900	70	J. COON
	1200	72	J. COON
	1500	71	UNNAME
	1800	72	UNNAME
	2100	72	UNNAME
	2400	72	UNNAME

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-6 Temp. Reading Location: DORM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 / 3 / 24	0300	70	K. SHIN
	0600	70	S. HERNANDEZ
	0900	70	S. HERNANDEZ
	1200	70	S. HERNANDEZ
	1500	71	A. Territor
	1800	71	A. Territor
	2100	71	A. Territor
	2400	71	K. Shins

Tuesday

Date	Time	Temp.	Name (Print)
6 / 4 / 24	0300	70	K. Shins
	0600	70	S. HERNANDEZ
	0900	70	S. HERNANDEZ
	1200	70	S. HERNANDEZ
	1500	70	S. HERNANDEZ
	1800	70	J. Pez
	2100	70	J. Pez
	2400	70	K. Shins

Wednesday

Date	Time	Temp.	Name (Print)
6 / 5 / 24	0300	70	K. Shins
	0600	70	S. HERNANDEZ
	0900	70	S. HERNANDEZ
	1200	72	S. HERNANDEZ
	1500	70	J. Pez
	1800	71	J. Pez
	2100	71	J. Pez
	2400	71	K. Shins

Thursday

Date	Time	Temp.	Name (Print)
6 / 6 / 24	0300	70	K. Shins
	0600	70	S. HERNANDEZ
	0900	70	S. HERNANDEZ
	1200	71	S. HERNANDEZ
	1500	71	J. Pez
	1800	71	J. Pez
	2100	71	J. Pez
	2400	71	K. Shins

Friday

Date	Time	Temp.	Name (Print)
6 / 7 / 24	0300	70	K. Shins
	0600	70	S. HERNANDEZ
	0900	71	S. HERNANDEZ
	1200	71	S. HERNANDEZ
	1500	71	K. Lopez
	1800	73	K. Lopez
	2100	73	K. Lopez
	2400	72	K. Shins

Saturday

Date	Time	Temp.	Name (Print)
6 / 8 / 24	0300	70	K. Shins
	0600	70	S. Shins
	0900	70	S. Shins
	1200	71	W. Tammie
	1500	71	W. Tammie
	1800	71	J. Pez
	2100	70	J. Pez
	2400	70	J. Pez

Sunday

Date	Time	Temp.	Name (Print)
6 / 9 / 24	0300	70	S. Aguirre
	0600	70	S. Shins
	0900	71	S. Shins
	1200	71	S. Shins
	1500	71	A. Gales
	1800	71	A. Gales
	2100	70	A. Gales
	2400	71	A. Gales

Notes

DISTRIBUTION: Original; Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDBR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A7 Temp. Reading Location: EAST/WEST SIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
6/3/24	0300	71	J. MANN
	0600	71	MORAN
	0900	71	P. GARCIA
	1200	71	P. GARCIA
	1500	71.1°F	D. DICE
	1800	70.7°F	D. DICE
	2100	71.2°F	D. DICE
	2400	71	J. MARTIN

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	71	J. MARTIN
	0600	70	L-CORONA
	0900	71	L-CORONA
	1200	72	L-CORONA
	1500	69.3°F	D. DICE
	1800	70.5°F	D. DICE
	2100	69.3°F	D. DICE
	2400	72	H. REED

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	0300	71	H. REED
	0600	71	L-CORONA
	0900	71	L-CORONA
	1200	71	L-CORONA
	1500	71	H. REED
	1800	69	H. REED
	2100	69	H. REED
	2400	69	S. ODEDA

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	71	S. ODEDA
	0600	71	L-CORONA
	0900	71	L-CORONA
	1200	72	L-CORONA
	1500	71	H. REED
	1800	71	H. REED
	2100	69	H. REED
	2400	69	H. REED

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	68	H. REED
	0600	68	L-CORONA
	0900	69	L-CORONA
	1200	70	L-CORONA
	1500	69	H. REED
	1800	69	H. REED
	2100	69	H. REED
	2400	69	H. REED

Saturday

Date	Time	Temp.	Name (Print)
JUNE 8 TH 2024	0300	69	H. REED
	0600	70	L-CORONA
	0900	71	L-CORONA
	1200	71	L-CORONA
	1500	71	H. REED
	1800	70	H. REED
	2100	70	H. REED
	2400	70	H. REED

Sunday

Date	Time	Temp.	Name (Print)
6/9/2024	0300	76	H. REED
	0600	76	L-CORONA
	0900	71	L-CORONA
	1200	71	L-CORONA
	1500	69	H. REED
	1800	69	H. REED
	2100	69	H. REED
	2400	70	L-CORONA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-PAA Housing Unit: A-6 Temp. Reading Location: EAST / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7142 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	72	J. MORENO
	0600	75	AQUARADO
	0900	75	AQUARADO
	1200	73	AQUARADO
	1500	71	J. CAMACHO
	1800	71	J. CAMACHO
	2100	73	J. CAMACHO
	2400	72	J. MORENO

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	71	J. MORENO
	0600	70	Aguirre
	0900	70	Aguirre
	1200	64°	Aguirre
	1500	71	J. CAMACHO
	1800	72	J. CAMACHO
	2100	73	J. CAMACHO
	2400	72	J. MORENO

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	74	J. CAMACHO
	0600	70	A. MENCHACA
	0900	70	A. MENCHACA
	1200	69	A. MENCHACA
	1500	71	J. CAMACHO
	1800	72	J. CAMACHO
	2100	73	J. CAMACHO
	2400	74	J. CAMACHO

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	71	J. MORENO
	0600	71	J. COOK
	0900	73	J. COOK
	1200	73	J. COOK
	1500	73	J. BROWN
	1800	73	J. BROWN
	2100	73	J. BROWN
	2400	72	J. MORENO

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	71	J. MORENO
	0600	63	R. JURADO
	0900	70	R. JURADO
	1200	67°	R. JURADO
	1500	72	J. CAMACHO
	1800	71	J. CAMACHO
	2100	74	J. CAMACHO
	2400	72	J. MORENO

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	72	J. MORENO
	0600	73	A. MENCHACA
	0900	71	A. MENCHACA
	1200	71	A. MENCHACA
	1500	70	J. CAMACHO
	1800	71	J. CAMACHO
	2100	72	J. CAMACHO
	2400	74	J. CAMACHO

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	74	J. CAMACHO
	0600	73	A. MENCHACA
	0900	70	A. MENCHACA
	1200	70	A. MENCHACA
	1500	71	F. ODOMINGO
	1800	72	F. ODOMINGO
	2100	69	EDWARDSON
	2400	71	J. MORENO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAM Housing Unit: A-1 Temp. Reading Location: EAST
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
6/10/24	0300	70	JAMES
	0600	71	Hernandez, m
	0900	69	Hernandez, m
	1200	73	Hernandez, m
	1500	73	Argon
	1800	71	Argon
	2100	70	Argon
	2400	70	SUAREZ

Date	Time	Temp.	Name (Print)
6/11/24	0300	71	REMIREZ
	0600	72	Hernandez, m
	0900	72	Hernandez, m
	1200	75	Hernandez, m
	1500	75	MATTHEW
	1800	77	MATTHEW
	2100	76	MATTHEW
	2400	70	Holsey

Date	Time	Temp.	Name (Print)
6/14/24	0300	71	Holsey
	0600	70	Z. NICHOLS
	0900	74	Z. NICHOLS
	1200	73	Z. NICHOLS
	1500	77	MATTHEW
	1800	77	MATTHEW
	2100	76	MATTHEW
	2400	76	MATTHEW

Date	Time	Temp.	Name (Print)
6/16/24	0300	71	B. Haby
	0600	71	Hernandez, m
	0900	74	Hernandez, m
	1200	74	Hernandez, m
	1500	71	K. LOPEZ
	1800	71	K. LOPEZ
	2100	76	M. ROBERTS
	2400	71	S. BENTLEY

Date	Time	Temp.	Name (Print)
6/11/24	0300	70	JUANIZ
	0600	71	Hernandez, m
	0900	70	Hernandez, m
	1200	72	Hernandez, m
	1500	74	MATTHEW
	1800	75	MATTHEW
	2100	73	MATTHEW
	2400	72	REMIREZ

Date	Time	Temp.	Name (Print)
6/13/24	0300	70	Holsey
	0600	70	Hernandez, m
	0900	69	Hernandez, m
	1200	72	Hernandez, m
	1500	77	MATTHEW
	1800	77	MATTHEW
	2100	73	MATTHEW
	2400	73	Holsey

Date	Time	Temp.	Name (Print)
6/15/24	0300	71	MATTHEW
	0600	72	Z. NICHOLS
	0900	73	Z. NICHOLS
	1200	78	R. NICHALES
	1500	78	MATTHEW
	1800	81	MATTHEW
	2100	77	MATTHEW
	2400	73	Bentley

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAR Housing Unit: A-2 Temp. Reading Location: EAST SIDE/WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>6-10</u>	0300	<u>72</u>	<u>S-VAR</u>
	0600	<u>75</u>	<u>R. NICHOLS</u>
	0900	<u>71</u>	<u>R. NICHOLS</u>
	1200	<u>78</u>	<u>R. NICHOLS</u>
	1500	<u>80</u>	<u>TORRES, T</u>
	1800	<u>79</u>	<u>TORRES, T</u>
	2100	<u>77</u>	<u>TORRES, T</u>
	2400	<u>76</u>	<u>D. HARRIS</u>

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6-11</u>	0300	<u>74</u>	<u>D. HARRIS</u>
	0600	<u>78</u>	<u>J. GELLO</u>
	0900	<u>75</u>	<u>J. GELLO</u>
	1200	<u>76</u>	<u>J. GELLO</u>
	1500	<u>78</u>	<u>TORRES, T</u>
	1800	<u>77</u>	<u>TORRES, T</u>
	2100	<u>76</u>	<u>TORRES, T</u>
	2400	<u>75</u>	<u>J. HARRIS</u>

Wednesday			
Date	Time	Temp.	Name (Print)
<u>6-12</u>	0300	<u>74</u>	<u>J. HARRIS</u>
	0600	<u>71</u>	<u>J. HARRIS</u>
	0900	<u>72</u>	<u>J. HARRIS</u>
	1200	<u>77</u>	<u>J. HARRIS</u>
	1500	<u>79</u>	<u>TORRES, T</u>
	1800	<u>71</u>	<u>TORRES, T</u>
	2100	<u>76</u>	<u>TORRES, T</u>
	2400	<u>75</u>	<u>D. HARRIS</u>

Thursday			
Date	Time	Temp.	Name (Print)
<u>6-13</u>	0300	<u>73</u>	<u>D. HARRIS</u>
	0600	<u>76</u>	<u>J. HARRIS</u>
	0900	<u>76</u>	<u>J. HARRIS</u>
	1200	<u>78</u>	<u>J. HARRIS</u>
	1500	<u>76</u>	<u>TORRES, T</u>
	1800	<u>75</u>	<u>TORRES, T</u>
	2100	<u>76</u>	<u>TORRES, T</u>
	2400	<u>76</u>	<u>B. GELLO</u>

Friday			
Date	Time	Temp.	Name (Print)
<u>6-14</u>	0300	<u>75</u>	<u>J. HARRIS</u>
	0600	<u>71</u>	<u>J. HARRIS</u>
	0900	<u>76</u>	<u>J. HARRIS</u>
	1200	<u>79</u>	<u>J. HARRIS</u>
	1500	<u>74</u>	<u>J. HARRIS</u>
	1800	<u>71</u>	<u>J. HARRIS</u>
	2100	<u>76</u>	<u>J. HARRIS</u>
	2400	<u>75</u>	<u>D. HARRIS</u>

Saturday			
Date	Time	Temp.	Name (Print)
<u>6-15</u>	0300	<u>74</u>	<u>D. HARRIS</u>
	0600	<u>73</u>	<u>J. HARRIS</u>
	0900	<u>74</u>	<u>J. HARRIS</u>
	1200	<u>76</u>	<u>J. HARRIS</u>
	1500	<u>77</u>	<u>J. HARRIS</u>
	1800	<u>77</u>	<u>TORRES, T</u>
	2100	<u>76</u>	<u>TORRES, T</u>
	2400	<u>74</u>	<u>C. MAYER</u>

Sunday			
Date	Time	Temp.	Name (Print)
<u>6-16</u>	0300	<u>74</u>	<u>C. MAYER</u>
	0600	<u>73</u>	<u>R. NICHOLS</u>
	0900	<u>73</u>	<u>R. NICHOLS</u>
	1200	<u>76</u>	<u>R. NICHOLS</u>
	1500	<u>73</u>	<u>TORRES, T</u>
	1800	<u>74</u>	<u>TORRES, T</u>
	2100	<u>72</u>	<u>TORRES, T</u>
	2400	<u>72</u>	<u>A. OME</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-3 Temp. Reading Location: Eastside-westside
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-11-24	0300	69	ORTEGA
	0600	69	JURADO
	0900	69	JURADO
	1200	70	JURADO
	1500	73	PICKENS
	1800	73	PICKENS
	2100	70	PICKENS
	2400	74	J. CAMACHO

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	74	J. CAMACHO
	0600	74	JURADO
	0900	74	JURADO
	1200	74	JURADO
	1500	73	PICKENS
	1800	73	PICKENS
	2100	73	PICKENS
	2400	74	Figueroa

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	74	Figueroa
	0600	69	JURADO
	0900	70	JURADO
	1200	70	JURADO
	1500	73	PICKENS
	1800	73	PICKENS
	2100	73	PICKENS
	2400	73	Figueroa

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	74	Figueroa
	0600	73	Z. MICHAEL
	0900	73	C. N. MICHAEL
	1200	73	Z. MICHAEL
	1500	74	BONHAGA
	1800	72	BONHAGA
	2100	72	BONHAGA
	2400	74	Figueroa

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	74	Figueroa
	0600	68	SILVA
	0900	69	SILVA
	1200	71	SILVA
	1500	71	HUTCH
	1800	71	KEYES
	2100	71	KEYES
	2400	73	Figueroa

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	73	Figueroa
	0600	73	JURADO
	0900	73	JURADO
	1200	73	JURADO
	1500	79	PICKENS
	1800	73	PICKENS
	2100	73	PICKENS
	2400	74	Figueroa

Notes

Date	Time	Temp.	Name (Print)
6-16-24	0300	73	Figueroa
	0600	73	JURADO
	0900	73	JURADO
	1200	73	JURADO
	1500	72	KEYES
	1800	70	KEYES
	2100	75	KEYES
	2400	72	J. AGUILERA

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-5 Temp. Reading Location: EAST
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	70	M A Hernandez
	0600	70	Alvarez
	0900	72	Hernandez
	1200	74	Hernandez
	1500	75	Morales
	1800	74	Morales
	2100	74	Morales
	2400	71	M A Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	70	M A Hernandez
	0600	70	Heavey
	0900	64	Heavey
	1200	71	Heavey
	1500	71	Morales
	1800	73	Morales
	2100	71	Morales
	2400	71	M A Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	70	M A Hernandez
	0600	77	Hernandez
	0900	77	Hernandez
	1200	72	Hernandez
	1500	71	Zarbo
	1800	70	Zarbo
	2100	70	Zarbo
	2400	70	M A Hernandez

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	70	M A Hernandez
	0600	70	Alvarez
	0900	70	Alvarez
	1200	72	Alvarez
	1500	72	Santos
	1800	72	Santos
	2100	72	Santos
	2400	71	J. Martin

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	71	J. Moore
	0600	70	R. Lopez
	0900	73	R. Lopez
	1200	72	R. Lopez
	1500	73	J. Serna
	1800	74	J. Serna
	2100	73	J. Serna
	2400	70	J. Brown

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	70	J. Brown
	0600	70	C. Aragon
	0900	73	C. Aragon
	1200	74	C. Aragon
	1500	74	Ward
	1800	73	Ward
	2100	73	Ward
	2400	71	M A Hernandez

Notes

Date	Time	Temp.	Name (Print)
6-16-24	0300	70	M A Hernandez
	0600	69	R. Lopez
	0900	68	R. Lopez
	1200	68	R. Lopez
	1500	73	R. Bravo
	1800	73	R. Bravo
	2100	73	R. Bravo
	2400	71	M A Hernandez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-10 Temp. Reading Location: R-BT
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/21	0300	74	A. OIKE
	0600	74	S. HERNANDEZ
	0900	72	S. HERNANDEZ
	1200	71	S. HERNANDEZ
	1500	71	A. Gries
	1800	72	A. Terrionor
	2100	72	A. Terrionor
	2400	71	K. Hines

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	71	K. Hines
	0600	70	J. Bernaldo
	0900	70	J. Bernaldo
	1200	71	J. Bernaldo
	1500	72	J. Bernaldo
	1800	71	J. Bernaldo
	2100	70	J. Bernaldo
	2400	70	K. Hines

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	70	K. Hines
	0600	70	GROUT-JD
	0900	70	Front AD
	1200	71	Front AD
	1500	71	J. Peeler
	1800	71	J. Peeler
	2100	70	J. Peeler
	2400	70	K. Hines

Sunday

Date	Time	Temp.	Name (Print)
	0300	71	I. CHAVES
	0600	71	J. SIWA
	0900	71	J. SIWA
	1200	72	J. SIWA
	1500	71	A. Terrionor
	1800	71	A. Terrionor
	2100	70	A. Terrionor
	2400	70	I. CHAVES

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	71	K. Hines
	0600	71	S. HERNANDEZ
	0900	72	S. HERNANDEZ
	1200	72	S. HERNANDEZ
	1500	71	M. TUCUARONTE
	1800	71	M. TUCUARONTE
	2100	71	M. TUCUARONTE
	2400	71	K. Hines

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	70	K. Hines
	0600	70	Z. Bernaldo
	0900	71	Z. Bernaldo
	1200	71	Z. Bernaldo
	1500	72	J. Peeler
	1800	72	J. Peeler
	2100	71	J. Peeler
	2400	71	K. Hines

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	70	K. Hines
	0600	70	J. SIWA
	0900	71	J. SIWA
	1200	72	J. SIWA
	1500	71	J. Peeler
	1800	72	J. Peeler
	2100	70	J. Peeler
	2400	71	I. CHAVES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORONA Housing Unit: A7

Temp. Reading Location: East

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

7132

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	71	J. marr
	0600	71	
	0900	71	
	1200	71	
	1500	66.9°F	
	1800	67.0°F	D. Drep
	2100	66.9°F	D. Drep
	2400	69	J. marr

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	70	Hegard
	0600	70	
	0900	71	L. CORONA
	1200	71	L. CORONA
	1500	71	
	1800	71	
	2100	71	
	2400	70	Hegard

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	70	Hegard
	0600	70	L. CORONA
	0900	71	L. CORONA
	1200	71	L. CORONA
	1500	71	
	1800	71	
	2100	72	
	2400	73	Hegard

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	71	Hegard
	0600	71	M. Ferrell
	0900	72	M. Ferrell
	1200	72	M. Ferrell
	1500	71	
	1800	69	
	2100	68	
	2400	67	Ch. R. Coker

Tuesday

Date	Time	Temp.	Name (Print)
6/14	0300	70	J. marr
	0600	70	L. CORONA
	0900	70	L. CORONA
	1200	71	L. CORONA
	1500	66.4°F	D. Drep
	1800	68.0°F	D. Drep
	2100	67.4°F	D. Drep
	2400	70	Hegard

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	70	Hegard
	0600	70	L. CORONA
	0900	71	L. CORONA
	1200	71	L. CORONA
	1500	71	
	1800	71	
	2100	70	
	2400	70	Hegard

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	73	Hegard
	0600	72	L. CORONA
	0900	71	L. CORONA
	1200	72	L. CORONA
	1500	72	
	1800	72	
	2100	71	
	2400	73	Hegard

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN-FAA Housing Unit: A-B Temp. Reading Location: EAST/WESTSIDE DDLW
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7142 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	71	J. MORENO
	0600	69	M. Bonadie
	0900	71	M. Bonadie
	1200	71	M. Bonadie
	1500	71	J. CAMACIO
	1800	72	J. CAMACIO
	2100	73	J. CAMACIO
	2400	72	J. MORENO

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	72	J. MORENO
	0600	73	A. MENCHACA
	0900	72	A. MENCHACA
	1200	72	A. MENCHACA
	1500	71	J. CAMACIO
	1800	72	J. CAMACIO
	2100	73	J. CAMACIO
	2400	72	J. MORENO

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	74	J. CAMACIO
	0600	74	C. MOLINA
	0900	71	C. MOLINA
	1200	71	C. MOLINA
	1500	72	J. CAMACIO
	1800	72	J. CAMACIO
	2100	73	J. CAMACIO
	2400	72	J. AGUILAR

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	70	J. MORENO
	0600	70	O Fernandes
	0900	71	O Fernandes
	1200	71	O Fernandes
	1500	72	BROWN
	1800	70	BROWN
	2100	71	BROWN
	2400	70	J. MORENO

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	71	J. MORENO
	0600	72	TORRES
	0900	72	TORRES
	1200	74	TORRES
	1500	72	BROWN
	1800	73	BROWN
	2100	71	J. MORENO
	2400	72	J. MORENO

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	71	J. MORENO
	0600	72	A. MENCHACA
	0900	71	A. MENCHACA
	1200	71	A. MENCHACA
	1500	72	J. CAMACIO
	1800	72	J. CAMACIO
	2100	73	J. CAMACIO
	2400	74	J. CAMACIO

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	70	J. AGUILAR
	0600	70	A. VAREDO
	0900	66	A. MENCHACA
	1200	66	A. MENCHACA
	1500	72	A. VAREDO
	1800	70	A. VAREDO
	2100	70	A. VAREDO
	2400	71	J. MORENO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-1 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/11	0300	70	Bethley
	0600	70	Hernandez, m
	0900	70	Hernandez, m
	1200	71	Hernandez, m
	1500	74	Angon
	1800	72	Angon
	2100	73	Angon
	2400	72	C. WILLIAMS

Tuesday

Date	Time	Temp.	Name (Print)
6/12	0300	70	L. WILLIAMS
	0600	71	Hernandez, m
	0900	70	Hernandez, m
	1200	71	Hernandez, m
	1500	72	MATTHEW
	1800	73	MATTHEW
	2100	73	MATTHEW
	2400	72	C. WILLIAMS

Wednesday

Date	Time	Temp.	Name (Print)
6/13	0300	72	C. WILLIAMS
	0600	72	Hernandez, m
	0900	71	Hernandez, m
	1200	75	Hernandez, m
	1500	72	MATTHEW
	1800	73	MATTHEW
	2100	73	MATTHEW
	2400	73	Holsey

Thursday

Date	Time	Temp.	Name (Print)
6/14	0300	72	Holsey
	0600	70	Hernandez, m
	0900	72	Hernandez, m
	1200	73	Hernandez, m
	1500	78	MATTHEW
	1800	77	MATTHEW
	2100	77	MATTHEW
	2400	74	Holsey

Friday

Date	Time	Temp.	Name (Print)
6/15	0300	72	Holsey
	0600	71	Z. NICHOLS
	0900	74	Z. NICHOLS
	1200	76	Z. NICHOLS
	1500	76	MATTHEW
	1800	76	MATTHEW
	2100	76	MATTHEW
	2400	75	C. WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
6/16	0300	71	C. WILLIAMS
	0600	73	Z. NICHOLS
	0900	76	Z. NICHOLS
	1200	76	Z. NICHOLS
	1500	76	MATTHEW
	1800	83	MATTHEW
	2100	83	MATTHEW
	2400	80	C. WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
6/17	0300	76	C. WILLIAMS
	0600	75	Hernandez, m
	0900	70	Hernandez, m
	1200	83	Hernandez, m
	1500	90	Angon, c
	1800	88	Angon, c
	2100	86	Angon, c
	2400	82	C. WILLIAMS

Notes

6-22-29 1900 - 88° DE-ACTIVATED

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAR Housing Unit: A-2 Temp. Reading Location: WEST SIDE/EAST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/12	0300	71	A. DIKE
	0600	71	R. NICHOLS
	0900	73	R. NICHOLS
	1200	76	R. NICHOLS
	1500	78	TOMMY
	1800	76	TOMMY
	2100	74	TOMMY
	2400	70	ANALIBALA

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	70	D. HARRIS
	0600	71	J. GELLO
	0900	73	J. GELLO
	1200	76	J. GELLO
	1500	77	TOMMY
	1800	75	TOMMY
	2100	73	TOMMY
	2400	72	J. HARRIS

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	72	J. HARRIS
	0600	74	J. HARRIS
	0900	76	J. HARRIS
	1200	76	J. HARRIS
	1500	78	TOMMY
	1800	76	TOMMY
	2100	75	TOMMY
	2400	74	J. HARRIS

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	75	J. BROWN
	0600	74	R. NICHOLS
	0900	74	R. NICHOLS
	1200	83	R. NICHOLS
	1500	86	J. BROWN
	1800	87	J. BROWN
	2100	83	J. BROWN
	2400	82	J. BROWN

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	70	ANALIBALA
	0600	71	J. HARRIS
	0900	73	J. HARRIS
	1200	75	J. HARRIS
	1500	73	A. MENCHACA
	1800	73	A. MENCHACA
	2100	72	A. MENCHACA
	2400	71	J. HARRIS

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	70	J. HARRIS
	0600	71	J. HARRIS
	0900	73	J. HARRIS
	1200	76	J. HARRIS
	1500	77	TOMMY
	1800	75	TOMMY
	2100	74	TOMMY
	2400	73	J. HARRIS

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	73	J. HARRIS
	0600	74	TOMMY
	0900	76	TOMMY
	1200	77	TOMMY
	1500	80	TOMMY
	1800	82	TOMMY
	2100	81	TOMMY
	2400	79	J. BROWN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR-2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A3 Temp. Reading Location: EASTSIDE / WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	J. AGUIRRE
	0600	72	J. water
	0900	72	J. water
	1200	72	J. water
	1500	73	J. DIAZ
	1800	72	J. DIAZ
	2100	72	J. DIAZ
	2400	71	S. MELBY

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	77	Figueroa
	0600	73	R. JURADO
	0900	68	R. JURADO
	1200	68	R. JURADO
	1500	69	S. Arribalzaga
	1800	69	S. Arribalzaga
	2100	69	S. Arribalzaga
	2400	73	Figueroa

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	75	Figueroa
	0600	75	J. SAWA
	0900	74	J. SAWA
	1200	73	J. SAWA
	1500	74	A. DIAZ
	1800	74	A. DIAZ
	2100	74	A. DIAZ
	2400	73	Figueroa

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	74	Figueroa
	0600	70	R. JURADO
	0900	71	R. JURADO
	1200	70	R. JURADO
	1500	70	S. Arribalzaga
	1800	69	S. Arribalzaga
	2100	69	S. Arribalzaga
	2400	73	J. AGUIRRE

Tuesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	J. B. H. M.
	0600	72	J. water
	0900	72	J. water
	1200	72	J. water
	1500	77	PATRICK
	1800	76	PATRICK
	2100	75	PATRICK
	2400	78	Figueras

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	74	Figueras
	0600	75	R. McCallum
	0900	72	R. McCallum
	1200	73	R. McCallum
	1500	73	A. M. P.
	1800	73	A. M. P.
	2100	73	A. M. P.
	2400	73	Figueras

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	73	Figueras
	0600	70	R. JURADO
	0900	70	R. JURADO
	1200	71	R. JURADO
	1500	73	A. Estrada
	1800	73	A. Estrada
	2100	72	A. Estrada
	2400	74	Figueras

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJM-FAA Housing Unit: A-5 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	71	M A Hennan
	0600	72	J. Gutierrez
	0900	71	J. Gutierrez
	1200	72	J. Gutierrez
	1500	72	Morales
	1800	73	Morales
	2100	71	Morales
	2400	71	M A Hennan

Tuesday

Date	Time	Temp.	Name (Print)
6-18-24	0300	71	M A Hennan
	0600	71	J. Gutierrez
	0900	71	J. Gutierrez
	1200	71	J. Gutierrez
	1500	71	Morales
	1800	71	Morales
	2100	71	Morales
	2400	71	M A Hennan

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	72	M A Hennan
	0600	70	J. Gutierrez
	0900	67	J. Gutierrez
	1200	68	J. Gutierrez
	1500	72	Morales
	1800	73	Morales
	2100	72	Morales
	2400	70	M A Hennan

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	71	M A Hennan
	0600	71	J. Gutierrez
	0900	71	J. Gutierrez
	1200	70	J. Gutierrez
	1500	71	Morales
	1800	72	Morales
	2100	71	Morales
	2400	71	Hopkins

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	71	J. Gutierrez
	0600	65	J. Gutierrez
	0900	68	J. Gutierrez
	1200	70	J. Gutierrez
	1500	71	Morales
	1800	72	Morales
	2100	71	Morales
	2400	71	M A Hennan

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	71	J. M. Hennan
	0600	67	P. Luna
	0900	69	P. Luna
	1200	73	P. Luna
	1500	72	AVIATOR
	1800	72	AVIATOR
	2100	71	AVIATOR
	2400	71	Vanilla

Sunday

Date	Time	Temp.	Name (Print)
6-23-24	0300	75	Vanilla
	0600	74	P. Luna
	0900	71	P. Luna
	1200	72	P. Luna
	1500	73	Murkis
	1800	73	Murkis
	2100	73	Murkis
	2400	73	TONCEY

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-10 Temp. Reading Location: (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/11/18	0300	71	Lorraine
	0600	70	CABILLAS
	0900	70	CABILLAS
	1200	71	CABILLAS
	1500	71	Terranova
	1800	71	Terranova
	2100	71	Terranova
	2400	71	K-House

Tuesday			
Date	Time	Temp.	Name (Print)
6/18	0300	70	K-House
	0600	70	S. HERNANDEZ
	0900	71	S. HERNANDEZ
	1200	71	S. HERNANDEZ
	1500	71	S. Lopez
	1800	71	S. Lopez
	2100	71	S. Lopez
	2400	71	K-House

Wednesday			
Date	Time	Temp.	Name (Print)
6/19	0300	70	E-House
	0600	70	S. HERNANDEZ
	0900	70	S. HERNANDEZ
	1200	74	S. HERNANDEZ
	1500	74	J. Doca
	1800	70	J. Doca
	2100	71	J. Doca
	2400	71	K-House

Thursday			
Date	Time	Temp.	Name (Print)
6/20	0300	70	K-House
	0600	70	S. HERNANDEZ
	0900	71	S. HERNANDEZ
	1200	73	S. HERNANDEZ
	1500	73	J. Doca
	1800	73	J. Doca
	2100	71	J. Doca
	2400	71	K-House

Friday			
Date	Time	Temp.	Name (Print)
6/21	0300	70	K-House
	0600	70	Vause
	0900	71	S. HERNANDEZ
	1200	72	S. HERNANDEZ
	1500	72	S. H. m
	1800	72	S. H. m
	2100	72	J. Doca
	2400	72	K-House

Saturday			
Date	Time	Temp.	Name (Print)
6/22	0300	71	K-House
	0600	71	J. Sosa
	0900	72	J. SIlva
	1200	74	J. SIlva
	1500	74	Affia
	1800	73	Perez
	2100	73	Perez
	2400	72	Lorraine

Sunday			
Date	Time	Temp.	Name (Print)
6/23/18	0300	71	Lorraine
	0600	71	J. Sosa
	0900	72	J. Sosa
	1200	74	J. Sosa
	1500	74	Terranova
	1800	74	Terranova
	2100	74	Terranova
	2400	74	Lorraine

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-SAC Housing Unit: A7

Temp. Reading Location:

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches (e.g., 1st tier, 2nd tier, 3rd tier, etc.) 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	66	J.R.TEGEL
	0600	67	J.SALVZ
	0900	64	J.SALVZ
	1200	70	J.SALVZ
	1500	64.9°F	D.Dlep
	1800	65.1°F	D.Dlep
	2100	64.0°F	D.Dlep
	2400	67	J.martin

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	72	Hegard
	0600	70	LEWIS
	0900	71	LEWIS
	1200	71	LEWIS
	1500	71	LEWIS
	1800	71	LEWIS
	2100	70	LEWIS
	2400	70	SAVAN

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	71	Hegard
	0600	70	M.Knowles
	0900	70	M.Knowles
	1200	71	M.Knowles
	1500	71	M.Knowles
	1800	72	M.Knowles
	2100	72	M.Knowles
	2400	72	S.Aguirre

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	71	J.DIAZ
	0600	72	J.SALVZ
	0900	73	J.SALVZ
	1200	74	J.SALVZ
	1500	73	J.SALVZ
	1800	73	J.SALVZ
	2100	73	J.SALVZ
	2400	73	J.SALVZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	69	J.martin
	0600	68	O.DOWNS
	0900	68	O.DOWNS
	1200	73	O.DOWNS
	1500	68.7°F	O.Dlep
	1800	67.6°F	O.Dlep
	2100	66.9°F	O.Dlep
	2400	71	Hegard

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	68	J.Arik
	0600	69	M.Knowles
	0900	70	M.Knowles
	1200	70	M.Knowles
	1500	71	M.Knowles
	1800	71	M.Knowles
	2100	71	M.Knowles
	2400	71	Hegard

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	71	J.Aguirre
	0600	71	J.Aguirre
	0900	71	J.Aguirre
	1200	71	J.Aguirre
	1500	71	J.Aguirre
	1800	71	J.Aguirre
	2100	71	J.Aguirre
	2400	70	J.DIAZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-8 Temp. Reading Location: EAST / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7142 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
J N - - G	0300	70	S. MORENO
	0600	70	ALVARADO
	0900	70.2	A. MENCHACA
	1200	71.0	A. MENCHACA
	1500	71	J. CAMACHO
	1800	71	J. CAMACHO
	2100	72	J. CAMACHO
	2400	71	J. MORENO

Wednesday

Date	Time	Temp.	Name (Print)
J N - - G	0300	70	J. MORENO
	0600	69	A. MENCHACA
	0900	73	A. MENCHACA
	1200	72	A. MENCHACA
	1500	71	J. CAMACHO
	1800	72	J. CAMACHO
	2100	73	J. CAMACHO
	2400	71	J. MORENO

Friday

Date	Time	Temp.	Name (Print)
J N - - G	0300	73	G. Pineda
	0600	70	A. MENCHACA
	0900	71	A. MENCHACA
	1200	71	A. MENCHACA
	1500	72	J. CAMACHO
	1800	72	J. CAMACHO
	2100	73	J. CAMACHO
	2400	74	J. CAMACHO

Sunday

Date	Time	Temp.	Name (Print)
J N - M - G	0300	69	S. MORENO
	0600	69	O. Hernandez
	0900	70	O. Hernandez
	1200	72	O. Hernandez
	1500	71	O. SEDA
	1800	70	O. SEDA
	2100	71	O. SEDA
	2400	70	S. MORENO

Tuesday

Date	Time	Temp.	Name (Print)
J N - - G	0300	70	S. MORENO
	0600	69	A. MENCHACA
	0900	73	A. MENCHACA
	1200	75	A. MENCHACA
	1500	72	J. CAMACHO
	1800	71	J. CAMACHO
	2100	73	J. CAMACHO
	2400	72	J. MORENO

Thursday

Date	Time	Temp.	Name (Print)
J N - - G	0300	70	J. MORENO
	0600	73	A. MENCHACA
	0900	73	A. MENCHACA
	1200	74	A. MENCHACA
	1500	74	J. CAMACHO
	1800	73	J. CAMACHO
	2100	74	J. CAMACHO
	2400	74	G. Pineda

Saturday

Date	Time	Temp.	Name (Print)
J N - - G	0300	73	J. CAMACHO
	0600	73	ALVARADO
	0900	70	A. MENCHACA
	1200	70	A. MENCHACA
	1500	70	J. Brown
	1800	70	J. Brown
	2100	70	J. Brown
	2400	70	J. MORENO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-1 Temp. Reading Location: EAST WEST 815C
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	77	C. WILLIAMS
	0600	76	Hernandez, M
	0900	82	Hernandez, M
	1200	89	Hernandez, M
	1500	90	Prieto
	1800	89	Prieto
	2100	84	Prieto
	2400	83	C. WILLIAMS

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	80	C. WILLIAMS
	0600	79	Hernandez, M
	0900	80	Hernandez, M
	1200	86	Hernandez, M
	1500	89	MATIAS
	1800	88	MATIAS
	2100	89	MATIAS
	2400	83	C. WILLIAMS

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	79	C. WILLIAMS
	0600	79	Hernandez, M
	0900	78	Hernandez, M
	1200	83	Hernandez, M
	1500	85	Prieto
	1800	82	Prieto
	2100	80	Prieto
	2400	80	Halsey

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	79	Halsey
	0600	75	Hernandez, M
	0900	76	Hernandez, M
	1200	83	Hernandez, M
	1500	87	MATIAS
	1800	85	MATIAS
	2100	84	MATIAS
	2400	79	Halsey

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	78	Halsey
	0600	73	R. NICHOLS
	0900	75	R. NICHOLS
	1200	82	R. NICHOLS
	1500	82	MATIAS
	1800	83	MATIAS
	2100	82	MATIAS
	2400	79	C. WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	77	C. WILLIAMS
	0600	71	R. NICHOLS
	0900	73	R. NICHOLS
	1200	81	R. NICHOLS
	1500	91	MATIAS
	1800	85	MATIAS
	2100	88.5	MATIAS
	2400	87	C. WILLIAMS

Notes

6-25-24 89° - 170 - DE-ACMATIA
6-26-24 91° - 1405 - ACTIVATED
6-29-24 87° - 1905 - DE-ACMATIA

Date	Time	Temp.	Name (Print)
6/30/24	0300	80	C. WILLIAMS
	0600	73	Hernandez, M
	0900	76	Hernandez, M
	1200	87	Hernandez, M
	1500	89	K. LOPEZ
	1800	87	K. LOPEZ
	2100	82	M. ROSALES
	2400	80	C. WILLIAMS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-2

Temp. Reading Location: EAST SIDE/WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	79	J. DIAZ
	0600	77	R. NICHOLS
	0900	77	R. NICHOLS
	1200	83	R. NICHOLS
	1500	84	TORRES A
	1800	82	TORRES A
	2100	80	TORRES A
	2400	79	J. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	77	J. DIAZ
	0600	79	J. DIAZ
	0900	77	J. DIAZ
	1200	81	J. DIAZ
	1500	84	TORRES A
	1800	82	TORRES A
	2100	80	TORRES A
	2400	80	J. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	78	J. DIAZ
	0600	76	J. DIAZ
	0900	77	J. DIAZ
	1200	82	J. DIAZ
	1500	83	TORRES A
	1800	82	TORRES A
	2100	80	TORRES A
	2400	80	J. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	78	J. DIAZ
	0600	79	J. DIAZ
	0900	77	J. DIAZ
	1200	82	J. DIAZ
	1500	87	TORRES A
	1800	85	TORRES A
	2100	84	TORRES A
	2400	83	J. DIAZ

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	82	J. DIAZ
	0600	79	J. DIAZ
	0900	78	J. DIAZ
	1200	81	J. DIAZ
	1500	80	W. SISON
	1800	77	W. SISON
	2100	76	W. SISON
	2400	77	J. DIAZ

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	76	J. DIAZ
	0600	74	TORRES A
	0900	78	TORRES A
	1200	82	TORRES A
	1500	81	TORRES A
	1800	78	TORRES A
	2100	79	TORRES A
	2400	76	A. MORENO

Notes

At 6/25/18 161 weather 91° M. Alert
At 1300 10.0

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	75	D. MORENO
	0600	77	R. NICHOLS
	0900	78	R. NICHOLS
	1200	79	R. NICHOLS
	1500	82	TORRES A
	1800	83	TORRES A
	2100	81	TORRES A
	2400	80	P. PEREZ

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A3 Temp. Reading Location: EASTSIDE / WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/24	0300	72	J. AGUILAR
	0600	65	R JURADO
	0900	70	R JURADO
	1200	72	R JURADO
	1500	75	PICKENS
	1800	73	PICKENS
	2100	70	PICKENS
	2400	68	PICKENS

Wednesday

Date	Time	Temp.	Name (Print)
4/26	0300	73	Figueroa
	0600	69	R JURADO
	0900	69	R JURADO
	1200	69	R JURADO
	1500	75	PICKENS
	1800	74	PICKENS
	2100	73	PICKENS
	2400	72	Figueroa

Friday

Date	Time	Temp.	Name (Print)
4/28	0300	76	Figueroa
	0600	73	SIMM
	0900	74	SIMM
	1200	74	SIMM
	1500	73	ATIATY
	1800	74	ATIATY
	2100	71	ATIATY
	2400	70	Figueroa

Sunday

Date	Time	Temp.	Name (Print)
4/30	0300	72	Figueroa
	0600	73	T. GALE
	0900	71	T. GALE
	1200	72	SIMM
	1500	75	PICKENS
	1800	75	PICKENS
	2100	73	PICKENS
	2400	73	J. AGUILAR

Tuesday

Date	Time	Temp.	Name (Print)
4/29	0300	70	P. RAYA
	0600	64	R JURADO
	0900	64	R JURADO
	1200	70	R JURADO
	1500	75	PICKENS
	1800	74	PICKENS
	2100	71	PICKENS
	2400	74	Figueroa

Thursday

Date	Time	Temp.	Name (Print)
4/29	0300	74	PICKENS
	0600	73	R. NICHOLS
	0900	74	R. NICHOLS
	1200	74	R. NICHOLS
	1500	74	ATIATY
	1800	73	ATIATY
	2100	73	ATIATY
	2400	73	Figueroa

Saturday

Date	Time	Temp.	Name (Print)
4/29	0300	74	Figueroa
	0600	73	ATIATY
	0900	73	L. CABRAL
	1200	74	L. CABRAL
	1500	75	PICKENS
	1800	75	PICKENS
	2100	73	PICKENS
	2400	70	Figueroa

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-5 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
6/24/2024	0300	72	J. ARREGOZ
	0600	73	J. GUTIERREZ
	0900	71	J. GUTIERREZ
	1200	72	J. GUTIERREZ
	1500	75	MORALES
	1800	74	MORALES
	2100	74	MORALES
	2400	74	JULIEZ

Date	Time	Temp.	Name (Print)
6/24/2024	0300	73	MA Hernan
	0600	72	J. Gutierrez
	0900	73	J. Gutierrez
	1200	73	J. Gutierrez
	1500	75	MORALES
	1800	71	MORALES
	2100	71	Mora
	2400	72	MA Hernan

Date	Time	Temp.	Name (Print)
6/24/2024	0300	71	J. MORALES
	0600	69	J. GUTIERREZ
	0900	69	J. GUTIERREZ
	1200	71	J. GUTIERREZ
	1500	72	E. SANTOS
	1800	73	E. SANTOS
	2100	71	E. SANTOS
	2400	71	J. Brown

Date	Time	Temp.	Name (Print)
6/24/2024	0300	70	J. GUTIERREZ
	0600	72	P. Luna
	0900	69	P. Luna
	1200	71	P. Luna
	1500	70	E. SANTOS
	1800	70	MA Hernan
	2100	70	MA Hernan
	2400	70	MA Hernan

Date	Time	Temp.	Name (Print)
6/25/2024	0300	74	J. GUTIERREZ
	0600	73	J. GUTIERREZ
	0900	73	J. GUTIERREZ
	1200	73	J. GUTIERREZ
	1500	76	MORALES
	1800	74	MORALES
	2100	74	MORALES
	2400	73	MA Hernan

Date	Time	Temp.	Name (Print)
6/25/2024	0300	73	MA Hernan
	0600	70	ANARDO
	0900	72	J. GUTIERREZ
	1200	73	J. GUTIERREZ
	1500	73	Tomas
	1800	73	Torres
	2100	71	Torres
	2400	71	J. MUNIZ

Date	Time	Temp.	Name (Print)
6/29/2024	0300	67	Brown
	0600	67	P. Luna
	0900	66	P. Luna
	1200	67	P. Luna
	1500	73	E. SANTOS
	1800	71	E. SANTOS
	2100	70	E. SANTOS
	2400	69	OLMAN

Notes

6/24/24 36 1200 Hot weather PDC actioned 90 over
6/25/24 4pm 1100 Hot weather PDC actioned 90 over

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-10 Temp. Reading Location: EAST / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	73	K.Hanes
	0600	73	S. HERNANDEZ
	0900	73	S. HERNANDEZ
	1200	74	S. HERNANDEZ
	1500	74	A. Terrilover
	1800	74	A. Hernandez
	2100	74	A. Hernandez
	2400	73	K. Hanes

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	72	K. Hanes
	0600	72	S. HERNANDEZ
	0900	73	S. HERNANDEZ
	1200	74	S. HERNANDEZ
	1500	74	J. Rose
	1800	73	J. Rose
	2100	71	J. Rose
	2400	71	K. Hanes

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	71	K. Hanes
	0600	71	S. HERNANDEZ
	0900	72	S. HERNANDEZ
	1200	73	S. HERNANDEZ
	1500	73	J. Rose
	1800	73	J. Rose
	2100	73	J. Rose
	2400	72	K. Hanes

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	71	K. Hanes
	0600	71	S. HERNANDEZ
	0900	72	S. HERNANDEZ
	1200	74	S. HERNANDEZ
	1500	74	J. Rose
	1800	74	J. Rose
	2100	74	J. Rose
	2400	73	K. Hanes

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	71	K. Hanes
	0600	71	J. Rose
	0900	72	J. Rose
	1200	72	J. Rose
	1500	73	J. Rose
	1800	71	A. Terrilover
	2100	72	A. Terrilover
	2400	72	K. Hanes

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	71	K. Hanes
	0600	72	Varela
	0900	72	Varela
	1200	73	Varela
	1500	72	D. Banks
	1800	72	D. Banks
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300		
	0600	71	Varela
	0900	72	Varela
	1200	73	Varela
	1500	73	A. Terrilover
	1800	72	A. Terrilover
	2100	72	A. Terrilover
	2400	74	K. Smith

Notes

06.24.24 - STAGE 1 HEAT ALERT ACTIVATED @ 1200 - 90°

06.25.24 - STAGE 1 HEAT ALERT ACTIVATED @ 1200 - 90°
06.25.24 - Stage 1 Heat Alert Deactivated @ 1200 - 90°

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHAB

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN

Housing Unit: A7

Temp. Reading Location:

EAST / WEST

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

732 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
6-24	0300	73	J. MARTIN
	0600	74	J. GAYLEZ
	0900	75	J. CALVET
	1200	75	J. CALVET
	1500	73.0°F	D. Drep
	1800	73.0°F	D. Drep
	2100	73.0°F	D. Drep
	2400	72	J. MARTIN

Wednesday

Date	Time	Temp.	Name (Print)
6-26	0300	73	J. MARTIN
	0600	76	QUEZADA
	0900	77	QUEZADA
	1200	77	QUEZADA
	1500	77	QUEZADA
	1800	77	QUEZADA
	2100	77	QUEZADA
	2400	73	J. MARTIN

Friday

Date	Time	Temp.	Name (Print)
6-28	0300	69	J. MARTIN
	0600	70	QUEZADA
	0900	71	QUEZADA
	1200	73	QUEZADA
	1500	73	QUEZADA
	1800	73	QUEZADA
	2100	70	QUEZADA
	2400	71	J. MARTIN

Sunday

Date	Time	Temp.	Name (Print)
6-30	0300	70	J. MARTIN
	0600	70	C. GILKEY
	0900	72	C. GILKEY
	1200	73	C. GILKEY
	1500	71	C. GILKEY
	1800	71	C. GILKEY
	2100	71	C. GILKEY
	2400	72	J. MARTIN

Tuesday

Date	Time	Temp.	Name (Print)
6-25	0300	72	J. MARTIN
	0600	69	QUEZADA
	0900	70	QUEZADA
	1200	71	QUEZADA
	1500	74.0°F	D. Drep
	1800	73.0°F	D. Drep
	2100	73.0°F	D. Drep
	2400	73	J. MARTIN

Thursday

Date	Time	Temp.	Name (Print)
6-27	0300	71	J. MARTIN
	0600	70	QUEZADA
	0900	72	QUEZADA
	1200	73	QUEZADA
	1500	72	QUEZADA
	1800	73	QUEZADA
	2100	71	QUEZADA
	2400	71	J. MARTIN

Saturday

Date	Time	Temp.	Name (Print)
6-29	0300	71	J. MARTIN
	0600	71	QUEZADA
	0900	73	QUEZADA
	1200	73	QUEZADA
	1500	72	QUEZADA
	1800	71	QUEZADA
	2100	71	QUEZADA
	2400	70	J. ASWELL

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-9 Temp. Reading Location: EAST / WEST SIDE DORM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7147 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-24-21	0300	70	J. MORENO
	0600	70	J. ALVARADO
	0900	70	J. ALVARADO
	1200	70	J. ALVARADO
	1500	68	Torres
	1800	68	Torres
	2100	68	Torres
	2400	69	J. MORENO

Tuesday

Date	Time	Temp.	Name (Print)
06-25-21	0300	70	J. MORENO
	0600	74	A. MENCHACA
	0900	72	A. MENCHACA
	1200	72	A. MENCHACA
	1500	72	J. CAMACIO
	1800	71	J. CAMACIO
	2100	72	J. CAMACIO
	2400	71	J. MORENO

Wednesday

Date	Time	Temp.	Name (Print)
06-26-21	0300	69	J. MORENO
	0600	72	A. MENCHACA
	0900	72	A. MENCHACA
	1200	71	A. MENCHACA
	1500	72	J. CAMACIO
	1800	71	J. CAMACIO
	2100	71	J. CAMACIO
	2400	70	J. MORENO

Thursday

Date	Time	Temp.	Name (Print)
06-27-21	0300	69	J. MORENO
	0600	74	A. MENCHACA
	0900	71	A. MENCHACA
	1200	71	A. MENCHACA
	1500	72	J. CAMACIO
	1800	72	J. CAMACIO
	2100	73	J. CAMACIO
	2400	72	Pineda

Friday

Date	Time	Temp.	Name (Print)
06-28-21	0300	70	Pineda
	0600	71	A. MENCHACA
	0900	71	A. MENCHACA
	1200	71	A. MENCHACA
	1500	72	J. CAMACIO
	1800	72	J. CAMACIO
	2100	73	J. CAMACIO
	2400	70	Pineda

Saturday

Date	Time	Temp.	Name (Print)
06-29-21	0300	70	Pineda
	0600	72	W. Hernandez
	0900	74	W. Hernandez
	1200	75	W. Hernandez
	1500	75	Lopez
	1800	73	Lopez
	2100	71	J. MORENO
	2400	70	J. MORENO

Notes

6/25 Heat Plan activates 89° @ 12pm temps

Date	Time	Temp.	Name (Print)
06-30-21	0300	69	J. MORENO
	0600	68	D. Hernandez
	0900	71	D. Hernandez
	1200	72	D. JUAREZ
	1500	72	D. JUAREZ
	1800	72	D. JUAREZ
	2100	71	D. JUAREZ
	2400	70	J. MORENO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B1 Gress Temp. Reading Location: 3RD Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension: 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2/2021	0300	68	J. NUNOZ
	0600	69	C. SANCHEZ
	0900	67	C. SANCHEZ
	1200	69	C. SANCHEZ
	1500	69	SANTOAM
	1800	70	GRANADA
	2100	69	GRANADA
	2400	69	T. NUÑEZ

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/2021	0300	69	HERNANDEZ
	0600	69	C. SANCHEZ
	0900	69	C. SANCHEZ
	1200	70	C. SANCHEZ
	1500	70	SANTOAM
	1800	70	SANTOAM
	2100	69	SANTOAM
	2400	68	J. NUÑEZ

Notes

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: Birch Hall Temp. Reading Location: 3rd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	75	T. Nunez
	0600	75	Stewart
	0900	75	Stewart
	1200	76	L. Aguirre
	1500	75	S. Zendejas
	1800	75	S. Zendejas
	2100	74	S. Zendejas
	2400	73	D. Juarez

Notes

Date	Time	Temp.	Name (Print)
6-2-24	0300	73	D. Juarez
	0600	73	Noj
	0900	75	Noj
	1200	74	Stewart
	1500	74	S. Zendejas
	1800	74	S. Zendejas
	2100	73	S. Zendejas
	2400	73	Lizette

DISTRIBUTION: Original: Institution: Heat Plan Coordinator

Attachment E

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM · Housing Unit: B3 · Temp. Reading Location: 3rd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6.24	0300	69	V.A. 1 DSB
	0600	69	Hegardt
	0900	69	Hegardt
	1200	71	Hegardt
	1500	72	Melena
	1800	72	Melena
	2100	71	Melena
	2400	70	CAMPUS

Notes:

Date	Time	Temp.	Name (Print)
6.24	0300	69	CAmpus
	0600	68	CAmpus
	0900	68	E. Lozano
	1200	69.4	E. Lozano
	1500	71	Melena
	1800	70	Melena
	2100	69	Melena
	2400	68	12 Gonzales

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B4 (MADRONE) Temp. Reading Location: 3rd TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	69	Luna
6/24	0600	71	Cheena
6/24	0900	71	Cheena
6/24	1200	71	CALIFORNIA
6/24	1500	74	Vasquez
6/24	1800	72	Vasquez
6/24	2100	71	Vasquez
6/24	2400	69	Luna

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	72	CAPINO
6/1/24	0600	71	VERNE
6/1/24	0900	70	VERNE
6/1/24	1200	71	VERNE
6/1/24	1500	73	Vasquez
6/1/24	1800	72	Vasquez
6/1/24	2100	69	Vasquez
6/1/24	2400	67	Luna

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: B 5 Temp. Reading Location: 7th T.F.C.R

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	70	GONZALES
	0600	71	MURRAY
	0900	71	SIAZ
	1200	71	DEM
	1500	69	LUNA
	1800	69	LUNA
	2100	69	LUNA
	2400	70	GONZALES

Notes

Date	Time	Temp.	Name (Print)
6/2	0300	71	GONZALES
	0600	71	MURRAY
	0900	70	SIAZ
	1200	69	MURRAY
	1500	69	LUNA
	1800	69	LUNA
	2100	69	LUNA
	2400	69	LUNA

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: OTM Housing Unit: B1 CYPRESS Temp. Reading Location: 3 RD TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	68	J. NUÑEZ
	0600	68	R. Hanseth
	0900	68	R. Hanseth
	1200	68	G. Green, J.
	1500	70	GRANADA
	1800	70	GRANADA
	2100	69	GRANADA
	2400	69	HERMOSILLO

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	68	HERMOSILLO
	0600	69	R. Hanseth
	0900	69	R. Hanseth
	1200	70	R. Hanseth
	1500	72	GRANADA
	1800	72	GRANADA
	2100	71	Gomez
	2400	70	HERMOSILLO

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	69	HERMOSILLO
	0600	68	J. PEREZ
	0900	69	J. PEREZ
	1200	71	J. PEREZ
	1500	74	GRANADA
	1800	73	GRANADA
	2100	72	GRANADA
	2400	71	HERMOSILLO

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	70	HERMOSILLO
	0600	70	J. PEREZ
	0900	71	J. PEREZ
	1200	73	J. PEREZ
	1500	74	GRANADA
	1800	74	GRANADA
	2100	73	GRANADA
	2400	72	JAMES

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	71	JAMES
	0600	71	J. PEREZ
	0900	70	J. PEREZ
	1200	71	J. PEREZ
	1500	73	Gomez
	1800	73	Gomez
	2100	72	
	2400	71	GERALD

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	70	GERALD
	0600	69	J. PEREZ
	0900	69	J. PEREZ
	1200	71	J. PEREZ
	1500	73	GRANADA
	1800	72	Gomez
	2100	71	Gomez
	2400	71	J. NUÑEZ

Notes

Date	Time	Temp.	Name (Print)
6/9	0300	71	J. NUÑEZ
	0600	71	Green
	0900	71	CAMPUS
	1200	72	CAMPUS
	1500	73	GRANADA
	1800	73	GRANADA
	2100	72	GRANADA
	2400	72	J. NUÑEZ

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B104T HALL Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/5/16	0300	75	G. Lee
	0600	70	R. Lee
	0900	78	P. Bonadie
	1200	74	M. Bonadie
	1500	75	S. Lardus
	1800	76	S. Lardus
	2100	75	S. Lardus
	2400	75	Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
6/6/16	0300	75	D. Martinez
	0600	74	R. Magana
	0900	74	R. Magana
	1200	74	R. Magana
	1500	76	S. Garcia
	1800	74	S. Garcia
	2100	74	S. Garcia
	2400	72	Silva

Wednesday

Date	Time	Temp.	Name (Print)
6/5/16	0300	72	S. Garcia
	0600	72	R. Lee
	0900	75	R. Lee
	1200	77	R. Lee
	1500	79	CERETTE
	1800	79	CERETTE
	2100	78	CERETTE
	2400	77	A. Ortega

Thursday

Date	Time	Temp.	Name (Print)
6/6/16	0300	71	J. Alvarez
	0600	70	R. Lee
	0900	71	R. Lee
	1200	74	R. Lee
	1500	80	R. Quarles
	1800	70	W. Quinto
	2100	71	N. Quinto
	2400	68	J. Huante

Friday

Date	Time	Temp.	Name (Print)
6/7/16	0300	67	J. Alvarez
	0600	70	R. Lee
	0900	73	R. Lee
	1200	73	Garcia
	1500	74	S. Galvan
	1800	77	S. Galvan
	2100	76	S. Galvan
	2400	77	Larson

Saturday

Date	Time	Temp.	Name (Print)
6/8/16	0300	77	Garcia
	0600	77	R. Lee
	0900	78	R. Lee
	1200	78	R. Lee
	1500	79	S. Lardus
	1800	78	Garcia
	2100	76	Owens
	2400	77	Ortiz

Notes

Date	Time	Temp.	Name (Print)
6/9/16	0300	77	M. Perez
	0600	76	R. Lee
	0900	74	R. Lee
	1200	75	R. Lee
	1500	75	C. Garcia
	1800	74	C. Garcia
	2100	74	C. Garcia
	2400	72	C. Garcia

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B 3

Temp. Reading Location: 3 TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 20 degrees and again at 35 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
0300	68	D GONZALEZ	
0600	67.3	JARAMILLO	
0900	68.0	JARAMILLO	
1200	68.3	JARAMILLO	
1500			
1800			
2100			
2400	70	VANDORN	

Wednesday

Date	Time	Temp.	Name (Print)
0300	69	WILSON	
0600	70.3	JARAMILLO	
0900	71.8	JARAMILLO	
1200	72.0	JARAMILLO	
1500	73	JARAMILLO	
1800	75	LESTER	
2100	74	LESTER	
2400	72	WILSON	

Friday

Date	Time	Temp.	Name (Print)
0300	71	LAWRENCE	
0600	70	LESTER	
0900	69	LESTER	
1200	71	LESTER	
1500	75	JACKSON	
1800	73	JACKSON	
2100	73	JACKSON	
2400	73	LAWRENCE	

Sunday

Date	Time	Temp.	Name (Print)
0300	71	CAMPBELL	
0600	70	CAMPBELL	
0900	70	BRISSENDEN	
1200	72	BRISSENDEN	
1500	74	MCCLELLAN	
1800	73	MCCLELLAN	
2100	73	MCCLELLAN	
2400			

Tuesday

Date	Time	Temp.	Name (Print)
0300	67	WILSON	
0600	68.0	JARAMILLO	
0900	69.0	JARAMILLO	
1200	70.0	JARAMILLO	
1500			
1800			
2100			
2400	71	WILSON	

Thursday

Date	Time	Temp.	Name (Print)
0300	71	WILSON	
0600	71	LESTER	
0900	71	LESTER	
1200	71	LESTER	
1500	71	LESTER	
1800	71	LESTER	
2100	73	LESTER	
2400	73	WILSON	

Saturday

Date	Time	Temp.	Name (Print)
0300	73	LIMON	
0600	71	BRISSENDEN	
0900	70	BRISSENDEN	
1200	73	BRISSENDEN	
1500	74	SANTANA	
1800	75	SANTANA	
2100	73	SANTANA	
2400	72	CAMPBELL	

Notes

DISTRIBUTION: Original Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C/M Housing Unit: B4(MADDOCK) Temp. Reading Location: 3RD TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	69	LUNA
	0600	69	CARRERA
	0900	69	CARRERA
	1200	70	CARRERA
	1500	74	VASQUEZ
	1800	78	VASQUEZ
	2100	78	VASQUEZ
	2400	69	LUNA

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	69	LUNA
	0600	69	CARRERA
	0900	70	CARRERA
	1200	72	CARRERA
	1500	73	C. CERVANTES
	1800	72	VASQUEZ
	2100	70	VASQUEZ
	2400	69	LUNA

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	68	CONTRERAS
	0600	70	CARRERA
	0900	71	CARRERA
	1200	73	CARRERA
	1500	74	C. CERVANTES
	1800	73	VASQUEZ
	2100	71	VASQUEZ
	2400	71	CAMPBELL

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	71	CAMPBELL
	0600	73	CAMPBELL
	0900	74	CARRERA
	1200	75	CARRERA
	1500	76	C. CERVANTES
	1800	77	MARSHAL
	2100	76	MARSHAL
	2400	75	CAMPBELL

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	75	GRIMES
	0600	76	GRIMES
	0900	73	KING
	1200	73	KING
	1500	74	GRIMES
	1800	74	GRIMES
	2100	73	GRIMES
	2400	69	WNA

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	69	GUERRERO
	0600	71	GUERRERO
	0900	71	GUERRERO
	1200	72	GUERRERO
	1500	74	VASQUEZ
	1800	72	VASQUEZ
	2100	71	VASQUEZ
	2400	69	WNA

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	69	GUNIA
	0600	71	GUNIA
	0900	71	GUNIA
	1200	72	GUNIA
	1500	74	VASQUEZ
	1800	72	VASQUEZ
	2100	71	VASQUEZ
	2400	69	GUNIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIm Housing Unit: B5 Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>6/3</u>	0300	71	Lewis
	0600	71	Galluzzo
	0900	71	Bautista
	1200	72	Perez
	1500	71	Borden
	1800	71	Borden
	2100	70	Gonide
	2400	69	Araujo

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6/4</u>	0300	67	Arellano
	0600	70	Galluzzo
	0900	70	Gonide
	1200	72	Muro
	1500	73	Gonide
	1800	74	Gonide
	2100		
	2400	72	Powell

Wednesday			
Date	Time	Temp.	Name (Print)
<u>6/5</u>	0300	72	D. Arellano
	0600	72	B. Hayes
	0900	73	B. Hayes
	1200	73	B. Hayes
	1500	73	R. Lopez
	1800	73	R. Lopez
	2100	73	R. Lopez
	2400	73	Arellano

Thursday			
Date	Time	Temp.	Name (Print)
<u>6/6</u>	0300	72	Arellano
	0600	72	B. Hayes
	0900	73	B. Hayes
	1200	71	B. Hayes
	1500	76	O. Galvan
	1800	76	O. Galvan
	2100	74	Borden
	2400	77	Arellano

Friday			
Date	Time	Temp.	Name (Print)
<u>6/7</u>	0300	74	D. Arellano
	0600	70	Diaz
	0900	73	Diaz
	1200	73	Diaz
	1500	74	Borden
	1800	74	Borden
	2100	70	Borden
	2400	74	D. Gonzales

Saturday			
Date	Time	Temp.	Name (Print)
<u>6/8</u>	0300	73	D. Gonzales
	0600	70	Galluzzo
	0900	72	Diaz
	1200	73	Galluzzo
	1500	73	Luna
	1800	73	Galluzzo
	2100	72	Galluzzo
	2400	72	D. Gonzales

Notes

Date	Time	Temp.	Name (Print)
<u>6/9</u>	0300	73	D. Gonzales
	0600	72	Galluzzo
	0900	73	Sandoval
	1200	73	Sandoval
	1500	73	J. Serna
	1800	74	J. Vonde
	2100	73	J. Serna
	2400	72	J. Vonde

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B1 Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	71	J. NUÑEZ
	0600	70	GRANADA
	0900	78	KEEPER
	1200	71	R. HANSELL
	1500	73	GRANADA
	1800	74	TUCUMANE
	2100	72	GRANADA
	2400	72	A. DIKE

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	71	A. DIKE
	0600	72	R. HANSELL
	0900	71	R. HANSELL
	1200	72	R. HANSELL
	1500	73	GRANADA
	1800	73	GRANADA
	2100	71	GRANADA
	2400	71	BOCINO

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	71	B. GIND
	0600	71	J. PEREZ
	0900	69	J. PEREZ
	1200	72	J. PEREZ
	1500	74	GRANADA
	1800	75	GRANADA
	2100	73	GRANADA
	2400	72	BOCINO

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	72	BOCINO
	0600	71	J. PEREZ
	0900	71	J. PEREZ
	1200	73	J. PEREZ
	1500	74	GRANADA
	1800	75	GRANADA
	2100	73	GRANADA
	2400	72	HERMOSILLA

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	68	HERMOSILLA
	0600	68	J. PEREZ
	0900	69	J. PEREZ
	1200	74	J. PEREZ
	1500	75	GRANADA
	1800	75	GRANADA
	2100	74	GRANADA
	2400	73	HERMOSILLA

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	72	HERMOSILLA
	0600	70	J. PEREZ
	0900	72	J. PEREZ
	1200	76	J. PEREZ
	1500	74	SANDANA
	1800	77	SANDANA
	2100	76	SANDANA
	2400	72	J. NUÑEZ

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	71	J. NUÑEZ
	0600	70	J. PEREZ
	0900	72	J. PEREZ
	1200	75	J. PEREZ
	1500	76	SANDANA
	1800	76	GRANADA
	2100	74	GRANADA
	2400	74	J. NUÑEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C.I.M Housing Unit: BIRCH HALL Temp. Reading Location: T-EG
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	71	102L
	0600	71	NOT
	0900	72	NOT
	1200	74	NOT
	1500	79	UNIGA
	1800	78	UNIGA
	2100	77	UNIGA
	2400	73	UNIGA

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	77	UNIGA
	0600	76	K. Lee
	0900	76	K. Lee
	1200	76	K. Lee
	1500	76	UNIGA
	1800	77	UNIGA
	2100	80	UNIGA
	2400	77	UNIGA

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	70	J. NUNICZ
	0600	70	K. Lee
	0900	73	K. Lee
	1200	73	K. Lee
	1500	76	RENTERIA
	1800	81	RENTERIA
	2100	81	S. AQUINO
	2400	74	J. NUNICZ

Sunday

Date	Time	Temp.	Name (Print)
6-16-24	0300	76	J. CARDENAS
	0600	75	NOT
	0900	75	NOT
	1200	79	K. Lee
	1500	76	UNIGA
	1800	78	UNIGA
	2100	77	UNIGA
	2400	76	J. CARDENAS

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	76	UNIGA
	0600	74	R. MAGANA
	0900	75	R. MAGANA
	1200	77	R. MAGANA
	1500	78	D. MIRONES
	1800	77	D. MIRONES
	2100	72	D. MIRONES
	2400	77	J. NUNICZ

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	77	J. NUNICZ
	0600	78	K. Lee
	0900	78	K. Lee
	1200	78	K. Lee
	1500	80	J. A.
	1800	81	J. A.
	2100	80	J. A.
	2400	72	J. NUNICZ

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	73	J. NUNICZ
	0600	73	K. Lee
	0900	76	K. Lee
	1200	76	K. Lee
	1500	90	Z. Vargas
	1800	79	Z. Vargas
	2100	79	Z. Vargas
	2400	77	J. CALZADA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND RE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIVI Housing Unit: B-3

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0-24	0300	70	
	0600	69.1	JARAMILLO
	0900	70.0	JARAMILLO
	1200	73.0	JARAMILLO
	1500	72	Benites
	1800	72	Benites
	2100	72	Benites
	2400	72	Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	72	Ramirez
	0600	68.3	Jaramillo
	0900	69.0	Jaramillo
	1200	73.0	Jaramillo
	1500	74	L. Allen
	1800	73	L. Allen
	2100	72	L. Allen
	2400	71	A. Ortega

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	70	A. Ortega
	0600	69.3	Jaramillo
	0900	70.0	Jaramillo
	1200	74.0	Jaramillo
	1500	77	L. Allen
	1800	77	L. Allen
	2100	74	L. Allen
	2400	73	J. Nuñez

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	72	J. Nuñez
	0600	71.8	Jaramillo
	0900	71.0	Jaramillo
	1200	73.0	Jaramillo
	1500	76	L. Allen
	1800	76	L. Allen
	2100	75	L. Allen
	2400	74	A. Ortega

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	72	A. Ortega
	0600	69	Campes
	0900	74.0	Jaramillo
	1200	75	Jaramillo
	1500	77	A. Ortega
	1800	78	A. Ortega
	2100	78	A. Ortega
	2400	76	A. Ortega

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	76	A. Ortega
	0600	74	Briseno
	0900	74	Briseno
	1200	78	Briseno
	1500	79	Melena
	1800	79	Melena
	2100	79	Melena
	2400	78	Campes

Notes

Date	Time	Temp.	Name (Print)
6/16/24	0300	76	Campes
	0600	74	Campes
	0900	76	Briseno
	1200	77	Briseno
	1500	79	Melena
	1800	79	Melena
	2100	79	Melena
	2400	78	A. Ortega

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B4 (MADRONE) Temp. Reading Location: 3 RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	69	LUNA
	0600	72	CARRERA
	0900	72	CARRERA
	1200	73	CARRERA
	1500	75	C. CERVANTES
	1800	74	MASQUEL
	2100	72	Masquez
	2400	69	J. LUNA

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	69	GONZALEZ
	0600	71	CARRERA
	0900	72	CARRERA
	1200	71	CARRERA
	1500	70	MASQUEL
	1800	71	MASQUEL
	2100	70	Masquez
	2400	73	CAMPOMAS

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	73	MENJIVAR
	0600	72	CARRERA
	0900	74	CARRERA
	1200	72	CARRERA
	1500	79	ABRANA
	1800	73	ABRANA
	2100	76	ABRANA
	2400	69	LUNA

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	69	LUNA
	0600	74	G.I.
	0900	75	G.I.
	1200	76	G.I.
	1500	74	TUCICARNE
	1800	75	TUCICARNE
	2100	70	TUCICARNE
	2400	69	LUNA

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	69	J. LUNA
	0600	71	CARRERA
	0900	73	CARRERA
	1200	74	CARRERA
	1500	77	C. CERVANTES
	1800	74	SANTO CRUZ
	2100	72.3	SANTO CRUZ
	2400	70	GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	77	CAMPOS
	0600	75	CAMPOS
	0900	73	CARRERA
	1200	76	CARRERA
	1500	71	ABRANA
	1800	76	ABRANA
	2100	75	ABRANA
	2400	74	M. GOMEZ

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	69	LUNA
	0600	74	G.I.
	0900	74	G.I.
	1200	75	G.I.
	1500	78	Barber
	1800	79	RODRIGUEZ
	2100	70	ESPINOZA
	2400	67	J. LUNA

Notes

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: 85 Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>6/11/14</u>	0300	72	J. Lemos
	0600	73	J. Limon
	0900	72	J. Conde
	1200	72	J. Limon
	1500	75	J. Conde
	1800	75	J. Conde
	2100	73	J. Conde
	2400	73	MUNIZ

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6/12/14</u>	0300	73	Muniz
	0600	73	G. Alvarez
	0900	74	P. Diaz
	1200	74	P. Diaz
	1500	75	P. Diaz
	1800	74	J. Conde
	2100	73	J. Conde
	2400	73	Muniz

Wednesday			
Date	Time	Temp.	Name (Print)
<u>6/13/14</u>	0300	73	Muniz
	0600	74	Limon
	0900	71	Limon
	1200	73	Limon
	1500	75	P. Diaz
	1800	75	P. Diaz
	2100	74	P. Diaz
	2400	73	Muniz

Thursday			
Date	Time	Temp.	Name (Print)
<u>6/16/14</u>	0300	73	Muniz
	0600	74	T. Diaz
	0900	71	Diaz
	1200	73	Diaz
	1500	74	Borden
	1800	75	Borden
	2100	73	P. Diaz
	2400	73	Muniz

Friday			
Date	Time	Temp.	Name (Print)
<u>6/17/14</u>	0300	73	Muniz
	0600	74	G. Alvarez
	0900	72	Diaz
	1200	72	Gonzales
	1500	76	P. Diaz
	1800	76	P. Diaz
	2100	76	Borden
	2400	74	D. Gonzales

Saturday			
Date	Time	Temp.	Name (Print)
<u>6/18/14</u>	0300	73	P. Diaz
	0600	72	G. Alvarez
	0900	75	Diaz
	1200	77	Diaz
	1500	75	P. Diaz
	1800	75	P. Diaz
	2100	76	P. Diaz
	2400	75	D. Gonzales

Sunday			
Date	Time	Temp.	Name (Print)
<u>6/19/14</u>	0300	75	D. Gonzales
	0600	75	G. Alvarez
	0900	75	Muniz
	1200	75	Muniz
	1500	75	Luna
	1800	74	Luna
	2100	74	Luna
	2400	73	Luna

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B1 Temp. Reading Location: 3RD TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees;

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	71	J.NUNEZ
	0600	70	R.Hansen
	0900	71	R.Hansen
	1200	72	R.Hansen
	1500	75	Graves
	1800	74	Graves
	2100	73	Graves
	2400	71	HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	70	HERNANDEZ
	0600	70	R.Hansen
	0900	71	R.Hansen
	1200	72	R.Hansen
	1500	74	Graves
	1800	71	Graves
	2100	73	Graves
	2400	72	HERNANDEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	70	HERNANDEZ
	0600	69	J.PEREZ
	0900	69	J.PEREZ
	1200	73	J.PEREZ
	1500	74	Graves
	1800	74	Graves
	2100	73	Graves
	2400	71	HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	70	HERNANDEZ
	0600	67	J.PEREZ
	0900	76	J.PEREZ
	1200	73	J.PEREZ
	1500	73	M.Bonilla
	1800	74	Graves
	2100	75	Stewart
	2400	72	HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	69	HERNANDEZ
	0600	68	J.PEREZ
	0900	69	J.PEREZ
	1200	75	J.PEREZ
	1500	76	A.Ortega
	1800	77	A.Ortega
	2100	77	A.Ortega
	2400	73	HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	71	HERNANDEZ
	0600	69	J.PEREZ
	0900	74	J.PEREZ
	1200	77	J.PEREZ
	1500	80	J.Diaz
	1800	79	V.Diaz
	2100	71	Diaz
	2400	76	J.NUNEZ

Notes

6-22-14 1143 STAGE 1 HEAT ALERT 90°

Date	Time	Temp.	Name (Print)
6/23	0300	74	J.NUNEZ
	0600	74	J.PEREZ
	0900	78	A.Lanning
	1200	79	J.PEREZ
	1500	81	Graves
	1800	80	Graves
	2100	80	Graves
	2400	79	J.NUNEZ

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM · Housing Unit: B2-BIRCH · Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	75	J. CARPENTER
	0600	74	C. PRINCE
	0900	75	C. PRINCE
	1200	79	C. PRINCE
	1500	79	MARSHALL
	1800	77	MARSHALL
	2100	76	MARSHALL
	2400	75	MARSHALL

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	74	C. PRINCE
	0600	74	C. PRINCE
	0900	75	C. PRINCE
	1200	78	C. GONZALEZ
	1500	80	MARSHALL
	1800	79	MARSHALL
	2100	77	MARSHALL
	2400	75	MARSHALL

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	75	MARSHALL
	0600	74	K. Lee
	0900	77	C. PRINCE
	1200	77	C. PRINCE
	1500	76	C. PRINCE
	1800	78	C. PRINCE
	2100	76	C. PRINCE
	2400	75	MARSHALL

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	75	J. NUNEZ
	0600	76	K. Lee
	0900	74	K. Lee
	1200	77	K. Lee
	1500	77	C. PRINCE
	1800	78	C. PRINCE
	2100	77	C. PRINCE
	2400	75	J. NUNEZ

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	J. NUNEZ
	0600	71	K. Lee
	0900	71	K. Lee
	1200	80	K. Lee
	1500	70	C. PRINCE
	1800	70	C. PRINCE
	2100	81	C. PRINCE
	2400	78	J. NUNEZ

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	73	J. NUNEZ
	0600	73	K. Lee
	0900	78	K. Lee
	1200	83	K. Lee
	1500	85	C. PRINCE
	1800	87	C. PRINCE
	2100	87	C. PRINCE
	2400	80	C. PRINCE

Notes

Date	Time	Temp.	Name (Print)
6/23/24	0300	78	J. NUNEZ
	0600	75	C. PRINCE
	0900	83	C. PRINCE
	1200	89	K. Lee
	1500	88	S. GARDNER
	1800	86	S. GARDNER
	2100	81	J. NUNEZ
	2400	80	J. CARPENTER

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B-3

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	70	Soto, R
	0600	70.0	JARAMILLO
	0900	70.0	JARAMILLO
	1200	73.0	JARAMILLO
	1500	73.8	Bonites
	1800	73.0	Bonites
	2100	73.0	Bonites
	2400	72	Soto, R

Tuesday

Date	Time	Temp.	Name (Print)
6-18-24	0300	70	Soto, R
	0600	78	JARAMILLO
	0900	69	JARAMILLO
	1200	73.	JARAMILLO
	1500	76	C. ALLEN
	1800	75	C. ALLEN
	2100	74	C. ALLEN
	2400	72	D. G. I.

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	73	D. G. I.
	0600	72	D. G. I.
	0900	71.0	JARAMILLO
	1200	75.0	JARAMILLO
	1500	76	C. ALLEN
	1800	74	C. ALLEN
	2100	74	C. ALLEN
	2400	73	D. G. I.

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	71	D. G. I.
	0600	70	D. G. I.
	0900	70	JARAMILLO
	1200	75	JARAMILLO
	1500	76.0	JARAMILLO
	1800	77	C. ALLEN
	2100	76	C. ALLEN
	2400	73	D. G. I.

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	72	D. G. I.
	0600	70	CAMPLOS
	0900	73.0	JARAMILLO
	1200	77.0	JARAMILLO
	1500	77	RENTERIA
	1800	79	RENTERIA
	2100	78	RENTERIA
	2400	76	D. G. I.

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	78	Gil
	0600	70	BRISSENDEN
	0900	73	BRISSENDEN
	1200	80	BRISSENDEN
	1500	80	NAVARRO
	1800	82	NAVARRO
	2100	85	NAVARRO
	2400	80	CAMPLOS

Notes

6-22-24 110° outside 90°
6-22-24 1900 DEACTIVATION 88°
6-23-24 1140 outside 90°

Date	Time	Temp.	Name (Print)
6-23-24	0300	74	CAMPLOS
	0600	78	CAMPLOS
	0900	79	BRISSENDEN
	1200	84	BRISSENDEN
	1500	85	MELERA
	1800	84	MELERA
	2100	83	MELERA
	2400	83	SOTO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B4(MAD RONG) Temp. Reading Location: 3 RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/19	0300	69	LUNA
	0600	74	CARRERA
	0900	74	CARRERA
	1200	79	CARRERA
	1500	76	WASQUE
	1800	74	WASQUE
	2100	77	WASQUE
	2400	69	J. LUNA

Tuesday

Date	Time	Temp.	Name (Print)
6/18/19	0300	69	LUNA
	0600	72	CARRERA
	0900	73	CARRERA
	1200	75	CARRERA
	1500	76	CARRERA
	1800	74	CARRERA
	2100	70	WASQUE
	2400	70	Conde

Wednesday

Date	Time	Temp.	Name (Print)
6/19/19	0300	79	Conde
	0600	74	CARRERA
	0900	74	CARRERA
	1200	75	CARRERA
	1500	76	CARRERA
	1800	75	WASQUE
	2100	77	WASQUE
	2400	75	CAMPES

Thursday

Date	Time	Temp.	Name (Print)
6/20/19	0300	77	CAMPES
	0600	76	CAMPES
	0900	72	CARRERA
	1200	78	CARRERA
	1500	70	ABRITO
	1800	77	ABRITO
	2100	74	ABRITO
	2400	75	CALVERT

Friday

Date	Time	Temp.	Name (Print)
6/21/19	0300	75	CALVERT
	0600	76	LENNA
	0900	73	LENNA
	1200	79	LENNA
	1500	78	ABRITO
	1800	78	ABRITO
	2100	78	ABRITO
	2400	69	LUNA

Saturday

Date	Time	Temp.	Name (Print)
6/22/19	0300	69	LUNA
	0600	75	LENNA
	0900	77	LENNA
	1200	74	LENNA
	1500	73	SUMMERMUTH
	1800	69	SUMMERMUTH
	2100	61	SUMMERMUTH
	2400	69	LUNA

Notes

Date	Time	Temp.	Name (Print)
6/23/19	0300	69	LUNA
	0600	74	OFuentes
	0900	70	D.Fuentes
	1200	62	D.Fuentes
	1500	84	Bardem
	1800	69	Luna
	2100	67	Luna
	2400	69	Luna

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2091 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: B5 Temp. Reading Location: 3rd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	73	Lyle
	0600	74	Alvarez
	0900	74	RAMIREZ
	1200	74	Conde
	1500	75	Garcia
	1800	75	Horne
	2100	75	Conde
	2400	73	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	74	Munoz
	0600	74	B. Hayes
	0900	74	B. Hayes
	1200	75	B. Hayes
	1500	75	Perez
	1800	77	Perez
	2100	77	Perez
	2400	73	Munoz

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	74	Munoz
	0600	76	Dial
	0900	76	Reynolds
	1200	78	Perez
	1500	80	Perez
	1800	81	Perez
	2100	80	Perez
	2400	77	P. Gonzales

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	74	D. Gonzalez
	0600	76	Gutierrez
	0900	76	Gutierrez
	1200	78	Gutierrez
	1500	79	Gutierrez
	1800	80	Gutierrez
	2100	82	Gutierrez
	2400	78	A. Diaz

Tuesday

Date	Time	Temp.	Name (Print)
6/20	0300	73	Fitzpatrick
	0600	73	Murphy
	0900	74	Ramirez
	1200	74	Ramirez
	1500	76	Ramirez
	1800	77	Urena
	2100	77	Conde
	2400	73	Fitzpatrick

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	74	Munoz
	0600	73	B. Hayes
	0900	74	B. Hayes
	1200	75	B. Hayes
	1500	76	J. Silvia
	1800	77	J. Silvia
	2100	77	J. Silvia
	2400	74	Munoz

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	75	P. Gonzalez
	0600	74	Gutierrez
	0900	75	Gutierrez
	1200	76	Gutierrez
	1500	77	Gutierrez
	1800	69	Luna
	2100	69	Luna
	2400	76	D. Gonzalez

Notes

DISTRIBUTION: Original; Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B1 Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/24</u>	0300	76	J. NUNEZ
	0600	75	R. Hanseth
	0900	77	R. Hanseth
	1200	81	R. Hanseth
	1500	82	Sandoval
	1800	81	GRANADA
	2100	81	GRANADA
	2400	79	HERMOSILLO

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/25</u>	0300	78	HERMOSILLO
	0600	75	R. Hanseth
	0900	78	R. Hanseth
	1200	80	KUMOGA
	1500	81	Gomez
	1800	80	GRANADA
	2100	79	GRANADA
	2400	77	HERMOSILLO

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/26</u>	0300	79	HERMOSILLO
	0600	73	J. PEREZ
	0900	76	J. PEREZ
	1200	78	J. PEREZ
	1500	80	J. SILVA
	1800	79	J. SILVA
	2100	72	J. SILVA
	2400	75	HERMOSILLO

Thursday

Date	Time	Temp.	Name (Print)
<u>6/27</u>	0300	72	HERMOSILLO
	0600	72	J. PEREZ
	0900	74	J. PEREZ
	1200	77	J. PEREZ
	1500	78	P. HOLLOWAY
	1800	79	Gomez
	2100	78	P. HOLLOWAY
	2400	75	HERMOSILLO

Friday

Date	Time	Temp.	Name (Print)
<u>6/28</u>	0300	72	HERMOSILLO
	0600	73	GONZALEZ
	0900	74	J. PEREZ
	1200	78	J. PEREZ
	1500	78	Gomez
	1800	77	Gomez
	2100	77	Gomez
	2400	75	HERMOSILLO

Saturday

Date	Time	Temp.	Name (Print)
<u>6/29</u>	0300	73	HERMOSILLO
	0600	69	J. PEREZ
	0900	74	J. PEREZ
	1200	72	Hernandez
	1500	78	SANDOVAL
	1800	78	SANDOVAL
	2100	76	SANDOVAL
	2400	76	Lucas

Sunday

Date	Time	Temp.	Name (Print)
<u>6/30</u>	0300	72	Lucas
	0600	71	STEWART
	0900	74	STEWART
	1200	77	STEWART
	1500	79	GRANADA
	1800	80	GRANADA
	2100	79	GRANADA
	2400	78	J. NUNEZ

Notes

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B2 Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>6/24/18</u>	0300	<u>78</u>	<u>J. CARDENAS</u>
	0600	<u>78</u>	<u>C. PRINCE</u>
	0900	<u>84</u>	<u>R. MARGANA</u>
	1200	<u>88</u>	<u>C. PRINCE</u>
	1500	<u>88</u>	<u>Daniels</u>
	1800	<u>85</u>	<u>Daniels</u>
	2100	<u>81</u>	<u>Daniels</u>
	2400	<u>81</u>	<u>MARSTL</u>

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6/25/18</u>	0300	<u>81</u>	<u>MARSTL</u>
	0600	<u>81</u>	<u>C. Prince</u>
	0900	<u>83</u>	<u>C. Prince</u>
	1200	<u>86</u>	<u>C. Prince</u>
	1500	<u>85</u>	<u>Daniels</u>
	1800	<u>81</u>	<u>Daniels</u>
	2100	<u>81</u>	<u>Daniels</u>
	2400	<u>78</u>	<u>MARSTL</u>

Wednesday			
Date	Time	Temp.	Name (Print)
<u>6/26/18</u>	0300	<u>78</u>	<u>MARSTL</u>
	0600	<u>78</u>	<u>K-Lee</u>
	0900	<u>82</u>	<u>C. PRINCE</u>
	1200	<u>85</u>	<u>C. PRINCE</u>
	1500	<u>83</u>	<u>COSTAN</u>
	1800	<u>82</u>	<u>COSTAN</u>
	2100	<u>82</u>	<u>COSTAN</u>
	2400	<u>76</u>	<u>MARSTL</u>

Thursday			
Date	Time	Temp.	Name (Print)
<u>6/27/18</u>	0300	<u>76</u>	<u>MARSTL</u>
	0600	<u>75</u>	<u>Gillies</u>
	0900	<u>78</u>	<u>K-Lee</u>
	1200	<u>83</u>	<u>K-Lee</u>
	1500	<u>83</u>	<u>COSTAN</u>
	1800	<u>82</u>	<u>COSTAN</u>
	2100	<u>82</u>	<u>COSTAN</u>
	2400	<u>79</u>	<u>J. NUÑEZ</u>

Friday			
Date	Time	Temp.	Name (Print)
<u>6/28/18</u>	0300	<u>76</u>	<u>J. NUÑEZ</u>
	0600	<u>76</u>	<u>K-Lee</u>
	0900	<u>79</u>	<u>K-Lee</u>
	1200	<u>83</u>	<u>K-Lee</u>
	1500	<u>82</u>	<u>COSTAN</u>
	1800	<u>82</u>	<u>COSTAN</u>
	2100	<u>80</u>	<u>COSTAN</u>
	2400	<u>77</u>	<u>J. NUÑEZ</u>

Saturday			
Date	Time	Temp.	Name (Print)
<u>6/29/18</u>	0300	<u>77</u>	<u>J. NUÑEZ</u>
	0600	<u>76</u>	<u>K-Lee</u>
	0900	<u>78</u>	<u>K-Lee</u>
	1200	<u>82</u>	<u>K-Lee</u>
	1500	<u>87</u>	<u>COSTAN</u>
	1800	<u>87</u>	<u>COSTAN</u>
	2100	<u>83</u>	<u>COSTAN</u>
	2400	<u>81</u>	<u>Gamer</u>

Notes			

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (REV 98)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B 3

Temp. Reading Location: 3 TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 80 degrees and again at 85 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0500	79	
	0600	79.0	JARAMILLO
	0900	81.0	JARAMILLO
	1200	84.0	JARAMILLO
	1500	83	L ALLEN
	1800	84	L ALLEN
	2100	84	L ALLEN
	2400	84	MURRAY

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0500	79	MURRAY
	0600	76.0	JARAMILLO
	0900	80.0	JARAMILLO
	1200	84.0	JARAMILLO
	1500	85	RAMIREZ
	1800	84	L ALLEN
	2100	84	L ALLEN
	2400	79	MURRAY

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0500	77	MURRAY
	0600	76.0	JARAMILLO
	0900	79.0	JARAMILLO
	1200	82.0	JARAMILLO
	1500	83	L ALLEN
	1800	83	L ALLEN
	2100	80	L ALLEN
	2400	79	MURRAY

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0500	79	MURRAY
	0600	75.0	JARAMILLO
	0900	75.3	JARAMILLO
	1200	80.0	JARAMILLO
	1500	81	L ALLEN
	1800	81	L ALLEN
	2100	79	L ALLEN
	2400	79	DORTES

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0500	76	DORTES
	0600	73	CAMPES
	0900	75.0	JARAMILLO
	1200	79.0	JARAMILLO
	1500	80	MURRAY
	1800	81	MURRAY
	2100	78	MURRAY
	2400	78	CAMPES

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0500	78	MURRAY
	0600	76	CAMPES
	0900	75	BONET
	1200	80	BONET
	1500	82	BONET
	1800	82	BONET
	2100	80	BONET
	2400	79	CAMPES

Notes

6-24-24 HEAT PLAN ACT AT 1200 90°
6-25-24 HEAT PLAN ACT AT 1200 / 90°
6-29-24 HEAT PLAN DEACTIVATED at 1900 / 87°
(D-30-24 Heat plan activated at 1130 92°)

Date	Time	Temp.	Name (Print)
6-30-24	0500	75	CAMPES
	0600	73	CAMPES
	0900	78	BONET
	1200	80	BONET
	1500	82	MELINA
	1800	83	MELINA
	2100	81	MELINA
	2400	79	CAMPES

DISTRIBUTION: Original Institution Heat Plan Coordinator

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B4(MACRONE) Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	69	LUNA
	0800	71	ARMON
	0900	83	ARMON
	1200	85	ARMON
	1500	84	Cabillo
	1800	84	Cabillo
	2100	83	Cabillo
	2400	69	LUNA

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	69	LUNA
	0600	80	DROWN
	0900	83	CRUZADA
	1200	85	CRUZADA
	1500	82	CRUZADA
	1800	83	CRUZADA
	2100	70	CRUZADA
	2400	70	CRUZADA

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	69	GONZALEZ
	0600	81	GONZALEZ
	0900	82	GONZALEZ
	1200	82	GONZALEZ
	1500	85	VASQUEZ
	1800	84	VASQUEZ
	2100	82	VASQUEZ
	2400	82	GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	82	CHAPKES
	0600	81	CAMPOS
	0900	81	CABRERA
	1200	81	CABRERA
	1500	85	ASTRAN
	1800	84	ASTRAN
	2100	82	ASTRAN
	2400	77	ASTRAN

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	76	Aguirre
	0600	77	Cabillo
	0900	78	Cabillo
	1200	79	Cabillo
	1500	80	AGUILAR
	1800	78	AGUILAR
	2100	78	AGUILAR
	2400	78	Aguirre

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	78	A-Olea
	0600	75	GARIBAY
	0900	76	GARIBAY
	1200	77	GARIBAY
	1500	82°	TUCILARON
	1800	83°	TUCILARON
	2100	82°	TUCILARON
	2400	80	S-J. SEDA

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	79	S. OJEDA
	0600	76	K. Lopez
	0900	79	CABRERA
	1200	81	CABRERA
	1500	80	Borden
	1800	82	Borden
	2100	80	Borden
	2400	78	A-Olea

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator