

## Monthly Summary Report

Institution: PBSP

### Memorandum

Date: October 29, 2024  
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - MONTHLY SUMMARY REPORT

The following is a summary of the heat related activity for the month of October 2024,  
at PBSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? No

Number of days Stage I Alert initiated: 0

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated by the pharmacy. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Stephen Smith

Warden Name

DocuSigned by:



69DDF17E5C1A4CF...

Warden Signature

Katie Minor

Chief Executive Officer Name

DocuSigned by:



4B7B7A6C23E0476

Chief Executive Officer Signature

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-1-24	0100	52	
	0200	51	Floyo
	0300	50	
	0400	49	
	0500	49	
	0600	50	
	0700	50	
	0800	50	
	0900	50	
	1000	55	MJ Johnson
	1100	55	
	1200	58	
	1300	59	
	1400	69	
	1500	67	
	1600	65	
	1700	63	
	1800	60	
	1900	57	
	2000	54	
	2100	53	
	2200	52	R.S.
	2300	51	
	2400	50	

Date	Time	Temp.	Printed Name
10-2-24	0100	49	
	0200	48	
	0300	48	
	0400	48	
	0500	48	
	0600	47	
	0700	47	
	0800	47	
	0900	55	
	1000	57	MJ Johnson
	1100	60	
	1200	60	
	1300	60	
	1400	60	
	1500	60	
	1600	65	
	1700	63	
	1800	61	
	1900	57	
	2000	53	
	2100	51	
	2200	49	
	2300	49	
	2400	49	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-3-24	0100	49	
	0200	49	
	0300	48	<del>48</del>
	0400	48	<del>48</del>
	0500	48	
	0600	48	
	0700	48	
	0800	48	
	0900	50	
	1000	65	
	1100	63	<i>E. Geronas</i>
	1200	63	
	1300	63	
	1400	64	
	1500	64	Oliver
	1600	63	Oliver
	1700	60	Oliver
	1800	59	Oliver
	1900	55	Oliver
	2000	52	Oliver
	2100	50	Oliver
	2200	49	<del>49</del>
	2300	48	<del>48</del>
	2400	48	

Date	Time	Temp.	Printed Name
10-4-24	0100	47	
	0200	47	
	0300	47	<del>47</del>
	0400	47	
	0500	47	
	0600	44	
	0700	44	
	0800	46	
	0900	46	
	1000	54	<i>M. Johnson</i>
	1100	56	
	1200	62	
	1300	62	
	1400	62	
	1500	60	
	1600	60	
	1700	60	
	1800	58	
	1900	55	
	2000	52	
	2100	51	
	2200	51	<del>51</del>
	2300	50	<del>50</del>
	2400	50	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-5-24	0100	50	
	0200	50	
	0300	50	(X)(X)
	0400	50	
	0500	50	
	0600	50	
	0700	51	
	0800	53	
	0900	55	
	1000	60	
	1100	60	(X)(X)
	1200	60	
	1300	60	
	1400	60	
	1500	60	
	1600	60	
	1700	60	
	1800	61	Malfaison
	1900	60	
	2000	54	
	2100	52	
	2200	50	g.mccovey
	2300	49	
	2400	49	

Date	Time	Temp.	Printed Name
10-6-24	0100	48	
	0200	47	
	0300	47	
	0400	47	
	0500	47	
	0600	47	
	0700	47	
	0800	48	
	0900	52	
	1000	59	
	1100	60	(X)(X)
	1200	60	
	1300	60	
	1400	60	
	1500	60	
	1600	60	
	1700	60	
	1800	60	
	1900	58	
	2000	55	
	2100	52	
	2200	53	(X)(X)
	2300	53	
	2400	53	g.mccovey

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/1/24	0100	53	
	0200	53	
	0300	52	
	0400	50	
	0500	50	
	0600	50	
	0700	50	
	0800	56	
	0900	56	
	1000	59	
	1100	59	
	1200	59	
	1300	59	
	1400	59	
	1500	59	
	1600	59	
	1700	59	
	1800	59	
	1900	55	
	2000	53	
	2100	52	
	2200	51	
	2300	50	
	2400	49	

10/8/24	0100	48	
	0200	47	
	0300	47	
	0400	47	
	0500	47	
	0600	48	
	0700	49	
	0800	50	
	0900	54	
	1000	56	
	1100	57	
	1200	58	
	1300	59	
	1400	59	
	1500	58	
	1600	58	
	1700	57	
	1800	56	
	1900	55	
	2000	55	
	2100	54	
	2200	54	
	2300	53	
	2400	52	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-1-18	0100	52	
10-1-18	0200	52	
10-1-18	0300	52	FLO/CD
10-1-18	0400	52	
10-1-18	0500	52	
10-1-18	0600	52	
10-1-18	0700	52	
10-1-18	0800	52	
10-1-18	0900	52	
10-1-18	1000	52	
10-1-18	1100	52	
10-1-18	1200	52	MS Johnson
10-1-18	1300	56	
10-1-18	1400	58	
10-1-18	1500	58	
10-1-18	1600	57	
10-1-18	1700	57	
10-1-18	1800	56	C. MAPLE
10-1-18	1900	55	
10-1-18	2000	53	
10-1-18	2100	52	FLO/CD
10-1-18	2200	51	
10-1-18	2300	50	
10-1-18	2400	49	

Date	Time	Temp.	Printed Name
10-2-18	0100	49	
10-2-18	0200	48	FLO/CD
10-2-18	0300	48	
10-2-18	0400	48	
10-2-18	0500	48	
10-2-18	0600	48	
10-2-18	0700	48	
10-2-18	0800	48	
10-2-18	0900	48	
10-2-18	1000	52	
10-2-18	1100	55	
10-2-18	1200	60	MS Johnson
10-2-18	1300	66	
10-2-18	1400	61	
10-2-18	1500	61	
10-2-18	1600	61	
10-2-18	1700	61	
10-2-18	1800	66	FLO/CD
10-2-18	1900	59	
10-2-18	2000	59	
10-2-18	2100	50	
10-2-18	2200	48	
10-2-18	2300	48	
10-2-18	2400	48	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-11-24	0100	48	
	0200	48	(10/10)
	0300	48	
	0400	48	
	0500	48	
	0600	48	
	0700	48	
	0800	48	
	0900	52	
	1000	55	MJS Johnson
	1100	57	
	1200	57	
	1300	57	
	1400	57	
	1500	57	
	1600	57	
	1700	57	(10/10)
	1800	57	
	1900	57	
	2000	52	
	2100	52	(10/10)
	2200	52	
	2300	53	
	2400	54	

Date	Time	Temp.	Printed Name
10-12-24	0100	55	
	0200	55	(10/10)
	0300	55	
	0400	55	
	0500	55	
	0600	55	
	0700	56	
	0800	58	
	0900	58	
	1000	59	
	1100	60	ANV/S
	1200	60	
	1300	62	
	1400	64	
	1500	66	
	1600	62	
	1700	62	
	1800	61	
	1900	60	Malhaven
	2000	59	
	2100	58	
	2200	57	
	2300	57	
	2400	57	s. McCovey

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/13/24	0100	57	
	0200	57	
	0300	57	
	0400	56	J. McCovey
	0500	55	
	0600	55	
	0700	55	
	0800	55	
	0900	52	
	1000	52	
	1100	60	10/13/24
	1200	60	
	1300	60	
	1400	61	
	1500	59	
	1600	59	
	1700	59	
	1800	59	
	1900	55	10/13/24
	2000	53	
	2100		
	2200	53	J. McCovey
	2300	53	
	2400	53	

Date	Time	Temp.	Printed Name
10/14/24	0100	53	
	0200	53	
	0300	53	
	0400	53	
	0500	53	
	0600	53	
	0700	52	
	0800	52	
	0900	52	
	1000	52	
	1100	60	10/14/24
	1200	62	
	1300	62	
	1400	60	
	1500	62	
	1600	62	
	1700	62	
	1800	58	
	1900	56	10/14/24
	2000	56	
	2100	55	
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attn  
DEPARTMENT OF CORRECTIONS AND REHAB

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

10/15/24

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600	52	Rafalow
	0700	52	Rafalow
	0800	52	Rafalow
	0900	56	
	1000	57	Rafalow
	1100	62	Rafalow
	1200	64	Rafalow
	1300	62	
	1400		
	1500	62	Oliver
	1600	61	Oliver
	1700	60	Oliver
	1800	58	Oliver
	1900	56	Oliver
	2000	55	Oliver
	2100	55	Oliver
	2200	55	
	2300	54	BY/ANS
	2400	54	

10/16/24

Date	Time	Temp.	Printed Name
	0100	55	
	0200	54	
	0300	53	J. H. F.
	0400	53	
	0500	53	
	0600	53	
	0700	53	
	0800	54	
	0900	54	
	1000	56	
	1100	56	
	1200	59	MS. J. H. F.
	1300	60	
	1400	59	
	1500	59	
	1600	59	
	1700	57	
	1800	57	
	1900	57	
	2000	56	
	2100	52	
	2200	51	
	2300	51	BY/ANS
	2400	50	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/17/21	0100	51	
	0200	50	
	0300	49	
	0400	48	BYRNE/B
	0500	47	
	0600	47	
	0700	47	
	0800	47	
	0900	49	
	1000	49	
	1100	50	
	1200	53	
	1300	53	
	1400	52	
	1500	52	
	1600	52	
	1700	52	
	1800	51	N YRANE
	1900	50	
	2000	48	
	2100		
	2200	40	L PERE/C
	2300	40	
	2400	40	

Date	Time	Temp.	Printed Name
10/18/21	0100	40	
	0200	40	
	0300	40	PERL/C
	0400	40	L
	0500	39	
	0600	39	
	0700	42	
	0800	42	
	0900	45	
	1000	50	
	1100	50	
	1200	50	
	1300	51	
	1400	50	
	1500	50	
	1600	50	
	1700	50	
	1800	50	T ELLS
	1900	50	
	2000	49	
	2100	49	
	2200	49	
	2300	49	BIRKINS
	2400	48	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/19/18	0100	47	
	0200	44	
	0300	44	B.McCovey
	0400	46	
	0500	46	
	0600	46	
	0700	46	
	0800	46	
	0900	49	
	1000	55	J.Ellis
	1100	60	
	1200	61	
	1300	62	
	1400	63	
	1500	61	
	1600	60	
	1700	60	
	1800	60	M.Lawson
	1900	57	
	2000	55	
	2100	53	
	2200	53	J.McCovey
	2300	52	
	2400	52	

Date	Time	Temp.	Printed Name
10/20/18	0100	52	
	0200	51	
	0300	50	J.McCovey
	0400	50	
	0500	50	
	0600	50	
	0700	50	
	0800	50	
	0900	50	
	1000	52	J.Ellis
	1100	55	
	1200	56	
	1300	60	
	1400	58	
	1500	58	
	1600	60	
	1700	60	
	1800	58	J.Yanick
	1900	56	
	2000	56	
	2100	53	
	2200	53	
	2300	53	J.McCovey
	2400	53	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/21/24	0100	53	
	0200	53	
	0300	53	S. McCooley
	0400	53	
	0500	53	
	0600	52	
	0700	52	
	0800	52	
	0900	52	
	1000	52	J. Hanes
	1100	52	
	1200	56	
	1300	57	
	1400	57	
	1500	57	
	1600	55	
	1700	54	
	1800	53	D. G.
	1900	52	
	2000	51	
	2100	51	
	2200	50	N. Yancey
	2300	49	
	2400	48	

Date	Time	Temp.	Printed Name
10/21/24	0100	48	
	0200	47	
	0300	46	
	0400	46	N. Yancey
	0500	46	
	0600	46	
	0700	46	
	0800	46	
	0900	46	
	1000	48	
	1100	51	M. Johnson
	1200	54	
	1300	54	
	1400	55	
	1500	54	
	1600	54	
	1700	55	
	1800	53	D. G.
	1900	51	
	2000	50	
	2100	49	
	2200	48	
	2300	47	
	2400	46	D. G.

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/23/24	0100	46	
	0200	45	
	0300	44	D.J.5
	0400	44	
	0500	44	
	0600	44	
	0700	44	
	0800	44	
	0900	46	
	1000	46	
	1100	48	M. JONES
	1200	48	
	1300	48	
	1400	52	
	1500	53	
	1600	55	
	1700	54	
	1800	50	D. A.
	1900	48	
	2000	47	J. JAI
	2100	48	
	2200	46	N. YAN
	2300	46	
	2400	43	

Date	Time	Temp.	Printed Name
10/24/24	0100	41	
	0200	41	
	0300	41	N. YAN
	0400	41	
	0500	42	
	0600	42	
	0700	41	
	0800	41	
	0900	42	
	1000	44	
	1100	44	
	1200	45	
	1300	45	
	1400	45	
	1500	45	
	1600	45	
	1700	45	
	1800	42	E. L. GUTIERREZ
	1900	43	
	2000	43	E. L. GUTIERREZ
	2100	43	
	2200	43	E. L. GUTIERREZ
	2300	43	
	2400	42	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/25/24	0100	42	CANTRELL/DS
	0200	42	
	0300	42	
	0400	42	
	0500	42	
	0600	42	
	0700	42	
	0800	44	
	0900	45	
	1000	50	
	1100	54	
	1200	58	
	1300	58	
	1400	59	
	1500	58	
	1600	58	
	1700	55	
	1800	52	
	1900	50	
	2000	50	
	2100	51	
	2200	51	
	2300	51	
	2400	51	

Date	Time	Temp.	Printed Name
10/26/24	0100	51	McCARTHY/KWJ
	0200	51	
	0300	50	
	0400	50	
	0500	50	
	0600	50	
	0700	50	
	0800	51	
	0900	51	
	1000	54	
	1100	56	
	1200	58	
	1300	59	
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTC Temp. Reading Location: Officer Station  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10-7-24	0300	69	E. ESTRADA
	0600	70	MAGNUSEN
	0900	70	MAGNUSEN
	1200	70	MAGNUSEN
	1500	70	C THORPE
	1800	70	C THORPE
	2100	70	C THORPE
	2400	69	E. ESTRADA

**Tuesday**

Date	Time	Temp.	Name (Print)
10-8-24	0300	69	E. ESTRADA
	0600	70	MAGNUSEN
	0900	70	MAGNUSEN
	1200	70	MAGNUSEN
	1500	70	C THORPE
	1800	70	C THORPE
	2100	70	C THORPE
	2400	70	E Kleespies

**Wednesday**

Date	Time	Temp.	Name (Print)
10-9-24	0300	69	E Kleespies
	0600	70	Carron
	0900	69	Carron
	1200	69	Carron
	1500	69	C Baker
	1800	69	M. Green
	2100	69	J. Flores
	2400	69	E Kleespies

**Thursday**

Date	Time	Temp.	Name (Print)
10-10-24	0300	69	E Kleespies
	0600	69	CONTREY
	0900	69	CONTREY
	1200	70	CONTREY
	1500	69	M. Green
	1800	69	M. Green
	2100	69	M. Green
	2400	69	Luvera

**Friday**

Date	Time	Temp.	Name (Print)
10-11-24	0300	69	Luvera
	0600	68	CONTREY
	0900	69	CONTREY
	1200	70	CONTREY
	1500	69	Luvera
	1800	69	Luvera
	2100	69	Luvera
	2400	69	Luvera

**Saturday**

Date	Time	Temp.	Name (Print)
10-12-24	0300	69	Luvera
	0600	70	V Ford
	0900	70	V Ford
	1200	70	V Ford
	1500	70	SK. Green
	1800	70	SK. Green
	2100	70	SK. Green
	2400	69	Luvera

**Sunday**

Date	Time	Temp.	Name (Print)
10-13-24	0300	69	Luvera
	0600	70	V Ford
	0900	70	V Ford
	1200	70	V Ford
	1500	69	C THORPE
	1800	69	C THORPE
	2100	69	C THORPE
	2400	69	Bachey

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment H  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTR Temp. Reading Location: OFFICER STATION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10-14-24	0300	70	JACOBO
	0600	70	HANSTORD
	0900	71	HANSTORD
	1200	71	HANSTORD
	1500	70	THORPE
	1800	69	THORPE
	2100	69	THORPE
	2400	69	WEISS

**Wednesday**

Date	Time	Temp.	Name (Print)
10-16-24	0300	69	Kleespies
	0600	69	Contreras
	0900	70	Curn
	1200	69	Curn
	1500	69	Baker
	1800	69	M.Gregor
	2100	69	M.Gregor
	2400	69	E.ESTRADA

**Friday**

Date	Time	Temp.	Name (Print)
10-18-24	0300	69	F.A.Han
	0600	69	F.Alton
	0900	69	MAGNUSEN
	1200	69	MAGNUSEN
	1500	69	Luenna
	1800	69	Luenna
	2100	69	Luenna
	2400	69	F.A.Han

**Sunday**

Date	Time	Temp.	Name (Print)
10-20-24	0300	69	Luenna
	0600	69	HENRY
	0900	70	V.Ford
	1200	70	V.Ford
	1500	69	C.THORPE
	1800	69	C.THORPE
	2100	69	C.THORPE
	2400	69	E.ESTRADA

**Tuesday**

Date	Time	Temp.	Name (Print)
10-15-24	0300	69	Weiss
	0600	69	DACAFOX
	0900	69	DACAFOX
	1200	69	DACAFOX
	1500	69	THORPE
	1800	69	THORPE
	2100	69	THORPE
	2400	69	Kleespies

**Thursday**

Date	Time	Temp.	Name (Print)
10-17-24	0300	69	E.ESTRADA
	0600	69	Contreras
	0900	69	Contreras
	1200	69	Contreras
	1500	69	M.Gregor
	1800	69	C.Baker
	2100	69	M.Gregor
	2400	69	T.Altura

**Saturday**

Date	Time	Temp.	Name (Print)
10-19-24	0300	69	A.J.Kim
	0600	69	V.Ford
	0900	70	V.Ford
	1200	70	V.Ford
	1500	69	Luenna
	1800	69	Luenna
	2100	69	Luenna
	2400	69	Luenna

**Notes**

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment H  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CRC Temp. Reading Location: OFFICER STATION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/21/24	0300	69	ESTRADA
	0600	69	MAGNUSEN
	0900	69	MAGNUSEN
	1200	69	MAGNUSEN
	1500	70	ETZEL
	1800	70	ETZEL
	2100	70	WEISS
	2400	70	WEISS

**Wednesday**

Date	Time	Temp.	Name (Print)
10/23/24	0300	69	WEISS
	0600	69	CONTRERAS
	0900	69	CONTRERAS
	1200	69	CONTRERAS
	1500	69	Chaffey
	1800	70	Gaker
	2100	70	M. Groger
	2400	69	Kleespies

**Friday**

Date	Time	Temp.	Name (Print)
10/25/24	0300	69	Lverra
	0600	69	CONTRERA
	0900	69	CONTRERA
	1200	69	CONTRERA
	1500	69	G. Baker
	1800	68	G. Baker
	2100	68	G. Baker
	2400	69	Lverra

**Sunday**

Date	Time	Temp.	Name (Print)
10/27/24	0300	69	Lverra
	0600	70	V Ford
	0900	70	V Ford
	1200	70	V Ford
	1500	69	HERNANDEZ
	1800	69	HERNANDEZ
	2100	69	HERNANDEZ
	2400	70	REYES

**Tuesday**

Date	Time	Temp.	Name (Print)
10/22/24	0300	70	WEISS
	0600	70	VALAT
	0900	70	VALAT
	1200	70	VALAT
	1500	70	E Kleespies
	1800	70	R. Kleespies
	2100	69	WEISS
	2400	69	WEISS

**Thursday**

Date	Time	Temp.	Name (Print)
10/24/24	0300	69	Kleespies
	0600	69	CONTRERAS
	0900	69	CONTRERAS
	1200	69	CONTRERAS
	1500	70	E Kleespies
	1800	70	E Kleespies
	2100	70	E Kleespies
	2400	69	Lverra

**Saturday**

Date	Time	Temp.	Name (Print)
10/26/24	0300	69	Lverra
	0600	70	HENRY
	0900	70	V Ford
	1200	70	V Ford
	1500	69	HERNANDEZ
	1800	70	HERNANDEZ
	2100	70	HERNANDEZ
	2400	69	Lverra

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment H  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTL Temp. Reading Location: OFFICER STATION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	69	E. ESTPADA
	0600	70	MARTINEZ
	0900	71	Schmidt
	1200	71	Schmidt
	1500	71	F. MENDEZ
	1800	71	F. MENDEZ
	2100	71	F. MENDEZ
	2400	71	Weiss, E.

Wednesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	69	Weiss, E.
	0600	69	Contreras
	0900	70	Contreras
	1200	70	Contreras
	1500	70	E Kleespies
	1800	70	E Kleespies
	2100	70	E Kleespies
	2400	70	E Kleespies

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	69	Luvera
	0600	69	Contreras
	0900	69	Contreras
	1200	69	Contreras
	1500	69	Luvera
	1800	69	Luvera
	2100	69	Luvera
	2400	69	Luvera

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	69	Luvera
	0600	70	V Ford
	0900	70	V Ford
	1200	70	V Ford
	1500	70	C THORPE
	1800	70	C THORPE
	2100	70	C THORPE
	2400	69	E Estrada

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	Weiss, E.
	0600	70	PALATOX
	0900	71	PALATOX
	1200	71	PALATOX
	1500	71	Baker
	1800	71	E Kleespies
	2100	71	E Kleespies
	2400	71	Weiss, E.

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	69	E Kleespies
	0600	69	Contreras
	0900	70	Contreras
	1200	70	Contreras
	1500	70	Baker
	1800	70	Baker
	2100	70	Baker
	2400	69	Luvera

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	69	Luvera
	0600	70	V Ford
	0900	70	V Ford
	1200	70	V Ford
	1500	69	Luvera
	1800	69	Luvera
	2100	69	Luvera
	2400	69	Luvera

Notes

---



---



---



---



---



---



---



---

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-1 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

A-1

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	300	70	A. Arias
	600	70	G. OCHOA
	900	71	G. OCHOA
	1200	72	R. MOSO
	1500	72	R. MOSO
	1800	72	R. MOSO
	2100	72	R. MOSO
	2400	70	A. Arias

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	300	70	L. Arias
	600	70	G. OCHOA
	900	71	G. OCHOA
	1200	71	G. OCHOA
	1500	71	M. Ceballos
	1800	71	A. Zamudio
	2100	71	A. Zamudio
	2400	70	F. Hamby

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	300	70	F. Hamby
	600	70	LOUIE
	900	70	LOUIE
	1200	72	LOUIE
	1500	73	FARIK
	1800	74	FARIK
	2100	75	FARIK
	2400	71	F. Hamby

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	300	70	F. Hamby
	600	70	LOUIE
	900	70	LOUIE
	1200	72	LOUIE
	1500	72	Seco'
	1800	72	Seco'
	2100	71	Seco'
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	300		
	600	70	LOUIE
	900	70	LOUIE
	1200	71	CORTE
	1500	71	XIONG
	1800	71	XIONG
	2100	71	XIONG
	2400	70	Hamby

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	300	70	Hamby
	600	70	OTREMBA
	900	71	OTREMBA
	1200	71	OTREMBA
	1500	71	Zamudio
	1800	71	Zamudio
	2100	70	Zamudio
	2400	70	Spratt

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
10/13/2024	300	71	Spratt	10-10 7200 and 10-11 0300 hrs
	600	71	OTREMBA	1/6 fire alarm, Redirected to
	900	72	OTREMBA	Hospital Run
	1200	72	OTREMBA	OCT 15 2024
	1500	72	Zamudio	
	1800	71	Zamudio	
	2100	71	Zamudio	
	2400	71	J Anderson	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/7/2024	300	70	A. Arias
	600	70	C. Maciel
	900	73	R. Melvin
	1200	74	R. Melvin
	1500	74	C. Melvin
	1800	74	C. Melvin
	2100	74	C. Melvin
	2400	70	A. Arias

**Tuesday**

Date	Time	Temp.	Name (Print)
10/8/2024	300	70	A. Arias
	600	70	R. Hull
	900	70	R. Hull
	1200	70	R. Hull
	1500	70	C. Melvin
	1800	70	C. Melvin
	2100	70	L. Melvin
	2400	70	F. Hardy

**Wednesday**

Date	Time	Temp.	Name (Print)
10/9/2024	300	70	F. Hardy
	600	70	R. Hull
	900	70	R. Hull
	1200	70	R. Hull
	1500	70	C. Last
	1800	70	C. Last
	2100	70	C. Last
	2400	70	F. Hardy

**Thursday**

Date	Time	Temp.	Name (Print)
10/10/2024	300	70	F. Hardy
	600	70	R. Hull
	900	70	R. Hull
	1200	70	R. Hull
	1500	70	K. Lee
	1800	70	K. Lee
	2100	70	K. Lee
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
10/11/2024	300	70	Barker
	600	70	Barker
	900	70	Barker
	1200	70	Barker
	1500	70	Melvin
	1800	70	Melvin
	2100	70	Melvin
	2400	70	F. Hardy

**Saturday**

Date	Time	Temp.	Name (Print)
10/12/2024	300	70	F. Hardy
	600	70	Declar
	900	70	Declar
	1200	70	Declar
	1500	70	Melvin
	1800	70	Melvin
	2100	70	Melvin
	2400	70	Spanish

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/13/2024	300	71	Spanish	10-10, 2400, and 10-11, 0300 hrs
	600	71	Maciel	NO FLORR officer, was redirected
	900	72	Maciel	to Hospital Run
	1200	72	Maciel	OCT 15 2024
	1500	70	Melvin	
	1800	70	Melvin	
	2100	70	Melvin	
	2400	70	D. Anderson	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/7/2024	300	70	Price
	600	70	Tincher
	900	71	Tincher
	1200	71	Tincher
	1500	71	C. MACEI
	1800	70	C. MACEI
	2100	70	C. MACEI
	2400	71	Vadnais

**Tuesday**

Date	Time	Temp.	Name (Print)
10/8/2024	300	70	Vadnais
	600	70	Stineher
	900	70	Stineher
	1200	70	Stineher
	1500	70	Winkelmann
	1800	70	Winkelmann
	2100	70	Winkelmann
	2400	69	Vadnais

**Wednesday**

Date	Time	Temp.	Name (Print)
10/9/2024	300	70	Vadnais
	600	70	Tincher
	900	70	Tincher
	1200	70	Tincher
	1500	70	Winkelmann
	1800	70	Winkelmann
	2100	70	Winkelmann
	2400	70	Reuss

**Thursday**

Date	Time	Temp.	Name (Print)
10/10/2024	300	70	M. REUSS
	600	70	Stineher
	900	70	Stineher
	1200	70	Stineher
	1500	70	W. CRUZ
	1800	70	W. CRUZ
	2100	70	W. CRUZ
	2400	70	R. Wroader

**Friday**

Date	Time	Temp.	Name (Print)
10/11/2024	300	70	Wadnais
	600	70	Stineher
	900	70	Stineher
	1200	70	Stineher
	1500	70	Lon
	1800	70	Lon
	2100	70	Lon
	2400	71	Vadnais

**Saturday**

Date	Time	Temp.	Name (Print)
10/12/2024	300	70	Vadnais
	600	70	B. CEBALLOS
	900	70	B. CEBALLOS
	1200	70	B. CEBALLOS
	1500	70	J. CEBALLOS
	1800	70	J. CEBALLOS
	2100	70	J. CEBALLOS
	2400	71	Vadnais

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/13/2024	300	70	Vadnais	
	600	70	M. CRUZ	
	900	70	W. CRUZ	
	1200	75	W. CRUZ	
	1500	73	MACEI	
	1800	71	MACEI	
	2100	71	MACEI	
	2400	70	Vadnais	OCT 15 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/7/2024	300	70	Price
	600	70	J. GAREAU
	900	70	GAREAU
	1200	72	GAREAU
	1500	73	Soto
	1800	73	Soto
	2100	72	Soto
	2400	71	Vachais

**Tuesday**

Date	Time	Temp.	Name (Print)
10/8/2024	300	70	Vachais
	600	70	Rocchi
	900	70	Rocchi
	1200	71	Rocchi
	1500	71	Soto
	1800	72	Soto
	2100	71	Soto
	2400	70	Vachais

**Wednesday**

Date	Time	Temp.	Name (Print)
10/9/2024	300	68	Vachais
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	C. Contreras
	1800	71	C. Contreras
	2100	70	C. Contreras
	2400	70	M. Reuss

**Thursday**

Date	Time	Temp.	Name (Print)
10/10/2024	300	70	M. Reuss
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	C. Contreras
	1800	70	C. Contreras
	2100	70	C. Contreras
	2400	70	Warden

**Friday**

Date	Time	Temp.	Name (Print)
10/11/2024	300	70	Warden
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	71	H. Gutierrez
	1800	71	H. Gutierrez
	2100	70	H. Gutierrez
	2400	70	Vachais

**Saturday**

Date	Time	Temp.	Name (Print)
10/12/2024	300	71	Vachais
	600	71	C. Contreras
	900	71	C. Contreras
	1200	71	C. Contreras
	1500	71	C. Contreras
	1800	71	C. Contreras
	2100	72	C. Contreras
	2400	72	Vachais

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/13/2024	300	71	Vachais	OCT 15 2024
	600	71	C. Contreras	
	900	71	C. Contreras	
	1200	71	C. Contreras	
	1500	72	Chittick	
	1800	70	Chittick	
	2100	70	Chittick	
	2400	71	Vachais	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/7/2024	300	75	Grodnels
	600	76	Burr
	900	76	Burr
	1200	76	Burr
	1500	76	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	75	Grodnels

**Tuesday**

Date	Time	Temp.	Name (Print)
10/8/2024	300	75	Grodnels
	600	76	Oriatt
	900	76	Oriatt
	1200	76	Oriatt
	1500	76	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	75	Grodnels

**Wednesday**

Date	Time	Temp.	Name (Print)
10/9/2024	300	75	Grodnels
	600	76	Oriatt
	900	76	Oriatt
	1200	75	Oriatt
	1500	75	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	75	Grodnels

**Thursday**

Date	Time	Temp.	Name (Print)
10/10/2024	300	75	Grodnels
	600	75	R. Ross
	900	75	R. Ross
	1200	76	R. Ross
	1500	76	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	75	Grodnels

**Friday**

Date	Time	Temp.	Name (Print)
10/11/2024	300	75	Grodnels
	600	75	R. Ross
	900	76	R. Ross
	1200	76	R. Ross
	1500	76	S. Weber
	1800	75	S. Weber
	2100	75	S. Weber
	2400	75	Warden

**Saturday**

Date	Time	Temp.	Name (Print)
10/12/2024	300	75	Warden
	600	76	Burr
	900	76	Burr
	1200	76	Burr
	1500	76	Lewis
	1800	76	Lewis
	2100	76	Lewis
	2400	75	Grodnels

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/13/2024	300	75	Grodnels	OCT 15 2024
	600	76	Burr	
	900	76	Burr	
	1200	76	Burr	
	1500	76	Lewis	
	1800	75	Lewis	
	2100	75	Lewis	
	2400	75	Grodnels	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/7/2024	300	79	GODDINGS
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	WEISS
	1800	74	WEISS
	2100	72	WEISS
	2400	73	LAWRENCE

**Tuesday**

Date	Time	Temp.	Name (Print)
10/8/2024	300	74	GODDINGS
	600	74	MUSSET
	900	74	MUSSET
	1200	73	MUSSET
	1500	73	Williams
	1800	73	Williams
	2100	72	Williams
	2400	73	LAWRENCE

**Wednesday**

Date	Time	Temp.	Name (Print)
10/9/2024	300	74	GODDINGS
	600	74	MUSSET
	900	74	MUSSET
	1200	74	MUSSET
	1500	74	STAY
	1800	74	STAY
	2100	75	STAY
	2400	75	GODDINGS

**Thursday**

Date	Time	Temp.	Name (Print)
10/10/2024	300	75	GODDINGS
	600	75	SECOR
	900	75	SECOR
	1200	75	SECOR
	1500	75	STAY
	1800	75	STAY
	2100	75	STAY
	2400	75	GODDINGS

**Friday**

Date	Time	Temp.	Name (Print)
10/11/2024	300	75	GODDINGS
	600	75	SECOR
	900	75	SECOR
	1200	75	SECOR
	1500	75	HOOD
	1800	73	HOOD
	2100	75	HOOD
	2400	75	WURDEN

**Saturday**

Date	Time	Temp.	Name (Print)
10/12/2024	300	75	WURDEN
	600	75	MUSSET
	900	75	MUSSET
	1200	75	MUSSET
	1500	95	HOOD
	1800	75	HOOD
	2100	75	HOOD
	2400	75	GODDINGS

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/13/2024	300	75	GODDINGS	
	600	75	MUSSET	
	900	75	MUSSET	
	1200	75	MUSSET	
	1500	74	J-S	
	1800	74	J-S	
	2100	73	J-S	
	2400	74	GODDINGS	OCT 15 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-1 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

A-1

**Monday**

Date	Time	Temp.	Name (Print)
10/14/2024	300	70	D. ANDERSON
	600	70	G. OCHOA
	900	71	G. OCHOA
	1200	71	G. OCHOA
	1500	72	REYNOSO
	1800	72	REYNOSO
	2100	72	Zamudio
	2400	70	F. HAMBY

**Tuesday**

Date	Time	Temp.	Name (Print)
10/15/2024	300	71	F. HAMBY
	600	71	G. OCHOA
	900	71	G. OCHOA
	1200	70	SANDARA
	1500	70	SANDARA
	1800	70	SANDARA
	2100	72	SANDARA
	2400	70	F. HAMBY

**Wednesday**

Date	Time	Temp.	Name (Print)
10/16/2024	300	70	F. HAMBY
	600	70	COVLE
	900	70	COVLE
	1200	70	COVLE
	1500	70	SANDARA
	1800	70	SANDARA
	2100	70	SANDARA
	2400	71	F. MENDEZ

**Thursday**

Date	Time	Temp.	Name (Print)
10/17/2024	300	71	F. MENDEZ
	600	70	COVLE
	900	70	COVLE
	1200	72	COVLE
	1500	71	SANDARA
	1800	71	SANDARA
	2100	71	SANDARA
	2400	70	F. HAMBY

**Friday**

Date	Time	Temp.	Name (Print)
10/18/2024	300	70	F. HAMBY
	600	70	COVLE
	900	70	COVLE
	1200	70	COVLE
	1500	70	Becker
	1800	70	Becker
	2100	70	Beckar
	2400	70	D. ANDERSON

**Saturday**

Date	Time	Temp.	Name (Print)
10/19/2024	300	70	D. ANDERSON
	600	70	OTREMBA
	900	71	OTREMBA
	1200	71	OTREMBA
	1500	70	Becker
	1800	70	Winkermann
	2100	70	Beckar
	2400	70	D. ANDERSON

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/20/2024	300	70	D. ANDERSON	OCT 2024
	600	70	OTREMBA	OCT 2024
	900	71	OTREMBA	OCT 2024
	1200	71	OTREMBA	OCT 2024
	1500	71	REYNOSO	OCT 2024
	1800	71	REYNOSO	OCT 2024
	2100	71	REYNOSO	OCT 2024
	2400	71	D. ANDERSON	OCT 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/14/2024	300	70	D. ANDERSON
	600	70	L. MACIEL
	900	70	L. MACIEL
	1200	70	L. MACIEL
	1500	70	C. melvin
	1800	70	C. melvin
	2100	70	C. melvin
	2400	70	F. Hamby

**Tuesday**

Date	Time	Temp.	Name (Print)
10/15/2024	300	70	F. Hamby
	600	70	R. Hull
	900	70	R. Hull
	1200	70	R. Hull
	1500	70	E. Melvin
	1800	70	C. melvin
	2100	70	C. melvin
	2400	70	F. Hamby

**Wednesday**

Date	Time	Temp.	Name (Print)
10/16/2024	300	70	F. Hamby
	600	70	R. Hull
	900	70	R. Hull
	1200	70	R. Hull
	1500	70	KAST
	1800	70	KAST
	2100	70	KAST
	2400	70	Mendez

**Thursday**

Date	Time	Temp.	Name (Print)
10/17/2024	300	70	Mendez
	600	70	Ochoa
	900	70	Ochoa
	1200	70	Ochoa
	1500	70	KAST
	1800	70	KAST
	2100	70	KAST
	2400	70	F. Hamby

**Friday**

Date	Time	Temp.	Name (Print)
10/18/2024	300	70	F. Hamby
	600	70	Beckar
	900	70	Beckar
	1200	70	Beckar
	1500	70	C. Contreras
	1800	70	C. Contreras
	2100	70	C. Contreras
	2400	70	Price

**Saturday**

Date	Time	Temp.	Name (Print)
10/19/2024	300	70	Price
	600	70	Beckar
	900	70	Beckar
	1200	70	Beckar
	1500	70	Melvin
	1800	70	Melvin
	2100	70	Melvin
	2400	70	D. ANDERSON

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/20/2024	300	70	D. ANDERSON	
	600	70	L. MACIEL	
	900	70	L. MACIEL	
	1200	70	L. MACIEL	
	1500	70	C. melvin	
	1800	70	C. melvin	
	2100	70	C. melvin	
	2400	70	D. ANDERSON	

OCT 22 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

10/14/24

Date	Time	Temp.	Name (Print)
10/14/2024	300	71	Vadnais
	600	70	Tincher
	900	70	Tincher
	1200	70	Tincher
	1500	70	Winkelmann
	1800	70	Winkelmann
	2100	70	Winkelmann
	2400	71	Vadnais

Tuesday

10/15/24

Date	Time	Temp.	Name (Print)
10/15/2024	300	70	Vadnais
	600	70	Tincher
	900	70	Tincher
	1200	70	Tincher
	1500	70	Z. Hall
	1800	70	R. Hall
	2100	70	R. Hall
	2400	71	Vadnais

Wednesday

10/16/24

Date	Time	Temp.	Name (Print)
10/16/2024	300	69	Vadnais
	600	70	SOTO
	900	70	SOTO
	1200	70	SOTO
	1500	70	Z. Hall
	1800	70	Z. Hall
	2100	70	Z. Hall
	2400	70	warden

Thursday

10/17/24

Date	Time	Temp.	Name (Print)
10/17/2024	300	70	Warden
	600	70	Tincher
	900	70	Tincher
	1200	70	Tincher
	1500	70	A. Hall
	1800	70	A. Hall
	2100	70	A. Hall
	2400	70	Warden

Friday

10/18/24

Date	Time	Temp.	Name (Print)
10/18/2024	300	70	warden
	600	70	G-CASTILLO
	900	70	G-CASTILLO
	1200	71	G-CASTILLO
	1500	72	J. GARCIA
	1800	70	GARCIA
	2100	70	GARCIA
	2400	70	Vadnais

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	300	69	Vadnais
	600	71	Secor
	900	70	Secor
	1200	70	Secor
	1500	70	ISAVIS
	1800	70	ISAVIS
	2100	70	ISAVIS
	2400	70	Vadnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
10/20/2024	300	69	Vadnais	
	600	69	G. OCHOA	
	900	70	G. OCHOA	
	1200	70	G. OCHOA	
	1500	70	C. MACIEL	
	1800	70	C. MACIEL	
	2100	70	C. MACIEL	
	2400	69	Vadnais	

OCT 22 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/14/2024	300	71	A. Valdovis
	600	73	Sofia
	900	73	Sofia
	1200	73	Sofia
	1500	72	Sofia
	1800	72	Sofia
	2100	70	Sofia
	2400	71	Valdovis

**Tuesday**

Date	Time	Temp.	Name (Print)
10/15/2024	300	70	Valdovis
	600	72	Sofia
	900	72	Sofia
	1200	72	Sofia
	1500	73	Soto
	1800	72	Soto
	2100	72	Soto
	2400	70	Valdovis

**Wednesday**

Date	Time	Temp.	Name (Print)
10/16/2024	300	69	Valdovis
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	71	Soto
	1800	72	Soto
	2100	71	Soto
	2400	71	Warden

**Thursday**

Date	Time	Temp.	Name (Print)
10/17/2024	300	71	Warden
	600	70	Gronlund
	900	70	Gronlund
	1200	70	C. Contreras
	1500	72	H. Gutierrez
	1800	72	H. Gutierrez
	2100	71	H. Gutierrez
	2400	71	Warden

**Friday**

Date	Time	Temp.	Name (Print)
10/18/2024	300	71	Warden
	600	71	C. Contreras
	900	71	C. Contreras
	1200	71	C. Contreras
	1500	72	H. Gutierrez
	1800	71	H. Gutierrez
	2100	71	H. Gutierrez
	2400	70	Valdovis

**Saturday**

Date	Time	Temp.	Name (Print)
10/19/2024	300	69	Valdovis
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	72	Chitash
	1800	70	Chitash
	2100	71	Chitash
	2400	70	Valdovis

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/20/2024	300	69	Valdovis	OCT 22 2024
	600	70	C. Contreras	
	900	70	C. Contreras	
	1200	70	C. Contreras	
	1500	72	Chitash	
	1800	72	Chitash	
	2100	70	Chitash	
	2400	69	Valdovis	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/14/2024	300	75	GIDDINGS
	600	75	WALLACE
	900	75	WALLACE
	1200	75	WALLACE
	1500	75	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	75	GIDDINGS

**Tuesday**

Date	Time	Temp.	Name (Print)
10/15/2024	300	76	Lewis
	600	75	C. MOVA
	900	75	C. MOVA
	1200	75	C. MOVA
	1500	75	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	75	GIDDINGS

**Wednesday**

Date	Time	Temp.	Name (Print)
10/16/2024	300	74	GIDDINGS
	600	73	CERROS
	900	74	CERROS
	1200	74	CERROS
	1500	75	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	75	GIDDINGS

**Thursday**

Date	Time	Temp.	Name (Print)
10/17/2024	300	75	GIDDINGS
	600	75	R. ROSS
	900	75	R. ROSS
	1200	75	R. ROSS
	1500	75	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	75	GIDDINGS

**Friday**

Date	Time	Temp.	Name (Print)
10/18/2024	300	75	GIDDINGS
	600	74	K. ROSS
	900	75	K. ROSS
	1200	75	K. ROSS
	1500	76	Worden
	1800	75	Worden
	2100	75	Worden
	2400	75	Worden

**Saturday**

Date	Time	Temp.	Name (Print)
10/19/2024	300	75	Worden
	600	75	G. CASTILLO
	900	75	G. CASTILLO
	1200	76	G. CASTILLO
	1500	75	Zamudio
	1800	75	Zamudio
	2100	76	Zamudio
	2400	75	G. CASTILLO

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/20/2024	300	75	Lawrence	OCT 22 2024
	600	75	Lawrence	
	900	75	Lawrence	
	1200	75	Lawrence	
	1500	75	Lewis	
	1800	75	Lewis	
	2100	74	Lewis	
	2400	74	Cassidy	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/14/2024	300	75	Groome
	600	75	Messer
	900	75	Messer
	1200	75	Messer
	1500	75	Weir
	1800	75	Weir
	2100	75	Weir
	2400	75	Groome

**Tuesday**

Date	Time	Temp.	Name (Print)
10/15/2024	300	75	Groome
	600	75	Messer
	900	75	Messer
	1200	75	Messer
	1500	75	Carlson
	1800	75	Carlson
	2100	75	Carlson
	2400	75	Groome

**Wednesday**

Date	Time	Temp.	Name (Print)
10/16/2024	300	75	Groome
	600	75	Messer
	900	76	Messer
	1200	76	Messer
	1500	75	C. Contreras
	1800	74	C. Contreras
	2100	74	C. Contreras
	2400	75	Groome

**Thursday**

Date	Time	Temp.	Name (Print)
10/17/2024	300	76	Groome
	600	76	Secor
	900	76	Secor
	1200	76	Secor
	1500	75	Warden
	1800	75	Warden
	2100	75	Wardell
	2400	75	Groome

**Friday**

Date	Time	Temp.	Name (Print)
10/18/2024	300	75	Groome
	600	75	Secor
	900	75	Secor
	1200	75	Secor
	1500	74	Altier
	1800	74	Altier
	2100	73	Altier
	2400	73	Warden

**Saturday**

Date	Time	Temp.	Name (Print)
10/19/2024	300	73	Warden
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	—
	1800	75	—
	2100	74	—
	2400	74	Groome

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/20/2024	300	74	Groome	
	600	74	Whitaker	
	900	74	G. Castillo	
	1200	74	G. Castillo	
	1500	74	—	
	1800	74	—	
	2100	73	—	
	2400	74	Russell	

Oct 22 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-1 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

OCT 28 2024

A-1

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	300	70	D ANDERSON
	600	70	G OCHOA
	900	70	G OCHOA
	1200	71	G OCHOA
	1500	71	Reynoso
	1800	71	Reynoso
	2100	71	Reynoso
	2400	70	F. HANBY

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	300	70	F. HANBY
	600	70	G. OCHOA
	900	70	G. OCHOA
	1200	70	G. OCHOA
	1500	70	Zamudio
	1800	70	Zamudio
	2100	70	Zamudio
	2400	70	F. HANBY

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	300	70	F. HANBY
	600	70	COLIE
	900	70	COLIE
	1200	70	COLIE
	1500	70	VanGilder
	1800	70	VanGilder
	2100	70	VanGilder
	2400	70	F. HANBY

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	300	70	F. HANBY
	600	70	COLIE
	900	70	COLIE
	1200	72	COLIE
	1500	72	Xlone
	1800	71	GANDARA
	2100	71	GANDARA
	2400	70	F. HANBY

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	300	70	F. HANBY
	600	70	COLIE
	900	70	COLIE
	1200	71	COLIE
	1500	70	Becker
	1800	70	Denbarger
	2100	70	Beckar
	2400	70	MAMANO

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	300	70	MAMANO
	600	70	OTREMBA
	900	70	OTREMBA
	1200	70	OTREMBA
	1500	76	Becker
	1800	70	Becker
	2100	70	Becker
	2400	70	D ANDERSON

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
10/27/2024	300	70	D. ANDERSON	
	600	70	OTREMBA	
	900	70	OTREMBA	
	1200	70	OTREMBA	
	1500	71	Zamudio	
	1800	71	Zamudio	
	2100	70	Zamudio	
	2400	70	D. ANDERSON	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

OCT 28 2024

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	300	70	D. ANDERSON
	600	70	L. MACIEI
	900	70	L. MACIEI
	1200	70	L. MACIEI
	1500	70	C. Melvin
	1800	70	C. Melvin
	2100	70	C. Melvin
	2400	70	F. HAMBY

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	300	70	F. HAMBY
	600	70	R. HUN
	900	70	R. HUN
	1200	70	R. HUN
	1500	70	VANDER
	1800	70	VANDER
	2100	70	VANDER
	2400	70	F. HAMBY

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	300	70	F. HAMBY
	600	70	R. HUN
	900	70	R. HUN
	1200	70	R. HUN
	1500	70	LUX
	1800	70	LUX
	2100	70	LUX
	2400	70	F. HAMBY

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	300	70	F. HAMBY
	600	70	R. HUN
	900	70	R. HUN
	1200	70	R. HUN
	1500	70	K. LEE
	1800	70	K. LEE
	2100	70	K. LEE
	2400	70	F. HAMBY

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	300	70	F. HAMBY
	600	70	Becky
	900	70	Becky
	1200	70	Becky
	1500	70	Melvin
	1800	70	Melvin
	2100	70	Melvin
	2400	70	F. HAMBY

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	300	70	F. HAMBY
	600	70	Becky
	900	70	Becky
	1200	70	Becky
	1500	70	Melvin
	1800	70	Melvin
	2100	70	Melvin
	2400	70	D. ANDERSON

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
10/27/2024	300	70	D. ANDERSON	
	600	70	L. MACIEI	
	900	70	L. MACIEI	
	1200	70	L. MACIEI	
	1500	70	J. RIOS	
	1800	70	J. RIOS	
	2100	70	J. RIOS	
	2400	70	D. ANDERSON	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**OCT 28 2024**

Monday 10-21-24

Date	Time	Temp.	Name (Print)
10/21/2024	300	68	Vadnais
	600	69	Tincher
	900	69	Tincher
	1200	70	Tincher
	1500	70	L. MACIEL
	1800	70	L. MACIEL
	2100	70	L. MACIEL
	2400	70	Vadnais

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	300	69	Vadnais
	600	70	MOLIA
	900	70	MOLIA
	1200	70	MOLIA
	1500	70	I. Mercado
	1800	70	R. Hall
	2100	70	R. Hall
	2400	69	Vadnais

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	300	68	Vadnais
	600	69	SOTO
	900	69	SOTO
	1200	68	Soto
	1500	70	Ruth
	1800	70	Ruth
	2100	70	Ruth
	2400	70	Warden

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	300	70	Warden
	600	69	Tincher
	900	69	Tincher
	1200	70	Tincher
	1500	71	FARIAS
	1800	72	FARIAS
	2100	73	FARIAS
	2400	70	Warden

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	300	70	Warden
	600	69	Tincher
	900	70	Tincher
	1200	70	Tincher
	1500	70	Lor
	1800	70	Lor
	2100	71	Lor
	2400	68	Vadnais

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	300	69	Vadnais
	600	69	HCCC
	900	70	HCCC
	1200	70	HCCC
	1500	70	L. MACIEL
	1800	70	L. MACIEL
	2100	70	L. MACIEL
	2400	70	Vadnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
10/27/2024	300	69	Vadnais	
	600	70	G. OCHOA	
	900	70	G. OCHOA	
	1200	71	G. OCHOA	
	1500	70	L. MACIEL	
	1800	70	L. MACIEL	
	2100	70	L. MACIEL	
	2400	69	Vadnais	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	300	68	Vadnais
	600	72	Soria
	900	72	Soria
	1200	72	Soria
	1500	71	Soria
	1800	72	Soria
	2100	72	Soria
	2400	70	Vadnais

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	300	68	Vadnais
	600	70	Cates
	900	72	Cates
	1200	72	Cates
	1500	71	Soto
	1800	71	Soto
	2100	70	Soto
	2400	70	Vadnais

OCT 20 2024

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	300	70	Vadnais
	600	70	C Contreras
	900	70	C Contreras
	1200	70	C Contreras
	1500	70	Soto
	1800	70	Soto
	2100	69	Soto
	2400	70	Warden

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	300	70	Warden
	600	70	C Contreras
	900	70	C Contreras
	1200	70	C Contreras
	1500	70	H. Gutierrez
	1800	70	H. Gutierrez
	2100	70	H. Gutierrez
	2400	70	Warden

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	300	70	Warden
	600	70	C Contreras
	900	70	C Contreras
	1200	70	C Contreras
	1500	70	C Contreras
	1800	70	C Contreras
	2100	70	C Contreras
	2400	69	Vadnais

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	300	68	Vadnais
	600	70	C Contreras
	900	70	C Contreras
	1200	70	C Contreras
	1500	70	Loy
	1800	70	Loy
	2100	70	Loy
	2400	69	Vadnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
10/27/2024	300	69	Vadnais	
	600	69	Contreras	
	900	70	Contreras	
	1200	70	Contreras	
	1500	70	Chitlock	
	1800	69	Chitlock	
	2100	71	Chitlock	
	2400	70	Vadnais	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

OCT 26 2024

**Monday**

Date	Time	Temp.	Name (Print)
10/21/2024	300	74	Lusson
	600	72	Wallace
	900	72	Waukes
	1200	72	Waukes
	1500	72	Lewis
	1800	72	Lewis
	2100	72	Lewis
	2400	73	Giddings

**Wednesday**

Date	Time	Temp.	Name (Print)
10/23/2024	300	73	Giddings
	600	73	Orwatt
	900	72	Orwatt
	1200	72	Orwatt
	1500	72	Lewis
	1800	72	Lewis
	2100	72	Lewis
	2400	72	Giddings

**Friday**

Date	Time	Temp.	Name (Print)
10/25/2024	300	73	Giddings
	600	73	R. Ross
	900	72	R. Ross
	1200	73	R. Ross
	1500	72	C. Maguire
	1800	72	C. Maguire
	2100	72	C. Maguire
	2400	72	Warden

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/27/2024	300	72	Gidder	
	600	72	Burr	
	900	72	Burr	
	1200	72	Burr	
	1500	72	Lewis	
	1800	72	Lewis	
	2100	72	Lewis	
	2400	72	Giddings	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**OCT 28 2024**

**Monday**

Date	Time	Temp.	Name (Print)
10/21/2024	300	74	Assen
	600	72	Singh
	900	73	Singh
	1200	72	Singh
	1500	72	I. Mercado
	1800	72	I. Mercado
	2100	72	I. Mercado
	2400	72	Guanche

**Tuesday**

Date	Time	Temp.	Name (Print)
10/22/2024	300	72	Grodins
	600	72	Callejas
	900	73	Callejas
	1200	73	Callejas
	1500	73	Stacy
	1800	73	Stacy
	2100	72	Stacy
	2400	72	Grodins

**Wednesday**

Date	Time	Temp.	Name (Print)
10/23/2024	300	72	Grodnik
	600	72	Callejas
	900	73	Callejas
	1200	73	Callejas
	1500	72	Winkelmann
	1800	72	Winkelmann
	2100	72	Winkelmann
	2400	72	Grodnik

**Thursday**

Date	Time	Temp.	Name (Print)
10/24/2024	300	72	Grodnik
	600	72	Secor
	900	73	Secor
	1200	73	Secor
	1500	74	Secor
	1800	74	Secor
	2100	71	Secor
	2400	71	Grodnik

**Friday**

Date	Time	Temp.	Name (Print)
10/25/2024	300	74	Grodnik
	600	74	Secor
	900	74	Secor
	1200	74	Secor
	1500	73	WHL
	1800	73	WHL
	2100	73	WHL
	2400	73	Worden

**Saturday**

Date	Time	Temp.	Name (Print)
10/26/2024	300	73	Worden
	600	73	Singh
	900	73	Singh
	1200	74	Singh
	1500	74	Worden
	1800	74	Worden
	2100	74	Worden
	2400	74	Worden

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/27/2024	300	74	Grodnik	
	600	73	Singh	
	900	73	Singh	
	1200	73	Singh	
	1500	74	Cadbury	
	1800	73	Cadbury	
	2100	73	Cadbury	
	2400	73	Grodnik	

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: A1 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/30	0300	71	S. Chang
	0600	72	G. OCHOA
	0900	71	G. OCHOA
	1200	72	G. OCHOA
	1500	72	Gronlund
	1800	72	Gronlund
	2100	72	Gronlund
	2400	71	F. Hamby

Tuesday			
Date	Time	Temp.	Name (Print)
10/1	0300	71	F. Hamby
	0600	72	G. OCHOA
	0900	72	G. OCHOA
	1200	72	G. OCHOA
	1500	72	Gronlund
	1800	72	Zamudio
	2100	72	Zamudio
	2400	72	F. Mendez

Wednesday			
Date	Time	Temp.	Name (Print)
10/2	0300	72	F. McNeese
	0600	72	G. OCHOA
	0900	72	G. OCHOA
	1200	71	G. OCHOA
	1500	71	Zamudio
	1800	72	Zamudio
	2100	71	Zamudio
	2400	71	F. Hamby

Thursday			
Date	Time	Temp.	Name (Print)
10/3	0300	71	F. Hamby
	0600	70	Louie
	0900	70	Louie
	1200	72	Louie
	1500	72	SECOR
	1800	72	SECOR
	2100	72	SECOR
	2400	71	F. Hamby

Friday			
Date	Time	Temp.	Name (Print)
10/4	0300	71	F. Hamby
	0600	70	Louie
	0900	70	Louie
	1200	70	Louie
	1500	70	McNeese
	1800	70	McNeese
	2100	70	McNeese
	2400	70	F. Hamby

Saturday			
Date	Time	Temp.	Name (Print)
10/5	0300	70	F. Hamby
	0600	70	Kast
	0900	70	Kast
	1200	70	Kast
	1500	70	Becker
	1800	70	Becker
	2100	70	Becker
	2400	70	S. Chang

Sunday			
Date	Time	Temp.	Name (Print)
10/6	0300	70	S. Chang
	0600	70	Oremba
	0900	70	Oremba
	1200	70	Oremba
	1500	70	C. Contreras
	1800	70	C. Contreras
	2100	70	C. Contreras
	2400	70	A. Arias

Notes

OCT 07 2021

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9/30/2024	300	70	S. Chang
	600	70	R. Huynh
	900	70	R. Huynh
	1200	70	R. Huynh
	1500	70	C. Melvin
	1800	70	C. Melvin
	2100	70	C. Melvin
	2400	70	F. Hamby

**Tuesday**

Date	Time	Temp.	Name (Print)
10/1/2024	300	70	F. Hamby
	600	70	R. Huynh
	900	70	R. Huynh
	1200	70	R. Huynh
	1500	70	J. Vantibbe
	1800	70	J. Vantibbe
	2100	70	J. Vantibbe
	2400	71	F. Maledz

**Wednesday**

Date	Time	Temp.	Name (Print)
10/2/2024	300	71	F. Maledz
	600	70	R. Huynh
	900	70	R. Huynh
	1200	70	R. Huynh
	1500	70	R. Huynh
	1800	70	R. Huynh
	2100	70	R. Huynh
	2400	70	F. Hamby

**Thursday**

Date	Time	Temp.	Name (Print)
10/3/2024	300	70	F. Hamby
	600	70	R. Huynh
	900	70	R. Huynh
	1200	70	R. Huynh
	1500	70	KASS
	1800	70	KASS
	2100	70	KASS
	2400	70	F. Hamby

**Friday**

Date	Time	Temp.	Name (Print)
10/4/2024	300	70	F. Hamby
	600	70	V. Becker
	900	70	Becker
	1200	70	Becker
	1500	71	FARIAS
	1800	72	FARIAS
	2100	74	FARIAS
	2400	71	F. Hamby

**Saturday**

Date	Time	Temp.	Name (Print)
10/5/2024	300	70	F. Hamby
	600	70	V. Becker
	900	70	V. Becker
	1200	70	V. Becker
	1500	70	C. Melvin
	1800	70	C. Melvin
	2100	70	C. Melvin
	2400	70	S. Chang

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/6/2024	300	70	S. Chang	OCT 07 2024
	600	70	L. Maciel	
	900	71	L. Maciel	
	1200	71	L. Maciel	
	1500	71	C. Melvin	
	1800	71	C. Melvin	
	2100	71	C. Melvin	
	2400	71	A. Arias	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9/30/2024	300	70	Vachnas
	600	71	Stincher
	900	71	Stincher
	1200	71	Stincher
	1500	72	SERVIN
	1800	72	SERVIN
	2100	70	SERVIN
	2400	70	Vachnas

**Tuesday**

Date	Time	Temp.	Name (Print)
10/1/2024	300	69	Vachnas
	600	69	Tincher
	900	70	Tincher
	1200	70	Tincher
	1500	70	R. AM
	1800	70	R. AM
	2100	70	R. AM
	2400	71	F. Mendez

**Wednesday**

Date	Time	Temp.	Name (Print)
10/2/2024	300	70	Vachnas
	600	70	Tincher
	900	70	Tincher
	1200	71	Tincher
	1500	70	R. AM
	1800	70	R. AM
	2100	70	R. AM
	2400	70	Licea

**Thursday**

Date	Time	Temp.	Name (Print)
10/3/2024	300	70	Licea
	600	70	Tincher
	900	71	Tincher
	1200	71	Tincher
	1500	71	Davidson
	1800	71	Davidson
	2100	71	Davidson
	2400	70	Licea

**Friday**

Date	Time	Temp.	Name (Print)
10/4/2024	300	70	Licea
	600	70	Tincher
	900	70	Tincher
	1200	71	Tincher
	1500	71	LOK
	1800	71	LOK
	2100	71	LOK
	2400	71	Spalding

**Saturday**

Date	Time	Temp.	Name (Print)
10/5/2024	300	71	Spalding
	600	71	Secor
	900	71	Secor
	1200	71	Secor
	1500	71	Maciel
	1800	70	Maciel
	2100	70	Maciel
	2400	70	Camilo

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/6/2024	300	69	Camilo	
	600	70	G. OCHOA	
	900	71	G. OCHOA	
	1200	71	G. OCHOA	
	1500	71	L. MACIEL	
	1800	70	L. MACIEL	
	2100	70	L. MACIEL	
	2400	70	Price	

601 01 02 2024  
001 01 02 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9/30/2024	300	70	Vachass
	600	70	Hamm
	900	70	Hamm
	1200	71	Hamm
	1500	72	Soto
	1800	72	Soto
	2100	71	Soto
	2400	71	Vachass

**Tuesday**

Date	Time	Temp.	Name (Print)
10/1/2024	300	70	Vachass
	600	70	Hamm
	900	70	Hamm
	1200	71	Hamm
	1500	71	Hamm
	1800	71	Hamm
	2100	70	Hamm
	2400	70	Vachass

**Wednesday**

Date	Time	Temp.	Name (Print)
10/2/2024	300	69	Vachass
	600	69	C Contreras
	900	69	C Contreras
	1200	70	C Contreras
	1500	70	C Contreras
	1800	71	Soto
	2100	72	Soto
	2400	70	Licea

**Thursday**

Date	Time	Temp.	Name (Print)
10/3/2024	300	70	Licea
	600	70	C Contreras
	900	71	C Contreras
	1200	71	C Contreras
	1500	73	H. Gutierrez
	1800	73	H. Gutierrez
	2100	72	H. Gutierrez
	2400	70	Licea

**Friday**

Date	Time	Temp.	Name (Print)
10/4/2024	300	70	Licea
	600	70	C Contreras
	900	70	C Contreras
	1200	70	C Contreras
	1500	72	H. Gutierrez
	1800	72	H. Gutierrez
	2100	72	H. Gutierrez
	2400	72	spndlh

**Saturday**

Date	Time	Temp.	Name (Print)
10/5/2024	300	72	spndlh
	600	72	C Contreras
	900	72	C Contreras
	1200	72	C Contreras
	1500	72	Chittach
	1800	70	Chittach
	2100	70	Chittach
	2400	70	Carrillo

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/6/2024	300	69	Carrillo	
	600	70	Carrillo	
	900	70	Carrillo	
	1200	70	Carrillo	
	1500	72	chittach	
	1800	73	chittach	
	2100	70	chittach	
	2400	70	Price	

OCT 07 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/2024	300	75	GANDARA
	600	76	BURN
	900	76	BURN
	1200	76	BURN
	1500	76	Lewis
	1800	76	Lewis
	2100	76	Lewis
	2400	76	GROUNDS

Tuesday

Date	Time	Temp.	Name (Print)
10/1/2024	300	77	GROUNDS
	600	76	Quatt
	900	76	Quatt
	1200	76	Quatt
	1500	76	Lewis
	1800	76	Lewis
	2100	75	Lewis
	2400	75	GROUNDS

Wednesday

Date	Time	Temp.	Name (Print)
10/2/2024	300	76	GROUNDS
	600	75	Quatt
	900	76	Quatt
	1200	76	Quatt
	1500	76	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	75	GROUNDS

Thursday

Date	Time	Temp.	Name (Print)
10/3/2024	300	76	GROUNDS
	600	75	R. ROSS
	900	76	R. ROSS
	1200	76	R. ROSS
	1500	76	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	74	Fernandes

Friday

Date	Time	Temp.	Name (Print)
10/4/2024	300	74	Fernandes
	600	75	R. ROSS
	900	75	R. ROSS
	1200	76	R. ROSS
	1500	75	ALTAIR
	1800	75	ALTAIR
	2100	79	ALTAIR
	2400	75	Murden

Saturday

Date	Time	Temp.	Name (Print)
10/5/2024	300	76	Murden
	600	76	Burn
	900	76	Burn
	1200	76	Burn
	1500	76	Burn
	1800	76	Burn
	2100	76	Burn
	2400	76	Murden

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
10/6/2024	300	76	Burn	OCT 07 2024
	600	76	Burn	
	900	76	Burn	
	1200	76	Burn	
	1500	75	Lewis	
	1800	75	Lewis	
	2100	75	Lewis	
	2400	75	GROUNDS	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9/30/2024	300	75	GANDARA
	600	75	MUGGER
	900	75	MUGGER
	1200	74	MUGGER
	1500	74	S. Jenkins
	1800	74	S. Jenkins
	2100	74	S. Jenkins
	2400	76	GIDDINGS

**Tuesday**

Date	Time	Temp.	Name (Print)
10/1/2024	300	78	GIDDINGS
	600	78	MUGGER
	900	78	MUGGER
	1200	77	MUGGER
	1500	76	G. OCHOA
	1800	75	G. OCHOA
	2100	75	G. OCHOA
	2400	77	GIDDINGS

**Wednesday**

Date	Time	Temp.	Name (Print)
10/2/2024	300	78	GIDDINGS
	600	78	MUGGER
	900	78	MUGGER
	1200	77	MUGGER
	1500	77	HORN
	1800	77	HORN
	2100	76	HORN
	2400	78	GIDDINGS

**Thursday**

Date	Time	Temp.	Name (Print)
10/3/2024	300	79	GIDDINGS
	600	79	SECOR
	900	79	SECOR
	1200	79	SECOR
	1500	78	C CONTRADA
	1800	78	C CONTRADA
	2100	78	C CONTRADA
	2400	77	F. MULEZ

**Friday**

Date	Time	Temp.	Name (Print)
10/4/2024	300	78	F. MULEZ
	600	79	SECOR
	900	79	SECOR
	1200	79	SECOR
	1500	77	HORN
	1800	77	HORN
	2100	77	HORN
	2400	77	MURDEN

**Saturday**

Date	Time	Temp.	Name (Print)
10/5/2024	300	77	MURDEN
	600	77	MUGGER
	900	77	MUGGER
	1200	76	MUGGER
	1500	77	HORN
	1800	77	HORN
	2100	77	HORN
	2400	77	MURDEN

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
10/6/2024	300	77	Rodrigo	OCT 07 2024
	600	77	MUGGER	
	900	77	MUGGER	
	1200	76	MUGGER	
	1500	77	Preciado	
	1800	78	Preciado	
	2100	77	Preciado	
	2400	76	GIDDINGS	

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1 Temp. Reading Location: SECOND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 2024			
Date	Time	Temp.	Name (Print)
<i>10-7-24</i>	0300	70	M. Preciado
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	72	A. Labrador
	1800	70	A. Labrador
	2100	71	A. Labrador
	2400	71	D. Vinkelmann

Tuesday 2024			
Date	Time	Temp.	Name (Print)
<i>10-8-24</i>	0300	71	Winkelmann
	0600	70	Winkelmann
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	73	C. Ruvalcabs
	1800	71	C. Ruvalcabs
	2100	71	C. Ruvalcabs
	2400	72	D. Vinkelmann

Wednesday 2024			
Date	Time	Temp.	Name (Print)
<i>10-9-24</i>	0300	71	D. Vinkelmann
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	71	C. Bellings
	1800	71	C. Bellings
	2100	71	C. Bellings
	2400	71	J. Anderson

Thursday 2024			
Date	Time	Temp.	Name (Print)
<i>10-10-24</i>	0300	71	J. Anderson
	0600	71	J. Johnson
	0900	72	J. Johnson
	1200	72	J. Johnson
	1500	72	C. Bellings
	1800	71	C. Bellings
	2100	71	C. Bellings
	2400	71	S. Wilson

Friday 2024			
Date	Time	Temp.	Name (Print)
<i>10-11-24</i>	0300	71	S. Wilson
	0600	71	J. Carrillo
	0900	71	J. Carrillo
	1200	72	J. Carrillo
	1500	72	E. Romeo
	1800	70	E. Romeo
	2100	70	E. Romeo
	2400	70	M. Preciado

Saturday 2024			
Date	Time	Temp.	Name (Print)
<i>10-12-24</i>	0300	70	M. Preciado
	0600	71	J. Carrillo
	0900	71	J. Carrillo
	1200	71	J. Carrillo
	1500	70	E. Romeo
	1800	70	E. Romeo
	2100	70	E. Romeo
	2400	70	E. Scott

Sunday 2024			
Date	Time	Temp.	Name (Print)
<i>10-13-24</i>	0300	70	E. Scott
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	70	E. Romeo
	1800	70	E. Romeo
	2100	70	E. Romeo
	2400	70	J. Navy

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B-2      Temp. Reading Location: A,B,C    UPPER TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/17</u>	0300	70	MARTINEZ
	0600	70	E. VADNAIS
	0900	70	E. VADNAIS
	1200	70	E. VADNAIS
	1500	71	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	PALAFUX

Tuesday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/18</u>	0300	70	PALAFUX
	0600	70	E. VADNAIS
	0900	70	E. VADNAIS
	1200	70	E. VADNAIS
	1500	70	WORTH
	1800	70	WORTH
	2100	70	WORTTH
	2400	70	PALAFUX

Wednesday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/19</u>	0300	70	PALAFUX
	0600	70	Hillman
	0900	70	Hillman
	1200	71	Hillman
	1500	70	WORTH
	1800	70	WORTH
	2100	70	WORTH
	2400	70	BSg/er

Thursday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/10</u>	0300	70	BSg/er
	0600	70	BSg/er
	0900	70	T. Vang
	1200	70	T. Vang
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Scott

Friday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/11</u>	0300	70	Scott
	0600	70	T. Vang
	0900	70	T. Vang
	1200	70	T. Vang
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	MARTINEZ

Saturday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/12</u>	0300	70	MARTINEZ
	0600	70	Nova
	0900	70	Nova
	1200	70	Nova
	1500	70	Williams
	1800	70	Williams
	2100	69	Williams
	2400	69	Echoa

Sunday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/13</u>	0300	69	E.Ochea
	0600	69	E.Ochea
	0900	70	E. VADNAIS
	1200	70	E. VADNAIS
	1500	70	Sundqvist
	1800	70	Sundqvist
	2100	70	Sundqvist
	2400	70	MARTINEZ

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-4

Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/1 <sup>st</sup>	0300	71	C. LESLEY
	0600	72	B. DIAZ
	0900	74	B. DIAZ
	1200	71	B. DIAZ
	1500	73	R. O'NEILL
	1800	73	R. O'NEILL
	2100	74	R. O'NEILL
	2400	72	C. LESLEY

**Tuesday**

Date	Time	Temp.	Name (Print)
10/4 <sup>th</sup>	0300	72	C. LESLEY
	0600	72	B. DIAZ
	0900	72	B. DIAZ
	1200	75	B. DIAZ
	1500	75	M. WALLACE
	1800	77	M. WALLACE
	2100	72	M. WALLACE
	2400	72	S. SCHUTZ

**Wednesday**

Date	Time	Temp.	Name (Print)
10/9 <sup>th</sup> /21 <sup>st</sup>	0300	72	S. SCHUTZ
	0600	72	B. DIAZ
	0900	72	B. DIAZ
	1200	71	B. DIAZ
	1500	72	M. WALLACE
	1800	72	M. WALLACE
	2100	72	M. WALLACE
	2400	72	S. SCHUTZ

**Thursday**

Date	Time	Temp.	Name (Print)
10/10 <sup>th</sup>	0300	72	S. SCHUTZ
	0600	73	B. DIAZ
	0900	73	B. DIAZ
	1200	75	B. DIAZ
	1500	73	R. O'NEILL
	1800	74	R. O'NEILL
	2100	73	R. O'NEILL
	2400	73	B. DIAZ

**Friday**

Date	Time	Temp.	Name (Print)
10/11 <sup>th</sup>	0300	73	N. AGUILAR
	0600	73	N. AGUILAR
	0900	74	CARTAGENA
	1200	75	CARTAGENA
	1500	73	R. O'NEILL
	1800	73	R. O'NEILL
	2100	73	R. O'NEILL
	2400	72	E. SCHAFFER

**Saturday**

Date	Time	Temp.	Name (Print)
10/12 <sup>th</sup>	0300	72	E. SCHAFFER
	0600	72	T. VANG
	0900	72	T. VANG
	1200	72	T. VANG
	1500	74	R. O'NEILL
	1800	75	R. O'NEILL
	2100	72	R. O'NEILL
	2400	72	S. SCHUTZ

**Sunday**

Date	Time	Temp.	Name (Print)
10/13 <sup>th</sup> /24 <sup>th</sup>	0300	71	S. SCHUTZ
	0600	71	T. VANG
	0900	71	T. VANG
	1200	71	T. VANG
	1500	72	R. O'NEILL
	1800	73	R. O'NEILL
	2100	72	R. O'NEILL
	2400	72	C. LESLEY

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment H  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>10/12/24</u>	0300	74	Pina
	0600	74	Pena
	0900	75	Pena
	1200	75	Tena
	1500	75	M.Wallace
	1800	73	M.Wallace
	2100	71	M.Wallace
	2400	74	GARRISON

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>10/12/24</u>	0300	70	GARRISON
	0600	70	Pena
	0900	70	Pena
	1200	71	Pena
	1500	71	Mercado, I.
	1800	71	Mercado, I.
	2100	70	Mercado, I.
	2400	70	GARRISON

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>10/12/24</u>	0300	69	GARRISON
	0600	69	Pena
	0900	70	Pena
	1200	70	Pena
	1500	70	Mercado
	1800	76	Mercado
	2100	76	Mercado
	2400	70	VANDENOEVER

**Thursday 10-10-24**

Date	Time	Temp.	Name (Print)
<u>10/12/24</u>	0300	70	VANDENOEVER
	0600	70	VANDENOEVER
	0900	70	Pena
	1200	71	Pena
	1500	70	I. Mercado
	1800	70	I. Mercado
	2100	70	I. Mercado
	2400	70	S. Clemons

**Friday**

Date	Time	Temp.	Name (Print)
<u>10/12/24</u>	0300	70	S. Clemons
	0600	70	Valdovinos
	0900	70	Valdovinos
	1200	70	Valdovinos
	1500	70	Mercado
	1800	70	Mercado
	2100	70	Mercado
	2400	70	SCHUTZ

**Saturday**

Date	Time	Temp.	Name (Print)
<u>10/12/24</u>	0300	70	SCHUTZ
	0600	70	Valdovinos
	0900	70	Valdovinos
	1200	70	Valdovinos
	1500	73	COSTERDOON
	1800	70	C. Stinger
	2100	71	C. Stinger
	2400	72	RIOS

**Sunday**

Date	Time	Temp.	Name (Print)
<u>10/13-24</u>	0300	72	RIOS
	0600	72	RIOS
	0900	71	Pena
	1200	71	Pena
	1500	75	Wallace
	1800	70	Wallace
	2100	72	Wallace
	2400	72	RIOS

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B6

Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	71	A. MELENOREZ
	0600	71	Valdovino
	0900	71	Valdovino
	1200	71	Rocca
	1500	71	Weil
	1800	70	Weil
	2100	71	Weil
	2400	70	

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	70	
	0600	70	F. Fontenot
	0900	70	F. Fontenot
	1200	70	F. Fontenot
	1500	70	B. Weil
	1800	71	B. Weil
	2100	70	B. Weil
	2400	70	

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	70	Silva
	0600	75	J. Ramon
	0900	75	J. Ramon
	1200	75	J. Ramon
	1500	74	Weil
	1800	75	Weil
	2100	74	Weil
	2400	74	Silva

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	70	Silva
	0600	75	J. Ramirez
	0900	75	J. Ramirez
	1200	75	J. Ramirez
	1500	73	J. Suback
	1800	73	J. Suback
	2100	72	J. Suback
	2400	70	Silva

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	70	Suback
	0600	70	Ramirez
	0900	71	Ramirez
	1200	71	Ramirez
	1500	72	J. Suback
	1800	72	J. Suback
	2100	72	J. Suback
	2400	70	Suback

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	70	Silva
	0600	70	C. Garnica
	0900	71	C. Garnica
	1200	72	C. Garnica
	1500	72	
	1800	72	I. Sais
	2100	72	I. Sais
	2400	71	A. Melenorez

Notes

Date	Time	Temp.	Name (Print)
10-13-24	0300	70	A. Melenorez
	0600	70	Valdovino
	0900	70	Valdovino
	1200	70	Valdovino
	1500	70	Weil
	1800	71	Weil
	2100	70	Weil
	2400	71	A. Melenorez

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR

Housing Unit: B7

Temp. Reading Location: 2nd tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	70	Chitcock
	0600	70	T. Vang
	0900	70	T. Vang
	1200	70	T. Vang
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	71	Chitcock

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	70	LANDIN
	0600	70	D. Lunsford
	0900	71	D. Lunsford
	1200	72	D. Lunsford
	1500	72	ZAMUDIO
	1800	72	ZAMUDIO
	2100	71	ZAMUDIO
	2400	70	G. Pope

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	71	G. Pope
	0600	71	D. Lunsford
	0900	71	D. Lunsford
	1200	71	D. Lunsford
	1500	71	E. Faris
	1800	71	E. Faris
	2100	70	E. Faris
	2400	70	G. Pope

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	G. Pope
	0600	70	D. Lunsford
	0900	70	D. Lunsford
	1200	70	D. Lunsford
	1500	70	J. Suback
	1800	70	J. Suback
	2100	70	J. Suback
	2400	71	Chitcock

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	71	Chitcock
	0600	71	Vallarino
	0900	70	Vallarino
	1200	70	Vallarino
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	CARDIN

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70	G. Pope
	0600	70	D. Lunsford
	0900	71	D. Lunsford
	1200	71	D. Lunsford
	1500	71	ZAMUDIO
	1800	71	ZAMUDIO
	2100	71	ZAMUDIO
	2400	71	G. Pope

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	G. Pope
	0600	71	D. Lunsford
	0900	71	D. Lunsford
	1200	71	D. Lunsford
	1500	71	J. Suback
	1800	71	J. Suback
	2100	70	J. Suback
	2400	70	G. Pope

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B8 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
15-7-24	0300	72	NELSON
	0600	72	RGEVE
	0900	72	RGEVG
	1200	72	RGEVG
	1500	72	SUBJACK
	1800	72	SUBJACK
	2100	72	SUBJACK
	2400	72	NELSON

Tuesday

Date	Time	Temp.	Name (Print)
15-7-24	0300	72	NELSON
	0600	72	RGEVG
	0900	72	RGEVG
	1200	72	RGEVG
	1500	72	BROWN
	1800	72	BROWN
	2100	72	BROWN
	2400	72	NELSON

Wednesday

Date	Time	Temp.	Name (Print)
15-7-24	0300	72	NELSON
	0600	72	Cartegena
	0900	72	Cartegena
	1200	72	Cartegena
	1500	72	BROWN
	1800	72	BROWN
	2100	72	BROWN
	2400	72	NELSON

Thursday

Date	Time	Temp.	Name (Print)
15-7-24	0300	72	NELSON
	0600	69	Abnormal
	0900	71	Abnormal
	1200	71	Abnormal
	1500	72	BROWN
	1800	72	BROWN
	2100	72	BROWN
	2400	72	H.Gutierrez

Friday

Date	Time	Temp.	Name (Print)
15-7-24	0300	72	H.Gutierrez
	0600	72	RGEVG
	0900	72	RGEVG
	1200	72	RGEVG
	1500	72	Brown
	1800	72	Brown
	2100	72	Brown
	2400	72	H.Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
15-7-24	0300	72	H.Gutierrez
	0600	72	RGEVG
	0900	72	RGEVG
	1200	72	RGEVG
	1500	72	D.Brown
	1800	72	D.Brown
	2100	72	D.Brown
	2400	72	NELSON

Sunday

Date	Time	Temp.	Name (Print)
15-7-24	0300	72	NELSON
	0600	72	RGEVG
	0900	72	RGEVG
	1200	72	RGEVG
	1500	75	D.LEON
	1800	75	D.LEON
	2100	72	D.LEON
	2400	72	NELSON

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1

Temp. Reading Location: SECOND TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

2024

Date	Time	Temp.	Name (Print)
<u>10/14</u>	0300	70	Nang
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	73	Ruvaleca
	1800	72	Ruvaleca
	2100	72	Ruvaleca
	2400	72	C. Lesley

Tuesday

2024

Date	Time	Temp.	Name (Print)
<u>10/15</u>	0300	72	C. Lesley
	0600	71	J. Johnson
	0900	71	J. Johnson
	1200	74	J. Johnson
	1500	73	Ruvaleca
	1800	71	Ruvaleca
	2100	71	Ruvaleca
	2400	71	Winkelmann

Wednesday

2024

Date	Time	Temp.	Name (Print)
<u>10/16</u>	0300	71	Winkelmann
	0600	71	J. Johnson
	0900	71	J. Johnson
	1200	71	J. Johnson
	1500	70	C. Bellamy
	1800	70	C. Bellamy
	2100	70	C. Bellamy
	2400	70	Bagley

Friday

2024

Date	Time	Temp.	Name (Print)
<u>10/18</u>	0300	71	Bagley
	0600	70	Bagley
	0900	70	J. Carrillo
	1200	71	J. Carrillo
	1500	72	E. Ramirez
	1800	70	E. Ramirez
	2100	70	E. Ramirez
	2400	70	Haag, Jr.

Sunday

2024

Date	Time	Temp.	Name (Print)
<u>10/20</u>	0300	70	Haag, Jr.
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	M. Gonzalez
	1800	70	M. Gonzalez
	2100	70	M. Gonzalez
	2400	70	Haag, Jr.

Tuesday

2024

Date	Time	Temp.	Name (Print)
<u>10/21</u>	0300	72	Bagley
	0600	70	Bagley
	0900	71	J. Johnson
	1200	71	J. Johnson
	1500	71	C. Bellamy
	1800	70	C. Bellamy
	2100	70	C. Bellamy
	2400	70	Bagley

Thursday

2024

Date	Time	Temp.	Name (Print)
<u>10/24</u>	0300	70	Bagley
	0600	70	Bagley
	0900	71	J. Johnson
	1200	71	J. Johnson
	1500	71	C. Bellamy
	1800	70	C. Bellamy
	2100	70	C. Bellamy
	2400	70	Bagley

Saturday

2024

Date	Time	Temp.	Name (Print)
<u>10/29</u>	0300	70	Haag, Jr.
	0600	70	Schloepp D.
	0900	70	Schloepp D.
	1200	70	Schloepp D.
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	Haag, Jr.

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B-2      Temp. Reading Location: A,B,C    UPPER TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/14</u>	0300	70	WORTH
	0600	71	E.Vadnay
	0900	71	E.Vadnay
	1200	70	E.Vadnay S
	1500	70	WORTH
	1800	70	WORTH
	2100	70	WORTH
	2400	70	PACAFox

Tuesday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/15</u>	0300	70	PACAFox
	0600	70	Vidmaly
	0900	70	Vidmaly
	1200	70	Vadnay
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	PACAFox

Wednesday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/16</u>	0300	70	PACAFox
	0600	70	J.Burge
	0900	70	J.Burge
	1200	70	J.Burge
	1500	70	WORTH
	1800	70	WORTH
	2100	70	WORTH
	2400	70	Peru

Thursday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/17</u>	0300	70	Peru
	0600	72	J.Burge
	0900	72	J.Burge
	1200	72	J.Burge
	1500	70	<del>Worth</del> Worth
	1800	70	<del>Worth</del> Worth
	2100	70	<del>Worth</del> Worth
	2400	70	Nava

Friday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/18</u>	0300	70	Nava
	0600	72	Burge
	0900	72	Burge
	1200	72	Burge
	1500	70	Rios
	1800	70	Rios
	2100	70	Rios
	2400	70	C.Bellinger

Saturday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/19</u>	0300	70	C. Bellinger
	0600	72	J.Burge
	0900	72	J.Burge
	1200	72	J.Burge
	1500	71	Ruvakoda
	1800	73	Ruvakoda
	2100	71	Ruvakoda
	2400	70	MORTW

Sunday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/20</u>	0300	70	MORTW
	0600	72	J.Burge
	0900	72	J.Burge
	1200	72	J.Burge
	1500	71	C.Ruvakoda
	1800	71	C.Ruvakoda
	2100	73	C.Ruvakoda
	2400	70	MORTW

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B4 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/14	0300	72	C. LESLEY
	0600	72	C. WOLF
	0900	72	C. WOLF
	1200	72	C. WOLF
	1500	73	R. O'NEILL
	1800	73	R. O'NEILL
	2100	73	R. O'NEILL
	2400	72	T. VANG

**Tuesday**

Date	Time	Temp.	Name (Print)
10/15	0300	72	T. VANG
	0600	72	B. DIAZ
	0900	72	B. DIAZ
	1200	73	B. DIAZ
	1500	72	M. WALLACE
	1800	73	M. WALLACE
	2100	72	M. WALLACE
	2400	72	SCOTT

**Wednesday**

Date	Time	Temp.	Name (Print)
10/16	0300	72	SCOTT
	0600	72	B. DIAZ
	0900	72	B. DIAZ
	1200	72	B. DIAZ
	1500	72	WALLACE
	1800	73	WALLACE
	2100	74	WALLACE
	2400	72	SCOTT

**Thursday**

Date	Time	Temp.	Name (Print)
10/17	0300	72	SCOTT
	0600	72	B. DIAZ
	0900	72	B. DIAZ
	1200	74	B. DIAZ
	1500	73	HIGAREDGE
	1800	72	HIGAREDGE
	2100	72	HIGAREDGE
	2400	72	SCOTT

**Friday**

Date	Time	Temp.	Name (Print)
10/18	0300	72	SCOTT
	0600	72	B. DIAZ
	0900	72	B. DIAZ
	1200	74	B. DIAZ
	1500	72	R. O'NEILL
	1800	73	R. O'NEILL
	2100	71	R. O'NEILL
	2400	71	SCOTT

**Saturday**

Date	Time	Temp.	Name (Print)
10/19	0300	71	SCOTT
	0600	71	T. VANG
	0900	71	T. VANG
	1200	71	T. VANG
	1500	71	R. O'NEILL
	1800	72	R. O'NEILL
	2100	71	R. O'NEILL
	2400	71	M. REUSS

**Sunday**

Date	Time	Temp.	Name (Print)
10/20	0300	70	M. REUSS
	0600	71	T. VANG
	0900	71	T. VANG
	1200	71	T. VANG
	1500	72	R. O'NEILL
	1800	73	R. O'NEILL
	2100	72	K. KOEHLER
	2400	72	C. LESLEY

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2ND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10-14-24	0300	72	Rios
	0600	72	Rios
	0900	72	Pena
	1200	74	Pena
	1500	72	Wallace
	1800	72	Wallace
	2100	73	Wallace
	2400	72	GARRISON

**Wednesday**

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	GARRISON
	0600	70	Pena
	0900	70	Pena
	1200	70	Pena
	1500	71	Morano
	1800	72	Morano
	2100	71	Morano
	2400	71	S. Wilson

**Friday**

Date	Time	Temp.	Name (Print)
10/19/24	0300	71	SCHUTZ
	0600	71	Valdovinos
	0900	71	Valdovinos
	1200	71	Valdovinos
	1500	72	Morano
	1800	73	Morano
	2100	71	Morano
	2400	71	SCHUTZ

**Sunday**

Date	Time	Temp.	Name (Print)
10-20-24	0300	71	Rios
	0600	71	Rios
	0900	73	Pena
	1200	73	Pena
	1500	73	M. Wallace
	1800	74	Wallace
	2100	71	Wallace
	2400	71	Rios

**Tuesday**

Date	Time	Temp.	Name (Print)
10/15/24	0300	72	GARRISON
	0600	72	Pena
	0900	73	Pena
	1200	74	Pena
	1500	74	Morano
	1800	74	Morano
	2100	73	Morano
	2400	72	GARRISON

**Thursday**

Date	Time	Temp.	Name (Print)
10/17/24	0300	71	S. Wilson
	0600	71	Pena
	0900	72	Pena
	1200	73	Pena
	1500	73	Morano
	1800	72	Morano
	2100	72	Morano
	2400	71	SCHUTZ

**Saturday**

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	SCHUTZ
	0600	70	Valdovinos
	0900	70	Valdovinos
	1200	70	Valdovinos
	1500	73	Morano
	1800	73	Morano
	2100	71	Morano
	2400	72	Rios

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B6 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	71	A. melenorez
	0600	71	Valdovinos
	0900	71	Valdovinos
	1200	71	Valdovinos
	1500	70	Welt
	1800	71	Welt
	2100	70	Welt
	2400	70	Silva

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	70	Silva
	0600	72	J. Ramire
	0900	75	J. Ramire
	1200	75	Z. Ramire
	1500	76	C. GIL
	1800	75	C. GIL
	2100	72	C. GIL
	2400	70	Silva

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	70	Silva
	0600	70	J. Ramire
	0900	70	J. Ramire
	1200	72	J. Ramire
	1500	70	Welt
	1800	71	Welt
	2100	70	Welt
	2400	70	Silva

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	70	Silva
	0600	70	J. Ramire
	0900	72	J. Ramire
	1200	72	J. Ramire
	1500	72	Silva
	1800	72	T. Sandoval
	2100	72	T. Sandoval
	2400	70	Silva

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	70	Silva
	0600	70	J. Ramire
	0900	72	J. Ramire
	1200	73	J. Ramire
	1500	73	J. Suback
	1800	73	J. Suback
	2100	71	J. Suback
	2400	70	Silva

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	70	Silva
	0600	71	J. Ramire
	0900	71	J. Ramire
	1200	71	J. Ramire
	1500	70	Welt
	1800	71	Welt
	2100	70	Welt
	2400	71	A. melenorez

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	70	A. melenorez
	0600	70	Valdovinos
	0900	70	Valdovinos
	1200	70	Valdovinos
	1500	70	Welt
	1800	71	Welt
	2100	70	Welt
	2400	70	A. melenorez

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B7

Temp. Reading Location: 2nd tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	Chifford C
	0600	70	T. Vang
	0900	70	T. Vang
	1200	70	T. Vang
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	71	Chifford C

Wednesday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	MCCASLAND
	0600	71	D. Linsford
	0900	71	D. Linsford
	1200	71	D. Linsford
	1500	71	ZAMUDIO
	1800	71	ZAMUDIO
	2100	71	ZAMUDIO
	2400	70	G. Pipe

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	G. Pipe
	0600	70	D. Linsford
	0900	70	D. Linsford
	1200	70	D. Linsford
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. Pipe

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	G. Pipe
	0600	70	D. Linsford
	0900	70	D. Linsford
	1200	70	D. Linsford
	1500	70	R. Reeve
	1800	70	R. Reeve
	2100	70	R. Reeve
	2400	72	CARDIN

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	71	Chifford C
	0600	71	Vallermoza
	0900	71	Valdavino
	1200	71	Yellowmire
	1500	71	ZAMUDIO
	1800	71	ZAMUDIO
	2100	71	ZAMUDIO
	2400	72	MCCASLAND

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	G. Pipe
	0600	70	D. Linsford
	0900	70	D. Linsford
	1200	71	D. Linsford
	1500	71	ZAMUDIO
	1800	71	ZAMUDIO
	2100	71	ZAMUDIO
	2400	70	G. Pipe

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	G. Pipe
	0600	70	D. Linsford
	0900	70	D. Linsford
	1200	70	D. Linsford
	1500	70	T. Smitka
	1800	70	T. Smitka
	2100	70	T. Smitka
	2400	70	G. Pipe

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B - 8 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	72	NELSON
	0600	72	RREEVE
	0900	72	RREEVE
	1200	72	RREEVE
	1500	72	RREEVE
	1800	72	RREEVE
	2100	72	RREEVE
	2400	72	NELSON

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	72	NELSON
	0600	72	RREEVE
	0900	72	RREEVE
	1200	73	RREEVE
	1500	72	OBRIAN
	1800	72	OBRIAN
	2100	72	OBRIAN
	2400	72	NELSON

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	72	NELSON
	0600	71	Higareda
	0900	70	Higareda
	1200	71	Higareda
	1500	71	OBRIAN
	1800	71	OBRIAN
	2100	71	OBRIAN
	2400	72	NELSON

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	72	NELSON
	0600	72	Higareda
	0900	73	Higareda
	1200	72	Higareda
	1500	72	RIOS
	1800	72	RIOS
	2100	72	RIOS
	2400	72	H. Gutierrez

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	72	H. Gutierrez
	0600	72	J. Subiack
	0900	72	J. Subiack
	1200	72	J. Subiack
	1500	72	OBRIAN
	1800	72	OBRIAN
	2100	72	OBRIAN
	2400	72	H. Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	72	H. Gutierrez
	0600	72	REEVE
	0900	72	REEVE
	1200	72	REEVE
	1500	72	OBRIAN
	1800	72	OBRIAN
	2100	72	OBRIAN
	2400	72	NELSON

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	72	NELSON
	0600	72	RREEVE
	0900	72	RREEVE
	1200	72	RREEVE
	1500	72	D. LEON
	1800	72	D. LEON
	2100	72	D. LEON
	2400	72	NELSON

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1 Temp. Reading Location: SECOND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		<u>10/21</u> 2024	
Date	Time	Temp.	Name (Print)
10/	0300	70	Haag, T.
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	71	C. Ruvalcaba
	1800	73	C. Ruvalcaba
	2100	73	C. Ruvalcaba
	2400	72	Winkelmann

Wednesday		<u>10/23</u> 2024	
Date	Time	Temp.	Name (Print)
	0300	72	Winkelmann
	0600	71	J. Johnson
	0900	71	J. Johnson
	1200	71	J. Johnson
	1500	71	C. Bellings
	1800	71	C. Bellings
	2100	71	C. Bellings
	2400	71	Bogley

Friday		<u>10/25</u> 2024	
Date	Time	Temp.	Name (Print)
	0300	70	Bogley
	0600	70	Bogley
	0900	70	J. Carrillo
	1200	71	J. Carrillo
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	Haag, T.

Sunday		<u>10/27</u> 2024	
Date	Time	Temp.	Name (Print)
	0300	70	Haag, T.
	0600	70	A. Pina
	0900	70	A. Pina
	1200	72	A. Pina
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	G. G.

Tuesday		<u>10/22</u> 2024	
Date	Time	Temp.	Name (Print)
	0300	72	Winkelmann
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	71	C. Ruvalcaba
	1800	71	C. Ruvalcaba
	2100	73	C. Ruvalcaba
	2400	73	Winkelmann

Thursday		<u>10/24</u> 2024	
Date	Time	Temp.	Name (Print)
	0300	71	Bogley
	0600	71	Bogley
	0900	70	J. Johnson
	1200	72	J. Johnson
	1500	70	C. Bellings
	1800	70	C. Bellings
	2100	70	C. Bellings
	2400	70	Bogley

Saturday		<u>10/26</u> 2024	
Date	Time	Temp.	Name (Print)
	0300	70	Haag, T.
	0600	70	J. Carrillo
	0900	70	J. Carrillo
	1200	71	J. Carrillo
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	Haag, T.

#### Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B-2      Temp. Reading Location: A,B,C    UPPER TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday / 1 /2021			
Date	Time	Temp.	Name (Print)
10/21/24	0300	69	E. MARSHALL
	0600	69	E. Vadnais
	0900	69	E. Vadnais
	1200	70	E. Vadnais
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	R. PALAFAX

Tuesday / 1 /2021			
Date	Time	Temp.	Name (Print)
10/22/24	0300	69	R. PALAFAX
	0600	69	E. Vadnais
	0900	69	E. Vadnais
	1200	70	E. Vadnais
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	L. CARMONA

Wednesday / 1 /2021			
Date	Time	Temp.	Name (Print)
10/23/24	0300	69	L. CARMONA
	0600	70	J. Burge
	0900	70	J. Burge
	1200	70	J. Burge
	1500	70	CARMONA
	1800	70	CARMONA
	2100	71	CARMONA
	2400	72	Haag, T.

Thursday / 1 /2021			
Date	Time	Temp.	Name (Print)
10/24/24	0300	72	Haag, T.
	0600	73	J. Burge
	0900	70	J. Burge
	1200	70	J. Burge
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	72	Haag, T.

Friday / 1 /2021			
Date	Time	Temp.	Name (Print)
10/25/24	0300	72	Haag, T.
	0600	71	J. Burge
	0900	70	J. Burge
	1200	71	J. Burge
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Martinez

Saturday / 1 /2021			
Date	Time	Temp.	Name (Print)
10/26/24	0300	70	K. Martinez
	0600	71	J. Burge
	0900	70	J. Burge
	1200	70	J. Burge
	1500	70	Ruvicals
	1800	71	Ruvicals
	2100	71	Ruvicals
	2400	70	K. Martinez

Sunday / 1 /2021			
Date	Time	Temp.	Name (Print)
10/27/24	0300	70	Martinez
	0600	70	J. Burge
	0900	71	J. Burge
	1200	70	J. Burge
	1500	71	Ruvicals
	1800	71	Ruvicals
	2100	70	Ruvicals
	2400	70	Martinez

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PISIP Housing Unit: B4 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10.21.24	0300	72	C. LESLEY
	0600	72	B. DIAZ
	0900	72	B. DIAZ
	1200	72	B. DIAZ
	1500	71	R. O'NEILL
	1800	71	R. O'NEILL
	2100	71	R. O'NEILL
	2400	71	C. LESLEY

**Tuesday**

Date	Time	Temp.	Name (Print)
10.22.24	0300	71	C. LESLEY
	0600	71	B. DIAZ
	0900	72	B. DIAZ
	1200	71	B. DIAZ
	1500	73	Wallace
	1800	74	Wallace
	2100	72	Wallace
	2400	71	1/1005

**Wednesday**

Date	Time	Temp.	Name (Print)
10.23.24	0300	71	Yang
	0600	71	B. DIAZ
	0900	73	B. DIAZ
	1200	73	B. DIAZ
	1500	72	Wallace
	1800	71	Wallace
	2100	73	Wallace
	2400	72	Scor

**Thursday**

Date	Time	Temp.	Name (Print)
10.24.24	0300	72	Scor
	0600	72	B. DIAZ
	0900	72	B. DIAZ
	1200	72	B. DIAZ
	1500	70	R. O'NEILL
	1800	71	R. O'NEILL
	2100	71	R. O'NEILL
	2400	71	Scor

**Friday**

Date	Time	Temp.	Name (Print)
10.25.24	0300	76	Scor
	0600	71	B. DIAZ
	0900	71	B. DIAZ
	1200	71	B. DIAZ
	1500	70	R. O'NEILL
	1800	70	R. O'NEILL
	2100	70	R. O'NEILL
	2400	70	Scor

**Saturday**

Date	Time	Temp.	Name (Print)
10.26.24	0300	70	Scor
	0600	70	T. VANG
	0900	70	T. VANG
	1200	70	T. VANG
	1500	70	R. O'NEILL
	1800	71	R. O'NEILL
	2100	71	R. O'NEILL
	2400	71	Scor

**Sunday**

Date	Time	Temp.	Name (Print)
10.27.24	0300	70	Scor
	0600	70	T. VANG
	0900	70	T. VANG
	1200	70	T. VANG
	1500	71	R. O'NEILL
	1800	70	R. O'NEILL
	2100	70	R. O'NEILL
	2400	71	C. LESLEY

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2ND TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10-21-24	0300	71	Rios
	0600	71	Rios
	0900	71	Pena
	1200	71	Pena
	1500	72	Wallace
	1800	72	Wallace
	2100	72	Wallace
	2400	70	GARRISON

**Tuesday**

Date	Time	Temp.	Name (Print)
10/22/24	0300	69	GARRISON
	0600	62	Pena
	0900	68	Pena
	1200	69	Pena
	1500	70	Morando
	1800	71	Morando
	2100	70	Morando
	2400	69	GARRISON

**Wednesday**

Date	Time	Temp.	Name (Print)
10/23/24	0300	69	GARRISON
	0600	69	Pena
	0900	70	Pena
	1200	70	Pena
	1500	71	Morando
	1800	71	Morando
	2100	70	Morando
	2400	70	GANDARA

**Thursday**

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	GANDARA
	0600	70	Pena
	0900	73	Pena
	1200	75	Pena
	1500	74	Morando
	1800	74	Morando
	2100	72	Morando
	2400	72	GANDARA

**Friday**

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	GARDNER
	0600	70	T. Vang
	0900	70	T. Vang
	1200	70	T. Vang
	1500	70	S. Chang
	1800	70	S. Chang
	2100	70	S. Chang
	2400	70	SCHWARTZ

**Saturday**

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	SCHWARTZ
	0600	70	F. VALENZUELA
	0900	70	K. VALENZUELA
	1200	70	K. VALENZUELA
	1500	70	F. VALENZUELA
	1800	70	Morando
	2100	76	Morando
	2400	71	Rios

**Notes**

Date	Time	Temp.	Name (Print)
10/27/24	0300	71	Rios
	0600	71	Rios
	0900	71	Pena
	1200	75	Pena
	1500	73	Wallace
	1800	72	Wallace
	2100	71	Wallace
	2400	71	Rios

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B6      Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10-21-24	0300	70	A. MELENDOREZ
	0600	70	A. MELENDOREZ
	0900	70	Pina
	1200	70	Pina
	1500	70	Weltz
	1800	71	Weltz
	2100	70	C. GILL
	2400	70	Silva

**Tuesday**

Date	Time	Temp.	Name (Print)
10-22-24	0300	70	J. Ramírez
	0600	70	J. Ramírez
	0900	72	J. Ramírez
	1200	72	J. Ramírez
	1500	70	C. GILL
	1800	70	C. GILL
	2100	70	C. GILL
	2400	70	J. Ramírez

**Wednesday**

Date	Time	Temp.	Name (Print)
10-23-24	0300	70	Silva
	0600	71	J. Ramírez
	0900	71	J. Ramírez
	1200	73	J. Ramírez
	1500	70	Weltz
	1800	71	C. GILL
	2100	70	Weltz
	2400	70	Silva

**Thursday**

Date	Time	Temp.	Name (Print)
10-24-24	0300	70	Silva
	0600	70	J. Ramírez
	0900	72	J. Ramírez
	1200	73	J. Ramírez
	1500	73	J. Silvano
	1800	73	J. Silvano
	2100	71	J. Silvano
	2400	70	Silva

**Friday**

Date	Time	Temp.	Name (Print)
10-25-24	0300	70	Silva
	0600	70	J. Ramírez
	0900	71	J. Ramírez
	1200	72	J. Ramírez
	1500	72	J. Silvano
	1800	72	J. Silvano
	2100	72	J. Silvano
	2400	70	Silva

**Saturday**

Date	Time	Temp.	Name (Print)
10-26-24	0300	70	Silva
	0600	70	CARTAGENA
	0900	69	CARTAGENA
	1200	70	CARTAGENA
	1500	71	FARÍAS
	1800	72	FARÍAS
	2100	71	FARÍAS
	2400	71	J. MELENDOREZ

**Notes**

Date	Time	Temp.	Name (Print)
10-27-24	0300	70	A. MELENDOREZ
	0600	70	C. CARTAGENA
	0900	71	C. CARTAGENA
	1200	71	C. CARTAGENA
	1500	71	B. Weltz
	1800	70	D. Weltz
	2100	71	B. Weltz
	2400	70	A. MELENDOREZ

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: B 7

Temp. Reading Location: 2<sup>nd</sup> TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-21	0300	70	M CANDIN
	0600	70	Vang
	0900	70	Vang
	1200	71	Vang
	1500	71	ZAMUDIO
	1800	71	ZAMUDIO
	2100	71	ZAMUDIO
	2400	70	C.BIL

Wednesday

Date	Time	Temp.	Name (Print)
10-23-21	0300	70	G PAGE
	0600	70	D Linsford
	0900	70	D Linsford
	1200	70	D Linsford
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G PAGE

Friday

Date	Time	Temp.	Name (Print)
10-25	0300	70	G PAGE
	0600	70	D Linsford
	0900	70	D Linsford
	1200	70	D Linsford
	1500	70	R.ABERNATHY
	1800	70	R.ABERNATHY
	2100	70	R.ABERNATHY
	2400	70	G PAGE

Sunday

Date	Time	Temp.	Name (Print)
10-27-21	0300	70	G PAGE
	0600	70	D Linsford
	0900	70	D Linsford
	1200	70	D Linsford
	1500	70	R.GRAY
	1800	70	R.GRAY
	2100	70	R.GRAY
	2400	70	George

Tuesday

Date	Time	Temp.	Name (Print)
10-22	0300	70	C. BIL
	0600	71	C. WOLF
	0900	71	C. WOLF
	1200	71	C. WOLF
	1500	71	ZAMUDIO
	1800	71	ZAMUDIO
	2100	71	ZAMUDIO
	2400	70	G. PAGE

Thursday

Date	Time	Temp.	Name (Print)
10-24-21	0300	70	G PAGE
	0600	70	D Linsford
	0900	70	D Linsford
	1200	70	D Linsford
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G PAGE

Saturday

Date	Time	Temp.	Name (Print)
10-26	0300	70	G PAGE
	0600	70	D Linsford
	0900	70	D Linsford
	1200	70	D Linsford
	1500	70	T. SABOGA
	1800	70	T. SABOGA
	2100	70	T. SABOGA
	2400	70	G PAGE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B8 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5-21-18	0300	72	NELSON
	0600	71	REEVE
	0900	71	REEVE
	1200	72	REEVE
	1500	72	REEVE
	1800	72	REEVE
	2100	72	REEVE
	2400	72	NELSON

**Tuesday**

Date	Time	Temp.	Name (Print)
5-22-18	0300	72	NELSON
	0600	72	REEVE
	0900	72	REEVE
	1200	72	REEVE
	1500	72	M. Gonzalez
	1800	72	M. Gonzalez
	2100	72	M. Gonzalez
	2400	72	NELSON

**Wednesday**

Date	Time	Temp.	Name (Print)
5-23-18	0300	72	NELSON
	0600	71	Percy
	0900	72	Percy
	1200	73	Percy
	1500	73	BROWN
	1800	73	BROWN
	2100	73	BROWN
	2400	72	NELSON

**Thursday**

Date	Time	Temp.	Name (Print)
5-24-18	0300	72	NELSON
	0600	71	T. Vang
	0900	71	T. Vang
	1200	71	T. Vang
	1500	72	BROWN
	1800	72	BROWN
	2100	72	BROWN
	2400	71	H. Gutierrez

**Friday**

Date	Time	Temp.	Name (Print)
5-25-18	0300	71	H. Gutierrez
	0600	71	T. Suback
	0900	71	T. Suback
	1200	71	T. Suback
	1500	72	B. Schor
	1800	72	B. Schor
	2100	70	B. Schor
	2400	70	H. Gutierrez

**Saturday**

Date	Time	Temp.	Name (Print)
5-26-18	0300	70	H. Gutierrez
	0600	70	T. Suback
	0900	70	T. Suback
	1200	70	T. Suback
	1500	71	BROWN
	1800	71	BROWN
	2100	71	BROWN
	2400	72	NELSON

**Sunday**

Date	Time	Temp.	Name (Print)
5-27-18	0300	72	NELSON
	0600	72	REEVE
	0900	72	REEVE
	1200	72	REEVE
	1500	70	D. LEON
	1800	72	D. LEON
	2100	72	D. LEON
	2400	72	NELSON

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B-1      Temp. Reading Location: SECOND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 2024			
Date	Time	Temp.	Name (Print)
9-30-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	70	E. Varnais
	1800	71	E. Varnais
	2100	70	E. Varnais
	2400	70	NELSON

Tuesday 2024			
Date	Time	Temp.	Name (Print)
10-1-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	71	J. Johnson
	1500	71	E. Varnais
	1800	70	E. Varnais
	2100	70	E. Varnais
	2400	70	NELSON

Wednesday 2024			
Date	Time	Temp.	Name (Print)
10-2-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	71	C. Bellino
	1800	70	C. Bellino
	2100	70	C. Bellino
	2400	70	NELSON

Thursday 2024			
Date	Time	Temp.	Name (Print)
10-3-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	72	E. Romero
	1800	72	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

Friday 2024			
Date	Time	Temp.	Name (Print)
10-4-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Carrillo
	1200	71	J. Carrillo
	1500	72	E. Romero
	1800	70	E. Romero
	2100	70	W. Clark
	2400	70	Haegi, J.

Saturday 2024			
Date	Time	Temp.	Name (Print)
10-5-24	0300	70	Haegi, J.
	0600	71	J. Carrillo
	0900	72	J. Carrillo
	1200	72	J. Carrillo
	1500	72	D. Becker
	1800	72	D. Becker
	2100	71	D. Becker
	2400	70	Haegi, J.

Sunday 2024			
Date	Time	Temp.	Name (Print)
10-6-24	0300	70	Haegi, J.
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	72	G. Gu
	1800	71	G. Gu
	2100	71	G. Gu
	2400	70	M. Menaach

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B-2      Temp. Reading Location: A,B,C UPPER TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday / 2021			
Date	Time	Temp.	Name (Print)
<u>9/30</u>	0300	<u>70</u>	<u>MARTINEZ</u>
	0600	<u>70</u>	<u>O'Connell</u>
	0900	<u>70</u>	<u>O'Donnell</u>
	1200	<u>71</u>	<u>O'Connell</u>
	1500	<u>71</u>	<u>Worth</u>
	1800	<u>71</u>	<u>Worth</u>
	2100	<u>70</u>	<u>Worth</u>
	2400	<u>70</u>	<u>PACAFIX</u>

Tuesday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/1/24</u>	0300	<u>70</u>	<u>PACAFIX</u>
	0600	<u>72</u>	<u>LANDIN</u>
	0900	<u>72</u>	<u>LANDIN</u>
	1200	<u>72</u>	<u>LANDIN</u>
	1500	<u>72</u>	<u>Worth</u>
	1800	<u>71</u>	<u>Worth</u>
	2100	<u>70</u>	<u>Worth</u>
	2400	<u>70</u>	<u>PACAFIX</u>

Wednesday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/2/24</u>	0300	<u>70</u>	<u>PACAFIX</u>
	0600	<u>70</u>	<u>Schan</u>
	0900	<u>70</u>	<u>Schan</u>
	1200	<u>72</u>	<u>Schan</u>
	1500	<u>72</u>	<u>WORTH</u>
	1800	<u>72</u>	<u>WORTH</u>
	2100	<u>72</u>	<u>WORTH</u>
	2400	<u>72</u>	<u>Haag, Jr.</u>

Thursday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/3/24</u>	0300	<u>70</u>	<u>Haag, Jr.</u>
	0600	<u>72</u>	<u>Schan</u>
	0900	<u>72</u>	<u>Schan</u>
	1200	<u>72</u>	<u>Schan</u>
	1500	<u>72</u>	<u>Worth</u>
	1800	<u>72</u>	<u>Worth</u>
	2100	<u>72</u>	<u>Worth</u>
	2400	<u>72</u>	<u>Haag, Jr.</u>

Friday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/4/24</u>	0300	<u>72</u>	<u>Haag, Jr.</u>
	0600	<u>70</u>	<u>Schan</u>
	0900	<u>72</u>	<u>Schan</u>
	1200	<u>72</u>	<u>Schan</u>
	1500	<u>72</u>	<u>Worth</u>
	1800	<u>72</u>	<u>Worth</u>
	2100	<u>72</u>	<u>Worth</u>
	2400	<u>70</u>	<u>MARTINEZ</u>

Saturday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/5/24</u>	0300	<u>70</u>	<u>MARTINEZ</u>
	0600	<u>72</u>	<u>LANDIN</u>
	0900	<u>72</u>	<u>LANDIN</u>
	1200	<u>72</u>	<u>LANDIN</u>
	1500	<u>73</u>	<u>Gonzalez</u>
	1800	<u>72</u>	<u>Gonzalez</u>
	2100	<u>72</u>	<u>Gonzalez</u>
	2400	<u>70</u>	<u>MARTINEZ</u>

Sunday / 2021			
Date	Time	Temp.	Name (Print)
<u>10/6/24</u>	0300	<u>70</u>	<u>MARTINEZ</u>
	0600	<u>70</u>	<u>Schan</u>
	0900	<u>72</u>	<u>Schan</u>
	1200	<u>72</u>	<u>Schan</u>
	1500	<u>73</u>	<u>Huarezda</u>
	1800	<u>72</u>	<u>Huarezda</u>
	2100	<u>73</u>	<u>Huarezda</u>
	2400	<u>70</u>	<u>MARTINEZ</u>

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B4

Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9/30	0300	71	C. Lesley
	0600	71	B. Diaz
	0900	75	B. Diaz
	1200	73	B. Diaz
	1500	74	G. Gut
	1800	72	G. Gut
	2100	73	G. Gut
	2400	71	S. Kelley

**Tuesday**

Date	Time	Temp.	Name (Print)
10/1	0300	71	S. Kelley
	0600	72	B. Diaz
	0900	73	B. Diaz
	1200	73	B. Diaz
	1500	73	D. Becker
	1800	73	D. Becker
	2100	72	D. Becker
	2400	71	E. Scott

**Wednesday**

Date	Time	Temp.	Name (Print)
10/2	0300	72	E. Scott
	0600	72	B. Diaz
	0900	74	B. Diaz
	1200	74	B. Diaz
	1500	72	Becker
	1800	72	Becker
	2100	71	Becker
	2400	71	E. Scott

**Thursday**

Date	Time	Temp.	Name (Print)
10/3	0300	71	E. Scott
	0600	72	UCIEL
	0900	73	UCIEL
	1200	74	UCIEL
	1500	73	FARIAS
	1800	73	FARIAS
	2100	73	FARIAS
	2400	71	E. Scott

**Friday**

Date	Time	Temp.	Name (Print)
10/4	0300	71	E. Scott
	0600	71	B. Diaz
	0900	71	B. Diaz
	1200	71	B. Diaz
	1500	70	E. Vachas
	1800	70	E. Vachas
	2100	71	E. Vachas
	2400	71	E. Scott

**Saturday**

Date	Time	Temp.	Name (Print)
10/5	0300	71	E. Scott
	0600	71	Reynoso
	0900	71	Reynoso
	1200	71	Reynoso
	1500	72	Higareda
	1800	73	Higareda
	2100	72	Higareda
	2400	72	Schurz

**Sunday**

Date	Time	Temp.	Name (Print)
10/6	0300	71	Schurz
	0600	71	Reynoso
	0900	71	Reynoso
	1200	71	Reynoso
	1500	71	Gonzalez, M
	1800	71	Gonzalez, M
	2100	71	Gonzalez, M
	2400	71	C. Lesley

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment H  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9 30 24	0300	74	GARRESON
	0600	74	D. LEON
	0900	74	D. LEON
	1200	74	D. LEON
	1500	75	D. Becker
	1800	73	D. Becker
	2100	74	D. Becker
	2400	73	Singh

**Wednesday**

Date	Time	Temp.	Name (Print)
10 0 14	0300	74	GARRESON
	0600	74	D. LEON
	0900	74	D. LEON
	1200	75	D. LEON
	1500	76	Mervin
	1800	75	Mervin
	2100	75	Mervin
	2400	75	RIOS

**Friday**

Date	Time	Temp.	Name (Print)
10/1/24	0300	73	SCHUTZ
	0600	71	Vallonne
	0900	71	Vallonne
	1200	71	Vallonne
	1500	72	Mervin
	1800	72	Mervin
	2100	71	Mervin
	2400	71	SCHUTZ

**Sunday**

Date	Time	Temp.	Name (Print)
10-6-24	0300	74	RIOS
	0600	74	RIOS
	0900	74	D. Leon
	1200	76	D. LEON
	1500	76	D. Becker
	1800	75	D. Becker
	2100	71	D. Becker
	2400	71	ACT/TCR

**Tuesday**

Date	Time	Temp.	Name (Print)
10 1 2 1 24	0300	74	Singh
	0600	74	D. LEON
	0900	76	D. LEON
	1200	76	D. LEON
	1500	76	Mervin
	1800	75	Mervin
	2100	75	Mervin
	2400	74	GARRISON

**Thursday**

Date	Time	Temp.	Name (Print)
10-3-24	0300	74	Rios
	0600	74	Rios
	0900	76	D. LEON
	1200	76	D. LEON
	1500	76	Mervin
	1800	75	Mervin
	2100	74	Mervin
	2400	73	Rios

**Saturday**

Date	Time	Temp.	Name (Print)
10/5/24	0300	71	SCHUTZ
	0600	71	JAGENBERGER
	0900	71	K. MERVIN
	1200	73	K. MERVIN
	1500	74	Mervin
	1800	74	Mervin
	2100	73	Mervin
	2400	73	Rios

**Notes**

**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B6 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9-20-24	0300	70	MELENDOREZ
	0600	70	Valdovinos
	0900	70	Valdovinos
	1200	70	Valdovinos
	1500	70	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	70	Sleary

**Wednesday**

Date	Time	Temp.	Name (Print)
10-2-24	0300	70	Sleary
	0600	70	L.Mora
	0900	70	L.Mora
	1200	70	L.Mora
	1500	70	Weltz
	1800	70	Weltz
	2100	71	Weltz
	2400	70	Sleary

**Friday**

Date	Time	Temp.	Name (Print)
10-4-24	0300	70	Sleary
	0600	70	L.Mora
	0900	70	L.Mora
	1200	70	L.Mora
	1500	70	E.Smith
	1800	70	T.Schlopp
	2100	70	T.Schlopp
	2400	70	Sleary

**Sunday**

Date	Time	Temp.	Name (Print)
10-6-24	0300	71	A.MELENDOREZ
	0600	71	Valdovinos
	0900	70	Valdovinos
	1200	70	Valdovinos
	1500	70	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	71	A.MELENDOREZ

**Tuesday**

Date	Time	Temp.	Name (Print)
10-1-24	0300	70	
	0600	70	L.Mora
	0900	70	L.Mora
	1200	70	L.Mora
	1500	70	Weltz
	1800	70	Weltz
	2100	71	Weltz
	2400	70	Sleary

**Thursday**

Date	Time	Temp.	Name (Print)
10-3-24	0300	70	Sleary
	0600	70	L.Mora
	0900	70	L.Mora
	1200	71	L.Mora
	1500	70	S.Chang
	1800	71	S.Chang
	2100	70	S.Chang
	2400	70	S.Chang

**Saturday**

Date	Time	Temp.	Name (Print)
10-5-24	0300	70	Sleary
	0600	70	L.Mora
	0900	70	L.Mora
	1200	70	L.Mora
	1500	70	D.SCHLOEPP
	1800	70	D.SCHLOEPP
	2100	70	D.SCHLOEPP
	2400	71	D.MELENDOREZ

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBS? Housing Unit: B7

Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	70	Chitlock
	0600	71	Reynoso
	0900	71	Reynoso
	1200	71	Reynoso
	1500	71	JAMUDIO
	1800	71	JAMUDIO
	2100	71	JAMUDIO
	2400	70	Chitlock

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	Chitlock
	0600	70	Vallenes
	0900	70	Vallenes
	1200	70	Vallenes
	1500	70	JAMUDIO
	1800	70	JAMUDIO
	2100	70	JAMUDIO
	2400	70	G. Pope

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	70	G. Pope
	0600	71	D. Cuniford
	0900	73	D. Cuniford
	1200	73	D. Cuniford
	1500	73	JAMUDIO
	1800	73	JAMUDIO
	2100	73	JAMUDIO
	2400	70	G. Pope

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	70	G. Pope
	0600	72	D. Cuniford
	0900	72	D. Cuniford
	1200	73	D. Cuniford
	1500	72	JAMUDIO
	1800	72	JAMUDIO
	2100	71	JAMUDIO
	2400	70	G. Pope

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	70	G. Pope
	0600	71	D. Cuniford
	0900	71	D. Cuniford
	1200	72	D. Cuniford
	1500	70	JAMUDIO
	1800	70	JAMUDIO
	2100	70	JAMUDIO
	2400	70	G. Pope

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	70	G. Pope
	0600	71	D. Cuniford
	0900	72	D. Cuniford
	1200	72	D. Cuniford
	1500	72	J. Suback
	1800	72	J. Suback
	2100	72	J. Suback
	2400	70	G. Pope

Notes

Date	Time	Temp.	Name (Print)
10/6/24	0300	70	G. Pope
	0600	70	D. Cuniford
	0900	71	D. Cuniford
	1200	71	D. Cuniford
	1500	71	J. Suback
	1800	71	J. Suback
	2100	71	J. Suback
	2400	70	Chitlock

DISTRIBUTION: Original: Institution ADA Coordinator

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-8 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
<u>9/30/24</u>	0300	71	T. HARG
	0600	72	GASTELUM
	0900	72	GASTELUM
	1200	73	GASTELUM
	1500	73	GASTELUM
	1800	72	GASTELUM
	2100	72	GASTELUM
	2400	71	C. LESLEY

## Tuesday

Date	Time	Temp.	Name (Print)
<u>10/1/24</u>	0300	71	C. LESLEY
	0600	71	GASTELUM
	0900	72	GASTELUM
	1200	72	GASTELUM
	1500	72	GASTELUM
	1800	72	BROWN
	2100	71	BROWN
	2400	71	BROWN

## Wednesday

Date	Time	Temp.	Name (Print)
<u>10/2/24</u>	0300	71	J. HARG
	0600	73	Absentee
	0900	73	Absentee
	1200	73	Absentee
	1500	73	BROWN
	1800	73	BROWN
	2100	73	BROWN
	2400	72	J. HARG

## Thursday

Date	Time	Temp.	Name (Print)
<u>10/3/24</u>	0300	72	J. HARG
	0600	71	RENO
	0900	71	RENO
	1200	71	RENO
	1500	72	BROWN
	1800	72	BROWN
	2100	72	BROWN
	2400	72	H. GUTIERREZ

## Friday

Date	Time	Temp.	Name (Print)
<u>10/4/24</u>	0300	72	H. GUTIERREZ
	0600	72	E. SCOTT
	0900	72	T. SUBSAK
	1200	72	T. SUBSAK
	1500	72	T. SUBSAK
	1800	72	T. SUBSAK
	2100	72	T. SUBSAK
	2400	72	H. GUTIERREZ

## Saturday

Date	Time	Temp.	Name (Print)
<u>10/5/24</u>	0300	72	H. GUTIERREZ
	0600	72	T. SUBSAK
	0900	72	T. SUBSAK
	1200	72	T. SUBSAK
	1500	72	BROWN
	1800	72	BROWN
	2100	72	BROWN
	2400	72	E. SCOTT

## Sunday

Date	Time	Temp.	Name (Print)
<u>10/6/24</u>	0300	72	E. SCOTT
	0600	72	A. GASTELUM
	0900	73	A. GASTELUM
	1200	73	A. GASTELUM
	1500	72	C. STURGEON
	1800	70	C. STURGEON
	2100	76	C. STURGEON
	2400	72	NELSON

## Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PRSP Housing Unit: D-1

Temp. Reading Location: 2ND

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1 21	0300	74	GANDARA
	0600	72	J. Nichols
	0900	72	J. Nichols
	1200	72	J. Nichols
	1500	73	W. BLACK
	1800	71	W. BLACK
	2100	71	W. BLACK
	2400	72	Lopezard

Tuesday

Date	Time	Temp.	Name (Print)
10/1 21	0300	72	Lopezard
	0600	73	Carmena
	0900	73	Carmena
	1200	73	Carmena
	1500	75	GRUNDY, H.
	1800	75	GRUNDY, H.
	2100	72	GRUNDY, H.
	2400	70	Lopezard

Wednesday

Date	Time	Temp.	Name (Print)
10/1 24	0300	70	Lopezard
	0600	70	Lopezard
	0900	70	Lopezard
	1200	71	Lopezard
	1500	71	Contrera
	1800	71	Contrera
	2100	71	Contrera
	2400	71	V. Mather

Friday

Date	Time	Temp.	Name (Print)
10/1 24	0300	71	V. Mather
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	75	GRUNDY, H.
	1800	75	GRUNDY, H.
	2100	72	GRUNDY, H.
	2400	72	Lopezard

Sunday

Date	Time	Temp.	Name (Print)
10/1 24	0300	72	R. GEVR
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	75	GRUNDY, H.
	1800	75	GRUNDY, H.
	2100	72	GRUNDY, H.
	2400	73	Lopezard

Thursday

Date	Time	Temp.	Name (Print)
10/1 24	0300	71	V. Mather
	0600	71	D. Parks
	0900	71	D. Parks
	1200	72	D. Parks
	1500	71	(CONTREERA)
	1800	71	(CONTREERA)
	2100	71	Carroll
	2400	71	V. Mather

Date	Time	Temp.	Name (Print)
10/1 24	0300	72	Romo
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	75	GRUNDY, H.
	1800	75	GRUNDY, H.
	2100	72	GRUNDY, H.
	2400	72	REEVE

Notes

Chapman

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: 02 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/17/18	0300	72	Chen
10/17/18	0600	70	H. Stephens
10/17/18	0900	70	H. Stephens
10/17/18	1200	69	H. Stephens
10/17/18	1500	71	M. OCHOA
10/17/18	1800	72	M. OCHOA
10/17/18	2100	71	M. OCHOA
10/17/18	2400	71	I.S. -

Wednesday

Date	Time	Temp.	Name (Print)
10/19/18	0300	73	Chapman
10/19/18	0600	73	Stephens
10/19/18	0900	73	Stephens
10/19/18	1200	73	Stephens
10/19/18	1500	74	Candela
10/19/18	1800	74	Candela
10/19/18	2100	73	Candela
10/19/18	2400	73	Xiong

Friday

Date	Time	Temp.	Name (Print)
10/21/18	0300	75	SC
10/21/18	0600	73	Rodriguez
10/21/18	0900	73	Rodriguez
10/21/18	1200	73	Rodriguez
10/21/18	1500	73	SC
10/21/18	1800	73	SC
10/21/18	2100	73	SC
10/21/18	2400	73	E. Ochoa

Sunday

Date	Time	Temp.	Name (Print)
10/23/18	0300	72	Chen
10/23/18	0600	72	BARRAGAN
10/23/18	0900	72	BARRAGAN
10/23/18	1200	72	BARRAGAN
10/23/18	1500	73	SC
10/23/18	1800	73	SC
10/23/18	2100	73	SC
10/23/18	2400	72	LANDIN

Tuesday

Date	Time	Temp.	Name (Print)
10/18/18	0300	71	T. Sone
10/18/18	0600	73	J. DANE
10/18/18	0900	73	J. DANE
10/18/18	1200	66	J. DANE
10/18/18	1500	71	C. LESLEY
10/18/18	1800	71	C. LESLEY
10/18/18	2100	73	Hannan
10/18/18	2400	73	Hannan

Thursday

Date	Time	Temp.	Name (Print)
10/24/18	0300	73	Xiong
10/24/18	0600	73	Steve Jan
10/24/18	0900	73	Steve Smith
10/24/18	1200	73	Steve Smith
10/24/18	1500	73	Zefon
10/24/18	1800	73	Zefon
10/24/18	2100	73	Zefon
10/24/18	2400	73	Zefon

Saturday

Date	Time	Temp.	Name (Print)
10/20/18	0300	73	E. Ochoa
10/20/18	0600	73	E. Ochoa
10/20/18	0900	72	SC
10/20/18	1200	72	SC
10/20/18	1500	72	SC
10/20/18	1800	73	SC
10/20/18	2100	72	SC
10/20/18	2400	73	SC

Notes

Chapman

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: 03 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5855 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	72	Chun
	0600	74	B. Howe
	0900	74	B. Howe
	1200	74	B. Howe
	1500	75	J. DENICHOLS
	1800	75	J. DENICHOLS
	2100	74	J. DENICHOLS
	2400	74	F. Sanc

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	75	ISOM L
	0600	75	Streeter
	0900	75	Streeter
	1200	75	Streeter
	1500	74	Candela
	1800	74	Candela
	2100	73	Candela
	2400	73	Hannan

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	73	Hannan
	0600	72	Reynolds
	0900	73	Reynolds
	1200	73	Reynolds
	1500	73	CRONK
	1800	73	CRONK
	2100	73	CRONK
	2400	73	Xlong

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	73	Xlong
	0600	71	Reynolds
	0900	71	Reynolds
	1200	71	Reynolds
	1500	74	BLAKESLEE
	1800	74	BLAKESLEE
	2100	72	BLAKESLEE
	2400	72	Joe C

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	73	Isaac
	0600	73	Streeter
	0900	73	Streeter
	1200	73	Streeter
	1500	74	E-tor
	1800	73	E-tor
	2100	73	E-tor
	2400	73	E-Otter

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	73	LOCHON
	0600	73	B. Howe
	0900	73	B. Howe
	1200	73	B. Howe
	1500	73	E-tor
	1800	73	E-tor
	2100	73	E-tor
	2400	73	LADIN

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	72	Chun
	0600	72	B. Howe
	0900	72	B. Howe
	1200	72	B. Howe
	1500	72	OTREMBA
	1800	73	OTREMBA
	2100	72	OTREMBA
	2400	72	LANDIN

Notes

Chapman

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBHQ Housing Unit: D-4 Temp. Reading Location: 2ND  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5505 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>10/1</u>	0300	74	GANDARA
	0600	74	Stephens
	0900	75	Stephens
	1200	75	Stephens
	1500	75	MAGNUSEN
	1800	75	MAGNUSEN
	2100	73	MAGNUSEN
	2400	75	Logsdon

Wednesday

Date	Time	Temp.	Name (Print)
<u>10/01</u>	0300	74	Logsdon
	0600	73	CARSEN
	0900	74	CARSEN
	1200	75	CARSEN
	1500	74	HANSFORD
	1800	74	HANSFORD
	2100	74	HANSFORD
	2400	75	V. Miller

Friday

Date	Time	Temp.	Name (Print)
<u>10/11</u>	0300	72	V. Miller
	0600	72	CARSEN
	0900	73	CARSEN
	1200	74	CARSEN
	1500	74	HANSFORD
	1800	74	HANSFORD
	2100	73	HANSFORD
	2400	73	REGGE

Sunday

Date	Time	Temp.	Name (Print)
<u>10/13</u>	0300	73	REGGE
	0600	73	CARSEN
	0900	73	CARSEN
	1200	74	CARSEN
	1500	73	Candela
	1800	73	Candela
	2100	72	Candela
	2400	72	Logsdon

Tuesday

Date	Time	Temp.	Name (Print)
<u>10/8</u>	0300	75	Logsdon
	0600	68A	Stephens
	0900	68A	Stephens
	1200	70A	Stephens
	1500	74	MAGNUSEN
	1800	74	MAGNUSEN
	2100	72	MAGNUSEN
	2400	71	Logsdon

Thursday

Date	Time	Temp.	Name (Print)
<u>10/10</u>	0300	75	V. Miller
	0600	72	CARSEN
	0900	73	CARSEN
	1200	74	CARSEN
	1500	73	HANSFORD
	1800	73	HANSFORD
	2100	72	HANSFORD
	2400	72	V. Miller

Saturday

Date	Time	Temp.	Name (Print)
<u>10/12</u>	0300	72	REGGE
	0600	73	CARSEN
	0900	74	CARSEN
	1200	74	CARSEN
	1500	74	Hughes
	1800	74	Hughes
	2100	73	Hughes
	2400	73	REGGE

Notes

Chapman

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NBSP Housing Unit: 05 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/17/24	0300	74	Charm
	0600	74	Carras
	0900	75	Carras
	1200	75	Carras
	1500	75	BADBS
	1800	74	CABES
	2100	74	CABES
	2400	74	ISARRAGAN

Tuesday

Date	Time	Temp.	Name (Print)
10/18/24	0300	74	BOPRAGAN
	0600	74	SPAVENSON
	0900	74	SPAVENSON
	1200	74	SPAVENSON
	1500	73	LEVBOUE
	1800	73	LEVBOUE
	2100	73	LEVBOUE
	2400	72	D.Parks

Wednesday

Date	Time	Temp.	Name (Print)
10/19/24	0300	72	D.Parks
	0600	72	IS.SHEED
	0900	72	IS.SHEED
	1200	74	K.SHEED
	1500	74	Carmona
	1800	74	Carmona
	2100	74	Carmona
	2400	72	D.Parks

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70	D.Parks
	0600	70	IS.SHEED
	0900	72	K.SHEED
	1200	73	K.SHEED
	1500	73	WAGNER
	1800	73	WAGNER
	2100	73	WAGNER
	2400	71	D.Parks

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	71	D.Parks
	0600	71	IS.SHEED
	0900	73	IS.SHEED
	1200	73	IS.SHEED
	1500	73	WAGNER
	1800	73	WAGNER
	2100	72	WAGNER
	2400	72	D.Parks

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	72	D.Parks
	0600	73	IS.SHEED
	0900	74	D.Parks
	1200	74	D.Parks
	1500	75	WAGNER
	1800	75	WAGNER
	2100	73	WAGNER
	2400	73	D.Parks

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	72	D.Parks
	0600	72	CJoods
	0900	73	CJoods
	1200	74	CJoods
	1500	74	NWHTS
	1800	74	NWHTS
	2100	74	NWHTS
	2400	74	Charm

Notes

Charm

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-6 Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension SSSS when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/17/2014	0300	73	BARRAGAN
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	74	WAGNER
	2400	76	C. GIL

  

Tuesday			
Date	Time	Temp.	Name (Print)
10/18/2014	0300	70	C. GIL
	0600	75	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	O. MELTON
	1800	75	O. MELTON
	2100	70	O. MELTON
	2400	75	SABIR

  

Wednesday			
Date	Time	Temp.	Name (Print)
10-09-2014	0300	75	SABIR
	0600	75	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	Mugley
	1800	75	Mugley
	2100	75	Mugley
	2400	75	SABIR

  

Thursday			
Date	Time	Temp.	Name (Print)
10-10-2014	0300	75	SABIR
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	Mugley
	1800	75	Mugley
	2100	75	Mugley
	2400	75	SABIR

  

Friday			
Date	Time	Temp.	Name (Print)
10-11-2014	0300	75	SABIR
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	BAUTISTA
	1800	75	BAUTISTA
	2100	74	BAUTISTA
	2400	75	SABIR

  

Saturday			
Date	Time	Temp.	Name (Print)
10-12-2014	0300	75	SABIR
	0600	75	BR02
	0900	75	BR02
	1200	75	BR02
	1500	75	R. BAUTISTA
	1800	75	R. BAUTISTA
	2100	75	R. BAUTISTA
	2400	75	BR02

  

Sunday			
Date	Time	Temp.	Name (Print)
10-13-2014	0300	75	BARRAGAN
	0600	75	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	74	WAGNER
	2400	74	BARRAGAN

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Notes

Chapman

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 7 Temp. Reading Location: TIER 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/17/24	0300	74	Abernathy
	0600	74	Sauceda
	0900	78	Sauceda
	1200	82	Sauceda
	1500	83	CARNEY
	1800	80	CARNEY
	2100	80	CARNEY
	2400	75	Abernathy

Tuesday

Date	Time	Temp.	Name (Print)
10/18/24	0300	75	Abernathy
	0600	75	Anarud
	0900	76	Anarud
	1200	77	Anarud
	1500	76	WAGNER
	1800	76	WAGNER
	2100	75	WAGNER
	2400	75	Abernathy

Wednesday

Date	Time	Temp.	Name (Print)
10/19/24	0300	75	Abernathy
	0600	74	Anarud
	0900	75	Anarud
	1200	77	Anarud
	1500	77	V. McMillen
	1800	77	V. McMillen
	2100	77	V. McMillen
	2400	75	Abernathy

Thursday

Date	Time	Temp.	Name (Print)
10/20/24	0300	75	Abernathy
	0600	75	Anarud
	0900	76	Anarud
	1200	78	Anarud
	1500	77	V. McMillen
	1800	77	V. McMillen
	2100	77	V. McMillen
	2400	77	Barnard

Friday

Date	Time	Temp.	Name (Print)
10/21/24	0300	77	Barnard
	0600	75	Anarud
	0900	76	Anarud
	1200	78	Anarud
	1500	72	RENOLD
	1800	72	RENOLD
	2100	73	RENOLD
	2400	74	Barnard

Saturday

Date	Time	Temp.	Name (Print)
10/24/24	0300	74	Barnard
	0600	74	Anarud
	0900	75	Anarud
	1200	76	Anarud
	1500	74	Cahn
	1800	74	Cahn
	2100	74	Cahn
	2400	74	Abernathy

Sunday

Date	Time	Temp.	Name (Print)
10/25/24	0300	72	Abernathy
	0600	72	Eaacs
	0900	73	Ledes
	1200	73	Ledes
	1500	71	Cahn
	1800	71	Cahn
	2100	74	Cahn
	2400	74	Abernathy

Notes

Chapman

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: TIER 1  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
10/17/24	0300	73	Abernathy
0600	73	J.DANE	
0900	74	J.DANE	
1200	74	J.DANE	
1500	74	J.Hernandez	
1800	73	J.Hernandez	
2100	73	J.Hernandez	
2400	73	Abernathy	

## Wednesday

Date	Time	Temp.	Name (Print)
10/19/24	0300	72	Abernathy
0600	73	Bergnerst	
0900	74	Bergnerst	
1200	74	Bergnerst	
1500	74	C.Hamilton	
1800	73	C.Hamilton	
2100	72	C.Hamilton	
2400	72	Abernathy	

## Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	72	BARRAGAN
0600	72	CAGE	
0900	72	CAGE	
1200	73	CAGE	
1500	73	C.Hamilton	
1800	71	C.Hamilton	
2100	71	C.Hamilton	
2400	71	BARRAGAN	

## Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	Abernathy
0600	71	CAGE	
0900	71	CAGE	
1200	71	CAGE	
1500	74	C.Hamilton	
1800	74	C.Hamilton	
2100	73	C.Hamilton	
2400	72	Abernathy	

## Tuesday

Date	Time	Temp.	Name (Print)
10/18/24	0300	73	Abernathy
0600	72	Skipper	
0900	73	Skipper	
1200	73	Skipper	
1500	73	Hernandez	
1800	73	Hernandez	
2100	72	Hernandez	
2400	72	Abernathy	

## Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	Abernathy
0600	71	J.DANE	
0900	70	J.DANE	
1200	72	J.DANE	
1500	72	C.Hamilton	
1800	72	C.Hamilton	
2100	72	C.Hamilton	
2400	72	BARRAGAN	

## Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	71	BARRAGAN
0600	71	Nesbit	
0900	70	Nesbit	
1200	71	Nesbit	
1500	70	—S—	
1800	70	—S—	
2100	70	—S—	
2400	70	Abernathy	

## Notes

Chapman

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/11	0300	75	13982600
11/12	0600	75	Hawkins
12/13	0900	76	Hawkins
13/14	1200	76	Hawkins
14/15	1500	78	B. L. F.
15/16	1800	75	B. L. F.
16/17	2100	75	B. L. F.
17/18	2400	76	C. GIL

**Wednesday**

Date	Time	Temp.	Name (Print)
10/09	0300	75	Sabir
10/09	0600	75	BROZ
10/09	0900	75	BROZ
10/09	1200	75	BROZ
10/09	1500	76	B. L. F.
10/09	1800	75	B. L. F.
10/09	2100	75	B. L. F.
10/09	2400	75	Sabir

**Friday**

Date	Time	Temp.	Name (Print)
10/11	0300	75	Sabir
10/11	0600	72	IVB
10/11	0900	73	B. L. F.
10/11	1200	74	B. L. F.
10/11	1500	75	C. R. Ralston
10/11	1800	74	R. Ralston
10/11	2100	74	R. Ralston
10/11	2400	75	Sabir

**Sunday**

Date	Time	Temp.	Name (Print)
10/13	0300	75	13982600
10/13	0600	75	P. Barnes
10/13	0900	75	P. Barnes
10/13	1200	76	P. Barnes
10/13	1500	76	B. L. F.
10/13	1800	76	B. L. F.
10/13	2100	75	B. L. F.
10/13	2400	75	B. L. F.

**Tuesday**

Date	Time	Temp.	Name (Print)
10/08	0300	76	C. GIL
10/08	0600	74	LEVERONE
10/08	0900	74	LEVERONE
10/08	1200	73	LEVERONE
10/08	1500	74	B. L. F.
10/08	1800	74	B. L. F.
10/08	2100	74	B. L. F.
10/08	2400	75	Sabir

**Thursday**

Date	Time	Temp.	Name (Print)
10/24	0300	75	Sabir
10/24	0600	75	BROZ
10/24	0900	75	BROZ
10/24	1200	75	BROZ
10/24	1500	73	B. Howe
10/24	1800	73	B. Howe
10/24	2100	73	B. Howe
10/24	2400	75	Sabir

**Saturday**

Date	Time	Temp.	Name (Print)
10/12	0300	75	Sabir
10/12	0600	75	P. Barnes
10/12	0900	75	P. Barnes
10/12	1200	76	P. Barnes
10/12	1500	76	B. L. F.
10/12	1800	75	B. L. F.
10/12	2100	75	B. L. F.
10/12	2400	75	B. L. F.

**Notes**

Chapman

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: D10

Temp. Reading Location: Zapt 2a  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1/24	0300	72	<i>COAH</i>
	0600	75	<i>Mitchell</i>
	0900	76	<i>Mitchell</i>
	1200	76	<i>Mitchell</i>
	1500	76	<i>BROZ</i>
	1800	75	<i>BROZ</i>
	2100	75	<i>BROZ</i>
	2400	75	<i>BARRAGAN</i>

Wednesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	73	<i>D.Parks</i>
	0600	75	<i>Mitchell</i>
	0900	75	<i>Mitchell</i>
	1200	75	<i>Mitchell</i>
	1500	75	<i>BROZ</i>
	1800	75	<i>BROZ</i>
	2100	75	<i>BROZ</i>
	2400	73	<i>D.Parks</i>

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	72	<i>D.Parks</i>
	0600	74	<i>MITCHELL</i>
	0900	74	<i>MITCHELL</i>
	1200	74	<i>MITCHELL</i>
	1500	73	<i>T. WHITESIDE</i>
	1800	73	<i>T. WHITESIDE</i>
	2100	72	<i>T. WHITESIDE</i>
	2400	72	<i>D.Parks</i>

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	72	<i>D.Parks</i>
	0600	72	<i>Rodriguez</i>
	0900	73	<i>Rodriguez</i>
	1200	73	<i>Rodriguez</i>
	1500	73	<i>IVES</i>
	1800	72	<i>IVES</i>
	2100	72	<i>IVES</i>
	2400	72	<i>GAIN</i>

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	75	<i>BARRAGAN</i>
	0600	75	<i>Mitchell</i>
	0900	75	<i>Mitchell</i>
	1200	75	<i>Mitchell</i>
	1500	75	<i>BROZ</i>
	1800	75	<i>BROZ</i>
	2100	75	<i>BROZ</i>
	2400	73	<i>D.Parks</i>

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	71	<i>D.Parks</i>
	0600	74	<i>Mitchell</i>
	0900	74	<i>Mitchell</i>
	1200	75	<i>Mitchell</i>
	1500	75	<i>BROZ</i>
	1800	75	<i>BROZ</i>
	2100	75	<i>BROZ</i>
	2400	73	<i>D.Parks</i>

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	71	<i>D.Parks</i>
	0600	73	<i>K. VALENZUELA</i>
	0900	74	<i>K. VALENZUELA</i>
	1200	73	<i>T. WHITESIDE</i>
	1500	73	<i>T. WHITESIDE</i>
	1800	73	<i>T. WHITESIDE</i>
	2100	73	<i>T. WHITESIDE</i>
	2400	72	<i>D.Parks</i>

Notes

*Chapman*

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSF Housing Unit: D-1

Temp. Reading Location: 2nd

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	71	Jogelot
	0600	71	NWHITE
	0900	72	NWHITE
	1200	72	NWHITE
	1500	72	W BLACK
	1800	71	W BLACK
	2100	71	W BLACK
	2400	70	Jogelot

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	72	Jogelot
	0600	72	Williams
	0900	72	Williams
	1200	72	Williams
	1500	74	Rodríguez
	1800	74	Rodríguez
	2100	73	Rodríguez
	2400	73	V. McNaugh

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	71	V. McNaugh
	0600	71	W BLACK
	0900	71	W BLACK
	1200	72	W BLACK
	1500	75	GRUNDY, H.
	1800	75	GRUNDY, H.
	2100	71	GRUNDY, H.
	2400	70	Jogelot

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	71	ESPARZA
	0600	70	SCHLOEPP, D.
	0900	70	SCHLOEPP, D.
	1200	70	SCHLOEPP, D.
	1500	74	GRUNDY, H.
	1800	74	GRUNDY, H.
	2100	71	GRUNDY, H.
	2400	68	Jogelot

Tuesday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	Jogelot
	0600	70	J. Nichols
	0900	70	J. Nichols
	1200	72	J. Nichols
	1500	75	GRUNDY, H.
	1800	75	GRUNDY, H.
	2100	72	GRUNDY, H.
	2400	75	Jogelot

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	73	V. McNaugh
	0600	72	C. MORA
	0900	72	C. MORA
	1200	72	C. MORA
	1500	72	(CONTRERA)
	1800	72	(CONTRERA)
	2100	71	(CONTRERA)
	2400	71	V. McNaugh

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	Jogelot
	0600	70	P. CHAMA
	0900	71	P. CHAMA
	1200	72	P. CHAMA
	1500	75	GRUNDY, H.
	1800	74	GRUNDY, H.
	2100	71	GRUNDY, H.
	2400	71	ESPARZA

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: D2

Temp. Reading Location: 2nd TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/14/24

Date	Time	Temp.	Name (Print)
10/14/24	0300	72	LANDIN
	0600	72	BROZ
	0900	72	BROZ
	1200	72	BROZ
	1500	73	M. OCHOA
	1800	72	M. OCHOA
	2100	72	M. OCHOA
	2400	72	SERVIN

Wednesday 10/16/24

Date	Time	Temp.	Name (Print)
10/16/24	0300	73	SERVIN
	0600	73	Streeter
	0900	73	Streeter
	1200	72	Streeter
	1500	73	Candela
	1800	72	Candela
	2100	72	Candela
	2400	72	Carmena

Friday 10/18/24

Date	Time	Temp.	Name (Print)
10/18/24	0300	73	Carmena
	0600	70	Rodriguez
	0900	71	Rodriguez
	1200	71	Rodriguez
	1500	71	Zelie
	1800	71	Zelie
	2100	71	Zelie
	2400	71	Zelie

Sunday 10/20/24

Date	Time	Temp.	Name (Print)
10/20/24	0300	72	GARIN
	0600	72	C. Bellinger
	0900	72	C. Bellinger
	1200	72	C. Bellinger
	1500	73	M. OCHOA
	1800	72	M. OCHOA
	2100	72	M. OCHOA
	2400	70	A. Arias

Tuesday 10/15/24

Date	Time	Temp.	Name (Print)
10/15/24	0300	72	SERVIN
	0600	72	Stevenson
	0900	73	Stevenson
	1200	73	Stevenson
	1500	72	C. LESLEY
	1800	72	C. LESLEY
	2100	72	C. LESLEY
	2400	72	SERVIN

Thursday 10/17/24

Date	Time	Temp.	Name (Print)
10/17/24	0300	72	Carmena
	0600	72	M. Loizelle
	0900	73	M. Loizelle
	1200	73	M. Loizelle
	1500	73	Zelie
	1800	73	Zelie
	2100	73	Zelie
	2400	73	Carmena

Saturday 10/19/24

Date	Time	Temp.	Name (Print)
10/19/24	0300	72	<del>STEVENS</del>
	0600	72	<del>STEVENS</del>
	0900	72	Candela
	1200	73	Candela
	1500	73	Zelie
	1800	73	Zelie
	2100	72	Zelie
	2400	72	Carmena

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D3 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5655 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/15/18	0300	72	LANDIN
	0600	71	B. Howe
	0900	71	B. Howe
	1200	71	B. Howe
	1500	73	Candela
	1800	73	Candela
	2100	72	Candela
	2400	72	SERVIN

Tuesday

Date	Time	Temp.	Name (Print)
10/15/18	0300	70	SERVIN
	0600	71	Shreever
	0900	72	Shreever
	1200	72	Shreever
	1500	72	Candela
	1800	72	Candela
	2100	71	Candela
	2400	72	SERVIN

Wednesday

Date	Time	Temp.	Name (Print)
10/16/18	0300	72	SERVIN
	0600	71	Rodriguez
	0900	71	Rodriguez
	1200	71	Rodriguez
	1500	72	Gibbons
	1800	72	Gibbons
	2100	71	Gibbons
	2400	71	Carmona

Thursday

Date	Time	Temp.	Name (Print)
10/17/18	0300	71	Carmona
	0600	71	Rodriguez
	0900	71	Rodriguez
	1200	71	Rodriguez
	1500	72	Gibbons
	1800	71	Gibbons
	2100	71	Gibbons
	2400	71	Carmona

Friday

Date	Time	Temp.	Name (Print)
10/18/18	0300	71	Carmona
	0600	71	Shreever
	0900	71	Shreever
	1200	71	Shreever
	1500	71	Gibbons
	1800	71	Gibbons
	2100	71	Gibbons
	2400	71	Carmona

Saturday

Date	Time	Temp.	Name (Print)
10/19/18	0300	71	HARRIS
	0600	71	B. Howe
	0900	71	B. Howe
	1200	71	B. Howe
	1500	71	Gibbons
	1800	71	Gibbons
	2100	71	Gibbons
	2400	70	Carmona

Notes

Date	Time	Temp.	Name (Print)
10/20/18	0300	72	Carmona
	0600	71	B. Howe
	0900	71	B. Howe
	1200	71	B. Howe
	1500	71	B. Carmona
	1800	71	B. Carmona
	2100	71	B. Carmona
	2400	70	A. Sries

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 17 - e1 Temp. Reading Location: THE 2ND  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 16616 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/14

Date	Time	Temp.	Name (Print)
<u>10/14/14</u>	0300	72	Loydell
	0600	72	Stephens
	0900	71	Stephens
	1200	72	Stephens
	1500	71	HANSFORD
	1800	71	HANSFORD
	2100	71	HANSFORD
	2400	72	Loydell

Wednesday 10/16

Date	Time	Temp.	Name (Print)
<u>10/16/14</u>	0300	72	Loydell
	0600	72	CARSEN
	0900	73	CARSEN
	1200	74	CARSEN
	1500	73	OFFMAN
	1800	72	OFFMAN
	2100	72	OFFMAN
	2400	72	V. McAllister

Friday 10/18

Date	Time	Temp.	Name (Print)
<u>10/18/14</u>	0300	72	V. McAllister
	0600	72	CARSEN
	0900	73	CARSEN
	1200	73	CARSEN
	1500	74	MAGISON
	1800	74	MAGISON
	2100	72	MAGISON
	2400	72	Loydell

Sunday 10/20

Date	Time	Temp.	Name (Print)
<u>10/20/14</u>	0300	72	ESPARZA
	0600	72	CARSEN
	0900	73	CARSEN
	1200	72	CARSEN
	1500	73	HUGHES
	1800	73	HUGHES
	2100	72	HUGHES
	2400	72	Loydell

Tuesday 10/15

Date	Time	Temp.	Name (Print)
<u>10/15/14</u>	0300	72	Loydell
	0600	72	Stephens
	0900	72	Stephens
	1200	73	Stephens
	1500	72	HANSFORD
	1800	72	HANSFORD
	2100	70	HANSFORD
	2400	72	Loydell

Thursday 10/17

Date	Time	Temp.	Name (Print)
<u>10/17/14</u>	0300	72	V. McAllister
	0600	72	CARSEN
	0900	72	CARSEN
	1200	74	CARSEN
	1500	74	MAGISON
	1800	74	MAGISON
	2100	72	MAGISON
	2400	72	V. McAllister

Saturday 10/19

Date	Time	Temp.	Name (Print)
<u>10/19/14</u>	0300	72	Loydell
	0600	72	CARSEN
	0900	72	CARSEN
	1200	72	CARSEN
	1500	73	HUGHES
	1800	73	HUGHES
	2100	72	HUGHES
	2400	72	ESPARZA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MSP Housing Unit: 05 Temp. Reading Location: 21D  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	72	CERROS
	0600	72	CERROS
	0900	73	CERROS
	1200	73	CERROS
	1500	74	RICKS
	1800	72	RICKS
	2100	70	RICKS
	2400	70	MARSHALL

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70	BALIVAR
	0600	70	CERROS
	0900	71	CERROS
	1200	71	CERROS
	1500	73	RICKS
	1800	70	RICKS
	2100	70	RICKS
	2400	70	D.Parks

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	D.Parks
	0600	70	L.McAlexander
	0900	70	L.McAlexander
	1200	70	L.McAlexander
	1500	71	RICKS
	1800	70	RICKS
	2100	70	RICKS
	2400	70	D.Parks

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	D.Parks
	0600	71	COLLEGAS
	0900	71	COLLEGAS
	1200	71	COLLEGAS
	1500	72	RICKS
	1800	70	RICKS
	2100	70	RICKS
	2400	70	D.Parks

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	D.Parks
	0600	70	STEVENS
	0900	71	STEVENS
	1200	72	STEVENS
	1500	72	WAGNER
	1800	71	WAGNER
	2100	70	WAGNER
	2400	70	D.Parks

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	D.Parks
	0600	70	JEBUCHMAN
	0900	70	JEBUCHMAN
	1200	71	JEBUCHMAN
	1500	72	WAGNER
	1800	73	WAGNER
	2100	71	WAGNER
	2400	70	D.Parks

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	D.Parks
	0600	70	FONTELOT
	0900	70	FONTELOT
	1200	70	FONTELOT
	1500	71	RICKS
	1800	70	RICKS
	2100	68	RICKS
	2400	71	CHAM

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-6 Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/19/24	0300	76	BARNABAN
	0600	75	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	74	WAGNER
	2400	75	SABIR

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	75	SABIR
	0600	75	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	74	WAGNER
	2400	74	CITHORPE

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	74	CITHORPE
	0600	75	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	Bogley
	1800	75	Bogley
	2100	75	129/24
	2400	75	SABIR

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	75	SABIR
	0600	75	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	Bogley
	1800	75	Bogley
	2100	75	Bogley
	2400	74	SABIR

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	74	SABIR
	0600	75	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	R. STEVENSON
	1800	74	R. STEVENSON
	2100	73	R. STEVENSON
	2400	75	SABIR

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	75	SABIR
	0600	74	SABIR
	0900	75	SABIR
	1200	75	SABIR
	1500	74	R. BAUTISTA
	1800	75	R. BAUTISTA
	2100	75	R. BAUTISTA
	2400	75	R. BAUTISTA

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	75	BARNABAN
	0600	75	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	73	WAGNER
	2400	73	BARNABAN

Notes


STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: TIER 2  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/14/24	0300	72	Abernathy
	0600	74	Vadnais
	0900	76	Vadnais
	1200	76	Vadnais
	1500	76	Dashard
	1800	76	Dashard
	2100	76	Dashard
	2400	75	Abernathy

**Wednesday**

Date	Time	Temp.	Name (Print)
10/16/24	0300	74	Abernathy
	0600	74	Anarud
	0900	75	Anarud
	1200	77	Anarud
	1500	77	V.McAllister
	1800	77	V.McAllister
	2100	77	V.McAllister
	2400	75	Abernathy

**Friday**

Date	Time	Temp.	Name (Print)
10/18/24	0300	74	Barragan
	0600	74	Anarud
	0900	75	Anarud
	1200	76	Anarud
	1500	74	Cowan
	1800	74	Cowan
	2100	74	Cowan
	2400	74	BARRAGAN

**Sunday**

Date	Time	Temp.	Name (Print)
10/20/24	0300	72	Abernathy
	0600	73	Anarud
	0900	74	Anarud
	1200	75	Anarud
	1500	74	Cowan
	1800	74	Cowan
	2100	74	Cowan
	2400	73	Abernathy

**Tuesday**

Date	Time	Temp.	Name (Print)
10/15/24	0300	75	Abernathy
	0600	75	Anarud
	0900	76	Anarud
	1200	77	Anarud
	1500	76	M.Ceballos
	1800	74	M.Ceballos
	2100	71	M.Ceballos
	2400	74	Abernathy

**Thursday**

Date	Time	Temp.	Name (Print)
10/17/24	0300	75	Abernathy
	0600	75	Anarud
	0900	76	Anarud
	1200	77	Anarud
	1500	72	V.McAllister
	1800	72	V.McAllister
	2100	72	V.McAllister
	2400	72	Barragan

**Saturday**

Date	Time	Temp.	Name (Print)
10/19/24	0300	74	BARRAGAN
	0600	70	Anarud
	0900	73	Anarud
	1200	75	Anarud
	1500	74	Cowan
	1800	74	Cowan
	2100	72	Cowan
	2400	72	Abernathy

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: TIER 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/14/18	0300	71	Abernathy
	0600	71	S. DANG
	0900	71	S. DANG
	1200	71	S. DANG
	1500	71	Thomas
	1800	71	Thomas
	2100	71	Thomas
	2400	71	Abernathy

**Wednesday**

Date	Time	Temp.	Name (Print)
10/16/18	0300	74	Abernathy
	0600	74	Stephen
	0900	74	Stephen
	1200	75	Stephen
	1500	74	C. Hamilton
	1800	73	C. Hamilton
	2100	72	C. Hamilton
	2400	72	Abernathy

**Friday**

Date	Time	Temp.	Name (Print)
10/19/18	0300	71	BARRAGAN
	0600	71	CAGN
	0900	72	CAGN
	1200	72	CAGN
	1500	72	C. Hamilton
	1800	71	C. Hamilton
	2100	71	C. Hamilton
	2400	71	BARRAGAN

**Sunday**

Date	Time	Temp.	Name (Print)
10/20/18	0300	71	Abernathy
	0600	71	CAGN
	0900	71	CAGN
	1200	71	CAGN
	1500	72	N. WATSON
	1800	73	N. WATSON
	2100	73	N. WATSON
	2400	72	Abernathy

**Tuesday**

Date	Time	Temp.	Name (Print)
10/24/18	0300	71	Abernathy
	0600	72	Vadnais
	0900	74	Vadnais
	1200	75	Vadnais
	1500	74	Thomas
	1800	74	Thomas
	2100	74	Thomas
	2400	74	Abernathy

**Thursday**

Date	Time	Temp.	Name (Print)
10/24/18	0300	71	Abernathy
	0600	72	CGOL
	0900	72	CGOL
	1200	72	CGOL
	1500	72	C. Hamilton
	1800	71	C. Hamilton
	2100	71	C. Hamilton
	2400	71	BARRAGAN

**Saturday**

Date	Time	Temp.	Name (Print)
10/24/18	0300	71	BARRAGAN
	0600	72	Loyd
	0900	72	Loyd
	1200	72	Loyd
	1500	72	Williams
	1800	72	Williams
	2100	71	Williams
	2400	71	Abernathy

**Notes**


---



---



---



---



---



---



---



---

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/14/24	0300	75	Barnes
	0600	75	P. Barnes
	0900	75	P. Barnes
	1200	76	P. Barnes
	1500	76	Barnes
	1800	76	Barnes
	2100	75	Barnes
	2400	75	Sabir

**Tuesday**

Date	Time	Temp.	Name (Print)
10/14/24	0300	75	Sabir
	0600	75	Barnes
	0900	75	Barnes
	1200	76	Barnes
	1500	76	Barnes
	1800	76	Barnes
	2100	75	Barnes
	2400	75	C. THORPE

**Wednesday**

Date	Time	Temp.	Name (Print)
10/16/24	0300	76	C. THORPE
	0600	75	Barnes
	0900	75	Barnes
	1200	75	Barnes
	1500	76	Barnes
	1800	75	Barnes
	2100	75	Barnes
	2400	75	Sabir

**Thursday**

Date	Time	Temp.	Name (Print)
10-17-24	0300	75	Sabir
	0600	75	Barnes
	0900	75	Barnes
	1200	75	Barnes
	1500	75	Dakota
	1800	75	Dakota
	2100	75	Dakota
	2400	73	Sabir

**Friday**

Date	Time	Temp.	Name (Print)
10-18-24	0300	73	Sabir
	0600	72	IVB
	0900	73	IVB
	1200	74	IVB
	1500	74	Dakota
	1800	74	Dakota
	2100	73	Dakota
	2400	75	Sabir

**Saturday**

Date	Time	Temp.	Name (Print)
10-19-24	0300	75	Sabir
	0600	73	P. Barnes
	0900	74	P. Barnes
	1200	75	P. Barnes
	1500	75	P. Barnes
	1800	74	P. Barnes
	2100	73	P. Barnes
	2400	73	Barnes

**Sunday**

Date	Time	Temp.	Name (Print)
10/20/24	0300	73	Barnes
	0600	74	P. Barnes
	0900	74	P. Barnes
	1200	75	P. Barnes
	1500	75	P. Barnes
	1800	74	P. Barnes
	2100	73	P. Barnes
	2400	73	Barnes

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DBSP Housing Unit: 110 Temp. Reading Location: 240  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	72	Gammie
10/14/24	0600	72	Mitchell
10/14/24	0900	73	Mitchell
10/14/24	1200	74	Mitchell
10/14/24	1500	74	BR02
10/14/24	1800	74	BR02
10/14/24	2100	74	BR02
10/14/24	2400	74	BR02

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	74	BAMMIE
10/15/24	0600	72	Mitchell
10/15/24	0900	73	Mitchell
10/15/24	1200	74	Mitchell
10/15/24	1500	74	BR02
10/15/24	1800	74	BR02
10/15/24	2100	74	BR02
10/15/24	2400	73	D.Parks

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	72	D.Parks
10/16/24	0600	72	Mitchell
10/16/24	0900	73	Mitchell
10/16/24	1200	73	Mitchell
10/16/24	1500	73	BR02
10/16/24	1800	73	BR02
10/16/24	2100	73	BR02
10/16/24	2400	73	D.Parks

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	72	D.Parks
10/17/24	0600	72	Mitchell
10/17/24	0900	72	Mitchell
10/17/24	1200	72	BR02
10/17/24	1500	72	BR02
10/17/24	1800	72	BR02
10/17/24	2100	72	BR02
10/17/24	2400	72	D.Parks

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	D.Parks
10/18/24	0600	71	Mitchell
10/18/24	0900	72	Mitchell
10/18/24	1200	74	Mitchell
10/18/24	1500	73	Wilson
10/18/24	1800	73	Wilson
10/18/24	2100	74	Wilson
10/18/24	2400	72	D.Parks

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	D.Parks
10/19/24	0600	73	Rodriguez
10/19/24	0900	73	Rodriguez
10/19/24	1200	73	Rodriguez
10/19/24	1500	73	Rodriguez
10/19/24	1800	72	Gonzalez
10/19/24	2100	70	Gonzalez
10/19/24	2400	70	D.Parks

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	D.Parks
10/20/24	0600	70	Rodriguez
10/20/24	0900	70	Rodriguez
10/20/24	1200	70	Rodriguez
10/20/24	1500	71	WES
10/20/24	1800	72	WES
10/20/24	2100	72	WES
10/20/24	2400	72	Gammie

Notes

---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D1

Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10-21-14	0300	70	logebail
	0600	70	J. Nicolas
	0900	68	J. Nicolas
	1200	70	J. Nicolas
	1500	70	D. DellaCruz
	1800	70	D. DellaCruz
	2100	70	D. DellaCruz
	2400	70	logebail

**Wednesday**

Date	Time	Temp.	Name (Print)
10-23-14	0300	70	logebail
	0600	70	C. LEVEQUE
	0900	70	C. LEVEQUE
	1200	70	C. LEVEQUE
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	V. McAllister

**Friday**

Date	Time	Temp.	Name (Print)
10/25	0300	70	V. McAllister
	0600	71	logebail
	0900	70	H.S.
	1200	70	H.S.
	1500	70	M. King
	1800	70	M. King
	2100	70	logebail
	2400	70	logebail

**Sunday**

Date	Time	Temp.	Name (Print)
10/27	0300	70	logebail
	0600	70	H.S.
	0900	70	H.S.
	1200	70	H.S.
	1500	70	SSS
	1800	70	SSS
	2100	70	SSS
	2400	70	logebail

**Tuesday**

Date	Time	Temp.	Name (Print)
10-22-14	0300	70	logebail
	0600	68	J. Nicolas
	0900	70	J. Nicolas
	1200	70	J. Nicolas
	1500	70	M. Ceballos
	1800	70	M. Ceballos
	2100	68	M. Ceballos
	2400	70	logebail

**Thursday**

Date	Time	Temp.	Name (Print)
10/24	0300	70	V. McAllister
	0600	70	H.S.
	0900	70	H.S.
	1200	70	H.S.
	1500	70	Control
	1800	70	Control
	2100	70	Cont
	2400	70	V. McAllister

**Saturday**

Date	Time	Temp.	Name (Print)
10/26	0300	69	V. marr
	0600	69	H.S.
	0900	70	H.S.
	1200	70	H.S.
	1500	72	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	logebail

**Notes**

Chapman

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 12 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	A. Arias
	0600	70	NELSON
	0900	70	NELSON
	1200	70	NELSON
	1500	71	M.OCHOA
	1800	70	M.OCHOA
	2100	68	M.OCHOA
	2400	70	SERVIN

Date	Time	Temp.	Name (Print)
10/23/24	0300	68	SERVIN
	0600	70	RAFFERTY
	0900	70	Bremer
	1200	70	Bremer
	1500	71	Candela
	1800	71	Candela
	2100	71	Candela
	2400	71	Carrasco

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	E. Mora
	0600	70	E. Mora
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	70	Rodriguez
	1800	70	Zepeda
	2100	70	Zepeda
	2400	70	V. McHenry

Date	Time	Temp.	Name (Print)
10/27/24	0300	71	Carrasco
	0600	73	Rios
	0900	73	Rios
	1200	73	Rios
	1500	70	M.OCHOA
	1800	71	M.OCHOA
	2100	70	M.OCHOA
	2400	70	SERVIN

Date	Time	Temp.	Name (Print)
10/22/24	0300	70	SERVIN
	0600	71	Vadnais
	0900	72	Vadnais
	1200	74	Vadnais
	1500	73	C. Lesley
	1800	72	C. Lesley
	2100	72	C. Lesley
	2400	70	SERVIN

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	Carmena
	0600	68	M. Loiselle
	0900	70	Bremer
	1200	70	Bremer
	1500	70	Zepeda
	1800	71	Zepeda
	2100	70	Zepeda
	2400	70	E. Ochoa

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	V. McHenry
	0600	71	Candela
	0900	71	Candela
	1200	72	Candela
	1500	72	Zepeda
	1800	72	Zepeda
	2100	72	Zepeda
	2400	72	Cohen

Notes:  
*Chapman*

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D 3 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/21/24

Date	Time	Temp.	Name (Print)
	0300	70	A. Arias
10/21/24	0600	71	B. Howe
	0900	72	B. Howe
	1200	72	B. Howe
	1500	72	Candela
	1800	72	Candela
	2100	72	Candela
	2400	70	SERVIN, N

Wednesday 10/23/24

Date	Time	Temp.	Name (Print)
10/23	0300	70	SERVIN
	0600	70	Rocco
	0900	70	Rocco
	1200	70	Rocco
	1500	71	Gibbons
	1800	71	Gibbons
	2100	71	Gibbons
	2400	71	Carmone

Friday 10/25/24

Date	Time	Temp.	Name (Print)
10/25	0300	70	E. Ochoa
	0600	70	E. Ochoa
	0900	70	J. Greeter
	1200	71	J. Greeter
	1500	71	J. Greeter
	1800	72	Gibbons
	2100	72	Gibbons
	2400	72	V. McHugh

Sunday 10/27/24

Date	Time	Temp.	Name (Print)
10/27	0300	72	John
	0600	72	B. Howe
	0900	72	B. Howe
	1200	72	B. Howe
	1500	72	B. C. G.
	1800	72	B. C. G.
	2100	72	B. C. G.
	2400	70	SERVIN

Tuesday 10/22/24

Date	Time	Temp.	Name (Print)
10/22/24	0300	70	SERVIN
	0600	70	J. Greeter
	0900	71	J. Greeter
	1200	71	J. Greeter
	1500	72	Candela
	1800	71	Candela
	2100	71	Candela
	2400	70	SERVIN

Thursday 10/24/24

Date	Time	Temp.	Name (Print)
10/24	0300	70	Carmone
	0600	70	R. Rodriguez
	0900	70	R. Rodriguez
	1200	70	R. Rodriguez
	1500	71	Gibbons
	1800	71	Gibbons
	2100	70	Gibbons
	2400	70	E. Ochoa

Saturday 10/26/24

Date	Time	Temp.	Name (Print)
10/26	0300	72	V. McHugh
	0600	72	B. Howe
	0900	72	B. Howe
	1200	72	B. Howe
	1500	72	B. C. G.
	1800	72	B. C. G.
	2100	72	B. C. G.
	2400	72	John

Notes

Chapman

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PSSP Housing Unit: 12-4

Temp. Reading Location: 2nd

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	72	Loydell
	0600	72	Stephens
	0900	73	Stephens
	1200	73	Stephens
	1500	73	Magnson
	1800	73	Magnson
	2100	72	Magnson
	2400	72	Loydell

Wednesday 10/23/24

Date	Time	Temp.	Name (Print)
10/23/24	0300	70	Loydell
	0600	70	J. DANE
	0900	71	J. DANE
	1200	71	J. DANE
	1500	70	T HANSFORD
	1800	70	T HANSFORD
	2100	70	T HANSFORD
	2400	70	V McAllister

Friday 10-25-24

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	V McAllister
	0600	70	CARSEN
	0900	71	CARSEN
	1200	72	CARSEN
	1500	71	HANSFORD
	1800	71	HANSFORD
	2100	71	HANSFORD
	2400	70	Loydell

Sunday 10-27-24

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	Loydell
	0600	70	CARSEN
	0900	71	CARSEN
	1200	72	CARSEN
	1500	71	HUGHES
	1800	71	Hughes
	2100	70	Hughes
	2400	70	Loydell

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10/24/24	0300	72	Loydell
	0600	72	Stephens
	0900	72	Stephens
	1200	73	Stephens
	1500	73	MAGNSON
	1800	73	MAGNSON
	2100	72	MAGNSON
	2400	70	Loydell

Thursday 10/24-24

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	V McAllister
	0600	70	CARSEN
	0900	71	CARSEN
	1200	72	CARSEN
	1500	70	HANSFORD
	1800	70	HANSFORD
	2100	70	HANSFORD
	2400	70	V McAllister

Saturday 10-26-24

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	Hughes
	0600	70	CARSEN
	0900	71	CARSEN
	1200	72	CARSEN
	1500	72	Hughes
	1800	72	Hughes
	2100	71	Hughes
	2400	70	Loydell

Notes

Chapman

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MSP Housing Unit: 05 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/24/24	0300	71	(GAM)
	0600	70	Woods
	0900	70	Woods
	1200	71	Woods
	1500	67	Ricks
	1800	67	Ricks
	2100	67	BARRAGAN
	2400	67	BARRAGAN

Tuesday

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	BARRAGAN
	0600	68	Pegy
	0900	70	Pegy
	1200	71	Pegy
	1500	70	Pegy
	1800	70	Ricks
	2100	69	Ricks
	2400	69	D. Parks

Wednesday

Date	Time	Temp.	Name (Print)
10/24/24	0300	69	D. Parks
	0600	69	K. SHEDD
	0900	70	K. SHEDD
	1200	72	K. SHEDD
	1500	72	Ricks
	1800	71	Ricks
	2100	70	Ricks
	2400	70	D. Parks

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	D. Parks
	0600	70	K. SHEDD
	0900	70	K. SHEDD
	1200	72	K. SHEDD
	1500	73	Ricks
	1800	71	Ricks
	2100	70	Ricks
	2400	70	D. Parks

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	69	D. Parks
	0600	69	K. SHEDD
	0900	70	K. SHEDD
	1200	72	K. SHEDD
	1500	72	WAGNER
	1800	72	WAGNER
	2100	71	WAGNER
	2400	71	D. Parks

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	D. Parks
	0600	70	K. SHEDD
	0900	70	K. SHEDD
	1200	72	K. SHEDD
	1500	72	WAGNER
	1800	72	WAGNER
	2100	71	WAGNER
	2400	71	D. Parks

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	D. Parks
	0600	70	Woods
	0900	70	Woods
	1200	71	Woods
	1500	73	Ricks
	1800	71	Ricks
	2100	70	Ricks
	2400	70	GAM

Notes

Chapman

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSF Housing Unit: D-6 Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>10/21/24</u>	0300	73	BARRAGAN
	0600	75	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	75	WAGNER
	2400	73	SABIR

  

Tuesday			
Date	Time	Temp.	Name (Print)
<u>10-22-24</u>	0300	73	SABIR
	0600	74	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	R. ABERNATHY
	1800	73	R. ABERNATHY
	2100	73	R. ABERNATHY
	2400	72	SABIR

  

Wednesday			
Date	Time	Temp.	Name (Print)
<u>10-23-24</u>	0300	72	SABIR
	0600	73	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	70	WAGNER
	1800	75	WAGNER
	2100	75	WAGNER
	2400	73	SABIR

  

Thursday			
Date	Time	Temp.	Name (Print)
<u>10-24-24</u>	0300	73	SABIR
	0600	72	R. ROBINSON
	0900	73	R. ROBINSON
	1200	73	R. ROBINSON
	1500	73	BEGLEY
	1800	73	BEGLEY
	2100	73	BEGLEY
	2400	72	SABIR

  

Friday			
Date	Time	Temp.	Name (Print)
<u>10-25-24</u>	0300	72	SABIR
	0600	70	LICEA
	0900	70	LICEA
	1200	70	LICEA
	1500	70	BAUTISTA
	1800	70	BAUTISTA
	2100	70	BAUTISTA
	2400	73	SABIR

  

Saturday			
Date	Time	Temp.	Name (Print)
<u>10-26-24</u>	0300	73	SABIR
	0600	73	R. ROBINSON
	0900	73	R. ROBINSON
	1200	73	R. ROBINSON
	1500	70	BAUTISTA
	1800	70	BAUTISTA
	2100	70	BAUTISTA
	2400	70	BARNARD

  

Sunday			
Date	Time	Temp.	Name (Print)
<u>10/27/24</u>	0300	70	BARRAGAN
	0600	72	R. ROBINSON
	0900	72	R. ROBINSON
	1200	72	R. ROBINSON
	1500	72	WAGNER
	1800	72	WAGNER
	2100	71	WAGNER
	2400	71	BARRAGAN

Notes  
Chapman

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: TIER 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	72	Abernathy
21	0600	72	Bryant
	0900	73	Bryant
1/21	1200	74	Bryant
	1500	74	Dobson
1/24	1800	73	Dobson
	2100	73	Dobson
24	2400	72	Abernathy

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	72	Abernathy
22	0600	73	ANARUD
	0900	74	ANARUD
1/22	1200	75	ANARUD
	1500	75	WAGNER
1/24	1800	74	WAGNER
	2100	73	WAGNER
24	2400	73	Abernathy

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	72	Abernathy
23	0600	72	ANARUD
	0900	73	ANARUD
1/23	1200	73	ANARUD
	1500	73	V. McMillan
1/24	1800	73	V. McMillan
	2100	73	V. McMillan
24	2400	72	Abernathy

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	72	Abernathy
24	0600	72	ANARUD
	0900	72	ANARUD
1/24	1200	73	ANARUD
	1500	74	V. McMillan
1/25	1800	73	V. McMillan
	2100	73	V. McMillan
25	2400	73	BARRIGAN

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	73	BARRIGAN
25	0600	73	ANARUD
	0900	75	ANARUD
1/25	1200	76	ANARUD
	1500	75	P. CHAPA
1/24	1800	74	P. CHAPA
	2100	73	P. CHAPA
24	2400	73	BARRIGAN

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	73	BARRIGAN
26	0600	72	ANARUD
	0900	73	ANARUD
1/26	1200	74	ANARUD
	1500	74	CABR
1/27	1800	74	CABR
	2100	74	CABR
27	2400	72	Abernathy

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	72	Abernathy
27	0600	72	ANARUD
	0900	73	ANARUD
1/27	1200	75	ANARUD
	1500	74	CBR
1/28	1800	74	CBR
	2100	74	CBR
28	2400	72	Abernathy

Notes

Chapman

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 8 Temp. Reading Location: TIER 2  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/19	0300	72	Abernathy
10/19	0600	72	J. DANG
10/19	0900	72	J. DANG
10/19	1200	72	J. DANG
10/19	1500	72	L. Thomas
10/19	1800	72	L. Thomas
10/19	2100	72	L. Thomas
10/19	2400	72	Abernathy

**Wednesday**

Date	Time	Temp.	Name (Print)
10/21	0300	72	Abernathy
10/21	0600	72	Stephens
10/21	0900	72	Stephens
10/21	1200	72	Stephens
10/21	1500	69	C. Hamilton
10/21	1800	69	C. Hamilton
10/21	2100	69	C. Hamilton
10/21	2400	70	Abernathy

**Friday**

Date	Time	Temp.	Name (Print)
10/23	0300	69	BARRAGAN
10/23	0600	69	PAGE
10/23	0900	69	PAGE
10/23	1200	70	PAGE
10/23	1500	70	W. BLACK
10/23	1800	70	W. BLACK
10/23	2100	69	W. BLACK
10/23	2400	69	BARRAGAN

**Sunday**

Date	Time	Temp.	Name (Print)
10/27	0300	70	Abernathy
10/27	0600	70	CAGGS
10/27	0900	70	CAGGS
10/27	1200	71	CAGGS
10/27	1500	71	NWHITE
10/27	1800	71	NWHITE
10/27	2100	71	NWHITE
10/27	2400	71	Abernathy

**Tuesday**

Date	Time	Temp.	Name (Print)
10/22	0300	72	Abernathy
10/22	0600	72	J. RAFFERTY
10/22	0900	72	J. RAFFERTY
10/22	1200	72	J. RAFFERTY
10/22	1500	72	Thomas
10/22	1800	72	Thomas
10/22	2100	72	Thomas
10/22	2400	72	Abernathy

**Thursday**

Date	Time	Temp.	Name (Print)
10/24	0300	70	Abernathy
10/24	0600	70	CAGGS
10/24	0900	71	CAGGS
10/24	1200	71	CAGGS
10/24	1500	70	C. Hamilton
10/24	1800	70	C. Hamilton
10/24	2100	69	C. Hamilton
10/24	2400	69	BARRAGAN

**Saturday**

Date	Time	Temp.	Name (Print)
10/26	0300	69	BARRAGAN
10/26	0600	69	CAGGS
10/26	0900	69	CAGGS
10/26	1200	70	CAGGS
10/26	1500	70	DARROW
10/26	1800	70	DARROW
10/26	2100	70	DARROW
10/26	2400	70	Abernathy

**Notes**

Chapman

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9 Temp. Reading Location: 2<sup>nd</sup>  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/20	0300	73	BARNES
	0600	73	P. Barnes
	0900	74	P. Barnes
	1200	74	P. Barnes
	1500	74	Barnes
	1800	74	Barnes
	2100	74	Barnes
	2400	73	Sabir

Tuesday			
Date	Time	Temp.	Name (Print)
10/22	0300	73	Sabir
	0600	73	P. Barnes
	0900	74	P. Barnes
	1200	74	P. Barnes
	1500	75	P. Barnes
	1800	74	P. Barnes
	2100	73	P. Barnes
	2400	72	Sabir

Wednesday			
Date	Time	Temp.	Name (Print)
10/23	0300	72	Sabir
	0600	72	P. Barnes
	0900	73	P. Barnes
	1200	74	P. Barnes
	1500	74	P. Barnes
	1800	75	P. Barnes
	2100	73	P. Barnes
	2400	73	Sabir

Thursday			
Date	Time	Temp.	Name (Print)
10/24	0300	73	Sabir
	0600	73	BRDZ
	0900	73	BRDZ
	1200	73	BRDZ
	1500	73	Dahansh
	1800	73	Dahansh
	2100	77	Sabir
	2400	73	Sabir

Friday			
Date	Time	Temp.	Name (Print)
10/25	0300	72	sabir
	0600	72	Vadraiz
	0900	74	Vadraiz
	1200	75	Vadraiz
	1500	75	DAHARSH
	1800	75	DAHARSH
	2100	75	DAHARSH
	2400	73	sabir

Saturday			
Date	Time	Temp.	Name (Print)
10/26	0300	73	sabir
	0600	79	Bhagat
	0900	73	Bhagat
	1200	73	Bhagat
	1500	77	Bhagat
	1800	73	Bhagat
	2100	73	Bhagat
	2400	73	Bhagat

Sunday			
Date	Time	Temp.	Name (Print)
10/27	0300	72	BARNES
	0600	73	Barnes
	0900	74	Barnes
	1200	73	Barnes
	1500	73	Barnes
	1800	73	Barnes
	2100	73	Barnes
	2400	75	No Barnes

Notes  
Chapman

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MSP Housing Unit: 110 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	72	C. Brown
10/21/24	0600	72	Mitchell
10/21/24	0900	72	Mitchell
10/21/24	1200	73	Mitchell
10/21/24	1500	73	BROZ
10/21/24	1800	73	BROZ
10/21/24	2100	73	BROZ
10/21/24	2400	73	D. Parks

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	73	B. BROZ
10/22/24	0600	72	Mitchell
10/22/24	0900	72	Mitchell
10/22/24	1200	72	Mitchell
10/22/24	1500	72	BROZ
10/22/24	1800	71	BROZ
10/22/24	2100	71	BROZ
10/22/24	2400	72	D. Parks

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	71	D. Parks
10/23/24	0600	71	Mitchell
10/23/24	0900	72	Mitchell
10/23/24	1200	72	Mitchell
10/23/24	1500	72	BROZ
10/23/24	1800	72	BROZ
10/23/24	2100	72	BROZ
10/23/24	2400	72	D. Parks

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	71	D. Parks
10/24/24	0600	71	Mitchell
10/24/24	0900	71	Mitchell
10/24/24	1200	72	Mitchell
10/24/24	1500	72	BROZ
10/24/24	1800	72	BROZ
10/24/24	2100	72	BROZ
10/24/24	2400	71	D. Parks

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	D. Parks
10/25/24	0600	71	Mitchell
10/25/24	0900	71	Mitchell
10/25/24	1200	71	Mitchell
10/25/24	1500	71	T. WHITESIDE
10/25/24	1800	70	T. WHITESIDE
10/25/24	2100	70	T. WHITESIDE
10/25/24	2400	70	D. Parks

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	69	D. Parks
10/26/24	0600	70	Rodriguez
10/26/24	0900	70	Rodriguez
10/26/24	1200	70	Rodriguez
10/26/24	1500	71	T. WHITESIDE
10/26/24	1800	70	T. WHITESIDE
10/26/24	2100	70	T. WHITESIDE
10/26/24	2400	70	D. Parks

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	69	D. Parks
10/27/24	0600	70	Rodriguez
10/27/24	0900	70	Rodriguez
10/27/24	1200	70	Rodriguez
10/27/24	1500	70	IVES
10/27/24	1800	70	IVES
10/27/24	2100	70	IVES
10/27/24	2400	70	Comm

Notes

*(Chapman)*

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D1

Temp. Reading Location: 2<sup>nd</sup>

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/3/21	0300	72	Loguey
	0600	70	J. Nichols
	0900	70	J. Nichols
	1200	70	J. Nichols
	1500	76	GRUNDY, H.
	1800	76	GRUNDY, H.
	2100	73	GRUNDY, H.
	2400	73	C. Mackay

Wednesday

Date	Time	Temp.	Name (Print)
9/2/21	0300	72	C. Penn
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	71	ESPARZA
	1800	71	ESPARZA
	2100	71	ESPARZA
	2400	71	V. McAllister

Friday

Date	Time	Temp.	Name (Print)
9/4/21	0300	70	V. McAllister
	0600	70	Hendrix
	0900	70	Hendrix
	1200	71	Hendrix
	1500	71	W. Black
	1800	71	W. Black
	2100	70	W. Black
	2400	70	W. Black

Sunday

Date	Time	Temp.	Name (Print)
9/6/21	0300	72	Loguey
	0600	70	Hendrix
	0900	70	Hendrix
	1200	71	Hendrix
	1500	76	GRUNDY, H.
	1800	76	GRUNDY, H.
	2100	73	GRUNDY, H.
	2400	74	GRUNDY, H.

Tuesday

Date	Time	Temp.	Name (Print)
9/7/21	0300	73	C. Mackay
	0600	72	J. Nichols
	0900	72	J. Nichols
	1200	72	J. Nichols
	1500	75	GRUNDY, H.
	1800	75	GRUNDY, H.
	2100	72	GRUNDY, H.
	2400	72	GRUNDY, H.

Thursday

Date	Time	Temp.	Name (Print)
9/9/21	0300	71	V. McAllister
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	70	Contreras
	1800	70	Contreras
	2100	70	Contreras
	2400	70	V. McAllister

Saturday

Date	Time	Temp.	Name (Print)
9/11/21	0300	70	Loguey
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	75	GRUNDY, H.
	1800	75	GRUNDY, H.
	2100	72	GRUNDY, H.
	2400	72	Loguey

Notes

D2

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PbSP Housing Unit: D2 Temp. Reading Location: 2<sup>nd</sup> tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/29/24	0300	74	SERVIN
9/29/24	0600	74	A. MELENDREZ
9/29/24	0900	73	A. MELENDREZ
9/29/24	1200	73	A. MELENDREZ
9/29/24	1500	73	M. OCHOA
9/29/24	1800	73	M. OCHOA
9/29/24	2100	72	M. OCHOA
9/29/24	2400	72	SERVIN

Wednesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	70	SERVIN
9/3/24	0600	69	H. Stephens
9/3/24	0900	70	H. Stephens
9/3/24	1200	70	H. Stephens
9/3/24	1500	72	Candela
9/3/24	1800	72	Candela
9/3/24	2100	71	Candela
9/3/24	2400	72	Carmena

Friday

Date	Time	Temp.	Name (Print)
9/4/24	0300	72	Capriollo
9/4/24	0600	72	D. Lopez
9/4/24	0900	72	D. Lopez
9/4/24	1200	72	D. Lopez
9/4/24	1500	72	J. CEBALLOS
9/4/24	1800	72	J. CEBALLOS
9/4/24	2100	71	J. CEBALLOS
9/4/24	2400	71	V. McAllay

Sunday

Date	Time	Temp.	Name (Print)
9/6/24	0300	73	Garn
9/6/24	0600	73	B. L+
9/6/24	0900	73	B. L+
9/6/24	1200	74	B. L+
9/6/24	1500	73	M. OCHOA
9/6/24	1800	72	M. OCHOA
9/6/24	2100	72	M. OCHOA
9/6/24	2400	72	Garn

Tuesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	72	SERVIN
9/4/24	0600	71	H. Stephens
9/4/24	0900	70	H. Stephens
9/4/24	1200	72	H. Stephens
9/4/24	1500	72	C. Lesley
9/4/24	1800	71	C. Lesley
9/4/24	2100	71	C. Lesley
9/4/24	2400	70	SERVIN

Thursday

Date	Time	Temp.	Name (Print)
9/3/24	0300	71	Carmena
9/3/24	0600	71	Laiselle
9/3/24	0900	71	Laiselle
9/3/24	1200	72	Zeta
9/3/24	1500	72	Zeta
9/3/24	1800	71	Zeta
9/3/24	2100	72	Zeta
9/3/24	2400	72	Carmillo

Saturday

Date	Time	Temp.	Name (Print)
9/5/24	0300	71	V. McAllay
9/5/24	0600	71	Zeta
9/5/24	0900	72	Zeta
9/5/24	1200	72	Zeta
9/5/24	1500	73	SARAS
9/5/24	1800	73	SARAS
9/5/24	2100	73	SARAS
9/5/24	2400	73	Garn

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D3 Temp. Reading Location: 2<sup>nd</sup> tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	74	Lussery
	0600	74	B. Howe
	0900	73	B. Howe
	1200	73	B. Howe
	1500	74	Candela
	1800	73	Candela
	2100	73	Candela
	2400	72	SERVIN

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	72	SERVIN
	0600	72	Sneffor
	0900	74	Sneffor
	1200	74	Sneffor
	1500	75	Candela
	1800	75	Candela
	2100	74	Candela
	2400	72	SERVIN

Wednesday

Date	Time	Temp.	Name (Print)
9/24	0300	72	SERVIN
	0600	73	Rodriguez
	0900	73	Rodriguez
	1200	74	Rodriguez
	1500	74	Gibbons
	1800	74	Gibbons
	2100	74	Gibbons
	2400	74	Carmena

Thursday

Date	Time	Temp.	Name (Print)
9/24	0300	74	Corazon
	0600	74	Rodriguez
	0900	72	Rodriguez
	1200	76	Rodriguez
	1500	74	Gibbons
	1800	74	Gibbons
	2100	74	Gibbons
	2400	73	Camillo

Friday

Date	Time	Temp.	Name (Print)
9/24	0300	74	Carmena
	0600	75	B. Howe
	0900	73	B. Howe
	1200	73	B. Howe
	1500	74	B. Howe
	1800	73	B. Howe
	2100	73	B. Howe
	2400	73	V. McElroy

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	71	V. McElroy
	0600	74	B. Howe
	0900	75	M. Reuss
	1200	75	M. Reuss
	1500	75	B. Carty
	1800	73	B. Carty
	2100	75	B. Carty
	2400	74	Conn

Sunday

Date	Time	Temp.	Name (Print)
9/24	0300	74	Conn
	0600	73	B. Howe
	0900	73	B. Howe
	1200	73	B. Howe
	1500	73	Nuttilio
	1800	73	Nuttilio
	2100	73	Nuttilio
	2400	77	Conn

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: D4

Temp. Reading Location: 2<sup>nd</sup> MFR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-24	0300	69	Jager
	0600	68	A. Stephens
	0900	68	A. Stephens
	1200	69	A. Stephens
	1500	73	Magnuson
	1800	73	Magnuson
	2100	70	Magnuson
	2400	70	C. Madigan

Wednesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	C. Jern
	0600	72	CARLSEN
	0900	73	CARLSEN
	1200	74	CARLSEN
	1500	74	HANSTED
	1800	73	HANSTED
	2100	73	HANSTED
	2400	73	V. McAllen

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	73	V. McAllen
	0600	73	CARLSEN
	0900	74	CARLSEN
	1200	75	CARLSEN
	1500	74	HANSTED
	1800	74	HANSTED
	2100	73	HANSTED
	2400	73	Lageh

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	75	Lageh
	0600	73	CARLSEN
	0900	75	CARLSEN
	1200	75	CARLSEN
	1500	74	Hughes
	1800	74	Hughes
	2100	73	Hughes
	2400	74	GANDARA

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	79	C. Madigan
	0600	79	C. Belardo
	0900	72	C. Belardo
	1200	72	C. Belardo
	1500	72	MAGNUSEN
	1800	72	MAGNUSEN
	2100	70	MAGNUSEN
	2400	70	Peru

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	73	V. McAllen
	0600	73	CARLSEN
	0900	74	CARLSEN
	1200	75	CARLSEN
	1500	74	HANSTED
	1800	74	HANSTED
	2100	73	HANSTED
	2400	72	V. McAllen

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	75	C. Madigan
	0600	73	CARLSEN
	0900	74	CARLSEN
	1200	75	CARLSEN
	1500	75	HUGHES
	1800	74	HUGHES
	2100	74	HUGHES
	2400	73	Lageh

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D5 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9/30/24	0300	74	GARW
	0600	73	ORIGEL
	0900	73	ORIGEL
	1200	74	ORIGEL
	1500	76	RICKS
	1800	77	RICKS
	2100	73	RICKS
	2400	73	BARNABAN

**Tuesday**

Date	Time	Temp.	Name (Print)
10/1/24	0300	73	BARNABAN
	0600	74	CERROS
	0900	75	CERROS
	1200	75	CERROS
	1500	77	RICKS
	1800	75	RICKS
	2100	72	RICKS
	2400	74	D.Parks

**Wednesday**

Date	Time	Temp.	Name (Print)
10/2/24	0300	73	D.Parks
	0600	73	K.SHEED
	0900	74	K.SHEED
	1200	76	K.SHEED
	1500	77	RICKS
	1800	74	RICKS
	2100	71	RICKS
	2400	71	D.Parks

**Thursday**

Date	Time	Temp.	Name (Print)
10/3/24	0300	71	D.Parks
	0600	71	K.SHEED
	0900	71	K.SHEED
	1200	73	K.SHEED
	1500	75	RICKS
	1800	72	RICKS
	2100	70	RICKS
	2400	70	D.Parks

**Friday**

Date	Time	Temp.	Name (Print)
10/4/24	0300	70	D.Parks
	0600	70	K.SHEED
	0900	70	K.SHEED
	1200	73	K.SHEED
	1500	73	WAGNER
	1800	73	WAGNER
	2100	73	WAGNER
	2400	72	D.Parks

**Saturday**

Date	Time	Temp.	Name (Print)
10/5/24	0300	72	D.Parks
	0600	72	CUDADS
	0900	74	CUDADS
	1200	74	CUDADS
	1500	74	WAGNER
	1800	73	WAGNER
	2100	73	WAGNER
	2400	72	D.Parks

**Notes**

Date	Time	Temp.	Name (Print)
10/6/24	0300	72	D.Parks
	0600	72	CUDADS
	0900	72	CUDADS
	1200	74	CUDADS
	1500	81	RICKS
	1800	77	RICKS
	2100	75	RICKS
	2400	75	GARW

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-6 Temp. Reading Location: 1<sup>ST</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
9/24	0300	75	Barnagar
	0600	76	ROBINSON
	0900	76	ROBINSON
	1200	76	ROBINSON
	1500	77	WAGNER
	1800	78	WAGNER
	2100	77	WAGNER
	2400	75	SABIR

#### Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	75	SABIR
	0600	76	ROBINSON
	0900	76	ROBINSON
	1200	76	ROBINSON
	1500	76	CARTAGENA
	1800	75	CARTAGENA
	2100	75	CARTAGENA
	2400	75	SABIR

#### Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	75	SABIR
	0600	73	LEVEQUE
	0900	73	LEVEQUE
	1200	73	LEVEQUE
	1500	75	Boggs
	1800	77	Boggs
	2100	75	Boggs
	2400	75	ESPARZA

#### Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	75	ESPARZA
	0600	76	ROBINSON
	0900	76	ROBINSON
	1200	76	ROBINSON
	1500	75	Boggs
	1800	75	Boggs
	2100	75	Boggs
	2400	75	C. Madrigal

#### Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	75	C. Madrigal
	0600	70	D. Parks
	0900	70	D. Parks
	1200	72	D. Parks
	1500	73	BANTISTA
	1800	73	BANTISTA
	2100	73	BANTISTA
	2400	73	C. Madrigal

#### Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	74	C. Madrigal
	0600	74	C. Bernalio
	0900	74	C. Bernalio
	1200	73	C. Bernalio
	1500	73	BANTISTA
	1800	73	BANTISTA
	2100	73	BANTISTA
	2400	73	BANTISTA

#### Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	73	BARNAGAN
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	73	WAGNER
	2400	73	BARNAGAN

#### Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: TIER 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	74	Abernathy
	0600	74	Lawrence
	0900	75	Lawrence
	1200	75	Lawrence
	1500	75	Ussery
	1800	74	Ussery
	2100	74	Ussery
	2400	74	Abernathy

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	74	Abernathy
	0600	74	Arnold
	0900	75	Arnold
	1200	76	Arnold
	1500	76	Gonzalez
	1800	76	Gonzalez
	2100	75	Gonzalez
	2400	75	Abernathy

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	75	Abernathy
	0600	74	Arnold
	0900	75	Arnold
	1200	77	Arnold
	1500	77	V. McMillan
	1800	77	V. McMillan
	2100	77	V. McMillan
	2400	75	Abernathy

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	75	Abernathy
	0600	74	Arnold
	0900	75	Arnold
	1200	76	Arnold
	1500	76	V. McMillan
	1800	76	V. McMillan
	2100	75	V. McMillan
	2400	75	BARRAGAN

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	75	BARRAGAN
	0600	74	Arnold
	0900	75	Arnold
	1200	76	Arnold
	1500	75	Higareda
	1800	76	Higareda
	2100	75	Higareda
	2400	75	BARRAGAN

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	75	BARRAGAN
	0600	74	Arnold
	0900	75	Arnold
	1200	77	Arnold
	1500	76	Cham
	1800	75	Cham
	2100	75	Cham
	2400	75	Abernathy

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	74	Abernathy
	0600	74	Xlong
	0900	74	Xlong
	1200	74	Xlong
	1500	75	Cham
	1800	74	Cham
	2100	74	Cham
	2400	74	Abernathy

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: TIER 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9/30/24	0300	74	Abernathy
	0600	74	J.DANE
	0900	75	J.DANE
	1200	75	J.DANE
	1500	75	Thomas
	1800	75	Thomas
	2100	75	Thomas
	2400	75	Abernathy

**Tuesday**

Date	Time	Temp.	Name (Print)
10/1/24	0300	74	Abernathy
	0600	75	Lawrence
	0900	75	Lawrence
	1200	75	Lawrence
	1500	75	Thomas
	1800	75	Thomas
	2100	75	Thomas
	2400	75	Abernathy

**Wednesday**

Date	Time	Temp.	Name (Print)
10/2/24	0300	74	Abernathy
	0600	74	McNamee
	0900	74	McNamee
	1200	73	McNamee
	1500	75	C. Hamilton
	1800	75	C. Hamilton
	2100	75	C. Hamilton
	2400	75	Abernathy

**Thursday**

Date	Time	Temp.	Name (Print)
10/3/24	0300	75	Abernathy
	0600	75	Cages
	0900	75	CAGES
	1200	75	CAGLE
	1500	76	C. Hamilton
	1800	75	C. Hamilton
	2100	75	C. Hamilton
	2400	75	BALOGAN

**Friday**

Date	Time	Temp.	Name (Print)
10/4/24	0300	75	BARRON
	0600	75	CAGE
	0900	75	CAGLE
	1200	75	CAGLE
	1500	75	C. Hamilton
	1800	76	C. Hamilton
	2100	75	C. Hamilton
	2400	75	BARRON

**Saturday**

Date	Time	Temp.	Name (Print)
10/5/24	0300	75	BARRON
	0600	75	CAGLS
	0900	75	CAGLZ
	1200	75	CAGLZ
	1500	76	USSERY
	1800	75	USSERY
	2100	75	USSERY
	2400	75	Abernathy

**Sunday**

Date	Time	Temp.	Name (Print)
10/6/24	0300	74	Abernathy
	0600	75	CAGLE
	0900	75	CAGLE
	1200	75	CAGLE
	1500	75	USSERY
	1800	74	USSERY
	2100	74	USSERY
	2400	74	Abernathy

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9 Temp. Reading Location: 200  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>9/20/24</u>	0300	75	B. Madrigal
	0600	75	P. Barnes
	0900	75	P. Barnes
	1200	76	P. Barnes
	1500	77	B. Madrigal
	1800	77	B. Madrigal
	2100	76	B. Madrigal
	2400	75	Sabir
Tuesday			
Date	Time	Temp.	Name (Print)
<u>10/01/24</u>	0300	75	Sabir
	0600	75	P. Barnes
	0900	76	P. Barnes
	1200	77	P. Barnes
	1500	78	P. Stephens
	1800	76	H. Stephens
	2100	76	H. Stephens
	2400	75	Sabir
Wednesday			
Date	Time	Temp.	Name (Print)
<u>10/02/24</u>	0300	75	Sabir
	0600	75	P. Barnes
	0900	75	P. Barnes
	1200	76	P. Barnes
	1500	75	I. Saiz
	1800	75	Carmone
	2100	75	Carmone
	2400	75	ESPARZA
Thursday			
Date	Time	Temp.	Name (Print)
<u>10/03/24</u>	0300	75	ESPARZA
	0600	75	BROZ
	0900	75	BROZ
	1200	75	BROZ
	1500	75	C. Olvera
	1800	75	G. Olvera
	2100	75	E. Olvera
	2400	75	C. Madrigal
Saturday			
Date	Time	Temp.	Name (Print)
<u>10/05/24</u>	0300	74	C. Madrigal
	0600	74	P. Barnes
	0900	75	P. Barnes
	1200	76	P. Barnes
	1500	76	B. Madrigal
	1800	75	B. Madrigal
	2100	75	B. Madrigal
	2400	75	ESPARZA
Sunday			
Date	Time	Temp.	Name (Print)
<u>10/06/24</u>	0300	75	ESPARZA
	0600	75	P. Barnes
	0900	75	P. Barnes
	1200	76	P. Barnes
	1500	76	B. Madrigal
	1800	75	B. Madrigal
	2100	75	B. Madrigal
	2400	75	ESPARZA

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 10 Temp. Reading Location: 2<sup>nd</sup> TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9/24	0300	74	GANDARA
	0600	75	M. TELLEN
	0900	75	M. TELLEN
	1200	76	M. TELLEN
	1500	75	J. DENICHOIAS
	1800	74	J. DENICHOIAS
	2100	74	J. DENICHOIAS
	2400	74	BARRAGAN

**Tuesday**

Date	Time	Temp.	Name (Print)
10/1/24	0300	74	BARRAGAN
	0600	75	M. TELLEN
	0900	75	M. TELLEN
	1200	75	BROZ
	1500	75	BROZ
	1800	75	BROZ
	2100	75	BROZ
	2400	75	D. PARKS

**Wednesday**

Date	Time	Temp.	Name (Print)
10/2/24	0300	74	D. PARKS
	0600	75	M. TELLEN
	0900	74	M. TELLEN
	1200	76	BROZ
	1500	76	BROZ
	1800	76	BROZ
	2100	75	BROZ
	2400	73	D. PARKS

**Thursday**

Date	Time	Temp.	Name (Print)
10/3/24	0300	73	D. PARKS
	0600	74	M. TELLEN
	0900	75	M. TELLEN
	1200	75	BROZ
	1500	75	BROZ
	1800	75	BROZ
	2100	75	BROZ
	2400	72	D. PARKS

**Friday**

Date	Time	Temp.	Name (Print)
10/4/24	0300	72	D. PARKS
	0600	71	GANDARA
	0900	71	GANDARA
	1200	71	GANDARA
	1500	72	DeTHROSE
	1800	72	DeTHROSE
	2100	70	DeTHROSE
	2400	70	D. PARKS

**Saturday**

Date	Time	Temp.	Name (Print)
10/5/24	0300	70	D. PARKS
	0600	69	Rodriguez
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	71	DeTHROSE
	1800	70	DeTHROSE
	2100	70	DeTHROSE
	2400	70	D. PARKS

**Sunday**

Date	Time	Temp.	Name (Print)
10/6/24	0300	70	D. PARKS
	0600	70	Rodriguez
	0900	70	Rodriguez
	1200	71	Rodriguez
	1500	71	IVES
	1800	70	IVES
	2100	70	IVES
	2400	72	OBAMA

**Notes**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP \_\_\_\_\_ Housing Unit: MSF-B Dorm \_\_\_\_\_ Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	73	E. CARRERA
	0600	73	J. DENICHOLAS
	0900	73	J. DENICHOLAS
	1200	73	J. DENICHOLAS
	1500	74	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

Tuesday

Date	Time	Temp.	Name (Print)
10/08/24	0300	73	E. CARRERA
	0600	73	J. DENICHOLAS
	0900	73	J. DENICHOLAS
	1200	73	J. DENICHOLAS
	1500	73	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

Wednesday

Date	Time	Temp.	Name (Print)
10/09/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	74	P. CHAPA
	1200	74	P. CHAPA
	1500	74	B. Williams
	1800	74	B. Williams
	2100	73	B. Williams
	2400	73	R. Reynolds

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	73	R. Reynolds
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	74	P. CHAPA
	1800	73	P. CHAPA
	2100	73	P. CHAPA
	2400	72	R. Reynolds

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	73	R. Reynolds
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	70	N. Wilson
	1800	70	N. Wilson
	2100	72	N. Wilson
	2400	73	E. CARRERA

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	74	Giles
	1800	73	Giles
	2100	73	Giles
	2400	73	E. CARRERA

DAY

Date	Time	Temp.	Name (Print)	NOTES:
10/13/24	0300	73	E. CARRERA	
	0600	73	Coupe	
	0900	73	Coupe	
	1200	73	Coupe	
	1500	73	Coupe	
	1800	74	Coupe	
	2100	73	Coupe	
	2400	73	E. CARRERA	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP \_\_\_\_\_ Housing Unit: \_\_\_\_\_ MSF-B Dorm \_\_\_\_\_ Temp. Reading Location: \_\_\_\_\_  
 (e.g., 1st tier,  2nd tier,  3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	70	S TRAIN
	0600	70	S TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	S TRAIN

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	70	S TRAIN
	0600	70	S TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	S TRAIN

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	70	S TRAIN
	0600	70	S TRAIN
	0900	70	I.SAIS
	1200	70	I.SAIS
	1500	70	J.Frost
	1800	70	J.Frost
	2100	70	J.Frost
	2400	70	E.O'hara

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	70	E.O'hara
	0600	70	E.O'hara
	0900	70	J.Frost
	1200	70	J.Frost
	1500	70	J.Frost
	1800	70	J.Frost
	2100	70	J.Frost
	2400	70	Mary

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	70°	None
	0600	70°	None
	0900	70	D. BECKER
	1200	70	D. BECKER
	1500	70°	I.SAIS
	1800	70°	I.SAIS
	2100	70°	I.SAIS
	2400	73°	Reynolds

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	71°	Reynolds
	0600	70°	J.DONICHAUS
	0900	71	J.DONICHAUS
	1200	71°	J.DONICHAUS
	1500	72°	F.XIOWNG
	1800	73	F.XIOWNG
	2100	73	F.XIOWNG
	2400	71	Reynolds

DAY

Date	Time	Temp.	Name (Print)	NOTES:
10-13-24	0300	70°	Reynolds	
	0600	71	Reynolds	
	0900	72	J.DONICHAUS	
	1200	72	J.DONICHAUS	
	1500	72	B.Williams	
	1800	72	B.Williams	
	2100	71	B.Williams	
	2400	70	S TRAIN	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: MSF-B Dorm Temp. Reading Location: \_\_\_\_\_  
(e.g., 1st tier / 2nd tier / 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	70	J TRAIN
	0600	70	J TRAIN
	0900	70	J Reichlin
	1200	70	J Reichlin
	1500	70	J Reichlin
	1800	70	J Reichlin
	2100	70	J Reichlin
	2400	70	J TRAIN

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	70	J TRAIN
	0600	70	J TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	69	J. Reichlin
	2100	70	J. Reichlin
	2400	70	J TRAIN

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	70	J TRAIN
	0600	70	J TRAIN
	0900	70	Fonterot
	1200	70	Fonterot
	1500	70	J SAVIS
	1800	70	J SAVIS
	2100	70	J SAVIS
	2400	70	J TRAIN

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	70	J TRAIN
	0600	70	J TRAIN
	0900	70	J FOUST
	1200	70	J FOUST
	1500	70	J FOUST
	1800	70	J FOUST
	2100	70	J FOUST
	2400	70	J TRAIN

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	70	J TRAIN
	0600	70	J TRAIN
	0900	70	J Faigt
	1200	70	J Faigt
	1500	70	J Faigt
	1800	70	J Faigt
	2100	70	J Faigt
	2400	70	A. Arias

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	70	A. Arias
	0600	70	J. DONICHOLAS
	0900	70	J. DONICHOLAS
	1200	70	J. DONICHOLAS
	1500	70	F. X. DORE
	1800	71	F. X. DORE
	2100	70	F. X. DORE
	2400	70	Spauldin

DAY

Date	Time	Temp.	Name (Print)	NOTES:
10-20-24	0300	70	Spauldin	
	0600	70	J. DONICHOLAS	
	0900	70	J. DONICHOLAS	
	1200	70	J. DONICHOLAS	
	1500	70	OTREMBA	
	1800	70	OTREMBA	
	2100	70	OTREMBA	
	2400	70	CARTAGENA	

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP \_\_\_\_\_ Housing Unit: <sup>A</sup> MSF-B Dorm \_\_\_\_\_ Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	73	E. CARRERA
	0600	72	J. DENICHOLAS
	0900	72	J. DENICHOLAS
	1200	72	J. DENICHOLAS
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	73	E. CARRERA
	0600	72	J. DENICHOLAS
	0900	72	J. DENICHOLAS
	1200	73	J. DENICHOLAS
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	74	A. Arias

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	72	A. Arias
	0600	73	Galleas
	0900	73	Galleas
	1200	73	Galleas
	1500	74	Carmena
	1800	74	Carmena
	2100	74	Carmena
	2400	73	E. Ochoa

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	73	E. Ochoa
	0600	73	E. Ochoa
	0900	72	B. Weller
	1200	73	B. Weller
	1500	72	BLAKESLEE
	1800	72	BLAKESLEE
	2100	72	BLAKESLEE
	2400	72	E. Ochoa

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	72	E. Ochoa
	0600	72	E. Ochoa
	0900	70	Medrano
	1200	70	Medrano
	1500	70	I. Mercado
	1800	70	Mercado
	2100	70	Mercado
	2400	73	E. CARRERA

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	73	E. CARRERA
	0600	70	Medrano
	0900	70	Medrano
	1200	71	Medrano
	1500	71	I. Mercado
	1800	71	I. Mercado
	2100	70	I. Mercado
	2400	73	E. CARRERA

DAY

Date	Time	Temp.	Name (Print)	NOTES:
10/20/24	0300	73	E. CARRERA	
	0600	68	Medrano	
	0900	70	Medrano	
	1200	71	Medrano	
	1500	70	C. Sturdevant	
	1800	71	C. Sturdevant	
	2100	69	C. Sturdevant	
	2400	73	E. CARRERA	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP \_\_\_\_\_ Housing Unit: \_\_\_\_\_ MSF-B Dorm \_\_\_\_\_ Temp. Reading Location: \_\_\_\_\_  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Tuesday

Date	Time	Temp.	Name (Print)		Date	Time	Temp.	Name (Print)
10-21	0300	76	Cortez, gregg	b-22	0300	70	STRAIN	
	0600	70	J. Reichlin		0600	70	STRAIN	
	0900	70	J. Reichlin		0900	70	J. Reichlin	
	1200	70	J. Reichlin		1200	70	J. Reichlin	
	1500	70	J. Reichlin		1500	70	J. Reichlin	
	1800	70	J. Reichlin		1800	69	J. Reichlin	
	2100	70	J. Reichlin		2100	70	J. Reichlin	
	2400	70	STRAIN		2400	70	STRAIN	

Wednesday

Thursday

Date	Time	Temp.	Name (Print)		Date	Time	Temp.	Name (Print)
b-23	0300	70	J. TRAIN	10-24	0300	70	J. TRAIN	
	0600	70	S. TRAIN		0600	69	S. TRAIN	
	0900	70	J. Rodriguez		0900	69	J. Faust	
	1200	70	J. Rodriguez		1200	69	J. Faust	
	1500	70	J. Faust		1500	70	J. Faust	
	1800	70	J. Faust		1800	70	J. Faust	
	2100	70	J. Faust		2100	70	J. Faust	
	2400	70	S. TRAIN		2400	70	S. TRAIN	

Friday

Saturday

Date	Time	Temp.	Name (Print)		Date	Time	Temp.	Name (Print)
b-25	0300	70	S. TRAIN	b-26	0300	70	J. Reynolds	
	0600	70	S. TRAIN		0600	70	J. Denicholas	
	0900	70	J. Faust		0900	70	J. Denicholas	
	1200	70	J. Faust		1200	70	J. Denicholas	
	1500	70	UCIEL		1500	71	F. X. como	
	1800	70	UCIEL		1800	71	F. X. como	
	2100	70	UCIEL		2100	71	R. Xioung	
	2400	70	R. Reynolds		2400	70	R. Reynolds	

DAY

Date	Time	Temp.	Name (Print)	NOTES:
10-27	0300	70	Reynolds	
	0600	70	J. Denicholas	
	0900	70	J. Denicholas	
	1200	70	J. Denicholas	
	1500	70	Sanchez	
	1800	70	Sanchez	
	2100	70	Sanchez	
	2400	70	S. TRAIN	

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP \_\_\_\_\_ Housing Unit: \_\_\_\_\_ MSF-Dorm \_\_\_\_\_ Temp. Reading Location: *2<sup>nd</sup> TIER*  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<i>10/21/24</i>	0300	73	E. CARRERA
	0600	72	J. DENICHOLAS
	0900	72	J. DENICHOLAS
	1200	72	J. DENICHOLAS
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

Tuesday

Date	Time	Temp.	Name (Print)
<i>10/22/24</i>	0300	73	E. CARRERA
	0600	72	J. DENICHOLAS
	0900	72	J. DENICHOLAS
	1200	72	J. DENICHOLAS
	1500	72	Coupe
	1800	73	Coupe
	2100	72	Coupe
	2400	73	E. CARRERA

Wednesday

Date	Time	Temp.	Name (Print)
<i>10/23/24</i>	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	74	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	73	Reynolds

Thursday

Date	Time	Temp.	Name (Print)
<i>10/24/24</i>	0300	71	Reynolds
	0600	72	P. CHAPA
	0900	72	P. CHAPA
	1200	73	P. CHAPA
	1500	73	P. CHAPA
	1800	73	P. CHAPA
	2100	72	P. CHAPA
	2400	73	P. Reynolds

Friday

Date	Time	Temp.	Name (Print)
<i>10/25/24</i>	0300	70	R. Reynolds
	0600	71	P. CHAPA
	0900	71	P. CHAPA
	1200	72	P. CHAPA
	1500	71	Sanchez
	1800	72	Sanchez
	2100	72	Sanchez
	2400	73	E. CARRERA

Saturday

Date	Time	Temp.	Name (Print)
<i>10/26/24</i>	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	73	Sanchez
	1800	73	Sanchez
	2100	72	Sanchez
	2400	72	Landin

DAY

Date	Time	Temp.	Name (Print)	NOTES:
<i>10/27/24</i>	0300	72	Landin	
	0600	72	Coupe	
	0900	72	Coupe	
	1200	72	Coupe	
	1500	73	Coupe	
	1800	73	Coupe	
	2100	73	Coupe	
	2400	73	E. CARRERA	

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP \_\_\_\_\_ Housing Unit: <sup>A</sup> MSF-8 Dorm \_\_\_\_\_ Temp. Reading Location: <sup>2nd</sup>  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/30/24	0300	73	E. CARRERA
	0600	73	J. DENICHOIAS
	0900	73	J. DENICHOIAS
	1200	73	J. DENICHOIAS
	1500	74	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

Tuesday

Date	Time	Temp.	Name (Print)
10/01/24	0300	73	E. CARRERA
	0600	73	J. DENICHOIAS
	0900	73	J. DENICHOIAS
	1200	73	J. DENICHOIAS
	1500	74	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

Wednesday

Date	Time	Temp.	Name (Print)
10/02/24	0300	73	E. CARRERA
	0600	73	R. O'Neill
	0900	73	R. O'Neill
	1200	73	R. O'Neill
	1500	74	Coupe
	1800	74	Coupe
	2100	74	Coupe
	2400	74	R. Ochoa

Thursday

Date	Time	Temp.	Name (Print)
10/03/24	0300	73	E. Ochoa
	0600	73	E. Ochoa
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	74	P. CHAPA
	1800	74	P. CHAPA
	2100	74	P. CHAPA
	2400	74	E. OCHOA

Friday

Date	Time	Temp.	Name (Print)
10/04/24	0300	74	E. Ochoa
	0600	73	E. Ochoa
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	75	T. Ramirez
	1800	75	T. Ramirez
	2100	75	T. Ramirez
	2400	73	E. CARRERA

Saturday

Date	Time	Temp.	Name (Print)
10/05/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	74	J. RAMIREZ
	1800	74	J. RAMIREZ
	2100	74	J. RAMIREZ
	2400	73	E. CARRERA

DAY

Date	Time	Temp.	Name (Print)	NOTES:
10/06/24	0300	73	E. CARRERA	
	0600	73	Coupe	
	0900	73	Coupe	
	1200	74	Coupe	
	1500	74	Coupe	
	1800	74	Coupe	
	2100	73	Coupe	
	2400	73	E. CARRERA	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP \_\_\_\_\_ Housing Unit: \_\_\_\_\_ MSF-B Dorm \_\_\_\_\_ Temp. Reading Location: \_\_\_\_\_  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	J. TRAIN
	0600	70	J. TRAIN
	0900	70	J. REICHLIN
	1200	70	J. REICHLIN
	1500	70	J. REICHLIN
	1800	70	J. REICHLIN
	2100	70	J. REICHLIN
	2400	70	J. TRAIN

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	J. TRAIN
	0600	70	J. TRAIN
	0900	70	J. REICHLIN
	1200	70	J. REICHLIN
	1500	70	J. REICHLIN
	1800	70	J. REICHLIN
	2100	70	J. REICHLIN
	2400	70	J. TRAIN

Wednesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	S. CHANG
	1200	70	S. CHANG
	1500	70	G. GIL
	1800	70	G. GIL
	2100	70	G. GIL
	2400	70	S. TRAIN

Thursday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	J. TRAIN
	0600	70	S. TRAIN
	0900	70	J. FOEST
	1200	70	J. FOEST
	1500	70	J. FOEST
	1800	70	J. FOEST
	2100	70	J. FOEST
	2400	70	R. O'NEILL

Friday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	R. O'NEILL
	0600	70	J. FOEST
	0900	70	J. FOEST
	1200	70	J. FOEST
	1500	70	J. FOEST
	1800	70	J. FOEST
	2100	70	J. FOEST
	2400	70	MEDRANO

Saturday

Date	Time	Temp.	Name (Print)
10/1/24	0300	71	MEDRANO
	0600	71	J. DANICHOCAS
	0900	71	J. DANICHOCAS
	1200	71	J. DANICHOCAS
	1500	71	S. LOGEFEL
	1800	71	S. LOGEFEL
	2100	70	S. LOGEFEL
	2400	70	MEDRANO

DAY

Date	Time	Temp.	Name (Print)	NOTES:
10/1/24	0300	70	MEDRANO	
	0600	71	J. DANICHOCAS	
	0900	71	J. DANICHOCAS	
	1200	72	J. DANICHOCAS	
	1500	74	J. RAMIREZ	
	1800	73	J. RAMIREZ	
	2100	71	J. RAMIREZ	
	2400	70	J. TRAIN	

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: BHV

Temp. Reading Location:

5555

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/24	0300	71	Perez
	0600	70	C. Alanis
	0900	71	C. Alanis
	1200	70	C. Alanis
	1500	70	M. Ceballos
	1800	70	M. Ceballos
	2100	70	M. Ceballos
	2400	71 A	Perez A/H

Wednesday

Date	Time	Temp.	Name (Print)
10/24	0300	70 A	Perez A/H
	0600	70	C. Alanis
	0900	73	C. Alanis
	1200	70	C. Alanis
	1500	70 A	M. Perezant
	1800	68 B	M. Perezant
	2100	64 G	M. Perezant
	2400	70 A	Perez A/H

Friday

Date	Time	Temp.	Name (Print)
10/24	0300	67 H	M. Perezant
	0600	67	C. Alanis
	0900	68	C. Alanis
	1200	70	C. Alanis
	1500	70 A	M. Perezant
	1800	66 B	M. Perezant
	2100	62 G	M. Perezant
	2400	66 H	M. Perezant

Sunday

Date	Time	Temp.	Name (Print)
10/24	0300	67	J. Perez
	0600	67	A. G. Ashton
	0900	69	A. G. Ashton
	1200	70	A. G. Ashton
	1500	70	W. Wallace
	1800	68	W. Wallace
	2100	65	W. Wallace
	2400	66	Perez

Tuesday

Date	Time	Temp.	Name (Print)
10/24	0300	69 B	Perezant H
	0600	70	Rivas
	0900	70	Rivas
	1200	71	Rivas
	1500	70 A	Perezant H
	1800	69 B	Perezant H
	2100	64 G	Perezant H
	2400	68 H	Perezant H

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	67 B	Perezant H
	0600	68	C. Alanis
	0900	69	C. Alanis
	1200	70	C. Alanis
	1500	72 S	M. Perezant
	1800	74 D	M. Perezant
	2100	68 E	M. Perezant
	2400	62 F	M. Perezant

Saturday

Date	Time	Temp.	Name (Print)
10/24	0300	65 E	M. Perezant
	0600	65	H. Hennerly
	0900	70	H. Hennerly
	1200	70	H. Hennerly
	1500	70	W. Wallace
	1800	68	W. Wallace
	2100	65	W. Wallace
	2400	67	J. Perez

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: RHU

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	71	Perez Z
	0600	69	C. Aranis
	0900	70	C. Aranis
	1200	72	C. Aranis
	1500	70	M. Ceballos
	1800	70	M. Ceballos
	2100	78	M. Ceballos
	2400	72 A	Pereault F

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	70 A	Pereault F
	0600	68	C. Aranis
	0900	70	C. Aranis
	1200	70	C. Aranis
	1500	72 A	M. Pereault
	1800	70 B	M. Pereault
	2100	69 H	M. Pereault
	2400	71 C	Pereault F

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	66 G	M. Pereault
	0600	65 A	C. Ruvalcaba
	0900	67 D	C. Ruvalcaba
	1200	68 F	C. Ruvalcaba
	1500	72 A	M. Pereault
	1800	70 S	M. Pereault
	2100	72 C	M. Pereault
	2400	73 D	M. Pereault

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	71	Perez
	0600	71	Perez
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	71	Rodriguez
	1800	70	Worrell
	2100	70	Worrell
	2400	71	Perez

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	70 S	Pereault F
	0600	68	C. Aranis
	0900	70	C. Aranis
	1200	70	C. Aranis
	1500	72 A	Pereault F
	1800	70 B	Pereault F
	2100	67 C	Pereault F
	2400	71 D	Pereault F

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	73 I	Pereault F
	0600	70	C. Aranis
	0900	72	C. Aranis
	1200	70	C. Aranis
	1500	72 S	M. Pereault
	1800	73 D	M. Pereault
	2100	70 E	M. Pereault
	2400	66 F	M. Pereault

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	70 E	M. Pereault
	0600	68	N. Rodriguez
	0900	70	N. Rodriguez
	1200	70	N. Rodriguez
	1500	70	D. Wallace
	1800	70	M. Wallace
	2100	70	M. Wallace
	2400	70	Perez

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: BHU

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	71	Percez
	0600	71	Verez
	0900	72	Candia
	1200	72	Candia
	1500	72	M. Ceballos
	1800	69	M. Ceballos
	2100	69	M. Ceballos
	2400	67	Perreault

Wednesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	65 G	Perreault A
	0600	67	Otans
	0900	70	Otans
	1200	70	Otans
	1500	72 A	M Perreault
	1800	70 B	M Perreault
	2100	72 C	M Perreault
	2400	70 E	Perreault A

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	68 H	M Perreault
	0600	70	Otans
	0900	65	Otans
	1200	68	C. Otans
	1500	72 A	M Perreault
	1800	70 B	M Perreault
	2100	72 C	M Perreault
	2400	70 D	M Perreault

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	68	Percez
	0600	68	Percez
	0900	71	Rufisquez
	1200	71	Rufisquez
	1500	70	Xiong
	1800	70	Xiong
	2100	70	Xiong
	2400	70	Percez

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	73 D	Perreault A
	0600	70 E	Perreault A
	0900	72	Otans
	1200	70	Otans
	1500	71 C	Perreault A
	1800	73 D	Perreault A
	2100	70 F	Perreault A
	2400	65 F	Perreault A

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	65 F	Perreault A
	0600	67	Otans
	0900	70	Otans
	1200	70	Otans
	1500	74 D	A Perreault
	1800	70 E	A Perreault
	2100	66 F	A Perreault
	2400	65 G	A Perreault

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	68	Fayfereau
	0600	69	Lyd
	0900	70	Goddard
	1200	70	Kall
	1500	70	Xiong
	1800	70	Xiong
	2100	70	Xiong
	2400	64	Durcz

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: RHU

Temp. Reading Location: <  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)  
SSSS when the Inside air temperature reaches

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/3/24	0300	72	Preciado
	0600	73	CABANIS
	0900	72	CABANIS
	1200	73	CABANIS
	1500	70	Mendoza
	1800	72	Mendoza
	2100	70	Mendoza
	2400	70 C	Perreault A

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	71 A	Perreault A
	0600	73	CABANIS
	0900	71	CABANIS
	1200	72	CABANIS
	1500	72	A Perreault
	1800	69	B Perreault
	2100	69	H Perreault
	2400	71 C	Perreault A

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	66 G	m Perreault
	0600	70	CABANIS
	0900	70	CABANIS
	1200	71	CABANIS
	1500	70 A	m Perreault
	1800	68 S	m Perreault
	2100	72 C	m Perreault
	2400	74 D	m Perreault

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	72	Z CALHOON
	0600	72	CABRENT
	0900	72	CABRENT
	1200	72	CABRENT
	1500	72	TAVAREZ
	1800	72	TAVAREZ
	2100	72	TAVAREZ
	2400	71	Perez

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	72 C	Perreault
	0600	70	
	0900	70	J Lao
	1200	70	Ochoa
	1500	70 C	Perreault A
	1800	73 D	Perreault B
	2100	70 F	Perreault B
	2400	68 F	Perreault C

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	73 D	Perreault A
	0600	72	CABANIS
	0900	70	CABANIS
	1200	73	CABANIS
	1500	72 C	Mendoza C
	1800	74 D	Perreault
	2100	70 E	Perreault
	2400	66 F	Perreault

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	70	Eufencant
	0600	72	CABRENT
	0900	72	CABRENT
	1200	72	CABRENT
	1500	72	CABRENT
	1800	72	CABRENT
	2100	72	CABRENT
	2400	72	Z CALHOON

Notes