

Monthly Summary Report

Institution: KVSP

Memorandum

Date: July 12, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - June 2024

The following is a summary of the heat related activity for the month of June,
at KVSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes _____

Number of days Stage I Alert initiated: 24

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No _____

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes _____

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

P. Horn

Warden Name



Warden Signature

F. Beyerlein

Chief Executive Officer Name



Chief Executive Officer Signature

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-1 Temp. Reading Location: _____ (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-21	0300	76	(HARRISON)
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	72	HARRISON

Tuesday

Date	Time	Temp.	Name (Print)
5-28-21	0300	72	HARRISON
	0600	72	(HARRISON)
	0900	72	SCHWARTZ
	1200	73	ESQUERROS
	1500	73	R. RAZO
	1800	73	R. RAZO
	2100	72	R. RAZO
	2400	72	HARRISON

Wednesday

Date	Time	Temp.	Name (Print)
5-29-21	0300	72	HARRISON
	0600	72	M. VALENTE
	0900	72	MAULIN
	1200	72	MAULIN
	1500	77	MAGIS
	1800	74	LOPEZ
	2100	74	LOPEZ
	2400	72	HARRISON

Thursday

Date	Time	Temp.	Name (Print)
5-30-21	0300	72	HARRISON
	0600	72	BILLINGTON
	0900	72	BILLINGTON
	1200	73	BILLINGTON
	1500	79	RIZO
	1800	73	RIZO
	2100	73	RIZO
	2400	72	HARRISON

Friday

Date	Time	Temp.	Name (Print)
5-31-21	0300	72	HARRISON
	0600	72	BILLINGTON
	0900	72	BILLINGTON
	1200	72	BILLINGTON
	1500	72	
	1800		
	2100		
	2400	77	REYNOLDS

Saturday

Date	Time	Temp.	Name (Print)
6-1-21	0300	72	BILL
	0600	72	BILLINGTON
	0900	72	BILLINGTON
	1200	72	BILLINGTON
	1500	74	RIZO
	1800	73	RIZO
	2100	73	RIZO
	2400	73	CHAMBERS

Notes

Date	Time	Temp.	Name (Print)
6-7-21	0300	73	(CHAMBERS)
	0600	73	M. VALENTE
	0900	73	M. VALENTE
	1200	73	M. VALENTE
	1500	73	
	1800	73	
	2100	73	
	2400	73	CHAMBERS

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-1Temp. Reading Location: _____ (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	73	Cherry
	0600	75	On
	0900	77	On
	1200	78	On
	1500	77	Razo
	1800	76	Razo
	2100	75	Razo
	2400	74	Harrison

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	73	Harrison
	0600	75	Brown
	0900	77	Brown
	1200	78	Brown
	1500	77	Razo
	1800	77	Razo
	2100	76	Razo
	2400	74	Harrison

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	74	Harrison
	0600	75	Hernandez
	0900	77	Brown
	1200	78	Brown
	1500	78	Razo
	1800	77	Razo
	2100	76	Razo
	2400	74	Harrison

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	74	Harrison
	0600	75	Brown
	0900	76	Brown
	1200	78	Brown
	1500	78	Razo
	1800	78	Razo
	2100	76	Razo
	2400	74	Harrison

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	74	Harrison
	0600	75	Brown
	0900	77	Brown
	1200	77	Brown
	1500	78	Razo
	1800	77	Razo
	2100	76	Razo
	2400	74	Harrison

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	74	Harrison
	0600	74	M. Valenzuela
	0900	74	M. Valenzuela
	1200	75	M. Valenzuela
	1500	79	A. ESPARZA
	1800	74	A. ESPARZA
	2100	75	A. ESPARZA
	2400	75	Cherry

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	75	Cherry
	0600	75	M. Valenzuela
	0900	75	Cherry
	1200	75	Cherry
	1500	75	S. Delgado
	1800	75	S. Delgado
	2100	76	S. Delgado
	2400	75	Cherry

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-1 Temp. Reading Location: _____ (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	75	Champ
	0600	75	Se
	0900	76	Se
	1200	77	Se
	1500	78	Champ
	1800	78	Se
	2100	77	Se
	2400	75	Harrison

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	75	Harrison
	0600	74	Born
	0900	76	Born
	1200	77	Born
	1500	77	Diaz
	1800	77	Diaz
	2100	75	Diaz
	2400	75	Harrison

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	75	Harrison
	0600	75	Born
	0900	76	Born
	1200	77	Born
	1500	78	D.Ventura
	1800	78	D.Ventura
	2100	77	D.Ventura
	2400	75	Harrison

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	74	Harrison
	0600	74	Born
	0900	76	Born
	1200	77	Born
	1500	78	Cesaria
	1800	78	Cesaria
	2100	78	Cesaria
	2400	76	Reynosa

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	76	Champ
	0600	76	Champ
	0900	77	Champ
	1200	77	Champ
	1500	77	Perez
	1800	76	Perez
	2100	76	Perez
	2400	76	Silas

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	74	Silas
	0600	74	BILLINGTON
	0900	74	BILLINGTON
	1200	76	BILLINGTON
	1500	76	MERA
	1800	76	—
	2100	76	—
	2400	76	Champ

Sunday

Date	Time	Temp.	Name (Print)
6-16-24	0300	74	Champ
	0600	74	Espuria
	0900	77	Espuria
	1200	77	Espuria
	1500	77	Borajas
	1800	78	Espuria
	2100	76	Espuria
	2400	76	Champ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-1 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	76	Garrison
	0600	74	BORR
	0900	76	BORG
	1200	76	BORGON
	1500	77	DURANT
	1800	76	DURANT
	2100	72	DURANT
	2400	72	Merez

Tuesday

Date	Time	Temp.	Name (Print)
6-18-24	0300	72	Merez
	0600	71	BORG
	0900	74	BORG
	1200	76	BORG
	1500	77	RAZO
	1800	76	RAZO
	2100	75	RAZO
	2400	73	Harrison

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	73	Harrison
	0600	74	BORG
	0900	76	BORG
	1200	76	BORG
	1500	76	RAZO
	1800	76	RAZO
	2100	74	RAZO
	2400	73	Harrison

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	73	Harrison
	0600	74	BORG
	0900	76	BORG
	1200	76	BORG
	1500	76	RAZO
	1800	75	RAZO
	2100	74	RAZO
	2400	74	Harrison

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	73	Harrison
	0600	74	BORG
	0900	75	BORG
	1200	77	BORG
	1500	76	RAZO
	1800	75	RAZO
	2100	75	RAZO
	2400	74	Harrison

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	73	Harrison
	0600	73	A. Sefek
	0900	73	A. Sefek
	1200	75	A. Sefek
	1500	75	J. Gann
	1800	75	J. Gann
	2100	75	J. Gann
	2400	75	Garrison

Sunday

Date	Time	Temp.	Name (Print)
6-23-24	0300	75	Garrison
	0600	75	ESPINOLA
	0900	76	ESPINOLA
	1200	77	ESPINOLA
	1500	77	Garn
	1800	76	Garn
	2100	75	Garn
	2400	75	garn

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A1 Temp. Reading Location: _____ (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	75	Camprey
	0600	76	Born
	0900	77	Born
	1200	77	Born
	1500	77	Razo
	1800	76	Razo
	2100	76	Razo
	2400	76	Mendoza

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	76	Mendoza
	0600	75	Born
	0900	77	Born
	1200	77	Born
	1500	76	Razo
	1800	76	Razo
	2100	75	Razo
	2400	76	Mendoza

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	76	Mendoza
	0600	76	Born
	0900	77	Born
	1200	78	Born
	1500	77	Born
	1800	76	Razo
	2100	76	Razo
	2400	76	Mendoza

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300		
	0600	75	Born
	0900	76	Born
	1200	77	Born
	1500	77	Born
	1800	76	Razo
	2100	76	Razo
	2400	76	Mendoza

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	76	Mendoza
	0600	76	Born
	0900	77	Born
	1200	77	Born
	1500	76	Razo
	1800	76	Razo
	2100	75	Razo
	2400	76	Mendoza

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	76	Mendoza
	0600	77	C. Sauer
	0900	77	Sauer
	1200	77	Sauer
	1500	80	McClain
	1800	80	McClain
	2100	80	McClain
	2400	76	McClain

Notes

Date	Time	Temp.	Name (Print)
6-30-24	0300	76	Camprey
	0600	76	Mendoza
	0900	76	Razo
	1200	77	Razo
	1500	77	Razo
	1800	77	Razo
	2100	77	Razo
	2400	77	Camprey

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2-Cont. Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	74	JOHNSON, S.
	0600	72	Barajas
	0900	72	Barajas
	1200	74	Barajas
	1500	74	NEWMAN
	1800	74	MEDIANO
	2100	74	MEDIANO
	2400	74	JOHNSON, S.

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	74	JOHNSON, S.
	0600	76	Sigala
	0900	76	Sigala
	1200	76	Sigala
	1500	76	Amaya
	1800	76	Amaya
	2100	76	Amaya
	2400	76	JOHNSON, S.

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	76	JOHNSON, S.
	0600	74	Otero
	0900	75	Otero
	1200	74	Otero
	1500	75	Owen
	1800	75	Owen
	2100	75	Owen
	2400	75	Owen

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	75	Hansen
	0600	75	Gonzalez
	0900	75	Gonzalez
	1200	75	Gonzalez
	1500	75	C. Owens
	1800	75	C. Owens
	2100	75	C. Owens
	2400	75	Champ

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	74	Champ
	0600	74	D. Gonzalez
	0900		
	1200		
	1500	75	C. Owens
	1800	75	C. Owens
	2100	75	C. Owens
	2400	75	C. Owens

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	75	Champ
	0600	75	Champ
	0900	75	Champ
	1200	75	Champ
	1500	75	C. Owens
	1800	75	C. Owens
	2100	75	C. Owens
	2400	75	Champ

Notes

Date	Time	Temp.	Name (Print)
6/2/24	0300	75	Champ
	0600	75	Champ
	0900	74	Champ
	1200	74	Champ
	1500	74	Champ
	1800	74	Champ
	2100	74	Champ
	2400	75	Champ

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A.2 Temp. Reading Location: 2nd TIER (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6.3 '24	0300	79	P. Lopez
	0600	73	L. Barajas
	0900	75	L. Barajas
	1200	76	L. Barajas
	1500	76	C. Lopez
	1800	78	C. Lopez
	2100	75	C. Lopez
	2400	74	Johnson, S.

Tuesday

Dat	Time	Temp.	Name (Print)
6/4/24	0300	74	Johansen S
	0600	76	Sigala
	0900	76	Sigala
	1200	76	Sigala
	1500	77	C. Lopez
	1800	77	C. Lopez
	2100	77	C. Lopez
	2400	76	Johansen, S.

Wednesday

Date	Time	Temp.	Name (Print)
6/1 15/24	0300	76	Junction, J.
	0600	76	Sigala
	0900	76	Sigala
	1200	76	Sigala
	1500	76	Others
	1800	76	Others
	2100	76	Others
	2400	76	Junction, J.

Thursday

Date	Time	Temp.	Name (Print)
6/12/91	0300	78	JOHNSON, J.
	0600	76	Sigala
	0900	76	Sigala
	1200	78	Sigala
	1500	76	C
	1800	80	O'DWYERS
	2100	80	O'DWYERS
	2400	75	O'DWYERS

Friday

Date	Time	Temp.	Name (Print)
6/1/2011	0300	74	C. Owens
	0600	76	D. Godinez
	0900	80	mp
	1200	80	
	1500	80	C. Owens
	1800	80	C. Owens
	2100	75	C. Owens
	2400	75	C. Owens

Saturday

Date	Time	Temp.	Name (Print)
6/18/21	0300	75	Johnson
	0600	76	Sugalo
	0900	78	Sugalo
	1200	78	Sugalo
	1500	78	C. Owens
	1800	78	C. Owens
	2100	78	C. Owens
	2400	76	Johnson, S.

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	76	JOHNSON, J.
	0600	75	L-Barajas
	0900	76	L-Barajas
	1200	78	L-Barajas
	1500	79	M. Miranda
	1800	78	M. Miranda
	2100	76	M. Miranda
	2400	76	JOHNSON, J.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: Ad Cont. Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	76	Johnson, J.
	0600	77	L. Barajas
	0900	77	L. Barajas
	1200	77	L. Barajas
	1500	75	E. FUNK
	1800	75	E. FUNK
	2100	73	E. FUNK
	2400	76	Johnson, J.

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	76	Johnson, J.
	0600	78	S. gallo
	0900	78	Sigala
	1200	78	Sigala
	1500	78	FUNK
	1800	78	Sigala
	2100	78	S. gallo
	2400	76	Johnson, J.

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76	Johnson, J.
	0600	78	Sigala
	0900	80	Sigala
	1200	80	Sigala
	1500	80	C. Owens
	1800	80	C. Owens
	2100	80	C. Owens
	2400	76	Johnson, J.

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	76	Johnson, J.
	0600	76	D. Godinez
	0900	77	D. Godinez
	1200	78	D. Godinez
	1500	78	C. Owens
	1800	78	C. Owens
	2100	78	C. Owens
	2400	78	Officer

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	78	C. Owens
	0600	78	D. Godinez
	0900	78	D. Godinez
	1200	78	D. Godinez
	1500	78	C. Owens
	1800	78	C. Owens
	2100	78	C. Owens
	2400	78	Officer

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	77	Officer
	0600	78	Sigala
	0900	78	Sigala
	1200	78	Sigala
	1500	78	C. Owens
	1800	78	C. Owens
	2100	78	C. Owens
	2400	76	Johnson, J.

Notes

Date	Time	Temp.	Name (Print)
6/16/24	0300	76	Johnson, J.
	0600	75	Barajas
	0900	75	Barajas
	1200	76	Barajas
	1500	76	C. Owens
	1800	76	C. Owens
	2100	76	C. Owens
	2400	76	Johnson, J.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2-Cent. Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	76	JOHNSON, J.
	0600	76	L. Barajas
	0900	75	L. Barajas
	1200	76	L. Barajas
	1500	76	E. FUNK
	1800	75	E. FUNK
	2100	75	E. FUNK
	2400	74	JOHNSON, J.

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	74	JOHNSON, J.
	0600	76	S. Igala
	0900	76	S. Igala
	1200	78	S. Igala
	1500	76	A. Amaya
	1800	78	A. Amaya
	2100	78	A. Amaya
	2400	76	JOHNSON, J.

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	74	JOHNSON, J.
	0600	76	S. Igala
	0900	76	S. Igala
	1200	76	S. Igala
	1500	76	C. Owens
	1800	76	C. Owens
	2100	76	C. Owens
	2400	76	JOHNSON, J.

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	76	JOHNSON, J.
	0600	76	DILLINGER
	0900	75	DILLINGER
	1200	76	DILLINGER
	1500	76	C. Owens
	1800	76	C. Owens
	2100	76	C. Owens
	2400	76	Amaya

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	76	Camp
	0600	76	Camp
	0900	76	Camp
	1200	78	Camp
	1500	78	Camp
	1800	78	Camp
	2100	78	Camp
	2400	78	Camp

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	78	Camp
	0600	78	S. Igala
	0900	78	S. Igala
	1200	78	S. Igala
	1500	78	C. Owens
	1800	78	C. Owens
	2100	78	C. Owens
	2400	78	R. Lopez

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	78	R. Lopez
	0600	79	L. Barajas
	0900	79	L. Barajas
	1200	79	L. Barajas
	1500	80	D. Guzman
	1800	80	D. Guzman
	2100	79	D. Guzman
	2400	78	JOHNSON, J.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment C
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2-Cor7. Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	78	JOHNSON, J.
0600	78	L-Barajas	
0900	78	L-Barajas	
1200	76	L-Barajas	
1500	78	Lopez	
1800	78	Lopez	
2100	78	Lopez	
2400	78	JOHNSON, J.	

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	JOHNSON, J.
0600	78	Sigala, T.	
0900	78	Sigala	
1200	78	Sigala	
1500	78	Lopez	
1800	78	Lopez	
2100	78	Lopez	
2400	80	JOHNSON, J.	

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	78	JOHNSON, J.
0600	78	Sigala	
0900	78	Sigala	
1200	78	Sigala	
1500	77	C.Owens	
1800	77	C.Owens	
2100	77	C.Owens	
2400	78	JOHNSON, J.	

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	78	JOHNSON, J.
0600	78	D.Godinez	
0900	79	D.Godinez	
1200	79	D.Godinez	
1500	79	C.Owens	
1800	79	C.Owens	
2100	78	C.Owens	
2400	77	C.Owens	

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	77	Cherry
0600	77	D.Godinez	
0900	77	D.Godinez	
1200	77	D.Godinez	
1500	77	C.Owens	
1800	77	C.Owens	
2100	77	C.Owens	
2400	76	Cherry	

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	78	Cherry
0600	78	Jones	
0900	78	Jones	
1200	79	Jones	
1500	77	C.Owens	
1800	77	C.Owens	
2100	77	C.Owens	
2400	80	JOHNSON, J.	

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	78	JOHNSON, J.
0600	77	L-Barajas	
0900	80	L-Barajas	
1200	80	L-Barajas	
1500	78	C.Owens	
1800	78	C.Owens	
2100	78	C.Owens	
2400	78	JOHNSON, J.	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5	0300	74	Mendoza
29	0600	74	MEDIANO
24	0900	74	MEDIANO
	1200	74	MEDIANO
	1500	74	J. MENDOZA
	1800	74	MENDOZA
	2100	74	MENDOZA
	2400	74	Mendoza

Tuesday

Date	Time	Temp.	Name (Print)
5	0300	72	Mendoza
29	0600	74	MEDIANO
24	0900	74	MEDIANO
	1200	75	MEDIANO
	1500	75	J. MENDOZA
	1800	75	J. MENDOZA
	2100	74	J. MENDOZA
	2400	74	Mendoza

Wednesday

Date	Time	Temp.	Name (Print)
5	0300	74	Mendoza
29	0600	73	MEDIANO
24	0900	73	MEDIANO
	1200	73	MEDIANO
	1500	73	J. MENDOZA
	1800	74	J. MENDOZA
	2100	74	J. MENDOZA
	2400	74	Mendoza

Thursday

Date	Time	Temp.	Name (Print)
5	0300	74	Mendoza
30	0600	73	Barrera
24	0900	73	Barrera
	1200	75	Barrera
	1500	75	Martinez
	1800	75	Martinez
	2100	74	Martinez
	2400	74	Martinez

Friday

Date	Time	Temp.	Name (Print)
5	0300	74	Mendoza
31	0600	74	M. V. Mendoza
24	0900	74	M. V. Mendoza
	1200	74	M. V. Mendoza
	1500	74	STILES
	1800	74	STILES
	2100	73	STILES
	2400	73	Mendoza

Saturday

Date	Time	Temp.	Name (Print)
6	0300	72	Mendoza
21	0600	71	MEDIANO
24	0900	74	MEDIANO
	1200	76	MEDIANO
	1500	73	BARRERA
	1800	74	BARRERA
	2100	72	PLG 285
	2400	73	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
6	0300	74	Hernandez
21	0600	74	J. CASTRO
24	0900	74	J. CASTRO
	1200	74	J. CASTRO
	1500	74	BARRERA
	1800	74	BARRERA
	2100	72	BARRERA
	2400	74	Mendoza

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3

Temp. Reading Location:

(e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 3 24	0300	73	Mender
	0600	75	MEDMAN
	0900	76	MEDMANO
	1200	76	MENDANO
	1500	71°	JMENDOCA
	1800	70°	Mendene
	2100	75	Mender
	2400	76	m

Tuesday

Date	Time	Temp.	Name (Print)
6 4 24	0300	76	Mender
	0600	75	MEDMANO
	0900	76	MEDMANO
	1200	76	MEDMANO
	1500	71°	JMENDOCA
	1800	71°	JMENDOCA
	2100	76	Mender
	2400	75	m

Wednesday

Date	Time	Temp.	Name (Print)
6 5 24	0300	75	D120
	0600	76	MEDMANO
	0900	77	MEDMANO
	1200	75	MEDMANO
	1500	78°	JMENDOCA
	1800	78°	MENDANO
	2100	76	OMENDO
	2400	76	m

Thursday

Date	Time	Temp.	Name (Print)
6 6 24	0300	75	M22
	0600	75	Borajas
	0900	76	Borajas
	1200	78	Borajas
	1500	78°	JMENDOCA
	1800	78	JMender
	2100	74	JMender
	2400	76	Mora

Friday

Date	Time	Temp.	Name (Print)
6 7 24	0300	76	M22
	0600	76	MENDAN
	0900	76	MENDAN
	1200	76	MENDAN
	1500	76	STILES
	1800	76	FLORES
	2100	76	STILES
	2400	75	Reynaga

Saturday

Date	Time	Temp.	Name (Print)
6 8 24	0300	75	Reynaga
	0600	75	MEDMANO
	0900	76	MEDMANO
	1200	76	MEDMANO
	1500	75	STILES
	1800	76	FLORES
	2100	76	STILES
	2400	74	Harrow

Sunday

Date	Time	Temp.	Name (Print)
6 9 24	0300	74	Harrow
	0600	74	MEDMANO
	0900	75	MEDMANO
	1200	76	MEDMANO
	1500	76	MEDMANO
	1800	76	MEDMANO
	2100	74	MEDMANO
	2400	76	Mender

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	76	Mender
/	0600	76	MENDANO
10	0900	76	MENDANO
/	1200	76	MENDANO
24	1500	76°	JMENDOZA
/	1800	76°	JMENDOZA
10	2100	76	JMENDER
/	2400	76	mender

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	75	Mender
/	0600	76	MENDANO
11	0900	76	MENDANO
/	1200	76	MENDANO
24	1500	78°	JMENDOZA
/	1800	76°	JMENDER
10	2100	76	JMENDER
/	2400	76	Mender

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	76	mers
/	0600	76	MENDANO
12	0900	76	MENDANO
/	1200	76	MENDANO
24	1500	76°	JMENDOZA
/	1800	76°	JMENDOZA
10	2100	76°	JMENDOZA
/	2400	76	mers

Thursday

Date	Time	Temp.	Name (Print)
6	0300	76	Mers
/	0600	77	L-Barajas
12	0900	76	L-Barajas
/	1200	77	L-Barajas
24	1500	78°	JMENDOZA
/	1800	76°	cervantes
10	2100	76°	cervantes
/	2400	76	Mers

Friday

Date	Time	Temp.	Name (Print)
6	0300	74	Mers
/	0600	77	even
14	0900	77	even
/	1200	77	~
24	1500	80	FERES
/	1800	80	FERES
10	2100	80	FERES
/	2400	78	FERES

Saturday

Date	Time	Temp.	Name (Print)
6	0300	78	W REED
/	0600	78	MENDANO
15	0900	76	MENDANO
/	1200	76	MENDANO
24	1500	77	~
/	1800	77	~
10	2100	77	~
/	2400	77	J. ANGULO

Notes

Date	Time	Temp.	Name (Print)
6	0300	76	M. ANGULO
/	0600	76	M. ANGULO
16	0900	76	MENDANO
/	1200	76	MENDANO
24	1500	76	~
/	1800	76	~
10	2100	76	~
/	2400	76	Mender

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	76	Mender
	0600	76	MERMANO
	0900	76	MERMANO
	1200	76	MERMANO
17	1500	76°	JY MENDOZA
	1800	76°	JY MENDOZA
	2100	76°	JY MENDOZA
24	2400	76	Mender

Tuesday

Date	Time	Temp.	Name (Print)
7	0300	76	Mender
	0600	76	MERMANO
	0900	76	MERMANO
	1200	76	MERMANO
18	1500	76	MENDOZA
	1800	76	MENDOZA
	2100	76	MENDOZA
24	2400	75	mend

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	75	mesa
	0600	76	MERMANO
	0900	76	MERMANO
	1200	76	MERMANO
19	1500	76°	JY MENDOZA
	1800	76°	Mendes
	2100	76	Mendes
24	2400	76	Mendes

Thursday

Date	Time	Temp.	Name (Print)
6	0300	76	mesa
	0600	76	Cox
20	0900	76	JY MENDOZA
	1200	76	JY MENDOZA
24	1500	76	JY MENDOZA
	1800	75	JY MENDOZA
	2100	75	JY MENDOZA
	2400	75	mesa

Friday

Date	Time	Temp.	Name (Print)
4	0300	75	mesa
21	0600	76	LAMERZ
	0900	76	LAMERZ
	1200	76	LAMERZ
24	1500	76	Flores
	1800	76	Flores
	2100	76	Flores
	2400	76	meza

Saturday

Date	Time	Temp.	Name (Print)
5	0300	75	mesa
22	0600	76	MERMANO
	0900	76	MERMANO
	1200	76	MERMANO
24	1500	76	Flores
	1800	76	Flores
	2100	76	Flores
	2400	75	Harrison

Sunday

Date	Time	Temp.	Name (Print)
6	0300	75	Harrison
	0600	71	1. Torres
	0900	75	1. Torres
	1200	75	1. Torres
23	1500	76°	JY MENDOZA
	1800	76°	JY MENDOZA
	2100	76°	JY MENDOZA
24	2400	76	JY MENDOZA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05	0300	76	
24	0600	76	MENDOZA
24	0900	77	MENDOZA
24	1200	77	MENDOZA
24	1500	77	MENDOZA
24	1800	77	MENDOZA
24	2100	70	MENDOZA
24	2400	75	mender

Wednesday

Date	Time	Temp.	Name (Print)
06	0300	76	
24	0600	75	
24	0900	75	
24	1200	75	
24	1500	75	
24	1800	75	
24	2100	75	
24	2400	75	Wiza

Friday

Date	Time	Temp.	Name (Print)
06	0300	75	
24	0600	76	Perez
24	0900	76	Perez
24	1200	78	Perez
24	1500	78	Flores
24	1800	70	Flores
24	2100	70	Flores
24	2400	70	

Sunday

Date	Time	Temp.	Name (Print)
06	0300	77	
24	0600	77	
24	0900	77	
24	1200	77	
24	1500	71	SCWKO
24	1800	71	SCWKO
24	2100	71	SCWKO
24	2400	70	mender

Tuesday

Date	Time	Temp.	Name (Print)
06	0300	75	mender
25	0600	70	MENDOZA
25	0900	70	MENDOZA
25	1200	76	MENDOZA
25	1500	76°	JMENROCHA
25	1800	76°	JMENROCHA
24	2100	70	JMENROCHA
24	2400	76	MENDOZA

Thursday

Date	Time	Temp.	Name (Print)
06	0300	75	wiza
24	0600	77	Barajas
24	0900	77	Barajas
24	1200	78	Barajas
24	1500	76°	JMENROCHA
24	1800	76°	JMENROCHA
24	2100	76	Monica
24	2400	75	wiza

Saturday

Date	Time	Temp.	Name (Print)
06	0300	78	
24	0600	77	
24	0900	77	
24	1200	78	
24	1500	78	
24	1800	75	
24	2100	75	
24	2400	78	wiza

Notes

Type 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: UCSP Housing Unit: A4 Temp. Reading Location: T2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	74	<i>Burke</i>

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	74	Romney
	0600	74	Dunphy
	0900	74	Baldwin
	1200	74	Godinez
	1500	75	Godinez
	1800	75	C. Barragán
	2100	76	C. Barragán
	2400	75	J. Acosta

Sunday

Date	Time	Temp.	Name (Print)
06 02	0300	75	J. ACOSTA
	0600	75	M. Bernstein
	0900	78	A. Koffenstein
	1200	78	A. Koffenstein
	1500	78	Torres
	1800	78	Kunes
	2100	75	Frost
	2400	77	J. M. S. - 66

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: A4 Temp. Reading Location: T
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 03	0300	73	I. Valenzuela
	0600	73	M. Valenzuela
	0900	73	M. Valenzuela
	1200	73	M. Valenzuela
	1500	73	A. Bravo
	1800	73	A. Bravo
	2100	73	A. Bravo
	2400	73	S. Johnson

Tuesday

Date	Time	Temp.	Name (Print)
06 04	0300	73	J. Ruiz
	0600	73	Nieto
	0900	73	Nieto
	1200	73	Nieto
	1500	75	Angulo
	1800	74	Nieto
	2100	74	Nieto
	2400	72	Burke

Wednesday

Date	Time	Temp.	Name (Print)
06 05	0300	72	S. Johnson
	0600	73	Godinez
	0900	74	Godinez
	1200	75	Godinez
	1500	76	Flores
	1800	76	Flores
	2100	76	Flores
	2400	76	S. Johnson

Thursday

Date	Time	Temp.	Name (Print)
06 06	0300	71	Schmid
	0600	74	Godinez
	0900	75	Godinez
	1200	75	Godinez
	1500	78	R. Flores
	1800	76	R. Flores
	2100	79	R. Flores
	2400	76	Schmid

Friday

Date	Time	Temp.	Name (Print)
06 07	0300	74	S. Johnson
	0600	74	Rangel
	0900	74	Rangel
	1200	75	Rangel
	1500	78	R. Flores
	1800	78	R. Flores
	2100	78	R. Flores
	2400	74	S. Johnson

Saturday

Date	Time	Temp.	Name (Print)
06 08	0300	74	Rangel
	0600	74	Rangel
	0900	74	Rangel
	1200	74	Rangel
	1500	78	R. Flores
	1800	78	R. Flores
	2100	78	R. Flores
	2400	78	R. Flores

Sunday

Date	Time	Temp.	Name (Print)
06 09	0300	74	Rangel
	0600	74	Estrada
	0900	74	Estrada
	1200	75	Estrada
	1500	75	Estrada
	1800	75	Estrada
	2100	75	Estrada
	2400	75	172pm

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: A4 Temp. Reading Location: T
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 10	0300	75	J. JONES
	0600	75	A. MAYER
	0900	75	ANNY
	1200	75	ARMYAN
	1500	80	R. ANGEL
	1800	80	ARMYAN
	2100	80	ARMYAN
	2400	75	J. JONES

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	75	J. JONES
	0600	75	ANNY
	0900	75	ANNY
	1200	78	ANNY
	1500	80	R. ANGEL
	1800	80	R. ANGEL
	2100	80	R. ANGEL
	2400	75	J. JONES

Wednesday

Date	Time	Temp.	Name (Print)
06 12	0300	75	J. JONES
	0600	75	BROWN
	0900	75	BROWN
	1200	75	BROWN
	1500	80	R. ANGEL
	1800	80	R. ANGEL
	2100	80	R. ANGEL
	2400	75	J. JONES

Thursday

Date	Time	Temp.	Name (Print)
06 13	0300	75	J. JONES
	0600	75	J. GODFREY
	0900	76	J. GODFREY
	1200	78	J. GODFREY
	1500	78	J. GODFREY
	1800	78	J. GODFREY
	2100	78	J. GODFREY
	2400	75	J. JONES

Friday

Date	Time	Temp.	Name (Print)
06 14	0300	75	J. JONES
	0600	76	GODFREY
	0900	77	GODFREY
	1200	77	GODFREY
	1500	80	R. ANGEL
	1800	80	R. ANGEL
	2100	78	R. ANGEL
	2400	76	R. ANGEL

Saturday

Date	Time	Temp.	Name (Print)
06 15	0300	76	R. ANGEL
	0600	76	GODFREY
	0900	77	GODFREY
	1200	78	GODFREY
	1500	78	R. ANGEL
	1800	78	R. ANGEL
	2100	78	R. ANGEL
	2400	78	R. ANGEL

Sunday

Date	Time	Temp.	Name (Print)
06 16	0300	76	R. ANGEL
	0600	76	KLIPSTEIN
	0900	76	KLIPSTEIN
	1200	76	KLIPSTEIN
	1500	76	FLORES
	1800	76	FLORES
	2100	76	FLORES
	2400	76	J. JONES

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MSP Housing Unit: A4 Temp. Reading Location: T
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 17	0300	74	J-MBACO
	0600	74	L-GAMBO
	0900	74	L-GAMBO
	1200	75	L-GAMBO
	1500	76	S-JAGS
	1800	74	S-JAGS
	2100	74	S-JAGS
	2400	74	J-MBACO

Tuesday

Date	Time	Temp.	Name (Print)
06 18	0300	74	J-MBACO
	0600	74	GONZALEZ
	0900	74	GONZALEZ
	1200	74	GONZALEZ
	1500	75	Lopez
	1800	75	Lopez
	2100	74	Lopez
	2400	74	J-MBACO

Wednesday

Date	Time	Temp.	Name (Print)
06 19	0300	74	J-MBACO
	0600	75	Godinez
	0900	76	Godinez
	1200	77	Godinez
	1500	78	R-Alvarez
	1800	78	R-Alvarez
	2100	78	R-Alvarez
	2400	74	J-MBACO

Thursday

Date	Time	Temp.	Name (Print)
06 20	0300	74	J-MBACO
	0600	74	Godinez
	0900	75	Godinez
	1200	76	Godinez
	1500	78	R-Alvarez
	1800	78	R-Alvarez
	2100	77	R-Alvarez
	2400	75	J-MBACO

Friday

Date	Time	Temp.	Name (Print)
06 21	0300	75	J-MBACO
	0600	76	Godinez
	0900	77	Godinez
	1200	78	Godinez
	1500	78	SMITH
	1800	76	SMITH
	2100	76	SMITH
	2400	77	J-MBACO

Saturday

Date	Time	Temp.	Name (Print)
06 22	0300	77	Diaz
	0600	77	Diaz
	0900	77	Diaz
	1200	78	Diaz
	1500	80	R-Alvarez
	1800	80	R-Alvarez
	2100	78	R-Alvarez
	2400	77	Diaz

Sunday

Date	Time	Temp.	Name (Print)
06 23	0300	74	Lascelle
	0600	72	Kloppenstein
	0900	72	Kloppenstein
	1200	75	Kloppenstein
	1500	74	FLORES
	1800	70	FLORES
	2100	74	FLORES
	2400	70	J-MBACO

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: A4 Temp. Reading Location: T2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 24	0300	74	J. JUBAN
	0600	74	GONZALEZ
	0900	74	GONZALEZ
	1200	74	GONZALEZ
	1500	80	Flores
	1800	80	Flores
	2100	80	Flores
	2400	74	J. JUBAN

Tuesday

Date	Time	Temp.	Name (Print)
06 25	0300	74	J. JUBAN
	0600	75	S. CASTRO
	0900	75	S. CASTRO
	1200	75	S. CASTRO
	1500	80	R. Angel
	1800	80	R. Angel
	2100	80	R. Angel
	2400	74	S. Soto

Wednesday

Date	Time	Temp.	Name (Print)
06 26	0300	74	S. JUBAN
	0600	76	Godinez
	0900	77	Godinez
	1200	77	Godinez
	1500	80	R. Angel
	1800	80	R. Angel
	2100	80	R. Angel
	2400	74	S. JUBAN

Thursday

Date	Time	Temp.	Name (Print)
06 27	0300	76	S. JUBAN
	0600	76	Godinez
	0900	77	Godinez
	1200	78	Godinez
	1500	80	R. Angel
	1800	80	R. Angel
	2100	80	R. Angel
	2400	78	M. Munoz

Friday

Date	Time	Temp.	Name (Print)
06 28	0300	78	Martinez
	0600	78	Martinez
	0900	77	Godinez
	1200	78	C. GARCIA
	1500	75	C. GARCIA
	1800	78	C. GARCIA
	2100	75	C. GARCIA
	2400	77	Perez

Saturday

Date	Time	Temp.	Name (Print)
06 29	0300	77	Perez
	0600	77	Godinez
	0900	78	Godinez
	1200	79	Godinez
	1500	80	Perez
	1800	80	Perez
	2100	79	Perez
	2400	77	Perez

Sunday

Date	Time	Temp.	Name (Print)
06 30	0300	77	Reyes
	0600	77	Reyes
	0900	75	Hernandez
	1200	76	Hernandez
	1500	80	Flores
	1800	80	Flores
	2100	77	Flores
	2400	77	Reyes

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KWSP Housing Unit: A5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	76	Graff
	0600	76	Eugene
	0900	76	Perry
	1200	76	Graff
	1500	71	Unknown
	1800	71	Klonkowich
	2100	78	Kingston
	2400	76	Gardner

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	76	Gonzalez
	0600	75	D. GONZALEZ
	0900	75	D. GONZALEZ
	1200	78	D. GONZALEZ
	1500	76	C. Lopez
	1800	76	C. Lopez
	2100	75	C. Lopez
	2400	74	Gardner

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	74	Gonzalez
	0600	74	Joseph
	0900	74	Chavez
	1200	76	Chavez
	1500	75	Chavez
	1800	77	Chavez
	2100	74	Chavez
	2400	74	Chavez

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	74	Gonzalez
	0600	74	Chavez
	0900	74	Chavez
	1200	74	Chavez
	1500	75	Gonzalez
	1800	73	Gonzalez
	2100	73	Gonzalez
	2400	73	Reyes

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	72	Reyes
	0600	72	Reyes
	0900	74	Reyes
	1200	76	Reyes
	1500	78	Reyes
	1800	78	Reyes
	2100	79	Reyes
	2400	79	Reyes

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	72	Reyes
	0600	76	Reyes
	0900	76	Reyes
	1200	76	Reyes
	1500	78	Reyes
	1800	78	Reyes
	2100	78	Reyes
	2400	78	Reyes

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	77	Reyes
	0600	77	Reyes
	0900	74	Reyes
	1200	76	Reyes
	1500	76	Reyes
	1800	76	Reyes
	2100	76	Reyes
	2400	76	Reyes

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3 24	0300	80	Grays
	0600	80	Grays
	0900	80	Grays
	1200	80	Grays
	1500	80	Lopez
	1800	80	Lopez
	2100	80	Lopez
	2400	80	Grays

Tuesday

Date	Time	Temp.	Name (Print)
6/4 24	0300	78	Gonzales
	0600	78	Gonzales
	0900	78	Gonzales
	1200	78	Gonzales
	1500	78	Lopez
	1800	78	Lopez
	2100	76	Wright
	2400	76	Gonzales

Wednesday

Date	Time	Temp.	Name (Print)
6/5 24	0300	76	Gonzales
	0600	78	Lopez
	0900	78	Lopez
	1200	78	Lopez
	1500	78	Lopez
	1800	78	Lopez
	2100	76	Wright
	2400	74	Ormond

Thursday

Date	Time	Temp.	Name (Print)
6/6 24	0300	75	Ormond
	0600	76	Ormond
	0900	78	Ormond
	1200	78	Ormond
	1500	78	Ormond
	1800	78	Ormond
	2100	77	Ormond
	2400	76	Ormond

Friday

Date	Time	Temp.	Name (Print)
6/7 24	0300	76	Ormond
	0600	76	Ormond
	0900	78	Ormond
	1200	76	Ormond
	1500	76	Ormond
	1800	76	Ormond
	2100	78	Ormond
	2400	78	Grays

Saturday

Date	Time	Temp.	Name (Print)
6/8 24	0300	76	Grays
	0600	76	Grays
	0900	75	Grays
	1200	77	Granollo
	1500	75	Granollo
	1800	75	Granollo
	2100	75	Granollo
	2400	79	Grays

Notes

Date	Time	Temp.	Name (Print)
6/9 24	0300	79	Grays
	0600	80	Grays
	0900	80	Grays
	1200	81	Grays
	1500	81	Williams
	1800	81	Williams
	2100	81	Williams
	2400	80	Grays

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/10/24	0300	80	Grays
	0600	80	Grays
	0900	80	Grays
	1200	80	Grays
	1500	80	Milano
	1800	80	Milano
	2100	80	Milano
	2400	78	Conrador

Tuesday

Date	Time	Temp.	Name (Print)
4/11/24	0300	78	Gonzales
	0600	78	Jimenez
	0900	78	Jimenez
	1200	79	Jimenez
	1500	79	Perry
	1800	79	Peres
	2100	78	Milano
	2400	78	Milano

Wednesday

Date	Time	Temp.	Name (Print)
4/12/24	0300	78°	Gonzales
	0600	78°	Gonzales
	0900	78°	Gonzales
	1200	79°	Gonzales
	1500	79°	Alvarez
	1800	79°	Alvarez
	2100	76	✓
	2400	78	Champ

Thursday

Date	Time	Temp.	Name (Print)
4/13/24	0300	78	Gonzales
	0600	76	Gonzales
	0900	76	Gonzales
	1200	78	Gonzales
	1500	78	Gonzales
	1800	78	Gonzales
	2100	76	Gonzales
	2400	76	Royal

Friday

Date	Time	Temp.	Name (Print)
4/14/24	0300	77	Royal
	0600	77	Royal
	0900	75	✓
	1200	75	✓
	1500	78	Jan
	1800	78	Jan
	2100	76	✓
	2400	75	Grays

Saturday

Date	Time	Temp.	Name (Print)
4/15/24	0300	75	Grays
	0600	75	✓
	0900	75	✓
	1200	77	✓
	1500	78	✓
	1800	76	✓
	2100	76	✓
	2400	76	Grays

Notes

Date	Time	Temp.	Name (Print)
4/16/24	0300	76	Grays
	0600	76	Grays
	0900	76	Grays
	1200	77	Grays
	1500	80	Klopfenstein
	1800	80	Klopfenstein
	2100	78	Klopfenstein
	2400	78	Grays

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A5 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/1 19 24	0300	78	Grays
	0600	78	Grays
	0900	78	Grays
	1200	78	Grays
	1500	78	Kloftoshin
	1800	77	n
	2100	77	n
	2400	74	Grays

Tuesday

Date	Time	Temp.	Name (Print)
6/8 24	0300	79	Grays
	0600	74	Grays
	0900	76	Grays
	1200	76	Grays
	1500	78	Grays
	1800	77	Grays
	2100	76	Grays
	2400	76	Grays

Wednesday

Date	Time	Temp.	Name (Print)
6/19 24	0300	76	Grays
	0600	76	Guarder
	0900	78	Guarder
	1200	78	Guarder
	1500	77	n
	1800	76	n
	2100	74	n
	2400	74	Grays

Thursday

Date	Time	Temp.	Name (Print)
6/20 24	0300	75	Grays
	0600	78	Grays
	0900	78	Grays
	1200	78	Grays
	1500	78	Grays
	1800	76	Grays
	2100	75	Grays
	2400	76	Grays

Friday

Date	Time	Temp.	Name (Print)
6/21 24	0300	76	V.CARRO
	0600	78	Grays
	0900	78	Grays
	1200	79	Grays
	1500	75	n
	1800	78	n
	2100	72	n
	2400	78	Grays

Saturday

Date	Time	Temp.	Name (Print)
6/22 24	0300	78	Grays
	0600	78	Grays
	0900	77	Grays
	1200	76	Grays
	1500	78	Grays
	1800	76	Grays
	2100	76	Grays
	2400	78	Grays

Sunday

Date	Time	Temp.	Name (Print)
6/23 24	0300	78	Grays
	0600	78	Grays
	0900	79	Grays
	1200	78	Grays
	1500	78	Kloftoshin
	1800	77	Kloftoshin
	2100	78	Kloftoshin
	2400	75	Grays

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment C
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A5

Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	78	Grays
6/24/24	0600	80	Grays
6/24/24	0900	81	Grays
6/24/24	1200	81	Grays
6/24/24	1500	80	Klosterman
6/24/24	1800	80	Klosterman
6/24/24	2100	80	Klosterman
6/24/24	2400	80	Grays

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	Gonzales
6/25/24	0600	80	Gonzales
6/25/24	0900	80	Gonzales
6/25/24	1200	80	Gonzales
6/25/24	1500	80	Gonzales
6/25/24	1800	80	Gonzales
6/25/24	2100	78	Gonzales
6/25/24	2400	78	Gonzales

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	78	Gonzales
6/26/24	0600	78	Gonzales
6/26/24	0900	80	Gonzales
6/26/24	1200	80	Gonzales
6/26/24	1500	80	Gonzales
6/26/24	1800	80	Gonzales
6/26/24	2100	77	Wong
6/26/24	2400	77	Wong

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	75	Ommaya
6/27/24	0600	75	Ommaya
6/27/24	0900	78	Ommaya
6/27/24	1200	78	Wong
6/27/24	1500	79	R. Cesena
6/27/24	1800	79	R. Cesena
6/27/24	2100	78	R. Cesena
6/27/24	2400	77	R. Cesena

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	77	Gray
6/28/24	0600	77	Gray
6/28/24	0900	78	Gray
6/28/24	1200	78	Gray
6/28/24	1500	78	Gray
6/28/24	1800	78	Gray
6/28/24	2100	78	Gray
6/28/24	2400	78	Gray

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	78	Gray
6/29/24	0600	78	Cesena
6/29/24	0900	79	Cesena
6/29/24	1200	79	Gray
6/29/24	1500	78	Gray
6/29/24	1800	78	Gray
6/29/24	2100	78	Gray
6/29/24	2400	78	Gray

Notes

Date	Time	Temp.	Name (Print)
6/30/24	0300	78	Grays
6/30/24	0600	79	Grays
6/30/24	0900	80	Grays
6/30/24	1200	80	Grays
6/30/24	1500	80	Grays
6/30/24	1800	80	Grays
6/30/24	2100	80	Grays
6/30/24	2400	80	Grays

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A6 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/11/20	0300	74	E. CHAO
	0600	74	J. CASTRO
	0900	73	J. CASTRO
	1200	72	J. CASTRO
	1500	73	Sigala
	1800	73	Sigala
	2100	74	Sigala
	2400	75	Perdiz

Sunday

Date	Time	Temp.	Name (Print)
	0300	76	Kefick
	0600	77	per
	0900	77	Jean
	1200	76	Jean
4/21/11	1500	75	X Gonzales
	1800	75	X GONZALES
	2100	75	X GONZALES
	2400	75	Burns

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

KERN VALLEY
Institution: A6 Temp. Reading Location: UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/13/24	0300	80	REDICK
0600	80	MURRAY	
0900	80	MIRANDA	
1200	80	MIRANDA	
1500	81	MUNOR	
1800	81	MUNOR	
2100	81	MUNOR	
2400	80	REDICK	

Tuesday

Date	Time	Temp.	Name (Print)
6/14/24	0300	80	REDICK
0600	81	MURRAY	
0900	81	MURRAY	
1200	81	MIRANDA	
1500	81	MUNOR	
1800	81	MUNOR	
2100	81	MUNOR	
2400	80	REDICK	

Wednesday

Date	Time	Temp.	Name (Print)
6/15/24	0300	80	REDICK
0600	80	PEPPER	
0900	81	MIRANDA	
1200	80	MIRANDA	
1500	80°	X GONZALES	
1800	80°	X GONZALES	
2100	80	X GONZALES	
2400	78	W. REDICK	

Thursday

Date	Time	Temp.	Name (Print)
6/16/24	0300	78	W. REDICK
0600	78	P. CESAR	
0900	79	P. CESAR	
1200	80	P. CESAR	
1500	83	X GONZALEZ	
1800	80	X GONZALEZ	
2100	80	X GONZALEZ	
2400	79	E. CHAN	

Friday

Date	Time	Temp.	Name (Print)
6/17/24	0300	78	E. CHAN
0600	78	ROJAS	
0900	79	ROJOS	
1200	80	ROJOS	
1500	83	X GONZALEZ	
1800	83	X GONZALEZ	
2100	81	X GONZALEZ	
2400	81	E. CHAN	

Saturday

Date	Time	Temp.	Name (Print)
6/18/24	0300	80	E. CHAN
0600	80	J. CASTRO	
0900	82	J. CASTRO	
1200	82	J. CASTRO	
1500	80	S. YOUNG	
1800	80	S. YOUNG	
2100	80	S. YOUNG	
2400	80	REDICK	

Sunday

Date	Time	Temp.	Name (Print)
6/19/24	0300	79	
0600	79	JONES	
0900	82	JONES	
1200	84	JONES	
1500	80	X GONZALEZ	
1800	80	X GONZALEZ	
2100	80	X GONZALEZ	
2400	80	JONES	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: A6 Temp. Reading Location: UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	78	(Blank)
6	0600	80	M. MIRANDA
6	0900	80	M. MIRANDA
10	1200	80	M. MIRANDA
10	1500	80	Miror
10	1800	80	Miror
24	2100	80	Miror
24	2400	78	w. REED

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	78	w. REED
6	0600	79	M. MIRANDA
6	0900	80	M. MIRANDA
11	1200	80	M. MIRANDA
11	1500	80	Miror
11	1800	80	Miror
24	2100	80	Miror
24	2400	78	w. REED

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	78	w. REED
6	0600	79	M. MIRANDA
6	0900	80	M. MIRANDA
12	1200	80	M. MIRANDA
12	1500	80	Xbonyas
24	1800	80	Xbonyas
24	2100	79	Xbonyas
24	2400	78	w. REED

Thursday

Date	Time	Temp.	Name (Print)
6	0300	78	Li. Rosalyn
6	0600	78	Li. CESARIA
6	0900	78	Li. CESARIA
13	1200	80	Li. CESARIA
13	1500	80	Xbonyas
21	1800	80	Xbonyas
21	2100	80	Xbonyas
21	2400	78	t. Cesar

Friday

Date	Time	Temp.	Name (Print)
6	0300	78	ECHANEL
6	0600	78	ROBES
6	0900	78	ROBES
14	1200	78	ROBES
14	1500	78	XGONIAS
24	1800	78	XGONIAS
24	2100	78	XGONIAS
24	2400	78	ECHANEL

Saturday

Date	Time	Temp.	Name (Print)
6	0300	78	G. CONDIER
6	0600	78	M. MIRANDA
6	0900	79	M. MIRANDA
15	1200	80	M. MIRANDA
15	1500	80	ESPARZA
24	1800	80	ESPARZA
24	2100	79	ESPARZA
24	2400	78	w. REED

Sunday

Date	Time	Temp.	Name (Print)
6	0300	78	w. REED
6	0600	78	M. MIRANDA
6	0900	79	M. MIRANDA
16	1200	80	M. MIRANDA
16	1500	80	XGONIAS
24	1800	80	XGONIAS
24	2100	80	XGONIAS
24	2400	78	w. REED

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP · Housing Unit: A6 · Temp. Reading Location: Upper Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	78	W. REICK
11	0600	79	M. MIRANDA
17	0900	79	M. MIRANDA
24	1200	80	M. MIRANDA
	1500	80	MURKIN
	1800	80	MURKIN
	2100	80	MURKIN
	2400	78	W. REICK

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	78	W. REICK
18	0600	78	M. MIRANDA
	0900	78	M. MIRANDA
	1200	79	M. MIRANDA
	1500	80	MURKIN
	1800	80	MURKIN
24	2100	80	MURKIN
	2400	78	W. REICK

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	78	W. REICK
11	0600	78	M. MIRANDA
17	0900	79	M. MIRANDA
24	1200	79	M. MIRANDA
	1500	80	XGONZALEZ
	1800	80	XGONZALEZ
	2100	80	XGONZALEZ
	2400	78	W. REICK

Thursday

Date	Time	Temp.	Name (Print)
6	0300	78	W. REICK
18	0600	78	W. REICK
	0900	80	W. REICK
	1200	80	W. REICK
	1500	80	XGONZALEZ
	1800	80	XGONZALEZ
24	2100	80	XGONZALEZ
	2400	78	W. REICK

Friday

Date	Time	Temp.	Name (Print)
6	0300	79	KELLY
11	0600	78	REED
17	0900	78	ROGERS
24	1200	79	ROGERS
	1500	80	XGONZALEZ
	1800	80	XGONZALEZ
	2100	80	XGONZALEZ
	2400	80	REED

Saturday

Date	Time	Temp.	Name (Print)
6	0300	79	BELTRAN
11	0600	78	DELLAHAN
17	0900	79	DELLAHAN
24	1200	80	XGONZALEZ
	1500	80	XGONZALEZ
	1800	80	XGONZALEZ
	2100	80	XGONZALEZ
	2400	80	Perez

Notes

Date	Time	Temp.	Name (Print)
6	0300	79	REED
11	0600	78	REED
17	0900	79	DILLINGER
24	1200	80	GILLETT
	1500	80	XGONZALEZ
	1800	80	XGONZALEZ
	2100	80	XGONZALEZ
	2400	78	W. REICK

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KI SP Housing Unit: A1 Temp. Reading Location: Upper Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	88	w. reedie
6/24	0600	89	M. MIRANDA
6/24	0900	89	M. MIRANDA
6/24	1200	89	M. MIRANDA
6/24	1500	89	Mendoza
6/24	1800	89	Mendoza
6/24	2100	88	Mendoza
6/24	2400	88	Nathaniel

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	88	Nathaniel
6/25	0600	88	Nathaniel
6/25	0900	89	M. MIRANDA
6/25	1200	89	M. MIRANDA
6/25	1500	88	J. Castaneda
6/25	1800	88	J. Castaneda
6/25	2100	88	J. Castaneda
6/25	2400	78	w. reedie

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	78	w. reedie
6/26	0600	79	M. MIRANDA
6/26	0900	79	M. MIRANDA
6/26	1200	79	M. MIRANDA
6/26	1500	80	X GONZALEZ
6/26	1800	80	X GONZALEZ
6/26	2100	80	X GONZALEZ
6/26	2400	78	w. reedie

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	78	w. reedie
6/27	0600	78	R. CESARIA
6/27	0900	79	R. CESARIA
6/27	1200	80	R. CESARIA
6/27	1500	80	X GONZALEZ
6/27	1800	80	X GONZALEZ
6/27	2100	80	X GONZALEZ
6/27	2400	78	

Friday

Date	Time	Temp.	Name (Print)
6/18	0300	79	Beltran
6/18	0600	78	Beltran
6/18	0900	78	Beltran
6/18	1200	79	Beltran
6/18	1500	83	Beltran
6/18	1800	83	X GONZALEZ
6/18	2100	83	X GONZALEZ
6/18	2400	80	Beltran

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	80	w. room
6/29	0600	89	M. MIRANDA
6/29	0900	89	M. MIRANDA
6/29	1200	89	M. MIRANDA
6/29	1500	80	X GONZALEZ
6/29	1800	80	X GONZALEZ
6/29	2100	80	X GONZALEZ
6/29	2400	80	w. room

Sunday

Date	Time	Temp.	Name (Print)
6/20	0300	88	Beltran
6/20	0600	89	Beltran
6/20	0900	89	M. MIRANDA
6/20	1200	89	M. MIRANDA
6/20	1500	89	M. MIRANDA
6/20	1800	80	X GONZALEZ
6/20	2100	80	X GONZALEZ
6/20	2400	79	Beltran

Notes

95

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A7 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5 / 27 / 24	0300	75	Jaramillo
	0600	76	Rodriguez
	0900	76	Rodriguez
	1200	76	Rodriguez
	1500	73	G-JORDO
	1800	73	G-JORDO
	2100	71	G-JORDO
	2400	71	Pelaya

Tuesday

Date	Time	Temp.	Name (Print)
5 / 28 / 24	0300	71	Pelaya
	0600	72	Rodriguez
	0900	74	Rodriguez
	1200	74	Rodriguez
	1500	73	G-JORDO
	1800	74	G-JORDO
	2100	71	G-JORDO
	2400	70	Macias

Wednesday

Date	Time	Temp.	Name (Print)
5 / 29 / 24	0300	70	Macias
	0600	72	Rodriguez
	0900	72	Rodriguez
	1200	73	Rodriguez
	1500	74	LUKENHART
	1800	78	LUKENHART
	2100	77	LUKENHART
	2400	71	Macias

Thursday

Date	Time	Temp.	Name (Print)
5 / 30 / 24	0300	71	Macias
	0600	72	Rodriguez
	0900	74	Rodriguez
	1200	74	Rodriguez
	1500	75	W-DICK
	1800	75	W-DICK
	2100	73	ATEMAN
	2400	71	Macias

Friday

Date	Time	Temp.	Name (Print)
5 / 31 / 24	0300	71	Macias
	0600	72	Rodriguez
	0900	74	Rodriguez
	1200	74	Rodriguez
	1500	74	Grenillo
	1800	74	Grenillo
	2100	73	Grenillo
	2400	71	Macias

Saturday

Date	Time	Temp.	Name (Print)
6 / 01 / 24	0300	71	Macias
	0600	71	D.GONZALEZ
	0900	72	D.GONZALEZ
	1200	72	D.GONZALEZ
	1500	72	A-ESPARZA
	1800	72	A-ESPARZA
	2100	72	A-ESPARZA
	2400	72	M.CHAVEN

Notes

Date	Time	Temp.	Name (Print)
6 / 02 / 24	0300	71	Hernandez
	0600	72	Hernandez
	0900	72	GONZALEZ
	1200	72	GONZALEZ
	1500	72	GONZALEZ
	1800	73	G-JORDO
	2100	71	G-JORDO
	2400	71	✓

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-7 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06	0300	70	M. Mayer
/	0600	72	E. Marra
03	0900	72	G. G. G.
/	1200	72	G. CARL
24	1500	73	G. IORTD
	1800	74	G. IORTD
	2100	71	G. IORTD
	2400	71	M. Macias

Wednesday

Date	Time	Temp.	Name (Print)
06	0300	70	Chenier
/	0600	72	Rodriguez
05	0900	74	Rodriguez
/	1200	74	Rodriguez
24	1500	74	G. IORIO
	1800	72	G. IORIO
	2100	72	G. IORIO
	2400	77	M. Macias

Friday

Date	Time	Temp.	Name (Print)
06 /	0300	71	M. Macias
	0600	74	Rodriguez
	0900	78	Robinson
	1200	80	Perrin
	1500	80	@. Garcia
	1800	80	@. Garcia
07 /	2100	80	@. Garcia
	2400	71	Macias

Sunday

Date	Time	Temp.	Name (Print)
06 / 09 / 24	0300	76	Chad GONZALEZ
	0600	74	GONZALEZ
	0900	75	GONZALEZ
	1200	75	GONZALEZ
	1500	78	Lukemard
	1800	78	Lukemard
	2100	78	Lukemard
	2400	76	Chad

Tuesday

Date	Time	Temp.	Name (Print)
06 / 04 / 24	0300	71	M. Marias
	0600	72	Berbiguer
	0900	74	Berbiguer
	1200	74	Berbiguer
	1500	74	G. IORIO
	1800	72	G. IORIO
	2100	72	G. IORIO
	2400	72	Chamber

Thursday

Date	Time	Temp.	Name (Print)
06	0300	71	M. Macias
	0600	74	Reidville
/	0900	76	Roxbury
06	1200	78	Roxbury
/	1500	78	-3.582
24	1800	78	Durz
	2100	76	-3.262
	2400	72	M. Macias

Saturday

Date	Time	Temp.	Name (Print)
06	0300	71	Rojas
/	0600	71	Rojas
	0900	74	Rojas
08	1200	78	Rojas
/	1500	78	Rojas
	1800	78	Rojas
24	2100	78	Rojas
	2400	77	Carrasco

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A.7 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/10/24	0300	71	CHANELL
	0600	74	Rockwell
	0900	76	Rockwell
	1200	76	Rockwell
	1500	76	ROSES
	1800	78	m Rose
	2100	74	m Rose
	2400	74	m Rose

Tuesday

Date	Time	Temp.	Name (Print)
06/ 11/ 24	0300	76	M. Oliver
	0600	76	Rodriguez
	0900	76	Rodriguez
	1200	78	Rodriguez
	1500	77	G. IORIO
	1800	76	G. IORIO
	2100	75	G. IORIO
	2400	72	M. Marias

Wednesday

Date	Time	Temp.	Name (Print)
06 / 12 / 24	0300	72	M. Macias
	0600	74	Rodriguez
	0900	76	Rodriguez
	1200	76	Rodriguez
	1500	77	GIORIO
	1800	77	GIORIO
	2100	74	GIORIO
	2400	72	M. Macias

Thursday

Date	Time	Temp.	Name (Print)
06 13 24	0300	71	M. Macias
	0600	74	Rodriguez
	0900	70	Pedroza
	1200	78	Rodriguez
	1500	76	GIORIO
	1800	76	GIORIO
	2100	74	GIORIO
	2400	72	M. Macias

Friday

Date	Time	Temp.	Name (Print)
06 14 24	0300	71	M. Macias
	0600	74	Rodriguez
	0900	74	Rodriguez
	1200	76	Rodriguez
	1500	80	Klopfenstein
	1800	86	Klopfenstein
	2100	80	Klopfenstein
	2400	76	Macias

Saturday

Date	Time	Temp.	Name (Print)
06	0300	74	Maria
/	0600	74	Boys
15	0900	76	Boys
/	1200	79	Boys
24	1500	80	Klopfenstein
	1800	80	Klopfenstein
	2100	80	Sanders
	2400	80	McNamee

Sunday

Date	Time	Temp.	Name (Print)
06/16/24	0300	50	M. H. MCGILL
	0600	50	M. H. MCGILL
	0900	74	P. D. DIAL
	1200	75	P. D. DIAL
	1500	74	G. JORDAN
	1800	74	G. JORDAN
	2100	72	G. JORDAN
	2400	74	

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-7 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/11/20	0300	74	G. IORIO
6/11/20	0600	76	Rodriguez
6/11/20	0900	76	Rodriguez
6/11/20	1200	78	Rodriguez
6/11/20	1500	75	G. IORIO
6/11/20	1800	75	G. IORIO
6/11/20	2100	73	G. IORIO
6/11/20	2400	73	M. Macias

Tuesday

Date	Time	Temp.	Name (Print)
6/12/20	0300	72	M. Macias
6/12/20	0600	74	Rodriguez
6/12/20	0900	74	Rodriguez
6/12/20	1200	76	Rodriguez
6/12/20	1500	75	G. IORIO
6/12/20	1800	75	G. IORIO
6/12/20	2100	73	G. IORIO
6/12/20	2400	73	M. Macias

Wednesday

Date	Time	Temp.	Name (Print)
6/13/20	0300	77	M. Macias
6/13/20	0600	74	Rodriguez
6/13/20	0900	74	Rodriguez
6/13/20	1200	76	Rodriguez
6/13/20	1500	74	G. IORIO
6/13/20	1800	74	D. Sanders
6/13/20	2100	71	D. Sanders
6/13/20	2400	79	M. Macias

Thursday

Date	Time	Temp.	Name (Print)
6/14/20	0300	74	M. Macias
6/14/20	0600	74	Rodriguez
6/14/20	0900	76	Rodriguez
6/14/20	1200	76	Rodriguez
6/14/20	1500	74	NACA
6/14/20	1800	74	NACA
6/14/20	2100	74	NACA
6/14/20	2400	74	M. Macias

Friday

Date	Time	Temp.	Name (Print)
6/15/20	0300	72	Mario
6/15/20	0600	74	Rodriguez
6/15/20	0900	74	Rodriguez
6/15/20	1200	76	Rodriguez
6/15/20	1500	80	C. Barajas
6/15/20	1800	80	C. Barajas
6/15/20	2100	80	C. Barajas
6/15/20	2400	74	Mario

Saturday

Date	Time	Temp.	Name (Print)
6/16/20	0300	78	Mario
6/16/20	0600	78	ROGOS
6/16/20	0900	78	ROGOS
6/16/20	1200	80	ROGOS
6/16/20	1500	80	Burke
6/16/20	1800	78	Burke
6/16/20	2100	76	Burke
6/16/20	2400	76	Burke

Sunday

Date	Time	Temp.	Name (Print)
6/17/20	0300	76	
6/17/20	0600	76	D. GONZALEZ
6/17/20	0900	76	D. GONZALEZ
6/17/20	1200	77	D. GONZALEZ
6/17/20	1500	75	G. IORIO
6/17/20	1800	74	G. IORIO
6/17/20	2100	74	G. IORIO
6/17/20	2400	74	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-7 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 24 24	0300	74	Baptiran
	0600	76	Rodriguez
	0900	76	Rodriguez
	1200	78	Rodriguez
	1500	75	G. IORIO
	1800	75	G. IORIO
	2100	73	G. IORIO
	2400	73	M. Macias

Tuesday

Date	Time	Temp.	Name (Print)
6 25 24	0300	72	M. Macias
	0600	74	Rodriguez
	0900	74	Rodriguez
	1200	76	Rodriguez
	1500	75	G. IORIO
	1800	75	G. IORIO
	2100	73	G. IORIO
	2400	73	M. Macias

Wednesday

Date	Time	Temp.	Name (Print)
6 26 24	0300	72	M. Macias
	0600	74	Rodriguez
	0900	74	Rodriguez
	1200	76	Rodriguez
	1500	74	G. IORIO
	1800	74	D. Sanders
	2100	73	D. Sanders
	2400	73	M. Macias

Thursday

Date	Time	Temp.	Name (Print)
6 27 24	0300	74	M. Macias
	0600	74	Rodriguez
	0900	76	Rodriguez
	1200	76	Rodriguez
	1500	76	NACA
	1800	76	NACA
	2100	74	NACA
	2400	74	M. Macias

Friday

Date	Time	Temp.	Name (Print)
6 28 24	0300	72	Macias
	0600	74	Rodriguez
	0900	74	Rodriguez
	1200	76	Rodriguez
	1500	80	C. Barajas
	1800	80	C. Barajas
	2100	80	C. Barajas
	2400	79	Macias

Saturday

Date	Time	Temp.	Name (Print)
6 29 24	0300	78	Macias
	0600	78	D. GONZALEZ
	0900	78	D. GONZALEZ
	1200	80	D. GONZALEZ
	1500	80	D. GONZALEZ
	1800	78	D. GONZALEZ
	2100	76	D. GONZALEZ
	2400	79	Bethren

Sunday

Date	Time	Temp.	Name (Print)
6 30 24	0300	79	
	0600	76	D. GONZALEZ
	0900	76	D. GONZALEZ
	1200	77	D. GONZALEZ
	1500	75	G. IORIO
	1800	74	G. IORIO
	2100	74	G. IORIO
	2400	79	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: 2nd (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

5/31/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	71	An

Sunday

6/2/24

Date	Time	Temp.	Name (Print)
	0300	72	An
	0600	73	ESPINOLA
	0900	73	ESPINOZA
	1200	74	ESPINOZA
	1500	74	HERNANDEZ
	1800	73	HERNANDEZ
	2100	73	HERNANDEZ
	2400	72	SALAZAR

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

6/1/24

Date	Time	Temp.	Name (Print)
	0300	72	An
	0600	72	Gomez
	0900	72	Gomez
	1200	73	Gomez
	1500	73	HERNANDEZ
	1800	73	HERNANDEZ
	2100	73	HERNANDEZ
	2400	72	An

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3	0300	72	Salazar
	0600	71	Crowe
	0900	71	Stecco
	1200	71	Sewell
	1500	75	Bertis
	1800	78	Bertis
	2100	80	Bertis
	2400	75	Salazar

Tuesday

Date	Time	Temp.	Name (Print)
6-4	0300	72	Salazar
	0600	71	V. Flores
	0900	71	V. Flores
	1200	72	V. Flores
	1500	72	Guzman
	1800	72	Guzman
	2100	74	Guzman
	2400	72	An

Wednesday

Date	Time	Temp.	Name (Print)
6-5	0300	72	An
	0600	71	V. Flores
	0900	71	V. Flores
	1200	72	V. Flores
	1500	72	Guzman
	1800	72	Guzman
	2100	72	Guzman
	2400	72	An

Thursday

Date	Time	Temp.	Name (Print)
6-6	0300	72	An
	0600	71	V. Flores
	0900	71	V. Flores
	1200	72	V. Flores
	1500	72	Guzman
	1800	72	Guzman
	2100	72	Guzman
	2400	72	An

Friday

Date	Time	Temp.	Name (Print)
6-7	0300	72	An
	0600	71	V. Flores
	0900	72	V. Flores
	1200	71	V. Flores
	1500	72	Guzman
	1800	72	Guzman
	2100	72	Guzman
	2400	72	An

Saturday

Date	Time	Temp.	Name (Print)
6-8	0300	72	An
	0600	72	Sanchez
	0900	72	Sanchez
	1200	72	Sanchez
	1500	72	Hernandez
	1800	72	Hernandez
	2100	72	Hernandez
	2400	72	Perez

Sunday

Date	Time	Temp.	Name (Print)
6-9	0300	72	Perez
	0600	72	Aguilar
	0900	72	Aguilar
	1200	73	Aguilar
	1500	73	Heffernan
	1800	72	Heffernan
	2100	72	An
	2400	72	Salazar

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment C
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1

Temp. Reading Location: Jug T-102 (e.g.,
 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	70	Aren
	0600	71	Shawn
	0900	71	Shawn
	1200	71	Edwin
	1500	72	Dabbers
	1800	72	Dabbers
	2100	72	Dabbers
	2400	71	Alex

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	71	Aaron
	0600	73	Frank
	0900	74	Frank
	1200	74	Frank
	1500	73	Cameron
	1800	72	Cameron
	2100	73	Cameron
	2400	73	Aaron

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	74	Aaron
	0600	74	Frank
	0900	75	Frank
	1200	76	Frank
	1500	77	Cameron
	1800	74	Cameron
	2100	74	Cameron
	2400	73	Cameron

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	71	Aaron
	0600	74	Frank
	0900	76	Frank
	1200	75	Frank
	1500	74	Frank
	1800	74	Frank
	2100	73	Cameron
	2400	76	Frank

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	76	Frank
	0600	75	Frank
	0900	79	Frank
	1200	76	Frank
	1500	74	SANDRA LAC
	1800	74	SANDRA LAC
	2100	74	SANDRA LAC
	2400	73	Rosie

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	73	Rosie
	0600	74	Grays
	0900	74	Grays
	1200	74	Grays
	1500	74	HEARNE
	1800	74	HEARNE
	2100	73	HEARNE
	2400	73	S. Lopez

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	73	S. Lopez
	0600	73	S. Lopez
	0900	77	HEARNE
	1200	73	HEARNE
	1500	73	HEARNE
	1800	73	HEARNE
	2100	73	HEARNE
	2400	78	Salazar

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: 1 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/11/18	0300	71	SALAZAR
	0600	71	SALAZAR
	0900	72	SALAZAR
	1200	74	SALAZAR
	1500	75	SALAZAR
	1800	76	SALAZAR
	2100	77	SALAZAR
	2400	77	SALAZAR

Tuesday

Date	Time	Temp.	Name (Print)
5/12/18	0300	72	SALAZAR
	0600	72	R. FRAZER
	0900	73	R. FRAZER
	1200	74	R. FRAZER
	1500	77	GUZMAN
	1800	73	GUZMAN
	2100	72	GUZMAN
	2400	72	A

Wednesday

Date	Time	Temp.	Name (Print)
5/13/18	0300	72	A
	0600	71	V. FLORES
	0900	72	V. FLORES
	1200	73	V. FLORES
	1500	73	GUZMAN
	1800	73	GUZMAN
	2100	73	GUZMAN
	2400	72	A

Thursday

Date	Time	Temp.	Name (Print)
5/14/18	0300	72	A
	0600	72	V. FLORES
	0900	72	V. FLORES
	1200	72	V. FLORES
	1500	73	GUZMAN
	1800	73	GUZMAN
	2100	73	GUZMAN
	2400	72	A

Friday

Date	Time	Temp.	Name (Print)
5/15/18	0300	72	A
	0600	72	V. FLORES
	0900	72	V. FLORES
	1200	73	V. FLORES
	1500	73	GUZMAN
	1800	73	GUZMAN
	2100	73	GUZMAN
	2400	73	A

Saturday

Date	Time	Temp.	Name (Print)
5/12/18	0300	72	A
	0600	72	ESPINOZA
	0900	72	ESPINOZA
	1200	72	ESPINOZA
	1500	73	HERRERA
	1800	73	HERRERA
	2100	73	HERRERA
	2400	72	A

Sunday

Date	Time	Temp.	Name (Print)
5/13/18	0300	72	A
	0600	75	A
	0900	73	A
	1200	70	A
	1500	80	ESPINOZA
	1800	75	ESPINOZA
	2100	75	GUZMAN
	2400	75	SALAZAR

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KSP Housing Unit: B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/14</u>	0300	74	Solazav
	0600	74	J. Mendoza
	0900	74	J. Mendoza
	1200	74	J. Mendoza
	1500	77	BTMS
	1800	79	BTMS
	2100	80	BTMS
	2400	80	Solazav

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/15</u>	0300	77	Solazav
	0600	74	V. Flory
	0900	74	V. Flory
	1200	75	V. Flory
	1500	75	Guzman
	1800	75	Guzman
	2100	79	Guzman
	2400	73	A.

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/16</u>	0300	73	A.
	0600	75	V. Flory
	0900	74	V. Flory
	1200	74	V. Flory
	1500	73	Guzman
	1800	73	Guzman
	2100	73	Guzman
	2400	73	A.

Thursday

Date	Time	Temp.	Name (Print)
<u>6/17</u>	0300	73	A.
	0600	74	V. Flory
	0900	76	V. Flory
	1200	77	V. Flory
	1500	79	A. Eman
	1800	79	A. Eman
	2100	78	A. Eman
	2400	76	A.

Friday

Date	Time	Temp.	Name (Print)
<u>6/18</u>	0300	74	A.
	0600	74	V. Flory
	0900	75	V. Flory
	1200	77	V. Flory
	1500	77	Guzman
	1800	77	Guzman
	2100	76	Guzman
	2400	74	A.

Saturday

Date	Time	Temp.	Name (Print)
<u>6/19</u>	0300	74	A.
	0600	74	V. Flory
	0900	75	V. Flory
	1200	76	V. Flory
	1500	75	A. Eman
	1800	75	A. Eman
	2100	76	A. Eman
	2400	74	A.

Sunday

Date	Time	Temp.	Name (Print)
<u>6/20</u>	0300	74	A.
	0600	71	Solazav
	0900	71	Solazav
	1200	71	Solazav
	1500	71	Verem
	1800	71	Verem
	2100	73	L. Hernandez
	2400	74	Solazav

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B B2 Temp. Reading Location: 2nd Tier (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	73	Mender
	0600	74	RAYA
	0900	75	RAYA
	1200	75	RAYA
	1500	75	Gesper
	1800	75	Gesper
	2100	75	Gesper
	2400	75	Gesper

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	73	Mr. Daniels
	0600	74	RAYA
	0900	74	RAYA
	1200	74	RAYA
	1500	74	Cleesa
	1800	74	Cleesa
	2100	74	Cleesa
	2400	74	Wadsworth

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment C
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 2

Temp. Reading Location: 2nd Tier

(e.g.,
 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	75	VEGASPI
6	0600	75	Santana
3	0900	75	Santana
1200	75	Santana	
1500	75	HEMFORD	
1800	75	HEMFORD	
2100	75	HEMFORD	
2400	75	VEGASPI	

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	75	VEGASPI
6	0600	75	Santana
1	0900	75	Santana
1200	75	Santana	
1500	75	HEMFORD	
1800	75	HEMFORD	
2100	75	HEMFORD	
2400	75	Santana	

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	75	Santana
6	0600	76	Santana
5	0900	76	Santana
1200	76	Santana	
1500	75	Lina	
1800	75	Lina	
2100	75	Lina	
2400	76	Chavez	

Thursday

Date	Time	Temp.	Name (Print)
6	0300	76	CAROL
6	0600	74	Santana
6	0900	75	Santana
1200	75	Santana	
1500	76	Cecilia	
1800	76	Cecilia	
2100	76	Cecilia	
2400	75	M. Hernandez	

Friday

Date	Time	Temp.	Name (Print)
6	0300	75°	M. Hernandez
6	0600	75	VEGASPI
7	0900	75	VEGASPI
1200	75	VEGASPI	
1500	76	Cecilia	
1800	76	Cecilia	
2100	75	Cecilia	
2400	75	Mendes	

Saturday

Date	Time	Temp.	Name (Print)
6	0300	75	Mendes
6	0600	75	RAYA
8	0900	76	RAYA
1200	76	RAYA	
1500	76	Cecilia	
1800	76	Cecilia	
2100	75	Cecilia	
2400	75	Mendes	

Sunday

Date	Time	Temp.	Name (Print)
6	0300	75	Mendes
6	0600	75	RAYA
9	0900	74	RAYA
1200	77	RAYA	
1500	77	Cecilia	
1800	77	Cecilia	
2100	76	Cecilia	
2400	75	VEGASPI	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment C
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B Z Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	75	LEGASPI
10	0600	75	Mendoza
10	0900	75	Mendoza
12	1200	75	Mendoza
15	1500	75	HEARNIA
18	1800	75	HERNIA
21	2100	75	HERNIA
21	2400	75	LEGASPI

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	75	LEGASPI
11	0600	75	SALZ
11	0900	75	Mendoza
11	1200	78	Mendoza
14	1500	75	HERNIA
18	1800	75	HERNIA
21	2100	75	HERNIA
21	2400	74	A. Rendall

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	75	Mendoza
12	0600	75	Mendoza
12	0900	75	Mendoza
12	1200	75	Mendoza
15	1500	75	Nieto
18	1800	75	Nieto
21	2100	75	Nieto
21	2400	75	CHAKER

Thursday

Date	Time	Temp.	Name (Print)
6	0300	75	CHAKER
13	0600	75	Mendoza
13	0900	75	Mendoza
13	1200	75	Mendoza
15	1500	75	O'Rourke
18	1800	75	O'Rourke
21	2100	75	O'Rourke
21	2400	75	Rhans

Friday

Date	Time	Temp.	Name (Print)
6	0300	75	Rhans
14	0600	75	Mendoza
14	0900	75	Mendoza
14	1200	75	Mendoza
15	1500	78	Cyclo
18	1800	75	Cyclo
21	2100	75	Cyclo
21	2400	75	Mendoza

Saturday

Date	Time	Temp.	Name (Print)
6	0300	75	Mender
15	0600	75	PAYA
15	0900	76	PAYA
15	1200	78	Cyclo
15	1500	78	Cyclo
18	1800	77	Cyclo
21	2100	77	Cyclo
21	2400	76	Mender

Sunday

Date	Time	Temp.	Name (Print)
6	0300	75	Mender
16	0600	75	Garcia
16	0900	76	Garcia
16	1200	76	Garcia
16	1500	76	Garcia
18	1800	77	Garcia
21	2100	77	O'Rourke
21	2400	76	LEGASPI

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONAL AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 2

Temp. Reading Location: 2nd Tier

(e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	75	LEGASPI
17	0600	75	Santos
21	0900	75	Santos
	1200	75	Santos
	1500	75	HELMER
	1800	75	HELMER
	2100	75	HELMER
	2400	75	LEGASPI

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	75	LEGASPI
17	0600	75	Santos
21	0900	75	Santos
	1200	75	Santos
	1500	75	HELMER
	1800	75	HELMER
	2100	70	HELMER
	2400	75	LEGASPI

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	75	LEGASPI
17	0600	75	Santos
21	0900	75	Santos
	1200	75	Santos
	1500	75	Oceca
	1800	75	Oceca
	2100	75	Oceca
	2400	74	BELTRAN

Thursday

Date	Time	Temp.	Name (Print)
6	0300	72	BELTRAN
17	0600	71	BELTRAN
21	0900	74	SANTOS
	1200	75	SANTOS
	1500	74	Oceca
	1800	74	Oceca
	2100	74	Oceca
	2400	74	Oceca

Friday

Date	Time	Temp.	Name (Print)
6	0300	72	Y. BATTALIA
17	0600	71	Y. BATTALIA
21	0900	74	Santos
	1200	75	Santos
	1500	78	Oceca
	1800	75	Oceca
	2100	75	Oceca
	2400	78	CASTRO

Saturday

Date	Time	Temp.	Name (Print)
6	0300	75	V. CASTRO
17	0600	75	RAYA
21	0900	76	RAYA
	1200	78	RAYA
	1500	78	Fernandez
	1800	78	Fernandez
	2100	76	Fernandez
	2400	79	V. CASTRO

Sunday

Date	Time	Temp.	Name (Print)
6	0300	73	V. CASTRO
17	0600	75	RAYA
21	0900	71	RAYA
	1200	78	RAYA
	1500	78	Patterson
	1800	77	Patterson
	2100	74	Patterson
	2400	75	LEGASPI

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: BZ Temp. Reading Location: 2nd Tier (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	75	LEGASPI
	0600	75	Santana
	0900	75	Santana
	1200	75	Santana
	1500	75	KHANERIA
6/24	1800	75	Nieto
	2100	75	Nieto
	2400	75	LEGASPI

Tuesday

Dat	Time	Temp.	Name (Print)
6 25 24	0300	75	LEBASPI
	0600	75	SAN
	0900	75	SAN
	1200	75	SAN
	1500	75	HEPERIAH
	1800	75	HEPERIAH
	2100	75	HEPERIAH
	2400	75	LEBASPI

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	75	VEGA/KSP
	0600	75	Santac
	0900	75	Seag
	1200	75	Santac
	1500	75	Nieto
	1800	75	Nieto
	2100	75	Nieto
	2400	74	Be Hrown

Thursday

Date	Time	Temp.	Name (Print)
6 27	0300	74	Betreun
	0600	75	Beltran
	0900	75	Santos
	1200	75	Santos
	1500	70	L. Cenano
	1800	70	L. Cenano
24	2100	70	L. Cenano
	2400	70	Ramirez

Friday

Date	Time	Temp.	Name (Print)
6	0300	70	James
	0600	72	Sat
	0900	74	Sun
28	1200	74	Sat
	1500	74	Greely
24	1800	74	Greely
	2100	73	Greely
	2400	74	Menzel

Saturday

Date	Time	Temp.	Name (Print)
6 29 24	0300	73	Mender
	0600	75	RAYA
	0900	76	RAYA
	1200	78	RAYA
	1500	78	Espua
	1800	78	Espua
	2100	78	Espua
	2400	76	mender

Sunday

Date	Time	Temp.	Name (Print)
6	0300	782	Mendler
/	0600	74	RAYA
30	0900	76	RAYA
/	1200	78	RAYA
24	1500	78	Norville
	1800	77	and
	2100	74	now
	2400	76	now

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: 83 Temp. Reading Location: Dayrooms (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	J. RAMOS
	0600	72	J. RAMOS
	0900	75	A. Sotelo
	1200	74	A. Sotelo
	1500	79	C. Zamora
	1800	80	C. Zamora
	2100	77	C. Zamora
	2400	70	L. Salas

Sunday

Date	Time	Temp.	Name (Print)
6-24	0300	70	L. Salas
	0600	71	L. Salas
	0900	74	D. Hernandez
	1200	76	D. Hernandez
	1500	79	C. Zamora
	1800	80	M. Olivarez
	2100	75	M. Olivarez
	2400	70	R. Hulsey

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 3 Temp. Reading Location: Dayrooms (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	69	R. Hulsey
	0600	70	R. Hulsey
	0900	70	C. Fountain
	1200	73	C. Fountain
	1500	75	C. Zamora
	1800	76	C. Zamora
	2100	76	C. Zamora
	2400	75	R. Hulsey

Tuesday

Date	Time	Temp.	Name (Print)
6. 4 24	0300	70	R. Hulsey
	0600	71	R. Hulsey
	0900	73	J. Fountain
	1200	75	J. Fountain
	1500	76	C. Zamora
	1800	78	C. Zamora
	2100	78	C. Zamora
	2400	75	R. Hulsey

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	69	R. Hulsey
	0600	70	R. Hulsey
	0900	71	J. Fountain
	1200	74	J. Fountain
	1500	75	C. Zamora
	1800	74	C. Zamora
	2100	74	C. Zamora
	2400	75	R. Hulsey

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	76	R. Hulsey
	0600	72	R. Hulsey
	0900	74	S. Savoie
	1200	75	S. Savoie
	1500	76	A. Acocello
	1800	79	A. Acocello
	2100	79	A. Acocello
	2400	75	R. Reynaga

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	69	R. Reynaga
	0600	70	D. Raya
	0900	72	D. Raya
	1200	75	D. Raya
	1500	77	D. Herrera
	1800	76	D. Herrera
	2100	75	E. Anaya
	2400	77	M. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	69	M. Hernandez
	0600	70	M. Hernandez
	0900	72	J. Fountain
	1200	75	J. Fountain
	1500	77	J. Fountain
	1800	76	J. Fountain
	2100	75	J. Fountain
	2400	72	J. Guilliams

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	76	J. Guilliams
	0600	71	J. Guilliams
	0900	75	C. Fountain
	1200	78	C. Fountain
	1500	70	C. Zamora
	1800	80	C. Zamora
	2100	75	C. Zamora
	2400	70	R. Hulsey

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	75	Hansen
6/10/24	0600	75	Fountain
6/10/24	0900	75	Fountain
6/10/24	1200	76	Fountain
6/10/24	1500	76	MENDOZA
6/10/24	1800	76	MENDOZA
6/10/24	2100	75	MENDOZA
6/10/24	2400	75	Hansen

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	75	Hansen
6/11/24	0600	75	Fountain
6/11/24	0900	75	Fountain
6/11/24	1200	75	Fountain
6/11/24	1500	75	MENDOZA
6/11/24	1800	75	MENDOZA
6/11/24	2100	75	MENDOZA
6/11/24	2400	75	Hansen

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	75	Hansen
6/12/24	0600	75	Fountain
6/12/24	0900	75	Fountain
6/12/24	1200	75	Fountain
6/12/24	1500	75	MENDOZA
6/12/24	1800	75	MENDOZA
6/12/24	2100	75	MENDOZA
6/12/24	2400	75	Hansen

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	75	Hansen
6/13/24	0600	76°	MENDOZA
6/13/24	0900	76°	MENDOZA
6/13/24	1200	76°	MENDOZA
6/13/24	1500	76	ACOCELLO
6/13/24	1800	76	ACOCELLO
6/13/24	2100	76	ACOCELLO
6/13/24	2400	77	Hansen

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	77	Hansen
6/14/24	0600	76	RAYA
6/14/24	0900	77	RAYA
6/14/24	1200	78	RAYA
6/14/24	1500	78	HEARNE
6/14/24	1800	78	HEARNE
6/14/24	2100	77	HEARNE
6/14/24	2400	77	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	77	RAMOS
6/15/24	0600	77	Fountain
6/15/24	0900	77	Fountain
6/15/24	1200	77	Fountain
6/15/24	1500	77	RAYNA
6/15/24	1800	77	RAYNA
6/15/24	2100	77	RAYNA
6/15/24	2400	77	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	77	Fountain
6/16/24	0600	77	Fountain
6/16/24	0900	77	Fountain
6/16/24	1200	77	Fountain
6/16/24	1500	78	HEARNE
6/16/24	1800	78	HEARNE
6/16/24	2100	77	HEARNE
6/16/24	2400	77	Hansen

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	77	Hansen
	0600	77	C. Fantaian
	0900	77	C. Fantaian
	1200	77	C. Fantaian
	1500	77	CLAMORA
	1800	77	CLAMORA
	2100	77	CLAMORA
	2400	77	Hansen

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	77	Hussey
	0600	77	Fountain
	0900	77	Fountain
	1200	77	Fountain
	1500	77	WIMMORY
6/24	1800	77	WIMMORY
	2100	77	WIMMORY
	2400	77	Hussey

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	77	Hussey
	0600	77	Fountain
	0900	77	Fountain
	1200	77	Fountain
	1500	77	CHAMBERLAIN
	1800	77	CHAMBERLAIN
	2100	77	CHAMBERLAIN
	2400	77	Hussey

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	77	Hussey
	0600	75	Sawel
	0900	75	Gravel
	1200	75	Gravel
	1500	75	ACOCELLO
	1800	75	ACOCELLO
	2100	75	ACOCELLO
	2400	75	Hussey

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	75	HULSEY
	0600	75	RAYA
	0900	76	RAYA
	1200	76	RAYA
	1500	75	HEMPSTAD
	1800	75	HEMPSTAD
	2100	75	HERREIRA
	2400	75	Romos

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	75	Ramos
	0600	75	Fountain
	0900	75	Fountain
	1200	75	Fountain
	1500	75	CHMORI
	1800	75	RAMORA
	2100	75	CHMORI
	2400	75	Ramos

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	75	James Lopez
	0600	75	
	0900	77	Lopez
	1200	77	Lopez
	1500	77	ZAMORA
	1800	77	ZAMORA
	2100	77	ZAMORA
	2400	77	Brockington

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2 A-B-C Sections
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/24	0300	71°	Brockman
	0600	76	C. Fanta M
	0900	76	C. Fanta M
6/24	1200	77	C. Fanta M
	1500	77	CHAMORA
	1800	77	CHAMORA
	2100	77	CHAMORA
	2400	77	T. Espinoza

Tuesday			
Date	Time	Temp.	Name (Print)
6/25	0300	77	T. Espinoza
	0600	77	Fountain
	0900	77	Fountain
6/25	1200	77	Fountain
	1500	77	CHAMORA
	1800	77	CHAMORA
	2100	77	CHAMORA
	2400	77	C. Gove

Wednesday			
Date	Time	Temp.	Name (Print)
6/26	0300	77	Yanez
	0600	77	Fountain
	0900	77	Fountain
6/26	1200	77	Fountain
	1500	77	CHAMORA
	1800	77	CHAMORA
	2100	77	CHAMORA
	2400	76	A. Rendon

Thursday			
Date	Time	Temp.	Name (Print)
6/27	0300	76	A. Rendon
	0600	77	Casanova
	0900	77	Casanova
6/27	1200	77	Casanova
	1500	77	Casanova
	1800	79	Holloway
	2100	80	Holloway
	2400	78°	Ranga

Friday			
Date	Time	Temp.	Name (Print)
6/28	0300	76°	Scarborough
	0600	76	RAYA
	0900	77	RAYA
6/28	1200	78	RAYA
	1500	78	RUEDA
	1800	75	HEARTMAN
	2100	75	HEARTMAN
	2400	75	J. Amus

Saturday			
Date	Time	Temp.	Name (Print)
6/29	0300	75	J. Amus
	0600	77	Fountain
	0900	77	Fountain
6/29	1200	77	Fountain
	1500	77	Vazquez
	1800	77	Olvera 2
6/29	2100	77	Olvera 2
	2400	77	Jaramillo

Sunday			
Date	Time	Temp.	Name (Print)
6/30	0300	77	Jaramillo
	0600	77	Fountain
	0900	77	Fountain
6/30	1200	77	Fountain
	1500	77	CHAMORA
	1800	77	CHAMORA
	2100	77	CHAMORA
	2400	77	thru

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B B4

Temp. Reading Location: 2nd Tier

(e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	79	VADUR
	0600	74	RAYA
	0900	75	RAYA
	1200	75	RAYAS
	1500		
	1800		
	2100		
	2400	74	VADUR

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	74	VADUR
	0600	74	RAYA
	0900	75	RAYA
	1200	75	RAYA
	1500	75	Rios
	1800	75	Rios
	2100	75	Rios
	2400	73	Brockman

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	73	Brockman
	0600	73	Rios
	0900	74	Rios
	1200	75	Rios
	1500	75	Amy 710
	1800	75	Anaya
	2100		
	2400	73	Brockman

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	73	Brockman
	0600	74	Rios
	0900	74	Rios
	1200	75	Rios
	1500	75	Rios
	1800	75	Rios
	2100	75	Rios
	2400	74	Brockman

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	73	Brockman
	0600	74	J. Hernandez
	0900	75	J. Hernandez
	1200	75	J. Hernandez
	1500	75	Rios
	1800	75	Rios
	2100	75	Rios
	2400	74	Jaramillo

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	74	Jaramillo
	0600	74	Rios
	0900	75	Rios
	1200	75	Rios
	1500	75	Rios
	1800	75	Rios
	2100	75	Rios
	2400		

Notes

Date	Time	Temp.	Name (Print)
6/2/24	0300	73	Rios
	0600	73	Rios
	0900	74	Rios
	1200	74	Rios
	1500	75	Adams
	1800	75	Adams
	2100	75	Adams
	2400	78	VADUR

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 4

Temp. Reading Location: 2nd Tier (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	74	LACOGN
/	0600	74	RAYA
03	0900	75	RAYA
/	1200	73	RAYA
24	1500	75	ACOCENO
/	1800	75	ACOCENO
24	2100	75	ACOCENO
	2400	75	LACOGN

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	76	LACOGN
/	0600	74	RAYA
04	0900	75	RAYA
/	1200	75	RAYA
24	1500	75	Rios
/	1800	75	Rios
24	2100	75	Rios
	2400	74	Brockman

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	74	Brockman
/	0600	74	Rios
05	0900	76	Rios
/	1200	76	Rios
24	1500	76	Rios
/	1800	76	Rios
24	2100	76	Rios
	2400	76	A. Rendon

Thursday

Date	Time	Temp.	Name (Print)
6	0300	72	A. Rendon
/	0600	72	Traverser
06	0900		
/	1200		
24	1500	80	Rios
/	1800	80	Rios
24	2100	80	Rios
	2400	80	Fountain

Friday

Date	Time	Temp.	Name (Print)
6	0300	80	Fountain
/	0600	76	Rios
07	0900	76	Rios
/	1200	76	Rios
24	1500	78	Rios
/	1800	78	Rios
24	2100	78	Rios
	2400	76	Rios

Saturday

Date	Time	Temp.	Name (Print)
6	0300	74	Span
/	0600	76	Rios
08	0900	76	Rios
/	1200	76	Rios
24	1500	78	Rios
/	1800	78	Rios
24	2100	78	Rios
	2400	78	Rios

Notes

Date	Time	Temp.	Name (Print)
6	0300	76	LACOGN
/	0600	76	Rios
09	0900	76	Rios
/	1200	76	Rios
24	1500	78	ACOCENO
/	1800	78	ACOCENO
24	2100	78	ACOCENO
	2400	78	LACOGN

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B B4

Temp. Reading Location: 2nd Tier

(e.g.,

1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	75	VANZER
10/24	0600	75	RAYA
	0900	76	RAYA
	1200	78	RAYA
	1500	78	ACONDO
	1800	78	ACONDO
	2100	78	ACONDO
	2400	76	VANZER

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	75	BROCKMAN
12/24	0600	75	R. Dele
	0900	75	R. Dele
	1200	75	R. Dele
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	BROCKMAN

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	75	BROCKMAN
14/24	0600	75	Rios
	0900	78	Rios
	1200	75	Rios
	1500	78	Rios
	1800	78	Rios
	2100	79	Rios
	2400	78	BROCKMAN

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	75	Rios
16/24	0600	75	Rios
	0900	75	Rios
	1200	75	Rios
	1500	75	NUNEZ
	1800	75	NUNEZ
	2100	75	NUNEZ
	2400	76	VANZER

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	76	VANZER
11/24	0600	76	RAYA
	0900	77	RAYA
	1200	78	RAYA
	1500	80	Rios
	1800	80	Rios
	2100		
	2400	77	BRACKMAN

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	77	BRACKMAN
13/24	0600	76	Rios
	0900	76	Rios
	1200	76	Rios
	1500	78	Rios
	1800	78	Rios
	2100	78	Rios
	2400	77	BRACKMAN

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	77	BRACKMAN
15/24	0600	77	Rios
	0900	77	Rios
	1200	77	Rios
	1500	78	Rios
	1800	78	Rios
	2100	78	Rios
	2400	77	Rios

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B4

Temp. Reading Location: 2nd Tier (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	76	VADOL
	0600	76	RAYA
	0900	77	RAYA
	1200	78	RAYA
	1500	78	ACADEM
	1800	77	ACADEM
	2100	76	ACADEM
	2400	76	VADOL

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	76	Pessina
	0600	75	Pedal
	0900	75	Pedal
	1200	75	Pedal
	1500	75	Rios
	1800	78	Rios
	2100	78	Rios
	2400	78	Brockman

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	76	Brockman
	0600	75	PDee
	0900	76	PDee
	1200	76	PDee
	1500	77	M. TAFOMA
	1800	77	M. TAFOMA
	2100	77	M. TAFOMA
	2400	77	Brockman

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	78	Ron
	0600	78	Perez
	0900	80	Perez
	1200	84	Perez
	1500	83	ACADEM
	1800	81	ACADEM
	2100	81	ACADEM
	2400	78	VADOL

Tuesday

Date	Time	Temp.	Name (Print)
6/21/24	0300	75	VADOL
	0600	76	RACA
	0900	77	RACA
	1200		RACA
	1500	76	Rios
	1800	78	Rios
	2100	78	Rios
	2400	76	Pessina

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	75	Brockman
	0600	75	PDee
	0900	75	PDee
	1200	75	PDee
	1500	76	Rios
	1800	78	Rios
	2100	78	Rios
	2400	76	Brockman

Saturday

Date	Time	Temp.	Name (Print)
6/23/24	0300	76	Brockman
	0600	76	PDee
	0900	76	PDee
	1200	76	PDee
	1500	76	Rios
	1800	80	Rios
	2100	80	Rios
	2400	80	Ron

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B B4 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	75	VANDER
	0600	75	RAYA
	0900	76	RAYA
	1200	78	RAYA
	1500	78	Doward
	1800	76	Dubbing
	2100	75	Dubbing
	2400	75	VANDER

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	77	Brockman
	0600	80	X GONZALEZ
	0900	80	X GONZALEZ
	1200	80	X GONZALEZ
	1500	80	Rios
	1800	80	Rios
	2100	80	X Rios
	2400	80	Brockman

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	74	Brockman
	0600	74	Rbedek
	0900	75	Rbedek
	1200	75	Rbedek
	1500	75	X Rios
	1800	78	Silversmith
	2100	78	Silversmith
	2400	77	Brockman

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	80	Rios
	0600	78	Rios
	0900	78	Rbedek
	1200	78	Rios
	1500	78	ACOCINA
	1800	79	ACOCINA
	2100	79	ACOCINA
	2400	79	VANDER

Tuesday

Date	Time	Temp.	Name (Print)
6/29	0300	75	VANDER
	0600	75	RAYA
	0900	76	RAYA
	1200	78	Rios
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	75	Brockman

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	76	Brockman
	0600	75	Pachell
	0900	75	Pachell
	1200	75	Pachell
	1500	75	Kios
	1800	75	Rios
	2100	75	Rios
	2400	74	Brockman

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	76	Brockman
	0600	77	R FRANCO
	0900	78	R FRANCO
	1200	78	R FRANCO
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	80	Rios

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KNSP Housing Unit: FBB5 Temp. Reading Location: 1700 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6580 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/84	0300	73	✓ Welch
	0600	73	Welch
	0900	73	Welch
	1200	73	Welch
	1500	73	RENNER
	1800	73	RENNER
	2100	73	CJ
	2400	73	✓ CJ

Sunday

Date	Time	Temp.	Name (Print)
6/12/04	0300	74	
	0600	72	
	0900	74	Cool
	1200	75	SCAR
	1500	75	RAYA
	1800	75	RAYA
	2100	74	RAYA
	2400	74	Uncertain

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FBB5 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	74	C Fountain
	0600	74	M Harris
	0900	74	M Harris
	1200	71	M Harris
	1500	75	Isas
	1800	74	Mendosa
	2100	73	Mendosa
	2400	73	C Fountain

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	74	Fountain
	0600	74	Mendoza
	0900	74	Mendoza
	1200	75	Mendoza
	1500	75	Davidson
	1800	73	Davidson
	2100	73	Davidson
	2400	75	Fountain

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	75	Welch
	0600	74	Welch
	0900	74	Welch
	1200	74	Welch
	1500	75	Davidson
	1800	73	Davidson
	2100	75	Davidson
	2400	75	Davidson

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	74	C Fountain
	0600	74	Mendoza
	0900	74	Mendoza
	1200	74	Mendoza
	1500	74	Winfrey
	1800	74	Winfrey
	2100	75	Winfrey
	2400	75	C Fountain

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	73	C Fountain
	0600	73	Mendoza
	0900	73	Mendoza
	1200	73	Mendoza
	1500	74	Davidson
	1800	74	Davidson
	2100	74	Davidson
	2400	74	Fountain

Thursday

Date	Time	Temp.	Name (Print)
6/4/24	0300	75	Fountain
	0600	75	Mendoza
	0900	75	Mendoza
	1200	75	Mendoza
	1500	75	Davidson
	1800	73	Davidson
	2100	73	Davidson
	2400	73	—

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	75	—
	0600	75	Welch
	0900	75	Welch
	1200	75	Welch
	1500	77	Winfrey
	1800	77	Winfrey
	2100	75	Winfrey
	2400	75	C Fountain

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment C
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B5 Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/16/24	0300	76	FOUNTAIN
	0600	76	RWECA
	0900	76	RWECA
	1200	76	RWECA
	1500	76	MENDOZA
	1800	76	MENDOZA
	2100	76	MENDOZA
	2400	76	FOUNTAIN

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	77	FOURCE
	0600	77	RWECA
	0900	77	RWECA
	1200	77	RWECA
	1500	76	RWECA
	1800	76	RWECA
	2100	76	RWECA
	2400	76	FOUNTAIN

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	77	FOUNTAIN
	0600	77	RWECA
	0900	77	RWECA
	1200	77	RWECA
	1500	77	CHANCE
	1800	77	CHANCE
	2100	77	CHANCE
	2400	77	FOUNTAIN

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	77	FOUNTAIN
	0600	77	RWECA
	0900	77	RWECA
	1200	77	RWECA
	1500	77	CASAS
	1800	77	CASAS
	2100	77	CASAS
	2400	78	WILSON

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	78	WILSON
	0600	78	LCIC
	0900	78	LEON
	1200	78	LEON
	1500	78	CHAVEZ
	1800	78	chavez
	2100	78	chavez
	2400	76	VALER

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	76	VALER
	0600	76	TORRES
	0900	76	TORRES
	1200	76	TORRES
	1500	76	WILSON
	1800	76	LEON
	2100	76	WILSON
	2400	78	FOUNTAIN

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	78	FOUNTAIN
	0600	78	TORRES
	0900	78	TORRES
	1200	78	TORRES
	1500	78	WILSON
	1800	76	WILSON
	2100	78	WILSON
	2400	78	FOUNTAIN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B5 Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	76	FOUNTAIN
	0600	76	R.WECA
	0900	76	R.WECA
	1200	76	R.WECA
	1500	76	R.DANSON
	1800	76	R.DANSON
	2100	76	R.DANSON
	2400	76	C.FOURE

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	76	C.FOURE
	0600	76	R.WECA
	0900	76	R.WECA
	1200	76	R.WECA
	1500	76	R.DANSON
	1800	76	R.DANSON
	2100	76	R.DANSON
	2400	77	FOUNTAIN

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	77	FOUNTAIN
	0600	76	R.WECA
	0900	76	R.WECA
	1200	76	R.WECA
	1500	74	R.DANSON
	1800	76	R.DANSON
	2100	76	R.DANSON
	2400	77	FOUNTAIN

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	77	FOUNTAIN
	0600	77	R.WECA
	0900	77	R.WECA
	1200	77	R.WECA
	1500	77	R.DANSON
	1800	77	R.DANSON
	2100	79	R.DANSON
	2400	76	W.BROWN

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	76	V.ALMAN
	0600	76	URION
	0900	76	WELCH
	1200	76	WELCH
	1500	76	R.DANSON
	1800	76	R.DANSON
	2100	76	R.DANSON
	2400	75	HANN

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	76	V.ALMAN
	0600	76	URION
	0900	76	WELCH
	1200	76	WELCH
	1500	74	WELCH
	1800	74	URION
	2100	76	URION
	2400	76	FOUNTAIN

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	76	FOUNTAIN
	0600	76	Torres
	0900	76	Torres
	1200	76	Torres
	1500	74	WELCH
	1800	76	WELCH
	2100	76	WELCH
	2400	76	FOUNTAIN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (6/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KYSP Housing Unit: FBB5 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	77	C Fountain
	0600	77	C. Brandon
	0900	78	C. Brandon
	1200	78	C. Brandon
	1500	79	Garcia
	1800	77	Garcia
	2100	78	Garcia
	2400	78	C Fountain

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	78	Fountain
	0600	78	Rivera
	0900	78	Rivera
	1200	78	Rivera
	1500	78	Davison
	1800	78	Davison
	2100	78	Davison
	2400	78	Fountain

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	77	Welch C.
	0600	78	Welch C.
	0900	78	Welch C.
	1200	78	Welch C.
	1500	78	Davison
	1800	78	Davison
	2100	78	Davison
	2400	77	Welch C.

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	77	Fountain
	0600	77	Jones
	0900	77	Jones
	1200	77	Jones
	1500	77	Conter
	1800	77	Conter
	2100	77	Conter
	2400	77	Fountain

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	C Fountain
	0600	78	Rivera
	0900	78	Rivera
	1200	78	Rivera
	1500	78	Davison
	1800	78	Davison
	2100	78	Davison
	2400	78	Fountain

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	78	Fountain
	0600	78	Rugg
	0900	78	Rugg
	1200	78	Rugg
	1500	78	Davison
	1800	78	Davison
	2100	78	Davison
	2400	77	—

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	76	—
	0600	76	ESPAWN
	0900	78	ESPAWN
	1200	78	ESPAWN
	1500	79	Wilkirk
	1800	79	Wilkirk
	2100	77	Wilkirk
	2400	77	Fountain

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B6 Temp. Reading Location: 2nd Tier (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24/01	0300	79	J. Hernandez
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	Acosta
	1800	79	Acosta
	2100	79	Acosta
	2400	79	

Sunday

Date	Time	Temp.	Name (Print)
6/02/24	0300	77	
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	J. ACOSTA
	1800	79	J. ACOSTA
	2100	79	J. ACOSTA
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B-6

Temp. Reading Location: F, B, C (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	75	
	0600	72	C. Barajio
	0900	72	C. Barajio
	1200	72	C. Barajio
	1500	79	ACOSTA
	1800	79	ACOSTA
	2100	79	ACOSTA
	2400	74	R. CALDERON

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	73	R. CALDERON
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	J. ACOSTA
	1800	79	J. ACOSTA
	2100	79	J. ACOSTA
	2400	79	J. Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	77	J. Hernandez
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	80	J. ACOSTA
	1800	80	J. ACOSTA
	2100	80	J. ACOSTA
	2400	80	J. Hernandez

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	79	J. Hernandez
	0600	79	Hernandez
	0900	79	C. Cee
	1200	79	C. Cee
	1500	79	A. cool
	1800	79	A. cool
	2100	77	A. cool
	2400	79	J. Hernandez

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	79	J. Hernandez
	0600	79	J. Hernandez
	0900	79	J. Hernandez
	1200	79	J. Hernandez
	1500	79	V. Hernandez
	1800	79	V. Hernandez
	2100	79	V. Hernandez
	2400	79	J. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	79	J. Hernandez
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	J. ACOSTA
	1800	79	J. ACOSTA
	2100	79	J. ACOSTA
	2400	75	

Notes

Date	Time	Temp.	Name (Print)
6/9/24	0300	78	
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	J. ACOSTA
	1800	79	J. ACOSTA
	2100	79	J. ACOSTA
	2400	78	J. Hernandez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B-6

Temp. Reading Location: A,B,C (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/21	0300	73	J. Acosta
6/10/21	0600	79	K. Camin
6/10/21	0900	79	K. Camin
6/10/21	1200	79	K. Camin
6/10/21	1500	79	J. Acosta
6/10/21	1800	79	J. Acosta
6/10/21	2100	79	J. Acosta
6/10/21	2400	79	J. Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
6/12/21	0300	79	J. Hernandez
6/12/21	0600	79	K. Camin
6/12/21	0900	79	K. Camin
6/12/21	1200	79	K. Camin
6/12/21	1500	79	J. Acosta
6/12/21	1800	79	J. Acosta
6/12/21	2100	79	J. Acosta
6/12/21	2400	79	J. Hernandez

Friday

Date	Time	Temp.	Name (Print)
6/14/21	0300	79	J. Hernandez
6/14/21	0600	79	J. Hernandez
6/14/21	0900	79	J. Hernandez
6/14/21	1200	80	J. Hernandez
6/14/21	1500	79	W. Wink
6/14/21	1800	79	W. Wink
6/14/21	2100	79	W. Wink
6/14/21	2400	79	J. Hernandez

Sunday

Date	Time	Temp.	Name (Print)
6/16/21	0300	79	J. Acosta
6/16/21	0600	79	K. Camin
6/16/21	0900	79	K. Camin
6/16/21	1200	79	K. Camin
6/16/21	1500	79	J. Acosta
6/16/21	1800	79	J. Acosta
6/16/21	2100	79	J. Acosta
6/16/21	2400	77	J. Acosta

Tuesday

Date	Time	Temp.	Name (Print)
6/11/21	0300	79	J. Hernandez
6/11/21	0600	79	K. Camin
6/11/21	0900	79	K. Camin
6/11/21	1200	79	K. Camin
6/11/21	1500	79	J. Acosta
6/11/21	1800	79	J. Acosta
6/11/21	2100	79	J. Acosta
6/11/21	2400	79	J. Hernandez

Thursday

Date	Time	Temp.	Name (Print)
6/13/21	0300	79	J. Hernandez
6/13/21	0600	79	K. Camin
6/13/21	0900	79	K. Camin
6/13/21	1200	79	K. Camin
6/13/21	1500	79	A. Leal
6/13/21	1800	74	A. Leal
6/13/21	2100	79	A. Leal
6/13/21	2400	79	J. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
6/15/21	0300	79	J. Hernandez
6/15/21	0600	79	K. Camin
6/15/21	0900	79	K. Camin
6/15/21	1200	79	K. Camin
6/15/21	1500	79	J. Acosta
6/15/21	1800	79	J. Acosta
6/15/21	2100	79	J. Acosta
6/15/21	2400	77	J. Hernandez

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B-6 Temp. Reading Location: A, B, C
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/21/14</u>	0300	77	Haldane
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	J. ACOSTA
	1800	79	J. ACOSTA
	2100	79	J. ACOSTA
	2400	79	J. HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/22/14</u>	0300	79	J. HERNANDEZ
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	J. ACOSTA
	1800	79	J. ACOSTA
	2100	79	J. ACOSTA
	2400	79	J. HERNANDEZ

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/23/14</u>	0300	79	J. HERNANDEZ
	0600	79	K. Camin
	0900	77	K. Camin
	1200	79	K. Camin
	1500	79	J. ACOSTA
	1800	79	J. ACOSTA
	2100	79	J. ACOSTA
	2400	79	J. HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
<u>6/24/14</u>	0300	79	J. HERNANDEZ
	0600	79	E. Welch
	0900	80	E. Welch
	1200	80	E. Welch
	1500	80	A. Leal
	1800	80	A. Leal
	2100	80	A. Leal
	2400	79	J. HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
<u>6/21/14</u>	0300	79	J. HERNANDEZ
	0600	79	J. HERNANDEZ
	0900	79	J. HERNANDEZ
	1200	80	J. HERNANDEZ
	1500	80	Wehnt
	1800	79	Wehnt
	2100	79	Wehnt
	2400	79	J. HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
<u>6/22/14</u>	0300	79	J. HERNANDEZ
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	77	J. ACOSTA
	1800	79	J. ACOSTA
	2100	79	J. ACOSTA
	2400	78	Long

Notes

Date	Time	Temp.	Name (Print)
<u>6/23/14</u>	0300	78	Long
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	J. ACOSTA
	1800	79	J. ACOSTA
	2100	79	J. ACOSTA
	2400	77	J. ACOSTA

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HVSP Housing Unit: B-6 Temp. Reading Location: A13, C
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
6/21	0300	77	J. ✓
6/21	0600	79	K. Camin
6/21	0900	79	K. Camin
6/21	1200	79	K. Camin
6/21	1500	80	L. DUARTE
6/24	1800	82	L. DUARTE
6/24	2100	85	L. DUARTE
6/24	2400	80	J. HERNANDEZ

Date	Time	Temp.	Name (Print)
6/25/24	0300	80	J. HERNANDEZ
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	J. ACOSTA
6/24	1800	79	J. ACOSTA
	2100	79	J. ACOSTA
	2400	79	J. HERNANDEZ

Wednesday			
Date	Time	Temp.	Name (Print)
6/26/24	0300	79	J. HERNANDEZ
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	J. ACOSTA
	1800	79	J. ACOSTA
	2100	79	J. ACOSTA
	2400	79	J. HERNANDEZ

Thursday			
Date	Time	Temp.	Name (Print)
6/27	0300	79	J. Hernandez
	0600	79	Welch E.
	0900	79	Welch E.
	1200	79	Welch E.
	1500	79	A. Lee
	1800	79	A. Lee
	2100	79	A. Lee
	2400	79	J. Hernandez

Friday			
Date	Time	Temp.	Name (Print)
6/28	0300	79	J. HERNDON
	0600	74	A. A. Conroy
	0900	79	A. A. Conroy
	1200	80	A. A. Conroy
	1500	80	V. V. V. V. V.
	1800	80	V. V. V. V. V.
	2100	80	V. V. V. V. V.
6/29	2400	79	R. CALDERON

Saturday		Date	Time	Temp.	Name (Print)
6 /29/ 24	0300	79	R. CALDERON		
	0600	79	K. Camin		
	0900	79	K. Camin		
	1200	79	K. Camin		
	1500	79	J. ACOSTA		
	1800	79	J. ACOSTA		
	2100	79	J. ACOSTA		
	2400	79	Gonz		

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	79	Gena
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	J. ACOSTA
	1800	79	J. ACOSTA
	2100	79	J. ACOSTA
	2400	76	J. Acosta

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: F B B 7

Temp. Reading Location: 2nd Tier - A-B-C Sections
(e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
May 27, 2014	0300	74	Sotelo
	0600	74	S. Avila
	0900	74	S. Avila
	1200	75	S. Avila
	1500	76	R. URISINA
	1800	76	R. URISINA
	2100	76	R. URISINA
	2400	75	Sotelo, J

Tuesday

Date	Time	Temp.	Name (Print)
May 28, 2014	0300	75	Sotelo, J
	0600	75	S. Avila
	0900	75	S. Avila
	1200	75	S. Avila
	1500	76	R. URISINA
	1800	76	R. URISINA
	2100	76	R. URISINA
	2400	75	Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
May 29, 2014	0300	75	Sotelo, J
	0600	75	S. Avila
	0900	75	S. Avila
	1200	75	S. Avila
	1500	75	J. Vazquez
	1800	75	J. Vazquez
	2100	74	J. Vazquez
	2400	74	

Thursday

Date	Time	Temp.	Name (Print)
May 30, 2014	0300	74	
	0600	74	m. flores
	0900	74	m. flores
	1200	75	m. flores
	1500	75	F. Ramirez
	1800	75	F. Ramirez
	2100	75	F. Ramirez
	2400	75	Reyes

Friday

Date	Time	Temp.	Name (Print)
May 31, 2014	0300	75	Reyes, J
	0600	75	S. Avila
	0900	75	S. Avila
	1200	75	S. Avila
	1500	75	A. Celi
	1800	75	A. Celi
	2100	78	A. Celi
	2400	78	Reyes

Saturday

Date	Time	Temp.	Name (Print)
June 01, 2014	0300	76	George
	0600	75	Torres
	0900	75	Torres
	1200	75	Torres
	1500	75	A. Celi
	1800	78	A. Celi
	2100	78	A. Celi
	2400	78	J. Aguirre

Notes

Date	Time	Temp.	Name (Print)
June 02, 2014	0300	75	J. Aguirre
	0600	75	Newman
	0900	75	Newman
	1200	75	Newman
	1500	76	A. AVILA
	1800	76	C. MOJARRO
	2100	77	C. MOJARRO
	2400	77	Silva

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B7Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/5/18	0300	69	Silva
	0600	70	S. Avila
	0900	71	S. Avila
	1200	72	S. Avila
	1500	76	R. URBINA
	1800	78	R. URBINA
	2100	78	R. URBINA
	2400	78	D. LIMA

Tuesday

Date	Time	Temp.	Name (Print)
6/6/18	0300	78	D. LIMA
	0600	77	S. Avila
	0900	78	S. Avila
	1200	78	S. Avila
	1500	79	R. URBINA
	1800	79	R. URBINA
	2100	79	R. URBINA
	2400	79	T. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
6/7/18	0300	79	T. Rodriguez
	0600	78	S. Avila
	0900	78	S. Avila
	1200	78	S. Avila
	1500	78	F. Ramirez
	1800	78	F. Ramirez
	2100	78	F. Ramirez
	2400	77	

Thursday

Date	Time	Temp.	Name (Print)
6/8/18	0300	78	
	0600	76	S. Avila
	0900	77	S. Avila
	1200	78	S. Avila
	1500	79	H. Hernandez
	1800	79	H. Hernandez
	2100	79	H. Hernandez
	2400	79	V. Lopez

Friday

Date	Time	Temp.	Name (Print)
6/9/18	0300	79	V. Lopez
	0600	79	S. Avila
	0900	80	S. Avila
	1200	80	S. Avila
	1500	80	A. Leal
	1800	80	A. Leal
	2100	80	A. Leal
	2400	79	D. Silva

Saturday

Date	Time	Temp.	Name (Print)
6/10/18	0300	77	D. Silva
	0600	72	M. Hernandez
	0900	80	M. Hernandez
	1200	80	M. Hernandez
	1500	70	A. Leal
	1800	80	A. Leal
	2100	77	A. Leal
	2400	78	D. Silva

Sunday

Date	Time	Temp.	Name (Print)
6/11/18	0300	77	D. Silva
	0600	78	M. Hernandez
	0900	79	M. Hernandez
	1200	80	M. Hernandez
	1500	79	V. Hernandez
	1800	79	D. Duran
	2100	79	D. Duran
	2400	78	D. Silva

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: Facility Building 6 Temp. Reading Location: Second Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/21	0300	70	A. Siva
	0600	68	S. Avila
	0900	69	S. Avila
	1200	70	S. Avila
	1500	79	R. URBINA
	1800	79	R. URBINA
	2100	79	R. URBINA
	2400	78	A. Siva

Tuesday

Date	Time	Temp.	Name (Print)
6/11/21	0300	70	A. Siva
	0600	73	S. Avila
	0900	79	S. Avila
	1200	80	S. Avila
	1500	79	M. Mirenda
	1800	79	M. Mirenda
	2100	79	M. Mirenda
	2400	78	Reagan

Wednesday

Date	Time	Temp.	Name (Print)
6/12/21	0300	77	Reagan
	0600	77	S. Avila
	0900	78	S. Avila
	1200	78	S. Avila
	1500	78	E. FUNK
	1800	78	E. FUNK
	2100	76	E. FUNK
	2400	75	J. Villan

Thursday

Date	Time	Temp.	Name (Print)
6/13/21	0300	75	J. Villan
	0600	76	S. Avila
	0900	77	S. Avila
	1200	78	S. Avila
	1500	78	F. Ramirez
	1800	78	F. Ramirez
	2100	78	F. Ramirez
	2400	75	J. Villan

Friday

Date	Time	Temp.	Name (Print)
6/14/21	0300	78	J. Villan
	0600	78	S. Avila
	0900	78	S. Avila
	1200	78	S. Avila
	1500	78	A. Leal
	1800	78	A. Leal
	2100	78	A. Leal
	2400	77	A. Siva

Saturday

Date	Time	Temp.	Name (Print)
6/15/21	0300	74	A. Siva
	0600	74	Hernandez
	0900	76	Hernandez
	1200	74	Hernandez
	1500	74	A. Leal
	1800	74	A. Leal
	2100	74	A. Leal
	2400	73	A. Siva

Sunday

Date	Time	Temp.	Name (Print)
6/16/21	0300	73	A. Siva
	0600	74	Hernandez
	0900	76	Hernandez
	1200	74	Hernandez
	1500	78	R. URBINA
	1800	78	R. URBINA
	2100	78	R. URBINA
	2400	77	A. Siva

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KW sr Housing Unit: B7 Temp. Reading Location: _____
 (e.g., 1st tier; 2nd tier; 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>5/1/14</u>	0300	71	Silva
	0600	76	S. Avila
	0900	77	S. Avila
	1200	78	S. Avila
	1500	79	R. URBINA
	1800	79	R. URBINA
	2100	79	R. URBINA
	2400	78	Silva

Tuesday

Date	Time	Temp.	Name (Print)
<u>5/1/14</u>	0300	75	Silva
	0600	75	S. Avila
	0900	76	S. Avila
	1200	77	S. Avila
	1500	78	R. URBINA
	1800	78	R. URBINA
	2100	78	R. URBINA
	2400	75	T. Adams

Wednesday

Date	Time	Temp.	Name (Print)
<u>5/9/14</u>	0300	74	T. Adams
	0600	76	S. Avila
	0900	75	S. Avila
	1200	76	S. Avila
	1500	76	F. Ramirez
	1800	76	F. Ramirez
	2100	76	F. Ramirez
	2400	75	T. Adams

Thursday

Date	Time	Temp.	Name (Print)
<u>5/10/14</u>	0300	75	T. Adams
	0600	75	S. Avila
	0900	76	S. Avila
	1200	76	S. Avila
	1500	76	F. Ramirez
	1800	76	F. Ramirez
	2100	76	F. Ramirez
	2400	76	VALDEZ

Friday

Date	Time	Temp.	Name (Print)
<u>5/11/14</u>	0300	76	VALDEZ
	0600	74	D. Hernandez
	0900	75	D. Hernandez
	1200	76	D. Hernandez
	1500	76	A. Leal
	1800	76	A. Leal
	2100	76	A. Leal
	2400	76	Loma

Saturday

Date	Time	Temp.	Name (Print)
<u>5/12/14</u>	0300	75	Loma
	0600	75	Hernandez
	0900	75	Hernandez
	1200	76	Hernandez
	1500	76	J. Delayo
	1800	76	J. Delayo
	2100	76	J. Delayo
	2400	77	A. Silva

Sunday

Date	Time	Temp.	Name (Print)
<u>5/13/14</u>	0300	76	Silva
	0600	76	Hernandez
	0900	75	Hernandez
	1200	75	Hernandez
	1500	78	R. URBINA
	1800	78	R. URBINA
	2100	78	R. URBINA
	2400	77	Silva

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B7 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/21	0300	74	J. Silva
	0600	74	J. Avila
	0900	75	J. Avila
	1200	76	J. Avila
	1500	76	R. Arreola
	1800	76	R. Arrook
	2100	75	R. Arrook
	2400	74	J. Silva

Tuesday

Date	Time	Temp.	Name (Print)
6/25/21	0300	73	J. Silva
	0600	73	J. Avila
	0900	74	S. Avila
	1200	75	S. Avila
	1500	80	L. Cervantes
	1800	80	L. Cervantes
	2100	80	L. Cervantes
	2400	80	T. Robalosse

Wednesday

Date	Time	Temp.	Name (Print)
6/26/21	0300	79	J. Roberson
	0600	78	J. Avila
	0900	78	J. Avila
	1200	78	J. Avila
	1500	78	Mendoza
	1800	78	Mendoza
	2100	78	Mendoza
	2400	76	C.

Thursday

Date	Time	Temp.	Name (Print)
6/27/21	0300	75	
	0600	75	J. Avila
	0900	76	J. Avila
	1200	77	J. Avila
	1500	76	F. Ramirez
	1800	710	F. Ramirez
	2100	708	F. Ramirez
	2400	77	L. Hale

Friday

Date	Time	Temp.	Name (Print)
6/28/21	0300	77	V. Acosta
	0600	77	S. Avila
	0900	78	S. Avila
	1200	78	S. Avila
	1500	78	A. Leon
	1800	78	A. Leon
	2100	79	Salter
	2400	77	J. Silva

Saturday

Date	Time	Temp.	Name (Print)
6/29/21	0300	77	J. Silva
	0600	76	J. Navarrete
	0900	76	J. Navarrete
	1200	77	J. Navarrete
	1500	77	A. Leon
	1800	77	A. Leon
	2100	77	A. Leon
	2400	76	J. Silva

Sunday

Date	Time	Temp.	Name (Print)
6/30/21	0300	77	J. Silva
	0600	75	A. Leon
	0900	75	A. Leon
	1200	75	A. Leon
	1500	75	A. Leon
	1800	80	L. Turbina
	2100	80	L. Turbina
	2400	79	J. Silva

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution KY51 Housing Unit: B 8 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	72	roster

Wednesday

Date	Time	Temp.	Name (Print)
05/29	0300	72	roster
	0600	72	Lynch
	0900	72	Lynch
	1200	72	Lynch
	1500	73	R.Viduya
	1800	73	R.Viduya
	2100	73	R.Viduya
	2400	73	roster

Friday

Date	Time	Temp.	Name (Print)
05/31	0300	72	roster
	0600	72	Niefo
	0900	72	Niefo
	1200	73	Niefo
	1500	73	R.Viduya
	1800	73	R.Viduya
	2100	73	R.Viduya
	2400	72	roster

Sunday

Date	Time	Temp.	Name (Print)
06/2	0300	77	CLAMOR
	0600	72	R. Arrest
	0900	73	R. Arrest
	1200	73	R. Arrest
	1500	73	A. Leal
	1800	73	A. Leal
	2100		
	2400	73	roster

Tuesday

Date	Time	Temp.	Name (Print)
05/28 24	0300	72	roster
	0600	73	Felix
	0900	73	Felix
	1200	73	Felix
	1500	73	R.Viduya
	1800	73	R.Viduya
	2100	73	R.Viduya
	2400	73	roster

Thursday

Date	Time	Temp.	Name (Print)
05/30	0300	73	roster
	0600	73	Niefo
	0900	74	Niefo
	1200	74	Niefo
	1500	74	Niefo
	1800	73	Niefo
	2100	72	Niefo
	2400	72	roster

Saturday

Date	Time	Temp.	Name (Print)
06/1	0300	72	roster
	0600	72	Niefo
	0900	72	Niefo
	1200		
	1500	73	R.Viduya
	1800	73	R.Viduya
	2100	73	R.Viduya
	2400	73	CLAMOR

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B8 Temp. Reading Location: 2 40
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 63 80 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	72	post-er
	0600	73	Hernandez
	0900	73	Hernandez
	1200	75	Hernandez
	1500	75	A.Cecil
	1800	75	A.Cecil
	2100	75	A.Cecil
	2400	75	R.Reynolds

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	75	Reynolds
	0600	75	Hernandez
	0900	74	Hernandez
	1200	72	Hernandez
	1500	73	R.Vidungs
	1800	73	R.Vidungs
	2100	73	R.Vidungs
	2400	72	R.Vidungs

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	72	Reynolds
	0600	72	Niclo
	0900	73	Niclo
	1200	74	Niclo
	1500	77	Niclo
	1800	74	Niclo
	2100	73	Niclo
	2400	75	post-er

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	75	post-er
	0600	75	Niclo
	0900	76	Niclo
	1200	77	Niclo
	1500	79	Niclo
	1800	78	Niclo
	2100	77	Niclo
	2400	77	post-er

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	74	T
	0600	76	Niclo
	0900	76	Niclo
	1200	77	Niclo
	1500	78	Niclo
	1800	78	Niclo
	2100	77	Niclo
	2400	77	Niclo

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	77	Lazore
	0600	76	Niclo
	0900	77	Niclo
	1200	78	Niclo
	1500	78	MEDINA
	1800	76	MEDINA
	2100	76	MEDINA
	2400	78	Hunter

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	77	Hunter
	0600	76	R.Arreola
	0900	76	R.Arreola
	1200	76	R.Arreola
	1500	76	A.Cecil
	1800	76	A.Cecil
	2100		
	2400	75	post-er

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: 38 Temp. Reading Location: 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/11/24	0300	73	Robles
6/11/24	0600	73	Hernandez
6/11/24	0900	73	Hernandez
6/11/24	1200	73	Hernandez
6/11/24	1500	73	ALEMAN
6/11/24	1800	73	ALEMAN
6/11/24	2100	73	ALEMAN
6/11/24	2400	73	Robles

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	73	Robles
6/11/24	0600	73	MEDINA
6/11/24	0900	73	MEDINA
6/11/24	1200	73	MEDINA
6/11/24	1500	73	L. SOLAS
6/11/24	1800	73	R. Viduya
6/11/24	2100	73	R. Viduya
6/11/24	2400	73	Robles

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	73	Robles
6/12/24	0600	74	Nieto
6/12/24	0900	75	Nieto
6/12/24	1200	75	Nieto
6/12/24	1500	75	R. Viduya
6/12/24	1800	75	R. Viduya
6/12/24	2100	75	R. Viduya
6/12/24	2400	74	Miguel

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	74	Nieto
6/13/24	0600	74	Nieto
6/13/24	0900	75	Nieto
6/13/24	1200	75	Nieto
6/13/24	1500	75	R. Viduya
6/13/24	1800	75	R. Viduya
6/13/24	2100	75	R. Viduya
6/13/24	2400	74	Robles

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	73	Robles
6/14/24	0600	74	Hernandez
6/14/24	0900	74	Robles
6/14/24	1200	75	Robles
6/14/24	1500	75	Robles
6/14/24	1800	75	Robles
6/14/24	2100	75	Robles
6/14/24	2400	76	Robles

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	76	VALVERDE
6/15/24	0600	75	ARROYO
6/15/24	0900	75	ARROYO
6/15/24	1200	75	ARROYO
6/15/24	1500	75	Hernandez
6/15/24	1800	75	Hernandez
6/15/24	2100	75	Hernandez
6/15/24	2400	76	VALVERDE

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	76	VALVERDE
6/16/24	0600	74	ARENAL
6/16/24	0900	75	ARENAL
6/16/24	1200	76	ARENAL
6/16/24	1500	76	A-Lew
6/16/24	1800	76	A-Lew
6/16/24	2100	76	A-Lew
6/16/24	2400	76	ARENAL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: 2ND Tier (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/17	0300	76	M. OMELAS
	0600	76	J. HERNANDEZ
	0900	79	J. HERNANDEZ
	1200	79	J. HERNANDEZ
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
6/18/17	0300	76	
	0600	76	C. MEDINA
	0900		
	1200		
	1500	76	R. VIDUGA
	1800	76	R. VIDUGA
	2100	76	R. VIDUGA
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
6/19/17	0300		
	0600	73	Nieto
	0900	74	Nieto
	1200	74	Nieto
	1500	74	R. VIDUGA
	1800	74	R. VIDUGA
	2100	74	R. VIDUGA
	2400	74	A. RENDON

Thursday

Date	Time	Temp.	Name (Print)
6/20/17	0300	74	A. RENDON
	0600	73	Nieto
	0900	74	Nieto
	1200	74	Nieto
	1500	74	R. VIDUGA
	1800	74	R. VIDUGA
	2100	74	R. VIDUGA
	2400	74	A. RENDON

Friday

Date	Time	Temp.	Name (Print)
6/21/17	0300	74	A. RENDON
	0600	75	Nieto
	0900	75	Nieto
	1200	75	Nieto
	1500	75	J. HERNANDEZ
	1800	76	J. HERNANDEZ
	2100	76	J. HERNANDEZ
	2400	76	M. OMELAS

Saturday

Date	Time	Temp.	Name (Print)
6/22/17	0300	76	M. OMELAS
	0600	75	Nieto
	0900	75	Nieto
	1200	76	Nieto
	1500	75	C. LOPEZ
	1800	76	Aguilar
	2100	76	Aguilar
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/23/17	0300		
	0600	76	Arreola
	0900	76	Arreola
	1200	77	Arreola
	1500	77	Vasquez
	1800	77	Vasquez
	2100	77	Vasquez
	2400	77	Prieto

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FBB 8 Temp. Reading Location: 2nd Tier B-Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	73	Prieto
	0600	73	AN LA
	0900	70	ANLA
	1200	80	ANLA
	1500	80	CERVANTE
	1800	80	L.CERANIE
	2100	80	L.CERANIE
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	74	DIMA
	0600	77	R.VARGAS Jr.
	0900	77	R. Vargas Jr.
	1200	78	R. Vargaz Jr.
	1500	78	R. Viduya
	1800	78	R. Viduya
	2100	78	R. Viduya
	2400	78	Prieto

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	78	Prieto
	0600	77	Nieto
	0900	77	Nieto
	1200	78	Nieto
	1500	77	R.Viduya
	1800	77	R.Viduya
	2100	77	R.Viduya
	2400	77	M.SHEA S

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	77	M.OMEDO S
	0600	77	Nieto
	0900	77	Nieto
	1200	77	Nieto
	1500	78	R.Viduya
	1800	78	R.Viduya
	2100	78	R.Viduya
	2400	77	J.CARLSON

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	77	J.Garcia
	0600	77	J.Garcia
	0900	77	Nieto
	1200	78	Nieto
	1500	78	R.Viduya
	1800	78	R.Viduya
	2100	78	R.Viduya
	2400	78	Zonne

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	77	Zonne
	0600	76	Zonne
	0900	76	AKAW
	1200	76	E. DIAZ
	1500	77	VICTORIA
	1800	78	VICTORIA
	2100	75	A. HE VIDUYA
	2400	75	A. HERNANDEZ

Notes

Date	Time	Temp.	Name (Print)
6/30	0300	75	A. HERNANDEZ
	0600	77	ISACIO
	0900	78	ISACIO
	1200	78	ISACIO
	1500	79	ALVARO
	1800	78	ALVARO
	2100	78	ALVARO
	2400	78	A. Hernandez

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
5-31-2024	2200	75	WILSON	6/1/24	2200	78	WILSON
	2300	75	Maldonado		2300	79	Maldonado
	2400	74	Maldonado		2400	75	Maldonado
	0100	68	Maldonado		0100	68	Maldonado
	0200	65	Maldonado		0200	64	Maldonado
	0300	62	Maldonado		0300	60	Maldonado
	0400	60	Maldonado		0400	59	Maldonado
	0500	59	Maldonado		0500	58	Maldonado
	0600	59	Maldonado		0600	58	Maldonado
	0700	58	E. Bodor		0700	50	K. Flory
	0800	62	E. Bodor		0800	55	K. Flory
	0900	64	E. Bodor		0900	70	K. Flory
	1000	78	E. Bodor		1000	75	K. Flory
	1100	83	E. Bodor		1100	80	K. Flory
	1200	86	E. Bodor		1200	86	K. Flory
	1300	88	E. Bodor		1300	87	K. Flory
	1400	90	E. Bodor		1400	87	K. Flory
	1500	92	WILSON		1500	92	WILSON
	1600	93	WILSON		1600	93	WILSON
	1700	94	WILSON		1700	93	WILSON
	1800	95	WILSON		1800	93	WILSON
	1900	92	WILSON		1900	91	WILSON
	2000	87	WILSON		2000	84	WILSON
	2100	82	WILSON		2100	83	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
COCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
6/2/24	2200	71	WILSON	6/3/24	2200	76	I. Lopez
	2300	72	I. Lopez		2300	73	I. Lopez
	2400	70	I. Lopez		2400	71	I. Lopez
	0100	69	I. Lopez		0100	69	I. Lopez
	0200	68	I. Lopez		0200	67	I. Lopez
	0300	67	I. Lopez		0300	66	I. Lopez
	0400	65	I. Lopez		0400	65	I. Lopez
	0500	62	I. Lopez		0500	64	I. Lopez
	0600	59	I. Lopez		0600	63	I. Lopez
	0700	64	DRN		0700	68	DRN
	0800	68	DRN		0800	69	DRN
	0900	69	DRN		0900	73	DRN
	1000	73	DRN		1000	77	DRN
	1100	77	DRN		1100	81	DRN
	1200	80	DRN		1200	84	DRN
	1300	83	DRN		1300	87	DRN
	1400	86	DRN		1400	89	DRN
	1500	88	K. FLAIG		1500	83	E. BALON
	1600	85	K. FLAIG		1600	82	E. BALON
	1700	86	R. FLDG		1700	83	E. BALON
	1800	85	K. FLAIG		1800	86	E. BALON
	1900	84	K. FLAIG		1900	85	E. BALON
	2000	83	K. FLAIG		2000	84	E. BALON
	2100	79	K. FLAIG		2100	85	E. BALON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
COCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
6-4-24	2200	80	VARELA	6/5/24	2200	77	WILSON
	2300	73	VARELA		2300	76	WILLIS
	2400	72	VARELA		2400	75	WILLIS
	0100	70	VARELA		0100	75	WILLIS
	0200	67	VARELA		0200	67	WILLIS
	0300	65	VARELA		0300	67	WILLIS
	0400	63	VARELA		0400	67	WILLIS
	0500	62	VARELA		0500	66	WILLIS
	0600	63	Bjorn		0600	64	C-m-d
	0700	64	Bjorn		0700	70	C-m-d
	0800	68	Bjorn		0800	78	C-m-d
	0900	72	Bjorn		0900	88	C-m-d
	1000	74	Bjorn		1000	90	C-m-d
	1100	76	Bjorn		1100	90	C-m-d
	1200	79	Bjorn		1200	90	C-m-d
	1300	82	Bjorn		1300	91	C-m-d
	1400	85	Bjorn		1400	94	WILSON
	1500	88	WILSON		1500	97	WILSON
	1600	90	WILSON		1600	100	WILSON
	1700	92	WILSON		1700	100	WILSON
	1800	92	WILSON		1800	100	WILSON
	1900	90	WILSON		1900	97	WILSON
	2000	84	WILSON		2000	94	WILSON
	2100	81	WILSON		2100	89	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDDC 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
6/6/24	2200	87	WILSON	6/7/24	2200	84	WILSON
	2300	79	WILSON		2300	78	Robertson
	2400	78	WILSON		2400	78	Robertson
	0100	75	WILSON		0100	76	Robertson
	0200	74	WILSON		0200	74	Robertson
	0300	72	WILSON		0300	73	Robertson
	0400	72	WILSON		0400	71	Robertson
	0500	70	WILSON		0500	70	Baldorff
	0600	68	WILSON		0600	71	Baldorff
	0700	70	Anneson		0700	72	Baldorff
	0800	76	Anneson		0800	77	Baldorff
	0900	82	Anneson		0900	82	Baldorff
	1000	85	Anneson		1000	86	Baldorff
	1100	89	Anneson		1100	90	Baldorff
	1200	93	Anneson		1200	93	Baldorff
	1300	97	Anneson		1300	96	Baldorff
	1400	99	Anneson		1400	98	Baldorff
	1500	102	WILSON		1500	100	WILSON
	1600	102	WILSON		1600	101	WILSON
	1700	104	WILSON		1700	99	WILSON
	1800	105	WILSON		1800	96	WILSON
	1900	102	WILSON		1900	91	WILSON
	2000	94	WILSON		2000	87	WILSON
	2100	90	WILSON		2100	82	WILSON

DISTRIBUTION: Original: Institution Heat-Plan Coordinator

1020
UHT

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
6/8/24	2200	78	WILSON	6/9/24	2200	76	WILSON
	2300	76	Robertson		2300	74	Sorenson
	2400	74	Robertson		2400	70	Sorenson
	0100	73	Robertson		0100	69	Sorenson
	0200	72	Robertson		0200	68	Sorenson
	0300	70	Robertson		0300	66	Sorenson
	0400	69	Robertson		0400	64	Sorenson
	0500	69	Robertson		0500	60	Sorenson
	0600	68	Robertson		0600	70°	SIERRA
	0700	67	R.FLORER		0700	70°	SIERRA
	0800	67	R.FLORER		0800	70°	SIERRA
	0900	72	R.FLORER		0900	72	SIERRA
	1000	75	R.FLORER		1000	75	SIERRA
	1100	79	R.FLORER		1100	78	SIERRA
	1200	83	R.FLORER		1200	80°	SIERRA
	1300	86	R.FLORER		1300	84°	SIERRA
	1400	88	R.FLORER		1400	86	R.FLORER
	1500	93	WILSON		1500	89	R.FLORER
	1600	95	WILSON		1600	90	R.FLORER
	1700	95	WILSON		1700	92	R.FLORER
	1800	93	WILSON		1800	94	R.FLORER
	1900	89	WILSON		1900	87	R.FLORER
	2000	85	WILSON		2000	84	R.FLORER
	2100	81	WILSON		2100	82	R.FLORER

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
COCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
6/10/94	2200	75	I. Lopez	6/11/94	2200	78	Baldwin
	2300	73	I. Lopez		2300	75	Jones
	2400	72	I. Lopez		2400	72	Jones
	0100	70	I. Lopez		0100	70	Jones
	0200	68	I. Lopez		0200	68	Jones
	0300	66	I. Lopez		0300	67	Jones
	0400	64	I. Lopez		0400	67	Jones
	0500	63	I. Lopez		0500	66	Jones
	0600	62	I. Lopez		0600	64	Jones
	0700	65	I. Lopez		0700	69	J. Wilson
	0800	70	I. Lopez		0800	75	Hill
	0900	74	I. Lopez		0900	81	Hill
	1000	78	I. Lopez		1000	85	Hill
	1100	83	I. Lopez		1100	87	Hill
	1200	86	I. Lopez		1200	93	Hill
	1300	87	I. Lopez		1300	98	Hill
	1400	88	I. Lopez		1400	100	Hill
	1500	89	Baldwin		1500	98	WILSON
	1600	91	Baldwin		1600	99	WILSON
	1700	92	Baldwin		1700	100	WILSON
	1800	93	Baldwin		1800	101	WILSON
	1900	92	Baldwin		1900	101	WILSON
	2000	88	Baldwin		2000	94	WILSON
	2100	83	Baldwin		2100	88	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

1130 MFT.

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/12/24	2200	80	Perez
	2300	79	Perez
	2400	78	Perez
	0100	74	Perez
	0200	74	Perez
	0300	73	Perez
	0400	71	Perez
	0500	69	Perez
	0600	67	Perez
	0700	76	Ambison
	0800	78	Ambison
	0900	82	Ambison
	1000	85	Ambison
	1100	89	Ambison
	1200	93	Ambison
	1300	95	Ambison
	1400	96	Ambison
	1500	98	WILSON
	1600	98	WILSON
	1700	96	WILSON
	1800	93	WILSON
	1900	89	WILSON
	2000	85	WILSON
	2100	80	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
6/13/24	2200	74	WILSON
	2300	78	Perez
	2400	74	Perez
	0100	72	Perez
	0200	70	Perez
	0300	69	Perez
	0400	67	Perez
	0500	65	Perez
	0600	64	Perez
	0700	65	Ambison
	0800	69	Ambison
	0900	74	Ambison
	1000	77	Ambison
	1100	80	Ambison
	1200	84	Ambison
	1300	87	Ambison
	1400	91	Ambison
	1500	94	WILSON
	1600	95	WILSON
	1700	94	WILSON
	1800	93	WILSON
	1900	90	WILSON
	2000	85	WILSON
	2100	81	WILSON

1120 UHT

UHT
1320

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
COCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
6/14/24	2200	77	WILSON	6/15/24	2200	82	WILSON
	2300	74	Robertson		2300	80	Robertson
	2400	75	Robertson		2400	79	Robertson
	0100	73	Robertson		0100	76	Robertson
	0200	71	Robertson		0200	73	Robertson
	0300	70	Robertson		0300	70	Robertson
	0400	69	Robertson		0400	66	Robertson
	0500	68	Robertson		0500	64	Robertson
	0600	66	Robertson		0600	63	R FLAKE
	0700	67	E. BOLDEN		0700	64	R FLAKE
	0800	69	E. BOLDEN		0800	66	R FLAKE
	0900	73	E. BOLDEN		0900	65	R FLAKE
	1000	77	E. BOLDEN		1000	72	R FLAKE
	1100	81	E. BOLDEN		1100	75	R FLAKE
	1200	85	E. BOLDEN		1200	81	R FLAKE
	1300	88	E. BOLDEN		1300	84	R FLAKE
	1400	90	E. BOLDEN		1400	86	R FLAKE
	1500	94	WILSON		1500	89	WILSON
	1600	96	WILSON		1600	91	WILSON
	1700	97	WILSON		1700	92	WILSON
	1800	98	WILSON		1800	91	WILSON
	1900	95	WILSON		1900	90	WILSON
	2000	90	WILSON		2000	84	WILSON
	2100	85	WILSON		2100	82	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
6/16/24	2200	78	WILSON	6/17/24	2200	71	Marsden
	2300	74	Bodork		2300	71	Marsden
	2400	69	Bodork		2400	70	Marsden
	0100	67	Bodork		0100	68	Marsden
	0200	65	Bodork		0200	65	Marsden
	0300	62	Bodork		0300	63	Marsden
	0400	61	Bodork		0400	60	Marsden
	0500	58	Bodork		0500	61	Marsden
	0600	57	Bodork		0600	62	I. LOPEZ
	0700	65	Non		0700	62	I. LOPEZ
	0800	69	Non		0800	66	I. LOPEZ
	0900	72	Non		0900	68	I. LOPEZ
	1000	76	Non		1000	71	I. LOPEZ
	1100	90	Non		1100	73	I. LOPEZ
	1200	84	Non		1200	76	I. LOPEZ
	1300	97	Non		1300	78	I. LOPEZ
	1400	90	Non		1400	80	I. LOPEZ
	1500	87	R. FLAKE		1500	82	Bodork
	1600	81	R. FLAKE		1600	83	Bodork
	1700	88	R. FLAKE		1700	84	Bodork
	1800	88	R. FLAKE		1800	84	Bodork
	1900	88	R. FLAKE		1900	82	Bodork
	2000	86	R. FLAKE		2000	80	Bodork
	2100	82	R. FLAKE		2100	75	Bodork

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
6/18/24	2200	68	Marsden	6/19/24	2200	73	SALAZAR
	2300	67	Marsden		2300	69	Perez
	2400	64	Marsden		2400	65	Perez
	0100	61	Marsden		0100	64	Perez
	0200	56	Marsden		0200	62	Perez
	0300	55	Marsden		0300	60	Perez
	0400	54	Marsden		0400	58	Perez
	0500	53	Marsden		0500	56	Perez
	0600	54	LOPEZ		0600	54	Perez
	0700	56	LOPEZ		0700	54	AMARILLO
	0800	65	LOPEZ		0800	61	AMARILLO
	0900	71	LOPEZ		0900	67	AMARILLO
	1000	75	CAMACIO		1000	70	AMARILLO
	1100	77	CAMACIO		1100	76	AMARILLO
	1200	80	CAMACIO		1200	88	AMARILLO
	1300	82	CAMACIO		1300	81	AMARILLO
	1400	83	SALAZAR		1400	85	AMARILLO
	1500	86	SALAZAR		1500	88	JWY
	1600	87	SALAZAR		1600	89	JWY
	1700	87	SALAZAR		1700	89	JWY
	1800	87	SALAZAR		1800	89	JWY
	1900	86	SALAZAR		1900	84	JWY
	2000	82	SALAZAR		2000	80	JWY
	2100	78	SALAZAR				

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA: OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/20/24	2200	76	Marsden
	2300	73	Marsden
	2400	68	Marsden
	0100	63	Marsden
	0200	60	Marsden
	0300	57	Marsden
	0400	55	Marsden
	0500	53	Marsden
	0600	56	Annsaz
	0700	59	Annsaz
	0800	64	Annsaz
	0900	69	Annsaz
	1000	74	Annsaz
	1100	77	Annsaz
	1200	81	Annsaz
	1300	84	Annsaz
	1400	85	Annsaz
	1500	93	SALAZAR
	1600	95	SALAZAR
	1700	95	SALAZAR
	1800	94	SALAZAR
	1900	92	SALAZAR
	2000	87	SALAZAR
	2100	82	SALAZAR

DISTRIBUTION: Original: Institution Heat Plan Coordinator

90° (42°)

DEACTIVATED
2:00

Date	Time	Temp.	Printed Name
6/21/24	2200	78	SALAZAR
	2300	76	Robertson
	2400	73	Robertson
	0100	70	Robertson
	0200	67	Robertson
	0300	64	Robertson
	0400	63	Robertson
	0500	62	Robertson
	0600	61	Robertson
	0700	62	Baldoroz
	0800	68	Baldoroz
	0900	73	Baldoroz
	1000	77	Baldoroz
	1100	81	Baldoroz
	1200	85	Baldoroz
	1300	87	Baldoroz
	1400	89	Baldoroz
	1500	91	Baldoroz
	1600	93	Baldoroz
	1700	94	Baldoroz
	1800	94	Baldoroz
	1900	93	Baldoroz
	2000	89	Baldoroz
	2100	84	Baldoroz

→ ACTIVATE

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/16) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/23/24	2200	79	Borlange
	2300	80	Perez
	2400	78	Perez
	0100	76	Perez
	0200	74	Perez
	0300	72	Perez
	0400	71	Perez
	0500	70	Perez
	0600	69	Perez
	0700	65	FLORES
	0800	67	FLORES
	0900	79	FLORES
	1000	85	FLORES
	1100	90	FLORES
	1200	93	FLORES
	1300	95	FLORES
	1400	98	FLORES
	1500	98	Hogil
	1600	101	Hogil
	1700	103	Hogil
	1800	105	Hogil
	1900	102	Hogil
	2000	96	Hogil
	2100	91	Hogil

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
6/23/24	2200	86	B. Marsden
	2300	80	Marsden
	2400	78	Marsden
	0100	77	Marsden
	0200	76	Marsden
	0300	73	Marsden
	0400	72	Marsden
	0500	67	Marsden
	0600	71	IR
	0700	75	IR
	0800	77	IR
	0900	73	IR
	1000	78	IR
	1100	90	IR
	1200	101	IR
	1300	104	IR
	1400	100	IR
	1500	106	R. Flores
	1600	105	R. Flores
	1700	101	R. Flores
	1800	102	R. Flores
	1900	100	R. Flores
	2000	97	R. Flores
	2100	92	R. Flores

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
COCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/24	2200	84	Marsden
	2300	86	Marsden
	2400	82	Marsden
	0100	78	Marsden
	0200	76	Marsden
	0300	73	Marsden
	0400	73	Marsden
	0500	72	Marsden
	0600	70	WHR
	0700	77	WHR
	0800	61	WHR
	0900	86	WHR
	1000	90	WHR
	1100	95	WHR
	1200	98	WHR
	1300	100	WHR
	1400	101	WHR
	1500	102	R.FLORE
	1600	103	R.FLORE
	1700	101	R.FLORE
	1800	99	R.FLORE
	1900	98	K.FLORE
	2000	95	K.FLORE
	2100	92	K.FLORE

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
6/25	2200	85	B.Marsden
	2300	84	Marsden
	2400	82	Marsden
	0100	79	Marsden
	0200	77	Marsden
	0300	75	Marsden
	0400	75	Marsden
	0500	74	Marsden
	0600	77	WHR
	0700	78	WHR
	0800	87	WHR
	0900	87	WHR
	1000	90	WHR
	1100	96	WHR
	1200	99	WHR
	1300	102	WHR
	1400	104	WHR
	1500	104	SALAZAR
	1600	105	SALAZAR
	1700	105	SALAZAR
	1800	104	SALAZAR
	1900	100	SALAZAR
	2000	95	SALAZAR
	2100	91	SALAZAR

Attachment D

STATE OF CALIFORNIA: OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	2200	86	Marsden
	2300	81	Marsden
	2400	78	Marsden
	0100	77	Marsden
	0200	75	Marsden
	0300	73	Marsden
	0400	72	Marsden
	0500	71	Marsden
	0600	69	Annisson
	0700	72	Annisson
	0800	74	Annisson
	0900	80	Annisson
	1000	84	Annisson
	1100	86	Annisson
	1200	89	Annisson
	1300	92	Annisson
	1400	95	Annisson
	1500	98	WILSON
	1600	100	WILSON
	1700	101	WILSON
	1800	100	WILSON
	1900	99	WILSON
	2000	95	WILSON
	2100	89	WILSON

1215 WHT
 6-26-24

Date	Time	Temp.	Printed Name
	2200	84	WILSON
	2300	83	Marsden
	2400	79	Marsden
	0100	76	Marsden
	0200	72	Marsden
	0300	70	Marsden
	0400	69	Marsden
	0500	67	Marsden
	0600	66	Marsden
	0700	67	Annisson
	0800	69	Annisson
	0900	72	Annisson
	1000	75	Annisson
	1100	79	Annisson
	1200	82	Annisson
	1300	85	Annisson
	1400	87	Annisson
	1500	94	WILSON
	1600	95	WILSON
	1700	96	WILSON
	1800	96	WILSON
	1900	95	WILSON
	2000	91	WILSON
	2100	84	WILSON

6-27-24

DISTRIBUTION: Original; Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
COCR 2030 (04/1B) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
6/28/24	2200	82	WILSON	6/29/24	2200	79	WILSON
	2300	77	Sorensen		2300	74	Robertson
	2400	74	Sorensen		2400	73	Robertson
	0100	72	Sorensen		0100	72	Robertson
	0200	68	Sorensen		0200	69	Robertson
	0300	66	Sorensen		0300	67	Robertson
	0400	65	Sorensen		0400	65	Robertson
	0500	63	Sorensen		0500	63	Robertson
	0600	63	Robertson		0600	64	Rifles
	0700	64	Bajork		0700	68	Rifles
	0800	69	Bajork		0800	70	Rifles
	0900	76	Bajork		0900	75	Rifles
	1000	80	Bajork		1000	71	Rifles
	1100	83	Bajork		1100	85	Rifles
	1200	87	Bajork		1200	89	Rifles
	1300	90	Bajork		1300	92	Rifles
	1400	91	Bajork		1400	94	Rifles
	1500	95	WILSON		1500	97	WILSON
	1600	95	WILSON		1600	98	WILSON
	1700	96	WILSON		1700	99	WILSON
	1800	96	WILSON		1800	98	WILSON
	1900	94	WILSON		1900	96	WILSON
	2000	88	WILSON		2000	91	WILSON
	2100	82	WILSON		2100	84	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature:

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
6-30-24	2200	80	WILSON	7-1-24	2200	84	Marsden
	2300	76	Marsden		2300	78	Marsden
	2400	73	Marsden		2400	76	Marsden
	0100	69	Marsden		0100	74	Marsden
	0200	66	Marsden		0200	72	Marsden
	0300	68	Marsden		0300	69	Marsden
	0400	65	Marsden		0400	69	Marsden
	0500	64	Marsden		0500	67	Marsden
	0600	63	Marsden		0600	69	Foxes
	0700	71	WALINGA		0700	70	Foxes
	0800	75	WALINGA		0800	71	Foxes
	0900	79	WALINGA		0900	73	Foxes
	1000	82	WALINGA		1000	75	Foxes
	1100	86	WALINGA		1100	79	Foxes
	1200	88	WALINGA		1200	83	Foxes
	1300	91	WALINGA		1300	90	Foxes
	1400	94	WALINGA		1400	95	Foxes
	1500	95	R. Flores		1500	cpl	Baldorff
	1600	98	R. Flores		1600	96	Baldorff
	1700	98	R. Flores		1700	96	Baldorff
	1800	98	R. Flores		1800	95	Baldorff
	1900	93	R. Flores		1900	93	Baldorff
	2000	91	R. Flores		2000	89	Baldorff
	2100	87	R. Flores		2100	88	Baldorff

DISTRIBUTION: Original; Institution Heat Plan Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05 / 27 / 24	0300 0600 0900 1200 1500 1800 2100 2400	75 75 75 75 70 75 75 70	Burg Cabrer Cabrer Cabrer Gallan Gallan Gallan S. N. K. V. O.

Tuesday

Date	Time	Temp.	Name (Print)
05 / 28 / 24 w	0300	76	SANDRA W. C
	0600	76	Cabrer
	0900	76	Cabrer
	1200	76	Cabrer
	1500	70	
	1800	70	
	2100	76	An
	2400	76	SANDRA W. C

Wednesday

Date	Time	Temp.	Name (Print)
05 / 29	0300	76	SANDOVAL
/	0600	76	Cabrera
	0900	76	Cabrera
	1200	76	Cabrera
	1500	76	Cabrera
/	1800	76	Cabrera
24	2100	76	Cabrera
✓	2400	76	SANDOVAL

Thursday

Date	Time	Temp.	Name (Print)
05 / 30	0300	76	SHANDOLAI
/	0600	76	Cabreza
	0900	76	Cabreza
	1200	76	Cabreza
	1500	76	L. Caranto
/	1800	76	L. Caranto
24 ✓	2100	76	L. Caranto
	2400	76	H. Agosto

Friday

Date	Time	Temp.	Name (Print)
	0300	76	H. Jeff
05	0600	76	Cabarrus
/	0900	76	Gibson
31	1200	76	Elmore
	1500	76	Elmwood
/	1800	76	Fair
24	2100	76	Fair
	2400	75	Mineral

Saturday

Date	Time	Temp.	Name (Print)
06 / 01 / 24	0300	75	Mariah
	0600	75	Sanchez
	0900	79	Sanchez
	1200	79	Sanchez
	1500	73	Sander
	1800	75	Sanders
	2100	73	Sander
	2400	75	Susie

Sunday

Date	Time	Temp.	Name (Print)
	0300	75	Steve
06	0600	75	Ricardo
/	0900	76	Robert
02	1200	78	Robert
	1500	77	Sandie
/	1800	77	Sanders
24	2100	75	Sanders
	2400	75	Bob

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 / 03 / 24	0300	75	Ticus
	0600	75	Cabrera
	0900	75	Cabrera
	1200	76	Cabrera
	1500	76	SMTZ
	1800	76	SMTZ
	2100	76	SMTZ
	2400	76	M.GARLLO

Tuesday

Date	Time	Temp.	Name (Print)
06 / 04 / 24	0300	80	M.GARLLO
	0600	80	Cabrera
	0900	80	Cabrera
	1200	80	Cabrera
	1500	80	Cabrera
	1800	80	Cabrera
	2100	80	Cabrera
	2400	78	SANJUAN

Wednesday

Date	Time	Temp.	Name (Print)
06 / 05 / 24	0300	78	SANJUAN
	0600	78	Cabrera
	0900	78	Cabrera
	1200	78	Cabrera
	1500	78	Cabrera
	1800	78	Cabrera
	2100	78	Cabrera
	2400	78	SANJUAN

Thursday

Date	Time	Temp.	Name (Print)
06 / 06 / 24	0300	78	STRANGE
	0600	78	Cabrera
	0900	78	Cabrera
	1200	78	Cabrera
	1500	78	Cabrera
	1800	78	Cabrera
	2100	78	Cabrera
	2400	78	MALAVIDE

Friday

Date	Time	Temp.	Name (Print)
06 / 07 / 24	0300	72	MALAVIDE
	0600	75	Cabrera
	0900	76	Cabrera
	1200	78	Cabrera
	1500	78	Cabrera
	1800	78	Cabrera
	2100	76	Cabrera
	2400	74	MALAVIDE

Saturday

Date	Time	Temp.	Name (Print)
06 / 08 / 24	0300	74	MALAVIDE
	0600	75	CLOCK
	0900	75	CLOCK
	1200	75	CLOCK
	1500	75	CLOCK
	1800	80	V.SANCHEZ
	2100	78	V.SANCHEZ
	2400	78	TRIN

Notes

Date	Time	Temp.	Name (Print)
06 / 09 / 24	0300	78	Ticus
	0600	78	ESPINOZA
	0900	78	ESPINOZA
	1200	78	ESPINOZA
	1500	78	Sanders
	1800	78	Sanders
	2100	78	Sanders
	2400	78	Ticus

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2nd Tier A B C Sections
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 / 10 / 24	0300	74	Eugenio Cabrerizo
	0600	76	Cabrerizo
	0900	76	Cabrerizo
	1200	74	Cabrerizo
	1500	73	Car
	1800	74	D.V. Lopez
	2100	75	D.V. Lopez
	2400	78	D.V. Lopez

Tuesday

Date	Time	Temp.	Name (Print)
06 / 11 / 24	0300	78	D. V. Lopez
	0600	78	Cabrera
	0900	78	Cabrera
	1200	78	Cabrera
	1500	78	Ama. 7.11
	1800	76	Ama. 7.11
	2100	76	Ama. 7.11
	2400	78°	(Cabrera)

Wednesday

Date	Time	Temp.	Name (Print)
06 / 12 / 24	0300	76°	Garg
	0600	76	Cabreiro
	0900	76	Cabrerio
	1200	76	Caberer
	1500	76	Car
	1800	76	Car
	2100	76	Car
	2400	78	S. Carvalho

Thursday

Date	Time	Temp.	Name (Print)
06 / 13 / 24	0300	78	SANDRA
	0600	78	SANDRA
	0900	78	Cabreca
	1200	78	Cabreca
	1500	75	Cabreca
	1800	74	Cabreca
	2100	76	Cabreca
	2400	75	MARIA

Friday

Date	Time	Temp.	Name (Print)
06 / 14 / 24	0300	75	MAIDY MOL
	0600	75	Cabreræ
	0900	75	Cabreræ
	1200	76	Cabreræ
	1500	76	AN
	1800	76	AN
	2100	76	AN
	2400	75	MAIDY MOL

Saturday

Date	Time	Temp.	Name (Print)
06 / 15 / 24	0300	75	MADAM
	0600	75	CLOCK
	0900	75	CLOCK
	1200	75	CLOCK
	1500	75	Sanders
	1800	75	Sanders
	2100	75	Sanders
	2400	75	KRIS

Sunday

Date	Time	Temp.	Name (Print)
06 / 16 / 24	0300	75	Bias
	0600	75	C. Lark
	0900	75	C. Lark
	1200	75	C. Lark
	1500	75	Sanders
	1800	76	Sanders
	2100	75	Sanders
	2400	78	Bias

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 / 17 / 24	0300	76	Bius
	0600	76	Cabresa
	0900	76	Cabresa
	1200	76	Cabresa
	1500	76	Cid
	1800	75	Cid
	2100	75	Cid
	2400	76	Schwartz

Tuesday

Date	Time	Temp.	Name (Print)
06 / 18 / 24	0300	76	Schwartz
	0600	76	Cabresa
	0900	76	Cabresa
	1200	76	Cabresa
	1500	76	Schwartz
	1800	76	Schwartz
	2100	75	Schwartz
	2400	76	Schwartz

Wednesday

Date	Time	Temp.	Name (Print)
06 / 19 / 24	0300	76	Schwartz
	0600	76	Cabresa
	0900	76	Cabresa
	1200	75	Cabresa
	1500	76	Cabresa
	1800	76	Cabresa
	2100	76	Cabresa
	2400	76	Cabresa

Thursday

Date	Time	Temp.	Name (Print)
06 / 20 / 24	0300	76	?
	0600	76	?
	0900	76	Cabresa
	1200	76	Cabresa
	1500	75	Car
	1800	75	Car
	2100	75	Car
	2400	75	Malony

Friday

Date	Time	Temp.	Name (Print)
06 / 21 / 24	0300	75	Malony
	0600	75	Cabresa
	0900	75	Cabresa
	1200	76	Cabresa
	1500	75	Cabresa
	1800	76	Car
	2100	76	Car
	2400	75	Malony

Saturday

Date	Time	Temp.	Name (Print)
06 / 22 / 24	0300	75	Malony
	0600	75	C Look
	0900	75	C Look
	1200	75	C Look
	1500	75	Hartman
	1800	75	Hartman
	2100	75	Hartman
	2400	76	Tim

Notes

Date	Time	Temp.	Name (Print)
06 / 23 / 24	0300	76	Bius
	0600	75	C Look
	0900	75	C Look
	1200	75	C Look
	1500	75	Sanders
	1800	75	Sanders
	2100	75	Sanders
	2400	75	Bius

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 / 24 / 24	0300	76	B133
	0600	75	Cabrera
	0900	75	Cabrera
	1200	75	Cabrera
	1500	76	M. TAFORA
	1800	78	M. TAFORA
	2100	78	M. TAFORA
	2400	78	SANJUAN

Tuesday

Date	Time	Temp.	Name (Print)
06 / 25 / 24	0300	78	SANJUAN
	0600	78	Cabrera
	0900	78	Cabrera
	1200	78	Cabrera
	1500	78	Fernandez
	1800	76	Fernandez
	2100	76	Fernandez
	2400	76	SANJUAN

Wednesday

Date	Time	Temp.	Name (Print)
06 / 26 / 24	0300	76	SANJUAN
	0600	76	Cabrera
	0900	76	Cabrera
	1200	76	Cabrera
	1500	76	Cabrera
	1800	76	Cabrera
	2100	76	Cabrera
	2400	76	SANJUAN

Thursday

Date	Time	Temp.	Name (Print)
06 / 27 / 24	0300	76	SANJUAN
	0600	76	Cabrera
	0900	76	Cabrera
	1200	76	Cabrera
	1500	75	CW
	1800	75	CW
	2100	72	CW
	2400	78	H. M. G.

Friday

Date	Time	Temp.	Name (Print)
06 / 28 / 24	0300	75	H. M. G.
	0600	76	Cabrera
	0900	76	Cabrera
	1200	76	Cabrera
	1500	74	CW
	1800	71	CW
	2100	71	CW
	2400	75	MARSHAL

Saturday

Date	Time	Temp.	Name (Print)
06 / 29 / 24	0300	75	MARSHAL
	0600	74	CROWN
	0900	75	CROWN
	1200	75	CROWN
	1500	75	IBARRA
	1800	76	IBARRA
	2100	76	IBARRA
	2400	76	IBARRA

Sunday

Date	Time	Temp.	Name (Print)
06 / 30 / 24	0300	76	Bris
	0600	75	M. ANGULO
	0900	75	M. ANGULO
	1200	76	M. ANGULO
	1500	76	B. Sanders
	1800	76	B. Sanders
	2100	75	B. Sanders
	2400	76	Bris

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: 02 Temp. Reading Location: IND 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	73	Lopez
	0600	73	Araiza
	0900	73	Araiza
	1200	75	Araiza
	1500	75	Casavirita
	1800	75	Casavirita
	2100	74	Casavirita
	2400	74	74

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
6/24	0300	74	MALDEN
	0600	75	N. Clark
	0900	77	N. Clark
	1200	78	N. Clark
	1500	79	M. TAFYA
	1800	80	M. TAFYA
	2100	80	M. TAFYA
	2400	80	M. TAFYA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KuSP Housing Unit: C-2 Temp. Reading Location: 2nd Tier - A.B.C Sections
1st tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4580 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 3 24	0300	75	Mark M. Clark
	0600	75	Clark
	0900	75	Clark
	1200	75	Clark
	1500	75	Sanders
	1800	75	Sanders
	2100	79	Sanders
	2400	73	Lape

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	76	Lopez
	0600	76	Delsing
	0900	76	Delsing
	1200	76	Delsing
	1500	76	Carreras
	1800	76	Carreras
	2100	77	Carreras
	2400	80	Lopez

Friday

Date	Time	Temp.	Name (Print)
6	0300	65	Lopez
/	0600	80	Belys
7	0900	55	Bell
/	1200	70	Belys
24	1500	80	Casimira
	1800	80	Casimira
	2100	78	Casimira
	2400	77	Lopez

Sunday

Date	Time	Temp.	Name (Print)
06-09-24	0300	75°	E. Carter
	0600	74	Delyendo
	0900	76	Delyando
	1200	76	Delyando
	1500	76°	A. Delyendo
	1800	76°	A. Delyendo
	2100	76°	A. Delyando
	2400	78	U. Angulo

Tuesday

Date	Time	Temp.	Name (Print)
6 4 24	0300	73	Lopez
	0600	73	Dalyds
	0900	73	Alisa L
	1200	73	Dalyds
	1500	73	Sanders
	1800	74	Sanders
	2100	72	Sanders
	2400	76	Lopez

Thursday

Date	Time	Temp.	Name (Print)
6/24	0300	80	Lopez
6/24	0600	80	Alberto
6/24	0900	80	Ruth M
6/24	1200	80	Ruth L
6/24	1500	80	Carmen
6/24	1800	79	Carmenita
6/24	2100	79	Carmenita
6/24	2400	80	Lopez

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	77	Lopez
	0600	77	Dalyards
	0900	77	Dalyards
	1200	74	Dalyards
	1500	77	E. SANCHEZ
	1800	77	E. SANCHEZ
	2100	77	E. SANCHEZ
	2400	78°	Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C2

Temp. Reading Location: control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/10	0300	76	4. Aboz
	0600	77	N Clark
	0900	77	N Clark
	1200	77	N Clark
	1500	76	Sanders
	1800	76	Sanders
	2100	77	Sanders
	2400	78	Loper

Tuesday

Date	Time	Temp.	Name (Print)
6/11/10	0300	78	Loper
	0600	78	D. Jones
	0900	79	D. Jones
	1200	79	D. Jones
	1500	78	J. Jones
	1800	79	J. Jones
	2100	78	J. Jones
	2400	78	Loper

Wednesday

Date	Time	Temp.	Name (Print)
6/12/10	0300	78	Loper
	0600	78	R. Garcia
	0900	78	R. Garcia
	1200	78	R. Garcia
	1500	79	J. monchaca
	1800	78	J. monchaca
	2100	77	J. monchaca
	2400	78	Loper

Thursday

Date	Time	Temp.	Name (Print)
6/13/10	0300	78	Loper
	0600	78	D. Jones
	0900	78	D. Jones
	1200	78	D. Jones
	1500	78	J. Jones
	1800	77	J. Jones
	2100	77	J. Jones
	2400	78	V. CALTRIO

Friday

Date	Time	Temp.	Name (Print)
6/14/10	0300	78	V. CALTRIO
	0600	78	R. GOMEZ Garcia
	0900	78	R. Gomez Garcia
	1200	78	R. Gomez Garcia
	1500	79	J. monchaca
	1800	78	J. monchaca
	2100	78	J. monchaca
	2400	78	Loper

Saturday

Date	Time	Temp.	Name (Print)
6/15/10	0300	75	Loper
	0600	76	ESPINOZA
	0900	78	ESPINOZA
	1200	78	ESPINOZA
	1500	78	J. monchaca
	1800	78	J. monchaca
	2100	78	J. monchaca
	2400	78	W. ESTLN

Sunday

Date	Time	Temp.	Name (Print)
6/16/10	0300	78	W. Estln
	0600	78	W. Estln
	0900	78	D. Garcia
	1200	78	D. Garcia
	1500	78	P. Torres
	1800	78	L. Torres
	2100	77	L. Torres
	2400	78	L. Torres

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C2

Temp. Reading Location: Control Booth (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	72	Lopez
	0600	72	Franco
	0900	72	Franco
17	1200	73	Karen
	1500	73	Sanders
	1800	74	Sanders
24	2100	74	Sanders
	2400	72	Lopez

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	72	Lopez
	0600	72	Jadwiz
	0900	72	Ramirez Lopez
15	1200	72	RAMIREZ LOPEZ
	1500	73	Sanders
	1800	73	Simpkins
24	2100	72	Sanders
	2400	72	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	72	Lopez
	0600	73	R. FRANCO
	0900	73	R. FRANCO
19	1200	74	R. FRANCO
	1500	72	Aguayo
	1800	72	Aguayo
24	2100	72	Aguayo
	2400	72	Lopez

Thursday

Date	Time	Temp.	Name (Print)
6	0300	72	Lopez
	0600	74	Jones
	0900	74	Jones
10	1200	74	Jones
	1500	79	L.Clemente
	1800	79	L.Clemente
24	2100	79	L.Carter
	2400	75	Lopez

Friday

Date	Time	Temp.	Name (Print)
6	0300	75	Lopez
	0600	76	ANORA
	0900	78	ANORA
21	1200	80	A.NORA
	1500	78	CLEMENTE
	1800	73	CLEMENTE
24	2100	72	CLEMENTE
	2400	72	CLEMENTE

Saturday

Date	Time	Temp.	Name (Print)
6	0300	72	CLEMENTE
	0600	77	Cagle
	0900	72	James
22	1200	72	James
	1500	73	Craig
	1800	73	Craig
24	2100	73	Craig
	2400	73	WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
6	0300	73	WILLIAMS
	0600	74	Franco
	0900	74	Franco
23	1200	78	Franco
	1500	78	L.Clemente
	1800	78	L.Clemente
24	2100	78	L.Clemente
	2400	78	A.Nebay

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2 Temp. Reading Location: control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24 24	0300	78	H. Abeyo
	0600	77	D. Agosto
	0900	77	D. Agosto
	1200	77	D. Agosto
	1500	77	Sanders
	1800	76	Sanders
	2100	76	Sanders
	2400	75	Lopez

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	75	Lopez
	0600	76	D. Agosto
	0900	76	D. Agosto
	1200	77	D. Agosto
	1500	77	Sanders
	1800	76	Sanders
	2100	76	Sanders
	2400	78	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
6 26 27 28	0300	76	Lopez
	0600	78	D. Agosto
	0900	78	D. Agosto
	1200	79	D. Agosto
	1500	78	Lopez
	1800	77	Lopez
	2100	77	Lopez
	2400	76	Lopez

Thursday

Date	Time	Temp.	Name (Print)
6 01 02 03	0300	78	Lopez
	0600	79	D. Agosto
	0900	79	D. Agosto
	1200	79	D. Agosto
	1500	78	Clemente
	1800	77	Clemente
	2100	76	Clemente
	2400	76	SEVILLA

Friday

Date	Time	Temp.	Name (Print)
6 20 21	0300	76	S. SEVILLA
	0600	76	Aguilar
	0900	78	Aguilar
	1200	78	Aguilar
	1500	77	Sanders
	1800	77	Sanders
	2100	78	Sanders
	2400	76	Lopez

Saturday

Date	Time	Temp.	Name (Print)
6 29 30 24	0300	76	Lopez
	0600	77	P. Vargas Jr.
	0900	77	P. Vargas Jr.
	1200	77	P. Vargas Jr.
	1500	78	L. Torres
	1800	78	L. Torres
	2100	77	L. Torres
	2400	78	L. Torres

Notes

Date	Time	Temp.	Name (Print)
6 30 24	0300	75	M. Lopez
	0600	78	D. Agosto
	0900	76	D. Agosto
	1200	76	D. Agosto
	1500	77	M. Lopez
	1800	77	M. Lopez
	2100	77	M. Lopez
	2400	77	M. Lopez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05 / 27	0300	75	Bues
	0600	75	Cabreza
	0900	75	Cabreza
	1200	75	Cabreza
	1500	76	Gallar
/ 24	1800	75	Gallar
	2100	75	Gallar
	2400	76	SANDOVAL

Tuesday

Date	Time	Temp.	Name (Print)
05 / 28	0300	76	SANDOVAL
	0600	76	Cabreza
	0900	76	Cabreza
	1200	76	Cabreza
	1500	76	
/ 24	1800	76	
	2100	76	
	2400	76	SANDOVAL

Wednesday

Date	Time	Temp.	Name (Print)
05 / 29	0300	76	SANDOVAL
	0600	76	Cabreza
	0900	76	Cabreza
	1200	76	Cabreza
	1500	76	Cabreza
/ 24	1800	76	Cabreza
	2100	76	Cabreza
	2400	76	SANDOVAL

Thursday

Date	Time	Temp.	Name (Print)
05 / 30	0300	76	SANDOVAL
	0600	76	Cabreza
	0900	76	Cabreza
	1200	76	Cabreza
	1500	76	L.Camacho
/ 24	1800	76	L.Camacho
	2100	76	L.Camacho
	2400	76	H.Balog

Friday

Date	Time	Temp.	Name (Print)
05 / 31	0300	76	
	0600	76	Cabreza
	0900	76	Cabreza
	1200	76	Cabreza
	1500	76	Cabreza
/ 24	1800	76	Cabreza
	2100	76	Cabreza
	2400	75	MARIN

Saturday

Date	Time	Temp.	Name (Print)
06 / 01	0300	75	MARIN
	0600	75	Sander
	0900	74	Sanchez
	1200	74	Sanchez
	1500	75	Sander
/ 24	1800	75	Sander
	2100	73	Sander
	2400	75	JS48

Sunday

Date	Time	Temp.	Name (Print)
06 / 02	0300	75	BUES
	0600	75	Rodrigo
	0900	76	Rodrigo
	1200	78	Rodrigo
	1500	77	Sanders
/ 24	1800	77	Sanders
	2100	75	Sanders
	2400	75	Rodrigo

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C3

Temp. Reading Location: 2nd Tier - A, B, C (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<i>6/13 24</i>	0300	77	Pimentel
	0600	77	Castro
	0900	78	Castro
	1200	78	Castro
	1500	80	Ramirez Bedolla
	1800	81	Fernandez Bedolla
	2100	81	Fernandez Bedolla
	2400	80	Pimentel

Tuesday

Date	Time	Temp.	Name (Print)
<i>6/14 24</i>	0300	79	Pimentel
	0600	78	Castro
	0900	79	Castro
	1200	79	Castro
	1500	79	Bedolla
	1800	81	Bedolla
	2100	81	Bedolla
	2400	80	See

Wednesday

Date	Time	Temp.	Name (Print)
<i>6/15 24</i>	0300	80	See
	0600	80	Rivera
	0900	79	Rivera
	1200	81	Rivera
	1500	81	Bedolla
	1800	80	Bedolla
	2100	81	Bedolla
	2400	80	See

Thursday

Date	Time	Temp.	Name (Print)
<i>6/16 24</i>	0300	79	See
	0600	79	Araiza
	0900	80	Araiza
	1200	79	Araiza
	1500	81	Bedolla
	1800	79	Bedolla
	2100	79	Bedolla
	2400	79	See

Friday

Date	Time	Temp.	Name (Print)
<i>6/17 24</i>	0300	79	See
	0600	79	Look
	0900	80	Look
	1200	81	Look
	1500	82	Sandora
	1800	81	Sandora
	2100	80	Sandora
	2400	80	Johnson

Saturday

Date	Time	Temp.	Name (Print)
<i>6/18 24</i>	0300	79	Johnson
	0600	78	Garcia
	0900	79	Garcia
	1200	79	Garcia
	1500	74	Ballardo
	1800	80	Rauser
	2100	79	Rauser
	2400	80	Johnson

Sunday

Date	Time	Temp.	Name (Print)
<i>6/19 24</i>	0300	79	Johnson
	0600	74	Castro
	0900	60	Castro
	1200	50	Castro
	1500	80	Bedolla
	1800	81	Bedolla
	2100	79	Bedolla
	2400	79	Pimentel

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C 3Temp. Reading Location: 2nd Tier - A, B, C
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	80	Pimentel
	0600	79	Castro
	0900	79	Castro
	1200	80	Castro
	1500	81	Bedolla
	1800	81	Bedolla
	2100	79	Bedolla
	2400	78	Pimentel

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	78	Pimentel
	0600	79	Castro
	0900	79	Castro
	1200	80	Castro
	1500	81	Bedolla
	1800	80	Bedolla
	2100	79	Bedolla
	2400	78	See in Jimenez

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	79	Jimenez
	0600	79	Castro
	0900	80	Castro
	1200	80	Castro
	1500	81	Bedolla
	1800	79	Bedolla
	2100	79	Bedolla
	2400	78	See

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	78	See
	0600	79	Araiza
	0900	79	Araiza
	1200	80	Araiza
	1500	80	Bedolla
	1800	81	Bedolla
	2100	81	Bedolla
	2400	80	See

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	80	See
	0600	79	Look
	0900	79	Look
	1200	80	Look
	1500	81	Rodriguez
	1800	80	Rodriguez
	2100	79	Rodriguez
	2400	79	See

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	78	See
	0600	78	Castro
	0900	79	Castro
	1200	79	Castro
	1500	80	Tafoya
	1800	81	Tafoya
	2100	80	Tafoya
	2400	78	Slater

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	78	Slater
	0600	78	Castro
	0900	79	Castro
	1200	79	Castro
	1500	80	Bedolla
	1800	80	Bedolla
	2100	80	Bedolla
	2400	79	Pimentel

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C3 Temp. Reading Location: 2nd Tier - A, B, C (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
L 1/17 1/21	0300	79	Pimentel
	0600	80	Castro
	0900	80	Castro
	1200	81	Castro
	1500	81	Bedolla
	1800	81	Bedolla
	2100	74	Bedolla
	2400	78	Pimentel

Wednesday

Date	Time	Temp.	Name (Print)
6/19/44	0300	78	See
	0600	78	Castro
	0900	74	Castro
	1200	80	Castro
	1500	80	Bedolla
	1800	81	Bedolla
	2100	81	Bedolla
	2400	79	See

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	80	See
	0600	80	Look
	0900	79	Look
	1200	81	Look
	1500	81	Rodriguez
	1800	81	Rodriguez
	2100	81	Rodriguez
	2400	78	See

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	78	See
	0600	79	Castro
	0900	79	Castro
	1200	80	Castro
	1500	80	Tatoya
	1800	81	Tatoya
	2100	79	Tatoya
	2400	78	Pimentel

Tuesday

Dat	Time	Temp.	Name (Print)
6/18/24	0300	78	Pimentel
	0600	79	Castro
	0900	80	Castro
	1200	80	Castro
	1500	79	Bedolla
	1800	80	Bedolla
	2100	80	Bedolla
	2400	79	See

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	79	See
	0600	79	Araiza
	0900	80	Araiza
	1200	80	Araiza
	1500	80	Bedolla
	1800	81	Bedolla
	2100	81	Bedolla
	2400	60	See

Saturday

Date	Time	Temp.	Name (Print)
6/22 1/24	0300	78	See
	0600	78	Castro
	0900	78	Castro
	1200	79	Castro
	1500	80	Rodriguez
	1800	80	Rodriguez
	2100	81	Rodriguez
	2400	78	See U

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C3 Temp. Reading Location: Z-J Tier - A, B, C (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	78	Pimentel
	0600	78	Castro
	0900	79	Castro
	1200	79	Castro
	1500	79	Aleman
	1800	80	Aleman
	2100	80	Aleman
	2400	78	Pimentel

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	Pimentel
	0600	78	Castro
	0900	80	Castro
	1200	81	Castro
	1500	81	Cid
	1800	80	Cid
	2100	80	Cid
	2400	79	See

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	74	See
	0600	79	Castro
	0900	80	Castro
	1200	80	Castro
	1500	79	Bedolla
	1800	74	Bedolla
	2100	74	Bedolla
	2400	78	See

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	78	See
	0600	78	Araiza
	0900	79	Araiza
	1200	79	Araiza
	1500	80	Bedolla
	1800	80	Bedolla
	2100	81	Bedolla
	2400	79	See

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	79	See
	0600	79	Garcia
	0900	79	Garcia
	1200	80	Garcia
	1500	80	Rodriguez
	1800	81	Rodriguez
	2100	79	Rodriguez
	2400	78	Jaramillo

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	78	Jaramillo
	0600	79	Castro
	0900	79	Castro
	1200	80	Castro
	1500	81	Rodriguez
	1800	81	Rodriguez
	2100	79	Rodriguez
	2400	78	Hunter

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	78	Hunter
	0600	78	Castro
	0900	79	Castro
	1200	80	Castro
	1500	80	Bedolla
	1800	80	Bedolla
	2100	79	Bedolla
	2400	78	Aguilar

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4

Temp. Reading Location: Control booth - A/C (e.g.,
A/C Sections 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300	74	JOHNSON
24	0600	74	FRANCO
	0900	74	FRANCO
	1200	74	FRANCO
	1500	74	Torres
	1800	72	Torres
	2100	74	Torres
	2400	73	M. HERNANDEZ

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	73°	M. HERNANDEZ
	0600	73	R. FRANCO
	0900	74	R. CARBON
	1200	74	R. FRANCO
	1500	74	E. ARAIZA
1/24	1800	74	E. ARAIZA
	2100	74	E. ARAIZA
	2400	74°	Garcia

Wednesday

Date	Time	Temp.	Name (Print)
10/16/04	0300	76°	E. Lopez Gil
	0600	75	O. Lopez Gil
	0900	75	O. Lopez Gil
	1200	76	O. Lopez Gil
	1500	76	E. Araya
	1800	76	E. Araya
	2100	75	E. Araya
	2400	75.	J. M. Nunez

Thursday

Date	Time	Temp.	Name (Print)
05/30/94	0300	75	J. Diaz
	0600	75	O. Lopez G.I.
	0900	75	O. Lopez G.I.
	1200	76	O. Lopez G.I.
	1500	76	E. Araiza
	1800	76	C. Aragon
	2100	76	E. Aragon
	2400	76	J. Diaz

Friday

Date	Time	Temp.	Name (Print)
5/31 2011	0300	76	J. Lopez Gil
	0600	75	J. Lopez Gil
	0900	76	J. Lopez Gil
	1200	76	J. Lopez Gil
	1500	76	E. Aranza
	1800	76	E. Aranza
	2100	76	E. Aranza
	2400	76	F. Pimentel

Saturday

Date	Time	Temp.	Name (Print)
6/1 24	0300	74	F. Pinus A.
	0600	75	O. Cooper G.I.
	0900	76	O. Cooper G.I.
	1200	78	O. Cooper G.I.
	1500	76	N. Pinus
	1800	76	N. Pinus
	2100	75	N. Pinus
	2400	75	F. Pinus A.

Sunday

Date	Time	Temp.	Name (Print)
24/2	0300	75	T. Pinental.
	0600	75	O. Lopez G.I
	0900	76	O. Lopez G.I
	1200	76	O. Lopez G.I
	1500	76	C. Lee
	1800	76	C. Lee
	2100	76	C. Lee
	2400	76	J. H. W.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the inside ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4 Temp. Reading Location: Control booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/13/24	0300	76	Johnson
	0600	75	C. Lock
	0900	75	C. Lock
	1200	75	C. Lock
	1500	76	Aleman
	1800	76	Aleman
	2100	76	Aleman
	2400	76	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
6/14/24	0300	76	Johnson
	0600	75	C. Lock
	0900	75	C. Lock
	1200	75	C. Lock
	1500	75	E. Aracica
	1800	75	E. Aracica
	2100	75	E. Aracica
	2400	75	D. Aracica

Wednesday

Date	Time	Temp.	Name (Print)
6/15/24	0300	75	J. Johnson
	0600	75	O. Lopez G.I.
	0900	75	O. Lopez G.I.
	1200	75	O. Lopez G.I.
	1500	76	E. Aracica
	1800	76	E. Aracica
	2100	76	E. Aracica
	2400	76	Johnson

Thursday

Date	Time	Temp.	Name (Print)
6/16/24	0300	76	Johnson
	0600	76	O. Lopez G.I.
	0900	77	O. Lopez G.I.
	1200	77	O. Lopez G.I.
	1500	77	E. Aracica
	1800	77	E. Aracica
	2100	77	E. Aracica
	2400	78	Johnson

Friday

Date	Time	Temp.	Name (Print)
6/17/24	0300	76	Johnson
	0600	76	O. Lopez G.I.
	0900	77	O. Lopez G.I.
	1200	77	O. Lopez G.I.
	1500	77	E. Aracica
	1800	77	E. Aracica
	2100	78	E. Aracica
	2400	78	F. Pimentel

Saturday

Date	Time	Temp.	Name (Print)
6/18/24	0300	78	F. Pimentel
	0600	77	O. Lopez G.I.
	0900	77	O. Lopez G.I.
	1200	78	O. Lopez G.I.
	1500	78	N. Clark
	1800	78	N. Clark
	2100	78	N. Clark
	2400	78	Jaramillo

Sunday

Date	Time	Temp.	Name (Print)
6/19/24	0300	78	Jaramillo
	0600	78	O. Lopez G.I.
	0900	78	O. Lopez G.I.
	1200	79	O. Lopez G.I.
	1500	79	I. Lopez
	1800	79	I. Lopez
	2100	79	I. Lopez
	2400	78	Johnson

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4 Temp. Reading Location: 2nd Tier (B)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 / 10 / 24	0300	78	John
	0600	75	Clem
	0900	73	C. Cook
	1200	75	C. Cook
	1500	75	Amos
	1800	75	Almae
	2100	75	Almae
	2400	75	John

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	75	John
/	0600	76	O. Lopez G.A
12	0900	77	O. Lopez G.A
/	1200	77	O. Lopez G.A
24	1500	77	E. Aratza
	1800	78	E. Aratza
	2100	77	E. Aratza
	2400	77	Johnson

Friday

Date	Time	Temp.	Name (Print)
6 14 19	0300	78	J. Johnson
	0600	78	O. Lopez G.
	0900	78	O. Lopez G.
	1200	79	O. Lopez G.
	1500	78	E. Araiza
	1800	78	E. Araiza
	2100	78	E. Araiza
	2400	78	F. Pimentel

Sunday

Date	Time	Temp.	Name (Print)
6	0300	78	F. Pinente
/	0600	78	T. Lopez Gil
16	0900	78	O. Lopez Gil
/	1200	78	O. Lopez Gil
24	1500	78	RUMMELER
	1800	78	RODRIGUEZ
	2100	78	L TORRES
	2400	77	JOHNSON

Tuesday

Date	Time	Temp.	Name (Print)
6 / 11 / 24	0300	75	J. BROWN
	0600	75	Block
	0900	75	Block
	1200	75	Block
	1500	75	E. ARAGUA
	1800	75	E. ARAGUA
	2100	75	E. ARAGUA
	2400	75	J. Brown

Thursday

Date	Time	Temp.	Name (Print)
6 13 /	0300	77	J. V. N. S.
13 /	0600	77	O. LORAZ G. J.
13 /	0900	77	O. LORAZ G. J.
13 /	1200	78	O. LORAZ G. J.
24	1500	78	C. ARAIZA
	1800	78	C. ARAIZA
	2100	78	C. ARAIZA
	2400	78	C. ARAIZA

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	78	F. Pimentel
	0600	78	O. Lopez 6.1
	0900	78	O. Lopez 6.1
	1200	78	O. Lopez 6.1
	1500	78	N. Clark
	1800	77	N. Clark
	2100	75	N. Clark
	2400	75	F. Pimentel

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4 Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	77	JOHNSON
	0600	75	C. LUCK
	0900	75	C. LUCK
	1200	75	C. LUCK
	1500	74	RODRIGUEZ
	1800	74	RODRIGUEZ
	2100	74	RODRIGUEZ
	2400	74	JOHNSON

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/18/24</u>	0300	75	Johnson
	0600	75	C. Luck
	0900	75	C. Luck
	1200	75	C. Luck
	1500	78	Araiza
	1800	78	Araiza
	2100	78	Araiza
	2400	77	Johnson

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/19/24</u>	0300	74	Johnson
	0600	78	Johnson
	0900	75	C. Luck
	1200	75	C. Luck
	1500	76	Araiza
	1800	76	Araiza
	2100	76	Araiza
	2400	76	Johnson

Thursday

Date	Time	Temp.	Name (Print)
<u>6/20/24</u>	0300	76	Johnson
	0600	73	Johnson
	0900	76	J. J. D.
	1200	76	J. J. D.
	1500	76	Araiza
	1800	76	Araiza
	2100	76	Araiza
	2400	76	Johnson

Friday

Date	Time	Temp.	Name (Print)
<u>6/21/24</u>	0300	76	Johnson
	0600	76	Johnson
	0900	76	O. Lopez G.I.
	1200	77	O. Lopez G.I.
	1500	77	Araiza
	1800	77	Araiza
	2100	77	Araiza
	2400	77	F. Pimentel

Saturday

Date	Time	Temp.	Name (Print)
<u>6/22/24</u>	0300	77	F. Pimentel
	0600	77	O. Lopez G.I.
	0900	77	O. Lopez G.I.
	1200	78	O. Lopez G.I.
	1500	78	N. Clark
	1800	78	N. Clark
	2100	78	N. Clark
	2400	78	F. Pimentel

Sunday

Date	Time	Temp.	Name (Print)
<u>6/23/24</u>	0300	78	F. Pimentel
	0600	77	O. Lopez G.I.
	0900	78	O. Lopez G.I.
	1200	79	A. Medina
	1500	79	A. Medina
	1800	79	A. Medina
	2100	78	A. Medina
	2400	78	Johnson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4

Temp. Reading Location: Control Booth (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	75	Johnson
6/24	0600	75	O. LooK
6/24	0900	75	O. LooK
6/24	1200	75	O. LooK
6/24	1500	78	G. Rodriguez
6/24	1800	78	G. Rodriguez
6/24	2100	78	G. Rodriguez
6/24	2400	78	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	78	Johnson
6/25	0600	75	O. LooK
6/25	0900	75	O. LooK
6/25	1200	75	O. LooK
6/25	1500	75	Araiza
6/25	1800	75	Araiza
6/25	2100	75	Araiza
6/25	2400	77	Johnson

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	77	Johnson
6/26	0600	77	Johnson
6/26	0900	77	O. Lopez G.I
6/26	1200	78	O. Lopez G.I
6/26	1500	78	Araiza
6/26	1800	78	Araiza
6/26	2100	77	Araiza
6/26	2400	77	Johnson

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	77	Johnson
6/27	0600	77	Johnson
6/27	0900	77	O. Lopez G.I
6/27	1200	78	O. Lopez G.I
6/27	1500	78	E. Araiza
6/27	1800	77	Araiza
6/27	2100	77	Araiza
6/27	2400	77	Johnson

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	77	Johnson
6/28	0600	77	Johnson
6/28	0900	77	O. Lopez G.I
6/28	1200	78	O. Lopez G.I
6/28	1500	78	Araiza
6/28	1800	78	Araiza
6/28	2100	78	Araiza
6/28	2400	78	F. Pimentel

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	77	F. Pimentel
6/29	0600	77	O. Lopez G.I
6/29	0900	78	O. Lopez G.I
6/29	1200	78	O. Lopez G.I
6/29	1500	78	N. Clark
6/29	1800	78	N. Clark
6/29	2100	77	N. Clark
6/29	2400	77.5	Johnson

Notes

Date	Time	Temp.	Name (Print)
6/30	0300	77	Johnson
6/30	0600	77	Johnson
6/30	0900	77	O. Lopez G.I
6/30	1200	78	O. Lopez G.I
6/30	1500	78	G. Rodriguez
6/30	1800	78	G. Rodriguez
6/30	2100	78	G. Rodriguez
6/30	2400	78	Johnson

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C5 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/22/21	0300	69	Silva
	0600	69	Thompson
	0900	72	Thompson
	1200	74	Thompson
	1500	74	VELASQUEZ
	1800	72	VELASQUEZ
	2100	71	VELASQUEZ
	2400	76	Silva

Tuesday

Date	Time	Temp.	Name (Print)
5/23/21	0300	68	Silva
	0600	70	Thompson
	0900	72	Thompson
	1200	75	Thompson
	1500	74	VELASQUEZ
	1800	72	VELASQUEZ
	2100	72	VELASQUEZ
	2400	72	Thompson

Wednesday

Date	Time	Temp.	Name (Print)
5/24/21	0300	71	Thompson
	0600		
	0900		
	1200		
	1500	80	L.Clemente
	1800	80	L.Clemente
	2100	80	L.Clemente
	2400	80	Sotelo

Thursday

Date	Time	Temp.	Name (Print)
5/25/21	0300	76	Silva
	0600	76	Thompson
	0900	76	Thompson
	1200	77	Thompson
	1500	78	Garcia
	1800	80	Davis
	2100	78	Davis
	2400	75	Pimentel

Friday

Date	Time	Temp.	Name (Print)
5/28/21	0300	75	F.Pimentel
	0600		
	0900		
	1200		
	1500	74	D.Clemente
	1800	74	D.Clemente
	2100	75	J.Morales
	2400	74	Silva

Saturday

Date	Time	Temp.	Name (Print)
5/29/21	0300	73	Silva
	0600	73	Gloria
	0900	73	Gloria
	1200	73	Gloria
	1500	73	VELASQUEZ
	1800	72	VELASQUEZ
	2100	71	VELASQUEZ
	2400	70	Silva

Sunday

Date	Time	Temp.	Name (Print)
6/1/21	0300	69	Silva
	0600	72	R.Franco
	0900	73	R.Franco
	1200	74	R.Franco
	1500	74	M. VELASQUEZ
	1800	72	M. VELASQUEZ
	2100	70	M. VELASQUEZ
	2400	70	Sotelo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: Facility C Building 5 Temp. Reading Location: Second Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5.24	0300	77	Sotelo
	0600	77	Thompson
	0900	79	Thompson
	1200	79	Thompson
	1500	79	Clemente
	1800	78	Clemente
	2100	77	Clemente
	2400	77	Sotelo

Tuesday

Date	Time	Temp.	Name (Print)
5.24	0300	77	Sotelo
	0600	78	Thompson
	0900	79	Thompson
	1200	79	Thompson
	1500	79	Cid
	1800	78	Cid
	2100	78	Cid
	2400	78	Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
5.24	0300	77	Sotelo
	0600	77	Thompson
	0900	79	Thompson
	1200	79	Thompson
	1500	79	Clemente
	1800	78	Clemente
	2100	76	Clemente
	2400	75	Sotelo

Thursday

Date	Time	Temp.	Name (Print)
5.24	0300	72	Morales
	0600	77	Thompson
	0900	78	Thompson
	1200	79	Thompson
	1500	78	Menchaca
	1800	78	Menchaca
	2100	75	Menchaca
	2400	72	Pimentel

Friday

Date	Time	Temp.	Name (Print)
5.24	0300	71	Pimentel
	0600	72	McCay
	0900	74	McCay
	1200	75	McCay
	1500	75	Clemente
	1800	75	Clemente
	2100	74	Clemente
	2400	77	Sotelo

Saturday

Date	Time	Temp.	Name (Print)
5.24	0300	76	Sotelo
	0600	77	Barajas
	0900	77	Barajas
	1200	77	Barajas
	1500	88	Vela
	1800	90	Vela
	2100	77	-
	2400	77	-

Sunday

Date	Time	Temp.	Name (Print)
5.24	0300	76	Sotelo
	0600	77	Thompson
	0900	77	Thompson
	1200	77	Thompson
	1500	76	J. Monchaca
	1800	76	J. Monchaca
	2100	76	J. Monchaca
	2400	76	Sotelo

Note

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: Facility C Building 5 Temp. Reading Location: Second Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6.10.24	0300	76	Sotelo, J
	0600	75	Sotelo, J
	0900	76	Thompson
	1200	76	Thompson
	1500	77	M. TAYORA
	1800	77	M. TAYORA
	2100	77	M. TAYORA
	2400	76	Sotelo, J

Tuesday

Date	Time	Temp.	Name (Print)
6.11.24	0300	78	Sotelo, J
	0600	77	Thompson
	0900	79	Thompson
	1200	79	Thompson
	1500	78	A. Delgado
	1800	80	A. Delgado
	2100	80-79	A. Delgado
	2400	78	Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
6.12.24	0300	77	Sotelo, J
	0600	77	Thompson
	0900	78	Thompson
	1200	79	Thompson
	1500	78	SANCHEZ
	1800	76	SANCHEZ
	2100	73	SANCHEZ
	2400	75	RAMIREZ

Thursday

Date	Time	Temp.	Name (Print)
6.13.24	0300	76	MARIA
	0600	76	Thompson
	0900	78	Thompson
	1200	79	Thompson
	1500	79	Perez
	1800	78	Perez
	2100	76	Perez
	2400	76	Pimentel

Friday

Date	Time	Temp.	Name (Print)
6.14.24	0300	76	Pimentel
	0600	78	A. Nova
	0900	78	A. Nova
	1200	80	A. Nova
	1500	78	L. TORRES
	1800	78	L. TORRES
	2100	75	L. TORRES
	2400	75	Sotelo

Saturday

Date	Time	Temp.	Name (Print)
6.15.24	0300	75	Sotelo
	0600	75	J. CASTRO
	0900	75	J. CASTRO
	1200	76	J. CASTRO
	1500	76	M. VELASQUEZ
	1800	74	M. VELASQUEZ
	2100	70	M. VELASQUEZ
	2400	70	Sotelo

Notes

Date	Time	Temp.	Name (Print)
6.16.24	0300	70	Sotelo
	0600	72	Thompson
	0900	73	Thompson
	1200	75	Thompson
	1500	75	VELASQUEZ
	1800	76	VELASQUEZ
	2100	72	VELASQUEZ
	2400	73	Sotelo

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment C
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: Facility C Building 5 Temp. Reading Location: Second Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/14	0300	73	Sotelo, J
5/15	0600	73	Sotelo, J
5/16	0900	74	Thompson
5/17	1200	75	Thompson
5/18	1500	75	VELASQUEZ
5/19	1800	76	VELASQUEZ
5/20	2100	74	VELASQUEZ
5/21	2400	74	Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
5/16	0300	75	Sotelo
5/17	0600	75	Thompson
5/18	0900	76	Thompson
5/19	1200	76	Thompson
5/20	1500	76	Sanchez
5/21	1800	75	Sanchez
5/22	2100	74	Sanchez
5/23	2400	74	MARSHAL, M

Friday

Date	Time	Temp.	Name (Print)
5/16	0300	75	Pimentel
5/17	0600	78	E. Ruiz
5/18	0900	80	E. Ruiz
5/19	1200	80	E. Ruiz
5/20	1500	76	L. Torres
5/21	1800	76	L. Torres
5/22	2100	77	L. Torres
5/23	2400	76	Sotelo

Sunday

Date	Time	Temp.	Name (Print)
5/20	0300	74	Rivera
5/21	0600	76	Thompson
5/22	0900	77	Thompson
5/23	1200	78	Thompson
5/24	1500	78	VELASQUEZ
5/25	1800	76	VELASQUEZ
5/26	2100	75	VELASQUEZ
5/27	2400	76	Rivera

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0300	74	Sotelo
5/15	0600	74	Sotelo
5/16	0900	75	Thompson
5/17	1200	76	Thompson
5/18	1500	74	M. TAFOL
5/19	1800	74	M. TAFOL
5/20	2100	77	M. TAFOL
5/21	2400	75	Sotelo

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300	72	MARSHAL, M
5/17	0600	72	Thompson
5/18	0900	73	Thompson
5/19	1200	73	Thompson
5/20	1500	73	M. TAFOL
5/21	1800	73	M. TAFOL
5/22	2100	73	M. TAFOL
5/23	2400	75	F. PIMENTEL

Saturday

Date	Time	Temp.	Name (Print)
5/16	0300	76	Sotelo, J
5/17	0600	78	E. Ruiz
5/18	0900	78	E. Ruiz
5/19	1200	78	E. Ruiz
5/20	1500	75	VELASQUEZ
5/21	1800	75	VELASQUEZ
5/22	2100	73	VELASQUEZ
5/23	2400	74	Rivera

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C5 Temp. Reading Location: control (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/25/18	0300	76	River
	0600	79	Thompson
	0900	79	Thompson
	1200	79	Thompson
	1500	79	M. VELASQUEZ
	1800	78	VELASQUEZ
	2100	77	VELASQUEZ
	2400	77	Sotelo

Tuesday

Date	Time	Temp.	Name (Print)
6/26/18	0300	76	Sotelo, J
	0600	77	Thompson
	0900	79	Thompson
	1200	79	Thompson
	1500	79	VELASQUEZ
	1800	78	VELASQUEZ
	2100	77	VELASQUEZ
	2400	76	River

Wednesday

Date	Time	Temp.	Name (Print)
6/27/18	0300	76	River
	0600	78	Thompson
	0900	80	Thompson
	1200	89	Thompson
	1500	88	VELASQUEZ
	1800	83	VELASQUEZ
	2100	78	VELASQUEZ
	2400	79	Watson

Thursday

Date	Time	Temp.	Name (Print)
6/28/18	0300	79	Watson
	0600	78	Thompson
	0900	78	Thompson
	1200	78	Thompson
	1500	78	Velasquez
	1800	78	Velasquez
	2100	78	Velasquez
	2400	78	F. Pimentel

Friday

Date	Time	Temp.	Name (Print)
6/29/18	0300	78	F. Pimentel
	0600	79	F. Ruiz
	0900	80	F. Ruiz
	1200	80	F. Ruiz
	1500	80	J. Moreno Macias
	1800	80	J. Moreno Macias
	2100	80	J. Moreno Macias
	2400	80	F. Ruiz

Saturday

Date	Time	Temp.	Name (Print)
6/29/18	0300	78	F. Ruiz
	0600	78	F. Ruiz
	0900	80	F. Ruiz
	1200	80	F. Ruiz
	1500	80	Villa
	1800	80	Villa
	2100	80	Villa
	2400	79	Sotelo

Notes

Date	Time	Temp.	Name (Print)
6/30/18	0300	79	Sotelo
	0600	79	Thompson
	0900	80	Thompson
	1200	80	Thompson
	1500	80	Cid
	1800	80	Cid
	2100	80	Cid
	2400	79	Sotelo

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C60 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	72	T. Alvarez
	0600	72	Olmos
	0900	72	Olmos
	1200	72	Olmos
	1500	73	J. Moreno Macias
	1800	72	J. Moreno Macias
	2100	71	J. Moreno Macias
	2400	71	S. SEVILLA

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	72	u. Estan
	0600	72	u. Estan
	0900	72	u. Estan
	1200	73	Andrade
	1500	73	ANORAD
	1800	74	Andrade
	2100	73	ANORAD
	2400	73	Andrade

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	80	L. fernandez
	0600	80	Mire
	0900	80	Mire
	1200	80	Mire
	1500	81	ANORAD
	1800	81	ANORAD
	2100	80	ANORAD
	2400	80	RODRIGUEZ

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300		
	0600	72	OLMOS
	0900	72	OLMOS
	1200	75	OLMOS
	1500	72	OLMOS
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	71	S. SEVILLA
	0600	72	L. VACA
	0900	72	L. VACA
	1200	72	L. VACA
	1500	80	M. TAFORA
	1800	84	M. TAFORA
	2100	80	M. TAFORA
	2400	74	M. Hernandez

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	80	u. Estan
	0600	80	u. Estan
	0900	80	E. Ruiz
	1200	81	E. Ruiz
	1500	81	ANDRADE
	1800	81	ANDRADE
	2100	80	ANDRADE
	2400	80	L. Fernandez

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	80	RODRIGUEZ
	0600	80	A. OLMEZ
	0900	80	R. OLMEZ
	1200	80	ANONYMOUS
	1500	80	ANONYMOUS
	1800	80	ANONYMOUS
	2100	80	ANONYMOUS
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C6

Temp. Reading Location: 2nd Tier - All AC Sections
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	72	Alvarado
	0600	72	OIMOS
	0900	75	OIMOS
	1200	75	OIMOS
	1500	75	Cid
	1800	73	Cid
	2100	77	Cid
	2400	75	Jaramillo

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	75	Jaramillo
	0600	75	OIMOS
	0900	75	OIMOS
	1200	75	OIMOS
	1500	75	M. TAFORA
	1800	77	M. TAFORA
	2100	77	M. TAFORA
	2400	76	-

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	75	-
	0600	75	Cid
	0900	75	Cid
	1200	75	Cid
	1500	76	ANDRADE
	1800	76	ANDRADE
	2100	76	Cid
	2400	76	Cid

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	75	Hernandez
	0600	75	J. ESPINOZA
	0900	76	J. ESPINOZA
	1200	75	J. ESPINOZA
	1500	79	J. CASTILLO
	1800	79	J. CASTILLO
	2100	77	J. CASTILLO
	2400	79	S. SEVILLA

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	78	S. SEVILLA
	0600	76	Kuang
	0900	73	Kuang
	1200	75	Kuang
	1500	76	ANDRADE
	1800	76	ANDRADE
	2100	76	ANDRADE
	2400	80°	Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	80°	Fox
	0600	79	CLARK
	0900	79	OIMOS
	1200	80	OIMOS
	1500	81	ANDRADE
	1800	81	ANDRADE
	2100	80	ANDRADE
	2400	80	Alvarez

Notes

Date	Time	Temp.	Name (Print)
6/9	0300	75	Alvarez
	0600	72	J. Garmendia
	0900	79	OIMOS
	1200	79	OIMOS
	1500	80	ANDRADE
	1800	80	ANDRADE
	2100	80	ANDRADE
	2400	78	T. Alvarado

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C6

Temp. Reading Location: 2nd tier - A, B, C (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/19 24	0300	78	Pimentel
	0600	74	Castro
	0900	74	Castro
	1200	80	Castro
	1500	81	Bedolla
	1800	81	Bedolla
	2100	74	Bedolla
	2400	80	Alvarado

Tuesday

Dat	Time	Temp.	Name (Print)
4/11/24	0300	80	Alvarado
	0600	79	Castro
	0900	81	Castro
	1200	81	Castro
	1500	80	Tafaga
	1800	80	Tafaga
	2100	80	Tafaga
	2400	80	Jaramillo

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	80	Jaramillo
	0600	80	Ournos
	0900	80	Ournos
	1200	80	Ournos
	1500	81	Andrade
	1800	81	Andrade
	2100	80	Andrade
	2400	80	Sevilla

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	80	Seville
	0600	76	Diaz
	0900	76	Diaz
	1200	78	Diaz
	1500	80	Andrade
	1800	80	Andrade
	2100	79	Andrade
	2400	79	Seville

Friday

Date	Time	Temp.	Name (Print)
1/14/24	0300	79	Seville
	0600	79	Nunez
	0900	79	Nunez
	1200	79	Nunez
	1500	79	Andrade
	1800	79	Andrade
	2100	79	Andrade
	2400	79	Seville

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	74	Sevilla
	0600	79	Almos
	0900	80	Almos
	1200	81	Almos
	1500	81	Andrade
	1800	81	Andrade
	2100	80	Andrade
	2400	80	Fountain

Sunday

Date	Time	Temp.	Name (Print)
6/11/24	0300	60	Fountain
	0600	60	Almos
	0900	40	Almos
	1200	60	Almos
	1500	60	Anjade
	1800	81	Anjade
	2100	80	Anjade
	2400	79	Alvarado

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment C
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C6 Temp. Reading Location: 2nd tier - A, B, C (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	Alvarado
	0600	75	Olmos
	0900	78	Olmos
	1200	78	Olmos
	1500	81	Andrade
	1800	81	Andrade
	2100	81	Andrade
	2400	72	Sevilla

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	72	Sevilla
	0600	72	Cardona
	0900	72	Cardona
	1200	72	Cid
	1500	72	Cid
	1800	72	Cid
	2100	72	Cid
	2400	72	Sevilla

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	Sevilla
	0600	72	Hernandez
	0900	72	Hernandez
	1200	73	Hernandez
	1500	73	Clemente
	1800	71	Clemente
	2100	70	Clemente
	2400	70	Martinez

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	70	Martinez
	0600	71	Ruiz
	0900	71	Ruiz
	1200	71	Ruiz
	1500	72	Moreno
	1800	72	Moreno
	2100	70	Moreno
	2400	70	Perez

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	70	Perez
	0600	72	Hernandez
	0900	72	Hernandez
	1200	73	Hernandez
	1500	73	Duran
	1800	72	Duran
	2100	72	Duran
	2400	72	Alvaredo

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	72	Alvaredo
	0600	72	Nunez
	0900	72	Nunez
	1200	72	Nunez
	1500	77	Duran
	1800	73	Duran
	2100	73	Duran
	2400	72	Sevilla

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	72	Sevilla
	0600	72	Nunez
	0900	72	Nunez
	1200	72	Nunez
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	72	Sevilla

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C6 Temp. Reading Location: 2nd tier A, B, C
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	78	T. Alvarado
	0600	78	VALDEZ
	0900	80	OLMOS
	1200	80	OLMOS
	1500	80	J. Moreno Macias
	1800	80	J. Moreno Macias
	2100	80	J. Moreno Macias
	2400	80	E. CHANER

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	78	E. CHANER
	0600	79	OLMOS
	0900	80	OLMOS
	1200	80	OLMOS
	1500	80	ANDRADE
	1800	80	ANDRADE
	2100	79	ANDRADE
	2400	79	E. CHANER

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	79	E. CHANER
	0600	78	MUREZ
	0900	78	MUREZ
	1200	78	MUREZ
	1500	79	ANDRADE
	1800	80	ANDRADE
	2100	79	ANDRADE
	2400	79	E. CHANER

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	79	T. Alvarado
	0600	79	OLMOS
	0900	80	OLMOS
	1200	80	OLMOS
	1500	80	E. STRADER
	1800	80	E. STRADER
	2100	78	E. STRADER
	2400	78	T. Alvarado

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	79	E. CHANER
	0600	79	OLMOS
	0900	79	OLMOS
	1200	80	OLMOS
	1500	80	L. TORRES
	1800	80	L. TORRES
	2100	80	L. TORRES
	2400	80	E. CHANER

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	79	E. CHANER
	0600	70	E. RUIZ
	0900	80	E. RUIZ
	1200	80	E. RUIZ
	1500	80	ANDRADE
	1800	79	ANDRADE
	2100	79	ANDRADE
	2400	79	E. CHANER

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	79	E. CHANER
	0600	79	OLMOS
	0900	80	OLMOS
	1200	80	OLMOS
	1500	80	ANDRADE
	1800	80	ANDRADE
	2100	79	ANDRADE
	2400	79	T. Alvarado

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C 7 Temp. Reading Location: A, B, C-PODS (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
5/ 27 /24 ~	0300	72	Santos
	0600	72	GUMPS
	0900	73	GUMPS
	1200	73	GUMPS
	1500	74	M. ALCANTAR
	1800	74	M. ALCANTAR
	2100	73	M. ALCANTAR
	2400	72	Santos

Tuesday			
Date	Time	Temp.	Name (Print)
5/ 28 /24 ~	0300	72	Santos
	0600	73	GUMPS
	0900	73	GUMPS
	1200	73	GUMPS
	1500	75	M. ALCANTAR
	1800	74	M. ALCANTAR
	2100	73	M. ALCANTAR
	2400	72	Santos

Wednesday			
Date	Time	Temp.	Name (Print)
5/ 29 /24 ~	0300	72	Santos
	0600	73	GUMPS
	0900	73	GUMPS
	1200	74	GUMPS
	1500	74	M. ALCANTAR
	1800	74	M. ALCANTAR
	2100	73	M. ALCANTAR
	2400	72	Santos

Thursday			
Date	Time	Temp.	Name (Print)
5/ 30 /24 ~	0300	72	Santos
	0600	72	Sandoval
	0900	72	Sandoval
	1200	71	J. Moreno Macias
	1500	71	J. Moreno Macias
	1800	71	J. Moreno Macias
	2100	71	J. Moreno Macias
	2400	70	Perez

Friday			
Date	Time	Temp.	Name (Print)
5/ 31 /24	0300	70	Perez
	0600	71	GUMPS
	0900	71	GUMPS
	1200	72	GUMPS
	1500	72	GUMPS
	1800	72	Elias
	2100	72	Elias
	2400	72	Elias

Saturday			
Date	Time	Temp.	Name (Print)
6/ 1 /24	0300	70	Reynaga
	0600	70	Nunez
	0900	70	Nunez
	1200	70	Nunez
	1500	71	Nunez
	1800	72	Nunez
	2100	73	Nunez
	2400	70	Reynaga

Sunday			
Date	Time	Temp.	Name (Print)
6/ 2 /24	0300	72	Santos
	0600	72	Nunez
	0900	72	Nunez
	1200	72	Nunez
	1500	72	Elias
	1800	72	Elias
	2100	71	Elias
	2400	72	GUMPS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-7 Temp. Reading Location: A, B, C-POD (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	73	Sam /n
	0600	73	Hernandez
1/24	0900	73	Henry /n
	1200	74	Perez
	1500	75	M. ALCANTAR
	1800	73	M. ALCANTAR
	2100	73	M. ALCANTAR
	2400	73	M. ANGULO

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	73	Sorilla
	0600	73	Hernandez
1/24	0900	74	Hernandez
	1200	75	Hernandez
	1500	75	M. ALCANTAR
	1800	74	M. ALCANTAR
	2100	74	M. ALCANTAR
	2400	73	F. Sorilla

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	72	F. Sorilla
	0600	73	Hernandez
1/24	0900	73	Hernandez
	1200	74	Hernandez
	1500	76	M. ALCANTAR
	1800	75	M. ALCANTAR
	2100	74	M. ALCANTAR
	2400	74	Sorilla

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	72	Sorilla
	0600	72	Hernandez
1/24	0900	72	Hernandez
	1200	73	Hernandez
	1500	75	M. ALCANTAR
	1800	75	M. ALCANTAR
	2100	74	M. ALCANTAR
	2400	75	Kuang

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	73	Kuang
	0600	72	Kuang
1/24	0900	74	Kuang
	1200	74	Kuang
	1500	76	F. Sorilla
	1800	75	J. Hernandez
	2100	75	J. Hernandez
	2400	75	J. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	75	J. Hernandez
	0600	75	S. Nunez
1/24	0900	75	S. Nunez
	1200	75	S. Nunez
	1500	75	A. Delgado
	1800	72	A. Delgado
	2100	72	A. Delgado
	2400	72	Sorilla

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	72	Sorilla
	0600	72	Nunez
1/24	0900	72	Nunez
	1200	72	Nunez
	1500	74	M. ALCANTAR
	1800	73	M. ALCANTAR
	2100	73	M. ALCANTAR
	2400	72	F. Sorilla

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C7 Temp. Reading Location: Zn) Tier A, B, C (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	78	Sevilla
	0600	78	Hernandez
	0900	79	Hernandez
	1200	79	Hernandez
	1500	80	Alcantar
	1800	80	Alcantar
	2100	80	Alcantar
	2400	78	Sevilla

Tuesday

Dat	Time	Temp.	Name (Print)
6/11/24	0300	78	Sevilla
	0600	78	Hernandez
	0900	78	Hernandez
	1200	79	Hernandez
	1500	79	Alcantar
	1800	81	Alcantar
	2100	81	Alcantar
	2400	79	Sevilla

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	79	Seville
	0600	74	Hernandez
	0900	79	Hernandez
	1200	80	Hernandez
	1500	80	Alcantar
	1800	81	Alcantar
	2100	81	Alcantar
	2400	79	Seville

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	78	Sevilla
	0600	79 8	Hernandez
	0900	78	Hernandez
	1200	79	Hernandez
	1500	79	Alcantar
	1800	80	Alcantar
	2100	80	Alcantar
	2400	78	Perez

Friday

Date	Time	Temp.	Name (Print)
6/14 124	0300	78	Perez
	0600	78	Hernandez
	0900	79	Hernandez
	1200	79	Hernandez
	1500	79	Duran
	1800	80	Duran
	2100	80	Duran
	2400	78	Perez

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	78	Perez
	0600	78	Nunez
	0900	79	Nunez
	1200	79	Nunez
	1500	80	Duran
	1800	80	Duran
	2100	80	Duran
	2400	78	Serrilla

Sunday

Date	Time	Temp.	Name (Print)
6/16/ET	0300	78	Serrilla
	0600	78	Nunez
	0900	78	Nunez
	1200	79	Nunez
	1500	79	Thompson
	1800	79	Thompson
	2100	79	Thompson
	2400	75	Martinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C7

Temp. Reading Location: 2nd Tier A, B, C (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Monday			
Date	Time	Temp.	Name (Print)
6/17/24	0300	75	Martinez
	0600	76	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	79	Tataya
	1800	80	Tataya
	2100	80	Tataya
	2400	77	Sevilla

Tuesday

Dat	Time	Temp.	Name (Print)
6/18/24	0300	77	Seville
	0600	78	Granados
	0900	78	Granados
	1200	79	Granados
	1500	80	Cid
	1800	81	Cid
	2100	80	Cid
	2400	78	Seville

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	78	Sevilla
	0600	78	Hernandez
	0900	78	Hernandez
	1200	79	Hernandez
	1500	78	Clemente
	1800	78	Clemente
	2100	78	Clemente
	2400	78	Sevilla

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	78	Sevilla
	0600	78	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	79	moreno
	1800	80	moreno
	2100	81	moreno
	2400	80	Perez

Friday

Date	Time	Temp.	Name (Print)
6/21 6/24	0300	78	Perez
	0600	78	Hernandez
	0900	78	Hernandez
	1200	79	Hernandez
	1500	79	Duran
	1800	80	Dura
	2100	81	Duran
	2400	78	Alvarado

Saturday

Date	Time	Temp.	Name (Print)
6/22/14 24	0300	78	Airarado
	0600	78	Nunez
	0900	78	Nunez
	1200	79	Nunez
	1500	80	Duran
	1800	80	Duran
	2100	78	Duran
	2400	78	Sertilla

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	78	Sevilla
	0600	78	Nunez
	0900	78	Nunez
	1200	79	Nunez
	1500	80	Moreno
	1800	81	Moreno
	2100	81	Moreno
	2400	72	Sevilla

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 0031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABIL

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-7 Temp. Reading Location: A, B, C - POD (e.g., 3rd tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 24/ 24	0300	77	Santos
	0600	77	Hernandez
	0900	73	Hernandez
	1200	74	Hernandez
	1500	76	M. ALCANTAR
	1800	75	M. ALCANTAR
	2100	74	M. ALCANTAR
	2400	72	Santos

Wednesday

Date	Time	Temp.	Name (Print)
6/ 26/ 29	0300	72	Santos
	0600	74	Hernandez
	0900	76	Other
	1200	77	Other
	1500	78	D. Clemente
	1800	77	D. Clemente
	2100	76	D. Clemente
	2400	74	R. Santos

Friday

Date	Time	Temp.	Name (Print)
6/ 28/ 24	0300	78	Perez
	0600	78	Hernandez
	0900	78	Hernandez
	1200	77	Hernandez
	1500	78	D. Clemente
	1800	77	D. Clemente
	2100	75	D. Clemente
	2400	76	George

Sunday

Date	Time	Temp.	Name (Print)
6/ 29/ 07	0300	76	Loza
	0600	76	Nunez
	0900	76	Nunez
	1200	76	Nunez
	1500	75	Am
	1800	75	Am
	2100	75	Am
	2400	75	Am

Tuesday

Date	Time	Temp.	Name (Print)
6/ 25/ 24	0300	72	Santos
	0600	73	Hernandez
	0900	73	Hernandez
	1200	73	Hernandez
	1500	75	M. ALCANTAR
	1800	74	M. ALCANTAR
	2100	74	M. ALCANTAR
	2400	72	Santos

Thursday

Date	Time	Temp.	Name (Print)
6/ 27/ 24	0300	72	Santos
	0600	75	Garcia
	0900	78	Flores
	1200	80	Flores
	1500	80	J. Morenomaclias
	1800	78	J. Morenomaclias
	2100	78	J. Morenomaclias
	2400	78	Perez

Saturday

Date	Time	Temp.	Name (Print)
6/ 29/ 07	0300	76°	George
	0600	76	Nunez
	0900	76	Nunez
	1200	76	Nunez
	1500	75	Am
	1800	75	Am
	2100	75	Am
	2400	76	Loza

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C, 8

Temp. Reading Location: Control booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	74	A. Sofelo
	0600	74	A. Sofelo
	0900	74	M. Novo
	1200	74	M. Novo
	1500	77	M. TAFORA
	1800	78	M. TAFORA
24	2100	78	M. TAFORA
	2400	74	A. Sofelo

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	74	A. Sofelo
	0600	74	A. Sofelo
	0900	76	M. Novo
	1200	76	M. Novo
	1500	76	M. TAFORA
	1800	77	M. TAFORA
24	2100	77	M. TAFORA
	2400	74	A. Sofelo

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	74	A. Sofelo
	0600	74	A. Sofelo
	0900	74	R. Gomez Gavira
	1200	77	R. Gomez Gavira
	1500	77	R. Gomez Gavira
24	1800	74	J. Martinez
	2100	74	J. Martinez
	2400	74	R. Perez

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	74	R. Perez
	0600	74	R. Perez
	0900	74	G. Lopez Gavira
	1200	74	G. Lopez Gavira
	1500	75	J. Jor
24	1800	75	J. Jor
	2100	75	J. Jor
	2400	75	J. CASTRO

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	74	J. CASTRO
	0600	78	A. Novo
	0900	80	A. Novo
	1200	80	A. Novo
	1500	80	M. TAFORA
24	1800	80	M. TAFORA
	2100	80	M. TAFORA
	2400	78	A. Sofelo

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	78	A. Sofelo
	0600	78	A. Sofelo
	0900	78	M. Novo
	1200	79	M. Novo
	1500	79	Cid
24	1800	79	Cid
	2100	78	Cid
	2400	78	A. Sofelo

Notes

Date	Time	Temp.	Name (Print)
6/9	0300	78	A. Sofelo
	0600	78	A. Sofelo
	0900	78	M. Novo
	1200	78	M. Novo
	1500	80	M. TAFORA
	1800	80	M. TAFORA
24	2100	80	M. TAFORA
	2400	78	A. Sofelo

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-8

Temp. Reading Location: Control booth (e.g.,
^{1st} tier, ^{2nd} tier, ^{3rd} tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	78	H. Sofelo
	0600	78	H. Sofelo
	0900	75	S. Nuñez
	1200	75	S. Nuñez
	1500	78	P. Arellano
	1800	78	P. Arellano
	2100	77	P. Arellano
✓	2400	77	H. Sofelo

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	77	H. Sofelo
	0600	77	H. Sofelo
	0900	77	S. Nuñez
	1200	77	S. Nuñez
	1500	77	P. Arellano
	1800	77	P. Arellano
	2100	76	P. Arellano
	2400	73	H. Sofelo

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	78	H. Sofelo
	0600	78	H. Sofelo
	0900	78	L. Lopez
	1200	78	L. Lopez
	1500	79	P. Arellano
	1800	79	P. Arellano
	2100	78	P. Arellano
✓	2400	78	D. Chambers

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	78	D. Chambers
	0600	70	L. Lopez
	0900	70	L. Lopez
	1200	70	L. Lopez
	1500	70	P. Arellano
	1800	70	P. Arellano
	2100	70	P. Arellano
	2400	70	J. Castro

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	70	J. Castro
	0600	73	L. Lopez
	0900	75	L. Lopez
	1200	77	L. Lopez
	1500	78	M. Tapoia
	1800	78	M. Tapoia
	2100	76	M. Tapoia
✓	2400	78	H. Sofelo

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	78	H. Sofelo
	0600	78	H. Sofelo
	0900	70	L. Lopez
	1200	72	L. Lopez
	1500	72	J. Moreno Macias
	1800	72	J. Moreno Macias
	2100	72	J. Moreno Macias
	2400	74	H. Sofelo

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	74	H. Sofelo
	0600	74	H. Sofelo
	0900	74	L. Lopez
	1200	74	L. Lopez
	1500	76	M. Tapoia
	1800	74	M. Tapoia
	2100	74	M. Tapoia
✓	2400	76	H. Sofelo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: K.V.S.P. Housing Unit: C-3

Temp. Reading Location: Central Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	76	H. Sofelo
	0600	76	H. Sofelo
	0900	76	S. Nunez
	1200	76	S. Nunez
	1500	76	P. Arellano
	1800	76	P. Arellano
	2100	75	P. Arellano
	2400	74	H. Sofelo

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	74	H. Sofelo
	0600	74	H. Sofelo
	0900	74	S. Nunez
	1200	74	S. Nunez
	1500	74	P. Arellano
	1800	74	P. Arellano
	2100	73	P. Arellano
	2400	73	H. Sofelo

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	73	H. Sofelo
	0600	73	H. Sofelo
	0900	73	L. Lopez
	1200	73	L. Lopez
	1500	73	P. Arellano
	1800	73	P. Arellano
	2100	72	P. Arellano
	2400	72	Perez

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	72	Perez
	0600	73	L. Lopez
	0900	73	L. Lopez
	1200	73	L. Lopez
	1500	73	P. Arellano
	1800	73	P. Arellano
	2100	72	P. Arellano
	2400	72	Perez

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	Perez
	0600	73	L. Lopez
	0900	73	L. Lopez
	1200	73	L. Lopez
	1500	73	P. Arellano
	1800	73	P. Arellano
	2100	72	P. Arellano
	2400	72	H. Sofelo

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	72	H. Sofelo
	0600	72	H. Sofelo
	0900	73	L. Lopez
	1200	73	L. Lopez
	1500	78	A. Delgado
	1800	76	A. Delgado
	2100	76	A. Delgado
	2400	75	H. Sofelo

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	75	H. Sofelo
	0600	75	H. Sofelo
	0900	75	L. Lopez
	1200	75	L. Lopez
	1500	76	A. Delgado
	1800	77	A. Delgado
	2100	77	A. Delgado
	2400	77	H. Sofelo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: K.V.S.P. Housing Unit: C-8

Temp. Reading Location: Control Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	77	A. Sofela
	0600	77	A. Sofela
	0900	77	R. Avrum
	1200	77	R. Avrum
	1500	77	P. Arziano
	1800	76	P. Arziano
	2100	76	P. Arziano
	2400	76	A. Sofela

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	76	A. Sofela
	0600	76	A. Sofela
	0900	78	Rosendo
	1200	83	Rosendo
	1500	83	Rosendo
	1800	83	P. Arziano
	2100	82	P. Arziano
	2400	76	A. Sofela

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	76	A. Sofela
	0600	76	A. Sofela
	0900	78	Lopez
	1200	80	Lopez
	1500	82	P. Arziano
	1800	82	P. Arziano
	2100	81	P. Arziano
	2400	80	Perez

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	78	Perez
	0600	77	McCoy
	0900	78	McCoy
	1200	78	McCoy
	1500	78	P. Arziano
	1800	78	P. Arziano
	2100	77	P. Arziano
	2400	76	S. Castro

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	76	S. Castro
	0600	76	R. Aguilar
	0900	76	R. Aguilar
	1200	77	R. Aguilar
	1500	77	P. Arziano
	1800	77	P. Arziano
	2100	76	P. Arziano
	2400	76	A. Sofela

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	76	A. Sofela
	0600	76	A. Sofela
	0900	74	L. Lopez
	1200	74	L. Lopez
	1500	74	C. Cruz
	1800	74	C. Cruz
	2100	74	C. Cruz
	2400	75	A. Sofela

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	75	A. Sofela
	0600	75	A. Sofela
	0900	75	L. Lopez
	1200	75	L. Lopez
	1500	70	L. Torres
	1800	70	L. Torres
	2100	70	L. Torres
	2400	77	A. Sofela

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	73	J. CASTRO
06	0600	74	A. ANAYA
/	0900	74	A. ANAYA
03	1200	75	A. ANAYA
/	1500	76	A. ANAYA
24	1800	77	constancia
	2100	74	constancia
	2400	75	J. CASTRO

Tuesday

Date	Time	Temp.	Name (Print)
06 / 04 / 24	0300	75	J. CASTRO
	0600	74	SACADA
	0900	76	SACADA
	1200	76	SACADA
	1500	76	WILLIAMS
	1800	76	M. MENDOZA
	2100	75	un mencula
	2400	75	M. CHAVEZ

Wednesday

Date	Time	Temp.	Name (Print)
06 / 05 / 24	0300	75	M. CHAVEZ
	0600	74	SALVADORA
	0900	76	SALVADORA
	1200	78	SALVADORA
	1500	79	A. Cruz Rivera
	1800	79	A. Cruz Rivera
	2100	76	Ancaral Rivera
	2400	76	M. CHAVEZ

Thursday

Date	Time	Temp.	Name (Print)
06 / 24	0300	76	M CHAVEZ
	0600	76	SACRAMA
	0900	76	SACRAMA
	1200	80	SACRAMA
	1500	80	Constanza
	1800	80	Constanza
	2100	80	Constanza
	2400	80	M.CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
06 / 07 24	0300	79	M. CHAVEL
	0600	76	SALDANA
	0900	78	SALDANA
	1200	80	SALDANA
	1500	80	Constant
	1800	80	Constant
	2100	80	Constant
	2400	80	MOJANER

Saturday

Date	Time	Temp.	Name (Print)
06 / 08 / 24	0300	80	MOLAVEZ
	0600	76	SALVANA
	0900	78	SALVANA
	1200	78	SALVANA
	1500	79	Constance
	1800	79	Constance
	2100	79	Constance
	2400	79	MOLAVEZ

Sunday

Date	Time	Temp.	Name (Print)
06 / 09 / 24	0300	79	M. CLARKE
	0600	78	L. Sandova
	0900	74	L. Sandova
	1200	74	L. Sandova
	1500	78	Clarke
	1800	78	Clarke
	2100	76	Clark
	2400	76	J. CASTRO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA.
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 / 10	0300	76	J. CASTRO
/	0600	76	E. Perez
	0900	76	E. Perez
10 / 24	1200	76	E. PEREZ
	1500	76	D. GONZALEZ
	1800	76	D. GONZALEZ
	2100	76	D. GONZALEZ
	2400	75	J. CASTRO

Tuesday

Date	Time	Temp.	Name (Print)
06 / 11	0300	75	J. CASTRO
/	0600	76	SALDAHA
	0900	78	SALDAHA
11 / 24	1200	80	SALDAHA
	1500	80	M. CHAVEZ
	1800	80	M. CHAVEZ
	2100	79	M. CHAVEZ
	2400	79	M. CHAVEZ

Wednesday

Date	Time	Temp.	Name (Print)
06 / 12	0300	79	M. CHAVEZ
/	0600	78	SALDAHA
	0900	80	SALDAHA
12 / 24	1200	80	SALDAHA
	1500	80	Constanza
	1800	80	Constanza
	2100	80	Constanza
	2400	79	M. CHAVEZ

Thursday

Date	Time	Temp.	Name (Print)
06 / 13	0300	79	M. CHAVEZ
/	0600	76	SALDAHA
	0900	80	SALDAHA
13 / 24	1200	80	SALDAHA
	1500	80	Castaneda
	1800	80	Castaneda
	2100	80	Castaneda
	2400	80	M. CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
06 / 14	0300	80	M. CHAVEZ
/	0600	70	SALDAHA
	0900	79	SALDAHA
14 / 24	1200	79	SALDAHA
	1500	80	Castaneda
	1800	80	Castaneda
	2100	80	Castaneda
	2400	79	M. CHAVEZ

Saturday

Date	Time	Temp.	Name (Print)
06 / 15	0300	79	M. CHAVEZ
/	0600	79	A. Sotelo
	0900	79	A. Sotelo
15 / 24	1200	79	A. Sotelo
	1500	80	Castaneda
	1800	80	Castaneda
	2100	80	Castaneda
	2400	80	M. CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
06 / 16	0300	80	M. CHAVEZ
/	0600	74	Perez
	0900	79	Perez
16 / 24	1200	80	Perez
	1500	80	Castaneda
	1800	80	Castaneda
	2100	80	Castaneda
	2400	79	J. CASTRO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB2 Temp. Reading Location: 2nd Tier
(c.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 / 17	0300	78	J. CASTRO
/	0600	78	Romeo
	0900	78	Romeo
17	1200	78	(Romeo)
/	1500	78	D. GONZALEZ
24	1800	78	D. GONZALEZ
	2100	78	D. GONZALEZ
	2400	77	J. CASTRO

Tuesday

Date	Time	Temp.	Name (Print)
06 / 18	0300	77	J. CASTRO
/	0600	76	SALDIVIA
	0900	76	SALDIVIA
18	1200	76	SALDIVIA
/	1500	76	ROOS
24	1800	76	ROOS
	2100	76	ROOS
	2400	76	M. CHAVEZ

Wednesday

Date	Time	Temp.	Name (Print)
06 / 19	0300	76	M. CHAVEZ
/	0600	76	SALDIVIA
	0900	78	SALDIVIA
19	1200	74	SALDIVIA
/	1500	80	Constante
24	1800	80	Constante
	2100	76	Constante
	2400	79	M. CHAVEZ

Thursday

Date	Time	Temp.	Name (Print)
06 / 20	0300	79	M. CHAVEZ
/	0600	76	SALDIVIA
	0900	78	SALDIVIA
20	1200	78	SALDIVIA
/	1500	77	M. CHAVEZ
24	1800	78	Constante
	2100	78	Constante
	2400	78	M. CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
06 / 21	0300	78	M. CHAVEZ
/	0600	76	SALDIVIA
	0900	78	SALDIVIA
21	1200	78	SALDIVIA
/	1500	78	Constante
24	1800	78	Constante
	2100	78	Constante
	2400	78	M. CHAVEZ

Saturday

Date	Time	Temp.	Name (Print)
06 / 22	0300	78	M. CHAVEZ
/	0600	76	SALDIVIA
	0900	78	SALDIVIA
22	1200	78	SALDIVIA
/	1500	76	Constante
24	1800	78	Constante
	2100	78	Constante
	2400	78	M. CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
06 / 23	0300	78	M. CHAVEZ
/	0600	75	Romeo
	0900	78	Romeo
23	1200	78	Romeo
/	1500	79	Constante
24	1800	79	Constante
	2100	80	Constante
	2400	79	J. CASTRO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 / 24	0300	78	J. CASTRO
	0600	78	Romero
	0900	78	Romero
24	1200	78	Romero
	1500	78	GONZALEZ
/	1800	78	GONZALEZ
24	2100	78	GONZALEZ
	2400	78	J. CASTRO

Tuesday

Date	Time	Temp.	Name (Print)
06 / 25	0300	77	J. CASTRO
	0600	76	SALDIVAR
	0900	78	SALDIVAR
25	1200	80	SALDIVAR
	1500	79	(Constanza)
/	1800	79	Constanza
24	2100	78	Constanza
	2400	80	M. CHAVEZ

Wednesday

Date	Time	Temp.	Name (Print)
06 / 26	0300	80	M. CHAVEZ
	0600	78	SALDIVAR
	0900	80	SALDIVAR
26	1200	80	SALDIVAR
	1500	80	Constanza
/	1800	80	Constanza
24	2100	80	Constanza
	2400	80	M. CHAVEZ

Thursday

Date	Time	Temp.	Name (Print)
06 / 27	0300	80	M. CHAVEZ
	0600	78	SALDIVAR
	0900	80	SALDIVAR
27	1200	80	SALDIVAR
	1500	80	Spears
/	1800	80	Aula
24	2100	80	Aula
	2400	80	M. CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
06 / 28	0300	80	M. CHAVEZ
	0600	78	R. Garcia Garcia
	0900	80	R. Gomez Garcia
28	1200	80	R. Gomez Garcia
	1500	80	Constanza
/	1800	80	Constanza
24	2100	80	Constanza
	2400	80	M. CHAVEZ

Saturday

Date	Time	Temp.	Name (Print)
06 / 29	0300	80	M. CHAVEZ
	0600	80	Martinez
	0900	80	Martinez
29	1200	80	Martinez
	1500	80	Constanza
/	1800	80	Constanza
24	2100	80	Constanza
	2400	80	M. CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
06 / 30	0300	80	M. CHAVEZ
	0600	80	Lenero
	0900	80	Lenero
30	1200	80	Lenero
	1500	80	M. CHAVEZ
/	1800	79	M. CHAVEZ
24	2100	79	M. CHAVEZ
	2400	78	M. CHAVEZ

Notes

JUNE 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	74	Gloria
	0600	74	Marquez
	0900	74	Marquez
	1200	74	Marquez
	1500	74	C. Duran
	1800	74	C. Duran
	2100	72	C. Duran
	2400	74	Gloria

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	74	Gloria
	0600	74	Marquez
	0900	74	Marquez
	1200	74	Marquez
	1500	74	C. Duran
	1800	74	C. Duran
	2100	78	Leyfer
	2400	78	Gloria

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	78	Gloria
	0600	78	Marquez
	0900	76	Marquez
	1200	78	Marquez
	1500	74	C. Duran
	1800	74	C. Duran
	2100	74	C. Duran
	2400	78	Meza, N

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	78	Meza, N
	0600	79	A. ANAYA
	0900	80	an
	1200	83	an
	1500	78	Thurston, D
	1800	78	Thurston, D
	2100	80	Thurston, D
	2400	80	Jaramillo, G

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	80	Jaramillo
	0600	79	Marquez
	0900	79	Marquez
	1200	80	Marquez
	1500	80	Rojas
	1800	80	Rojas
	2100	79	Rojas
	2400	79	Gloria

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	78	Gloria
	0600	78	Marquez
	0900	78	Marquez
	1200	78	Marquez
	1500	79	C. Duran
	1800	79	C. Duran
	2100	78	C. Duran
	2400	78	Gloria

Notes

Date	Time	Temp.	Name (Print)
6/9/24	0300	78	Gloria
	0600	78	Marquez
	0900	78	Marquez
	1200	78	Marquez
	1500	74	C. Duran
	1800	74	C. Duran
	2100	74	C. Duran
	2400	72	Gloria

June 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 10/ 24	0300	72	Gloria
	0600	72	JACA
	0900	72	VACA
	1200	72	VACA
	1500	74	C. DUNA
	1800	74	C. DUNA
	2100	72	C. DUNA
	2400	72	MARSH

Tuesday

Date	Time	Temp.	Name (Print)
6/ 11/ 24	0300	72	MARSH
	0600	72	MARSH
	0900	75	MARSH
	1200	78	MARSH
	1500	78	MARSH
	1800	74	MARSH
	2100	76	MARSH
	2400	74	MARSH

Wednesday

Date	Time	Temp.	Name (Print)
6/ 12/ 24	0300	72	M. Estlin
	0600	72	M. Estlin
	0900	77	Marguer
	1200	78	Marguer
	1500	78	Frazier
	1800	77	Frazier
	2100	77	Frazier
	2400	76	MIRANDA

Thursday

Date	Time	Temp.	Name (Print)
6/ 13/ 24	0300	76	Mirza N
	0600	78	A. ANAYA
	0900	76	A. ANAYA
	1200	76	A. ANAYA
	1500	78	Thurston, D
	1800	78	Thurston, D
	2100	78	Thurston, D
	2400	77	D. Frazier

Friday

Date	Time	Temp.	Name (Print)
6/ 14/ 2024	0300	73	D. Frazier
	0600	72	D. Frazier
	0900	73	Martinez
	1200	74	Martinez
	1500	76	MCGOWAN
	1800	76	MCGOWAN
	2100	76	MCGOWAN
	2400	79	Miranda

Saturday

Date	Time	Temp.	Name (Print)
6/ 15/ 2024	0300	77	M. Estlin
	0600	77	M. Estlin
	0900	77	J. CASTRO
	1200	77	J. CASTRO
	1500	78	Eshay Jr
	1800	78	Eshay Jr
	2100	78	Eshay Jr
	2400	78	MIRANDA

Sunday

Date	Time	Temp.	Name (Print)
6/ 16/ 2024	0300	78	MIRANDA
	0600	78	Marguer
	0900	78	Marguer
	1200	78	Marguer
	1500	78	Smith
	1800	78	Smith
	2100	78	Smith
	2400	78	Gloria

Notes

June 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 17/ 24	0300	77	Gloria
	0600	76	ESPARZA
	0900	76	ESPARZA
	1200	76	ESPARZA
	1500	76	C. Duran
	1800	76	C. Duran
	2100	76	C. Duran
	2400	76	Gloria

Tuesday

Date	Time	Temp.	Name (Print)
6/ 18/ 24	0300	76	Gloria
	0600	74	Morales
	0900	74	Morales
	1200	72	Morales
	1500	72	Castro
	1800	72	Castro
	2100	72	Vasquez
	2400	72	Gloria

Wednesday

Date	Time	Temp.	Name (Print)
6/ 19/ 24	0300	72	Gloria
	0600	72	Morales
	0900	74	Morales
	1200	74	Morales
	1500	72	Cruz
	1800	72	Cruz
	2100	72	Cruz
	2400	72	Jaramillo

Thursday

Date	Time	Temp.	Name (Print)
6/ 20/ 24	0300	72	Jaramillo
	0600	73	A. ANAYA
	0900	73	A. ANAYA
	1200	74	A. ANAYA
	1500	74	Thurston, D
	1800	74	Thurston, D
	2100	74	Thurston, D
	2400	74	Frazier

Friday

Date	Time	Temp.	Name (Print)
6/ 21/ 24	0300	72	Frazier
	0600	72	Frazier
	0900	72	Martinez
	1200	74	Martinez
	1500	76	RICOH
	1800	76	RICOH
	2100	79	RICOH
	2400	74	Gloria

Saturday

Date	Time	Temp.	Name (Print)
6/ 22/ 24	0300	74	Gloria
	0600	74	Morales
	0900	75	Morales
	1200	76	Morales
	1500	76	G. Cruz
	1800	76	G. Cruz
	2100	74	G. Cruz
	2400	74	Gloria

Sunday

Date	Time	Temp.	Name (Print)
6/ 23/ 24	0300	74	Gloria
	0600	74	Morales
	0900	74	Morales
	1200	77	Morales
	1500	80	G. Cruz
	1800	80	G. Cruz
	2100	78	G. Cruz
	2400	78	Gloria

Notes

June 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	78	Gloria
24	0600	78	Meza, N.
24	0900	78	Marquez
24	1200	78	Marquez
24	1500	75	C. Dura
24	1800	75	C. Duran
24	2100	74	C. Duran
24	2400	74	Gloria

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	74	Gloria
25	0600	74	Marquez
25	0900	75	Marquez
25	1200	75	Marquez
25	1500	75	C. Dura
25	1800	75	C. Duran
25	2100	74	C. Duran
25	2400	74	Gloria

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	74	Gloria
26	0600	78	L. Jimenez
26	0900	78	L. Jimenez
26	1200	78	L. Jimenez
26	1500	75	C. Duran
26	1800	75	C. Duran
26	2100	75	C. Duran
26	2400	74	Meza, N.

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	74	Meza, N.
27	0600	74	Anaya, A.
27	0900	75	Anaya, A.
27	1200	75	Anaya, A.
27	1500	78	Thurston, D.
27	1800	78	Thurston, D.
27	2100	78	Thurston, D.
27	2400	78	D. Thurston

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	76	D. Prater
28	0600	76	D. Prater
28	0900	76	Martinez
28	1200	77	Martinez
28	1500	80	Gloria
28	1800	83	Gloria
28	2100	80	Gloria
28	2400	80	Gloria

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	79	Gloria
29	0600	79	Marquez
29	0900	79	Marquez
29	1200	79	Marquez
29	1500	79	R. Gomez Garcia
29	1800	75	R. Gomez Garcia
29	2100	78	R. Gomez Garcia
29	2400	79	Gloria

Notes

Date	Time	Temp.	Name (Print)
6/30	0300	79	Gloria
30	0600	79	Gloria
30	0900	80	Gloria
30	1200	80	Gloria
30	1500	75	C. Dura
30	1800	75	C. Dura
30	2100	75	C. Dura
30	2400	80	Gloria

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D4

Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1	0300	74	Frazier
5/1	0600	72	Chez
5/1	0900	78	Castro
5/1	1200	78	Castro
5/1	1500	81	Espanza
5/1	1800	81	Espanza
5/1	2100	80	Espanza
5/1	2400	74	Frazier

Tuesday

Date	Time	Temp.	Name (Print)
5/2	0300	74	Frazier
5/2	0600	72	Jasso
5/2	0900	78	Jasso
5/2	1200	78	Jasso
5/2	1500	82	Panor
5/2	1800	81	Panor
5/2	2100	81	Panor
5/2	2400	76	Peterson

Wednesday

Date	Time	Temp.	Name (Print)
5/3	0300	73	CAEN
5/3	0600	73	Chez
5/3	0900	78	Chez
5/3	1200	78	Chez
5/3	1500	82	Ramor
5/3	1800	82	Ramor
5/3	2100	81	Ramor
5/3	2400	75	CAEN

Thursday

Date	Time	Temp.	Name (Print)
5/4	0300	73	CAEN
5/4	0600	73	Chez
5/4	0900	78	Chez
5/4	1200	78	Chez
5/4	1500	81	Panor
5/4	1800	81	Panor
5/4	2100	81	Panor
5/4	2400	76	CAEN

Friday

Date	Time	Temp.	Name (Print)
5/5	0300	73	Chez
5/5	0600	74	Chez
5/5	0900	76	Chez
5/5	1200	78	Chez
5/5	1500	83	Bengat
5/5	1800	82	Bengat
5/5	2100	82	Bengat
5/5	2400	76	CAEN

Saturday

Date	Time	Temp.	Name (Print)
5/6	0300	73	CAEN
5/6	0600	74	Chez
5/6	0900	77	Chez
5/6	1200	78	Chez
5/6	1500	83	Panor
5/6	1800	82	Panor
5/6	2100	82	Panor
5/6	2400	77	CAEN

Sunday

Date	Time	Temp.	Name (Print)
5/7	0300	74	CAEN
5/7	0600	73	Chez
5/7	0900	78	Chez
5/7	1200	78	Chez
5/7	1500	83	Cid
5/7	1800	83	Cid
5/7	2100	83	Cid
5/7	2400	77	CAEN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: D4 Temp. Reading Location: B SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 10 — 24	0300	73	Frazier
	0600	73	Frazier
	0900	73	Martinez
	1200	75	Martinez
	1500	77	Allen
	1800	77	Allen
	2100	77	Perez
	2400	76	D. Frazier

Tuesday

Date	Time	Temp.	Name (Print)
6 — 11 — 24	0300	74	D. Frazier
	0600	74	D. Frazier
	0900	74	Martinez
	1200	74	Martinez
	1500	75	Ramos, B.
	1800	75	RAMOS, G.
	2100	75	RAMOS, G.
	2400	76	Cox

Wednesday

Date	Time	Temp.	Name (Print)
6 — 12 — 24	0300	76	Cox
	0600	76	A. Cruz Rivera
	0900	78	A. Cruz Rivera
	1200	74	A. Cruz Rivera
	1500	78	Ramos
	1800	78	Ramos
	2100	75	RAMOS
	2400	76	Cox

Thursday

Date	Time	Temp.	Name (Print)
6 — 13 — 24	0300	76	Cox
	0600	76	A. Cruz Rivera
	0900	76	A. Cruz Rivera
	1200	76	A. Cruz Rivera
	1500	76	RAMOS
	1800	76	RAMOS
	2100	76	RAMOS
	2400	76	Cox

Friday

Date	Time	Temp.	Name (Print)
6 — 14 — 24	0300	76	Cox
	0600	76	A. Cruz Rivera
	0900	78	A. Cruz Rivera
	1200	79	A. Cruz Rivera
	1500	75	Ramos
	1800	75	Ramos
	2100	75	RAMOS
	2400	76	Cox

Saturday

Date	Time	Temp.	Name (Print)
6 — 15 — 24	0300	76	Cox
	0600	78	A. Cruz Rivera
	0900	79	A. Cruz Rivera
	1200	79	A. Cruz Rivera
	1500	76	BARTON
	1800	76	BARTON
	2100	77	BARTON
	2400	76	Cox

Sunday

Date	Time	Temp.	Name (Print)
6 — 14 — 24	0300	76	Cox
	0600	77	Martinez
	0900	75	MARTINEZ
	1200	75	MARTINEZ
	1500	73	MARTINEZ
	1800	75	Ramos
	2100	75	Ramos
	2400	75	D. Frazier

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: D4 Temp. Reading Location: B Sec,
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6	0300	74	D.Frazer
	0600	74	D.Frazer
11	0900	74	S.Olvera
	1200	74	S.Olvera
16	1500	74	R.Diaz
	1800	74	R.Diaz
21	2100	74	R.Diaz
	2400	77	D.Frazer

Tuesday			
Date	Time	Temp.	Name (Print)
6	0300	74	D.Frazer
	0600	74	D.Frazer
11	0900	74	Martinez
	1200	74	Martinez
16	1500	74	RAMOS
	1800	74	RAMOS
21	2100	74	RAMOS
	2400	76	CASEY

Wednesday			
Date	Time	Temp.	Name (Print)
6/19	0300	76	CASEY
	0600	76	A.Cruz Rivera
24	0900	76	A.Cruz Rivera
	1200	79	A.Cruz Rivera
	1500	74	RAMOS
	1800	74	RAMOS
	2100	74	RAMOS
	2400	74	CASEY

Thursday			
Date	Time	Temp.	Name (Print)
6	0300	74	W.CASEY
	0600	75	W.CASEY
20	0900	75	A.Cruz Rivera
	1200	76	A.Cruz Rivera
24	1500	74	RAMOS
	1800	74	RAMOS
	2100	74	RAMOS
	2400	74	CASEY

Friday			
Date	Time	Temp.	Name (Print)
6	0300	74	CASEY
	0600	75	A.Cruz Rivera
21	0900	76	A.Cruz Rivera
	1200	76	A.Cruz Rivera
24	1500	74	RAMOS
	1800	74	RAMOS
	2100	74	RAMOS
	2400	74	CASEY

Saturday			
Date	Time	Temp.	Name (Print)
6/22	0300	74	CASEY
	0600	75	A.Cruz Rivera
24	0900	76	A.Cruz Rivera
	1200	78	A.Cruz Rivera
	1500	76	Thurston,D
	1800	76	Thurston,D
	2100	78	Thurston,D
	2400	74	CASEY

Sunday			
Date	Time	Temp.	Name (Print)
6	0300	74	CASEY
	0600	75	A.Cruz Rivera
23	0900	76	A.Cruz Rivera
	1200	78	A.Cruz Rivera
24	1500	78	Thurston,D
	1800	76	Thurston,D
	2100	78	Thurston,D
	2400	78	FRAZER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. *2nd Tier*

Institution: KVSP Housing Unit: D4

Temp. Reading Location A-B-Section - C Section
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6390 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/24/24</u>	0300	74	Frazee
	0600	74	Frazee
	0900	74	Martinez
	1200	76	Martinez
	1500	78	Thurston, D
	1800	78	Thurston, D
	2100	78	Thurston, D
	2400	78	Frazee

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/25/24</u>	0300	78	Frazee
	0600	76	Frazee
	0900	76	Martinez
	1200	78	Martinez
	1500	77	Ramos
	1800	77	Ramos
	2100	75	Ramos
	2400	76	Frazee

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/26/24</u>	0300	76	Carr
	0600	76	A. Cruz Rivera
	0900	76	A. Cruz Rivera
	1200	74	A. Cruz Rivera
	1500	75	Ramos
	1800	75	Ramos
	2100	75	Ramos
	2400	75	Carr

Thursday

Date	Time	Temp.	Name (Print)
<u>6/27/24</u>	0300	74	Carr
	0600	76	A. Cruz Rivera
	0900	76	A. Cruz Rivera
	1200	78	A. Cruz Rivera
	1500	75	Ramos, G.
	1800	75	Ramos, G.
	2100	76	Ramos, G.
	2400	76	Carr

Friday

Date	Time	Temp.	Name (Print)
<u>6/28/24</u>	0300	76	Carr
	0600	76	A. Cruz Rivera
	0900	78	A. Cruz Rivera
	1200	78	A. Cruz Rivera
	1500	78	Thurston, D
	1800	78	Thurston, D
	2100	78	Thurston, D
	2400	76	Carr

Saturday

Date	Time	Temp.	Name (Print)
<u>6/29/24</u>	0300	76	Carr
	0600	78	A. Cruz Rivera
	0900	78	A. Cruz Rivera
	1200	78	A. Cruz Rivera
	1500	78	Barton
	1800	77	Barton
	2100	76	Barton
	2400	76	Carr

Sunday

Date	Time	Temp.	Name (Print)
<u>6/30/24</u>	0300	76	Carr
	0600	78	A. Cruz Rivera
	0900	78	A. Cruz Rivera
	1200	78	A. Cruz Rivera
	1500	78	Thurston, D
	1800	78	Thurston, D
	2100	78	Ballard
	2400	80	Sanchez

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-S control Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	76	RODRIGUEZ
.	0600	76	Punch
3	0900	76	Punch
.	1200	76	Punch
24	1500	74	Marsel
.	1800	75	Marsel
24	2100	76	Marsel
.	2400	76	Kosarion

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	76	RODRIGUEZ
.	0600	76	Punch
4	0900	76	Punch
.	1200	76	Punch
24	1500	76	RHTY
.	1800	76	RHTY
24	2100	76	RHTY
.	2400	76	RODRIGUEZ

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	76	RODRIGUEZ
.	0600	76	Punch
5	0900	76	Punch
.	1200	76	Punch
24	1500	76	RHTY
.	1800	76	RHTY
24	2100	76	RHTY
.	2400	76	R. CALDERON

Thursday

Date	Time	Temp.	Name (Print)
6	0300	76	R. CALDERON
.	0600	76	Punch
6	0900	76	Punch
.	1200	76	Punch
24	1500	76	RHTY
.	1800	76	RHTY
24	2100	76	RHTY
.	2400	76	SALAZAR

Friday

Date	Time	Temp.	Name (Print)
6	0300	75	SALAZAR
.	0600	76	AWAHAM
7	0900	78	AWAHAM
.	1200	78	AWAHAM
24	1500	78	Punch
.	1800	78	RHTY
24	2100	78	RHTY
.	2400	81	RODRIGUEZ

Saturday

Date	Time	Temp.	Name (Print)
6	0300	80	RODRIGUEZ
.	0600	81	AWAHAM
8	0900	81	AWAHAM
.	1200	80	AWAHAM
24	1500	80	SANDWELL
.	1800	80	SANDWELL
24	2100	80	SANDWELL
.	2400	81	RODRIGUEZ

Notes

Date	Time	Temp.	Name (Print)
6	0300	80	RODRIGUEZ
.	0600	78	A. Sofela
9	0900	78	A. Sofela
.	1200	78	A. Sofela
24	1500	79	Borajui
.	1800	79	Borajui
24	2100	78	Borajui
.	2400	80	RODRIGUEZ

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-5 control Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	80	Rodriguez
.	0600	80	Rodriguez
10	0900	79	Rodriguez
.	1200	78	Rodriguez
14	1500	79	Unsure
.	1800	79	Marsal
24	2100	79	Marsal
.	2400	80	Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	80	Rodriguez
.	0600	75	C. Duran
11	0900	75	C. Duran
.	1200	78	C. Duran
14	1500	78	Rodriguez
.	1800	78	Rodriguez
24	2100	78	Rodriguez
.	2400	80	Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	80	Perez
.	0600	80	Perez
12	0900	79	Perez
.	1200	80	Perez
14	1500	80	Ryan
.	1800	80	Ryan
24	2100	80	Ryan
.	2400	78	Ryan

Thursday

Date	Time	Temp.	Name (Print)
6	0300		
.	0600	78	Perez
13	0900	78	Perez
.	1200	78	Perez
14	1500	78	Ryan
.	1800	78	Ryan
24	2100	78	Ryan
.	2400	78	Salazar

Friday

Date	Time	Temp.	Name (Print)
6	0300	80	Salazar
.	0600	80	Pedroza
14	0900	82	Pedroza
.	1200	80	Pedroza
14	1500	80	Ryan
.	1800	80	Ryan
24	2100	80	Ryan
.	2400	80	Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
6	0300	80	Rodriguez
.	0600	78	Aguilar
15	0900	78	Avalos
.	1200	80	Bascaro
15	1500	80	Zumiga
.	1800	78	Zumiga
24	2100	78	Zumiga
.	2400	80	Rodriguez

Notes

Date	Time	Temp.	Name (Print)
6	0300	80	Rodriguez
.	0600	78	A. Lopez
16	0900	78	A. Lopez
.	1200	78	A. Lopez
16	1500	79	Barba
.	1800	79	Barba
24	2100	79	Barba
.	2400	80	Rodriguez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-S CONT W Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	78	Rodriguez
.	0600	79	Perez
17	0900	80	Perez
.	1200	80	Perez
24	1500	80	Marcos
.	1800	80	Marcos
21	2100	79	Montez
.	2400	78	Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	79	Rodriguez
.	0600	78	Pineda
17	0900	78	Pineda
.	1200	78	Pineda
24	1500	78	Zumaya
.	1800	78	Zumaya
21	2100	78	Zumaya
.	2400	78	Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	78	Rodriguez
.	0600	78	Pineda
19	0900	78	Pineda
.	1200	78	Pineda
24	1500	78	Zumaya
.	1800	78	Zumaya
21	2100	78	Zumaya
.	2400	76	Perez

Thursday

Date	Time	Temp.	Name (Print)
6	0300	75	Perez
.	0600	76	Perez
19	0900	76	Perez
.	1200	70	Perez
24	1500	71	Diaz
.	1800	72	Rodriguez
21	2100	72	Avalos
.	2400	72	Salazar

Friday

Date	Time	Temp.	Name (Print)
6	0300	75	Salazar
.	0600	75	Pedroza
19	0900	75	Pedroza
.	1200	75	Pedroza
24	1500	76	Zumaya
.	1800	80	Zumaya
21	2100	80	Zumaya
.	2400	80	Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
6	0300	75	Rodriguez
.	0600	74	Avalos
19	0900	76	Avalos
.	1200	76	Avalos
24	1500	77	Zumaya
.	1800	75	Zumaya
21	2100	78	Zumaya
.	2400	71	Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
6	0300	80	Rodriguez
.	0600	80	Martinez
19	0900	80	Martinez
.	1200	80	Martinez
24	1500	78	Zumaya
.	1800	78	Zumaya
21	2100	78	Zumaya
.	2400	80	Rodriguez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D S CENTRAL Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	80	Rodriguez
.	0600	80	Pineda
24	0900	80	Pineda
.	1200	80	Pineda
24	1500	81	Montez
.	1800	84	Menzel
24	2100	80	Montez
.	2400	80	Prieto

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	80	Prieto
.	0600	80	Pineda
25	0900	80	Pineda
.	1200	80	Pineda
24	1500	80	Ruth
.	1800	80	Ruth
24	2100	80	Ruth
.	2400	80	Prieto

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	79	Prieto
.	0600	79	Pineda
26	0900	79	Pineda
.	1200	79	Pineda
24	1500	80	Ruth
.	1800	80	Ruth
24	2100	80	Ruth
.	2400	79	Pineda

Thursday

Date	Time	Temp.	Name (Print)
6	0300	76	Diaz
.	0600	74	Diaz
27	0900	76	Pineda
.	1200	76	Pineda
24	1500	80	Ruth
.	1800	80	Ruth
24	2100	80	Ruth
.	2400	80	Salazar

Friday

Date	Time	Temp.	Name (Print)
6	0300	80	Salazar
.	0600	79	Anaya
28	0900	79	Anaya
.	1200	80	Anaya
24	1500	80	Salazar
.	1800	80	Salazar
24	2100	80	Salazar
.	2400	81	Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
6	0300	80	Rodriguez
.	0600	79	Anaya
29	0900	79	Anaya
.	1200	79	Anaya
24	1500	78	Thurston, D
.	1800	80	Thurston, D
24	2100	80	Thurston, D
.	2400	81	Rodriguez

Notes

Date	Time	Temp.	Name (Print)
6	0300	80	Rodriguez
.	0600	78	Montez
30	0900	78	Montez
.	1200	78	Montez
24	1500	78	EMALDONADO
.	1800	78	EMALDONADO
24	2100	78	EMALDONADO
.	2400	81	Rodriguez

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				
Date	Time	Temp.	Name (Print)	
06 / 03 / 24	0300	75	Brock	Johnson
	0600	73	Chase	Wade
	0900	74	Mark	Wilson
	1200	74	Mase	White
	1500	74	ZUNIGA	
	1800	74	ZUNIGA	
	2100	74	ZUNIGA	
	2400	72	LWA	

Tuesday			
Date	Time	Temp.	Name (Print)
06 / 04 / 24	0300	72	LIMA
	0600	72	RUTA
	0900	72	RUTA
	1200	72	RUTA
	1500	79	ZUNIGA
	1800	78	ZUMEC
	2100	89	ZUNIGA
	2400	72	LIMA

Wednesday			
Date	Time	Temp.	Name (Print)
06 / 05 / 24	0300	77	long
	0600	73	LIMA RED
	0900	73	LIMA RED
	1200	74	LIMA RED
	1500	78	J. GUATIARDO
	1800	78	J. GUATIARDO
	2100	78	J. GUATIARDO
	2400	71	sister

Thursday			
Date	Time	Temp.	Name (Print)
06 / 24	0300	71	slater
	0600	72	Dedrie
	0900	72	Dedrie
	1200	73	Pedraza
	1500	72	LJ. GUARARDO
	1800	78	LJ. GUARARDO
	2100	78	D. GUARARDO
	2400	70	lomt

Friday			
Date	Time	Temp.	Name (Print)
06 / 07 24	0300	70	Loren
	0600	72	SANDRA L
	0900	72	SANDRA L
	1200	72	SANDRA L
/ 24	1500	80	J. GUAJARDO
	1800	80	J. GUAJARDO
	2100	79	J. GUAJARDO
	2400	79	D. Garcia

Saturday			
Date	Time	Temp.	Name (Print)
06 / 08 / 24	0300	79	D. FIGUEROA
	0600	78	C. MASTRO
	0900	78	C. MASTRO
	1200	78	C. MASTRO
	1500	78	J. GUARDADO
	1800	78	J. GUARDADO
	2100	77	J. GUARDADO
	2400	78	D. FIGUEROA

Sunday			
Date	Time	Temp.	Name (Print)
06 / 09 / 24	0300	74	TALES
	0600	75	LIMA
	0900	75	MARSH
	1200	76	CINASIN
	1500	79	DURAN
	1800	79	DURAN
	2100	79	DURAN
	2400	75	HARRIS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 / 10	0300	74	HARISON
/	0600	74	MARKO
12	0900	74	MARKO
15	1200	75	MARKO
/	1500	73	GERALD
24	1800	73	GERALD
	2100	73	GERALD
	2400	72	Perez

Tuesday

Date	Time	Temp.	Name (Print)
06 / 11	0300	72	Perez
/	0600	77	RAMON
12	0900	77	RAMON
15	1200	72	RAMON
/	1500	72	ZUNIGA
24	1800	72	ZUNIGA
	2100	71	LORIA
	2400	72	LORIA

Wednesday

Date	Time	Temp.	Name (Print)
06 / 12	0300	79	LOPEZ
/	0600	71	LOPEZ
15	0900	78	LOPEZ
/	1200	73	LOPEZ
24	1500	80	J. GUARDADO
	1800	78	J. GUARDADO
	2100	78	J. GUARDADO
	2400	75	LOPEZ

Thursday

Date	Time	Temp.	Name (Print)
06 / 13	0300	74	Lopez
/	0600	74	Pedroza
12	0900	74	Pedroza
15	1200	78	Pedroza
/	1500	78	J. GUARDADO
24	1800	78	J. GUARDADO
	2100	78	M. GUARDADO
	2400	75	Lopez

Friday

Date	Time	Temp.	Name (Print)
06 / 14	0300	74	FRAZIER
/	0600	79	ESPINOZA
15	0900	74	ESPINOZA
/	1200	74	ESPINOZA
24	1500	74	ESPINOZA
	1800	75	J. NEGRERA
	2100	74	J. NEGRERA
	2400	72	Frazer

Saturday

Date	Time	Temp.	Name (Print)
06 / 15	0300	72	FRAZIER
/	0600	72	FRAZIER
15	0900	71	FRAZIER
/	1200	72	FRAZIER
24	1500	73	VASQUEZ
	1800	73	VASQUEZ
	2100	72	VASQUEZ
	2400	72	FRAZIER

Sunday

Date	Time	Temp.	Name (Print)
06 / 16	0300	72	FRAZIER
/	0600	71	ESPARZER
15	0900	74	ESPINOLA
/	1200	74	ESPINOLA
24	1500	74	ESPINOLA
	1800	74	FRANCO
	2100	74	FRANCO
	2400	72	Perez

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB6 Temp. Reading Location: 2nd Tier A (top)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
06 / 17 / 24	0300	78	Howard
	0600	70	Christopher
	0900	79	Matthew
	1200	79	Matthew
	1500	76	Connor
	1800	76	Connor
	2100	78	Connor
	2400	75	Wynn

Tuesday			
Date	Time	Temp.	Name (Print)
06 / 18 / 24	0300	76	Lynn
	0600	74	Jane
	0900	74	Ruth
	1200	74	Ruth
	1500	75	Gonzalez
	1800	75	Gonzalez
	2100	74	Gonzalez
	2400	75	Lynn

Wednesday			
Date	Time	Temp.	Name (Print)
06 / 19 /	0300	74	John Crescentia
	0600	74	Crescentia
	0900	74	Crescentia
	1200	75	Crescentia
24	1500	78	J. GUADABOD
	1800	78	J. GUADABOD
	2100	74	D. GUADABOD
	2400	72	Star

Thursday			
Date	Time	Temp.	Name (Print)
06 / 20 / 24	0300	77	Slatov
	0600	74	Pedrozo
	0900	74	Pedrozo
	1200	74	Pedrozo
	1500	78	J. GUATARDO
	1800	78	J. GUATARDO
	2100	74	J. GUATARDO
	2400	74	Watt

Friday			
Date	Time	Temp.	Name (Print)
06 / 21 / 24	0300	72	J. SANDWELL
	0600	72	SANDWELL
	0900	72	SANDWELL
	1200	74	SANDWELL
	1500	78	J. SWATRABOO
	1800	78	J. SWATRABOO
	2100	74	J. SWATRABOO
	2400	76	SCHIFF

Saturday			
Date	Time	Temp.	Name (Print)
06 / 22 / 24	0300	71°	GARRO
	0600	70	CARRASCO
	0900	74	VALVERDE
	1200	77	VALVERDE
	1500	79	J. GUERRERO
	1800	78	J. GUERRERO
24	2100	76	P. CASTRO
	2400	76	D. FRANKE

Sunday

Date	Time	Temp.	Name (Print)
06 / 23 / 24	0300		
	0600	76	Charles
	0900	76	Charles
	1200	75	Charles
	1500	77	S. V. Mayo
	1800	77	S. V. Mayo
	2100	77	S. V. Mayo
	2400	78	Tom

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
06 / 24	0300	78	John
	0600	76	Mark
	0900	76	Conrad
	1200	79	Conrad
	1500	78	ZUNIGA
	1800	78	ZUNIGA
24	2100	77	ZUNIGA
	2400	77	Brock, Meadow

Tuesday			
Date	Time	Temp.	Name (Print)
06 / 25 / 24	0300	77	Brockman
	0600	77	Rohr
	0900	77	Frym
	1200	77	Ryan
	1500	77	Sutin
	1800	75	J. Guajardo
	2100	75	J. Guajardo
	2400	76	Sutin

Wednesday			
Date	Time	Temp.	Name (Print)
06 / 24	0300	76	Sister
	0600	76	Cesarina
	0900	77	Cesarina
	1200	79	Cesarina
	1500	80	J. GUADARDO
	1800	78	J. GUADARDO
	2100	78	J. GUADARDO
	2400	77	Fernandez

Thursday			
Date	Time	Temp.	Name (Print)
06 / 27 / 24	0300	77	Hernandez
	0600	77	J. Pedrola
	0900	77	J. Pedrola
	1200	77	J. Pedrola
	1500	80	J. GUSTIARD
	1800	78	J. GUSTIARD
	2100	79	J. GUSTIARD
	2400	78	Loma

Friday			
Date	Time	Temp.	Name (Print)
06 / 28	0300	75	Loyce
	0600	75	MARSHALL
	0900	75	WAGNER
	1200	76	WAGNER
	1500	80	D. GUARDADO
	1800	78	D. GUARDADO
24	2100	79	D. GUARDADO
	2400	78	D. PRAZICEK

Saturday			
Date	Time	Temp.	Name (Print)
06 / 29 / 24	0300	74	D Frazier
	0600	79	D Frazier
	0900	79	Orlando
	1200	79	Orlando
	1500	76	Ginger
	1800	75	Ginger
	2100	74	Orlando
	2400	74	D Frazier

Sunday			
Date	Time	Temp.	Name (Print)
06 / 30 / 24	0300	73°	FRAZER
	0600	76°	FRAZER
	0900	80	L. TORRES
	1200	80	L. TORRES
	1500	80	L. Cenere
	1800	78	F. CASTRO
	2100	78	F. CASTRO
	2400	78	HUMA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-7

Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
05/31/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
06/01/24	2400	72	Meza N

Saturday

Date	Time	Temp.	Name (Print)
06/01/24	0300	72	Meza N
	0600	72	C. Barajas
	0900	72	C. Barajas
	1200	72	C. Barajas
	1500	72	Romero
	1800	73	Ramirez
	2100	73	A. Rendon
	2400	73	Chavez

Sunday

Date	Time	Temp.	Name (Print)
06/02/24	0300	72	Chavez
	0600	72	ON
	0900	74	ON
	1200	76	ON
	1500	76	Pelayo
	1800	76	Pelayo
	2100	75	Pelayo
	2400	76	A. Rendon

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D7

Temp. Reading Location: 2ND Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	72	A. Rendon
	0600	72	MARTINEZ
3	0900	72	MARTINEZ
	1200	73	MARTINEZ
15	1500	73	Pelago
	1800	73	Pelago
24	2100	72	Pelago
	2400	74	A. Rendon

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	74	M-GARCIA
	0600	74	MARTINEZ
5	0900	74	MARTINEZ
	1200	74	MARTINEZ
15	1500	74	Pelago
	1800	74	Pelago
24	2100	73	Pelago
	2400	74	O. LUNA

Friday

Date	Time	Temp.	Name (Print)
6	0300	78	O. LUNA
	0600	74	A. RENDON
7	0900	74	A. RENDON
	1200	74	A. RENDON
15	1500	74	SANDOVAL
	1800	74	SANDOVAL
24	2100	72	SANDOVAL
	2400	74	M. MEZA, N

Sunday

Date	Time	Temp.	Name (Print)
6	0300	74	O. LUNA
	0600	74	O. LUNA
9	0900	78	O. LUNA
	1200	78	O. LUNA
15	1500	78	Pelago
	1800	78	Pelago
24	2100	77	Pelago
	2400	74	O. LUNA

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	72	A. RENDON
	0600	72	MARTINEZ
4	0900	72	MARTINEZ
	1200	73	MARTINEZ
15	1500	73	Pelago
	1800	73	Pelago
24	2100	72	Pelago
	2400	74	M-GARCIA

Thursday

Date	Time	Temp.	Name (Print)
6	0300	77	D. LUNA
	0600	75	MARTINEZ
6	0900	74	MARTINEZ
	1200	75	MARTINEZ
15	1500	79	Pelago
	1800	79	Pelago
24	2100	78	Pelago
	2400	79	HENRADO

Saturday

Date	Time	Temp.	Name (Print)
6	0300	74	M. MEZA, N
	0600	74	O. SOFEL
8	0900	74	O. SOFEL
	1200	74	O. SOFEL
15	1500	79	Mr. BREWER
	1800	74	Mr. BREWER
24	2100	74	Mr. BREWER
	2400	74	O. GONZALEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 / 10	0300	74	O. Gonzalez
/	0600	72	Cleve
24	0900	72	C. Urias
	1200	72	C. Cimo
	1500	72	Pelayo
	1800	72	Pelayo
	2100	72	Pelayo
	2400	72	O. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
06 / 11	0300	72	O. Gonzalez
/	0600	72	A. Sotelo
24	0900	72	A. Sotelo
	1200	72	A. Sotelo
	1500	73	A. Sotelo
	1800	72	Pelayo
	2100	72	Pelayo
	2400	72	O. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
06 / 12	0300	72	O. Gonzalez
/	0600	72	Santos
24	0900	72	Santos
	1200	72	Santos
	1500	72	Pelayo
	1800	72	Pelayo
	2100	72	Pelayo
	2400	71	Santos

Thursday

Date	Time	Temp.	Name (Print)
06 / 13	0300	71	Meza
/	0600	72	On
24	0900	72	On
	1200	71	On
	1500	72	Pelayo
	1800	72	Pelayo
	2100	72	Pelayo
	2400	72	Meza

Friday

Date	Time	Temp.	Name (Print)
06 / 14	0300		
/	0600	73	A. Anaya
24	0900	74	A. Anaya
	1200	74	A. Anaya
	1500	75	A. Anaya
	1800	74	A. Anaya
	2100	74	A. Anaya
	2400	74	A. Anaya

Saturday

Date	Time	Temp.	Name (Print)
06 / 15	0300	74	A. Rendón
/	0600	74	A. Rendón
24	0900	75	A. Rendón
	1200	75	A. Rendón
	1500	75	Romero
	1800	75	Romero
	2100	74	Romero
	2400	74	A. Rendón

Notes

Date	Time	Temp.	Name (Print)
06 / 16	0300	74	A. Rendón
/	0600	74	On
24	0900	76	On
	1200	78	On
	1500	78	Pelayo
	1800	78	Pelayo
	2100	77	Pelayo
	2400	77	A. Rendón

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: Fn B7

Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	77	R. AARON
/	0600	76	MARTINEZ
17	0900	76	MARTINEZ
/	1200	77	MARTINEZ
24	1500	77	Pelayo
	1800	77	Pelayo
	2100	76	Pelayo
	2400	76	P.CORINAS

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	76	J.ESPINOZA
/	0600	76	MARTINEZ
18	0900	76	MARTINEZ
/	1200	77	MARTINEZ
20	1500	77	Pelayo
/	1800	77	Pelayo
24	2100	76	Pelayo
	2400	76	Pmcto

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	76	Pmcto
/	0600	76	MARTINEZ
19	0900	76	MARTINEZ
/	1200	72	MARTINEZ
24	1500	72	Pelayo
	1800	72	Pelayo
	2100	72	Pelayo
	2400	72	O. GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
6	0300	72	O. GONZALEZ
/	0600	72	MARTINEZ
20	0900	72	MARTINEZ
/	1200	73	MARTINEZ
24	1500	73	Pelayo
	1800	73	Pelayo
	2100	73	Pelayo
	2400	73	S. SEVILLA

Friday

Date	Time	Temp.	Name (Print)
6	0300	74	S. SEVILLA
/	0600	74	A. ANAYA
21	0900	75	A. ANAYA
/	1200	75	A. ANAYA
24	1500	75	A. ANAYA
	1800	75	A. ANAYA
	2100	74	A. ANAYA
	2400	73	Mezo, N

Saturday

Date	Time	Temp.	Name (Print)
6	0300	73	Mezo, N
/	0600	73	A. ANAYA
22	0900	75	A. ANAYA
/	1200	75	A. ANAYA
24	1500	75	Pmcto
	1800	73	Pmcto
	2100	73	Zamora
	2400	75	O. GONZALEZ

Notes

Date	Time	Temp.	Name (Print)
6	0300	73	O. GONZALEZ
/	0600	73	MARTINEZ
23	0900	73	MARTINEZ
/	1200	74	MARTINEZ
24	1500	74	Pelayo
	1800	74	Pelayo
	2100	74	Pelayo
	2400	74	O. GONZALEZ

DISTRIBUTION: Original: Institution Heat Plan Coordinator

6/18
GSE

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 / 24	0300	74	O. Gonzalez
/	0600	74	Martinez
	0900	75	Meza, N.
24	1200	76	Mezzanini
	1500	76	Pelayo
	1800	76	Pelayo
24	2100	75	Pelayo
	2400	75	O. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
06 / 25	0300	74	O. Gonzalez
/	0600	74	Martinez
	0900	75	Martinez
25	1200	76	Mezzanini
	1500	76	Pelayo
	1800	76	Pelayo
24	2100	76	Pelayo
	2400	76	O. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
06 / 26	0300	74	O. Gonzalez
/	0600	74	Martinez
	0900	75	Martinez
26	1200	75	Mezzanini
	1500	75	Pelayo
	1800	76	Pelayo
24	2100	75	Pelayo
	2400	75	Silva, R.

Thursday

Date	Time	Temp.	Name (Print)
06 / 27	0300	75	Silva, R.
/	0600	75	Martinez
	0900	75	Martinez
27	1200	76	Mezzanini
	1500	76	Pelayo
	1800	76	Pelayo
24	2100	76	Pelayo
	2400	75	Meza, N.

Friday

Date	Time	Temp.	Name (Print)
06 / 28	0300	75	Meza, N.
/	0600	75	A. Anaya
	0900	76	A. Anaya
28	1200	76	A. Anaya
	1500	76	A. Anaya
	1800	76	A. Anaya
24	2100	75	A. Anaya
	2400	75	Meza, N.

Saturday

Date	Time	Temp.	Name (Print)
06 / 29	0300	75	Meza, N.
/	0600	75	A. Anaya
	0900	75	Ramirez
29	1200	75	Ramirez
	1500	75	Ramirez
	1800	75	Ramirez
24	2100	75	Ramirez
	2400	75	O. Gonzalez

Notes

Date	Time	Temp.	Name (Print)
06 / 30	0300	74	O. Gonzalez
/	0600	74	Cline
	0900	74	Cline
30	1200	74	Cline
	1500	75	Pelayo
	1800	75	Pelayo
24	2100	74	Pelayo
	2400	74	O. Gonzalez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/03/2024	0300	72	Meza, N
	0600	72	SANDOVAL
	0900	72	SANDOVAL
	1200	73	SANDOVAL
	1500	78	J.Olvera
	1800	79	J.Olvera
2024	2100	80	J.Olvera
	2400	72	Gymnastics

Tuesday

Date	Time	Temp.	Name (Print)
06/04/2024	0300	72	Gymnastics
	0600	72	SANDOVAL
	0900	72	SANDOVAL
	1200	72	SANDOVAL
	1500	72	FUNK
	1800	72	FUNK
2024	2100	70	FUNK
	2400	72	Gymnastics

Wednesday

Date	Time	Temp.	Name (Print)
06/05/2024	0300	72	Gymnastics
	0600	72	Amaya, A
	0900	74	Amaya, A
	1200	74	Amaya, A
	1500	74	FUNK
	1800	72	FUNK
2024	2100	70	FUNK
	2400	72	Gymnastics

Thursday

Date	Time	Temp.	Name (Print)
06/06/2024	0300	70	Gymnastics
	0600	72	P.Medreno
	0900	72	P.Medreno
	1200	74	P.Medreno
	1500	74	E.FUNK
	1800	74	E.FUNK
2024	2100	73	E.FUNK
	2400	74	Gymnastics

Friday

Date	Time	Temp.	Name (Print)
06/07/2024	0300	74	Gymnastics
	0600	74	Steele
	0900	74	Steele
	1200	75	Steele
	1500	74	E.FUNK
	1800	74	E.FUNK
2024	2100	72	E.FUNK
	2400	77	Gymnastics

Saturday

Date	Time	Temp.	Name (Print)
06/08/2024	0300	72	Gymnastics
	0600	70	SANJUAN
	0900	76	SANJUAN
	1200	78	SANJUAN
	1500	76	FUNK
	1800	74	FUNK
2024	2100	72	FUNK
	2400	72	Meza, N

Notes

Date	Time	Temp.	Name (Print)
06/09/2024	0300	72	Meza, N
	0600	74	SANJUAN
	0900	74	SANJUAN
	1200	74	SANJUAN
	1500	74	L.Cerentia
	1800	74	L.Cerentia
2024	2100	74	L.Cerentia
	2400	74	Meza, N

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

D -8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/10/2024	0300	72	MEZA, N
	0600	72	SANDOVAL
	0900	74	SANDOVAL
	1200	74	SANDOVAL
	1500	74	MARTINEZ
	1800	74	MARTINEZ
2100	73	MARTINEZ	
	2400	73	MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
06/11/2024	0300	73	GONZALEZ
	0600	72	SANDOVAL
	0900	70	SANDOVAL
	1200	70	SANDOVAL
	1500	76	CASERVOA
	1800	76	CASERVOA
	2100	75	CASERVOA
	2400	74	GONZALEZ

Wednesday

Date	Time	Temp.	Name (Print)
06/12/2024	0300	77	GONZALEZ
	0600	78	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	78	CASERVOA
	1800	78	CASERVOA
2100	77	CASERVOA	
	2400	78	GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
06/13/2024	0300	78	GONZALEZ
	0600	78	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	78	CASERVOA
	1800	78	CASERVOA
	2100	78	CASERVOA
	2400	78	GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
06/14/2024	0300	76	GONZALEZ
	0600	76	SANCHEZ
	0900	76	SANCHEZ
	1200	78	SANCHEZ
	1500	78	CASERVOA
	1800	78	CASERVOA
2100	77	CASERVOA	
	2400	76	GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
06/15/2024	0300	76	GONZALEZ
	0600	78	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	78	CASERVOA
	1800	78	CASERVOA
	2100	77	CASERVOA
	2400	78	GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
06/16/2024	0300	78	Lopez
	0600	78	VELASQUEZ
	0900	79	VELASQUEZ
	1200	79	VELASQUEZ
	1500	79	Romero
	1800	78	Romero
2100	76	Romero	
	2400	79	MEZA, N

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

D - 8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/17/2024	0300	78	MEZA, N
	0600	72	SANDWICH, S.
	0900	72	SANDWICH
	1200	74	SANDWICH
	1500	75	Romero
	1800	76	Romero
	2100	73	Romero
	2400	74	GARNALIA

Tuesday

Date	Time	Temp.	Name (Print)
06/18/2024	0300	74	GARNALIA
	0600	74	SANDWICH
	0900	75	SANDWICH
	1200	75	SANDWICH
	1500	77	CASERNA
	1800	76	CASERNA
	2100	75	CASERNA
	2400	77	GARNALIA

Wednesday

Date	Time	Temp.	Name (Print)
06/19/2024	0300	74	GARNALIA
	0600	74	SANCA
	0900	74	SANCHEZ
	1200	76	SANCHEZ
	1500	76	CASERNA
	1800	76	CASERNA
	2100	75	CASERNA
	2400	75	GARNALIA

Thursday

Date	Time	Temp.	Name (Print)
06/20/2024	0300	75	GARNALIA
	0600	74	SANCHEZ
	0900	74	SANCHEZ
	1200	74	SANCHEZ
	1500	76	CASERNA
	1800	76	CASERNA
	2100	76	CASERNA
	2400	76	GARNALIA

Friday

Date	Time	Temp.	Name (Print)
06/21/2024	0300	76	GARNALIA
	0600	76	SANCHEZ
	0900	76	SANCHEZ
	1200	76	SANCHEZ
	1500	77	CASERNA
	1800	77	CASERNA
	2100	76	CASERNA
	2400	76	A. PENDON

Saturday

Date	Time	Temp.	Name (Print)
06/22/2024	0300	76	A. PENDON
	0600	74	J. SANCHEZ
	0900	74	J. SANCHEZ
	1200	75	J. SANCHEZ
	1500	78	J. SANCHEZ
	1800	77	CASERNA
	2100	77	CASERNA
	2400	78	Meza, N

Sunday

Date	Time	Temp.	Name (Print)
06/23/2024	0300	78	Meza, N
	0600	78	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	78	Romero
	1800	78	Romero
	2100	76	Romero
	2400	78	Meza, N

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

D-8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/24	0300	78	Meza, N
	0600	78	SANDRA L
	0900	78	SANDRA L
	1200	80	SANDRA L
	1500	78	Renero
	1800	78	Renero
	2100	78	Renero
	2400	78	Renero

Tuesday

Date	Time	Temp.	Name (Print)
06/24	0300	78	Moneles
	0600	78	CHAVEL
	0900	79	CHAVEL
	1200	80	CHAVEL
	1500	80	CASTROVA
	1800	80	CASTROVA
	2100	78	CASTROVA
	2400	79	D.V. LOPEZ

Wednesday

Date	Time	Temp.	Name (Print)
06/24	0300	79	D.V. LOPEZ
	0600	79	J. SANCHEZ
	0900	79	J. SANCHEZ
	1200	79	J. SANCHEZ
	1500	79	CASCAVIA
	1800	78	CASCAVIA
	2100	78	CASCAVIA
	2400	78	D.V. LOPEZ

Thursday

Date	Time	Temp.	Name (Print)
06/24	0300	78	D.V. LOPEZ
	0600	80	T. HICKS
	0900	80	T. HICKS
	1200	88	T. HICKS
	1500	79	CASCAVIA
	1800	79	CASCAVIA
	2100	78	CASCAVIA
	2400	76	Moneles

Friday

Date	Time	Temp.	Name (Print)
06/24	0300	76	Moneles
	0600	76	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	80	MRL
	1800	79	Renero
	2100	78	Renero
	2400	76	Moneles

Saturday

Date	Time	Temp.	Name (Print)
06/24	0300	76	SANCHEZ
	0600	76	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	78	SANCHEZ
	1800	78	SANCHEZ
	2100	76	SANCHEZ
	2400	76	Moneles

Sunday

Date	Time	Temp.	Name (Print)
06/24	0300	76	Meza, N
	0600	76	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	78	Renero
	1800	78	Renero
	2100	78	Renero
	2400	76	Meza, N

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: MSF dorm Temp. Reading Location: Podiums (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	71	Soto
	0600	71	Elias
	0900	71	Elias
	1200	72	Elias
	1500	72	A. Rodriguez
	1800	70	A. Rodriguez
	2100	70	A. Rodriguez
	2400	72	A. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	72	A. Rodriguez
	0600	72	Hunt
	0900	72	Hunt
	1200	72	Hunt
	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	70	A. Rodriguez
	2400	70	A. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	A. Rodriguez
	0600	70	Hunt
	0900	71	Hunt
	1200	72	Hunt
	1500	72	A. Rodriguez
	1800	70	A. Rodriguez
	2100	70	A. Rodriguez
	2400	70	T. Hickey

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	T. Hickey
	0600	70	Hunt
	0900	71	Hunt
	1200	71	Hunt
	1500	72	Meler
	1800	72	Meler
	2100	71	Meler
	2400	71	Hunt

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	71	Hickey
	0600	70	Hunt
	0900	70	Hunt
	1200	71	Hunt
	1500	71	AA Contreras
	1800	71	AA Contreras
	2100	71	AA Contreras
	2400	71	W. SORIANO

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70	Soto
	0600	70	Soto
	0900	70	Soto
	1200	70	Soto
	1500	70	Soto
	1800	70	Soto
	2100	70	Soto
	2400	70	Soto

Notes

Date	Time	Temp.	Name (Print)
6/2/24	0300	70	Soto
	0600	70	Almanza
	0900	70	Soto
	1200	70	Soto
	1500	70	Soto
	1800	70	Soto
	2100	70	Soto
	2400	70	Soto

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: MSF DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/8/24	0300	70	KANG
0600	70	HUNT	
0900	71	HUNT	
1200	72	HUNT	
1500	72	A. CHAVEZ	
1800	72	A. CHAVEZ	
2100	72	A. CHAVEZ	
2400	72	Kuang	

Tuesday

Date	Time	Temp.	Name (Print)
6/8/24	0300	71	Kuang
0600	71	Hunt	
0900	72	Hunt	
1200	72	Hunt	
1500	72	A. CHAVEZ	
1800	72	A. CHAVEZ	
2100	72	A. CHAVEZ	
2400	70	A. Rockeyns	

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	70	A. Rockeyns
0600	71	Hunt	
0900	72	Hunt	
1200	72	Hunt	
1500	75	Herrera	
1800	77	Herrera	
2100	75	Herrera	
2400	75	Hickey	

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	75	Hickey
0600	74	Hunt	
0900	76	Hunt	
1200	78	Hunt	
1500	78	Johnson	
1800	77	Johnson	
2100	77	Gomez	
2400	77	Gomez	

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	75	Amie
0600	74	Hunt	
0900	74	Hunt	
1200	76	Hunt	
1500	76	AA Contreras	
1800	76	AA Contreras	
2100	74	AA Contreras	
2400	74	Guzman	

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	75	Gomez
0600	74	AA Contreras	
0900	74	AA Contreras	
1200	76	AA Contreras	
1500	76	Gao	
1800	76	SAC	
2100	76	SAC	
2400	76	SAC	

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	75	SAC
0600	74	A. CHAVEZ	
0900	75	A. CHAVEZ	
1200	76	A. CHAVEZ	
1500	73	SAC	
1800	71	SAC	
2100	70	SAC	
2400	70	SAC	

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	72	Soto
	0600	72	Hunt
	0900	74	Hunt
	1200	74	Hunt
	1500	74	A. CHANZ
	1800	74	A. CHANZ
	2100	74	A. CHANZ
	2400	71	D. Radney

Tuesday

Dat	Time	Temp.	Name (Print)
6/11/24	0300	71	A. McKey Jr.
	0600	72	Hunt
	0900	72	Hunt
	1200	72	Hunt
	1500	74	A. CHAUZ
	1800	74	A. CHAUZ
	2100	74	A. CHAUZ
	2400	72	A. McKey Jr.

Wednesday

Date	Time	Temp.	Name (Print)
6/24	0300	72	A. Rodriguez
	0600	72	Hurst
	0900	74	Hurst
	1200	74	Hurst
	1500	74	W. Marquez
	1800	74	W. Marquez
	2100	74	W. Marquez
	2400	74	T. Hickey

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	74	Hickey
	0600	72	Hunt
	0900	72	Hunt
	1200	72	Hunt
	1500	72	M. Sycrauch
	1800	72	M. Sycrauch
	2100	72	M. Sycrauch
	2400	72	Carroll

Friday

Date	Time	Temp.	Name (Print)
6/14/21	0300	74	G. Murray S
	0600	74	A.A. (cont'd)
	0900	74	A.H. (cont'd)
	1200	74	A.A. (cont'd)
	1500	74	A.H. (cont'd)
	1800	74	A.A. (cont'd)
	2100	74	A.A. (cont'd)
	2400	74	Fr. Castaneyra

Saturday

Date	Time	Temp.	Name (Print)
6/13/24	0300	74	G. Castaneiro
	0600	74	G. Castaneiro
	0900	74	A.A. Conferencia
	1200	74	A.A. Conferencia
	1500	71	70
	1800	71	70
	2100	70	70
	2400	70	70

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	74	Scho
	0600	72	A CHAVOR
	0900	76	A CHAVOR
	1200	72	A CHAVOR
	1500	77	SAC
	1800	77	Scho
	2100	72	Scho
	2400	72	Scho

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	71	SIC
	0600	70	HUNT
	0900	68	HUNT
	1200	68	HUNT
	1500	70	A. CHAVEZ
	1800	70	A. CHAVEZ
	2100	70	A. CHAVEZ
	2400	70	A. CHAVEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	65	N. Hickey
	0600	65	HUNT
	0900	66	HUNT
	1200	68	HUNT
	1500	70	A. CHAVEZ
	1800	70	A. CHAVEZ
	2100	70	A. CHAVEZ
	2400	70	SIC

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	SIC
	0600	68	HUNT
	0900	68	HUNT
	1200	68	HUNT
	1500	68	Castaneda
	1800	68	Castaneda
	2100	68	Castaneda
	2400	68	T. Hickey

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	68	T. Hickey
	0600	68	HUNT
	0900	68	HUNT
	1200	68	HUNT
	1500	70	A. CHAVEZ
	1800	72	A. CHAVEZ
	2100	70	A. CHAVEZ
	2400	70	N. Hickey

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	69	N. Hickey
	0600	68	HUNT
	0900	69	HUNT
	1200	70	HUNT
	1500	72	AA (Contractor)
	1800	72	AA (Contractor)
	2100	72	AA (Contractor)
	2400	72	N. Hickey

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	69	N. Hickey
	0600	69	AA (Contractor)
	0900	69	AA (Contractor)
	1200	69	AA (Contractor)
	1500	70	M. Sandoval
	1800	70	M. Sandoval
	2100	70	M. Sandoval
	2400	70	M. Sandoval

Notes

Date	Time	Temp.	Name (Print)
6/23/24	0300	70	
	0600	70	A. CHAVEZ
	0900	72	Castaneda
	1200	72	Castaneda
	1500	72	SIC
	1800	72	SIC
	2100	72	SIC
	2400	70	SIC

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	71	Mobley
	0600	71	Hunt
	0900	71	Hunt
	1200	71	Hunt
	1500	70	A. Rodriguez
	1800	70	A. Rodriguez
	2100	70	A. Rodriguez
	2400	70	A. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	70	A. Rodriguez
	0600	71	Hunt
	0900	71	Hunt
	1200	71	Hunt
	1500	71	A. Rodriguez
	1800	71	A. Rodriguez
	2100	71	A. Rodriguez
	2400	71	A. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	71	Soto
	0600	71	Soto
	0900	72	Hunt
	1200	72	Hunt
	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	70	A. Rodriguez
	2400	70	T. Hickey

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	70	T. Hickey
	0600	71	Hunt
	0900	72	Hunt
	1200	72	Hunt
	1500	73	MEIER
	1800	73	MEIER
	2100	73	MEIER
	2400	73	A. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	72	A. Rodriguez
	0600	72	A. Rodriguez
	0900	72	Hunt
	1200	72	Hunt
	1500	72	AA Contreras
	1800	72	AA Contreras
	2100	72	AA Contreras
	2400	72	A. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	72	N. Parker
	0600	72	A. A. Contreras
	0900	72	A. A. Contreras
	1200	72	A. A. Contreras
	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	70	A. Rodriguez
	2400	70	J. Anderson

Notes

Date	Time	Temp.	Name (Print)
6/30/24	0300	69	J. Anderson
	0600	70	A. Chavez
	0900	70	A. Chavez
	1200	70	A. Chavez
	1500	72	A. Soto
	1800	72	A. Soto
	2100	72	A. Soto
	2400	72	N. Parker

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A541 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300	74	Michele
	0600	74	P. Rangel
	0900	74	P. Rangel
	1200	74	P. Rangel
	1500	75	CHEZ SIE
	1800	75	CHEZ SIE
	2100	74	CHEZ SIE
	2400	74	Michele

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	74	Michele
	0600	74	P. Rangel
	0900	74	P. Rangel
	1200	74	P. Rangel
	1500	74	TESELL
	1800	75	TESELL
	2100	74	TESELL
	2400	74	Michele

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	74	Michele
	0600	74	P. Rangel
	0900	74	P. Rangel
	1200	74	P. Rangel
	1500	75	TESELL
	1800	75	TESELL
	2100	75	TESELL
	2400	74	Michele

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	74	Michele
	0600	74	P. Rangel
	0900	74	P. Rangel
	1200	74	P. Rangel
	1500	74	TESELL
	1800	75	TESELL
	2100	75	TESELL
	2400	75	Michele

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	74	Michele
	0600	74	M. Gonzalez
	0900	74	M. Gonzalez
	1200	74	M. Gonzalez
	1500	75	TESELL
	1800	75	TESELL
	2100	75	TESELL
	2400	75	Solazaro

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	75	Solazaro
	0600	74	D. Hernandez
	0900	74	D. Hernandez
	1200	74	D. Hernandez
	1500	75	TESELL
	1800	75	TESELL
	2100	75	TESELL
	2400	75	Michele

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	75	DELGADO
	0600	72	Rocha
	0900	72	Rocha
	1200	72	Rocha
	1500	75	Rocha
	1800	72	Rocha
	2100	75	Rocha
	2400	75	Michele

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KYSP Housing Unit: ASU 1 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/1	0300	74	Gibson
6/3	0600	74	Howard
6/3	0900	74	P. Kriegel
6/3	1200	74	P. Kriegel
6/3	1500	74	H. Laha
6/3	1800	74	H. Laha
6/3	2100	74	H. Laha
6/3	2400	74	Arte

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	74	Arte
6/4	0600	74	P. Kriegel
6/4	0900	75	P. Kriegel
6/4	1200	75	P. Kriegel
6/4	1500	75	TEKEL
6/4	1800	76	TEKEL
6/4	2100	75	TEKEL
6/4	2400	75	TEKEL

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	75	Miles
6/5	0600	75	P. Kriegel
6/5	0900	76	P. Kriegel
6/5	1200	77	P. Kriegel
6/5	1500	77	TEKEL
6/5	1800	78	TEKEL
6/5	2100	78	TEKEL
6/5	2400	78	Miles

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	78	McCain
6/6	0600	78	P. Kriegel
6/6	0900	78	P. Kriegel
6/6	1200	78	P. Kriegel
6/6	1500	78	TEKEL
6/6	1800	78	TEKEL
6/6	2100	78	TEKEL
6/6	2400	78	McCain

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	78	TEKEL
6/7	0600	78	TEKEL
6/7	0900	78	TEKEL
6/7	1200	79	TEKEL
6/7	1500	79	TEKEL
6/7	1800	79	TEKEL
6/7	2100	78	TEKEL
6/7	2400	78	SALAZAR

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	78	SALAZAR
6/8	0600	78	Romero
6/8	0900	78	Romero
6/8	1200	78	Romero
6/8	1500	78	TEKEL
6/8	1800	79	TEKEL
6/8	2100	78	TEKEL
6/8	2400	78	SALAZAR

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	78	HERNANDEZ
6/9	0600	78	GAINES
6/9	0900	78	GAINES
6/9	1200	79	GAINES
6/9	1500	79	Secondo
6/9	1800	78	Secondo
6/9	2100	78	Secondo
6/9	2400	78	WILLIAMS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A 541 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	78	Mohr
6/10	0600	78	P. Mangel
6/10	0900	78	P. Mangel
6/10	1200	76	P. Mangel
6/10	1500	78	Serrano
6/10	1800	78	Serrano
6/10	2100	78	Serrano
6/10	2400	72	Mohr

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	72	Mohr
6/11	0600	75	P. Mangel
6/11	0900	76	P. Mangel
6/11	1200	76	P. Mangel
6/11	1500	77	Serrano
6/11	1800	78	Serrano
6/11	2100	77	Serrano
6/11	2400	77	Mohr

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	77	Mohr
6/12	0600	77	P. Mangel
6/12	0900	78	P. Mangel
6/12	1200	78	P. Mangel
6/12	1500	78	Serrano
6/12	1800	78	Serrano
6/12	2100	78	Serrano
6/12	2400	75	Mohr

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	77	Mohr
6/13	0600	75	Hernandez
6/13	0900	77	Hernandez
6/13	1200	78	Hernandez
6/13	1500	78	Serrano
6/13	1800	78	Serrano
6/13	2100	78	Serrano
6/13	2400	75	Mohr

Friday

Date	Time	Temp.	Name (Print)
6/19	0300	78	Mohr
6/19	0600	72	Serrano
6/19	0900	72	Serrano
6/19	1200	71	Serrano
6/19	1500	75	Serrano
6/19	1800	78	Serrano
6/19	2100	78	Serrano
6/19	2400	78	Serrano

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	77	Salazar
6/15	0600	75	Rodriguez
6/15	0900	76	Romero
6/15	1200	77	Rodriguez
6/15	1500	78	Serrano
6/15	1800	78	Serrano
6/15	2100	78	Serrano
6/15	2400	78	Salazar

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	72	Salazar
6/24	0600	74	P. Mangel
6/24	0900	74	P. Mangel
6/24	1200	75	P. Mangel
6/24	1500	75	Serrano
6/24	1800	75	Serrano
6/24	2100	75	Serrano
6/24	2400	75	Mohr

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KRSP Housing Unit: A541 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	75	Nichols
17	0600	74	P. Rangel
17	0900	75	P. Rangel
17	1200	75	P. Rangel
17	1500	75	Siquito
17	1800	75	Siquito
17	2100	75	Siquito
17	2400	75	Nichols

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	75	Nichols
18	0600	74	P. Rangel
18	0900	75	P. Rangel
24	1200	75	P. Rangel
24	1500	75	J. Avina
24	1800	75	RANGEL
24	2100	75	RANGEL
24	2400	75	RANGEL Nichols

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	75	Nichols
19	0600	74	P. Rangel
19	0900	75	P. Rangel
24	1200	75	P. Rangel
24	1500	76	TELLER
24	1800	76	TELLER
24	2100	75	TELLER
24	2400	74	Nichols

Thursday

Date	Time	Temp.	Name (Print)
6	0300	75	Nichols
20	0600	75	HERNANDEZ
20	0900	75	P. Rangel
24	1200	75	P. Rangel
24	1500	76	HERNANDEZ
24	1800	76	TELLER
24	2100	76	TELLER
24	2400	76	MILB

Friday

Date	Time	Temp.	Name (Print)
6	0300	76	Nichols
21	0600	75	L. Hernandez
21	0900	75	L. Hernandez
24	1200	75	G. Hernandez
24	1500	76	TELLER
24	1800	76	TELLER
24	2100	75	TELLER
24	2400	75	SALAZAR

Saturday

Date	Time	Temp.	Name (Print)
6	0300	74	SALAZAR
22	0600	74	B. EVAN
22	0900	75	B. EVAN
24	1200	75	B. EVAN
24	1500	76	TELLER
24	1800	76	TELLER
24	2100	75	TELLER
24	2400	74	SMITH

Sunday

Date	Time	Temp.	Name (Print)
6	0300	74	SMITH
23	0600	74	Griggs
23	0900	74	Griggs
23	1200	77	Griggs
23	1500	77	Siquito
23	1800	77	Siquito
23	2100	77	Siquito
23	2400	79	Nichols

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A541 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6</u> <u>24</u> <u>25</u> <u>26</u> <u>27</u> <u>28</u> <u>29</u>	0300	77	<u>Nichols</u>
	0600	77	<u>P. Rangel</u>
	0900	78	<u>P. Rangel</u>
	1200	78	<u>P. Rangel</u>
	1500	78	<u>MATA</u>
	1800	79	<u>MATA</u>
	2100	78	<u>MATA</u>
	2400	78	<u>Nichols</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>6</u> <u>25</u> <u>26</u> <u>27</u> <u>28</u> <u>29</u>	0300	78	<u>Archie</u>
	0600	78	<u>P. Rangel</u>
	0900	78	<u>P. Rangel</u>
	1200	78	<u>P. Rangel</u>
	1500	78	<u>TELETH</u>
	1800	78	<u>TELETH</u>
	2100	78	<u>TELETH</u>
	2400	78	<u>Archie</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>6</u> <u>26</u> <u>27</u> <u>28</u> <u>29</u>	0300	78	<u>Nichols</u>
	0600	78	<u>P. Rangel</u>
	0900	79	<u>P. Rangel</u>
	1200	79	<u>P. Rangel</u>
	1500	79	<u>TELETH</u>
	1800	79	<u>TELETH</u>
	2100	78	<u>TELETH</u>
	2400	78	<u>Nichols</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>6</u> <u>27</u> <u>28</u> <u>29</u>	0300	78	<u>Archie</u>
	0600	78	<u>P. Rangel</u>
	0900	78	<u>P. Rangel</u>
	1200	78	<u>P. Rangel</u>
	1500	79	<u>TELETH</u>
	1800	78	<u>TELETH</u>
	2100	78	<u>TELETH</u>
	2400	78	<u>Archie</u>

Friday

Date	Time	Temp.	Name (Print)
<u>6</u> <u>28</u> <u>29</u> <u>30</u> <u>31</u>	0300	78	<u>Nichols</u>
	0600	78	<u>C. Lopez</u>
	0900	78	<u>C. Lopez</u>
	1200	78	<u>TELETH</u>
	1500	79	<u>TELETH</u>
	1800	78	<u>TELETH</u>
	2100	78	<u>TELETH</u>
	2400	78	<u>Salazar</u>

Saturday

Date	Time	Temp.	Name (Print)
<u>6</u> <u>29</u> <u>30</u> <u>31</u>	0300	75	<u>Salazar</u>
	0600	75	<u>A. Sotelo</u>
	0900	75	<u>A. Sotelo</u>
	1200	77	<u>A. Sotelo</u>
	1500	78	<u>TELETH</u>
	1800	79	<u>TELETH</u>
	2100	78	<u>TELETH</u>
	2400	78	<u>Sotelo</u>

Sunday

Date	Time	Temp.	Name (Print)
<u>6</u> <u>30</u> <u>31</u>	0300	78	<u>Sister</u>
	0600	78	<u>P. Rangel</u>
	0900	78	<u>P. Rangel</u>
	1200	78	<u>P. Rangel</u>
	1500	79	<u>Sister</u>
	1800	79	<u>Sister</u>
	2100	79	<u>Sister</u>
	2400	78	<u>Nichols</u>

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: RHU#2 GP Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	77	R. Garrison
	0600	76	R. Vargas
	0900	76	R. Vargas
	1200	76	R. Vargas
	1500	77	Gordon, J
	1800	77	Gordon, J
	2100	77	Gordon, J
	2400	77	Munoz

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	76	Munoz
	0600	76	Cuttell, M
	0900	76	Cuttell, M
	1200	77	Cuttell, M
	1500	76	Gordon, J
	1800	76	Gordon, J
	2100	76	Gordon, J
	2400	76	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	76	Munoz
	0600	75	MATA
	0900	76	MATA
	1200	76	MATA
	1500	79	Gordon, J
	1800	79	Gordon, J
	2100	76	Gordon, J
	2400	76	Munoz

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	76	Munoz
	0600	74	MATA
	0900	75	MATA
	1200	76	MATA
	1500	76	Perez, S
	1800	77	Burriaga
	2100	77	Burriaga
	2400	77	A. SI GAVIA

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	76	A SIGALA
	0600	75	MATA
	0900	76	MATA
	1200	76	MATA
	1500	76	Burriaga
	1800	77	Burriaga
	2100	77	Burriaga
	2400	77	SIGALA

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	76	SIGALA
	0600	74	Lopez
	0900	76	Lopez
	1200	76	Lopez
	1500	76	M. ALEXANDRA
	1800	76	M. ALEXANDRA
	2100	76	M. ALEXANDRA
	2400	76	R. Garrison

Notes

Date	Time	Temp.	Name (Print)
6/1/24	0300	75	R. Garrison
	0600	75	C. Salazar
	0900	76	C. Salazar
	1200	76	C. Salazar
	1500	76	J. Madrigal
	1800	76	J. Madrigal
	2100	75	J. Madrigal
	2400	75	R. Garrison

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: GP 244 Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	76	(P) Lewis
	0600	74	C. Holloman
	0900	76	C. Holloman
	1200	76	C. Holloman
	1500	76	Ruth
	1800	76	Gill
	2100	76	Endo
	2400	75	Munoz

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	75	Munoz
	0600	76	Castillo - S
	0900	76	Castillo - S
	1200	76	Castillo - S
	1500	77°	Gordon, T
	1800	77°	Gordon, T
	2100	77°	Gordon, T
	2400	77	Mendoza

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	77	Mendoza
	0600	77	MATA
	0900	77	MATA
	1200	78	MATA
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon, T
	2400	77	E. SAMARIPAS

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	77	E. SAMARIPAS
	0600	78	MATA
	0900	79	MATA
	1200	79	MATA
	1500	79°	Gordon, T
	1800	79°	Gordon, T
	2100	79°	Gordon, T
	2400	79	SIGALA, A

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	78	A. SIGALA
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	79	Sigala
	1800	79	Sigala
	2100	78	Sigala
	2400	78	A. SIGALA

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	76	A. SIGALA
	0600	77	Quiñonez
	0900	79	Quiñonez
	1200	81	Quiñonez
	1500	80	Sigala
	1800	79	Sigala
	2100	79	Sigala
	2400	79	(P) Garcia

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	79	(P) Lamison
	0600	76	MATA
	0900	77	MATA
	1200	77	MATA
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon, T
	2400	78	(P) Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: ASU2 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6360 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/16/24	0300	78	R. Garrison
	0600	77	Castellanos
	0900	78	Castellanos
	1200	78	Castellanos
	1500	79	Nieland
	1800	78	Willand
	2100	78	Willand
	2400	77	Munoz

Tuesday

Date	Time	Temp.	Name (Print)
6/17/24	0300	77	Munoz
	0600	77	Castellanos
	0900	78	Castellanos
	1200	78	Castellanos
	1500	780	Gordon, T
	1800	780	Gordon, T
	2100	780	Gordon, T
	2400	78	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	73	Munoz
	0600	78	MATA
	0900	79	MATA
	1200	79	MATA
	1500	79°	Gordon, T
	1800	79°	Gordon, T
	2100	79°	Gordon, T
	2400	79	Munoz

Thursday

Date	Time	Temp.	Name (Print)
6/19/24	0300	79	Munoz
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	79°	Gordon, T
	1800	79°	Gordon, T
	2100	78°	Gordon, T
	2400	78	SIGALA, A

Friday

Date	Time	Temp.	Name (Print)
6/20/24	0300	77	Salazar, A
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	78	Sigala, A
	1800	78	Sigala, A
	2100	78	Sigala, A
	2400	78	SIGALA, A

Saturday

Date	Time	Temp.	Name (Print)
6/21/24	0300	79	SIGALA, A
	0600	77	C. Salazar
	0900	78	C. Salazar
	1200	78	C. Salazar
	1500	78	Sigala, A
	1800	77	Sigala, A
	2100	77	Sigala, A
	2400	76	P. Garrison

Sunday

Date	Time	Temp.	Name (Print)
6/22/24	0300	76	P. Garrison
	0600	76	C. Salazar
	0900	77	C. Salazar
	1200	78	C. Salazar
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon, T
	2400	78	P. Garrison

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: G-1-RHU Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	76	Harrison
	0600	76	Castellanos
	0900	77	Castellanos
	1200	77	Castellanos
	1500	77	Rios
	1800	76	Rios
	2100	76	Rios
	2400	76	Munoz

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	76	Munoz
	0600	76	Castellanos
	0900	76	Castellanos
	1200	76	Castellanos
	1500	76	Gordon, T
	1800	76	Gordon, T
	2100	76	Gordon, T
	2400	76	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	77	Munoz
	0600	76	MATA
	0900	77	MATA
	1200	77	MATA
	1500	77	UCSINA
	1800	78	P. Godfrey
	2100	77	P. Godfrey
	2400	77	Munoz

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	77	Munoz
	0600	76	Harrison
	0900	77	Harrison
	1200	77	Harrison
	1500	77	CHEZ J. E.
	1800	77	CHEZ J. E.
	2100	77	CHEZ J. E.
	2400	77	A. SIGALA

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	76	A. SIGALA
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	78	Sigala
	1800	78	Sigala
	2100	77	Sigala
	2400	77	SIGALA

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	76	A. SIGALA
	0600	76	Sigala
	0900	77	Sigala
	1200	78	Sigala
	1500	78	Sigala
	1800	78	Sigala
	2100	77	Sigala
	2400	77	P. Garrison

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	77	P. Garrison
	0600	77	C. Salazar
	0900	78	C. Salazar
	1200	78	C. Salazar
	1500	78	D. Winters
	1800	78	D. Winters
	2100	78	D. Winters
	2400	78	Castellanos

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-2 P-444 Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	78	Bobellard
	0600	78	Califield
	0900	78	Clarkhall
	1200	78	Coastline
	1500	78°	Gordon,T
	1800	77°	Gordon,T
	2100	77°	Gordon,T
	2400	78	Doan

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	Dunn
	0600	78	Hernandez
	0900	78	Hernandez
	1200	79	Hernandez
	1500	78°	Gordon,T
	1800	78°	Gordon,T
	2100	78°	Gordon,T
	2400	78	SEVILLA,S

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	78	SEVILLA,S
	0600	78	M. Webb
	0900	78	M. Webb
	1200	78	M. Webb
	1500	77°	Gordon,T
	1800	77°	Gordon,T
	2100	77°	Gordon,T
	2400	77	Munoz

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	77	Munoz
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	78°	Gordon,T
	1800	78°	Gordon,T
	2100	78°	Gordon,T
	2400	78	SIGALA,A

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	77	A SIGALA
	0600	77	B. Rodriguez
	0900	77	B. Rodriguez
	1200	77	B. Rodriguez
	1500	78	Sigala,T
	1800	78	Sigala,T
	2100	78	Sigala,T
	2400	78	P. Garrison

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	78	P. Garrison
	0600	77	Perez
	0900	78	Perez
	1200	78	Perez
	1500	78	Sigala
	1800	78	Sigala
	2100	78	Sigala
	2400	78	SIGALA,A

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	78	SIGALA,A
	0600	78	C. Salazar
	0900	78	C. Salazar
	1200	78	C. Salazar
	1500	85	Sabagun/Kahn
	1800	80	Schauv
	2100	76	Schauv
	2400	77	P. Garrison

Notes