

**Monthly Summary Report**

Institution: SCC

**Memorandum**

Date: 09-03-2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - SCC - Aug 2024

The following is a summary of the heat related activity for the month of August 2024  
at SCC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes \_\_\_\_\_

Number of days Stage I Alert initiated: 27

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes \_\_\_\_\_

Number of days Stage II Alert initiated: 12

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? Yes \_\_\_\_\_

Number of days Stage III Alert initiated: 7

4. Weekly list of heat risk patients archived?: Yes \_\_\_\_\_

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

J. Prudhel (A)


Warden Name



Warden Signature

M. Diaz (A)

Chief Executive Officer Name

DocuSigned by:  
  
706551BC0F7C454

Chief Executive Officer Signature

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATTB

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-1

Date	Time	Temp.	Printed Name
	0100	77	GONZALES
	0200	76	GONZALES
	0300	75	GONZALES
	0400	73	GONZALES
	0500	72	GONZALES
	0600	72	VAZQUEZ
	0700	74	VAZQUEZ
	0800	78	VAZQUEZ
	0900	84	VAZQUEZ
	1000	90	VAZQUEZ
	1100	95	VAZQUEZ
	1200	98	VAZQUEZ
	1300	100	Wey
	1400	101	Young
	1500	104	Young
	1600	105	Young
	1700	104	Young
	1800	101	Young
	1900	98	Young
	2000	93	Young
	2100	89	Young
	2200	86	Grandstaff
	2300	84	Grandstaff
	2400	81	Grandstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-2-24

Date	Time	Temp.	Printed Name
	0100	80	Grandstaff
	0200	79	Grandstaff
	0300	79	Grandstaff
	0400	78	Grandstaff
	0500	76	Grandstaff
	0600	77	Ranger
	0700	79	Ranger
	0800	79	Ranger
	0900	82	Ranger
	1000	88	Ranger
	1100	89	Ranger
	1200	91	Ranger
	1300	95	Ranger
	1400	96	Lewis
	1500	95	Lewis
	1600	92	Lewis
	1700	90	Lewis
	1800	89	Lewis
	1900	87	Lewis
	2000	86	Lewis
	2100	83	Lewis
	2200	83	Grandstaff
	2300	79	Grandstaff
	2400	78	Grandstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-3	- 24	0100	77 Grandstaff
		0200	77 Grandstaff
		0300	76 Grandstaff
		0400	76 Grandstaff
		0500	76 Grandstaff
		0600	77 Rangell
		0700	79 Rangell
		0800	85 Rangell
		0900	87 Rangell
		1000	90 Rangell
		1100	95 Rangell
		1200	100 Rangell
		1300	101 Rangell
		1400	101 KING
		1500	105 KING
		1600	104 KING
		1700	105 KING
		1800	103 KING
		1900	98 KING
		2000	94 KING
		2100	90 KING
		2200	87 MILLS
	2300	84 MILLS	
	2400	83 MILLS	

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-4-24

Date	Time	Temp.	Printed Name
	0100	82	MILLS
	0200	81	MILLS
	0300	80	MILLS
	0400	79	MILLS
	0500	77	MILLS
	0600	77	MILLS
	0700	75	VAZQUEZ
	0800	82	VAZQUEZ
	0900	88	VAZQUEZ
	1000	93	VAZQUEZ
	1100	96	VAZQUEZ
	1200	101	VAZQUEZ
	1300	103	VAZQUEZ
	1400	104	MILLS
	1500	104	PIOD
	1600	106	PIOD
	1700	105	PIOD
	1800	104	PIOD
	1900	100	PIOD
	2000	90	PIOD
	2100	88	PIOD
	2200	85	MILLS
	2300	85	MILLS
	2400	83	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-5 - 24

Date	Time	Temp.	Printed Name
	0100	80	MILLS
	0200	79	MILLS
	0300	78	MILLS
	0400	77	MILLS
	0500	75	MILLS
	0600	74	VAZQUEZ
	0700	74	VAZQUEZ
	0800	80	VAZQUEZ
	0900	86	VAZQUEZ
	1000	96	VAZQUEZ
	1100	95	VAZQUEZ
	1200	99	VAZQUEZ
	1300	101	VAZQUEZ
	1400	102	Her, A.
	1500	104	Her, A.
	1600	103	Her, A.
	1700	102	Her, A.
*	1800	101	Her, A.
	1900	97	Her, A.
	2000	91	Her, A.
	2100	86	Her, A.
	2200	83	MILLS
	2300	80	MILLS
	2400	80	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-6-24

Date	Time	Temp.	Printed Name
	0100	77	MILLS
	0200	76	MILLS
	0300	76	MILLS
	0400	75	MILLS
	0500	76	MILLS
	0600	74	VAZQUEZ
	0700	75	VAZQUEZ
	0800	79	VAZQUEZ
	0900	85	VAZQUEZ
	1000	93	VAZQUEZ
	1100	96	VAZQUEZ
	1200	99	VAZQUEZ
	1300	101	VAZQUEZ
	1400	102	VAZQUEZ
	1500	105	Her, A.
	1600	107	Her, A.
	1700	107	Her, A.
	1800	104	Her, A.
	1900	100	Her, A.
	2000	96	Her, A.
	2100	90	Her, A.
	2200	86	GONZALES
	2300	85	GONZALES
	2400	83	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-17

Date	Time	Temp.	Printed Name
	0100	81	GONZALES
	0200	81	GONZALES
	0300	81	GONZALES
	0400	81	GONZALES
	0500	80	GONZALES
	0600	80	VAZQUEZ
	0700	78	VAZQUEZ
	0800	83	VAZQUEZ
	0900	90	VAZQUEZ
	1000	95	VAZQUEZ
	1100	100	VAZQUEZ
	1200	103	VAZQUEZ
	1300	106	VAZQUEZ
	1400	107	VAZQUEZ
	1500	107	Isaman
	1600	108	Isaman
	1700	106	Isaman
	1800	103	Isaman
	1900	99	Isaman
	2000	93	Isaman
	2100	90	Isaman
	2200	86	GONZALES
	2300	84	GONZALES
	2400	83	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATT B  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: PLAZA CONTROL

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-8

Date	Time	Temp.	Printed Name
	0100	82	GONZALES
	0200	80	GONZALES
	0300	78	GONZALES
	0400	77	GONZALES
	0500	75	GONZALES
	0600	74	VAZQUEZ
	0700	76	VAZQUEZ
	0800	81	VAZQUEZ
	0900	86	V.Her
	1000	91	VAZQUEZ
	1100	95	VAZQUEZ
	1200	98	VAZQUEZ
	1300	100	VAZQUEZ
	1400	101	VAZQUEZ
	1500	101	Young
	1600	102	Young
	1700	100	Young
	1800	99	Young
	1900	95	Young
	2000	90	Young
	2100	88	Young
	2200	85	Grandstaff
	2300	84	Grandstaff
	2400	80	Grandstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-9-24

Date	Time	Temp.	Printed Name
	0100	77	Grandstaff
	0200	74	Grandstaff
	0300	73	Grandstaff
	0400	73	Grandstaff
	0500	73	Grandstaff
	0600	73	Grandstaff
	0700	77	Rangel
	0800	80	Rangel
	0900	85	Rangel
	1000	89	Rangel
	1100	94	Brown
	1200	99	Brown
	1300	101	Her, A.
	1400	102	Her, A.
	1500	102	Her, A.
	1600	103	Her, A.
	1700	102	Her, A.
	1800	102	Her, A.
	1900	97	Her, A.
	2000	90	Her, A.
	2100	86	Her, A.
	2200	83	Grandstaff
	2300	82	Grandstaff
	2400	81	Grandstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

**INSTITUTION:** Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-10-24	0100	78	Grandstaff
	0200	76	Grandstaff
	0300	73	Grandstaff
	0400	72	Grandstaff
	0500	71	Grandstaff
	0600	69	Grandstaff
	0700	70	Grandstaff
	0800	77	Grandstaff
	0900	79	B.BIRK
	1000	81	B.BIRK
	1100	89	B.BIRK
	1200	93	B.BIRK
	1300	96	B.BIRK
*	1400	100	B.BIRK
	1500	102	Her, A.
	1600	102	Her, A.
	1700	103	Her, A.
	1800	100	Her, A.
	1900	95	Her, A.
	2000	90	Her, A.
	2100	86	Her, A.
	2200	83	Deckard
	2300	82	Deckard
	2400	81	Deckard

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-11-24	0100	75	Deckard
	0200	73	Deckard
	0300	72	Deckard
	0400	71	Deckard
	0500	70	Deckard
	0600	72	GARCIA
	0700	75	GARCIA
	0800	77	GARCIA
	0900	80	GARCIA
	1000	89	GARCIA
	1100	92	GARCIA
	1200	95	GARCIA
	1300	98	GARCIA
	1400	99	Her, A.
	1500	101	Her, A.
	1600	100	Her, A.
	1700	98	Her, A.
	1800	95	Her, A.
	1900	90	Her, A.
*	2000	87	Her, A.
	2100	83	Her, A.
	2200	80	Her, A.
	2300	78	Frazier
	2400	77	Frazier

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
 OUTSIDE TEMPERATURE RECORD  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-12-24	0100	74	Frazier
	0200	73	Frazier
	0300	70	MILLS
	0400	69	MILLS
	0500	68	MILLS
	0600	67	VAZQUEZ
	0700	67	VAZQUEZ
	0800	73	VAZQUEZ
	0900	79	VAZQUEZ
	1000	84	VAZQUEZ
	1100	87	VAZQUEZ
	1200	91	VAZQUEZ
	1300	95	VAZQUEZ
	1400	96	Her, A.
	1500	98	Her, A.
	1600	93	Her, A.
	1700	91	Her, A.
	1800	88	Her, A.
	1900	86	Her, A.
	2000	83	Her, A.
	2100	79	Her, A.
	2200	76	MILLS
	2300	73	MILLS
	2400	72	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-13-24	0100	69	MILLS
	0200	68	MILLS
	0300	66	MILLS
	0400	66	MILLS
	0500	66	MILLS
	0600	65	VAZQUEZ
	0700	65	VAZQUEZ
	0800	70	VAZQUEZ
	0900	76	VAZQUEZ
	1000	81	VAZQUEZ
	1100	85	VAZQUEZ
	1200	88	ABANIA
	1300	92	ABANIA
	1400	95	Her, A.
	1500	97	Her, A.
	1600	97	Her, A.
	1700	96	Her, A.
	1800	91	Her, A.
	1900	88	Her, A.
	2000	83	Her, A.
	2100	79	Her, A.
	2200	77	GONZALES
	2300	76	GONZALES
	2400	74	GONZALES

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-14-24	0100	71	GONZALES
	0200	70	GONZALES
	0300	68	GONZALES
	0400	66	GONZALES
	0500	65	GONZALES
	0600	105	KACORN
	0700	108	KACORN
	0800	109	KACORN
	0900	75	KACORN
	1000	81	KACORN
	1100	84	KACORN
	1200	46-88	KACORN
	1300	92	KACORN
	1400	94	ISaman
	1500	94	ISaman
	1600	94	ISaman
	1700	93	ISaman
	1800	92	ISaman
	1900	89	ISaman
	2000	84	ISaman
	2100	81	ISaman
	2200	79	GONZALES
	2300	76	GONZALES
	2400	75	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-15-24	0100	73	GONZALES
	0200	71	GONZALES
	0300	70	GONZALES
	0400	68	GONZALES
	0500	66	GONZALES
	0600	68	McHou
	0700	72	McHou
	0800	75	McHou
	0900	77	McHou
	1000	79	McHou
	1100	83	McHou
	1200	86	McHou
	1300	90	McHou
	1400	93	J.Chavez Jr
	1500	94	J.Chavez Jr
	1600	96	J.Chavez Jr
	1700	93	J.Chavez Jr
	1800	91	J.Chavez Jr
	1900	88	J.Chavez Jr
	2000	84	J.Chavez Jr
	2100	80	J.Chavez Jr
	2200	77	Grandstaff
	2300	75	Grandstaff
	2400	73	Grandstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-16-24

Date	Time	Temp.	Printed Name
	0100	72	Grand Staff
	0200	71	Grand Staff
	0300	69	Grand Staff
	0400	67	Grand Staff
	0500	66	Grand Staff
	0600	64	Ranged
	0700	65	Ranged
	0800	68	Ranged
	0900	72	Ranged
	1000	80	Ranged
	1100	85	Ranged
	1200	89	Ranged
	1300	93	Ranged
	1400	93	Her, A.
	1500	96	Her, A.
	1600	98	Her, A.
	1700	97	Her, A.
	1800	94	Her, A.
	1900	89	Her, A.
	2000	84	Her, A.
	2100	81	Her, A.
	2200	78	Grand Staff
	2300	76	Grand Staff
	2400	75	Grand Staff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-17-24	0100	72	Grandstaff
	0200	70	Grandstaff
	0300	68	Grandstaff
	0400	67	Grandstaff
	0500	66	Grandstaff
	0600	66	Rangel
	0700	70	Rangel
	0800	71	Rangel
	0900	76	Rangel
	1000	78	Rangel
✓	1100	81	Rangel
	1200	83	Rangel
	1300	85	Rangel
	1400	89	Her. A.
*	1500	90	Her. A.
	1600	92	Her. A.
	1700	90	Her. A.
*	1800	87	Her. A.
	1900	83	Her. A.
	2000	77	Her. A.
	2100	72	MILLS
	2200	71	MILLS
	2300	69	MILLS
	2400	67	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-18-24	0100	66	MILLS
	0200	64	MILLS
	0300	62	MILLS
	0400	61	MILLS
	0500	60	MILLS
	0600	61	MANN
	0700	64	MANN
	0800	65	MANN
	0900	70	MANN
	1000	73	MANN
	1100	78	MANN
	1200	83	MANN
*	1300	83	MANN
	1400	88	Her, A.
	1500	89	Her, A.
	1600	92	Her, A.
	1700	90	Her, A.
*	1800	87	Her, A.
	1900	85	Her, A.
	2000	80	Her, A.
	2100	76	Her, A.
	2200	74	GARIBAY
	2300	72	GARIBAY
	2400	72	GARIBAY

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-19-24	0100	72	GARIBAY
	0200	72	GARIBAY
	0300	72	GARIBAY
	0400	72	GARIBAY
	0500	66	MILLS
	0600	65	VAZQUEZ
	0700	64	VAZQUEZ
	0800	67	VAZQUEZ
	0900	76	VAZQUEZ
	1000	79	VAZQUEZ
	1100	84	VAZQUEZ
	1200	87	VAZQUEZ
	1300	89	VAZQUEZ
	1400	91	DIXON
	1500	93	DIXON
	1600	92	DIXON
	1700	91	DIXON
	1800	89	DIXON
	1900	87	DIXON
	2000	81	DIXON
	2100	78	MILLS
	2200	75	MILLS
	2300	74	MILLS
	2400	73	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-20-24

Date	Time	Temp.	Printed Name
	0100	69	MILLS
	0200	68	MILLS
	0300	67	MILLS
	0400	65	MILLS
	0500	65	MILLS
	0600	64	VAZQUEZ
	0700	66	VAZQUEZ
	0800	70	VAZQUEZ
	0900	76	VAZQUEZ
	1000	81	VAZQUEZ
	1100	85	VAZQUEZ
	1200	89	VAZQUEZ
	1300	91	VAZQUEZ
	1400	95	DIXON
	1500	95	DIXON
	1600	73	DIXON
	1700	92	DIXON
	1800	90	DIXON
	1900	87	DIXON
	2000	83	DIXON
	2100	79	DIXON
	2200	75	GONZALES
	2300	74	GONZALES
	2400	72	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATT B  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-21-24

Date	Time	Temp.	Printed Name
	0100	71	GONZALES
	0200	69	GONZALES
	0300	68	GONZALES
	0400	67	GONZALES
	0500	66	GONZALES
	0600	64	VAZQUEZ
	0700	64	VAZQUEZ
	0800	70	VAZQUEZ
	0900	75	VAZQUEZ
	1000	79	VAZQUEZ
	1100	83	VAZQUEZ
	1200	87	VAZQUEZ
	1300	90	VAZQUEZ
	1400	93	VAZQUEZ
	1500	94	Isaman
	1600	95	Isaman
	1700	93	Isaman
	1800	92	Isaman
	1900	86	Isaman
	2000	82	Isaman
	2100	77	Isaman
	2200	75	GONZALES
	2300	74	GONZALES
	2400	71	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-22-24

Date	Time	Temp.	Printed Name
	0100	71	GONZALES
	0200	70	GONZALES
	0300	68	GONZALES
	0400	66	GONZALES
	0500	64	GONZALES
	0600	62	MCHOLI
	0700	62	MCHOLI
	0800	65	MCHOLI
	0900	70	MCHOLI
	1000	76	MCHOLI
	1100	81	MCHOLI
	1200	83	MCHOLI
	1300	83	MCHOLI
	1400	84	Young
	1500	86	Young
	1600	85	Young
	1700	83	Young
	1800	82	Young
	1900	74	Young
	2000	71	Young
	2100	68	Young
	2200	66	GrandStaff
	2300	64	GrandStaff
	2400	62	GrandStaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATT B  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

[INSTITUTION: Sierra Conservation Center]

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-23-24

Date	Time	Temp.	Printed Name
	0100	60	Grandstaff
	0200	59	Grandstaff
	0300	59	Grandstaff
	0400	58	Grandstaff
	0500	57	Grandstaff
	0600	57	Rangef
	0700	60	Rangef
	0800	62	Rangef
	0900	61	Rangef
	1000	67	Rangef
	1100	72	Rangef
	1200	76	Rangef
	1300	78	Rangef
	1400	77	DIXON
	1500	75	DIXON
	1600	73	DIXON
	1700	72	DIXON
	1800	71	DIXON
	1900	69	DIXON
	2000	67	DIXON
	2100	66	DIXON
	2200	65	Grandstaff
	2300	65	Grandstaff
	2400	64	Grandstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATT B  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-24-24	0100	63	Grandstaff
	0200	62	Grandstaff
	0300	61	Grandstaff
	0400	61	Grandstaff
	0500	61	Grandstaff
	0600	61	MARTINEZ
	0700	61	MARTINEZ
	0800	64	MARTINEZ
	0900	66	MARTINEZ
	1000	68	MARTINEZ
	1100	72	MARTINEZ
	1200	75	MARTINEZ
	1300	76	MARTINEZ
	1400	81	MANN
	1500	83	MANN
	1600	82	MANN
	1700	81	MANN
	1800	77	MANN
	1900	75	MANN
	2000	72	MANN
	2100	89	MANN
	2200	67	RANDOT
	2300	66	RANDOT
	2400	66	RANDOT

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-25-25

Date	Time	Temp.	Printed Name
	0100	63	RANDOL
	0200	62	RANDOL
	0300	61	RANDOL
	0400	60	RANDOL
	0500	60	RANDOL
	0600	59	VAZQUEZ
	0700	59	VAZQUEZ
	0800	64	VAZQUEZ
	0900	68	VAZQUEZ
	1000	72	VAZQUEZ
	1100	76	VAZQUEZ
	1200	80	VAZQUEZ
	1300	83	VAZQUEZ
	1400	86	DIXON
	1500	88	DIXON
	1600	86	DIXON
	1700	83	DIXON
	1800	81	DIXON
	1900	79	DIXON
	2000	75	DIXON
	2100	72	DIXON
	2200	71	DIXON
	2300	72	HER
	2400	68	HER

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR-2030 (04/18)

ATT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-26-24

Date	Time	Temp.	Printed Name
	0100	67	V. HER
	0200	66	V. HER
	0300	65	V. HER
	0400	65	V. HER
	0500	64	V. HER
	0600	64	VAZQUEZ
	0700	65	VAZQUEZ
	0800	68	VAZQUEZ
	0900	73	VAZQUEZ
	1000	80	VAZQUEZ
	1100	84	VAZQUEZ
	1200	88	VAZQUEZ
	1300	91	VAZQUEZ
	1400	95	VAZQUEZ
	1500	95	Rango
	1600	95	Rango
	1700	96	Rango
	1800	91	Rango
	1900	89	Rango
	2000	87	Rango
	2100	80	Rango
	2200	77	V. HER
	2300	76	V. HER
	2400	75	V. HER

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 ODCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

8-27-24

Date	Time	Temp.	Printed Name
	0100	73	V. HER
	0200	71	V. HER
	0300	70	V. HER
	0400	70	V. HER
	0500	71	V. HER
	0600	70	VAZQUEZ
	0700	70	VAZQUEZ
	0800	73	VAZQUEZ
	0900	79	VAZQUEZ
	1000	84	VAZQUEZ
	1100	90	VAZQUEZ
	1200	94	VAZQUEZ
	1300	97	VAZQUEZ
	1400	99	VAZQUEZ
	1500	99	Rangel
	1600	99	Rangel
	1700	98	Rangel
	1800	96	Rangel
	1900	92	Rangel
	2000	90	Rangel
	2100	84	Rangel
	2200	80	V. HER
	2300	79	V. HER
	2400	76	V. HER

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-28-24	0100	76°	V. HER
	0200	76°	V. HER
	0300	74°	V. HER
	0400	73°	V. HER
	0500	72°	V. HER
	0600	72	VAZQUEZ
	0700	74	VAZQUEZ
	0800	75	VAZQUEZ
	0900	81	VAZQUEZ
	1000	86	VAZQUEZ
	1100	91	VAZQUEZ
	1200	95	VAZQUEZ
	1300	98	VAZQUEZ
	1400	100	VAZQUEZ
	1500	100	Isaman
	1600	101	Isaman
	1700	100	Isaman
	1800	98	Isaman
	1900	93	Isaman
	2000	88	Isaman
	2100	84	Isaman
	2200	80°	V. HER
	2300	78°	V. HER
	2400	75°	V. HER

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
8-29-24	0100	74°	V. HER		0100		
	0200	74°	V. HER		0200		
	0300	72°	V. HER		0300		
	0400	71°	V. HER		0400		
	0500	70°	V. HER		0500		
	0600	67	VAZQUEZ		0600		
	0700	68	VAZQUEZ		0700		
	0800	73	VAZQUEZ		0800		
	0900	78	VAZQUEZ		0900		
	1000	83	VAZQUEZ		1000		
	1100	89	VAZQUEZ		1100		
	1200	91	VAZQUEZ		1200		
	1300	95	VAZQUEZ		1300		
	1400	97	Young		1400		
	1500	97	Young		1500		
	1600	97	Young		1600		
	1700	95	Young		1700		
	1800	93	Young		1800		
	1900	89	Young		1900		
	2000	85	Young		2000		
	2100	83	Young		2100		
	2200	80	GREGG		2200		
	2300	78	GREGG		2300		
	2400	75	GREGG		2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-30-24	0100	73	GREGG
	0200	71	GREGG
	0300	71	GREGG
	0400	70	GREGG
	0500	68	GREGG
	0600	68	Vasque
	0700	69	Vasque
	0800	71	Vasque
	0900	77	Vasque
	1000	84	Vasque
	1100	90	Vasque
	1200	93	Vasque
	1300	94	Vasque
	1400	98	THALMAN
	1500	98	ThAlMan
	1600	98	ThAlman
	1700	98	THALEVN
	1800	96	THALMAN
	1900	90	ThAlMan
	2000	85	THALMAN
	2100	82	Thalman
	2200	79	GREGG
	2300	77	GREGG
	2400	76	GREGG

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-31-24	0100	77	GREGG
	0200	74	GREGG
	0300	72	GREGG
	0400	71	GREGG
	0500	70	GREGG
	0600	69	MARTINEZ
	0700	68	MARTINEZ
	0800	73	MARTINEZ
	0900	80	MARTINEZ
	1000	86	MARTINEZ
	1100	88	MARTINEZ
	1200	91	MARTINEZ
	1300	94	MARTINEZ
	1400	98	THALMAN
	1500	101	THALMAN
	1600	100	THALMAN
	1700	100	THALMAN
	1800	97	THALMAN
	1900	92	THALMAN
	2000	86	THALMAN
	2100	82	THALMAN
	2200	80	V. HER
	2300	77	V. HER
	2400	76	V. HER

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE:

8/1/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D				
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.	Vard	Clinic
0100	77												
0200	76												
0300	75												
0400	73												
0500	72												
0600	70												
0700	70												
0800	70												
0900	70												
1000	70												
1100	75												
1200	78												
1300	80												
1400	81												
1500	84												
1600	85												
1700	84												
1800	81												
1900	78												
2000	73												
2100	89												
2200	86												
2300	84												
2400	81												

  
Captain

Date 9-3-24

Associate Warden, Programs Division

Date 9/4/24

COMMENT: Stage II 1200-90 outside

# HEAT PLAN ACTIVATION REPORT

SIERRA CONSERVATION CENTER

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D				
			A <input type="checkbox"/>	D <input type="checkbox"/>	A <input type="checkbox"/>	D <input type="checkbox"/>	A <input type="checkbox"/>	D <input type="checkbox"/>	Warden/ AOD	CME/ POC	Unit LT.	Yard	Clinic
0100	80												
0200	79												
0300	79												
0400	78												
0500	76												
0600	77												
0700	79												
0800	79												
0900	82												
1000	88												
1100	89												
1200	91												
1300	95												
1400	96												
1500	95												
1600	92												
1700	90												
1800	89												
1900	87												
2000	85												
2100	-70												
2200	-90												
2300	-90												
2400	-90												

Captain   
Date 9-3-21  
COMMENT:

Associate Warden, *Programs Division*

Date 9/4/24

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE: 8/3/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander will sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D CONTACTS MADE				
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.	Vard	Clinic
0100	77												
0200	77												
0300	76												
0400	76												
0500	76												
0600	-90	JHChambers											
0700	-90	JACChambers											
0800	-90	JACChambers											
0900	-90	JACChambers											
1000	90	JACChambers											
1100	93	JACChambers											
1200	95	JACChambers											
1300	99	JACChambers											
1400	101	R Weller											
1500	105	M Byers											
1600	104	M Far											
1700	105	M Far											
1800	103	M Far											
1900	98	M Far											
2000	94	M Far											
2100	90	M Far											
2200	87												
2300	84												
2400	83												

Captain

Date 7-3-24

COMMENT: 5 temp 11 - insidetemp. 90@ 160hrs

Associate Warden, Programs Division

Date 9/4/24

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE: 8/4/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D CONTACTS MADE		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.
0100	-90										
0200	-90										
0300	-90										
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	-90										
1000	93										
1100	96										
1200	101										
1300	103										
1400	104										
1500	104										
1600	106										
1700	108										
1800	104										
1900	100										
2000	90										
2100	88										
2200	-90										
2300	-90										
2400	-90										

Captain   
Date 9-3-24

Associate Warden   
*Programs Division*

COMMENT:

Date 9/4/24

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE:

8/15/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander will sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER SIGNATURE	STAGES						Activation = A and Deactivation = D CONTACTS MADE				
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.	Vard	Clinic
0100	-90												
0200	-90												
0300	-90												
0400	-90												
0500	-90												
0600	-90												
0700	-90												
0800	-90												
0900	-90												
1000	-90												
1100	-95												
1200	-95												
1300	-101												
1400	-102												
1500	-104												
1600	-103												
1700	-102												
1800	-101												
1900	-97												
2000	-91												
2100	86												
2200	83												
2300	80												
2400	80												

Captain

Date 9-3-24

Associate Warden, Programs Division

Date 9/4/24

COMMENT:  
Stage 3 active thru 8/4

# HEAT PLAN ACTIVATION REPORT

SIERRA CONSERVATION CENTER

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

DATE: 8/7/24

## STAGES

Activation = A and Deactivation = D

CONTACTS MADE

TIME	TEMP	WATCH COMMANDER	A <u>1</u>	D <u>1</u>	A <u>II</u>	D <u>II</u>	A <u>III</u>	D <u>III</u>	Warden/ AOD	CME/ POC	Unit LT.	Vard	Clinic
0100	81	<i>PBZB</i>											
0200	81	<i>PBZB</i>											
0300	81	<i>PBZB</i>											
0400	81	<i>PBZB</i>											
0500	80	<i>PBZB</i>											
0600	~90	<i>CR</i>											
0700	-90	<i>CR</i>											
0800	-90	<i>CR</i>											
0900	90	<i>CR</i>											
1000	95	<i>CR</i>											
1100	100	<i>CR</i>											
1200	107	<i>CR</i>											
1300	106	<i>CR</i>											
1400	107	<i>CR</i>											
1500	108	<i>CR</i>											
1600	109	<i>CR</i>											
1700	108	<i>CR</i>											
1800	103	<i>CR</i>											
1900	98	<i>CR</i>											
2000	93	<i>CR</i>											
2100	95	<i>CR</i>											
2200	96	<i>CR</i>											
2300	84	<i>CR</i>											
2400	83	<i>CR</i>											

Captain  Date 9-3-24

COMMENT:

Remained on Stage III from 8/6/24

Associate Warden, Programs Division

Date 9/14/24

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE:

8/6/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D				
			A <u>I</u>	D <u>I</u>	A <u>II</u>	D <u>II</u>	A <u>III</u>	D <u>III</u>	Warden/ AOD	CME/ POC	Unit LT.	Vard	Clinic
0100	77	<u>J Chamberlain</u>											
0200	76	<u>J Chamberlain</u>							X	X	X	X	
0300	76	<u>J Chamberlain</u>											
0400	75	<u>J Chamberlain</u>											
0500	76	<u>J Chamberlain</u>											
0600	-90	<u>J Chamberlain</u>											
0700	-90	<u>J Chamberlain</u>											
0800	-90	<u>J Chamberlain</u>											
0900	-90	<u>J Chamberlain</u>											
1000	93	<u>J Chamberlain</u>											
1100	96	<u>J Chamberlain</u>											
1200	99	<u>J Chamberlain</u>											
1300	101	<u>J Chamberlain</u>											
1400	102	<u>J Chamberlain</u>											
1500	105	<u>J Chamberlain</u>											
1600	107	<u>J Chamberlain</u>											
1700	107	<u>J Chamberlain</u>											
1800	104	<u>J Chamberlain</u>											
1900	100	<u>J Chamberlain</u>											
2000	96	<u>J Chamberlain</u>											
2100	90	<u>J Chamberlain</u>											
2200	86	<u>J Chamberlain</u>											
2300	85	<u>J Chamberlain</u>											
2400	83	<u>J Chamberlain</u>											

  
Captain      Date 9-3-24

COMMENT:  
SCL is still on Stage II

  
Associate Warden, Programs Division

Date 9/4/24

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE: 8/8/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D CONTACTS MADE				
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.	Vard	Clinic
0100	82	PPT											
0200	80	PPT											
0300	78	PPT											
0400	77	PPT											
0500	75												
0600	-90	C											
0700	-90	C											
0800	-90	C											
0900	-90	C											
1000	91												
1100	95	C											
1200	98	C											
1300	100	C											
1400	101	C											
1500	101	C											
1600	102	C											
1700	100	C											
1800	99	C											
1900	95	C											
2000	96												
2100	88	G											
2200	85	GP12V											
2300	84	GP12V											
2400	80	GP12V											

Captain

Date 9-3-24

Associate Warden, Programs Division

Date 9/4/24

COMMENT: Stage II is still active from 8/17/24

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE:

8/19/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D CONTACTS MADE		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit
0100	77	PJN									
0200	74	PJN									
0300	73	PJN									
0400	73										
0500	73										
0600	-90	JH Chamber									
0700	-90	JH Chamber									
0800	-90	JH Chamber									
0900	-90	JH Chamber									
1000	-90	JH Chamber									
1100	74	JH Chamber									
1200	79	JH Chamber									
1300	101	JH Chamber									
1400	102	JH Chamber									
1500	102	JH Chamber									
1600	103	JH Chamber									
1700	102	JH Chamber									
1800	102	JH Chamber									
1900	97	JH Chamber									
2000	90	JH Chamber									
2100	86	JH Chamber									
2200	83	JH Chamber									
2300	82	JH Chamber									
2400	81	JH Chamber									

Captain

COMMENT:

Remain on Stage II.

Date 9-3-24

Associate Warden Programs Division

Date 9/4/24

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE: 8/10/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/20 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER SIGNATURE	STAGES						Activation = A and Deactivation = D CONTACTS MADE		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit
0100	78	Perry									
0200	76	PTW									
0300	73	PTW									
0400	72										
0500	71										
0600	74	J Chamberlain									
0700	-90	J Chamberlain									
0800	-90	J Chamberlain									
0900	-90	J Chamberlain									
1000	-90	J Chamberlain									
1100	-90	J Chamberlain									
1200	93	J Chamberlain	X								
1300	94	J Chamberlain									
1400	96	J Chamberlain									
1500	102	PTW									
1600	103	PTW									
1700	103	PTW									
1800	100	PTW									
1900	95	PTW									
2000	90	PTW									
2100	86	PTW									
2200	83	PTW									
2300	82	PTW									
2400	81	PTW									

Captain   
Date 9-3-24

Associate Warden, *Programs Division*

Date 9/4/24

COMMENT:

Stage II is still activated.

# SIERRA CONSERVATION CENTER HEAT PLAN ACTIVATION REPORT

DATE: 8/14/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	OUTSIDE	WATCH COMMANDER	STAGES						ACTIVATION = A AND DEACTIVATION = D				CONTACTS MADE			
				A I	D I	A II	D II	A III	D III	WARDEN/ AOD	CME/ POC	UNIT LT.	YARD	Clinic			
0100	75		P. L. V. J.							X	X	X	X	X	X	X	X
0200	73		P. L. V. J.														
0300	72		P. L. V. J.														
0400	71		P. L. V. J.														
0500	70		P. L. V. J.														
0600	-80		R. M. R. E. R.														
0700	-80		R. M. R. E. R.														
0800	-80		R. M. R. E. R.														
0900	-80		R. M. R. E. R.														
1000	-80		R. M. R. E. R.														
1100	92		R. M. R. E. R.														
1200	95		R. M. R. E. R.														
1300	98		R. M. R. E. R.														
1400	99		R. M. R. E. R.														
1500	101		R. M. R. E. R.														
1600	100		R. M. R. E. R.														
1700	98		R. M. R. E. R.														
1800	95		R. M. R. E. R.														
1900	90		R. M. R. E. R.														
2000	87		R. M. R. E. R.														
2100	83		R. M. R. E. R.														
2200	-90		R. M. R. E. R.														
2300	-90		R. M. R. E. R.														
2400	-90		R. M. R. E. R.														

Captain   
Date 9-3-24

Associate Warden   
Programs Division

Date 9/4/24

COMMENT: Stage II still active

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE:

8/12/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER SIGNATURE	X STAGES						Activation = A and Deactivation = D CONTACTS MADE				
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.	Vard	Clinic
0100	-90												
0200	-90												
0300	-90												
0400	-90												
0500	-90												
0600	-90												
0700	-90												
0800	-90												
0900	-90												
1000	-90												
1100	-90												
1200	91	X											
1300	95	X											
1400	96	X											
1500	98	X											
1600	93	X											
1700	91	X											
1800	88	X											
1900	86	X											
2000	-90	X											
2100	-90	X											
2200	-90	X											
2300	73	LTR'S JAUREGUI											
2400	72	LTR'S JAUREGUI											



Date 9-3-24

Associate Warden, *Programs Division*

Date 9/4/24

Captain

COMMENT: Stage II still active. — remain 2400 8/11/2024

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE:

AUG 13 2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A I	D I	A II	D II	A III	D III	Warden/ AOB	CME/ POC	Unit
0100	69	LT. R. S. JAUREGUI									
0200	68	LT. R. S. JAUREGUI									
0300	66	LT. R. S. JAUREGUI									
0400	64	LT. R. S. JAUREGUI									
0500	66	LT. R. S. JAUREGUI									
0600	-90	J. Chambers									
0700	-90	J. Chambers									
0800	-90	J. Chambers									
0900	-90	J. Chambers									
1000	-90	J. Chambers									
1100	-90	J. Chambers									
1200	-90	J. Chambers									
1300	92	J. Chambers									
1400	95	J. Chambers									
1500	97	J. Chambers									
1600	97	J. Chambers									
1700	96	J. Chambers									
1800	91	J. Chambers									
1900	88	J. Chambers									
2000	83	J. Chambers									
2100	79	Hanz									
2200	77	Hanz									
2300	76	Hanz									
2400	71	Hanz									

Captain   
COMMENT:

Date 9-3-24

Associate Warden  Programs Division

Date 9/4/24

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE: 8/14/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander will sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 01:00 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D			CONTACTS MADE		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.	Vard	Clinic	
0100	71	Hart												
0200	70	Hart												
0300	68	Hart												
0400	66	Hart												
0500	65	Hart												
0600	-90	C												
0700	-90	C												
0800	-90	C												
0900	-90	C												
1000	-90	C												
1100	-90	C												
1200	-90	C												
1300	92	C												
1400	94	C												
1500	94	C												
1600	94	C												
1700	93	C												
1800	92	C												
1900	89	C												
(2000)	84	C												
2100	81	C												
2200	79	Hart												
2300	76	Hart												
2400	75	Hart												

Captain  Date 8-3-24

COMMENT:

Associate Warden, *Programs Division*

Date 9/4/24

# HEAT PLAN ACTIVATION REPORT

SIERRA CONSERVATION CENTER

DATE:

8/15/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D CONTACTS MADE				
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.	Yard	Clinic
0100	73												
0200	71												
0300	70												
0400	68												
0500	66												
0600	-90												
0700	-90												
0800	-90												
0900	-90												
1000	-90												
1100	-90												
1200	-90												
1300	90												
1400	93												
1500	94												
1600	96												
1700	97												
1800	91												
1900	88												
2000	84												
2100	-90												
2200	-90												
2300	-90												
2400	-90												

Captain  Date 9-3-24

Associate Warden, *Programs Division*

Date 9/4/24

COMMENT:

# HEAT PLAN ACTIVATION REPORT

SIERRA CONSERVATION CENTER

DATE:

8/16/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 01:00 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D			CONTACTS MADE		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit	Vard	Clinic	L.T.
0100	72													
0200	71													
0300	69													
0400	67													
0500	66													
0600	-90													
0700	-90	J Chamberlain												
0800	-90	J Chamberlain												
0900	-90	J Chamberlain												
1000	-90	J Chamberlain												
1100	-90	J Chamberlain												
1200	-90	J Chamberlain												
1300	93	J Chamberlain	X											
1400	93	J Chamberlain												
1500	96	J Chamberlain												
1600	98	J Chamberlain												
1700	97	J Chamberlain												
1800	94	J Chamberlain												
1900	84	J Chamberlain												
2000	84	J Chamberlain	X											
2100	83	J Chamberlain												
2200	78													
2300	76													
2400	75													

Captain   
Date 87-3-24

COMMENT:

Associate Warden,  Programs Division

Date 9/4/24

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE:

8/17/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 01:00 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D			CONTACTS MADE		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.	Vard	Clinic	
0100	72													
0200	70													
0300	68													
0400	67													
0500	66													
0600	~90	J.A. Chamberlain												
0700	~90	J.A. Chamberlain												
0800	~90	J.A. Chamberlain												
0900	~90	J.A. Chamberlain												
1000	~90	J.A. Chamberlain												
1100	~90	J.A. Chamberlain												
1200	~90	J.A. Chamberlain												
1300	~90	J.A. Chamberlain												
1400	89	A.S. Thurber												
1500	90	A.S. Thurber												
1600	92	A.S. Thurber												
1700	90	A.S. Thurber												
1800	87	A.S. Thurber												
1900	83	A.S. Thurber												
2000	77	A.S. Thurber												
2100	72	A.S. Thurber												
2200	71													
2300	69													
2400	67													

Captain   
Date 7-3-24

COMMENT:

Associate Warden, Programs Division

Date 9/4/24

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE:

8/18/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander will sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 01:00 hour and ends the same day at 24:00 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D			CONTACTS MADE		
			A <input type="checkbox"/>	D <input type="checkbox"/>	A <input type="checkbox"/>	D <input type="checkbox"/>	A <input type="checkbox"/>	D <input type="checkbox"/>	Warden/ AOD	CME/ POC	Unit LT.	Vard	Clinic	
0100	66													
0200	64													
0300	62													
0400	61													
0500	60													
0600	~90													
0700	-75													
0800	-90													
0900	-90													
1000	-90													
1100	-80													
1200	-70													
1300	-70													
1400	-70													
1500	-90													
1600	92													
1700	90													
1800	87													
1900	85													
2000	-90													
2100	-90													
2200	-90													
2300	-90													
2400	-90													

  
Captain      Date 9-3-24

Associate Warden, *Programs Division*

Date 9/4/24

COMMENT:

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE: 8/19/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D CONTACTS MADE				
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.	Yard	Clinic
0100	-90												
0200	-90												
0300	-90												
0400	-90												
0500	-90												
0600	-90	Ronnebeck											
0700	-90	Ronnebeck											
0800	-90	Ronnebeck											
0900	-90	Ronnebeck											
1000	-90	Ronnebeck											
1100	-90	Ronnebeck											
1200	-90	Ronnebeck											
1300	-90	Ronnebeck											
1400	91		X										
1500	92												
1600	92												
1700	91												
1800	89												
1900	87												
2000	-90												
2100	-90												
2200	-90												
2300	-90												
2400	-90												

Captain  Date 9-3-24

Associate Warden  Programs Division

Date 9/4/24

COMMENT:

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE: 8/20/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A <input type="checkbox"/>	D <input type="checkbox"/>	A <input type="checkbox"/>	D <input type="checkbox"/>	A <input type="checkbox"/>	D <input type="checkbox"/>	Warden/ AOD	CME/ POC	Unit
0100	-80	<i>Jon</i>									
0200	-90	<i>Jon</i>									
0300	-90	<i>Jon</i>									
0400	-90	<i>Jon</i>									
0500	-90	<i>Jon</i>									
0600	-90	<i>Jon</i>									
0700	-90	<i>Jon</i>									
0800	-90	<i>Jon</i>									
0900	-90	<i>Jon</i>									
1000	-90	<i>Jon</i>									
1100	-90	<i>Jon</i>									
1200	-90	<i>Jon</i>									
1300	91	<i>Jon</i>									
1400	95	<i>Jon</i>									
1500	95	<i>Jon</i>									
1600	95	<i>Jon</i>									
1700	92	<i>Jon</i>									
1800	90	<i>Jon</i>									
1900	87	<i>Jon</i>									
2000	83	<i>Jon</i>									
2100	78	<i>Jon</i>									
2200	-90	<i>Don</i>									
2300	-90	<i>Don</i>									
2400	-90	<i>Don</i>									

Captain *[Signature]* Date 9-3-24

Associate Warden, Programs Division

Date 9/4/24

COMMENT:

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE:

8/21/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER SIGNATURE	STAGES						Activation = A and Deactivation = D CONTACTS MADE		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	<i>Party 1</i>									
0200	-90	<i>Party 2</i>									
0300	-90	<i>Party 3</i>									
0400	-90	<i>Party 4</i>									
0500	-90	<i>Party 5</i>									
0600	-90	<i>Party 6</i>									
0700	-90	<i>Party 7</i>									
0800	-90	<i>Party 8</i>									
0900	-90	<i>Party 9</i>									
1000	-90	<i>Party 10</i>									
1100	-90	<i>Party 11</i>									
1200	-90	<i>Party 12</i>									
1300	90	<i>Party 13</i>									
1400	93	<i>Party 14</i>									
1500	94	<i>Party 15</i>									
1600	95	<i>Party 16</i>									
1700	93	<i>Party 17</i>									
1800	92	<i>Party 18</i>									
1900	86	<i>Party 19</i>									
2000	82	<i>Party 20</i>									
2100	77	<i>Party 21</i>									
2200	75	<i>Party 22</i>									
2300	74	<i>Party 23</i>									
2400	71	<i>Party 24</i>									

Captain   
Date 9-3-24

Associate Warden, *Programs Division*

Date 9/9/24

COMMENT:

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE:

8/22/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 01:00 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D CONTACTS MADE		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit
0100	71										
0200	70										
0300	68										
0400	66										
0500	64										
0600	-90										
0700	-90										
0800	-90										
0900	-90										
1000	-90										
1100	-90										
1200	-90										
1300	-90										
1400	-90										
1500	-90										
1600	-90										
1700	-90										
1800	-90										
1900	-90										
2000	-90										
2100	-90										
2200	-90										
2300	64										
2400	62										

Captain   
Date 9-3-24

Associate Warden   
Programs Division Date 9/4/24

COMMENT:

# HEAT PLAN ACTIVATION REPORT

SIERRA CONSERVATION CENTER

DATE: 8/23/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/20 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D CONTACTS MADE			
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.	Yard
0100	60											
0200	59											
0300	59											
0400	58											
0500	57											
0600	-90	JF Chambers										
0700	-90	JF Chambers										
0800	-90	JF Chambers										
0900	-90	JF Chambers										
1000	-90	JF Chambers										
1100	-90	JF Chambers										
1200	-90	JF Chambers										
1300	-90	JF Chambers										
1400	-90	JF Chambers										
1500	-90	JF Chambers										
1600	-90	JF Chambers										
1700	-90	JF Chambers										
1800	-90	JF Chambers										
1900	-90	JF Chambers										
2000	-90	JF Chambers										
2100	-90	JF Chambers										
2200	65	Hawke										
2300	65											
2400	67											

Captain   
Date 9-3-24

Associate Warden,   
*Programs Division*

Date 9/4/24

COMMENT:

# HEAT PLAN ACTIVATION REPORT

DATE:

8/24/24

SIERRA CONSERVATION CENTER

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D				
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.	Yard	Clinic
0100	63												
0200	62												
0300	61												
0400	61												
0500	61												
0600	-90	JFChamber											
0700	-90	JFChamber											
0800	-90	JFChamber											
0900	-90	JFChamber											
1000	-90	JFChamber											
1100	-90	JFChamber											
1200	-90	JFChamber											
1300	-90	JFChamber											
1400	-70	Ruecker											
1500	-70	M Jern											
1600	-70	M Jern											
1700	-90	M Jern											
1800	-90	M Jern											
1900	-90	M Jern											
2000	-90	M Jern											
2100	-90	M Jern											
2200	67												
2300	66												
2400	66												

Captain   
Date 9-3-24

COMMENT:

Associate Warden  Programs Division

Date 9/4/24

# HEAT PLAN ACTIVATION REPORT

DATE:


8/25/24

SIERRA CONSERVATION CENTER

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Programs Division* office.

TIME	OUTSIDE TEMP	WATCH COMMANDER SIGNATURE	STAGES						ACTIVATION = A AND DEACTIVATION = D CONTACTS MADE		
			I	D	A	D	A	D	WARDEN/AOD	CME/POC	UNIT LT.
0100	-90										
0200	-90										
0300	-90										
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	-90										
1000	-90										
1100	-90										
1200	-90										
1300	-90										
1400	-90										
1500	-90										
1600	-90										
1700	-90										
1800	-90										
1900	-90										
2000	-90										
2100	-90										
2200	-90										
2300	-90										
2400	-90										

Captain



Date 9-3-24

COMMENT:

Associate Warden



Date 9/4/24

# HEAT PLAN ACTIVATION REPORT

DATE:

8/26/24

SIERRA CONSERVATION CENTER

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	OUTSIDE TEMP	WATCH COMMANDER SIGNATURE	STAGES						ACTIVATION = A AND DEACTIVATION = D CONTACTS MADE			
			A	D	A	D	A	D	WARDEN/AOD	CME/POC	UNIT LT.	YARD
0100	-90											
0200	-90											
0300	-90											
0400	-90											
0500	-90											
0600	-90											
0700	-90											
0800	-90											
0900	-90											
1000	-90											
1100	-90											
1200	-90											
1300	91											
1400	95											
1500	95											
1600	96											
1700	96											
1800	97											
1900	89											
2000	87											
2100	-90											
2200	-90											
2300	-90											
2400	-90											

Captain COMMENT:

Date 9-3-24

Associate Warden, Programs Division

Date 9/4/24

# HEAT PLAN ACTIVATION REPORT

DATE: 8/27/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	PJZ									
0200	-90	PJZ									
0300	-90	PJZ									
0400	-90	PJZ									
0500	-90	PJZ									
0600	-90	JACChambers									
0700	-90	JACChambers									
0800	-90	JACChambers									
0900	-90	JACChambers									
1000	-90	JACChambers									
1100	90	JACChambers									
1200	94	JACChambers									
1300	97	JACChambers									
1400	99	JACChambers									
1500	99	JACChambers									
1600	989	JACChambers									
1700	988	JACChambers									
1800	94	JACChambers									
1900	92	JACChambers									
2000	90	JACChambers									
2100	84	JACChambers									
2200	-70	JACChambers									
2300	-90										
2400	-90										

Captain  Date 9-3-24

COMMENT:

Associate Warden, *Programs Division*

Date 9/1/24

# HEAT PLAN ACTIVATION REPORT

DATE:

8-28-24

SIERRA CONSERVATION CENTER

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D			
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.	Yard
0100	-90											
0200	-90											
0300	-90											
0400	-90											
0500	-90											
0600	-90											
0700	-90											
0800	-90											
0900	-90											
1000	-90											
1100	91											
1200	95											
1300	98											
1400	100											
1500	109											
1600	109											
1700	100											
1800	98											
1900	93											
2000	89											
2100	-90											
2200	80											
2300	78											
2400	75											

Captain  Date 9-3-24 Associate Warden  Programs Division Date 9/4/24

COMMENT:

# HEAT PLAN ACTIVATION REPORT

DATE:

8/29/21

SIERRA CONSERVATION CENTER

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D CONTACTS MADE		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.
0100	76										
0200	74										
0300	72										
0400	71										
0500	70										
0600	-70										
0700	-70										
0800	-70										
0900	-70										
1000	-70										
1100	-70										
1200	71										
1300	75										
1400	77										
1500	72										
1600	72										
1700	75										
1800	73										
1900	89										
2000	~90										
2100	-90										
2200	80										
2300	78										
2400	75										

Captain   
 Date 9-3-24  
 COMMENT:  


Associate Warden, Programs Division

Date 9/4/24

# HEAT PLAN ACTIVATION REPORT

SIERRA CONSERVATION CENTER

DATE:

8/30/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			I	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.
0100	73										
0200	71										
0300	71										
0400	70										
0500	68										
0600	90	J Chambers									
0700	-90	J Chambers									
0800	-90	J Chambers									
0900	-90	J Chambers									
1000	-90	J Chambers									
1100	90	J Chambers									
1200	93	J Chambers									
1300	96	J Chambers									
1400	98	J Chambers									
1500	98	J Chambers									
1600	98	J Chambers									
1700	98	J Chambers									
1800	96	J Chambers									
1900	90	J Chambers									
2000	85	J Chambers									
2100	82	J Chambers									
2200	79										
2300	77										
2400	76										

  
Captain   
COMMENT:

Date 9-3-24

Associate Warden, *Program Division*

Date 9/4/24

# HEAT PLAN ACTIVATION REPORT

DATE:

8/31/2024

SIERRA CONSERVATION CENTER

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.
0100	77										
0200	74										
0300	72										
0400	71										
0500	70										
0600	69										
0700	68										
0800	73										
0900	80										
1000	86										
1100	88										
1200	91										
1300	94										
1400	98										
1500	101										
1600	100										
1700	100										
1800	97										
1900	92										
2000	86										
2100	82										
2200	80										
2300	77										
2400	72										

Captain   
Date 9-3-24

COMMENT:   
Associate Warden, *Programs Division* Date 9/4/24

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 65      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	77	G1
	0600	80	CARODNA
	0900	81	CARODNA
	1200	81	CARODNA
	1500	85	Aver
	1800	84	Herr
	2100	85	Herr
	2400	85	Rypal

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	82	Rypal
	0600	82	Dishen
	0900	84	Noter
	1200	87	Robles
	1500	87	Gregg
	1800	88	Gregg
	2100	88	Gregg
	2400	84	Rypal

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	82	Rypal
	0600	83	HIZLOEN
	0900	83	HIZLOEN
	1200	87	HIZLOEN
	1500	88	Bono
	1800	88	Re
	2100	87	B
	2400	85	MORA

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	84	MCPBA
	0600	85	CARODNA
	0900	85	CARODNA
	1200	86	CARODNA
	1500	85	COSTANOR
	1800	85	COSTANOR
	2100	84	COSTANOR
	2400	82	MORA

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	79	MORA
	0600	80	91
	0900	92	CARODNA
	1200	92	CARODNA
	1500	97	WEATHERS
	1800	90	WEATHERS
	2100	88	WEATHERS
	2400	86	G

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	85	W1
	0600	85	CARODNA
	0900	87	CARODNA
	1200	89	CARODNA
	1500	91	Re
	1800	91	Re
	2100	92	Re
	2400	91	Re

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	90	G1
	0600	90	CARODNA
	0900	92	CARODNA
	1200	93	CARODNA
	1500	93	Re
	1800	94	Re
	2100	96	Re
	2400	95	G1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 66      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/29	0300	86	Allen
	0600	86	Nebles
	0900	86	Rebe
	1200	87	Rebe
	1500	87	COSTILLA
	1800	87	COSTILLA
	2100	87	COSTILLA
	2400	86	Allen

#### Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	85	Allen
	0600	86	
	0900	86	
	1200	88	
	1500	89	
	1800	90	
	2100	90	
	2400	90	Kimball

#### Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	89	Kimball
	0600	88	
	0900	88	
	1200	89	
	1500	89	
	1800	90	
	2100	91	
	2400	90	Kimball

#### Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	89	Kimball
	0600	88	
	0900	88	
	1200	90	
	1500	93	
	1800	93	
	2100	93	
	2400	92	Kimball

#### Friday

Date	Time	Temp.	Name (Print)
8/2	0300	90	Kimball
	0600	90	
	0900	91	
	1200	91	
	1500	91	
	1800	91	
	2100	90	
	2400	91	Kimball

#### Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	90	Kimball
	0600	87	
	0900	90	
	1200	90	
	1500	93	
	1800	93	
	2100	90	
	2400	90	Kimball

#### Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	90	Kimball
	0600	89	Nebles
	0900	89	Rebe
	1200	90	Nebles
	1500	91	COSTILLA
	1800	91	COSTILLA
	2100	91	COSTILLA
	2400	92	Allen

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 67      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	78	cr 1
	0600	80	CARONA
	0900	80	CARONA
	1200	81	CARONA
	1500	85	Her
	1800	84	Her
	2100	85	Her
	2400	84	Ryanl

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	81	Ryanl
	0600	82	Ryanl
	0900	84	Ryanl
	1200	87	Ryanl
	1500	87	Gregg
	1800	88	Gregg
	2100	89	Gregg
	2400	86	Ryanl

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	82	Ryanl
	0600	82	HILGEN
	0900	83	HILGEN
	1200	87	HILGEN
	1500	85	Bone
	1800	86	Bo
	2100	85	Bo
	2400	87	Mope

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	82	MORE
	0600	86	CARONA
	0900	85	CARONA
	1200	87	CARONA
	1500	85	CARONA
	1800	85	CARANA
	2100	85	CARANA
	2400	81	Mope

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	79	MORE
	0600	89	CARONA
	0900	89	CARONA
	1200	90	CARONA
	1500	91	WEATHERS
	1800	90	WEATHERS
	2100	89	WEATHERS
	2400	87	GUY

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	87	GUY
	0600	89	EMERSON
	0900	90	CARONA
	1200	90	CARONA
	1500	91	GUY
	1800	91	GUY
	2100	91	GUY
	2400	70	GUY

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	88	GUY
	0600	90	CARONA
	0900	92	CARONA
	1200	93	CARONA
	1500	95	BAINS
	1800	94	BAINS
	2100	96	BAINS
	2400	95	GUY

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 68      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/29	0300	84	Allen
	0600	84	Kimbell
	0900	86	Allen
	1200	88	Allen
	1500	89	Castillo
	1800	89	Castillo
	2100	86	Castillo
	2400	85	Allen

Tuesday			
Date	Time	Temp.	Name (Print)
7/30	0300	84	Allen
	0600	85	<del>Allen</del>
	0900	85	<del>Allen</del>
	1200	86	<del>Allen</del>
	1500	85	<del>Allen</del>
	1800	86	<del>Allen</del>
	2100	86	<del>Allen</del>
	2400	84	Kimbell

Wednesday			
Date	Time	Temp.	Name (Print)
7/31	0300	83	Kimbell
	0600	84	<del>Kimbell</del>
	0900	85	<del>Kimbell</del>
	1200	86	<del>Kimbell</del>
	1500	87	<del>Kimbell</del>
	1800	88	<del>Kimbell</del>
	2100	88	<del>Kimbell</del>
	2400	87	Kimbell

Thursday			
Date	Time	Temp.	Name (Print)
8/1	0300	86	Kimbell
	0600	86	<del>Kimbell</del>
	0900	86	<del>Kimbell</del>
	1200	88	<del>Kimbell</del>
	1500	91	<del>Kimbell</del>
	1800	91	<del>Kimbell</del>
	2100	92	<del>Kimbell</del>
	2400	91	Kimbell

Friday			
Date	Time	Temp.	Name (Print)
8/2	0300	89	Kimbell
	0600	89	<del>Kimbell</del>
	0900	90	<del>Kimbell</del>
	1200	91	<del>Kimbell</del>
	1500	91	<del>Kimbell</del>
	1800	91	<del>Kimbell</del>
	2100	90	<del>Kimbell</del>
	2400	90	Kimbell

Saturday			
Date	Time	Temp.	Name (Print)
8/3	0300	89	Kimbell
	0600	87	<del>Kimbell</del>
	0900	90	<del>Kimbell</del>
	1200	90	<del>Kimbell</del>
	1500	93	<del>Kimbell</del>
	1800	91	<del>Kimbell</del>
	2100	90	<del>Kimbell</del>
	2400	90	Kimbell

Sunday			
Date	Time	Temp.	Name (Print)
8/4	0300	89	Kimbell
	0600	87	<del>Kimbell</del>
	0900	90	<del>Kimbell</del>
	1200	90	<del>Kimbell</del>
	1500	90	Castillo
	1800	93	Castillo
	2100	97	Castillo
	2400	93	Allen

Notes & Signatures

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 69 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	80	G1
	0600	80	CARONA
	0900	81	CARONA
	1200	81	CARONA
	1500	85	Her
	1800	84	Her
	2100	85	Her
	2400	84	Rynd

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	82	Rynd
	0600	82	Rob
	0900	84	Rob
	1200	87	Rob
	1500	88	Greg
	1800	89	Greg
	2100	88	Greg
	2400	86	Rynd

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	82	Rynd
	0600	83	HIGG
	0900	84	HIGG
	1200	87	HIGG
	1500	88	Bon
	1800	88	Bon
	2100	87	Bo
	2400	80	MOOK

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	75	MOOK
	0600	80	CARONA
	0900	83	CARONA
	1200	86	CARONA
	1500	88	CARONA
	1800	85	CARONA
	2100	85	CARONA
	2400	83	MOOK

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	81	Whe
	0600	89	CARONA
	0900	89	CARONA
	1200	90	CARONA
	1500	91	WEATHERS
	1800	90	WEATHERS
	2100	89	WEATHERS
	2400	87	w1

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	87	WEATHERS w1
	0600	89	CARONA
	0900	90	CARONA
	1200	90	CARONA
	1500	91	D
	1800	91	D
	2100	91	D
	2400	90	on

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	70	G1
	0600	90	CARONA
	0900	92	CARONA
	1200	92	CARONA
	1500	93	BAINS
	1800	93	BAINS
	2100	95	BAINS
	2400	74	on

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 70      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	84	Allen
	0600	86	Risher
	0900	86	Rish
	1200	88	Rish
	1500	89	Castillo
	1800	88	Castillo
	2100	87	Castillo
	2400	86	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	83	Kimbrell
	0600	84	<del>Kimbrell</del>
	0900	85	<del>Kimbrell</del>
	1200	86	<del>Kimbrell</del>
	1500	87	<del>Kimbrell</del>
	1800	87	<del>Kimbrell</del>
	2100	87	<del>Kimbrell</del>
	2400	86	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	89	Kimbrell
	0600	88	<del>Kimbrell</del>
	0900	89	<del>Kimbrell</del>
	1200	90	<del>Kimbrell</del>
	1500	90	<del>Kimbrell</del>
	1800	91	<del>Kimbrell</del>
	2100	90	<del>Kimbrell</del>
	2400	90	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	89	Kimbrell
	0600	87	<del>Kimbrell</del>
	0900	88	<del>Kimbrell</del>
	1200	90	<del>Kimbrell</del>
	1500	91	Castillo
	1800	93	Castillo
	2100	96	Castillo
	2400	93	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	84	Allen
	0600	83	<del>Allen</del>
	0900	84	<del>Allen</del>
	1200	85	<del>Allen</del>
	1500	86	<del>Allen</del>
	1800	86	<del>Allen</del>
	2100	85	<del>Allen</del>
	2400	84	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	85	Kimbrell
	0600	86	<del>Kimbrell</del>
	0900	86	<del>Kimbrell</del>
	1200	87	<del>Kimbrell</del>
	1500	89	<del>Kimbrell</del>
	1800	90	<del>Kimbrell</del>
	2100	91	<del>Kimbrell</del>
	2400	90	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	89	Kimbrell
	0600	89	<del>Kimbrell</del>
	0900	90	<del>Kimbrell</del>
	1200	90	<del>Kimbrell</del>
	1500	92	<del>Kimbrell</del>
	1800	91	<del>Kimbrell</del>
	2100	90	<del>Kimbrell</del>
	2400	89	Kimbrell

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 71      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/29	0300	75	G 7
	0600	79	CAROLINA
	0900	80	CAROLINA
	1200	81	CAROLINA
	1500	85	Her
	1800	84	Her
	2100	85	Her
	2400	85	Rypal

Tuesday			
Date	Time	Temp.	Name (Print)
7/30	0300	81	Rypal
	0600	82	Bob
	0900	84	Reba
	1200	87	Reba
	1500	88	Gregg
	1800	88	Artega
	2100	88	Gregg
	2400	86	Rypal

Wednesday			
Date	Time	Temp.	Name (Print)
7/31	0300	83	Rypal
	0600	83	HILGEN
	0900	83	HILGEN
	1200	86	HILGEN
	1500	85	Bono
	1800	86	Bono
	2100	85	Bono
	2400	83	MCPB

Thursday			
Date	Time	Temp.	Name (Print)
8/1	0300	82	Moore
	0600	85	CAROLINA
	0900	85	CAROLINA
	1200	87	CAROLINA
	1500	85	CASTANON
	1800	85	CASTANON
	2100	85	CASTANON
	2400	83	Moore

Friday			
Date	Time	Temp.	Name (Print)
8/2	0300	81	WATKIN
	0600	89	CAROLINA
	0900	89	CAROLINA
	1200	89	CAROLINA
	1500	90	WEATHERS
	1800	90	WEATHERS
	2100	89	WEATHERS
	2400	88	G 1

Saturday			
Date	Time	Temp.	Name (Print)
8/3	0300	89	Gr 1
	0600	89	CAROLINA
	0900	90	CAROLINA
	1200	90	CAROLINA
	1500	91	Gr 1
	1800	91	Gr 1
	2100	91	Gr 1
	2400	90	Gr 1

Sunday			
Date	Time	Temp.	Name (Print)
8/4	0300	89	G 1
	0600	90	CAROLINA
	0900	91	CAROLINA
	1200	94	medium
	1500	94	BAINS
	1800	94	BAINS
	2100	94	Bains
	2400	93	G 1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 72      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/29	0300	85	Allen
	0600	86	Ruth
	0900	86	Ruth
	1200	86	Ruth
	1500	86	Castillo
	1800	88	Castillo
	2100	87	Castillo
	2400	85	Allen

Tuesday			
Date	Time	Temp.	Name (Print)
7/30	0300	84	Allen
	0600	82	
	0900	83	
	1200	85	
	1500	86	
	1800	85	
	2100	85	
	2400	83	Kimbrell

Wednesday			
Date	Time	Temp.	Name (Print)
7/31	0300	82	Kimbrell
	0600	82	
	0900	83	
	1200	84	
	1500	85	
	1800	85	
	2100	86	
	2400	86	Kimbrell

Thursday			
Date	Time	Temp.	Name (Print)
8/1	0300	85	Kimbrell
	0600	86	
	0900	86	
	1200	87	
	1500	90	
	1800	90	
	2100	89	
	2400	90	Kimbrell

Friday			
Date	Time	Temp.	Name (Print)
8/2	0300	89	Kimbrell
	0600	89	
	0900	89	
	1200	90	
	1500	90	
	1800	90	
	2100	90	
	2400	89	Kimbrell

Saturday			
Date	Time	Temp.	Name (Print)
8/3	0300	88	Kimbrell
	0600	89	
	0900	90	
	1200	90	
	1500	91	
	1800	89	
	2100	88	
	2400	88	Kimbrell

Notes & Signatures			
1st/W - Print & Sign:			
2nd/W - Print & Sign:			
3rd/W - Print & Sign:			

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 73      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	76	G1
	0600	78	CARONA
	0900	80	CARONA
	1200	81	CARONA
	1500	85	Her
	1800	84	Her
	2100	85	Her
	2400	84	Ryndl

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	82	Ryndl
	0600	82	LSD
	0900	84	Robbin
	1200	87	Robbin
	1500	88	Gregg
	1800	89	Gregg
	2100	89	Gregg
	2400	90	Ryndl

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	82	Ryndl
	0600	81	HILGEN
	0900	82	HILGEN
	1200	85	HILGEN
	1500	85	Danna
	1800	86	Danna
	2100	85	Danna
	2400	87	MOORE

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	85	MCKEE
	0600	85	CARONA
	0900	85	CARONA
	1200	87	CARONA
	1500	85	CASTANON
	1800	85	CASTANON
	2100	85	CASTANON
	2400	83	MOPA

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	81	MOORE
	0600	89	CARONA
	0900	89	CARONA
	1200	89	CARONA
	1500	89	WEATHERS
	1800	88	WEATHERS
	2100	88	WEATHERS
	2400	86	G1

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	87	G1
	0600	81	CARONA
	0900	90	CARONA
	1200	90	CARONA
	1500	91	BAMS
	1800	91	BAMS
	2100	91	BAMS
	2400	90	G1

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	88	G1
	0600	90	CARONA
	0900	96	CARONA
	1200	93	CARONA
	1500	93	BAMS
	1800	93	BAMS
	2100	93	BAMS
	2400	92	G1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 74      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/29	0300	85	Allen
	0600	86	Nobles
	0900	85	Reh
	1200	86	Reh
	1500	87	Castillo
	1800	87	Castillo
	2100	86	Castillo
	2400	85	Allen

Tuesday			
Date	Time	Temp.	Name (Print)
7/30	0300	84	Allen
	0600	83	<del>Reh</del>
	0900	84	<del>Reh</del>
	1200	84	<del>Reh</del>
	1500	85	<del>Reh</del>
	1800	85	<del>Reh</del>
	2100	84	<del>Reh</del>
	2400	82	Kimbrell

Wednesday			
Date	Time	Temp.	Name (Print)
7/31	0300	72	Kimbrell
	0600	80	<del>Reh</del>
	0900	81	<del>Reh</del>
	1200	82	<del>Reh</del>
	1500	84	<del>Reh</del>
	1800	85	<del>Reh</del>
	2100	84	<del>Reh</del>
	2400	86	Kimbrell

Thursday			
Date	Time	Temp.	Name (Print)
8/1	0300	84	Kimbrell
	0600	85	<del>Reh</del>
	0900	85	<del>Reh</del>
	1200	86	<del>Reh</del>
	1500	89	<del>Reh</del>
	1800	90	<del>Reh</del>
	2100	91	<del>Reh</del>
	2400	89	Kimbrell

Friday			
Date	Time	Temp.	Name (Print)
8/2	0300	88	Kimbrell
	0600	86	<del>Reh</del>
	0900	87	<del>Reh</del>
	1200	88	<del>Reh</del>
	1500	88	<del>Reh</del>
	1800	99	<del>Reh</del>
	2100	99	<del>Reh</del>
	2400	86	Kimbrell

Saturday			
Date	Time	Temp.	Name (Print)
8/3	0300	85	Kimbrell
	0600	87	<del>Reh</del>
	0900	90	<del>Reh</del>
	1200	90	<del>Reh</del>
	1500	92	<del>Reh</del>
	1800	90	<del>Reh</del>
	2100	90	<del>Reh</del>
	2400	88	Kimbrell

Sunday			
Date	Time	Temp.	Name (Print)
8/4	0300	88	Kimbrell
	0600	87	<del>Reh</del>
	0900	88	<del>Reh</del>
	1200	90	<del>Reh</del>
	1500	90	Castillo
	1800	92	Castillo
	2100	94	Castillo
	2400	92	Allen

Notes & Signatures

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 75      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	76	✓
	0600	78	CARDONA
	0900	80	CARDONA
	1200	81	CARDONA
	1500	85	Her
	1800	84	Her
	2100	85	Her
	2400	84	Ruppel

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	82	Ruppel
	0600	82	✓
	0900	84	Robles
	1200	87	Robles
	1500	88	J. Gregg
	1800	89	Gregg
	2100	88	Gregg
	2400	85	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	83	Ruppel
	0600	82	HILGEN
	0900	83	HILGEN
	1200	86	HILGEN
	1500	87	Borito
	1800	87	Borito
	2100	85	Borito
	2400	83	MORSE

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	80	MORSE
	0600	86	CARDONA
	0900	86	CARDONA
	1200	89	CARDONA
	1500	85	CASTANON
	1800	85	CASTANON
	2100	85	CASTANON
	2400	83	MORSE

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	80	MORSE
	0600	89	CARDONA
	0900	89	CARDONA
	1200	89	CARDONA
	1500	89	WEATHERS
	1800	89	Weathers
	2100	88	Weathers
	2400	87	✓

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	88	G. L
	0600	89	CARDONA
	0900	90	CARDONA
	1200	90	CARDONA
	1500	91	✓
	1800	91	✓
	2100	91	✓
	2400	90	✓

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	88	✓
	0600	90	CARDONA
	0900	90	CARDONA
	1200	92	CARDONA
	1500	94	BAINS
	1800	94	BAINS
	2100	94	BAINS
	2400	93	✓

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 76 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	84	Allen
	0600	84	Rosales
	0900	86	Robie
	1200	88	Robie
	1500	88	Castillo
	1800	87	Castillo
	2100	87	Castillo
	2400	85	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	84	Allen
	0600	85	
	0900	85	
	1200	85	
	1500	85	
	1800	86	
	2100	85	
	2400	84	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	82	Kimbrell
	0600	83	
	0900	84	
	1200	86	
	1500	87	
	1800	87	
	2100	86	
	2400	86	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	84	Kimbrell
	0600	85	
	0900	85	
	1200	87	
	1500	90	
	1800	91	
	2100	91	
	2400	90	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	89	Kimbrell
	0600	86	
	0900	87	
	1200	88	
	1500	88	
	1800	89	
	2100	87	
	2400	86	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	85	Kimbrell
	0600	89	
	0900	90	P
	1200	90	P
	1500	93	W
	1800	90	C
	2100	90	A
	2400	89	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	89	Kimbrell
	0600	87	Kerb
	0900	88	Neh
	1200	85	Neh
	1500	90	Castillo
	1800	92	Castillo
	2100	89	Castillo
	2400	91	Allen

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 65 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	93	c-1
	0600	97	Sauceda
	0900	88	Sauceda
	1200	89	Sauceda
	1500	94	Garcia
	1800	96	Garcia
	2100	96	Garcia
	2400	92	Ryant

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	99	Ryant
	0600	85	KING
	0900	85	KING
	1200	86	KING
	1500	95	Garcia
	1800	97	Garcia
	2100	96	Garcia
	2400	93	Ryant

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	91	Ryant
	0600	90	Hickey
	0900	91	Hickey
	1200	93	Hickey
	1500	96	C THAO
	1800	95	C THAO
	2100	95	C THAO
	2400	93	Moore

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	90	MOORE
	0600	90	S Kessler
	0900	90	S Kessler
	1200	91	S Kessler
	1500	95	Lee
	1800	94	Lee
	2100	94	Lee
	2400	90	MOORE

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	87	moore
	0600	87	Palecek
	0900	90	Palecek
	1200	91	Palecek
	1500	99	Z
	1800	99	Z
	2100	93	Z
	2400	91	c-1

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	89	c-1
	0600	87	CARONA
	0900	96	CARONA
	1200	91	CARONA
	1500	93	Z
	1800	94	Z
	2100	94	Z
	2400	93	c-1

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 66      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	91	Allen
	0600	92	<u>  </u>
	0900	91	<u>  </u>
	1200	93	Castillo
	1500	94	Castillo
	1800	93	Castillo
	2100	98	Castillo
	2400	96	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	94	Allen
	0600	93	<u>  </u>
	0900	93	<u>  </u>
	1200	94	<u>  </u>
	1500	94	<u>  </u>
	1800	95	<u>  </u>
	2100	97	<u>  </u>
	2400	96	Kimball

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	94	Kimball
	0600	93	<u>  </u>
	0900	94	<u>  </u>
	1200	95	<u>  </u>
	1500	95	<u>  </u>
	1800	96	<u>  </u>
	2100	97	<u>  </u>
	2400	95	CHASTAIN

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	94	CHASTAIN
	0600	93	<u>  </u>
	0900	94	<u>  </u>
	1200	94	<u>  </u>
	1500	94	<u>  </u>
	1800	95	<u>  </u>
	2100	96	<u>  </u>
	2400	95	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	94	Kimball
	0600	93	<u>  </u>
	0900	93	<u>  </u>
	1200	93	<u>  </u>
	1500	93	<u>  </u>
	1800	99	<u>  </u>
	2100	99	<u>  </u>
	2400	94	CHASTAIN

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	93	CHASTAIN
	0600	92	<u>  </u>
	0900	93	<u>  </u>
	1200	93	<u>  </u>
	1500	94	GP
	1800	93.5	GP
	2100	95	GP
	2400	95	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	94	Kimball
	0600	95	<u>  </u>
	0900	98	<u>  </u>
	1200	90	Pobles
	1500	92	Castillo
	1800	99	Castillo
	2100	94	Castillo
	2400	87	CHASTAIN

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 67 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	93	<i>gyl</i>
	0600	92	<i>Saucedo</i>
	0900	89	<i>Saucedo</i>
	1200	91	<i>Saucedo</i>
	1500	94	<i>bennet</i>
	1800	97	<i>GARNER</i>
	2100	96	<i>GARNER</i>
	2400	92	<i>Ryant</i>

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	92	<i>Ryant</i>
	0600	91	<i>HEIGEN</i>
	0900	99	<i>HEIGEN</i>
	1200	94	<i>HEIGEN</i>
	1500	96	<i>LTHAO</i>
	1800	95	<i>LTHAO</i>
	2100	95	<i>LTHAO</i>
	2400	93	<i>Moffe</i>

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	97	<i>Moore</i>
	0600	97	<i>Palecek</i>
	0900	99	<i>Palecek</i>
	1200	91	<i>Palecek</i>
	1500	94	<i>Palecek</i>
	1800	94	<i>Palecek</i>
	2100	93	<i>Palecek</i>
	2400	91	<i>or 1</i>

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	90	<i>Gul</i>
	0600	88	<i>CARONA</i>
	0900	89	<i>CARONA</i>
	1200	91	<i>CARONA</i>
	1500	92	<i>CARONA</i>
	1800	95	<i>CARONA</i>
	2100	92	<i>CARONA</i>
	2400	91	<i>or 1</i>

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	90	<i>Ryant</i>
	0600	90	<i>KING</i>
	0900	90	<i>KING</i>
	1200	91	<i>KING</i>
	1500	95	<i>GARNER</i>
	1800	95	<i>GARNER</i>
	2100	96	<i>GARNER</i>
	2400	94	<i>Ryant</i>

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	90	<i>MOORE</i>
	0600	90	<i>S. Foster</i>
	0900	90	<i>S. Foster</i>
	1200	91	<i>S. Messor</i>
	1500	93	<i>Moore</i>
	1800	94	<i>Moore</i>
	2100	96	<i>Moore</i>
	2400	94	<i>Moore</i>

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	96	<i>CARONA</i>
	0600	89	<i>CARONA</i>
	0900	90	<i>CARONA</i>
	1200	91	<i>CARONA</i>
	1500	93	<i>CARONA</i>
	1800	94	<i>CARONA</i>
	2100	94	<i>CARONA</i>
	2400	95	<i>CARONA</i>

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 68      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	91	Allen
	0600	92	Ralph
	0900	92	Ralph
	1200	91	Saylors
	1500	94	Castillo
	1800	96	Castillo
	2100	97	Castillo
	2400	95	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	92	Kimbrell
	0600	92	
	0900	93	
	1200	94	
	1500	94	
	1800	95	
	2100	95	
	2400	95	CHASTAIN

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	91	Kimbrell
	0600	91	
	0900	91	
	1200	91	
	1500	92	
	1800	92	
	2100	93	
	2400	93	CHASTAIN

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	90	Kimbrell
	0600	96	Ralph
	0900	96	Ralph
	1200	90	Rables
	1500	92	Castillo
	1800	94	Castillo
	2100	93	Castillo
	2400	91	CHASTAIN

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	93	Allen
	0600	96	
	0900	91	
	1200	92	
	1500	94	
	1800	94	
	2100	95	
	2400	94	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	93	CHASTAIN
	0600	92	
	0900	93	
	1200	93	
	1500	94	
	1800	95	
	2100	95	
	2400	93	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	92	CHASTAIN
	0600	91	
	0900	91	
	1200	91	
	1500	94	GSP
	1800	91	GSP
	2100	91	GSP
	2400	91	Kimbrell

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 69 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	92	carl
	0600	88	Saucedo
	0900	90	Saucedo
	1200	93	6 Aman
	1500	96	Garcia
	1800	96	Garcia
	2100	93	Garcia
	2400	97	Ryant

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	89	Ryant
	0600	87	KING
	0900	87	KING
	1200	89	KING
	1500	94	Garcia
	1800	95	Garcia
	2100	95	Garcia
	2400	94	Ryant

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	97	Ryant
	0600	97	HILGEN
	0900	91	HILGEN
	1200	94	FELSEN
	1500	96	C THAD
	1800	95	C THAD
	2100	95	C THAD
	2400	99	Moyer

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	91	MOORE
	0600	91	S Kessler
	0900	91	S Kessler
	1200	92	S Kessler
	1500	93	J. L.
	1800	94	J. L.
	2100	96	J. L.
	2400	89	MOORE

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	87	Moore
	0600	86	Palecek
	0900	89	Palecek
	1200	98	Palecek
	1500	93	
	1800	93	
	2100	92	
	2400	93	carl

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	88	carl
	0600	87	LAROCNA
	0900	90	LAROCNA
	1200	91	LAROCNA
	1500	93	
	1800	94	
	2100	94	
	2400	93	carl

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 70      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	91	Allen
	0600	92	<u>      </u>
	0900	91	<u>      </u>
	1200	90	Sauceda
	1500	99	Castillo
	1800	97	Castillo
	2100	98	Castillo
	2400	95	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	93	Allen
	0600	88	<u>      </u>
	0900	90	<u>      </u>
	1200	91	<u>      </u>
	1500	93	<u>      </u>
	1800	93	<u>      </u>
	2100	94	<u>      </u>
	2400	94	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	92	Kimbrell
	0600	92	<u>      </u>
	0900	92	<u>      </u>
	1200	93	<u>      </u>
	1500	93	<u>      </u>
	1800	99	<u>      </u>
	2100	99	<u>      </u>
	2400	95	CHASTAIN

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	92	CHASTAIN
	0600	92	<u>      </u>
	0900	93	<u>      </u>
	1200	93	<u>      </u>
	1500	94	<u>      </u>
	1800	94	<u>      </u>
	2100	95	<u>      </u>
	2400	93	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	91	Kimbrell
	0600	90	<u>      </u>
	0900	91	<u>      </u>
	1200	91	<u>      </u>
	1500	91	<u>      </u>
	1800	92	<u>      </u>
	2100	92	<u>      </u>
	2400	91	CHASTAIN

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	91	CHASTAIN
	0600	88	<u>      </u>
	0900	84	<u>      </u>
	1200	94	<u>      </u>
	1500	97	<u>      </u>
	1800	91	GP
	2100	91	GP
	2400	91	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	90	Kimbrell
	0600	86	<u>      </u>
	0900	87	<u>      </u>
	1200	86	Robles
	1500	92	Robles
	1800	98	Robles
	2100	94	Robles
	2400	80	Robles

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 71      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	90	G 1
	0600	91	Gracela
	0900	89	Sauceda
	1200	91	Sauceda
	1500	93	Garcia
	1800	97	Garcia
	2100	95	Garcia
	2400	92	Rypon

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	89	Rypon
	0600	91	KING
	0900	91	KING
	1200	92	KING
	1500	94	Garcia
	1800	94	Garcia
	2100	95	Garcia
	2400	93	Rypon

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	91	Rypon
	0600	90	H. T. H.
	0900	91	H. T. H.
	1200	94	H. T. H.
	1500	96	C. THAO
	1800	95	C. THAO
	2100	96	C. THAO
	2400	94	Moore

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	93	Moore
	0600	91	S. Beeler
	0900	91	S. Beeler
	1200	92	S. Beeler
	1500	93	Lee
	1800	94	Lee
	2100	96	Lee
	2400	94	Moore

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	88	Moore
	0600	97	P. Lopez
	0900	90	P. Lopez
	1200	90	P. Lopez
	1500	93	
	1800	94	
	2100	94	
	2400	92	G 1

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	87	G 1
	0600	91	CARDONA
	0900	90	CARDONA
	1200	91	CARDONA
	1500	93	
	1800	94	
	2100	94	
	2400	92	G 1

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	89	G 1
	0600	86	CARDONA
	0900	97	CARDONA
	1200	89	CARDONA
	1500	93	
	1800	94	
	2100	94	
	2400	92	G 1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 72      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	91	Allen
	0600	90	<u>  </u>
	0900	90	<u>  </u>
	1200	91	Saucedo
	1500	93	Castillo
	1800	97	Castillo
	2100	98	Castillo
	2400	94	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	92	<u>  </u>
	0600	89	<u>  </u>
	0900	91	<u>  </u>
	1200	92	<u>  </u>
	1500	93	<u>  </u>
	1800	93	<u>  </u>
	2100	94	<u>  </u>
	2400	94	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	92	Kimbrell
	0600	91	<u>  </u>
	0900	92	<u>  </u>
	1200	93	<u>  </u>
	1500	93	<u>  </u>
	1800	91	<u>  </u>
	2100	94	<u>  </u>
	2400	94	CHASTAIN

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	93	CHASTAIN
	0600	93	<u>  </u>
	0900	93	<u>  </u>
	1200	93	<u>  </u>
	1500	93	<u>  </u>
	1800	91	<u>  </u>
	2100	91	<u>  </u>
	2400	92	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	90	Kimbrell
	0600	89	<u>  </u>
	0900	90	<u>  </u>
	1200	90	<u>  </u>
	1500	91	<u>  </u>
	1800	91	<u>  </u>
	2100	92	<u>  </u>
	2400	90	CHASTAIN

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	90	CHASTAIN
	0600	88	<u>  </u>
	0900	89	<u>  </u>
	1200	90	<u>  </u>
	1500	91	<u>  </u>
	1800	91	GP
	2100	91	GP
	2400	91	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	90	Kimbrell
	0600	86	<u>  </u>
	0900	87	<u>  </u>
	1200	90	Dobles
	1500	92	Craig
	1800	94	Craig
	2100	93	Craig
	2400	90	Craig

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 73 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	91	g 1
	0600	91	Saucedo
	0900	89	Saucedo
	1200	90	Saucedo
	1500	93	Garcia
	1800	91	Garcia
	2100	93	Garcia
	2400	93	Ryan

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	91	Ryan
	0600	89	KING
	0900	89	KING
	1200	90	KING
	1500	93	Gutierrez
	1800	91	Gutierrez
	2100	93	Gutierrez
	2400	92	Ryan

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	91	Ryan
	0600	90	LITZER
	0900	90	HELTON
	1200	92	HELTON
	1500	96	C THAD
	1800	95	C THAD
	2100	95	C THAD
	2400	93	MORE

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	91	MOORE
	0600	91	S Kessler
	0900	91	S Kessler
	1200	92	S Kessler
	1500	93	...
	1800	94	...
	2100	96	...
	2400	90	MOORE

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	88	...
	0600	87	Palecek
	0900	89	Palecek
	1200	90	Palecek
	1500	93	...
	1800	94	...
	2100	93	...
	2400	91	...

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	90	...
	0600	89	CAROLINA
	0900	90	CAROLINA
	1200	91	CAROLINA
	1500	93	...
	1800	94	...
	2100	96	...
	2400	92	...

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

Date	Time	Temp.	Name (Print)
8/11	0300	90	...
	0600	87	CAROLINA
	0900	88	CAROLINA
	1200	91	CAROLINA
	1500	93	...
	1800	94	...
	2100	93	...
	2400	90	...

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 74      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	91	Allen
	0600	90	Rab
	0900	90	Ree
	1200	89	Sincko
	1500	93	Castillo
	1800	94	Castillo
	2100	95	Castillo
	2400	94	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	92	Allen
	0600	89	<del> </del>
	0900	90	<del> </del>
	1200	88	<del> </del>
	1500	93	<del> </del>
	1800	93	<del> </del>
	2100	94	<del> </del>
	2400	92	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	90	Kimbrell
	0600	90	<del> </del>
	0900	90	<del> </del>
	1200	92	<del> </del>
	1500	92	<del> </del>
	1800	92	<del> </del>
	2100	93	<del> </del>
	2400	92	CHASTAIN

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	92	CHASTAIN
	0600	92	<del> </del>
	0900	93	<del> </del>
	1200	93	<del> </del>
	1500	92	<del> </del>
	1800	94	<del> </del>
	2100	91	<del> </del>
	2400	90	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	89	Kimbrell
	0600	88	<del> </del>
	0900	89	<del> </del>
	1200	90	<del> </del>
	1500	90	<del> </del>
	1800	91	<del> </del>
	2100	92	<del> </del>
	2400	91	CHASTAIN

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	91	CHASTAIN
	0600	90	<del> </del>
	0900	91	<del> </del>
	1200	92	<del> </del>
	1500	91	GP
	1800	91	GP
	2100	91	GP
	2400	90	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	89	Kimbrell
	0600	88	Rab
	0900	88	Rab
	1200	90	Poblos
	1500	92	Castillo
	1800	94	Castillo
	2100	93	Castillo
	2400	91	CHASTAIN

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 75      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	92	c-1
	0600	92	SACCO
	0900	89	SACCO
	1200	90	SACCO
	1500	92	LAMANO
	1800	94	GOMEZ
	2100	95	GOMEZ
	2400	93	THOMAS

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	90	KING
	0600	90	KING
	0900	90	KING
	1200	91	KING
	1500	93	GOMEZ
	1800	94	GOMEZ
	2100	94	GOMEZ
	2400	93	THOMAS

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	91	THOMAS
	0600	90	FIDGEN
	0900	90	HIZON
	1200	93	HIZON
	1500	96	C THAO
	1800	95	C THAO
	2100	95	C THAO
	2400	93	MORE

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	91	MORE
	0600	91	S KESSLER
	0900	91	S KESSLER
	1200	92	S KESSLER
	1500	93	J. J.
	1800	94	J. J.
	2100	96	J. J.
	2400	90	MORE

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	88	MORE
	0600	87	MAREK
	0900	89	MAREK
	1200	90	MAREK
	1500	93	
	1800	93	
	2100	92	
	2400	91	c-1

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	90	c-1
	0600	90	CARDONA
	0900	90	CARDONA
	1200	90	CARDONA
	1500	93	
	1800	94	
	2100	94	
	2400	93	c-1

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	90	61
	0600	88	CARDONA
	0900	89	CARDONA
	1200	90	CARDONA
	1500	93	
	1800	94	
	2100	92	
	2400	91	c-1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 76      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	90	Allen
	0600	96	(SPL)
	0900	90	Rubel
	1200	89	Sauceda
	1500	92	Cashillo
	1800	94	Castillo
	2100	96	Custillo
	2400	94	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	92	Allen
	0600	91	
	0900	92	
	1200	93	
	1500	93	
	1800	94	
	2100	94	
	2400	92	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	90	Kimbrell
	0600	90	
	0900	91	
	1200	93	
	1500	93	
	1800	94	
	2100	94	
	2400	92	CHASTAIN

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	91	CHASTAIN
	0600	91	
	0900	92	
	1200	93	
	1500	93	
	1800	93	
	2100	94	
	2400	93	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	91	Kimbrell
	0600	91	
	0900	90	
	1200	91	
	1500	91	
	1800	92	
	2100	92	
	2400	91	CHASTAIN

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	91	CHASTAIN
	0600	90	
	0900	91	
	1200	91	
	1500	91	GTP
	1800	91	GTP
	2100	91	GTP
	2400	91	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	90	Kimbrell
	0600	86	Kimbrell
	0900	87	Kimbrell
	1200	90	Robles
	1500	90	Cashillo
	1800	93	Cashillo
	2100	93	Cashillo
	2400	80	J. Carter

**Notes & Signatures**

1st W - Print &amp; Sign:

2nd W - Print &amp; Sign:

3rd W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 65      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	80	Gut
	0600	80	MORRISON
	0900	85	CARDONA
	1200	86	CARDONA
	1500	91	GARCIA
	1800	94	GARCIA
	2100	91	GARCIA
	2400	89	Rynd

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	87	Rynd
	0600	88	CLINTON
	0900	88	CLINTON
	1200	89	CLINTON
	1500	92	Garcia
	1800	93	Garcia
	2100	90	Garcia
	2400	89	Rynd

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	87	Rynd
	0600	85	HILGEN
	0900	83	HILGEN
	1200	85	HILGEN
	1500	88	Mars
	1800	89	Mars
	2100	83	Mars
	2400	87	Mars

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	85	Mars
	0600	82	CARDONA
	0900	84	CARDONA
	1200	86	CARDONA
	1500	86	MIZARES
	1800	86	MIZARES
	2100	87	MIZARES
	2400	85	Mars

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	83	Mars
	0600	82	CARDONA
	0900	83	CARDONA
	1200	84	CARDONA
	1500	86	
	1800	87	
	2100	85	
	2400	85	

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	86	
	0600	86	
	0900	80	CARDONA
	1200	84	CARDONA
	1500	89	
	1800	85	
	2100	83	
	2400	82	G /

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	81	G /
	0600	82	CARDONA
	0900	82	CARDONA
	1200	82	CARDONA
	1500	83	
	1800	89	
	2100	85	
	2400	81	G /

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 66 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	79	Chever
	0600	90	Flood
	0900	90	Ruth
	1200	88	Pobles
	1500	88	Castillo
	1800	92	Castillo
	2100	91	Castillo
	2400	90	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	69	Zahle
	0600	87	_____
	0900	87	_____
	1200	88	_____
	1500	88	_____
	1800	89	_____
	2100	89	_____
	2400	93	VANG

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	88	_____
	0600	87	_____
	0900	86	_____
	1200	85	_____
	1500	86	_____
	1800	87	_____
	2100	88	_____
	2400	88	CHAVEZ

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	83	CHAVEZ
	0600	82	Muth
	0900	82	Pobles
	1200	82	Rey
	1500	84	Castillo
	1800	86	Castillo
	2100	87	Castillo
	2400	85	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	88	Allen
	0600	87	_____
	0900	88	_____
	1200	89	_____
	1500	89	_____
	1800	90	_____
	2100	90	_____
	2400	90	_____

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	85	VITWIG
	0600	87	_____
	0900	88	_____
	1200	88	_____
	1500	88	_____
	1800	88	_____
	2100	89	_____
	2400	89	_____

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	88	CHARLES
	0600	88	CHARLES
	0900	88	_____
	1200	88	_____
	1500	87	CHARLES
	1800	87	CHARLES
	2100	86	CHARLES
	2400	84	CHARLES

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 67 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	89	Carr
	0600	89	MORRISON
	0900	89	CARDOZA
	1200	89	CARDOZA
	1500	94	GARCIA
	1800	94	GOMEZ
	2100	92	GARCIA
	2400	89	Ryland

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	87	Ryland
	0600	88	CLIMET
	0900	88	CLIMET
	1200	99	CLIMET
	1500	92	GARCIA
	1800	92	GARCIA
	2100	90	GARCIA
	2400	89	Ryland

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	87	Ryland
	0600	85	HILTON
	0900	83	HILTON
	1200	95	HILTON
	1500	88	MENOR
	1800	89	MENOR
	2100	90	MENOR
	2400	88	MORE

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	86	MORE
	0600	83	CARDOZA
	0900	87	CARDOZA
	1200	88	CARDOZA
	1500	88	MISALES
	1800	87	MISALES
	2100	87	MISALES
	2400	87	MORE

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	82	MORE
	0600	80	CARDOZA
	0900	82	CARDOZA
	1200	83	CARDOZA
	1500	86	<u>      </u>
	1800	86	<u>      </u>
	2100	84	<u>      </u>
	2400	86	<u>      </u>

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	86	<u>      </u>
	0600	86	<u>      </u>
	0900	81	CARDOZA
	1200	83	CARDOZA
	1500	83	<u>      </u>
	1800	85	<u>      </u>
	2100	84	<u>      </u>
	2400	82	GO 1

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	80	GO 1
	0600	80	CARDOZA
	0900	80	CARDOZA
	1200	81	CARDOZA
	1500	82	<u>      </u>
	1800	80	<u>      </u>
	2100	82	<u>      </u>
	2400	80	GO 1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 68 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/12	0300	80	Chevez
	0600	85	1000
	0900	85	CARDONA
	1200	81	CARDONA
	1500	88	COTILLIO
	1800	89	COTILLIO
	2100	90	COTILLIO
	2400	88	Allen

#### Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	88	Allen
	0600	87	<del>1000</del>
	0900	87	<del>1000</del>
	1200	88	<del>1000</del>
	1500	88	<del>1000</del>
	1800	88	<del>1000</del>
	2100	89	<del>1000</del>
	2400	88	<del>1000</del>

#### Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	86	<del>1000</del>
	0600	86	<del>1000</del>
	0900	86	<del>1000</del>
	1200	87	<del>1000</del>
	1500	87	<del>1000</del>
	1800	87	<del>1000</del>
	2100	88	<del>1000</del>
	2400	93	WANG

#### Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	83	<del>WANG</del>
	0600	83	<del>WANG</del>
	0900	89	<del>WANG</del>
	1200	85	<del>WANG</del>
	1500	87	<del>WANG</del>
	1800	87	<del>WANG</del>
	2100	88	<del>WANG</del>
	2400	88	<del>WANG</del>

#### Friday

Date	Time	Temp.	Name (Print)
8/16	0300	86	<del>1000</del>
	0600	86	<del>1000</del>
	0900	87	<del>1000</del>
	1200	88	<del>1000</del>
	1500	87	<del>1000</del>
	1800	87	<del>1000</del>
	2100	87	<del>1000</del>
	2400	87	CHAVEZ

#### Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	86	CHAVEZ
	0600	86	CHAVEZ
	0900	87	<del>1000</del>
	1200	88	<del>1000</del>
	1500	87	<del>1000</del>
	1800	87	<del>1000</del>
	2100	86	<del>1000</del>
	2400	84	CHAVEZ

#### Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	82	CHAVEZ
	0600	82	CHAVEZ
	0900	82	Nelson
	1200	82	Nelson
	1500	84	COTILLIO
	1800	86	COTILLIO
	2100	86	COTILLIO
	2400	84	Allen

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 69      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	87	GUL
	0600	87	MORRISON
	0900	87	CARDOZA
	1200	89	CARDOZA
	1500	92	GARCIA
	1800	94	GARCIA
	2100	92	GARCIA
	2400	90	Rypal

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	88	Rypal
	0600	88	CLINTON
	0900	88	CLINTON
	1200	89	Clinton
	1500	91	Garcia
	1800	91	Garcia
	2100	90	Garcia
	2400	89	Rypal

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	87	Rypal
	0600	85	HEGEN
	0900	83	HEGEN
	1200	85	HEGEN
	1500	85	MENDOZA
	1800	87	MELANT
	2100	89	MENDOZA
	2400	89	MORE

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	87	MORE
	0600	81	CARDOZA
	0900	84	CARDOZA
	1200	86	CARDOZA
	1500	88	MISADES
	1800	86	MISADES
	2100	87	MISADES
	2400	86	MORE

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	84	MORE
	0600	80	CARDOZA
	0900	81	CARDOZA
	1200	83	CARDOZA
	1500	84	
	1800	86	
	2100	85	
	2400	86	

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	86	
	0600	86	
	0900	81	CARDOZA
	1200	84	CARDOZA
	1500	86	
	1800	86	
	2100	84	
	2400	82	a/1

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	79	G/1
	0600	81	CARDOZA
	0900	81	CARDOZA
	1200	81	CARDOZA
	1500	82	
	1800	89	
	2100	82	
	2400	81	

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 70      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	79	Chavez
	0600	85	Poor
	0900	85	CARONA
	1200	86	CARONA
	1500	89	Cstillio
	1800	91	Cstillio
	2100	90	Cstillio
	2400	89	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	87	Dale
	0600	85	
	0900	86	
	1200	86	
	1500	87	
	1800	87	
	2100	88	
	2400	93	MWG

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	84	
	0600	85	
	0900	86	
	1200	86	
	1500	86	
	1800	87	
	2100	87	
	2400	87	CHAVEZ

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	84	CHAVEZ
	0600	84	Nel
	0900	84	Ruth
	1200	84	Aldo
	1500	84	Cstillio
	1800	86	Cstillio
	2100	86	Cstillio
	2400	85	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	88	Allen
	0600	86	
	0900	86	
	1200	87	
	1500	87	
	1800	87	
	2100	88	
	2400	87	Dale

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	87	WANH
	0600	87	
	0900	87	
	1200	88	
	1500	88	
	1800	88	
	2100	88	
	2400	87	

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	86	CHAVEZ
	0600	86	CHAVEZ
	0900	87	
	1200	87	
	1500	87	
	1800	86	
	2100	86	
	2400	85	CHAVEZ

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 71      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/12	0300	90	Gul
	0600	90	Morrell
	0900	88	CARDOZA
	1200	87	CARDOZA
	1500	92	GARCIA
	1800	94	GARCIA
	2100	92	GARCIA
	2400	89	Rynd

#### Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	87	Rynd
	0600	86	CLINTON
	0900	88	CLINTON
	1200	89	CLINTON
	1500	92	Clinton
	1800	91	Garcia
	2100	90	Garcia
	2400	89	Rynd

#### Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	87	Rynd
	0600	84	HILLER
	0900	82	HIGGEN
	1200	84	HIGGEN
	1500	85	Mendez
	1800	88	Mendez
	2100	88	Mendez
	2400	88	MORRE

#### Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	86	MORRE
	0600	83	CARDOZA
	0900	85	CARDOZA
	1200	86	CARDOZA
	1500	86	MISARES
	1800	87	MISARES
	2100	87	MISARES
	2400	85	MORRE

#### Friday

Date	Time	Temp.	Name (Print)
8/16	0300	83	MORRE
	0600	80	CARDOZA
	0900	81	CARDOZA
	1200	83	CARDOZA
	1500	89	
	1800	86	
	2100	84	
	2400	86	

#### Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	86	
	0600	86	CARDOZA
	0900	81	CARDOZA
	1200	83	CARDOZA
	1500	84	
	1800	85	
	2100	82	
	2400	81	

#### Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	82	ca 1
	0600	80	CARDOZA
	0900	86	CARDOZA
	1200	80	CARDOZA
	1500	81	
	1800	82	
	2100	82	
	2400	80	ca 1

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 72      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	79	Chevez
	0600	80	Elrod
	0900	86	Cardona
	1200	87	Cardona
	1500	89	Castillo
	1800	90	Castillo
	2100	91	Castillo
	2400	90	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	87	Dale
	0600	85	
	0900	85	
	1200	86	
	1500	86	
	1800	86	
	2100	87	
	2400	90	VANG

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	85	
	0600	84	
	0900	88	
	1200	86	
	1500	87	
	1800	89	
	2100	87	
	2400	87	CHAVEZ

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	83	CHAVEZ
	0600	82	Mosch
	0900	82	Nobl
	1200	82	Nobl
	1500	86	Castillo
	1800	87	Castillo
	2100	87	Castillo
	2400	86	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	88	Allen
	0600	86	
	0900	87	
	1200	87	
	1500	87	
	1800	87	
	2100	88	
	2400	88	

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	85	VANG
	0600	85	
	0900	85	
	1200	86	
	1500	86	
	1800	87	
	2100	87	
	2400	86	

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	87	CHAVEZ
	0600	86	CHAVEZ
	0900	87	
	1200	87	
	1500	87	
	1800	86	B ~ P
	2100	85	B ~ P
	2400	84	CHAVEZ

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 73      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	88	Garcia
	0600	88	Mendoza
	0900	88	CARDONA
	1200	88	CARDONA
	1500	92	Garcia
	1800	94	Garcia
	2100	92	Garcia
	2400	99	Rypal

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	87	Rypal
	0600	86	CLIMER
	0900	86	CLIMER
	1200	88	CLIMER
	1500	92	Garcia
	1800	92	Garcia
	2100	90	Garcia
	2400	90	Rypal

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	86	Rypal
	0600	84	HIGER
	0900	81	HIGER
	1200	83	HIGER
	1500	89	MENDOZA
	1800	89	MENDOZA
	2100	89	MENDOZA
	2400	87	MORE

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	85	MORE
	0600	81	CARDONA
	0900	83	CARDONA
	1200	87	CARDONA
	1500	87	MISARES
	1800	87	MISARES
	2100	87	MISARES
	2400	85	MORE

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	84	MORE
	0600	86	CARDONA
	0900	82	CARDONA
	1200	83	CARDONA
	1500	85	<u>      </u>
	1800	85	<u>      </u>
	2100	89	<u>      </u>
	2400	84	<u>      </u>

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	84	<u>      </u>
	0600	84	<u>      </u>
	0900	86	CARDONA
	1200	84	CARDONA
	1500	84	<u>      </u>
	1800	85	<u>      </u>
	2100	83	<u>      </u>
	2400	82	G1

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	81	<u>      </u>
	0600	80	CARDONA
	0900	81	CARDONA
	1200	82	CARDONA
	1500	83	<u>      </u>
	1800	89	<u>      </u>
	2100	83	<u>      </u>
	2400	84	<u>      </u>

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 74      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	80	chavez
	0600	80	roberts
	0900	83	carrasco
	1200	85	carrasco
	1500	87	cstillio
	1800	88	cstillio
	2100	92	cstillio
	2400	90	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	89	Allen
	0600	86	<del>Allen</del>
	0900	87	<del>Allen</del>
	1200	87	<del>Allen</del>
	1500	87	<del>Allen</del>
	1800	87	<del>Allen</del>
	2100	88	<del>Allen</del>
	2400	88	<del>Allen</del>

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	87	<del>Allen</del>
	0600	85	<del>Allen</del>
	0900	85	<del>Allen</del>
	1200	86	<del>Allen</del>
	1500	86	<del>Allen</del>
	1800	86	<del>Allen</del>
	2100	87	<del>Allen</del>
	2400	95	WANG

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	85	<del>WANG</del>
	0600	84	<del>WANG</del>
	0900	85	<del>WANG</del>
	1200	86	<del>WANG</del>
	1500	87	<del>WANG</del>
	1800	87	<del>WANG</del>
	2100	88	<del>WANG</del>
	2400	87	<del>WANG</del>

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	86	<del>Allen</del>
	0600	86	<del>Allen</del>
	0900	86	<del>Allen</del>
	1200	87	<del>Allen</del>
	1500	87	<del>Allen</del>
	1800	87	<del>Allen</del>
	2100	88	<del>Allen</del>
	2400	85	CHAVEZ

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	85	<del>CHAVEZ</del>
	0600	85	<del>CHAVEZ</del>
	0900	86	<del>CHAVEZ</del>
	1200	86	<del>CHAVEZ</del>
	1500	87	<del>CHAVEZ</del>
	1800	87	<del>CHAVEZ</del>
	2100	86	<del>CHAVEZ</del>
	2400	85	CHAVEZ

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	83	CHAVEZ
	0600	82	Ruggles
	0900	84	Robles
	1200	83	Robles
	1500	84	CSTILLIO
	1800	89	CSTILLIO
	2100	88	CSTILLIO
	2400	86	Allen

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 75 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/12	0300	82	Hull
	0600	88	MURRAY
	0900	88	CARDONA
	1200	90	CARDONA
	1500	92	Garcia
	1800	94	Garcia
	2100	92	Garcia
	2400	90	Hull

#### Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	88	Hull
	0600	82	Oliver
	0900	88	Oliver
	1200	88	Oliver
	1500	91	Garcia
	1800	92	Garcia
	2100	90	Garcia
	2400	90	Hull

#### Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	88	Hull
	0600	84	HILL
	0900	82	HILL
	1200	84	HILL
	1500	89	IMBERZI
	1800	90	IMBERZI
	2100	89	IMBERZI
	2400	87	MOORE

#### Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	85	MOORE
	0600	83	CARDONA
	0900	85	CARDONA
	1200	86	CARDONA
	1500	86	MISARES
	1800	87	MISARES
	2100	87	MISARES
	2400	85	MOORE

#### Friday

Date	Time	Temp.	Name (Print)
8/16	0300	83	MOORE
	0600	80	CARDONA
	0900	82	CARDONA
	1200	83	CARDONA
	1500	85	
	1800	86	
	2100	84	
	2400	86	

#### Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	86	
	0600	84	CARDONA
	0900	80	CARDONA
	1200	83	CARDONA
	1500	84	
	1800	86	
	2100	85	
	2400	84	GUL

#### Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	82	GUL
	0600	80	CARDONA
	0900	81	CARDONA
	1200	82	CARDONA
	1500	83	
	1800	84	
	2100	86	
	2400	85	GUL

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 76      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	80	chavez
	0600	80	floro
	0900	82	CARDONA
	1200	85	GARDENA
	1500	87	Castillo
	1800	90	Castillo
	2100	92	Castillo
	2400	90	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	88	Allen
	0600	85	
	0900	86	
	1200	86	
	1500	87	
	1800	87	
	2100	88	
	2400	88	

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	87	
	0600	86	
	0900	86	
	1200	87	
	1500	87	
	1800	87	
	2100	88	
	2400	90	WANG

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	85	WANG
	0600	84	
	0900	85	
	1200	86	
	1500	86	
	1800	87	
	2100	87	
	2400	87	

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	84	
	0600	85	
	0900	86	
	1200	87	
	1500	87	
	1800	87	
	2100	87	
	2400	87	CHAVEZ

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	86	CHAVEZ
	0600	86	CHAVEZ
	0900	87	
	1200	87	
	1500	85	
	1800	86	
	2100	85	
	2400	83	CHAVEZ

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	82	CHAVEZ
	0600	82	Noble
	0900	82	Noble
	1200	83	Noble
	1500	83	Castillo
	1800	84	Castillo
	2100	86	Castillo
	2400	85	Allen

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 65      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	81	GT
	0600	75	CARDONA
	0900	80	CARDONA
	1200	82	CARDONA
	1500	81	Pineda
	1800	81	Pineda
	2100	81	Pineda
	2400	85	TAMER

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	84	TAMER
	0600	85	Robles
	0900	86	Robles
	1200	80	Robles
	1500	81	CHUPO
	1800	82	WILSON
	2100	82	WHITE
	2400	81	WHITE

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	80	ROTHOLE
	0600	81	HILGEN
	0900	82	HILGEN
	1200	82	HILGEN
	1500	83	MESADES
	1800	83	MESADES
	2100	84	MESADES
	2400	83	MOORE

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	83	MOORE
	0600	86	CARDOZA
	0900	80	CARDOZA
	1200	84	CARDOZA
	1500	83	MESADES
	1800	84	MESADES
	2100	81	MESADES
	2400	81	MOORE

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	79	MOORE
	0600	78	CARDOZA
	0900	77	CARDOZA
	1200	77	CARDOZA
	1500	77	NICOLAY
	1800	76	NICOLAY
	2100	76	NICOLAY
	2400	75	GUL

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	71	GUL
	0600	70	CARDOZA
	0900	72	CARDOZA
	1200	71	CARDOZA
	1500	74	WEY
	1800	74	WEY
	2100	74	WEY
	2400	72	GUL

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	70	GUL
	0600	70	CARDOZA
	0900	72	CARDOZA
	1200	73	CARDOZA
	1500	71	BAINS
	1800	74	BAINS
	2100	71	BAINS
	2400	71	CHASTAIN

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 66 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/19	0300	84	Allen
	0600	84	Robie
	0900	82	Ruby
	1200	84	Rojos
	1500	85	Cstill
	1800	87	Cstill
	2100	87	Cstill
	2400	85	Allen

#### Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	87	Kimbrell
	0600	85	J.mn
	0900	85	J.mn
	1200	85	J.mn
	1500	86	
	1800	87	
	2100	88	
	2400	88	Kimbrell

#### Friday

Date	Time	Temp.	Name (Print)
8/23	0300	82	Kimbrell
	0600	80	
	0900	80	
	1200	80	
	1500	86	
	1800	81	
	2100	82	
	2400	82	

#### Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	75	Kimbrell
	0600	76	
	0900	77	
	1200	77	
	1500	79	
	1800	81	Wade
	2100	82	Wade
	2400	80	Allen

#### Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	84	Allen
	0600	80	Teloss
	0900	85	Teloss
	1200	88	Teloss
	1500	88	
	1800	88	
	2100	89	
	2400	88	Kimbrell

#### Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	87	Kimbrell
	0600	87	
	0900	87	
	1200	87	
	1500	87	Ross
	1800	86	Ross
	2100	84	Ross
	2400	84	Kimbrell

#### Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	81	
	0600	80	
	0900	79	
	1200	79	
	1500	78	
	1800	78	
	2100	77	
	2400	77	Kimbrell

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 67 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	80	g1
	0600	73	CARDONA
	0900	80	CARDONA
	1200	80	CARDONA
	1500	80	Pineda
	1800	80	Pineda
	2100	80	Pineda
	2400	85	TAMEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	84	TAMEZ
	0600	84	Rubles
	0900	85	Ash
	1200	84	Bob
	1500	87	DURE
	1800	82	DURE
	2100	82	DURE
	2400	87	Puhole

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	80	Puhole
	0600	81	HILGEN
	0900	82	HILGEN
	1200	82	HILGEN
	1500	82	MISARES
	1800	82	MISARES
	2100	83	MISARES
	2400	82	MOORE

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	82	MOORE
	0600	80	CARDONA
	0900	80	CARDONA
	1200	83	CARDONA
	1500	83	MISARES
	1800	84	MISARES
	2100	84	MISARES
	2400	80	MOORE

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	79	MOORE
	0600	76	CARDONA
	0900	77	CARDONA
	1200	77	CARDONA
	1500	78	NIDAY
	1800	76	NIDAY
	2100	74	NIDAY
	2400	73	GUN

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	72	GUN
	0600	72	CARDONA
	0900	72	CARDONA
	1200	72	CARDONA
	1500	74	wey
	1800	74	wey
	2100	74	wey
	2400	72	AL

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	72	GUN
	0600	70	CARDONA
	0900	72	CARDONA
	1200	73	CARDONA
	1500	74	Baum
	1800	74	Baum
	2100	72	Baum
	2400	72	CHASTAIN

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 68 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	84	Allen
	0600	84	Tobles
	0900	82	Nubl
	1200	85	Rector
	1500	86	Costello
	1800	88	Conn
	2100	87	Coughlin
	2400	85	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	84	Allen
	0600	80	Tolosa
	0900	85	Tolosa
	1200	89	Tolosa
	1500	88	L
	1800	88	L
	2100	89	L
	2400	87	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	86	Kimbrell
	0600	85	J.War
	0900	85	J.War
	1200	85	J.War
	1500	86	L
	1800	86	L
	2100	87	L
	2400	87	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	86	Kimbrell
	0600	86	L
	0900	86	L
	1200	86	L
	1500	86	L
	1800	85	Rosas
	2100	87	Rosas
	2400	86	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	84	Kimbrell
	0600	78	L
	0900	79	L
	1200	80	L
	1500	80	L
	1800	80	L
	2100	81	L
	2400	81	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	80	L
	0600	79	L
	0900	79	L
	1200	80	L
	1500	78	L
	1800	78	L
	2100	79	L
	2400	77	Kimbrell

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

Date	Time	Temp.	Name (Print)
8/25	0300	75	Kimbrell
	0600	70	L
	0900	77	L
	1200	77	L
	1500	79	Ward
	1800	79	Ward
	2100	80	Ward
	2400	80	Allen

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 69      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/19	0300	81	G 1
	0600	76	CARODA
	0900	83	CARODA
	1200	84	CARODA
	1500	82	Pineda
	1800	82	Pineda
	2100	81	Pineda
	2400	85	TAMER

#### Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	84	TAMER
	0600	85	Robles
	0900	86	Rob
	1200	86	Rob
	1500	81	BOLAFRIZ
	1800	82	CIVERNE
	2100	82	CIVARNE
	2400	81	ROBLES

#### Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	80	Puhola
	0600	81	HILGEN
	0900	82	HILGEN
	1200	82	HILGEN
	1500	83	MESADES
	1800	84	MESADES
	2100	84	MESADES
	2400	84	MOCRE

#### Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	84	MOCRE
	0600	80	CARODA
	0900	81	CARODA
	1200	83	CARODA
	1500	83	MESADES
	1800	83	MESADES
	2100	84	MESADES
	2400	80	MOCRE

#### Friday

Date	Time	Temp.	Name (Print)
8/23	0300	79	MOCRE
	0600	75	CARODA
	0900	75	CARODA
	1200	77	CARODA
	1500	77	Niday
	1800	77	Niday
	2100	76	Niday
	2400	74	Gut

#### Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	76	76
	0600	72	CARODA
	0900	70	CARODA
	1200	72	CARODA
	1500	75	wey
	1800	74	wey
	2100	74	wey
	2400	72	61

#### Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	70	Gut Gul
	0600	70	CARODA
	0900	70	CARODA
	1200	72	CARODA
	1500	74	Bains
	1800	74	Bains
	2100	71	Bains
	2400	71	CHASTAIN

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 70      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	84	Allen
	0600	84	Rabes
	0900	83	Lily
	1200	85	Robles
	1500	86	Castillo
	1800	87	Cyrillo
	2100	86	Castillo
	2400	85	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	84	Allen
	0600	80	Torres
	0900	85	Torres
	1200	88	Torres
	1500	88	/
	1800	88	/
	2100	89	/
	2400	88	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	86	Kimbrell
	0600	86	J. Vier
	0900	85	J. Vier
	1200	84	J. Vier
	1500	85	/
	1800	85	/
	2100	86	/
	2400	86	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	85	Kimbrell
	0600	85	/
	0900	85	/
	1200	86	/
	1500	86	Ross
	1800	85	Ross
	2100	83	Ross
	2400	83	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	81	Kimbrell
	0600	77	/
	0900	76	/
	1200	71	/
	1500	71	/
	1800	80	/
	2100	81	/
	2400	81	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	80	/
	0600	80	/
	0900	71	/
	1200	71	/
	1500	78	/
	1800	77	/
	2100	76	/
	2400	74	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	74	Kimbrell
	0600	76	/
	0900	77	/
	1200	77	/
	1500	78	/
	1800	80	Weeble
	2100	81	Weeble
	2400	80	Allen

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 71      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	82	an 1
	0600	73	CARDONA
	0900	80	CARDONA
	1200	80	CARDONA
	1500	80	Pineda
	1800	80	Pineda
	2100	80	Pineda
	2400	85	TAMER

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	80	pu hole
	0600	81	HIGLEY
	0900	81	HIGLEY
	1200	82	HIGLEY
	1500	83	MISARES
	1800	83	MISARES
	2100	84	MISARES
	2400	83	Moore

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	79	MOORE
	0600	76	CARDONA
	0900	77	CARDONA
	1200	77	CARDONA
	1500	77	Niday
	1800	76	Niday
	2100	76	Niday
	2400	73	Gill

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	69	Gill
	0600	69	CARDONA
	0900	71	CARDONA
	1200	72	CARDONA
	1500	75	Basing
	1800	75	Basing
	2100	71	Basing
	2400	71	CHASTAIN

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	84	TAMER
	0600	85	Rubba
	0900	86	Rubba
	1200	86	Rubba
	1500	81	Others
	1800	82	Others
	2100	82	Others
	2400	81	pu hole

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	83	moore
	0600	78	CARDONA
	0900	80	CARDONA
	1200	82	CARDONA
	1500	82	MISARES
	1800	83	MISARES
	2100	83	MISARES
	2400	80	moore

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	71	Gill
	0600	71	CARDONA
	0900	72	CARDONA
	1200	72	CARDONA
	1500	72	wey
	1800	72	wey
	2100	72	wey
	2400	70	Gill

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 72      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	84	Allen
	0600	82	Robles
	0900	83	Robles
	1200	84	Rodriguez
	1500	85	Castillo
	1800	86	Castillo
	2100	86	Castillo
	2400	85	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	85	Kimball
	0600	85	J. Huon
	0900	85	J. Huon
	1200	84	J. Huon
	1500	85	✓
	1800	86	✓
	2100	86	✓
	2400	86	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	80	Kimball
	0600	77	✓
	0900	78	✓
	1200	79	✓
	1500	76	✓
	1800	80	✓
	2100	81	✓
	2400	81	JB

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	73	Kimball
	0600	76	✓
	0900	77	✓
	1200	77	✓
	1500	77	✓
	1800	89	Ward
	2100	81	✓
	2400	80	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	84	Allen
	0600	80	Tolosa
	0900	85	Tolosa
	1200	88	Tolosa
	1500	88	✓
	1800	88	✓
	2100	89	✓
	2400	87	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	85	Kimball
	0600	85	✓
	0900	86	✓
	1200	86	✓
	1500	84	Rosas
	1800	83	Rosas
	2100	83	Rosas
	2400	82	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	80	✓
	0600	79	✓
	0900	78	✓
	1200	78	✓
	1500	75	✓
	1800	75	✓
	2100	75	✓
	2400	75	Kimball

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 73      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/19	0300	83	carl
	0600	75	CARDONA
	0900	80	CARDONA
	1200	82	CARDONA
	1500	81	Pineda
	1800	81	Pineda
	2100	81	Pineda
	2400	85	Tamez

#### Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	84	FAMUT
	0600	85	Jolley
	0900	86	Re
	1200	86	Rebel
	1500	81	Gutierrez
	1800	82	Gutierrez
	2100	82	Gutierrez
	2400	87	DyTic 6

#### Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	80	DyTic 6
	0600	81	HIGEN
	0900	81	HIGEN
	1200	88	HIGEN
	1500	81	MISARES
	1800	83	MISARES
	2100	84	MISARES
	2400	84	MORR

#### Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	84	MORR
	0600	81	CARDONA
	0900	81	CARDONA
	1200	84	CARDONA
	1500	85	MISARES
	1800	85	MISARES
	2100	85	MISARES
	2400	80	MORR

#### Friday

Date	Time	Temp.	Name (Print)
8/23	0300	79	MORR
	0600	76	CARDONA
	0900	77	CARDONA
	1200	77	CARDONA
	1500	77	Niday
	1800	77	Niday
	2100	76	Niday
	2400	74	Gill

#### Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	72	Gill
	0600	72	CARDONA
	0900	72	CARDONA
	1200	72	CARDONA
	1500	74	Wey
	1800	74	Wey
	2100	74	Wey
	2400	72	CW

#### Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	70	CW
	0600	70	CARDONA
	0900	72	CARDONA
	1200	73	CARDONA
	1500	76	Bains
	1800	76	Bains
	2100	74	Bains
	2400	74	CHASTAIN

#### Notes & Signatures

1st/W - Print & Sign: \_\_\_\_\_

2nd/W - Print & Sign: \_\_\_\_\_

3rd/W - Print & Sign: \_\_\_\_\_

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 74      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	84	Allen
	0600	84	Robles
	0900	84	Nobles
	1200	85	Rodrigos
	1500	86	Costillo
	1800	87	Cashill
	2100	88	Costillo
	2400	85	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	84	Allen
	0600	80	Tolosa
	0900	85	Tolosa
	1200	88	Tolosa
	1500	88	L
	1800	88	~
	2100	89	~
	2400	87	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	85	Kimbrell
	0600	85	J. Khar
	0900	84	J. Khar
	1200	84	J. Khar
	1500	85	~
	1800	85	~
	2100	86	~
	2400	85	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	84	Kimbrell
	0600	84	~
	0900	85	~
	1200	85	~
	1500	85	~
	1800	85	Koss
	2100	83	Koss
	2400	82	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	80	Kimbrell
	0600	78	~
	0900	79	~
	1200	80	~
	1500	80	~
	1800	80	~
	2100	81	~
	2400	81	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	80	~
	0600	79	~
	0900	79	~
	1200	80	~
	1500	75	Wey
	1800	75	John
	2100	75	John
	2400	75	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	79	Kimbrell
	0600	76	~
	0900	77	~
	1200	77	~
	1500	78	~
	1800	80	Weed
	2100	81	Weed
	2400	80	Allen

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 75      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	82	61
	0600	75	CARDONA
	0900	80	CARDONA
	1200	81	CARDONA
	1500	81	Pineda
	1800	81	Pineda
	2100	81	Pineda
	2400	85	TAM62

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	82	Pineda
	0600	81	GHTON
	0900	82	PINEDA
	1200	82	GHTON
	1500	83	MESARES
	1800	85	MESARES
	2100	86	MESARES
	2400	85	Moore

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	79	Moore
	0600	76	CARDONA
	0900	76	CARDONA
	1200	76	CARDONA
	1500	77	Niday
	1800	70	Niday
	2100	74	Niday
	2400	74	Gul

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	68	61
	0600	68	CARDONA
	0900	73	CARDONA
	1200	74	CARDONA
	1500	76	Bains
	1800	76	Bains
	2100	73	Bains
	2400	73	CHASTAIN

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	84	TAM62
	0600	85	Rob
	0900	86	Rob
	1200	86	Rob
	1500	81	GUTIEREZ
	1800	81	CHEMEL
	2100	82	GUTIEREZ
	2400	81	GUTIEREZ Pineda

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	84	MOORE
	0600	80	CARDONA
	0900	81	CARDONA
	1200	83	CARDONA
	1500	84	MESARES
	1800	84	MESARES
	2100	85	MESARES
	2400	80	MOORE

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	79	Gul
	0600	70	CARDONA
	0900	70	CARDONA
	1200	70	CARDONA
	1500	75	Wey
	1800	74	Wey
	2100	72	Wey
	2400	70	Gul

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 76      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	85	Allen
	0600	83	Thibbles
	0900	84	Rebby
	1200	85	Reddys
	1500	86	Gill.
	1800	87	Castillo
	2100	88	Castillo
	2400	85	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	84	Allen
	0600	80	S-Tolisse
	0900	85	S-Tolisse
	1200	88	S-Tolisse
	1500	88	<u>      </u>
	1800	88	<u>      </u>
	2100	88	<u>      </u>
	2400	86	Kimball

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	84	Kimball
	0600	84	J. Mar
	0900	84	J. Mar
	1200	84	J. Mar
	1500	85	<u>      </u>
	1800	88	<u>      </u>
	2100	86	<u>      </u>
	2400	86	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	85	Kimball
	0600	85	<u>      </u>
	0900	86	<u>      </u>
	1200	86	<u>      </u>
	1500	86	Roses
	1800	84	Roses
	2100	83	Roses
	2400	83	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	81	Kimball
	0600	79	<u>      </u>
	0900	80	<u>      </u>
	1200	81	<u>      </u>
	1500	81	<u>      </u>
	1800	81	<u>      </u>
	2100	82	<u>      </u>
	2400	82	<u>      </u>

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	81	<u>      </u>
	0600	80	<u>      </u>
	0900	80	<u>      </u>
	1200	80	<u>      </u>
	1500	78	Wey
	1800	78	Xuan
	2100	77	Xuan
	2400	77	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	75	Kimball
	0600	76	<u>      </u>
	0900	77	<u>      </u>
	1200	77	<u>      </u>
	1500	78	<u>      </u>
	1800	81	<u>      </u>
	2100	82	<u>      </u>
	2400	82	Allen

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 65 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/26	0300	72	CHASTAIN
	0600	74	CARONA
	0900	74	CARONA
	1200	75	CARONA
	1500	80	Garcia
	1800	82	Garcia
	2100	80	Garcia
	2400	78	Rippl

#### Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	82	Rippl
	0600	81	HIGEN
	0900	83	HIGEN
	1200	84	HIGEN
	1500	84	ELLIS
	1800	83	ELLIS
	2100	82	ELLIS
	2400	82	Rainey

#### Friday

Date	Time	Temp.	Name (Print)
8/30	0300	84	CHASTAIN
	0600	85	CARONA
	0900	85	CARONA
	1200	87	CARONA
	1500	89	<del>THAO</del>
	1800	89	<del>THAO</del>
	2100	88	<del>THAO</del>
	2400	83	WANG

#### Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	89	MARTINEZ
	0600	86	CARONA
	0900	87	CARONA
	1200	88	CARONA
	1500	84	THAO
	1800	84	THAO
	2100	83	THAO
	2400	80	THAO

#### Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	77	Rippl
	0600	84	N. Gutierrez
	0900	84	N. Gutierrez
	1200	85	N. Gutierrez
	1500	80	N. Gutierrez
	1800	80	N. Gutierrez
	2100	79	N. Gutierrez
	2400	83	Rippl

#### Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	86	Rainey
	0600	86	CARONA
	0900	86	CARONA
	1200	85	CARONA
	1500	86	<del>THAO</del>
	1800	87	<del>THAO</del>
	2100	88	<del>THAO</del>
	2400	87	CHASTAIN

#### Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	81	WANG
	0600	83	CARONA
	0900	84	CARONA
	1200	85	CARONA
	1500	88	<del>THAO</del>
	1800	90	<del>THAO</del>
	2100	88	<del>THAO</del>
	2400	88	MARTINEZ

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 66 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/26	0300	80	Allen
	0600	79	Ribell
	0900	78	Ribell
	1200	82	Allen
	1500	84	Castillo
	1800	81	Castillo
	2100	85	Castillo
	2400	82	Allen

## Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	80	Allen
	0600	84	W. Gutierrez
	0900	84	W. Gutierrez
	1200	85	W. Gutierrez
	1500	88	W. Gutierrez
	1800	80	W. Gutierrez
	2100	80	W. Gutierrez
	2400	84	Kimball

## Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	82	Kimball
	0600	83	Kimball
	0900	85	Kimball
	1200	87	Kimball
	1500	87	Kimball
	1800	87	Kimball
	2100	88	Kimball
	2400	88	Kimball

## Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	83	Kimball
	0600	88	Kimball
	0900	88	Kimball
	1200	89	Kimball
	1500	89	Kimball
	1800	90	Kimball
	2100	90	Kimball
	2400	90	Kimball

## Friday

Date	Time	Temp.	Name (Print)
8/30	0300	89	Kimball
	0600	86	Kimball
	0900	89	Kimball
	1200	89	Kimball
	1500	89	Kimball
	1800	89	Kimball
	2100	91	Kimball
	2400	96	CHASTAIN

## Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	85	CHASTAIN
	0600	86	CHASTAIN
	0900	87	CHASTAIN
	1200	88	CHASTAIN
	1500	91	Ral
	1800	92	Ral
	2100	93	Ral
	2400	90	Kimball

## Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	89	Kimball
	0600	87	Kimball
	0900	86	Ribell
	1200	88	Ribell
	1500	89	Castillo
	1800	89	Castillo
	2100	88	Castillo
	2400	85	Allen

## Notes &amp; Signatures

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign:

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 67 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/26	0300	75	CHASTAIN
	0600	75	CARODA
	0900	75	CARODA
	1200	75	CARODA
	1500	78	bacut
	1800	82	Gracus
	2100	80	Gomez
	2400	78	Rynd

#### Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	77	Rynd
	0600	84	N. Martinez
	0900	84	N. Martinez
	1200	85	N. Martinez
	1500	88	N. Martinez
	1800	80	N. Martinez
	2100	79	N. Martinez
	2400	83	Rynd

#### Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	82	Rynd
	0600	82	HIGER
	0900	82	PILONE
	1200	84	HILL
	1500	84	ELLIS
	1800	84	ELLIS
	2100	83	ELLIS
	2400	81	Rainey

#### Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	84	Rainey
	0600	84	CARODA
	0900	85	CARODA
	1200	85	CARODA
	1500	85	
	1800	84	
	2100	86	
	2400	86	CHASTAIN

#### Friday

Date	Time	Temp.	Name (Print)
8/30	0300	84	CHASTAIN
	0600	86	CARODA
	0900	86	CARODA
	1200	87	CARODA
	1500	89	
	1800	89	
	2100	88	
	2400	85	MATHEWS

#### Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	80	MATHEWS
	0600	82	CARODA
	0900	84	CARODA
	1200	85	CARODA
	1500	86	
	1800	91	
	2100	90	
	2400	89	MARTINEZ

#### Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	89	MARTINEZ
	0600	85	CARODA
	0900	87	CARODA
	1200	87	CARODA
	1500	84	THAO
	1800	84	THAO
	2100	83	THAO
	2400	81	a/

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 68 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	79	Allen
	0600	76	Robbs
	0900	79	Reba
	1200	80	Castillo
	1500	82	Castillo
	1800	84	Castillo
	2100	85	Castillo
	2400	80	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	82	Kimbrell
	0600	82	
	0900	83	
	1200	85	
	1500	86	Shero
	1800	86	rr
	2100	86	rr
	2400	85	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	84	Kimbrell
	0600	85	
	0900	86	
	1200	86	
	1500	86	
	1800	86	
	2100	86	
	2400	86	CHASTAIN

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300	88	Kimbrell
	0600	86	Robbs
	0900	86	Reba
	1200	88	Robbs
	1500	89	Castillo
	1800	89	Castillo
	2100	89	Castillo
	2400	85	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	79	Allan
	0600	82	rr
	0900	84	
	1200	85	
	1500	88	N.W.
	1800	80	J.C. Armento
	2100	80	
	2400	83	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	85	Kimbrell
	0600	82	
	0900	86	
	1200	87	
	1500	87	
	1800	88	
	2100	87	
	2400	86	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	85	CHASTAIN
	0600	85	
	0900	86	
	1200	87	
	1500	89	Pat
	1800	90	Pat
	2100	93	Pat
	2400	90	Kimbrell

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 69      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	71	CHASTAIN
	0600	73	CARONA
	0900	75	CARONA
	1200	75	CARONA
	1500	78	Garcia
	1800	80	Garcia
	2100	78	Garcia
	2400	77	Rynd

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	81	Rynd
	0600	81	HIGGINS
	0900	82	HIGGINS
	1200	84	HIGGINS
	1500	83	ELLIS
	1800	83	ELLIS
	2100	82	ELLIS
	2400	82	Rainey

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	84	CHASTAIN
	0600	85	CARONA
	0900	86	CARONA
	1200	86	CARONA
	1500	89	<del>THAO</del>
	1800	89	<del>THAO</del>
	2100	88	<del>THAO</del>
	2400	83	WANG

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300	89	<del>THAO</del>
	0600	84	CARONA
	0900	85	CARONA
	1200	86	CARONA
	1500	84	THAO
	1800	84	THAO
	2100	84	THAO
	2400	83	G /

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	77	Rynd
	0600	84	an
	0900	84	N - an
	1200	85	N. Carlson
	1500	88	N. Carlson
	1800	80	N. Carlson
	2100	89	N. Carlson
	2400	83	Rynd

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	84	Rainey
	0600	84	CARONA
	0900	85	CARONA
	1200	85	CARONA
	1500	86	<del>THAO</del>
	1800	87	<del>THAO</del>
	2100	87	<del>THAO</del>
	2400	87	CHASTAIN

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	88	<del>WANG</del>
	0600	82	CARONA
	0900	84	CARONA
	1200	85	CARONA
	1500	88	<del>THAO</del>
	1800	91	<del>THAO</del>
	2100	89	<del>THAO</del>
	2400	89	MARTINEZ

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 70 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	80	Allen
	0600	78	Allen
	0900	79	Allen
	1200	80	Rubles
	1500	82	Cashill
	1800	82	Cashill
	2100	84	Cashill
	2400	81	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	79	Allen
	0600	84	Allen
	0900	84	Allen
	1200	85	Allen
	1500	88	N. Chisholm
	1800	80	N. Chisholm
	2100	82	N. Chisholm
	2400	82	Kimball

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	81	Kimball
	0600	81	Kimball
	0900	82	Kimball
	1200	84	Kimball
	1500	85	Eric
	1800	85	Eric
	2100	87	Eric
	2400	85	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	85	Kimball
	0600	85	Kimball
	0900	86	Kimball
	1200	86	Kimball
	1500	87	Kimball
	1800	87	Kimball
	2100	87	Kimball
	2400	86	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	84	Kimball
	0600	85	Kimball
	0900	85	Kimball
	1200	86	Kimball
	1500	86	CHASTAIN
	1800	86	CHASTAIN
	2100	85	CHASTAIN
	2400	84	CHASTAIN

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	84	CHASTAIN
	0600	85	CHASTAIN
	0900	85	CHASTAIN
	1200	86	CHASTAIN
	1500	90	Parker
	1800	91	Parker
	2100	93	Parker
	2400	90	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300	83	Kimball
	0600	84	Rubles
	0900	86	Rubles
	1200	88	Rubles
	1500	89	Cashill
	1800	89	Cashill
	2100	89	Cashill
	2400	95	Allen

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 71 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	72	CHASTAIN
	0600	70	CARODA
	0900	73	CARODA
	1200	75	CARODA
	1500	78	GARCIA
	1800	80	GARCIA
	2100	77	GARCIA
	2400	77	Ryant

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	81	Ryant
	0600	81	HIGEN
	0900	83	HIGEN
	1200	84	HIGEN
	1500	84	ELLIS
	1800	84	ELLIS
	2100	63	ELLIS
	2400	82	Rainer

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	84	CHASTAIN
	0600	85	CARODA
	0900	85	CARODA
	1200	86	CARODA
	1500	88	
	1800	88	
	2100	88	
	2400	85	WANG

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300	89	MARSHALL, J.
	0600	84	CARODA
	0900	85	CARODA
	1200	86	CARODA
	1500	84	THAO
	1800	84	THAO
	2100	84	THAO
	2400	83	GOV

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	76	Ryant
	0600	84	N-Carver
	0900	85	N-Guthrie
	1200	88	N-Liu
	1500	88	N-My
	1800	80	N-Antonia
	2100	79	CM-Carver
	2400	82	Ryant

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	85	Rainer
	0600	85	CARODA
	0900	85	CARODA
	1200	85	CARODA
	1500	87	
	1800	87	
	2100	87	
	2400	87	CHASTAIN

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	83	WANG
	0600	84	CARODA
	0900	85	CARODA
	1200	85	CARODA
	1500	87	
	1800	90	
	2100	91	
	2400	88	MARSHALL, J.

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 72 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	79	Allen
	0600	78	R. G.
	0900	78	R. G.
	1200	79	Robles
	1500	80	COSTILLIO
	1800	81	COSTILLIO
	2100	82	COSTILLIO
	2400	80	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	79	Allen
	0600	84	
	0900	84	
	1200	84	
	1500	88	N. M. FERRER
	1800	86	N. M. FERRER
	2100	82	
	2400	82	Kimball

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	81	Kimball
	0600	80	
	0900	81	
	1200	83	
	1500	84	Sirel
	1800	86	Sirel
	2100	87	Sirel
	2400	85	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	85	Kimball
	0600	85	
	0900	86	
	1200	86	
	1500	86	
	1800	86	
	2100	82	
	2400	85	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	83	Kimball
	0600	84	
	0900	85	
	1200	85	
	1500	85	
	1800	86	
	2100	84	CHASTAIN
	2400	84	CHASTAIN

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	83	CHASTAIN
	0600	84	
	0900	84	
	1200	85	
	1500	90	
	1800	90	
	2100	90	
	2400	89	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300	87	Kimball
	0600	86	Robles
	0900	86	Robles
	1200	85	Robles
	1500	81	COSTILLIO
	1800	80	COSTILLIO
	2100	87	COSTILLIO
	2400	84	Allen

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 73      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	74	CHASTAIN
	0600	75	CARDONA
	0900	75	CARDONA
	1200	75	CARDONA
	1500	78	Garcia
	1800	79	Garcia
	2100	77	Garcia
	2400	76	Rypal

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	81	Rypal
	0600	81	HILGEN
	0900	82	HILGEN
	1200	83	HILGEN
	1500	83	ELLIS
	1800	84	ELLIS
	2100	82	ELLIS
	2400	81	Rainey

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	83	CHASTAIN
	0600	84	CARDONA
	0900	85	CARDONA
	1200	85	CARDONA
	1500	88	
	1800	89	
	2100	88	
	2400	85	VWNS

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300	80	MARIN
	0600	84	CARDONA
	0900	85	CARDONA
	1200	85	CARDONA
	1500	84	THAO
	1800	84	THAO
	2100	83	THAO
	2400	82	✓

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	76	Rypal
	0600	84	N. Cutten
	0900	84	N. Cutten
	1200	85	N. Cutten
	1500	88	N. Cutten
	1800	80	N. Cutten
	2100	84	N. Cutten
	2400	82	Rypal

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	85	Rainey
	0600	85	CARDONA
	0900	85	CARDONA
	1200	85	CARDONA
	1500	86	
	1800	85	
	2100	84	
	2400	86	CHASTAIN

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	82	WANG
	0600	83	CARDONA
	0900	84	CARDONA
	1200	85	CARDONA
	1500	85	
	1800	89	
	2100	87	
	2400	88	

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 74 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	80	Allen
	0600	79	Robles
	0900	78	Robles
	1200	79	Reff
	1500	80	COSTILLA
	1800	82	COSTILLA
	2100	82	COSTILLA
	2400	80	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	79	Allen
	0600	84	de la Torre
	0900	84	de la Torre
	1200	85	
	1500	88	J. M. PEREZ
	1800	80	W. Gutierrez
	2100	80	J. C.
	2400	82	Kimball

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	80	Kimball
	0600	80	
	0900	81	
	1200	83	
	1500	84	Santos
	1800	85	Santos
	2100	84	Kimball
	2400	84	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	84	Kimball
	0600	84	
	0900	85	
	1200	85	
	1500	85	
	1800	86	
	2100	86	
	2400	85	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	83	Kimball
	0600	84	
	0900	85	
	1200	85	
	1500	85	
	1800	85	
	2100	84	CHASTAIN
	2400	84	CHASTAIN

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	83	CHASTAIN
	0600	84	
	0900	84	
	1200	85	
	1500	89	Pat
	1800	90	Pat
	2100	85	Pat
	2400	84	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300	83	Kimball
	0600	84	Robles
	0900	86	Robles
	1200	85	Reff
	1500	89	COSTILLA
	1800	91	COSTILLA
	2100	88	COSTILLA
	2400	85	Allen

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 75      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	73	CHASTAIN
	0600	70	CARODNA
	0900	75	CARODNA
	1200	75	CARODNA
	1500	78	GARCIA
	1800	78	GARCIA
	2100	77	GARCIA
	2400	77	Rypal

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	80	Rypal
	0600	80	HIGGIN
	0900	82	HIGGIN
	1200	84	HIGGIN
	1500	84	ELLIS
	1800	84	ELLIS
	2100	83	ELLIS
	2400	81	Rainey

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	83	CHASTAIN
	0600	83	CARODNA
	0900	85	CARODNA
	1200	86	CARODNA
	1500	88	
	1800	89	
	2100	88	
	2400	85	

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300	89	MARQUEZ
	0600	84	CARODNA
	0900	85	CARODNA
	1200	86	CARODNA
	1500	84	THAO
	1800	84	THAO
	2100	84	THAO
	2400	82	O

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	76	Rypal
	0600	84	N. CARROZZA
	0900	84	N. CARROZZA
	1200	85	N. CARROZZA
	1500	88	N. CARROZZA
	1800	80	N. CARROZZA
	2100	80	B
	2400	82	Rypal

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	85	Rainey
	0600	85	CARODNA
	0900	85	CARODNA
	1200	85	CARODNA
	1500	85	
	1800	86	
	2100	86	
	2400	86	CHASTAIN

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	82	WANG
	0600	84	CARODNA
	0900	85	CARODNA
	1200	85	CARODNA
	1500	89	
	1800	89	
	2100	89	
	2400	89	

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 76      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	79	Allen
	0600	78	<u>R. W.</u>
	0900	78	<u>N. M.</u>
	1200	79	<u>R. P.</u>
	1500	80	<u>C. S. Hilla</u>
	1800	81	<u>C. S. Hilla</u>
	2100	82	<u>C. S. Hilla</u>
	2400	80	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	82	Kimball
	0600	81	<u>      </u>
	0900	82	<u>      </u>
	1200	83	<u>      </u>
	1500	84	<u>      </u>
	1800	84	<u>      </u>
	2100	85	<u>      </u>
	2400	84	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	84	Kimball
	0600	84	<u>      </u>
	0900	85	<u>      </u>
	1200	85	<u>      </u>
	1500	89	<u>      </u>
	1800	89	<u>      </u>
	2100	89	CHASTAIN
	2400	84	CHASTAIN

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300	83	Kimball
	0600	84	<u>      </u>
	0900	85	<u>      </u>
	1200	87	<u>      </u>
	1500	87	<u>      </u>
	1800	89	<u>      </u>
	2100	86	<u>      </u>
	2400	84	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	79	Allen
	0600	84	<u>      </u>
	0900	84	<u>      </u>
	1200	85	<u>      </u>
	1500	83	<u>      </u>
	1800	80	<u>      </u>
	2100	80	<u>      </u>
	2400	83	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	84	Kimball
	0600	84	<u>      </u>
	0900	85	<u>      </u>
	1200	86	<u>      </u>
	1500	87	<u>      </u>
	1800	87	<u>      </u>
	2100	87	<u>      </u>
	2400	86	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	83	CHASTAIN
	0600	83	<u>      </u>
	0900	84	<u>      </u>
	1200	85	<u>      </u>
	1500	85	<u>      </u>
	1800	86	<u>      </u>
	2100	85	<u>      </u>
	2400	84	Kimball

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign:

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)


From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.


Institution: SAC Housing Unit: B-1 Temp. Reading Location: Pineada  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.


Monday



Tuesday



Wednesday



Thursday

Date	Time	Temp.	Name (Print)
5/21/20	0300	78	J. Gregg
	0600	78	Niday
	0900	78	Niday
	1200	78	Niday
	1500	79	D. MERCADO
	1800	79	D. MERCADO
	2100	79	D. MERCADO
	2400	79	C. Pineda

Friday

Date	Time	Temp.	Name (Print)
5/22	0300	79	C. Pineda
	0600	79	C. Pineda
	0900	79	Rissetto
	1200	79	Rissetto
	1500	79	D. MERCADO
	1800	79	D. MERCADO
	2100	78	J. Gregg
	2400	78	J. Gregg

Saturday

Date	Time	Temp.	Name (Print)
5/23	0300	77	J. Gregg
	0600	79	Rissetto
	0900	79	Rissetto
	1200	80	Rissetto
	1500	80	Glover
	1800	81	Glover
	2100	81	Glover
	2400	81	Glover

Sunday

Date	Time	Temp.	Name (Print)
5/24	0300	79	J. Gregg
	0600	79	J. Gregg
	0900	80	Mercado
	1200	80	Mercado
	1500	81	Glover
	1800	81	Glover
	2100	81	Glover
	2400	81	Glover

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION


From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.


Institution: Fac Housing Unit: C "B-2 Temp. Reading Location: Doorway  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.


Monday



Tuesday



Wednesday



Thursday

Date	Time	Temp.	Name (Print)
5/1/21	0300	79	2m
	0600	79	2m
	0900	77	Matheny
	1200	79	Matheny
	1500	79	A.VUE
	1800	80	A.VUE
	2100	80	A.VUE
	2400	78	a

Friday

Date	Time	Temp.	Name (Print)
5/1/21	0300	77	a
	0600	77	a
	0900	77	Matheny
	1200	78	Matheny
	1500	79	A.VUE
	1800	79	A.VUE
	2100	79	A.VUE
	2400	78	A.NGUYEN

Saturday

Date	Time	Temp.	Name (Print)
5/1/21	0300	78	A.NGUYEN
	0600	78	CARDOSO
	0900	79	CARDOSO
	1200	80	CARDOSO
	1500	80	A.VUE
	1800	81	A.VUE
	2100	81	A.VUE
	2400	80	a

Sunday

Date	Time	Temp.	Name (Print)
5/1/21	0300	79	2o
	0600	79	2o
	0900	79	Olin
	1200	80	Olin
	1500	82	A.VUE
	1800	82	A.VUE
	2100	82	A.VUE
	2400	80	Dorothy

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: See Housing Unit: 3 cont. Temp. Reading Location: Porch  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

A dark gray rectangular area with a thin black border, representing a placeholder or a redacted section.

Tuesday

A large, dark gray rectangular area, likely a placeholder or a redacted section of the document.

Wednesday

Thursday

Date	Time	Temp.	Name (Print)
8/1/01	0300	70	Howard
	0600	71	Makinen
	0900	72	Makinen
	1200	74	Makinen
	1500	74	Burbos
	1800	72	Burbos
	2100	72	Burbos
	2400	71	B. Brown

**Friday**

Date	Time	Temp.	Name (Print)
12/22	0300	71	B. Brown
	0600	70	Brown
	0900	72	Cantu. C
	1200	73	Cantu. C
	1500	74	A. Alvarez
	1800	74	A. Alvarez
	2100	74	A. Alvarez
	2400	72	B. Brown

## Saturday

Date	Time	Temp.	Name (Print)
03/13	0300	72	B. Blaw
	0600	72	P. Brown
	0900	72	SATTERFIELD
	1200	79	SATTERFIELD
	1500	74	Alvarez
	1800	74	Alvarez
	2100	74	Alvarez
	2400	72	H. Lewis

Sunday

Date	Time	Temp.	Name (Print)
08/04	0300	72	Huan
	0600	72	SATTERFIELD
	0900	72	SATTERFIELD
	1200	74	SATTERFIELD
	1500	76	Chang
	1800	76	Chang
	2100	74	Chang
	2400	74	Huan

### Notes & Signatures

1st/W - Print & Sign:

**2nd/W - Print & Sign:**

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION


From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.


Institution: SAC Housing Unit: FOUR Temp. Reading Location: Downstairs  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.


Monday



Tuesday



Wednesday



Thursday

Date	Time	Temp.	Name (Print)
5/1/21	0300	74	VANCO
	0600	74	
	0900	77	
	1200	77	
	1500	77	MESARES
	1800	78	MESARES
	2100	78	MESARES
	2400	77	

Friday

Date	Time	Temp.	Name (Print)
5/1/21	0300	78	
	0600	77	
	0900	77	
	1200	78	
	1500	78	M. YISIAND
	1800	78	M. YISIAND
	2100	78	M. YISIAND
	2400	77	MARTIN

Saturday

Date	Time	Temp.	Name (Print)
5/1/21	0300	76	Martinez
	0600	77	myotis
	0900	77	Eberle
	1200	78	mrcol
	1500	78	M. YISIAND
	1800	78	M. YISIAND
	2100	78	M. YISIAND
	2400	78	Penit

Sunday

Date	Time	Temp.	Name (Print)
5/2/21	0300	78	Penit
	0600	78	Penit
	0900	77	Garcia
	1200	78	Garcia
	1500	78	BARRAGAN
	1800	79	BARRAGAN
	2100	79	BARRAGAN
	2400	80	CARRANZA

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

ATT°C

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ACU Housing Unit: C-5 Temp. Reading Location: Dormitory  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

This block contains a large, dark rectangular area with a thin white border, occupying most of the page. To its right is a vertical column of six white rectangular boxes.

Tuesday

This image shows a high-contrast, black-and-white photograph of a textured surface, likely a book cover or endpaper, with a dark rectangular border. To the right of this main area, there is a vertical strip of lighter, horizontal-striped material, possibly a binding or a different type of paper.

Wednesday

This block contains a large, dark gray rectangular area with a fine, grainy texture, characteristic of a scanned document page. The texture is composed of numerous small, dark specks and variations in gray tone, creating a mottled appearance. This area occupies most of the page, suggesting a blank or heavily redacted document.

Thursday

Date	Time	Temp.	Name (Print)
13/01	0300	76	Kathy
	0600	76	Laura
	0900	77	Melissa
	1200	75	Car
	1500	80	Dee
	1800	80	Dee
	2100	80	Dee
	2400	77	NF

Friday

Date	Time	Temp.	Name (Print)
2/22	0300	76	W.
	0600	76	Ham
	0900	77	Lam
	1200	77	Lam
	1500	77	BRADFORD
	1800	77	BRADFORD
	2100	77	BRADFORD
	2400	77	Collins

Saturday

Date	Time	Temp.	Name (Print)
8/1/23	0300	77	Collins
	0600	77	Glover
	0900	78	Glover
	1200	79	Glover
	1500	79	Hermann
	1800	79	Hermann
	2100	79	Hermann
	2400	78	Collins

Sunday

Date	Time	Temp.	Name (Print)
1/21/04	0300	78	Collins
	0600	79	Morozan
	0900	79	McNeese
	1200	79	McNeese
	1500	80	Penitentiary
	1800	80	Park
	2100	80	Park
	2400	80	Corvantes

### Notes & Signatures

1stW - Print & Sign

2nd/W - Print & Sign

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B C-1 Temp. Reading Location: Bedroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/11/20	0300	79	M. HERNANDEZ
	0600	79	O. HERNANDEZ
	0900	80	M. GALVAN
	1200	80	M. GALVAN
	1500	80	D. MERCADO
	1800	81	D. MERCADO
	2100	81	D. MERCADO
	2400	80	M. RIOS

**Tuesday**

Date	Time	Temp.	Name (Print)
5/11/20	0300	79	M. RIOS
	0600	79	M. RIOS
	0900	80	M. GALVAN
	1200	80	M. GALVAN
	1500	81	D. MERCADO
	1800	81	D. MERCADO
	2100	81	D. MERCADO
	2400	80	M. RIOS

**Wednesday**

Date	Time	Temp.	Name (Print)
5/12/20	0300	80	M. RIOS
	0600	80	M. RIOS
	0900	80	BALONADO
	1200	80	BALONADO
	1500	81	D. MERCADO
	1800	81	D. MERCADO
	2100	81	D. MERCADO
	2400	80	M. RIOS

**Thursday**

Date	Time	Temp.	Name (Print)
5/13/20	0300	80	M. RIOS
	0600	80	NICOLAS
	0900	80	NICOLAS
	1200	80	NICOLAS
	1500	80	D. MERCADO
	1800	81	D. MERCADO
	2100	81	D. MERCADO
	2400	80	M. RIOS

**Friday**

Date	Time	Temp.	Name (Print)
5/14/20	0300	80	M. RIOS
	0600	80	Risette
	0900	80	Risette
	1200	80	Risette
	1500	81	D. MERCADO
	1800	81	D. MERCADO
	2100	81	D. MERCADO
	2400	80	M. RIOS

**Saturday**

Date	Time	Temp.	Name (Print)
5/15/20	0300	80	M. RIOS
	0600	79	Risette
	0900	79	~
	1200	80	~
	1500	80	Glover
	1800	81	Glover
	2100	81	Glover
	2400	80	Glover

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

Date	Time	Temp.	Name (Print)
5/11/20	0300	80	J. Hernandez
	0600	80	J. Hernandez
	0900	79	M. GALVAN
	1200	79	M. GALVAN
	1500	80	Glover
	1800	80	Glover
	2100	80	Glover
	2400	80	J. Hernandez

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top-tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: FAC L B-2 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	71	Pearce
	0600	74	Olsen
	0900	80	Olsen
	1200	81	Olsen
	1500	81	Salzer
	1800	81	Salzer
	2100	80	Salzer
	2400	81	SM

**Tuesday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	70	SM
	0600	73	SM
	0900	78	OLASO
	1200	79	OLASO
	1500	81	Machado
	1800	80	Machado
	2100	81	Machado
	2400	81	SM

**Wednesday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	81	SM
	0600	81	SM
	0900	79	OLASO
	1200	80	OLASO
	1500	82	FUNES
	1800	82	FUNES
	2100	80	FUNES
	2400	80	SM

**Thursday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	83	SM
	0600	83	SM
	0900	80	MATHENY
	1200	81	MATHENY
	1500	81	GALLARDO
	1800	81	GALLARDO
	2100	80	GALLARDO
	2400	78	A-NGUYEN

**Friday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	77	A-NGUYEN
	0600	77	A-NGUYEN
	0900	77	MATHENY
	1200	79	MATHENY
	1500	79	A.NUE
	1800	80	A.NUE
	2100	79	A.NUE
	2400	77	A-NGUYEN

**Saturday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	76	A-NGUYEN
	0600	76	A-NGUYEN
	0900	76	MATHENY
	1200	78	MATHENY
	1500	78	A.NUE
	1800	79	A.NUE
	2100	79	A.NUE
	2400	78	Lo,C

**Sunday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	76	Lo,C
	0600	74	Lo,C
	0900	77	OLSEN
	1200	78	OLSEN
	1500	78	A.NUE
	1800	78	A.NUE
	2100	78	A.NUE
	2400	76	Cook

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 3 CONTROL Temp. Reading Location: Divison  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/15	0300	72	HUANG
	0600	73	B. COOK
	0900	86	B. COOK
	1200	84	B. COOK
	1500	79	J. HERNANDEZ
	1800	78	J. HERNANDEZ
	2100	78	J. HERNANDEZ
	2400	74	HUANG

Tuesday

Date	Time	Temp.	Name (Print)
05/16	0300	72	HUANG
	0600	72	SATTERFIELD
	0900	74	SATTERFIELD
	1200	74	SATTERFIELD
	1500	74	MADVENO
	1800	74	MADVENO
	2100	73	MADVENO
	2400	74	HUANG

Wednesday

Date	Time	Temp.	Name (Print)
05/17	0300	72	HUANG
	0600	72	Garcia
	0900	72	Garcia
	1200	74	Garcia
	1500	74	Barker
	1800	74	Barker
	2100	74	244
	2400	72	244

Thursday

Date	Time	Temp.	Name (Print)
05/18	0300	71	244
	0600	73	Milner
	0900	74	Milner
	1200	75	Milner
	1500	75	BARRAGA
	1800	75	BARRAGA
	2100	73	BARRAGA
	2400	72	Hernandez

Friday

Date	Time	Temp.	Name (Print)
05/19	0300	72	J. HERNANDEZ
	0600	72	J. HERNANDEZ
	0900	73	Cubo, C
	1200	74	Cubo, C
	1500	74	Barker, R
	1800	72	Barker, R
	2100	72	Barker
	2400	72	VANG

Saturday

Date	Time	Temp.	Name (Print)
05/20	0300	71	VANG
	0600	72	SATTERFIELD
	0900	73	SATTERFIELD
	1200	74	SATTERFIELD
	1500	74	J. CHIVAS
	1800	74	CHIVAS
	2100	73	CHIVAS
	2400	72	HUANG

Sunday

Date	Time	Temp.	Name (Print)
05/21	0300	72	HUANG
	0600	72	SATTERFIELD
	0900	72	SATTERFIELD
	1200	73	SATTERFIELD
	1500	72	Chang
	1800	72	Chang
	2100	72	Chang
	2400	72	HUANG

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: Fork Temp. Reading Location: Divison  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	77	CARRANZA
	0600	78	CARRANZA
	0900	77	Gonzales
	1200	77	Gonzales
	1500	78	K.VUE
	1800	78	K.VUE
	2100	78	K.VUE
	2400	78	CARRANZA

**Tuesday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	77	CARRANZA
	0600	77	Carranza
	0900	77	Anthon
	1200	78	Gonzales
	1500	79	Gonzales
	1800	79	Gonzales
	2100	79	Gonzales
	2400	78	CARRANZA

**Wednesday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	77	CARRANZA
	0600	77	CARRANZA
	0900	77	Murado
	1200	77	Murado
	1500	79	D.Castillo
	1800	79	D.Castillo
	2100	79	D.Castillo
	2400	78	CARRANZA

**Thursday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	78	J.CARRANZA
	0600	78	J.CARRANZA
	0900	78	Murado
	1200	78	Murado
	1500	79	CashM/o
	1800	77	CashM/o
	2100	79	CashM/o
	2400	78	RUSALLES

**Friday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	76	RUSALLES
	0600	76	R.GARCIA
	0900	77	Murado
	1200	78	Murado
	1500	78	Murado
	1800	78	Murado
	2100	79	Murado
	2400	78	RUSALLES

**Saturday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	78	Penha
	0600	78	Penha
	0900	76	Murado
	1200	77	Murado
	1500	77	M.Yusmado
	1800	77	M.Yusmado
	2100	77	M.Yusmado
	2400	78	Penha

**Sunday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	78	Penha
	0600	78	Penha
	0900	78	GARIBAY
	1200	78	GARIBAY
	1500	79	MISARES
	1800	79	MISARES
	2100	79	MISARES
	2400	78	GARIBAY

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C-5 Temp. Reading Location: Office  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	77	Cervantes
	0600	77	
	0900	79	
	1200	79	
	1500	79	Lupian
	1800	78	Lupian
	2100	78	Lupian
	2400	78	Cervantes

**Tuesday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	76	Cervantes
	0600	77	
	0900	79	
	1200	79	
	1500	79	Lupian
	1800	78	Lupian
	2100	78	Lupian
	2400	77	Cervantes

**Wednesday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	76	Cervantes
	0600	77	
	0900	77	
	1200	79	
	1500	79	
	1800	79	Lupian
	2100	78	Lupian
	2400	77	Cervantes

**Thursday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	76	Cervantes
	0600	77	
	0900	77	
	1200	79	
	1500	78	Lupian
	1800	78	Lupian
	2100	77	Lupian
	2400	76	Cervantes

**Friday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	76	Cervantes
	0600	76	Mon
	0900	77	Mon
	1200	76	Mon
	1500	78	Alvarez
	1800	78	Alvarez
	2100	78	Alvarez
	2400	77	Collins

**Saturday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	76	Collins
	0600	76	Glover
	0900	76	Glover
	1200	77	Glover
	1500	78	Hernandez
	1800	78	Alvarez
	2100	78	Alvarez
	2400	77	Collins

**Sunday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	76	Collins
	0600	76	
	0900	77	
	1200	79	
	1500	78	Lupian
	1800	78	Lupian
	2100	78	Lupian
	2400	77	Cervantes

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SC Housing Unit: C - 1 Temp. Reading Location: Dormitory  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/12	0300	80	<u>J. HERNANDEZ</u>
	0600	78	<u>M. GALVAN</u>
	0900	78	<u>M. GALVAN</u>
	1200	78	<u>M. GALVAN</u>
	1500	79	<u>D. MERCADO</u>
	1800	79	<u>D. MERCADO</u>
	2100	79	<u>D. MERCADO</u>
	2400	79	<u>M. RIOS</u>

**Tuesday**

Date	Time	Temp.	Name (Print)
5/13	0300	79	<u>M. RIOS</u>
	0600	78	<u>M. GALVAN</u>
	0900	78	<u>M. GALVAN</u>
	1200	78	<u>M. GALVAN</u>
	1500	78	<u>D. MERCADO</u>
	1800	78	<u>D. MERCADO</u>
	2100	78	<u>D. MERCADO</u>
	2400	78	<u>M. RIOS</u>

**Wednesday**

Date	Time	Temp.	Name (Print)
5/14	0300	77	<u>M. RIOS</u>
	0600	77	<u>BALDWIN</u>
	0900	77	<u>GARDENIA</u>
	1200	78	<u>GARDENIA</u>
	1500	79	<u>D. MERCADO</u>
	1800	78	<u>D. MERCADO</u>
	2100	78	<u>D. MERCADO</u>
	2400	79	<u>M. RIOS</u>

**Thursday**

Date	Time	Temp.	Name (Print)
5/15	0300	77	<u>M. RIOS</u>
	0600	78	<u>NIDAY</u>
	0900	78	<u>NIDAY</u>
	1200	78	<u>NIDAY</u>
	1500	78	<u>D. MERCADO</u>
	1800	79	<u>D. MERCADO</u>
	2100	78	<u>D. MERCADO</u>
	2400	78	<u>M. RIOS</u>

**Friday**

Date	Time	Temp.	Name (Print)
5/16	0300	77	<u>M. RIOS</u>
	0600	79	<u>B. BIRK</u>
	0900	80	<u>B. BIRK</u>
	1200	81	<u>B. BIRK</u>
	1500	79	<u>D. MERCADO</u>
	1800	79	<u>D. MERCADO</u>
	2100	79	<u>D. MERCADO</u>
	2400	78	<u>M. RIOS</u>

**Saturday**

Date	Time	Temp.	Name (Print)
5/17	0300	77	<u>M. RIOS</u>
	0600	77	<u>R. CALLE</u>
	0900	78	<u>R. CALLE</u>
	1200	78	<u>R. CALLE</u>
	1500	79	<u>GLOVER</u>
	1800	79	<u>GLOVER</u>
	2100	79	<u>GLOVER</u>
	2400	78	<u>A. NGUYEN</u>

**Sunday**

Date	Time	Temp.	Name (Print)
5/18	0300	77	<u>A. NGUYEN</u>
	0600	76	<u>A. NGUYEN</u>
	0900	76	<u>GALVAN</u>
	1200	76	<u>GALVAN</u>
	1500	77	<u>Glover</u>
	1800	78	<u>Glover</u>
	2100	78	<u>Glover</u>
	2400	78	<u>GREGG</u>

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SLC Housing Unit: C-2 Temp. Reading Location: Doorway  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
05/12	0300	74	Cook
	0600	74	Olsen
	0900	77	Olsen
	1200	78	Olsen
	1500	79	Salzer
	1800	80	Salzer
	2100	78	Salzer
	2400	75	JM

**Tuesday**

Date	Time	Temp.	Name (Print)
05/13	0300	75	JM
	0600	77	JM
	0900	77	Quinn
	1200	77	Quinn
	1500	78	Bullock
	1800	79	Bullock
	2100	77	JM
	2400	75	JM

**Wednesday**

Date	Time	Temp.	Name (Print)
05/14	0300	73	JM
	0600	73	Quinn
	0900	73	Quinn
	1200	74	Quinn
	1500	76	Flora
	1800	76	Flora
	2100	76	Flora
	2400	77	JM

**Thursday**

Date	Time	Temp.	Name (Print)
05/15	0300	74	JM
	0600	76	JM
	0900	73	Martinez
	1200	74	Martinez
	1500	75	Gellard
	1800	77	Gellardo
	2100	77	Gellardo
	2400	75	A-NGUYEN

**Friday**

Date	Time	Temp.	Name (Print)
05/16	0300	74	A-NGUYEN
	0600	73	A-NGUYEN
	0900	74	Martinez
	1200	75	Martinez
	1500	79	Mercado
	1800	77	Mercado
	2100	77	Mercado
	2400	75	A-NGUYEN

**Saturday**

Date	Time	Temp.	Name (Print)
05/17	0300	76	A-NGUYEN
	0600	74	A-NGUYEN
	0900	74	Martinez
	1200	75	Martinez
	1500	76	A-NGUE
	1800	76	A-NGUE
	2100	76	A-NGUE
	2400	76	JM

**Sunday**

Date	Time	Temp.	Name (Print)
05/18	0300	74	JM
	0600	74	Olsen
	0900	75	Olsen
	1200	75	Olsen
	1500	75	A-NGUE
	1800	75	A-NGUE
	2100	75	A-NGUE
	2400	74	Sorrell

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SC Housing Unit: 3 Control Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/12	0300	72	HILLARD
	0600	69	N. Courtney
	0900	70	N. Courtney
	1200	71	N. Courtney
	1500	72	J. Hernandez
	1800	72	Hernandez
	2100	72	Hernandez
	2400	72	HILLARD

Wednesday

Date	Time	Temp.	Name (Print)
08/14	0300	72	HILLARD
	0600	71	SATTERFIELD
	0900	72	SATTERFIELD
	1200	74	SATTERFIELD
	1500	72	Barbos
	1800	72	Barbos
	2100	72	Barbos
	2400	72	HILLARD

Friday

Date	Time	Temp.	Name (Print)
08/16	0300	72	SATTERFIELD
	0600	72	Cantu, C
	0900	73	Cantu, C
	1200	73	Cantu, C
	1500	73	Barbos
	1800	72	Barbos
	2100	72	Barbos
	2400	71	McGraw

Sunday

Date	Time	Temp.	Name (Print)
08/18	0300	70	Risotto
	0600	70	SATTERFIELD
	0900	72	SATTERFIELD
	1200	72	SATTERFIELD
	1500	72	Chang
	1800	72	Chang
	2100	72	Chang
	2400	72	HILLARD

Tuesday

Date	Time	Temp.	Name (Print)
08/13	0300	70	HILLARD
	0600	70	SATTERFIELD
	0900	71	SATTERFIELD
	1200	72	SATTERFIELD
	1500	74	MARVENDO
	1800	74	MARVENDO
	2100	74	MARVENDO
	2400	72	HILLARD

Thursday

Date	Time	Temp.	Name (Print)
08/15	0300	72	HILLARD
	0600	73	Makinen
	0900	73	Makinen
	1200	73	Makinen
	1500	72	Barbos
	1800	72	Barbos
	2100	72	Barbos
	2400	72	GORNICKY

Saturday

Date	Time	Temp.	Name (Print)
08/17	0300	71	B. Bean
	0600	70	B. Bean
	0900	72	SATTERFIELD
	1200	73	SATTERFIELD
	1500	74	SATTERFIELD
	1800	72	SCHAUER
	2100	72	SCHAUER
	2400	70	RISOTTO

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 4 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/12	0300	77	CARRANZA
	0600	76	CARRANZA
	0900	76	Carranza
	1200	76	Carranza
	1500	78	Burkhardt
	1800	77	Burkhardt
	2100	76	Burkhardt
	2400	76	CARRANZA

**Tuesday**

Date	Time	Temp.	Name (Print)
5/13	0300	76	CARRANZA
	0600	75	Angh
	0900	76	Carranza
	1200	76	Carranza
	1500	77	Cash J.D.
	1800	77	Cash J.D.
	2100	77	Cash J.D.
	2400	76	CARRANZA

**Wednesday**

Date	Time	Temp.	Name (Print)
5/14	0300	75	CARRANZA
	0600	75	CARRANZA
	0900	74	Mercado
	1200	74	Mercado
	1500	76	D. Cash J.D.
	1800	76	Cash J.D.
	2100	76	Cash J.D.
	2400	75	CARRANZA

**Thursday**

Date	Time	Temp.	Name (Print)
5/15	0300	75	CARRANZA
	0600	75	CARRANZA
	0900	76	Mercado
	1200	76	Mercado
	1500	76	D. Cash J.D.
	1800	76	D. Cash J.D.
	2100	76	D. Cash J.D.
	2400	75	CARRANZA

**Friday**

Date	Time	Temp.	Name (Print)
5/16	0300	75	CARRANZA
	0600	75	CARRANZA
	0900	75	Mercado
	1200	75	Mercado
	1500	75	M. YSIANO
	1800	75	M. YSIANO
	2100	75	M. YSIANO
	2400	73	MARTINEZ

**Saturday**

Date	Time	Temp.	Name (Print)
5/17	0300	72	MARTINEZ
	0600	74	Mercado
	0900	76	Mercado
	1200	76	Mercado
	1500	76	M. YSIANO
	1800	76	M. YSIANO
	2100	75	M. YSIANO
	2400	75	Death

**Sunday**

Date	Time	Temp.	Name (Print)
5/18	0300	75	Penler
	0600	72	Penler
	0900	74	Mercado
	1200	75	Mercado
	1500	77	Burkhardt
	1800	76	Burkhardt
	2100	75	Burkhardt
	2400	75	

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MC Housing Unit: C-5 Temp. Reading Location: Posture  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/12	0300	76	Cervantes
	0600	76	Gra
	0900	77	G
	1200	77	G
	1500	78	G
	1800	78	Lupian
	2100	78	Lupian
	2400	77	Cervantes

**Tuesday**

Date	Time	Temp.	Name (Print)
5/13	0300	76	Cervantes
	0600	76	G
	0900	76	G
	1200	76	G
	1500	74	Lupian
	1800	74	Lupian
	2100	74	Lupian
	2400	77	Cervantes

**Wednesday**

Date	Time	Temp.	Name (Print)
5/14	0300	74	Cervantes
	0600	74	G
	0900	74	G
	1200	75	G
	1500	75	Lupian
	1800	74	Lupian
	2100	74	Lupian
	2400	74	Cervantes

**Thursday**

Date	Time	Temp.	Name (Print)
5/15	0300	74	Cervantes
	0600	74	G
	0900	74	G
	1200	75	G
	1500	75	G
	1800	76	G
	2100	75	G
	2400	75	Cervantes

**Friday**

Date	Time	Temp.	Name (Print)
5/16	0300	75	Collins
	0600	74	Collins
	0900	74	B. Mackenzie
	1200	74	M
	1500	76	K. VUE
	1800	76	K. VUE
	2100	76	K. VUE
	2400	75	Collins

**Saturday**

Date	Time	Temp.	Name (Print)
5/17	0300	74	Collins
	0600	74	Glover
	0900	74	Glover
	1200	75	Glover
	1500	75	C. THAO
	1800	75	C. THAO
	2100	75	Collins
	2400	75	Collins

**Sunday**

Date	Time	Temp.	Name (Print)
5/18	0300	74	Collins
	0600	73	B. Mackenzie
	0900	74	B. Mackenzie
	1200	75	B. Mackenzie
	1500	74	Lupian
	1800	74	Lupian
	2100	74	Lupian
	2400	74	Cervantes

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 855 Housing Unit: Bld. 1 Temp. Reading Location: Door (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/14	0300	76	GREGG
	0600	76	M. GALVAN
	0900	76	M. GALVAN
	1200	76	M. GALVAN
	1500	77	D. MERCADO
	1800	78	D. MERCADO
	2100	78	D. MERCADO
	2400	76	M RIOS

**Tuesday**

Date	Time	Temp.	Name (Print)
5/14/20	0300	76	M RIOS
	0600	76	M. GALVAN
	0900	76	M. GALVAN
	1200	76	M. GALVAN
	1500	77	D. MERCADO
	1800	77	D. MERCADO
	2100	77	D. MERCADO
	2400	77	M RIOS

**Wednesday**

Date	Time	Temp.	Name (Print)
5/15/20	0300	76	M RIOS
	0600	76	BALDONADO
	0900	76	BALDONADO
	1200	76	BALDONADO
	1500	77	D. MERCADO
	1800	77	D. MERCADO
	2100	77	D. MERCADO
	2400	77	M RIOS

**Thursday**

Date	Time	Temp.	Name (Print)
5/15/20	0300	76	M RIOS
	0600	76	NIDAY
	0900	76	NIDAY
	1200	76	NIDAY
	1500	76	D. MERCADO
	1800	74	D. MERCADO
	2100	76	D. MERCADO
	2400	76	M RIOS

**Friday**

Date	Time	Temp.	Name (Print)
5/15/20	0300	75	M RIOS
	0600	75	Risotto
	0900	75	Risotto
	1200	75	Risotto
	1500	75	D. MERCADO
	1800	75	D. MERCADO
	2100	75	D. MERCADO
	2400	75	M RIOS

**Saturday**

Date	Time	Temp.	Name (Print)
5/16/20	0300	74	M RIOS
	0600	75	Risotto
	0900	75	Risotto
	1200	75	Risotto
	1500	75	Riso
	1800	75	Riso
	2100	74	GREGG
	2400	74	GREGG

**Sunday**

Date	Time	Temp.	Name (Print)
5/17/20	0300	74	GREGG
	0600	72	GALVAN
	0900	74	GALVAN
	1200	74	GALVAN
	1500	73	GALVAN
	1800	75	GALVAN
	2100	75	J. CHAVEZ
	2400	74	J. CHAVEZ

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 300 Housing Unit: Bld - 2 Temp. Reading Location: Door  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/14	0300	72	Darbin
	0600	72	Darbin
	0900	73	Olsr
	1200	74	Olsen
	1500	77	Salazar
	1800	76	Salazar
	2100	74	Salazar
	2400	74	Sm

**Tuesday**

Date	Time	Temp.	Name (Print)
5/15	0300	74	Sm
	0600	73	Sm
	0900	73	Gutpaao
	1200	74	Gutpaao
	1500	73	Ellis
	1800	73	Ellis
	2100	73	Ellis
	2400	73	Sm

**Wednesday**

Date	Time	Temp.	Name (Print)
5/16	0300	73 Sm	
	0600	73 Sm	
	0900	74	Gutpaao
	1200	75	Gutpaao
	1500	74	Flores
	1800	76	Flores
	2100	76	Flores
	2400	76	Sm

**Thursday**

Date	Time	Temp.	Name (Print)
5/17	0300	74	Sm
	0600	74	Matherz
	0900	74	Matherz
	1200	75	Gallardo
	1500	75	Gallardo
	1800	75	Gallardo
	2100	75	Gallardo
	2400	72	A-NGUYEN

**Friday**

Date	Time	Temp.	Name (Print)
5/18	0300	72	A-NGUYEN
	0600	71	A-NGUYEN
	0900	72	Matherz
	1200	72	Matherz
	1500	72	A-VUE
	1800	72	A-VUE
	2100	72	A-VUE
	2400	71	A-NGUYEN

**Saturday**

Date	Time	Temp.	Name (Print)
5/19	0300	71	A-NGUYEN
	0600	70	A-NGUYEN
	0900	71	Matherz
	1200	72	Matherz
	1500	72	A-VUE
	1800	72	A-VUE
	2100	72	A-VUE
	2400	72	Lo, C

**Sunday**

Date	Time	Temp.	Name (Print)
5/20	0300	70	Lo, C
	0600	69	Lo, C
	0900	70	Olsen
	1200	71	Olsen
	1500	72	A-VUE
	1800	72	A-VUE
	2100	72	A-VUE
	2400	70	N-LEE

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 3 CONTROL Temp. Reading Location: 1st tier, 2nd tier, 3rd tier, etc.  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1/19	0300	72	Hillary
	0600	72	SATTERFIELD
	0900	72	SATTERFIELD
	1200	72	SATTERFIELD
	1500	72	LAWRENCE
	1800	70	HERNANDEZ
	2100	70	M. HERNANDEZ
	2400	70	Hillary

Wednesday

Date	Time	Temp.	Name (Print)
5/1/19	0300	70	Hillary
	0600	71	SATTERFIELD
	0900	72	SATTERFIELD
	1200	73	SATTERFIELD
	1500	72	VANG
	1800	70	VANG
	2100	70	VANG
	2400	70	Hillary

Friday

Date	Time	Temp.	Name (Print)
5/1/19	0300	70	J. GREGG
	0600	70	Couto, C
	0900	70	Couto, C
	1200	70	Couto, C
	1500	70	Borbosa
	1800	70	Borbosa
	2100	70	Borbosa
	2400	70	GREGG

Sunday

Date	Time	Temp.	Name (Print)
5/1/19	0300	70	JM
	0600	70	JM
	0900	71	SATTERFIELD
	1200	73	SATTERFIELD
	1500	70	Alvarez
	1800	70	Alvarez
	2100	68	Alvarez
	2400	70	Hillary

Tuesday

Date	Time	Temp.	Name (Print)
5/1/19	0300	70	Hillary
	0600	71	SATTERFIELD
	0900	72	SATTERFIELD
	1200	72	SATTERFIELD
	1500	72	VANG
	1800	70	VANG
	2100	71	VANG
	2400	70	Hillary

Thursday

Date	Time	Temp.	Name (Print)
5/1/19	0300	70	Hillary
	0600	70	Moilainen
	0900	70	Moilainen
	1200	70	Moilainen
	1500	70	Boyleen
	1800	70	Boyleen
	2100	70	GREGG
	2400	70	GREGG

Saturday

Date	Time	Temp.	Name (Print)
5/1/19	0300	70	PREGG
	0600	70	SATTERFIELD
	0900	71	SATTERFIELD
	1200	72	SATTERFIELD
	1500	72	Borbosa
	1800	70	Borbosa
	2100	70	Borbosa
	2400	70	JM

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 850 Housing Unit: FORE Temp. Reading Location: Power  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/14	0300	73	GUZMAN
	0600	75	GUZMAN
	0900	74	Guzman
	1200	75	Cashillo
	1500	76	Brown
	1800	75	Brown
	2100	73	Brown
	2400	75	GUZMAN

**Tuesday**

Date	Time	Temp.	Name (Print)
5/15	0300	74	GUZMAN
	0600	75	GUZMAN
	0900	75	Cashillo
	1200	75	Cashillo
	1500	76	Cashillo
	1800	76	Cashillo
	2100	76	Cashillo
	2400	74	GUZMAN

**Wednesday**

Date	Time	Temp.	Name (Print)
5/16	0300	75	GUZMAN
	0600	74	GUZMAN
	0900	74	Mercado
	1200	74	Mercado
	1500	75	Cashillo
	1800	75	Cashillo
	2100	75	Cashillo
	2400	75	GUZMAN

**Thursday**

Date	Time	Temp.	Name (Print)
5/17	0300	73	GUZMAN
	0600	75	GUZMAN
	0900	74	Mercado
	1200	75	Mercado
	1500	75	Cashillo
	1800	75	Cashillo
	2100	75	Cashillo
	2400	74	GUZMAN

**Friday**

Date	Time	Temp.	Name (Print)
5/18	0300	74	GUZMAN
	0600	74	GUZMAN
	0900	74	Mercado
	1200	74	Mercado
	1500	77	M. YSIANO
	1800	73	M. YSIANO
	2100	73	M. YSIANO
	2400	72	Reed

**Saturday**

Date	Time	Temp.	Name (Print)
5/19	0300	72	Reed
	0600	71	CHASTAIN
	0900	72	Mercado
	1200	72	Mercado
	1500	72	M. YSIANO
	1800	72	M. YSIANO
	2100	72	M. YSIANO
	2400	72	Reed

**Sunday**

Date	Time	Temp.	Name (Print)
5/20	0300	72	Reed
	0600	71	Reed
	0900	72	Mercado
	1200	73	Mercado
	1500	74	Baile
	1800	73	Baile
	2100	72	Baile
	2400	73	GUZMAN

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 810 Housing Unit: C-5 Temp. Reading Location: Dormitory  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
05/19	0300	73	Cervantes
	0600	73	Perez
	0900	78	Perez
	1200	80	Perez
	1500	75	LUPIAN
	1800	75	LUPIAN
	2100	75	LUPIAN
	2400	74	Cervantes

**Tuesday**

Date	Time	Temp.	Name (Print)
05/20	0300	72	R. GARCIA
	0600	72	N. Gutierrez
	0900	72	N. Gutierrez
	1200	73	N. Gutierrez
	1500	74	LUPIAN
	1800	73	LUPIAN
	2100	73	LUPIAN
	2400	73	Cervantes

**Wednesday**

Date	Time	Temp.	Name (Print)
05/21	0300	73	Cervantes
	0600	72	Garcia
	0900	72	Garcia
	1200	73	Garcia
	1500	74	UBALDO
	1800	74	UBALDO
	2100	74	UBALDO
	2400	74	Cervantes

**Thursday**

Date	Time	Temp.	Name (Print)
05/22	0300	73	Cervantes
	0600	73	Garcia
	0900	73	Garcia
	1200	74	Garcia
	1500	74	CHONG
	1800	75	CHONG
	2100	74	CHONG
	2400	73	Cervantes

**Friday**

Date	Time	Temp.	Name (Print)
05/23	0300	72	Cervantes
	0600	72	Kim
	0900	73	Kim
	1200	73	Kim
	1500	73	KHAN
	1800	73	BRADFORD
	2100	73	BRADFORD
	2400	73	Cervantes

**Saturday**

Date	Time	Temp.	Name (Print)
05/24	0300	71	BABASA
	0600	72	McHou
	0900	73	McHou
	1200	73	HERNANDEZ
	1500	73	HERNANDEZ
	1800	72	HERNANDEZ
	2100	72	HERNANDEZ
	2400	70	A. NGUYEN

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

Date	Time	Temp.	Name (Print)
05/25	0300	70	A. NGUYEN
	0600	70	A. NGUYEN
	0900	70	B. MacLean
	1200	72	B. MacLean
	1500	72	R. GARIBAY
	1800	72	R. GARIBAY
	2100	70	R. GARIBAY
	2400	70	Cervantes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 305 Housing Unit: B10-1 Temp. Reading Location: 2nd floor  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
5/1/20	0300	74	J.C.HAVEZ
	0600	74	M.GALVAN
	0900	74	M.GALVAN
	1200	74	M.GALVAN
	1500	75	D.MERCADO
	1800	75	D.MERCADO
	2100	75	D.MERCADO
	2400	75	M.Rios


Tuesday			
Date	Time	Temp.	Name (Print)
5/2/20	0300	74	M.Rios
	0600	74	R.Collie
	0900	76	R.Collie
	1200	76	R.Collie
	1500	77	D.Mercado
	1800	77	D.Mercado
	2100	76	N.Cane, Jr
	2400	76	M.Rios

Wednesday			
Date	Time	Temp.	Name (Print)
5/3/20	0300	74	M.Rios
	0600	77	BALDONADO
	0900	77	BALDONADO
	1200	77	BALDONADO
	1500	78	D.MERCADO
	1800	77	D.MERCADO
	2100	77	D.MERCADO
	2400	77	M.Rios

Thursday			
Date	Time	Temp.	Name (Print)
5/4/20	0300	76	M.Rios
	0600	74	
	0900	76	PRAZO
	1200	77	PRAZO
	1500	77	D.MERCADO
	1800	77	D.MERCADO
	2100	77	D.MERCADO
	2400	77	M.Rios

Friday			
Date	Time	Temp.	Name (Print)
5/5/20	0300	76	M.Rios
	0600	75	Rispetto
	0900	75	Rispetto
	1200	75	Rispetto
	1500	76	D.MERCADO
	1800	76	D.MERCADO
	2100	76	D.MERCADO
	2400	76	M.Rios

Saturday			
Date	Time	Temp.	Name (Print)
5/6/20	0300	76	M.Rios
	0600	77	S.TAMAS
	0900	71	S.TAMAS
	1200	77	J.MYERS
	1500	78	Glover
	1800	79	Glover
	2100	77	Glover
	2400	78	SHAWNNA MOORE



Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 517 Housing Unit: B-Hug 2 Temp. Reading Location: 2nd floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/26	0300	70	N. Lee
	0600	70	N. Lee
	0900	72	Olsen
	1200	79	Olsen
	1500	77	Salazar
	1800	79	Salazar
	2100	76	Salazar
	2400	76	N. Nguyen

**Tuesday**

Date	Time	Temp.	Name (Print)
08/27	0300	74	N. Nguyen
	0600	72	N. Nguyen
	0900	72	Quinn
	1200	73	Quinn
	1500	74	Xiong
	1800	75	Xiong
	2100	75	Xiong
	2400	75	Xiong

**Wednesday**

Date	Time	Temp.	Name (Print)
08/28	0300	75	Thao
	0600	75	Thao
	0900	75	Quinn
	1200	75	Quinn
	1500	75	Flores
	1800	76	Flores
	2100	76	Flores
	2400	76	N. Nguyen

**Thursday**

Date	Time	Temp.	Name (Print)
08/29	0300	76	N. Nguyen
	0600	73	Mutheni
	0900	73	Mutheni
	1200	75	Mutheni
	1500	75	Gutierrez
	1800	75	Gutierrez
	2100	75	Gutierrez
	2400	74	A. Nguyen

**Friday**

Date	Time	Temp.	Name (Print)
08/30	0300	73	A. Nguyen
	0600	72	A. Nguyen
	0900	74	Mutheni
	1200	75	Mutheni
	1500	76	HERNANDEZ
	1800	77	HERNANDEZ
	2100	76	HERNANDEZ
	2400	75	A. Nguyen

**Saturday**


Date	Time	Temp.	Name (Print)
08/31	0300	74	A. Nguyen
	0600	74	Mutheni
	0900	77	Mutheni
	1200	76	Mutheni
	1500	77	A. NUE
	1800	78	A. NUE
	2100	77	A. NUE
	2400	77	G. Gandy

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign



STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 3 CONT Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
5/1/20	0300	70	HILLARY
	0600	70	B. COOK
	0900	70	B. COOK
	1200	70	B. COOK
	1500	70	HERNANDEZ
	1800	70	HERNANDEZ
	2100	70	Hernandez
	2400	70	HILLARY

## Tuesday

Date	Time	Temp.	Name (Print)
5/1/20	0300	70	HILLARY
	0600	70	SATTERFIELD
	0900	71	SATTERFIELD
	1200	73	SATTERFIELD
	1500	70	Bonbois
	1800	70	Bonbois
	2100	70	Kentner
	2400	70	HILLARY

## Wednesday

Date	Time	Temp.	Name (Print)
5/1/20	0300	70	HILLARY
	0600	70	SATTERFIELD
	0900	71	SATTERFIELD
	1200	74	SATTERFIELD
	1500	71	COTMAN
	1800	72	COTMAN
	2100	70	COTMAN
	2400	70	HILLARY

## Thursday

Date	Time	Temp.	Name (Print)
5/1/20	0300	70	HILLARY
	0600	70	Makinen
	0900	70	Makinen
	1200	70	Makinen
	1500	70	Maurice
	1800	71	Maurice
	2100	70	Maurice
	2400	70	B. Brown


## Friday

Date	Time	Temp.	Name (Print)
5/1/20	0300	70	B. Brown
	0600	70	B. Brown
	0900	70	Costa, C
	1200	71	Costa, C
	1500	71	VANNA
	1800	71	VANNA
	2100	70	VANNA
	2400	70	B. Brown

## Saturday

Date	Time	Temp.	Name (Print)
5/1/20	0300	70	B. Brown
	0600	70	B. Brown
	0900	72	SATTERFIELD
	1200	73	SATTERFIELD
	1500	71	VANNA
	1800	71	VANNA
	2100	70	VANNA
	2400	70	HILLARY

## Sunday



## Notes &amp; Signatures

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
 INSIDE TEMPERATURE RECORD  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 35 Housing Unit: FOUR Temp. Reading Location: 3rd tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/25	0300	72	GUZMAN
	0600	72	GUZMAN
	0900	73	Cash
	1200	73	Cash
	1500	74	BOGLE
	1800	73	BOGLE
	2100	73	BOGLE
	2400	72	GUZMAN

Tuesday

Date	Time	Temp.	Name (Print)
05/26	0300	72	GUZMAN
	0600	72	GUZMAN
	0900	74	Cash
	1200	74	Cash
	1500	74	D. Cash
	1800	74	D. Cash
	2100	74	D. Cash
	2400	72	GUZMAN

Wednesday

Date	Time	Temp.	Name (Print)
05/27	0300	72	GUZMAN
	0600	74	GUZMAN
	0900	74	Mercado
	1200	74	Mercado
	1500	73	Bos
	1800	73	Bos
	2100	74	Bos
	2400	73	GUZMAN

Thursday

Date	Time	Temp.	Name (Print)
05/28	0300	74	GUZMAN
	0600	74	GUZMAN
	0900	74	Mercado
	1200	77	
	1500	74	Bos
	1800	74	Bos
	2100	72	CP
	2400	72	CP


Friday

Date	Time	Temp.	Name (Print)
05/29	0300	72	CP
	0600	74	Mercado
	0900	75	Mercado
	1200	75	Mercado
	1500	75	M. YSIANO
	1800	75	M. YSIANO
	2100	76	M. YSIANO
	2400	75	N. Lee

Saturday

Date	Time	Temp.	Name (Print)
05/30	0300	76	CP
	0600	75	N. Lee
	0900	75	CP
	1200	76	CP
	1500	76	M. YSIANO
	1800	76	M. YSIANO
	2100	76	M. YSIANO
	2400	76	N. Lee

Sunday



Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SM Housing Unit: C-5 Temp. Reading Location: 711-1014  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/13/20	0300	70	Cervantes
	0600	70	✓
	0900	70	✓
	1200	72	✓
	1500	72	Lupian
	1800	72	Lupian
	2100	73	Lupian
	2400	72	Cervantes

**Tuesday**

Date	Time	Temp.	Name (Print)
5/13/20	0300	72	Cervantes
	0600	72	✓
	0900	74	✓
	1200	76	✓
	1500	74	Lupian
	1800	74	Lupian
	2100	73	Lupian
	2400	74	Cervantes

**Wednesday**

Date	Time	Temp.	Name (Print)
5/13/20	0300	73	Cervantes
	0600	72	✓
	0900	74	✓
	1200	76	✓
	1500	74	Lupian
	1800	75	Lupian
	2100	75	Lupian
	2400	74	Cervantes

**Thursday**

Date	Time	Temp.	Name (Print)
5/13/20	0300	74	Cervantes
	0600	74	✓
	0900	75	✓
	1200	76	✓
	1500	76	✓
	1800	77	✓
	2100	76	✓
	2400	74	Cervantes

**Friday**

Date	Time	Temp.	Name (Print)
5/13/20	0300	74	Cervantes
	0600	74	✓
	0900	75	✓
	1200	75	✓
	1500	75	BRADFORD
	1800	75	BRADFORD
	2100	75	BRADFORD
	2400	75	Collins

**Saturday**

Date	Time	Temp.	Name (Print)
5/13/20	0300	75	Collins
	0600	75	Mendoza
	0900	75	Mendoza
	1200	75	Mendoza
	1500	78	Hernandez
	1800	78	Hernandez
	2100	77	Hernandez
	2400	76	Collins

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

