Monthly Summary Report

Institution: CMF

Memorandum

Date: November 5, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - October 2024

The following is a summary of the heat related activity for the month of October 2024,

at CMF (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

   Number of days Stage I Alert initiated: 8

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes

   Number of days Stage II Alert initiated: 3

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: N/A

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

DANIEL E. CUEVA
Warden Name

Warden Signature

TRACI PATTERSON
Chief Executive Officer Name

Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Tue 10/01/2024	0100	60	SYPRASEUTH
	0200	59	SYPRASEUTH
	0300	58	SYPRASEUTH
	0400	58	SYPRASEUTH
	0500	57	SYPRASEUTH
	0600	60	K. Beeman
	0700	66	K. Beeman
	0800	65	K. Beeman
	0900	70	K. Beeman
	1000	80	K. Beeman
	1100	86	K. Beeman
	1200	90	K. Beeman
	1300	94	K. Beeman
	1400	97	QUIJAS
	1500	98	QUIJAS
	1600	99	QUIJAS
	1700	97	QUIJAS
	1800	89	QUIJAS
	1900	87	QUIJAS
	2000	83	QUIJAS
	2100	81	QUIJAS
	2200	80	QUIJAS
	2300	77	QUIJAS
	2400	76	QUIJAS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 10/02/2024	0100	75	QUIJAS
	0200	73	QUIJAS
	0300	72	QUIJAS
	0400	71	QUIJAS
	0500	71	QUIJAS
	0600	71	Beard
	0700	71	Beard
	0800	75	Beard
	0900	80	Beard
	1000	80	Beard
	1100	90	Beard
	1200	92	QUIJAS
	1300	95	QUIJAS
	1400	99	QUIJAS
	1500	101	QUIJAS
	1600	102	QUIJAS
	1700	104	QUIJAS
	1800	97	QUIJAS
	1900	91	QUIJAS
	2000	85	QUIJAS
	2100	83	QUIJAS
	2200	80	QUIJAS
	2300	79	QUIJAS
	2400	76	QUIJAS

DATE	TIME	TEMP.	PRINTED NAME
Thu 10/03/2024	0100	74	QUIJAS
	0200	73	QUIJAS
	0300	72	QUIJAS
	0400	69	QUIJAS
	0500	67	QUIJAS
	0600	64	Beard
	0700	64	Beard
	0800	64	Beard
	0900	73	Beard
	1000	84	Beard
	1100	84	B
	1200	88	B
	1300	92	Gonzalez
	1400	94	Gonzalez
	1500	96	Gonzalez
	1600	98	Gonzalez
	1700	98	Gonzalez
	1800	97	Gonzalez
	1900	88	Gonzalez
	2000	81	Gonzalez
	2100	79	Gonzalez
	2200	78	Gonzalez
	2300	76	Gonzalez
	2400	75	Gonzalez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Fri 10/04/2024	0100	73	Gomez
	0200	72	Gomez
	0300	70	Gomez
	0400	68	Gomez
	0500	65	Gomez
	0600	70	Beard
	0700	72	Beard
	0800	74	Beard
	0900	76	Beard
	1000	76	Beard
	1100	84	Beard
	1200	86	Beard
	1300	90	Gomez
	1400	91	Gomez
	1500	94	Gomez
	1600	97	Gomez
	1700	96	Gomez
	1800	93	Gomez
	1900	85	Gomez
	2000	82	Gomez
	2100	78	Gomez
	2200	75	Gomez
	2300	74	Gomez
	2400	74	Gomez

DATE	TIME	TEMP.	PRINTED NAME
Sat 10/05/2024	0100	72	Gomez
	0200	70	Gomez
	0300	68	Gomez
	0400	65	Gomez
	0500	63	Gomez
	0600	65	Beard
	0700	70	Beard
	0800	73	Beard
	0900	74	Beard
	1000	76	Beard
	1100	90	Beard
	1200	93	Beard
	1300	97	Beard
	1400	96	SAELEE
	1500	96	Saelee
	1600	98	Saelee
	1700	99	Saelee
	1800	101	Saelee
	1900	89	Saelee
	2000	82	Saelee
	2100	78	Saelee
	2200	78	SATERFIELD
	2300	78	SATERFIELD
	2400	78	SATERFIELD

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Sun 10/06/2024	0100	76	SATERFIELD
	0200	76	SATERFIELD
	0300	75	SATERFIELD
	0400	70	SATERFIELD
	0500	65	SATERFIELD
	0600	63	VASQUEZ
	0700	64	VASQUEZ
	0800	64	VASQUEZ
	0900	77	VASQUEZ
	1000	83	VASQUEZ
	1100	87	VASQUEZ
	1200	90	VASQUEZ
	1300	97	VASQUEZ
	1400	101	YOUNG
	1500	103	YOUNG
	1600	102	YOUNG
	1700	96	YOUNG
	1800	91	YOUNG
	1900	84	YOUNG
	2000	87	YOUNG
	2100	83	YOUNG
	2200	78	[illegible]
	2300	81	[illegible]
	2400	~~77~~ 78	~~SATERFIELD~~ [illegible]

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-1** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	70	SYPRASEUTH
	0600	75	K. BROWN
	0900	76	K. BROWN
	1200	76	K. BROWN
	1500	84	QUIJAS
	1800	86	QUIJAS
	2100	86	QUIJAS
	2400	84	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	71	QUIJAS
	0600	79	Beard
	0900	79	Beard
	1200	82	Beard
	1500	84	QUIJAS
	1800	85	QUIJAS
	2100	84	QUIJAS
	2400	80	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	75	QUIJAS
	0600	79	Beard
	0900	79	Beard
	1200	80	Beard
	1500	85	Boyer
	1800	84	Boyer
	2100	81	Boyer
	2400	78	Boyer

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	75	Boyer
	0600	82	Brown
	0900	83	Beard
	1200	84	Beard
	1500	84	Boyer
	1800	83	Boyer
	2100	82	Boyer
	2400	80	Boyer

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	78	Boyer
	0600	80	Beard
	0900	82	Brown
	1200	82	Brown
	1500	85	SAELEE
	1800	85	SAELEE
	2100	82	SAELEE
	2400	80	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	76	SATERFIELD
	0600	78	VASQUEZ
	0900	79	VASQUEZ
	1200	87	VASQUEZ
	1500	87	YOUNG
	1800	88	YOUNG
	2100	86	YOUNG
	2400	~~80~~ 84	~~SATERFIELD~~ Ulloa

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	70	SYPRASEUTH
	0600	77	K. Berman
	0900	77	K. Berman
	1200	78	K. Berman
	1500	79	QUIJAS
	1800	80	QUIJAS
	2100	79	QUIJAS
	2400	77	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	70	QUIJAS
	0600	72	Beard
	0900	72	Beard
	1200	74	Beard
	1500	80	QUIJAS
	1800	81	QUIJAS
	2100	81	QUIJAS
	2400	77	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	72	QUIJAS
	0600	78	Beard
	0900	78	Beard
	1200	80	Beard
	1500	80	Beard
	1800	83	Beard
	2100	82	Beard
	2400	79	Beard

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	75	Beard
	0600	78	Beard
	0900	75	Beard
	1200	80	Beard
	1500	82	Beard
	1800	81	Beard
	2100	82	Beard
	2400	78	Beard

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	75	Beard
	0600	80	Beard
	0900	82	Beard
	1200	83	Beard
	1500	85	Saelee
	1800	91	SAELEE
	2100	81	Saelee
	2400	82	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	82	SATERFIELD
	0600	79	VASQUEZ
	0900	91	VASQUEZ
	1200	92	VASQUEZ
	1500	84	Yourh
	1800	90	Yourh
	2100	86	Yourh
	2400	~~86~~ 84	~~SATERFIELD~~ [illegible]

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-1** Temp. Reading Location: **137**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	70	SYPRASEUTH
	0600	74	K. Beeson
	0900	75	K. Beeson
	1200	75	K. Beeson
	1500	76	QUIJAS
	1800	77	QUIJAS
	2100	77	QUIJAS
	2400	76	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	71	QUIJAS
	0600	74	Brand
	0900	76	Brand
	1200	77	Brand
	1500	76	QUIJAS
	1800	76	QUIJAS
	2100	76	QUIJAS
	2400	74	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	73	QUIJAS
	0600	73	Brand
	0900	73	Brand
	1200	76	Brand
	1500	76	Gaber
	1800	77	Gaber
	2100	75	Gaber
	2400	74	Gaber

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	72	Gaber
	0600	74	Brand
	0900	74	Brand
	1200	78	Brand
	1500	75	Gaber
	1800	76	Gaber
	2100	75	Gaber
	2400	75	Gaber

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	73	Gaber
	0600	78	Brand
	0900	80	Brand
	1200	81	Brand
	1500	83	Saelee
	1800	83	Saelee
	2100	81	Saelee
	2400	82	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	72	SATERFIELD
	0600	73	VASQUEZ
	0900	73	VASQUEZ
	1200	76	VASQUEZ
	1500	78	Young
	1800	78	Young
	2100	79	Young
	2400	81	~~SATERFIELD~~

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	70	SYPRASEUTH
	0600	73	K. Beaver
	0900	74	K. Beaver
	1200	75	K. Beaver
	1500	75	QUIJAS
	1800	77	QUIJAS
	2100	77	QUIJAS
	2400	76	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	72	QUIJAS
	0600	76	Beard
	0900	76	Beard
	1200	77	Beard
	1500	77	QUIJAS
	1800	79	QUIJAS
	2100	79	QUIJAS
	2400	76	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	74	QUIJAS
	0600	76	Beard
	0900	76	Beard
	1200	77	Beard
	1500	77	Gray
	1800	78	Gray
	2100	76	Gray
	2400	79	Gray

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	75	Gray
	0600	77	Beard
	0900	80	Beard
	1200	81	Beard
	1500	78	Gray
	1800	74	Gray
	2100	73	Gray
	2400	73	Gray

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	72	Gray
	0600	77	Beard
	0900	77	Beard
	1200	79	Beard
	1500	81	Saefee
	1800	80	Saefee
	2100	79	Saefee
	2400	79	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	79	SATERFIELD
	0600	79	VASQUEZ
	0900	75	VASQUEZ
	1200	79	VASQUEZ
	1500	79	Young
	1800	78	Young
	2100	76	Young
	2400	81	Young

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	70	SYPRASEUTH
	0600	71	K. Beaver
	0900	70	K. Beaver
	1200	73	K. Beaver
	1500	76	QUIJAS
	1800	78	QUIJAS
	2100	77	QUIJAS
	2400	75	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	70	QUIJAS
	0600	73	Brad
	0900	73	Brad
	1200	74	Brad
	1500	88	QUIJAS
	1800	88	QUIJAS
	2100	88	QUIJAS
	2400	77	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	73	QUIJAS
	0600	73	Brad
	0900	74	Brad
	1200	76	Brad
	1500	77	Gomez
	1800	77	Gomez
	2100	78	Gomez
	2400	75	Gomez

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	74	Gomez
	0600	76	Brad
	0900	77	Brad
	1200	78	Brad
	1500	78	Gomez
	1800	74	Gomez
	2100	75	Gomez
	2400	79	Gomez

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	72	Gomez
	0600	72	Brad
	0900	78	Brad
	1200	80	Brad
	1500	83	Sachel
	1800	81	Sachel
	2100	80	Sachel
	2400	77	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	76	SATERFIELD
	0600	75	WASHURN
	0900	76	WASHURN
	1200	78	WASHURN
	1500	83	YOUNG
	1800	82	YOUNG
	2100	80	YOUNG
	2400	77	YOUNG

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	68	SYPRASEUTH
	0600	73	K. Beard
	0900	78	K. Beard
	1200	72	K. Beard
	1500	81	QUIJAS
	1800	80	QUIJAS
	2100	80	QUIJAS
	2400	75	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	70	QUIJAS
	0600	73	Beard
	0900	73	Beard
	1200	74	Beard
	1500	80	QUIJAS
	1800	80	QUIJAS
	2100	80	QUIJAS
	2400	76	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	73	QUIJAS
	0600	73	Beard
	0900	75	Beard
	1200	75	Beard
	1500	75	Beard
	1800	76	Beard
	2100	76	Beard
	2400	76	Beard

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	74	Cox
	0600	75	Beard
	0900	75	Beard
	1200	76	Beard
	1500	76	Beard
	1800	76	Beard
	2100	76	Cox
	2400	74	Cox

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	73	Cox
	0600	74	Beard
	0900	75	Beard
	1200	76	Beard
	1500	77	Sachez
	1800	77	Sachez
	2100	77	Sachez
	2400	77	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	76	SATERFIELD
	0600	71	VASQUEZ
	0900	72	VASQUEZ
	1200	74	VASQUEZ
	1500	83	Young
	1800	84	Young
	2100	80	Young
	2400	77	Illegible

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	70	SYPRASEUTH
	0600	69	K. Boelman
	0900	71	K. Boelman
	1200	73	K. Boelman
	1500	80	QUIJAS
	1800	81	QUIJAS
	2100	81	QUIJAS
	2400	75	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	70	QUIJAS
	0600	72	Beard
	0900	73	Beard
	1200	74	Beard
	1500	83	QUIJAS
	1800	83	QUIJAS
	2100	83	QUIJAS
	2400	77	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	72	QUIJAS
	0600	74	Beard
	0900	76	Beard
	1200	78	Beard
	1500	79	Gray
	1800	80	Gray
	2100	79	Gray
	2400	76	Gray

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	73	Gray
	0600	74	Beard
	0900	75	Beard
	1200	76	Beard
	1500	80	Gray
	1800	80	Gray
	2100	80	Gray
	2400	78	Gray

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	76	Gray
	0600	76	Beard
	0900	76	Beard
	1200	78	Beard
	1500	82	Sadler
	1800	81	Sadler
	2100	80	Sadler
	2400	78	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	78	SATERFIELD
	0600	76	VASQUEZ
	0900	76	VASQUEZ
	1200	80	VASQUEZ
	1500	84	Young
	1800	83	Young
	2100	79	Young
	2400	78	[illegible]

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	68	BYPRASEUTH
	0600	66	K. Beard
	0900	72	K. Beard
	1200	73	K. Beard
	1500	73	QUIJAS
	1800	75	QUIJAS
	2100	74	QUIJAS
	2400	71	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	69	QUIJAS
	0600	70	Beard
	0900	72	Beard
	1200	73	Beard
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	70	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	70	QUIJAS
	0600	70	Beard
	0900	72	Beard
	1200	74	Beard
	1500	74	Carr
	1800	75	Carr
	2100	75	Carr
	2400	74	Carr

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	70	Carr
	0600	73	Beard
	0900	74	Beard
	1200	75	Beard
	1500	75	Carr
	1800	74	Carr
	2100	74	Carr
	2400	73	Carr

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	70	Carr
	0600	72	Brown
	0900	73	Brown
	1200	74	Brown
	1500	78	Saelee
	1800	80	Saelee
	2100	80	Saelee
	2400	77	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	77	SATERFIELD
	0600	73	MASQUEZ
	0900	73	MASQUEZ
	1200	77	MASQUEZ
	1500	80	Young
	1800	80	Young
	2100	77	Young
	2400	81	Young

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	68	SYPRASEUTH
	0600	68	K. Beard
	0900	70	K. Beard
	1200	71	K. Beard
	1500	74	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	72	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	70	QUIJAS
	0600	70	Beard
	0900	71	Beard
	1200	73	Beard
	1500	74	QUIJAS
	1800	75	QUIJAS
	2100	74	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	70	QUIJAS
	0600	74	Beard
	0900	75	Beard
	1200	76	Beard
	1500	77	Cor
	1800	80	Cor
	2100	80	Cor
	2400	75	Cor

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	74	Cor
	0600	75	Beard
	0900	75	Beard
	1200	76	Beard
	1500	78	Cor
	1800	78	Cor
	2100	76	Cor
	2400	79	Cor

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	73	Cor
	0600	66	Beard
	0900	65	Beard
	1200	70	Beard
	1500	76	Saebe
	1800	79	Saebe
	2100	78	Saebe
	2400	74	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	72	SATERFIELD
	0600	68	MASQUEZ
	0900	69	MASQUEZ
	1200	72	MASQUEZ
	1500	75	Young
	1800	75	Young
	2100	73	Young
	2400	74	[illegible]

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800	CLOSED	
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300		
	0600		
	0900		
	1200		
	1500	CLOSED	
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-3** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	70	SYPRASEUTH
	0600	75	K. Berthu
	0900	76	K. Berthu
	1200	77	K. Berthu
	1500	78	QUIJAS
	1800	79	QUIJAS
	2100	79	QUIJAS
	2400	74	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	70	QUIJAS
	0600	73	Beard
	0900	74	Beard
	1200	75	Beard
	1500	78	QUIJAS
	1800	83	QUIJAS
	2100	78	QUIJAS
	2400	74	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	72	QUIJAS
	0600	73	Beard
	0900	73	Beard
	1200	73	Beard
	1500	75	Gov
	1800	75	Gov
	2100	77	Gov
	2400	75	Gov

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	74	Gov
	0600	74	Beard
	0900	75	Beard
	1200	76	Beard
	1500	76	Gov
	1800	76	Gov
	2100	76	Gov
	2400	74	Gov

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	72	Gov
	0600	72	Beard
	0900	75	Beard
	1200	79	Beard
	1500	80	Saeler
	1800	80	Saeler
	2100	79	Saeler
	2400	77	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	74	SATERFIELD
	0600	76	VASQUEZ
	0900	77	VASQUEZ
	1200	77	VASQUEZ
	1500	81	Young
	1800	80	Young
	2100	76	Young
	2400	74	[illegible]

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-3** Temp. Reading Location: **C/O OFFICE** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	70	SYPRASEUTH
	0600	74	K. Beeson
	0900	74	K. Beeson
	1200	74	K. Beeson
	1500	81	QUIJAS
	1800	82	QUIJAS
	2100	84	QUIJAS
	2400	76	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	70	QUIJAS
	0600	72	Brand
	0900	74	Brand
	1200	75	Brand
	1500	78	QUIJAS
	1800	81	QUIJAS
	2100	79	QUIJAS
	2400	75	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	72	QUIJAS
	0600	72	Brand
	0900	75	Brand
	1200	80	Brand
	1500	79	Cater
	1800	80	Cater
	2100	80	Cater
	2400	76	Cater

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	74	Cater
	0600	75	Brand
	0900	76	Brand
	1200	77	Brand
	1500	79	Cater
	1800	76	Cater
	2100	76	Cater
	2400	75	Cater

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	74	Cater
	0600	77	Brand
	0900	78	Brand
	1200	78	Brand
	1500	81	Saebee
	1800	82	Saebee
	2100	80	Saebee
	2400	82	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	80	SATERFIELD
	0600	77	VASQUEZ
	0900	78	VASQUEZ
	1200	78	VASQUEZ
	1500	81	Young
	1800	80	Young
	2100	76	Young
	2400	75	[illegible]

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800	CLOSED	
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300		
	0600		
	0900		
	1200		
	1500	CLOSED	
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	70	SYPRASEUTH
	0600	73	K. Brown
	0900	78	K. Brown
	1200	78	K. Brown
	1500	81	QUIJAS
	1800	82	QUIJAS
	2100	74	QUIJAS
	2400	72	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	71	QUIJAS
	0600	73	Beard
	0900	75	Beard
	1200	75	Beard
	1500	84	QUIJAS
	1800	81	QUIJAS
	2100	80	QUIJAS
	2400	76	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	73	QUIJAS
	0600	74	Beard
	0900	75	Beard
	1200	81	Beard
	1500	80	Carr
	1800	81	Carr
	2100	80	Carr
	2400	78	Carr

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	76	Carr
	0600	76	Beard
	0900	77	Beard
	1200	78	Beard
	1500	80	Carr
	1800	80	Carr
	2100	80	Carr
	2400	78	Carr

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	76	Carr
	0600	76	Beard
	0900	77	Beard
	1200	79	Beard
	1500	79	Saelee
	1800	85	Saelee
	2100	83	Saelee
	2400	70	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	70	SATERFIELD
	0600	73	VASQUEZ
	0900	75	VASQUEZ
	1200	76	VASQUEZ
	1500	77	Young
	1800	76	Young
	2100	75	Young
	2400	78	[illegible]

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	68	SYPRASEUTH
	0600	69	K. Beeman
	0900	71	K. Beeman
	1200	75	K. Beeman
	1500	77	QUIJAS
	1800	77	QUIJAS
	2100	76	QUIJAS
	2400	73	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	69	QUIJAS
	0600	70	Beard
	0900	73	Beard
	1200	76	Beard
	1500	76	QUIJAS
	1800	77	QUIJAS
	2100	77	QUIJAS
	2400	74	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	70	QUIJAS
	0600	73	Beard
	0900	75	Beard
	1200	76	Beard
	1500	80	Carter
	1800	80	Carter
	2100	80	Carter
	2400	76	Cer

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	77	Cer
	0600	74	Beard
	0900	74	Beard
	1200	76	Beard
	1500	80	Carter
	1800	78	Cer
	2100	78	Carter
	2400	76	Cer

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	75	Cer
	0600	76	Beard
	0900	77	Beard
	1200	79	Beard
	1500	77	Saelee
	1800	75	Saelee
	2100	75	Saelee
	2400	73	SATERLEFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	72	SATERLEFIELD
	0600	71	MASQUEZ
	0900	72	MASQUEZ
	1200	74	MASQUEZ
	1500	77	Young
	1800	76	Young
	2100	75	Young
	2400	77	[illegible]

NOTES

1500 - 80

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	68	SYPRASEUTH
	0600	68	K. Beeman
	0900	70	K. Beeman
	1200	73	K. Beeman
	1500	76	QUIJAS
	1800	77	QUIJAS
	2100	76	QUIJAS
	2400	72	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	69	QUIJAS
	0600	71	Beard
	0900	73	Beard
	1200	76	Beard
	1500	78	QUIJAS
	1800	79	QUIJAS
	2100	79	QUIJAS
	2400	74	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	71	QUIJAS
	0600	71	Beard
	0900	72	Beard
	1200	74	Beard
	1500	76	Gow
	1800	78	Gow
	2100	74	Gow
	2400	75	Gow

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	74	Gow
	0600	74	Beard
	0900	75	Beard
	1200	76	Beard
	1500	76	Gow
	1800	74	Gow
	2100	74	Gow
	2400	73	Gow

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	72	Gow
	0600	73	Beard
	0900	73	Beard
	1200	74	Beard
	1500	77	Saetre
	1800	77	Saetre
	2100	76	Saetre
	2400	73	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	71	SATERFIELD
	0600	70	VASQUEZ
	0900	71	VASQUEZ
	1200	73	VASQUEZ
	1500	77	Young
	1800	[illegible]	Young
	2100	75	Young
	2400	73	[illegible]

NOTES

10/6 - 1800 76

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	70	SYPRASEUTH
	0600	76	K. Beaver
	0900	76	K. Beaver
	1200	77	K. Beaver
	1500	76	QUIJAS
	1800	78	QUIJAS
	2100	78	QUIJAS
	2400	75	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	71	QUIJAS
	0600	77	Beard
	0900	78	Beard
	1200	78	Beard
	1500	79	QUIJAS
	1800	81	QUIJAS
	2100	81	QUIJAS
	2400	78	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	73	QUIJAS
	0600	77	Beard
	0900	78	Beard
	1200	80	Beard
	1500	80	Grw
	1800	80	Grw
	2100	80	Grw
	2400	79	Grw

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	77	Grw
	0600	81	Beard
	0900	82	Beard
	1200	82	Beard
	1500	82	Grw
	1800	80	Grw
	2100	80	Grw
	2400	78	Grw

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	76	Grw
	0600	77	Beard
	0900	78	Beard
	1200	79	Beard
	1500	79	Saetel
	1800	83	Saetel
	2100	80	Saetel
	2400	82	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	81	SATERFIELD
	0600	78	VASQUEZ
	0900	80	VASQUEZ
	1200	79	VASQUEZ
	1500	80	Yonda
	1800	79	Yonda
	2100	77	Yonda
	2400	80	[illegible]

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	71	SYPRASEUTH
	0600	75	K. Bergen
	0900	76	K. Bergen
	1200	81	K. Bergen
	1500	78	QUIJAS
	1800	80	QUIJAS
	2100	81	QUIJAS
	2400	76	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	73	QUIJAS
	0600	74	Beard
	0900	75	Beard
	1200	76	Beard
	1500	82	QUIJAS
	1800	83	QUIJAS
	2100	82	QUIJAS
	2400	78	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	73	QUIJAS
	0600	73	Beard
	0900	74	Beard
	1200	76	Beard
	1500	83	Gov
	1800	83	Gov
	2100	81	Gov
	2400	78	Gov

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	77	Gov
	0600	78	Beard
	0900	77	Beard
	1200	80	Beard
	1500	82	Gov
	1800	82	Gov
	2100	80	Gov
	2400	78	Gov

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	76	Gov
	0600	77	Beard
	0900	78	Beard
	1200	79	Beard
	1500	79	Sachez
	1800	84	Sachez
	2100	82	Sachez
	2400	86	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	85	SATERFIELD
	0600	71	VASQUEZ
	0900	73	VASQUEZ
	1200	75	VASQUEZ
	1500	83	Young
	1800	85	Young
	2100	82	Young
	2400	85.3	[illegible]

NOTES

TRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also e monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	72	SYPRASEUTH
	0600	76	K. Berman
	0900	77	K. Berman
	1200	80	K. Berman
	1500	79	QUIJAS
	1800	80	QUIJAS
	2100	79	QUIJAS
	2400	75	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	73	QUIJAS
	0600	74	Brand
	0900	75	Brand
	1200	76	Brand
	1500	84	QUIJAS
	1800	83	QUIJAS
	2100	83	QUIJAS
	2400	77	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	73	QUIJAS
	0600	78	Brand
	0900	74	Brand
	1200	75	Brand
	1500	83	[illegible]
	1800	83	[illegible]
	2100	82	[illegible]
	2400	80	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	76	[illegible]
	0600	78	Brand
	0900	79	Brand
	1200	80	Brand
	1500	83	[illegible]
	1800	81	[illegible]
	2100	80	[illegible]
	2400	78	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	76	[illegible]
	0600	77	Brand
	0900	78	Brand
	1200	79	Brand
	1500	80	Saebe
	1800	83	Saebe
	2100	81	Saebe
	2400	81	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	80	SATERFIELD
	0600	70	VASQUEZ
	0900	72	VASQUEZ
	1200	74	VASQUEZ
	1500	85	Young
	1800	83	YOUNG
	2100	80	YOUNG
	2400	80	[illegible]

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	72	SYPRASEUTH
	0600	75	K. Boehm
	0900	77	K. Boehm
	1200	80	K. Boehm
	1500	81	QUIJAS
	1800	82	QUIJAS
	2100	81	QUIJAS
	2400	76	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	72	QUIJAS
	0600	74	Brand
	0900	75	Brand
	1200	76	Brand
	1500	83	QUIJAS
	1800	84	QUIJAS
	2100	83	QUIJAS
	2400	78	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	73	QUIJAS
	0600	74	Brand
	0900	76	Brand
	1200	77	Brand
	1500	81	Gov
	1800	83	Gov
	2100	83	Gov
	2400	78	Gov

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	77	Gov
	0600	78	Brand
	0900	79	Brand
	1200	80	Brand
	1500	83	Gov
	1800	81	Gov
	2100	81	Gov
	2400	78	Gov

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	76	Gov
	0600	77	Brand
	0900	78	Brand
	1200	79	Brand
	1500	81	Sachee
	1800	84	Sachee
	2100	82	Sachee
	2400	86	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	84	SATERFIELD
	0600	70	VASQUEZ
	0900	72	VASQUEZ
	1200	74	VASQUEZ
	1500	85	Young
	1800	84	Young
	2100	82	Young
	2400	84	[illegible]

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

TUESDAY

Date	Time	Temp.	Name (Print)
10/1/2024	0300	70	SYPRASEUTH
	0600	72	K. Brown
	0900	74	K. Brown
	1200	80	K. Brown
	1500	81	QUIJAS
	1800	82	QUIJAS
	2100	79	QUIJAS
	2400	73	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/2/2024	0300	71	QUIJAS
	0600	73	Beard
	0900	76	Beard
	1200	75	Beard
	1500	79	QUIJAS
	1800	80	QUIJAS
	2100	80	QUIJAS
	2400	76	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/3/2024	0300	72	QUIJAS
	0600	73	Beard
	0900	74	Beard
	1200	77	Beard
	1500	74	Gow
	1800	80	Gow
	2100	79	Gow
	2400	77	Gow

FRIDAY

Date	Time	Temp.	Name (Print)
10/4/2024	0300	74	Gow
	0600	77	Beard
	0900	76	Beard
	1200	77	Beard
	1500	78	Gow
	1800	77	Gow
	2100	77	Gow
	2400	75	Gow

SATURDAY

Date	Time	Temp.	Name (Print)
10/5/2024	0300	74	Gow
	0600	75	Beard
	0900	76	Beard
	1200	77	Beard
	1500	79	Saelee
	1800	78	Saelee
	2100	77	Saelee
	2400	81	SATERFIELD

SUNDAY

Date	Time	Temp.	Name (Print)
10/6/2024	0300	81	SATERFIELD
	0600	70	VASQUEZ
	0900	72	VASQUEZ
	1200	79	VASQUEZ
	1500	81	Young
	1800	78	Young
	2100	77	Young
	2400	82	[illegible]

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STAGE I, II, or III HOURLY INSIDE TEMP LOG

Date: 10/1/24 STAGE: (circle one) I II III Stage Activation Time: 1126 Stage Deactivation Time: 1900

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001	X										X			X								
0100	X										X			X								
0200	X										X			X								
0300	X										X			X								
0400	X										X			X								
0500	X										X			X								
0600	X										X			X								
0700	X										X			X								
0800	X										X			X								
0900	X										X			X								
1000	X										X			X								
1100	X										X			X								
1200	X	76	78	75	75	73	72	73	73	71	X	77	79	X	78	75	73	77	80	80	80	79
1300	X	71	78	76	76	74	72	78	74	72	X	77	79	X	78	75	73	77	81	80	80	80
1400	X	73	79	76	77	76	74	79	75	73	X	78	80	X	78	76	74	78	82	81	81	81
1500	X	84	79	76	75	76	81	80	73	76	X	78	81	X	81	77	76	76	78	79	81	81
1600	X	84	79	77	76	76	81	81	74	77	X	78	81	X	81	78	76	77	80	80	82	82
1700	X	85	80	78	77	78	81	81	75	77	X	78	82	X	81	78	77	79	80	80	82	82
1800	X	86	80	77	77	78	80	81	75	75	X	79	82	X	82	77	77	78	80	80	82	82
1900	X	86	79	77	77	78	80	81	74	75	X	79	82	X	83	76	76	78	80	80	81	81
2000	X										X			X								
2100	X										X			X								
2200	X										X			X								
2300	X										X			X								

ATTACHMENT C

STAGE I, II, or III HOURLY INSIDE TEMP LOG

Date: 10/2/24 STAGE: (circle one) I II III Stage Activation Time: 1100 Stage Deactivation Time: 2040

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001	X										X			X								
0100	X										X			X								
0200	X										X			X								
0300	X										X			X								
0400	X										X			X								
0500	X										X			X								
0600	X										X			X								
0700	X										X			X								
0800	X										X			X								
0900	X										X			X								
1000	X										X			X								
1100	X	79	80	76	76	73	73	73	72	70	X	74	74	X	75	73	74	75	71	73	74	73
1200	X	80	81	77	77	74	74	74	73	73	X	75	75	X	75	76	76	78	73	74	76	75
1300	X	81	81	78	78	75	75	76	73	75	X	76	75	X	75	76	76	78	74	74	76	75
1400	X	83	80	76	77	87	79	80	74	73	X	77	77	X	82	76	77	78	80	82	80	79
1500	X	84	80	76	77	88	80	83	75	74	X	78	78	X	84	76	78	79	82	84	83	79
1600	X	85	81	77	78	89	80	83	75	74	X	80	81	X	83	78	78	80	83	85	84	80
1700	X	85	81	77	79	88	80	83	75	74	X	81	82	X	80	77	79	81	83	83	84	80
1800	X	85	81	76	79	88	80	83	75	74	X	83	81	X	81	77	79	81	83	83	84	80
1900	X	85	81	76	79	88	80	83	75	74	X	83	81	X	81	77	79	81	83	83	84	80
2000	X	85	81	76	79	88	80	83	75	74	X	83	79	X	81	77	79	81	83	83	83	80
2100	X										X			X								
2200	X										X			X								
2300	X										X			X								

ATTACHMENT C

STAGE I, II, or III HOURLY INSIDE TEMP LOG

Date: 10/9/24 STAGE: (circle one) I II III Stage Activation Time: 1228 Stage Deactivation Time: 2030

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100																						
1200																						
1300	X	80	76	76	75	76	74	74	73	73	X	75	75	X	75	76	76	78	73	74	76	75
1400	X	80	76	76	75	77	75	75	73	74	X	74	75	X	76	76	77	78	83	75	74	74
1500	X	85	76	74	77	77	75	79	74	77	X	78	79	X	80	80	76	80	83	83	81	79
1600	X	85	80	77	77	77	76	80	79	79	X	78	80	X	80	80	78	80	83	83	81	79
1700	X	84	82	77	77	78	76	81	75	79	X	78	80	X	80	80	76	80	83	84	84	79
1800	X	84	88	77	78	77	76	80	75	80	X	75	80	X	81	80	78	80	83	83	83	81
1900	X	82	83	77	78	77	76	80	75	80	X	78	80	X	81	80	78	80	82	83	83	80
2000	X	81	82	75	78	78	74	79	75	81	X	79	80	X	80	80	79	80	81	82	83	79
2100																						
2200																						
2300																						

ATTACHMENT C

STAGE I, II, or III HOURLY INSIDE TEMP LOG

Date: 10/9/24 STAGE: (circle one) I II III Stage Activation Time: 1360 Stage Deactivation Time: 2016

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100																						
1200																						
1300	X	84	80	78	78	78	76	75	75	76	X	76	77	X	78	78	76	82	80	80	80	79
1400	X	84	82	78	79	78	76	80	75	78	X	76	79	X	79	79	76	82	82	83	82	78
1500	X	84	82	78	78	78	76	80	75	78	X	75	79	X	80	80	76	82	82	83	83	78
1600	X	85	83	79	78	78	77	81	75	78	X	77	79	X	80	80	76	83	82	81	82	78
1700	X	84	83	78	78	78	76	80	75	78	X	77	79	X	81	80	76	82	82	80	81	79
1800	X	83	82	78	76	78	76	80	75	78	X	76	78	X	80	79	75	81	82	81	81	79
1900	X	83	81	76	74	76	76	80	74	74	X	76	76	X	80	78	74	80	82	81	80	79
2000	X	82	80	75	73	75	76	80	74	76	X	76	76	X	80	78	74	80	80	80	81	77
2100																						
2200																						
2300																						

ATTACHMENT C

STAGE I, II, or III HOURLY INSIDE TEMP LOG

Date: 10-5-24 STAGE: (circle one) I II III Stage Activation Time: 1115 Stage Deactivation Time: 2001

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100																						
1200		84	83	81	79	80	73	78	74	70		78	78		74	72	73	74	75	75	75	75
1300		86	85	83	81	83	75	81	77	73		78	79		77	74	75	77	77	77	77	77
1400		86	85	83	81	84	76	82	78	75		79	79		78	75	76	78	79	80	79	78
1500		85	85	83	81	83	77	82	78	76		80	81		79	77	77	79	79	80	81	79
1600		85	85	83	81	82	78	81	79	77		81	81		80	79	78	78	80	80	81	79
1700		84	84	82	80	81	77	82	80	78		84	83		81	78	79	78	83	82	83	79
1800		85	91	83	80	81	77	81	80	79		80	82		85	75	77	83	84	83	84	78
1900		83	86	82	81	80	77	80	80	79		75	81		84	75	76	81	84	83	84	78
2000			83																			
2100																						
2200																						
2300																						

ATTACHMENT C

STAGE I, II, or III HOURLY INSIDE TEMP LOG

Date: 10/6/24 STAGE: I (circle one) II III Stage Activation Time: 1145 Stage Deactivation Time: 2000

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	H1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100																						
1200	/	87	82	76	79	78	74	80	77	72	/	77	78	/	76	74	73	79	75	74	74	74
1300	/	88	84	77	81	79	75	81	78	73	/	79	80	/	77	74	75	80	76	76	76	73
1400	/	87	84	78	79	82	80	84	80	75	/	81	81	/	77	74	75	80	85	84	85	81
1500	/	87	84	78	79	83	81	84	80	75	/	81	81	/	77	75	77	80	85	85	85	81
1600	/	88	85	79	79	83	81	84	80	75	/	80	80	/	77	75	77	79	85	85	86	80
1700	/	89	90	79	79	83	82	84	80	76	/	80	81	/	77	76	77	80	86	84	85	79
1800	/	88	90	78	78	82	82	83	80	75	/	80	80	/	76	76	76	79	85	83	84	78
1900	/	88	89	78	77	82	82	82	79	75	/	79	79	/	76	76	76	78	84	82	84	78
2000	/	87	89	77	77	80	80	80	79	75	/	78	78	/	76	76	76	77	84	81	83	77
2100																						
2200																						
2300																						

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Mon 10/07/2024	0100	77	Lewis
	0200	77	Lewis
	0300	75	Lewis
	0400	74	Lewis
	0500	71	Lewis
	0600	70	Beeman
	0700	69	Beeman
	0800	71	Beeman
	0900	74	Beeman
	1000	81	Beeman
	1100	87	Beeman
	1200	92	Beeman
	1300	94	Beeman
	1400	95	Oech
	1500	95	Oech
	1600	99	Oech
	1700	98	Oech
	1800	97	Oech
	1900	96	Oech
	2000	90	Oech
	2100	83	Oech
	2200	72	SANTOS
	2300	72	SANTOS
	2400	71	SANTOS

DATE	TIME	TEMP.	PRINTED NAME
Tue 10/08/2024	0100	69	SANTOS
	0200	68	SANTOS
	0300	67	SANTOS
	0400	65	SANTOS
	0500	65	SANTOS
	0600	64	Beeman
	0700	69	Beeman
	0800	68	Beeman
	0900	76	Beeman
	1000	83	Beeman
	1100	84	Beeman
	1200	90	Beeman
	1300	94	Beeman
	1400	95	QUIJAS
	1500	97	QUIJAS
	1600	96	QUIJAS
	1700	95	QUIJAS
	1800	88	QUIJAS
	1900	85	QUIJAS
	2000	82	QUIJAS
	2100	80	QUIJAS
	2200	77	QUIJAS
	2300	72	QUIJAS
	2400	69	QUIJAS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 10/09/2024	0100	67	QUIJAS
	0200	65	QUIJAS
	0300	64	QUIJAS
	0400	63	QUIJAS
	0500	62	QUIJAS
	0600	62	Beard
	0700	63	Beard
	0800	63	Beard
	0900	65	Beard
	1000	66	Beard
	1100	68	Beard
	1200	69	Beard
	1300	70	Beard
	1400	84	QUIJAS
	1500	84	QUIJAS
	1600	84	QUIJAS
	1700	82	QUIJAS
	1800	78	QUIJAS
	1900	73	QUIJAS
	2000	72	QUIJAS
	2100	70	QUIJAS
	2200	70	QUIJAS
	2300	69	QUIJAS
	2400	68	QUIJAS

DATE	TIME	TEMP.	PRINTED NAME
Thu 10/10/2024	0100	67	QUIJAS
	0200	65	QUIJAS
	0300	64	QUIJAS
	0400	63	QUIJAS
	0500	62	QUIJAS
	0600	55	Beard
	0700	55	Beard
	0800	60	Beard
	0900	65	Beard
	1000	68	Beard
	1100	73	Beard
	1200	74	[illegible]
	1300	74	Beard
	1400	78	Cooper
	1500	79	Cooper
	1600	80	Cooper
	1700	79	Cooper
	1800	77	Cooper
	1900	75	Cooper
	2000	74	Cooper
	2100	72	Cooper
	2200	70	Cooper
	2300	67	Cooper
	2400	65	Cooper

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Fri 10/11/2024	0100	63	Gonzalez
	0200	60	Gonzalez
	0300	57	Gonzalez
	0400	56	Gonzalez
	0500	53	Gonzalez
	0600	54	Beard
	0700	57	Beard
	0800	59	Beard
	0900	60	Beard
	1000	61	Beard
	1100	64	Beard
	1200	68	Gonzalez
	1300	72	Gonzalez
	1400	75	Gonzalez
	1500	79	Gonzalez
	1600	78	Gonzalez
	1700	78	Gonzalez
	1800	77	Gonzalez
	1900	75	Gonzalez
	2000	71	Gonzalez
	2100	68	Gonzalez
	2200	65	Gonzalez
	2300	64	Gonzalez
	2400	62	Gonzalez

DATE	TIME	TEMP.	PRINTED NAME
Sat 10/12/2024	0100	58	Gonzalez
	0200	55	Gonzalez
	0300	54	Gonzalez
	0400	52	Gonzalez
	0500	51	Gonzalez
	0600	66	Beard
	0700	60	Beard
	0800	62	Beard
	0900	67	Beard
	1000	64	Beard
	1100	67	Beard
	1200	73	Beard
	1300	75	Beard
	1400	78	Saelee
	1500	77	Saelee
	1600	77	Saelee
	1700	76	Saelee
	1800	72	Saelee
	1900	69	Saelee
	2000	67	Saelee
	2100	65	Saelee
	2200	64	Gonzalez
	2300	63	Gonzalez
	2400	62	Gonzalez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Sun 10/13/2024	0100	58	Foster
	0200	55	Foster
	0300	53	Goer
	0400	50	Gorr
	0500	50	Gorr
	0600	61	Singh
	0700	61	Singh
	0800	62	Singh
	0900	65	Singh
	1000	67	Singh
	1100	69	Singh
	1200	74	Singh
	1300	78	Singh
	1400	81	Young
	1500	81	Young
	1600	80	Young
	1700	80	Young
	1800	79	Young
	1900	75	Young
	2000	71	Young
	2100	70	Young
	2200	70	Garcia
	2300	68	Garcia
	2400	65	Garcia

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300		
	0600	C	
	0900	L	
	1200	O	
	1500	S	
	1800	E	
	2100	D	
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300		
	0600		
	0900	C	
	1200	L	
	1500	O	
	1800	S	
	2100	E	
	2400	D	

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	69	[illegible]
	0600	71	[illegible]
	0900	73	[illegible]
	1200	73	[illegible]
	1500	74	[illegible]
	1800	74	[illegible]
	2100	74	[illegible]
	2400	78	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-1** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	83	Ulus
	0600	81	Beeman
	0900	81	Beeman
	1200	83	Beeman
	1500	89	Beeman
	1800	88	[illegible]
	2100	85	[illegible]
	2400	84	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	83	SANTOS
	0600	81	Beeman
	0900	82	Beeman
	1200	84	Beeman
	1500	85	QUIJAS
	1800	85	QUIJAS
	2100	85	QUIJAS
	2400	83	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	80	QUIJAS
	0600	80	Beard
	0900	80	Beard
	1200	82	Beard
	1500	84	QUIJAS
	1800	85	QUIJAS
	2100	84	QUIJAS
	2400	80	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	75	QUIJAS
	0600	78	Beard
	0900	79	Beard
	1200	80	Beard
	1500	80	[illegible]
	1800	78	Carr
	2100	76	Carr
	2400	74	Carr

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	72	Carr
	0600	73	Beard
	0900	75	Beard
	1200	76	Beard
	1500	73	Carr
	1800	73	Carr
	2100	71	Carr
	2400	68	Carr

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	66	Carr
	0600	72	Beard
	0900	73	Beard
	1200	73	Beard
	1500	75	Sacker
	1800	74	Sacker
	2100	72	Sacker
	2400	70	Carr

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	68	Carr
	0600	72	[illegible]
	0900	74	[illegible]
	1200	74	[illegible]
	1500	75	Young
	1800	75	Young
	2100	74	Young
	2400	75	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	84	[illegible]
	0600	82	[illegible]
	0900	81	[illegible]
	1200	83	[illegible]
	1500	90	[illegible]
	1800	87	[illegible]
	2100	86	[illegible]
	2400	78	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	77	SANTOS
	0600	81	[illegible]
	0900	82	[illegible]
	1200	83	[illegible]
	1500	85	QUIJAS
	1800	85	QUIJAS
	2100	84	QUIJAS
	2400	80	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	78	QUIJAS
	0600	80	[illegible]
	0900	80	[illegible]
	1200	83	[illegible]
	1500	84	QUIJAS
	1800	84	QUIJAS
	2100	83	QUIJAS
	2400	79	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	75	QUIJAS
	0600	79	[illegible]
	0900	79	[illegible]
	1200	80	[illegible]
	1500	79	[illegible]
	1800	79	[illegible]
	2100	75	[illegible]
	2400	73	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	72	[illegible]
	0600	79	[illegible]
	0900	80	[illegible]
	1200	81	[illegible]
	1500	80	[illegible]
	1800	74	[illegible]
	2100	75	[illegible]
	2400	75	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	73	[illegible]
	0600	75	[illegible]
	0900	75	[illegible]
	1200	75	[illegible]
	1500	77	Saelee
	1800	76	Saelee
	2100	75	Saelee
	2400	73	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	70	[illegible]
	0600	72	PEÑA
	0900	75	PEÑA
	1200	75	PEÑA
	1500	76	Young
	1800	76	Young
	2100	76	Young
	2400	77	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-1** Temp. Reading Location: **137**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	80	LEWIS
	0600	79	BRENNAN
	0900	79	BRENNAN
	1200	79	Beem
	1500	80	Allen
	1800	79	Allen
	2100	78	Allen
	2400	75	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	75	SANTOS
	0600	81	BRENNAN
	0900	75	Beem
	1200	76	Beem
	1500	79	QUIJAS
	1800	78	QUIJAS
	2100	76	QUIJAS
	2400	75	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	74	QUIJAS
	0600	78	Beard
	0900	78	Beard
	1200	80	Beard
	1500	76	QUIJAS
	1800	77	QUIJAS
	2100	76	QUIJAS
	2400	75	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	74	QUIJAS
	0600	75	Beard
	0900	76	Beard
	1200	77	Beard
	1500	78	Cox
	1800	76	Cox
	2100	79	Cox
	2400	77	Cox

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	70	Cox
	0600	72	Beard
	0900	73	Beard
	1200	74	Beard
	1500	75	Cox
	1800	75	Cox
	2100	74	Cox
	2400	73	Cox

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	71	Cox
	0600	72	Beard
	0900	73	Beard
	1200	74	Beard
	1500	77	Saelee
	1800	77	Saelee
	2100	76	Saelee
	2400	74	Cox

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	67	Cox
	0600	69	Cox
	0900	70	Cox
	1200	70	REYA
	1500	72	YOUNG
	1800	73	YOUNG
	2100	72	YOUNG
	2400	71	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	79	Lewis
	0600	77	Beard
	0900	77	Beard
	1200	79	Beard
	1500	80	Beard
	1800	79	Beard
	2100	78	Beard
	2400	79	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	75	Santos
	0600	77	Beard
	0900	75	Beard
	1200	76	Beard
	1500	78	QUIJAS
	1800	81	QUIJAS
	2100	81	QUIJAS
	2400	79	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	74	QUIJAS
	0600	77	Beard
	0900	77	Beard
	1200	79	Beard
	1500	77	QUIJAS
	1800	79	QUIJAS
	2100	78	QUIJAS
	2400	77	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	75	QUIJAS
	0600	77	Beard
	0900	76	Beard
	1200	77	Beard
	1500	77	Cor
	1800	76	Cor
	2100	74	Cor
	2400	72	Cor

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	70	Cor
	0600	75	Beard
	0900	76	Beard
	1200	77	Beard
	1500	78	Cor
	1800	78	Cor
	2100	74	Cor
	2400	73	Cor

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	72	Cor
	0600	73	Beard
	0900	74	Beard
	1200	76	Beard
	1500	77	Sachez
	1800	76	Sachez
	2100	75	Sachez
	2400	73	Cor

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	70	Cor
	0600	71	Rice
	0900	73	Rice
	1200	73	PEÑA
	1500	75	Young
	1800	75	Young
	2100	74	Young
	2400	76	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	77	[illegible]
	0600	71	Beeman
	0900	75	Beeman
	1200	78	Beeman
	1500	82	[illegible]
	1800	83	[illegible]
	2100	82	[illegible]
	2400	78	SANDS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	76	SANDS
	0600	74	Beeman
	0900	74	Beeman
	1200	75	Beeman
	1500	78	QUIJAS
	1800	81	QUIJAS
	2100	79	QUIJAS
	2400	78	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	75	QUIJAS
	0600	76	Brand
	0900	76	Brand
	1200	80	Brand
	1500	76	QUIJAS
	1800	77	QUIJAS
	2100	77	QUIJAS
	2400	79	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	76	QUIJAS
	0600	77	Brand
	0900	78	Brand
	1200	79	Brand
	1500	79	[illegible]
	1800	78	[illegible]
	2100	79	[illegible]
	2400	72	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	70	[illegible]
	0600	74	Brand
	0900	76	Brand
	1200	82	[illegible]
	1500	80	[illegible]
	1800	84	[illegible]
	2100	86	[illegible]
	2400	79	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	72	[illegible]
	0600	74	Brand
	0900	74	Brand
	1200	77	Brand
	1500	77	Saetee
	1800	77	Saetee
	2100	76	Saetee
	2400	79	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	72	[illegible]
	0600	72	Ortiz
	0900	72	Ortiz
	1200	74	Ortiz
	1500	76	Yanuta
	1800	77	Yanuta
	2100	76	Yanuta
	2400	73	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	73	[illegible]
	0600	71	Beaver
	0900	73	Beaver
	1200	76	[illegible]
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	76	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	74	SANTOS
	0600	73	Beaver
	0900	74	Beaver
	1200	75	Beaver
	1500	77	QUIJAS
	1800	80	QUIJAS
	2100	80	QUIJAS
	2400	77	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	74	QUIJAS
	0600	75	Beard
	0900	75	Beard
	1200	76	Beard
	1500	73	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	74	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	73	QUIJAS
	0600	74	Beard
	0900	75	Beard
	1200	77	Beard
	1500	74	Cor
	1800	71	Cor
	2100	74	Cor
	2400	72	Cor

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	70	Cor
	0600	72	Beard
	0900	75	Beard
	1200	76	Beard
	1500	77	Cor
	1800	76	Cor
	2100	74	Cor
	2400	73	Cor

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	71	Cor
	0600	71	Beard
	0900	71	Beard
	1200	74	Beard
	1500	76	Saeler
	1800	76	Saeler
	2100	74	Saeler
	2400	72	Cor

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	69	Cor
	0600	72	Ortiz
	0900	72	Ortiz
	1200	73	Ortiz
	1500	75	Young
	1800	76	Young
	2100	75	Young
	2400	73	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	76	Ulloa
	0600	70	Beem
	0900	71	Beem
	1200	78	Beemer
	1500	81	Oellhr
	1800	80	Oellhr
	2100	79	Oellhr
	2400	79	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	77	SANTOS
	0600	70	Beem
	0900	71	Beem
	1200	72	Beem
	1500	77	QUIJAS
	1800	83	QUIJAS
	2100	82	QUIJAS
	2400	79	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	77	QUIJAS
	0600	74	Beard
	0900	75	Beard
	1200	76	Beard
	1500	78	QUIJAS
	1800	79	QUIJAS
	2100	78	QUIJAS
	2400	77	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	76	QUIJAS
	0600	77	Beard
	0900	78	Beard
	1200	80	Beard
	1500	80	Cor
	1800	78	Cor
	2100	75	Cor
	2400	73	Cor

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	77	Cor
	0600	74	Beard
	0900	74	Beard
	1200	76	Beard
	1500	77	Cor
	1800	75	Cor
	2100	74	Cor
	2400	73	Cor

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	71	Cor
	0600	71	Beard
	0900	71	Beard
	1200	74	Beard
	1500	77	Sachee
	1800	75	Sachee
	2100	75	Sachee
	2400	72	Cor

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	70	Cor
	0600	72	ORTIZ
	0900	72	ORTIZ
	1200	74	ORTIZ
	1500	77	Young
	1800	77	Young
	2100	76	Young
	2400	78	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	79	[illegible]
	0600	71	Beaman
	0900	72	Beaman
	1200	73	Beam
	1500	74	[illegible]
	1800	74	[illegible]
	2100	74	[illegible]
	2400	74	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	72	SANTOS
	0600	72	Beaman
	0900	73	Beaman
	1200	73	Beaman
	1500	75	QUIJAS
	1800	78	QUIJAS
	2100	77	QUIJAS
	2400	76	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	73	QUIJAS
	0600	71	Beard
	0900	72	Beard
	1200	74	Beard
	1500	74	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	74	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	72	QUIJAS
	0600	73	Beard
	0900	77	Beard
	1200	80	Beard
	1500	78	Gar
	1800	76	Gar
	2100	74	Gar
	2400	72	Gar

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	70	Gar
	0600	72	Beard
	0900	73	Beard
	1200	74	Beard
	1500	75	Gar
	1800	74	Gar
	2100	72	Gar
	2400	71	Gar

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	70	Gar
	0600	70	Beard
	0900	71	Beard
	1200	72	Beard
	1500	76	Sadler
	1800	76	Sadler
	2100	75	Sadler
	2400	72	Gar

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	63	Gar
	0600	67	ORTIZ
	0900	70	ORTIZ
	1200	72	ORTIZ
	1500	75	YOUNG
	1800	75	YOUNG
	2100	75	YOUNG
	2400	74	GARCIA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	73	Lewis
	0600	71	Brenner
	0900	70	Brenner
	1200	73	Brenner
	1500	75	Oellh
	1800	75	Oellh
	2100	75	Oellh
	2400	72	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	70	SANTOS
	0600	72	Brenner
	0900	73	Brenner
	1200	72	Brenner
	1500	70	QUIJAS
	1800	79	QUIJAS
	2100	76	QUIJAS
	2400	74	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	73	QUIJAS
	0600	74	Brand
	0900	75	Brand
	1200	76	Brand
	1500	76	QUIJAS
	1800	78	QUIJAS
	2100	78	QUIJAS
	2400	74	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	73	QUIJAS
	0600	75	Brand
	0900	76	Brand
	1200	77	Brand
	1500	76	Cuhr
	1800	75	Cuhr
	2100	73	Cuhr
	2400	71	Cuhr

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	70	Cuhr
	0600	70	Brand
	0900	71	Brand
	1200	74	Brand
	1500	75	Cuhr
	1800	74	Cuhr
	2100	73	Cuhr
	2400	72	Cuhr

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	70	Cuhr
	0600	70	Brand
	0900	71	Brand
	1200	72	Brand
	1500	75	Sachee
	1800	75	Sachee
	2100	74	Sachee
	2400	72	Cuhr

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	72	Cuhr
	0600	~~73~~ 73	~~Garcia~~ ORTIZ
	0900	73	ORTIZ
	1200	74	ORTIZ
	1500	74	ORTIZ
	1800	74	Garcia
	2100	74	Garcia
	2400	74	Garcia

NOTES

10/13/24 SUNDAY

1500	75	Young
1800	75	Young
2100	75	Young

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300		
	0600	C	
	0900	L	
	1200	O	
	1500	S	
	1800	E	
	2100	D	
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300		
	0600	C	
	0900	L	
	1200	O	
	1500	S	
	1800	E	
	2100	D	
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300		
	0600	~~[illegible]~~	
	0900		
	1200		
	1500	closed	
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	74	[illegible]
	0600	76	[illegible]
	0900	78	[illegible]
	1200	79	[illegible]
	1500	80	[illegible]
	1800	79	[illegible]
	2100	79	[illegible]
	2400	79	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	77	SANTOS
	0600	74	[illegible]
	0900	75	[illegible]
	1200	77	[illegible]
	1500	78	QUIJAS
	1800	77	QUIJAS
	2100	77	QUIJAS
	2400	76	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	74	QUIJAS
	0600	72	[illegible]
	0900	74	[illegible]
	1200	72	[illegible]
	1500	72	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	73	QUIJAS
	0600	73	[illegible]
	0900	74	[illegible]
	1200	77	[illegible]
	1500	77	[illegible]
	1800	78	[illegible]
	2100	79	[illegible]
	2400	72	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	70	[illegible]
	0600	71	[illegible]
	0900	72	[illegible]
	1200	74	[illegible]
	1500	76	[illegible]
	1800	75	[illegible]
	2100	74	[illegible]
	2400	73	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	71	[illegible]
	0600	71	[illegible]
	0900	71	[illegible]
	1200	72	[illegible]
	1500	76	Saelee
	1800	76	Saelee
	2100	75	Saelee
	2400	73	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	71	[illegible]
	0600	70	Homes
	0900	73	Homes
	1200	75	Homes
	1500	70	Young
	1800	76	Young
	2100	75	Young
	2400	74	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-3** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	71	[illegible]
	0600	75	Beaumon
	0900	78	Beaumon
	1200	79	Beaumon
	1500	79	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	80	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	78	SANTOS
	0600	74	Beaumon
	0900	74	Beaumon
	1200	74	Beaumon
	1500	78	QUIJAS
	1800	83	QUIJAS
	2100	79	QUIJAS
	2400	79	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	75	QUIJAS
	0600	75	Brand
	0900	76	Brand
	1200	76	Brand
	1500	77	QUIJAS
	1800	78	QUIJAS
	2100	77	QUIJAS
	2400	75	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	72	QUIJAS
	0600	74	Brand
	0900	75	Brand
	1200	77	Brand
	1500	76	Carr
	1800	77	Carr
	2100	75	Carr
	2400	73	Carr

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	70	Carr
	0600	72	Brand
	0900	73	Brand
	1200	74	Brand
	1500	76	Carr
	1800	75	Carr
	2100	74	Carr
	2400	72	Carr

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	70	Carr
	0600	70	Brand
	0900	72	Brand
	1200	72	Brand
	1500	75	Sadler
	1800	75	Sadler
	2100	75	Sadler
	2400	73	Carr

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	71	Carr
	0600	70	ORTIZ
	0900	72	Homes
	1200	74	Homes
	1500	74	Young
	1800	75	Young
	2100	75	Young
	2400	70	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMF Housing Unit: M-3 Temp. Reading Location: 302
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Closed

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Closed

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Closed

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMF Housing Unit: N-3 Temp. Reading Location: 302 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	78	[illegible]
	0600	75	Beaman
	0900	73	Beaman
	1200	76	Beaman
	1500	79	[illegible]
	1800	78	[illegible]
	2100	75	[illegible]
	2400	74	SAMOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	74	SAMOS
	0600	73	Beaman
	0900	75	Beaman
	1200	73	Beaman
	1500	78	QUIJAS
	1800	81	QUIJAS
	2100	74	QUIJAS
	2400	74	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	74	QUIJAS
	0600	77	Beard
	0900	75	Beard
	1200	77	Beard
	1500	78	QUIJAS
	1800	80	QUIJAS
	2100	80	QUIJAS
	2400	77	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	74	QUIJAS
	0600	74	Beard
	0900	75	Beard
	1200	76	Beard
	1500	76	Cox
	1800	75	Cox
	2100	74	Cox
	2400	72	Cox

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	70	Cox
	0600	71	[illegible]
	0900	73	Beard
	1200	74	Beard
	1500	75	Cox
	1800	74	Cox
	2100	73	Cox
	2400	72	Cox

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	71	Cox
	0600	72	Beard
	0900	72	Beard
	1200	73	Beard
	1500	76	Sachez
	1800	75	Sachez
	2100	74	Sachez
	2400	72	Cox

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	68	Cox
	0600	71	Homes
	0900	71	Homes
	1200	72	Homes
	1500	74	Younts
	1800	74	Younts
	2100	74	Younts
	2400	70	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	74	Lewis
	0600	71	Beeman
	0900	73	Beeman
	1200	74	Beeman
	1500	75	Oelth
	1800	75	Oelth
	2100	75	Oelth
	2400	73	SANDS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	79	SANDS
	0600	70	Beeman
	0900	71	Beeman
	1200	73	Beeman
	1500	75	QUIJAS
	1800	77	QUIJAS
	2100	75	QUIJAS
	2400	74	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	73	QUIJAS
	0600	73	Beard
	0900	74	Beard
	1200	77	Beard
	1500	76	QUIJAS
	1800	77	QUIJAS
	2100	76	QUIJAS
	2400	74	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	73	QUIJAS
	0600	74	Beard
	0900	77	Beard
	1200	80	Beard
	1500	78	Cav
	1800	76	Cav
	2100	74	Cav
	2400	72	Cav

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	70	Cav
	0600	72	Beard
	0900	72	Beard
	1200	73	Beard
	1500	75	C
	1800	74	Cav
	2100	73	Cav
	2400	72	Cav

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	70	Cav
	0600	73	Beard
	0900	73	Beard
	1200	74	Beard
	1500	76	Sachee
	1800	75	Sachee
	2100	73	Sachee
	2400	71	Cav

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	70	Cav
	0600	69	[illegible]
	0900	70	[illegible]
	1200	72	[illegible]
	1500	75	Young
	1800	75	Young
	2100	73	Young
	2400	70	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	71	Villas
	0600	72	Bellman
	0900	71	Bellman
	1200	72	Bellman
	1500	73	Dellman
	1800	73	Dellman
	2100	73	Dellman
	2400	75	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	70	SANTOS
	0600	70	Bellman
	0900	75	[illegible]
	1200	74	[illegible]
	1500	74	QUIJAS
	1800	78	QUIJAS
	2100	75	QUIJAS
	2400	73	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	71	QUIJAS
	0600	71	Brad
	0900	73	Brad
	1200	74	Brad
	1500	74	QUIJAS
	1800	74	QUIJAS
	2100	74	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	71	QUIJAS
	0600	72	Brad
	0900	73	Brad
	1200	74	Brad
	1500	75	Cox
	1800	75	Cox
	2100	74	Cox
	2400	72	Cox

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	70	Cox
	0600	71	Brad
	0900	73	Brad
	1200	74	Brad
	1500	75	Cox
	1800	74	Cox
	2100	74	Cox
	2400	73	Cox

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	70	Cox
	0600	72	Brad
	0900	73	Brad
	1200	73	Brad
	1500	75	Saelee
	1800	74	Saelee
	2100	74	Saelee
	2400	72	Cox

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	71	Cox
	0600	69	[illegible]
	0900	70	[illegible]
	1200	72	[illegible]
	1500	74	Young
	1800	74	Young
	2100	74	Young
	2400	71	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	73	[illegible]
	0600	78	[illegible]
	0900	79	[illegible]
	1200	74	[illegible]
	1500	75	[illegible]
	1800	76	[illegible]
	2100	75	[illegible]
	2400	80	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	78	SANTOS
	0600	79	[illegible]
	0900	80	[illegible]
	1200	80	[illegible]
	1500	81	QUIJAS
	1800	84	QUIJAS
	2100	83	QUIJAS
	2400	80	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	76	QUIJAS
	0600	82	[illegible]
	0900	81	[illegible]
	1200	83	[illegible]
	1500	79	QUIJAS
	1800	80	QUIJAS
	2100	79	QUIJAS
	2400	78	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	74	QUIJAS
	0600	75	[illegible]
	0900	76	[illegible]
	1200	77	[illegible]
	1500	77	[illegible]
	1800	77	[illegible]
	2100	75	[illegible]
	2400	74	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	72	[illegible]
	0600	73	[illegible]
	0900	74	[illegible]
	1200	75	[illegible]
	1500	71	[illegible]
	1800	75	[illegible]
	2100	74	[illegible]
	2400	72	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	70	[illegible]
	0600	73	[illegible]
	0900	74	[illegible]
	1200	75	[illegible]
	1500	77	Saelee
	1800	76	Saelee
	2100	74	Saelee
	2400	72	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	70	[illegible]
	0600	74	[illegible]
	0900	74	[illegible]
	1200	76	[illegible]
	1500	79	YOUNG
	1800	77	YOUNG
	2100	76	YOUNG
	2400	75	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	85.3	Lewis
	0600	83	Bleau
	0900	84	Bleau
	1200	85	Bleau
	1500	85	Bleau
	1800	86	Bleau
	2100	80	Bleau
	2400	78	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	77	SANTOS
	0600	82	Bleau
	0900	80	Bleau
	1200	83	Bleau
	1500	83	QUIJAS
	1800	86	QUIJAS
	2100	85	QUIJAS
	2400	80	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	77	QUIJAS
	0600	77	Brand
	0900	80	Brand
	1200	81	Brand
	1500	82	QUIJAS
	1800	83	QUIJAS
	2100	82	QUIJAS
	2400	79	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	78	QUIJAS
	0600	80	Brand
	0900	80	Brand
	1200	81	Brand
	1500	81	Cal
	1800	80	Cal
	2100	78	Cal
	2400	76	Cal

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	73	Cal
	0600	74	Brand
	0900	75	Brand
	1200	76	Brand
	1500	76	Cal
	1800	75	Cal
	2100	73	Cal
	2400	70	Cal

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	70	Cal
	0600	71	Brand
	0900	71	Brand
	1200	73	Brand
	1500	76	Saelee
	1800	76	Saelee
	2100	75	Saelee
	2400	74	Cal

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	70	Cal
	0600	70	Simon
	0900	72	Simpson
	1200	74	Simpson
	1500	76	Yowa
	1800	77	Yowa
	2100	74	Yowa
	2400	79	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	80	[illegible]
	0600	81	Beeman
	0900	81	Beeman
	1200	82	Beeman
	1500	83	[illegible]
	1800	80	[illegible]
	2100	79	[illegible]
	2400	77	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	77	SANTOS
	0600	80	Beeman
	0900	82	Beeman
	1200	82	Beeman
	1500	85	QUIJAS
	1800	86	QUIJAS
	2100	82	QUIJAS
	2400	80	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	76	QUIJAS
	0600	77	Brand
	0900	80	Brand
	1200	82	Brand
	1500	82	QUIJAS
	1800	84	QUIJAS
	2100	81	QUIJAS
	2400	79	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	76	QUIJAS
	0600	77	Brand
	0900	78	Brand
	1200	79	Brand
	1500	80	Guy
	1800	80	Guy
	2100	79	Guy
	2400	76	Guy

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	79	Guy
	0600	80	Brand
	0900	81	Brand
	1200	83	Brand
	1500	83	Guy
	1800	81	Guy
	2100	79	Guy
	2400	76	Guy

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	74	Guy
	0600	74	Brand
	0900	75	Brand
	1200	76	Brand
	1500	72	Sachee
	1800	77	Sachee
	2100	76	Sachee
	2400	73	Guy

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	71	Guy
	0600	70	Simpson
	0900	72	Simpson
	1200	74	Simpson
	1500	76	Young
	1800	76	Young
	2100	76	Young
	2400	75	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	84	[illegible]
	0600	83	Beeman
	0900	82	Beeman
	1200	82	Beeman
	1500	83	Oelman
	1800	80	Oelman
	2100	80	Oelman
	2400	79	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	78	SANTOS
	0600	80	Beeman
	0900	82	Beeman
	1200	82	Beeman
	1500	84	QUIJAS
	1800	87	QUIJAS
	2100	86	QUIJAS
	2400	81	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	77	QUIJAS
	0600	77	Beard
	0900	78	Beard
	1200	77	Beard
	1500	83	QUIJAS
	1800	84	QUIJAS
	2100	82	QUIJAS
	2400	80	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	77	QUIJAS
	0600	78	Beard
	0900	79	Beard
	1200	80	Beard
	1500	[illegible]	Cor
	1800	[illegible]	Cor
	2100	80	Cor
	2400	78	Cor

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	76	Cor
	0600	78	Cor
	0900	79	Cor
	1200	80	Cor
	1500	81	Cor
	1800	80	Cor
	2100	77	Cor
	2400	75	Cor

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	74	Cor
	0600	74	Beard
	0900	75	Beard
	1200	76	Beard
	1500	77	Sachee
	1800	77	Sachee
	2100	76	Sachee
	2400	73	Cor

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	70	Cor
	0600	70	Simpson
	0900	72	Simpson
	1200	74	Simpson
	1500	75	Young
	1800	76	Young
	2100	74	Young
	2400	78	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/7/2024	0300	81	[illegible]
	0600	78	Brown
	0900	80	Brown
	1200	85	Beeman
	1500	87	[illegible]
	1800	84	[illegible]
	2100	85	[illegible]
	2400	80	SANTOS

TUESDAY

Date	Time	Temp.	Name (Print)
10/8/2024	0300	78	SANTOS
	0600	81	Brown
	0900	83	Brown
	1200	81	Brown
	1500	83	QUIJAS
	1800	82	QUIJAS
	2100	79	QUIJAS
	2400	79	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/9/2024	0300	77	QUIJAS
	0600	77	Brand
	0900	74	Brand
	1200	76	Brand
	1500	82	QUIJAS
	1800	82	QUIJAS
	2100	80	QUIJAS
	2400	79	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/10/2024	0300	77	QUIJAS
	0600	78	Brand
	0900	79	Brand
	1200	80	Brand
	1500	[illegible]	[illegible]
	1800	78	[illegible]
	2100	77	[illegible]
	2400	76	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
10/11/2024	0300	74	[illegible]
	0600	77	[illegible]
	0900	78	[illegible]
	1200	81	[illegible]
	1500	81	[illegible]
	1800	[illegible]	[illegible]
	2100	76	[illegible]
	2400	77	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
10/12/2024	0300	76	[illegible]
	0600	76	Brand
	0900	76	Brand
	1200	77	Brand
	1500	77	Saelee
	1800	76	Saelee
	2100	76	Saelee
	2400	72	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
10/13/2024	0300	69	[illegible]
	0600	70	Simpson
	0900	72	Simpson
	1200	74	Simpson
	1500	74	Young
	1800	76	Young
	2100	75	Young
	2400	76	Garcia

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

92 94

STAGE I, II, or III HOURLY INSIDE TEMP LOG **ATTACHMENT C**

Date: 10/7/24 **STAGE:** I (circle one) II III **Stage Activation Time:** 1114 **Stage Deactivation Time:** _____

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100		84	83	79	77	75	73	71	73	72		78	80		77	75	75		84	82	83	79
1200		85	83	79	77	76	74	72	74	73		79	80		78	75	75		84	83	84	79
1300		85	85	80	78	76	75	73	74	73		77	80		78	75	76		85	84	85	80
1400		80	80	80	79	77	77	78	74	74		79	80		79	75	76		85	84	85	80
1500		80	80	80	80	78	78	79	75	75		79	80		80	76	77		85	84	85	80
1600		81	80	80	80	82	81	80	80	77		79	80		80	76	77		85	84	85	80
1700		81	90	81	81	82	81	80	79	78		80	80		81	76	77		84	84	84	81
1800		81	89	81	81	81	80	80	80	78		79	79		80	75	75		80	82	82	80
1900		80	88	81	80	80	79	80	79	77		79	78		77	75	75		80	80	81	79
2000		80	85	80	76	79	78	79	74	76		79	78		76	75	74		79	78	80	78
2100		77	83	75	75	79	76	78	74	75		78	75		76	75	73		75	76	79	75
2200																						
2300																						

STAGE I, II, or III HOURLY INSIDE TEMP LOG **ATTACHMENT C**

Date: 10/8/24 **STAGE:** (circle one) I II III **Stage Activation Time:** 1203 **Stage Deactivation Time:** 2005

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001	X										X			X								
0100	X										X			X								
0200	X										X			X								
0300	X										X			X								
0400	X										X			X								
0500	X										X			X								
0600	X										X			X								
0700	X										X			X								
0800	X										X			X								
0900	X										X			X								
1000	X										X			X								
1100	X										X			X								
1200	X	84	83	76	76	75	75	72	73	73	X	77	77	X	73	73	74	80	83	83	82	81
1300	X	84	84	77	76	75	75	73	73	74	X	77	77	X	73	73	75	80	82	84	83	82
1400	X	85	85	78	78	77	77	76	74	76	X	77	78	X	75	75	75	81	83	85	84	82
1500	X	85	85	79	78	78	77	77	75	78	X	78	78	X	78	76	76	81	83	85	85	83
1600	X	84	84	77	79	79	80	81	77	77	X	77	81	X	80	77	78	83	85	84	86	81
1700	X	85	85	78	79	80	80	82	77	78	X	77	82	X	81	77	78	84	86	86	86	82
1800	X	85	85	78	81	81	80	83	78	79	X	77	83	X	81	77	78	84	86	86	87	82
1900	X	85	85	78	81	81	80	83	78	80	X	77	83	X	81	77	79	84	86	86	87	82
2000	X	85	85	78	80	80	80	82	77	79	X	77	82	X	80	76	77	83	85	84	85	80
2100	X										X			X								
2200	X										X			X								
2300	X										X			X								

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Mon 10/14/2024	0100	63	Garcia
	0200	63	Garcia
	0300	62	Garcia
	0400	61	Garcia
	0500	60	Garcia
	0600	60	Beeman
	0700	57	Beeman
	0800	58	Beeman
	0900	65	Beeman
	1000	67	Beeman
	1100	72	Beeman
	1200	77	Beeman
	1300	78	Beeman
	1400	82	ARITA
	1500	82	ARITA
	1600	83	ARITA
	1700	81	ARITA
	1800	79	ARITA
	1900	79	ARITA
	2000	75	ARITA
	2100	72	ARITA
	2200	70	SYPRASEUTH
	2300	67	SYPRASEUTH
	2400	65	SYPRASEUTH

DATE	TIME	TEMP.	PRINTED NAME
Tue 10/15/2024	0100	62	SYPRASEUTH
	0200	60	SYPRASEUTH
	0300	60	SYPRASEUTH
	0400	59	SYPRASEUTH
	0500	57	SYPRASEUTH
	0600	57	Beeman
	0700	58	Beeman
	0800	59	Beeman
	0900	65	Beeman
	1000	68	Beeman
	1100	70	Beeman
	1200	75	Beeman
	1300	78	Beeman
	1400	83	QUIJAS
	1500	84	QUIJAS
	1600	84	QUIJAS
	1700	82	QUIJAS
	1800	76	QUIJAS
	1900	73	QUIJAS
	2000	71	QUIJAS
	2100	69	QUIJAS
	2200	68	QUIJAS
	2300	67	QUIJAS
	2400	66	QUIJAS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 10/16/2024	0100	66	QUIJAS
	0200	66	QUIJAS
	0300	65	QUIJAS
	0400	64	QUIJAS
	0500	63	QUIJAS
	0600	64	SERRANO
	0700	66	SERRANO
	0800	67	SERRANO
	0900	69	SERRANO
	1000	70	SERRANO
	1100	72	SERRANO
	1200	73	SERRANO
	1300	73	QUIJAS
	1400	75	QUIJAS
	1500	77	QUIJAS
	1600	77	QUIJAS
	1700	75	QUIJAS
	1800	72	QUIJAS
	1900	67	QUIJAS
	2000	66	QUIJAS
	2100	65	QUIJAS
	2200	64	QUIJAS
	2300	62	QUIJAS
	2400	60	QUIJAS

DATE	TIME	TEMP.	PRINTED NAME
Thu 10/17/2024	0100	60	QUIJAS
	0200	59	QUIJAS
	0300	58	QUIJAS
	0400	57	QUIJAS
	0500	56	QUIJAS
	0600	70	SERRANO
	0700	70	SERRANO
	0800	72	SERRANO
	0900	72	SERRANO
	1000	73	SERRANO
	1100	73	SERRANO
	1200	73	SERRANO
	1300	74	Gover
	1400	74	Gover
	1500	73	Gover
	1600	73	Gover
	1700	72	Gover
	1800	70	Gover
	1900	70	Gover
	2000	69	Gover
	2100	68	Gover
	2200	66	Gover
	2300	65	Gover
	2400	62	Gover

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Fri 10/18/2024	0100	60	Gonter
	0200	60	Gonter
	0300	58	Gonter
	0400	55	Gonter
	0500	53	Gonter
	0600	57	SERRANO
	0700	56	SERRANO
	0800	59	SERRANO
	0900	62	SERRANO
	1000	67	SERRANO
	1100	69	SERRANO
	1200	72	SERRANO
	1300	74	SERRANO
	1400	74	Gonter
	1500	74	Gonter
	1600	76	Gonter
	1700	74	Gonter
	1800	72	Gonter
	1900	70	Gonter
	2000	69	Gonter
	2100	66	Gonter
	2200	66	Gonter
	2300	65	Gonter
	2400	63	Gonter

DATE	TIME	TEMP.	PRINTED NAME
Sat 10/19/2024	0100	63	Gonter
	0200	63	Gonter
	0300	60	Gonter
	0400	60	Gonter
	0500	62	Gonter
	0600	64	SERRANO
	0700	62	SERRANO
	0800	63	SERRANO
	0900	66	SERRANO
	1000	68	SERRANO
	1100	72	SERRANO
	1200	74	SERRANO
	1300	77	SERRANO
	1400	79	YOUNG
	1500	80	YOUNG
	1600	78	YOUNG
	1700	76	YOUNG
	1800	71	YOUNG
	1900	68	YOUNG
	2000	66	YOUNG
	2100	61	YOUNG
	2200	60	Gonter
	2300	58	Gonter
	2400	56	Gonter

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Sun 10/20/2024	0100	56	Gomez
	0200	54	Gomez
	0300	53	Gomez
	0400	50	Gomez
	0500	50	Gomez
	0600	45	SERRANO
	0700	44	SERRANO
	0800	49	SERRANO
	0900	57	SERRANO
	1000	64	SERRANO
	1100	69	SERRANO
	1200	73	SERRANO
	1300	75	SERRANO
	1400	76	Young
	1500	77	Young
	1600	75	Young
	1700	74	Young
	1800	71	Young
	1900	69	Young
	2000	68	Young
	2100	67	Young
	2200	64	Mendoza
	2300	61	Mendoza
	2400	60	Mendoza

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	74	Garcia
	0600	73	Brennan
	0900	73	Brennan
	1200	75	Brennan
	1500	75	ARITA
	1800	74	ARITA
	2100	76	ARITA
	2400	73	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	70	SYPRASEUTH
	0600	68	K. Brennan
	0900	68	K. Brennan
	1200	72	K. Brennan
	1500	79	QUIJAS
	1800	80	QUIJAS
	2100	78	QUIJAS
	2400	75	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	73	QUIJAS
	0600	74	SERRANO
	0900	75	SERRANO
	1200	76	SERRANO
	1500	71	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	72	QUIJAS
	0600	73	SERRANO
	0900	73	SERRANO
	1200	70	SERRANO
	1500	72	Gov
	1800	71	Gov
	2100	70	Gov
	2400	68	Gov

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	66	Gov
	0600	70	SERRANO
	0900	72	SERRANO
	1200	72	SERRANO
	1500	72	Gov
	1800	72	Gov
	2100	70	Gov
	2400	70	Gov

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	65	Gov
	0600	CLOSED	SERRANO
	0900	CLOSED	SERRANO
	1200	CLOSED	SERRANO
	1500	CLOSED	
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300		
	0600	C	
	0900	L	
	1200	O	
	1500	S	
	1800	E	
	2100	D	
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-1** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	76	Garcia
	0600	74	Beeman
	0900	75	Beeman
	1200	77	Beeman
	1500	78	Arita
	1800	77	Arita
	2100	76	Arita
	2400	72	Sypraseuth

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	70	Sypraseuth
	0600	73	K. Beeman
	0900	74	K. Beeman
	1200	74	K. Beeman
	1500	78	Quijas
	1800	78	Quijas
	2100	77	Quijas
	2400	76	Quijas

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	74	Quijas
	0600	76	Serrano
	0900	77	Serrano
	1200	78	Serrano
	1500	76	Quijas
	1800	77	Quijas
	2100	77	Quijas
	2400	75	Quijas

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	73	Quijas
	0600	73	Serrano
	0900	73	Serrano
	1200	75	Serrano
	1500	76	Gonzalez
	1800	74	Gonzalez
	2100	77	Gonzalez
	2400	71	Gonzalez

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	66	Gonzalez
	0600	70	Serrano
	0900	70	Serrano
	1200	70	Serrano
	1500	72	Gonzalez
	1800	70	Gonzalez
	2100	69	Gonzalez
	2400	66	Gonzalez

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	65	Gonzalez
	0600	73	Serrano
	0900	73	Serrano
	1200	73	Serrano
	1500	73	Young
	1800	73	Young
	2100	71	Young
	2400	70	Gonzalez

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	64	Gonzalez
	0600	69	Serrano
	0900	70	Serrano
	1200	71	Serrano
	1500	72	Young
	1800	71	Young
	2100	71	Young
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	77	Garcia
	0600	74	Bloman
	0900	75	Bloman
	1200	77	Bloman
	1500	73	ARITA
	1800	72	ARITA
	2100	77	ARITA
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	72	SYPRASEUTH
	0600	74	K. Bloman
	0900	75	K. Bloman
	1200	78	K. Bloman
	1500	78	QUIJAS
	1800	79	QUIJAS
	2100	78	QUIJAS
	2400	75	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	74	QUIJAS
	0600	77	SERRANO
	0900	78	SERRANO
	1200	79	SERRANO
	1500	79	QUIJAS
	1800	80	QUIJAS
	2100	77	QUIJAS
	2400	75	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	75	QUIJAS
	0600	77	SERRANO
	0900	77	SERRANO
	1200	79	SERRANO
	1500	78	[illegible]
	1800	76	[illegible]
	2100	74	[illegible]
	2400	77	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	70	[illegible]
	0600	75	SERRANO
	0900	75	SERRANO
	1200	75	SERRANO
	1500	76	[illegible]
	1800	75	[illegible]
	2100	72	[illegible]
	2400	71	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	70	[illegible]
	0600	77	SERRANO
	0900	77	SERRANO
	1200	77	SERRANO
	1500	77	Younis
	1800	76	Younis
	2100	76	Younis
	2400	74	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	72	[illegible]
	0600	74	SERRANO
	0900	76	SERRANO
	1200	78	SERRANO
	1500	78	Younis
	1800	78	Younis
	2100	77	Younis
	2400	76	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-1** Temp. Reading Location: **137**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	70	Garcia
	0600	70	Brown
	0900	72	Barker
	1200	72	Brown
	1500	78	ARITA
	1800	77	ARITA
	2100	73	ARITA
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	68	SYPRASEUTH
	0600	70	K. Brown
	0900	72	K. Brown
	1200	73	K. Brown
	1500	73	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	73	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	70	QUIJAS
	0600	73	SERRANO
	0900	74	SERRANO
	1200	75	SERRANO
	1500	73	QUIJAS
	1800	76	QUIJAS
	2100	75	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	72	QUIJAS
	0600	67	SERRANO
	0900	67	SERRANO
	1200	76	SERRANO
	1500	72	Cooper
	1800	71	Cooper
	2100	70	Cooper
	2400	68	Cooper

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	66	Cooper
	0600	67	SERRANO
	0900	67	SERRANO
	1200	70	SERRANO
	1500	72	Cooper
	1800	72	Cooper
	2100	70	Cooper
	2400	68	Cooper

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	66	Cooper
	0600	72	SERRANO
	0900	72	SERRANO
	1200	73	SERRANO
	1500	71	Young
	1800	71	Young
	2100	71	Young
	2400	70	Cooper

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	67	Cooper
	0600	68	SERRANO
	0900	68	SERRANO
	1200	70	SERRANO
	1500	71	Young
	1800	71	Young
	2100	70	Young
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	72	Garcia
	0600	72	Brown
	0900	74	Brown
	1200	75	Brown
	1500	77	ARITA
	1800	76	ARITA
	2100	75	ARITA
	2400	73	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	70	SYPRASEUTH
	0600	69	K. Brown
	0900	70	K. Brown
	1200	73	K. Brown
	1500	73	QUIJAS
	1800	76	QUIJAS
	2100	76	QUIJAS
	2400	74	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	72	QUIJAS
	0600	76	SERRANO
	0900	77	SERRANO
	1200	77	SERRANO
	1500	75	QUIJAS
	1800	76	QUIJAS
	2100	75	QUIJAS
	2400	75	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	75	QUIJAS
	0600	73	SERRANO
	0900	73	SERRANO
	1200	74	SERRANO
	1500	75	Cole
	1800	74	Cole
	2100	72	Cole
	2400	70	Cole

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	68	Cole
	0600	73	SERRANO
	0900	73	SERRANO
	1200	73	SERRANO
	1500	74	Cole
	1800	74	Cole
	2100	72	Cole
	2400	71	Cole

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	70	Cole
	0600	72	SERRANO
	0900	72	SERRANO
	1200	73	SERRANO
	1500	73	Young
	1800	72	Young
	2100	72	Young
	2400	72	Cole

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	70	Cole
	0600	70	SERRANO
	0900	70	SERRANO
	1200	72	SERRANO
	1500	73	Young
	1800	73	Young
	2100	72	Young
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	75	Garcia
	0600	71	Beeman
	0900	71	Beeman
	1200	74	Beeman
	1500	74	ARITA
	1800	74	ARITA
	2100	74	ARITA
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	70	SYPRASEUTH
	0600	71	K. Beeman
	0900	72	K. Beeman
	1200	73	K. Beeman
	1500	74	QUIJAS
	1800	76	QUIJAS
	2100	76	QUIJAS
	2400	74	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	73	QUIJAS
	0600	73	SERRANO
	0900	72.5	SERRANO
	1200	72.6	SERRANO
	1500	75	QUIJAS
	1800	76	QUIJAS
	2100	75	QUIJAS
	2400	75	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	73	QUIJAS
	0600	72	SERRANO
	0900	70.8	SERRANO
	1200	72.3	SERRANO
	1500	73	[illegible]
	1800	72	[illegible]
	2100	70	[illegible]
	2400	70	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	67	[illegible]
	0600	69	SERRANO
	0900	69	SERRANO
	1200	71	SERRANO
	1500	72	[illegible]
	1800	72	[illegible]
	2100	70	[illegible]
	2400	70	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	64	[illegible]
	0600	72	SERRANO
	0900	72	SERRANO
	1200	73	SERRANO
	1500	75	Young
	1800	74	YOUNG
	2100	74	Young
	2400	72	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	70	[illegible]
	0600	65	SERRANO
	0900	66	SERRANO
	1200	70	SERRANO
	1500	74	Young
	1800	75	Young
	2100	74	Young
	2400	72	MENDOZA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	76	Garcia
	0600	72	Beaman
	0900	72	Beaman
	1200	72	Beaman
	1500	72	ARITA
	1800	72	ARITA
	2100	77	ARITA
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	71	SYPRASEUTH
	0600	71	K. Beaman
	0900	73	K. Beaman
	1200	73	K. Beaman
	1500	75	QUIJAS
	1800	76	QUIJAS
	2100	75	QUIJAS
	2400	72	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	71	QUIJAS
	0600	72	SERRANO
	0900	69	SERRANO
	1200	69	SERRANO
	1500	74	QUIJAS
	1800	76	QUIJAS
	2100	76	QUIJAS
	2400	75	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	72	QUIJAS
	0600	69	SERRANO
	0900	70	SERRANO
	1200	71	SERRANO
	1500	72	Cory
	1800	71	Cory
	2100	70	Cory
	2400	68	Cory

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	66	Cory
	0600	68	SERRANO
	0900	69	SERRANO
	1200	67	SERRANO
	1500	68	Cory
	1800	66	Cory
	2100	66	Cory
	2400	65	Cory

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	69	Cory
	0600	70	SERRANO
	0900	70	SERRANO
	1200	71	SERRANO
	1500	72	Yauna
	1800	72	Yauna
	2100	71	Yauna
	2400	70	Cory

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	68	Cory
	0600	68	SERRANO
	0900	68	SERRANO
	1200	69	SERRANO
	1500	70	Yauna
	1800	71	Yauna
	2100	71	Yauna
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	75	Garcia
	0600	71	Borner
	0900	70	Borner
	1200	76	Borner
	1500	77	ARITA
	1800	76	ARITA
	2100	74	ARITA
	2400	71	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	68	SYPRASEUTH
	0600	72	K. Borner
	0900	73	K. Borner
	1200	73	K. Borner
	1500	80	QUIJAS
	1800	80	QUIJAS
	2100	79	QUIJAS
	2400	75	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	73	QUIJAS
	0600	74	SERRANO
	0900	76	SERRANO
	1200	77	SERRANO
	1500	76	QUIJAS
	1800	78	QUIJAS
	2100	77	QUIJAS
	2400	75	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	74	QUIJAS
	0600	70	SERRANO
	0900	74	SERRANO
	1200	74	SERRANO
	1500	71	Gar
	1800	74	Gar
	2100	72	Gar
	2400	70	Gar

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	68	Gar
	0600	72	SERRANO
	0900	72	SERRANO
	1200	73	SERRANO
	1500	73	Borner
	1800	70	Gar
	2100	70	Gar
	2400	70	Gar

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	68	Gar
	0600	72	SERRANO
	0900	73	SERRANO
	1200	72	SERRANO
	1500	73	Young
	1800	72	Young
	2100	72	Young
	2400	71	Gar

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	70	Gar
	0600	72	SERRANO
	0900	72	SERRANO
	1200	73	SERRANO
	1500	74	Young
	1800	73	Young
	2100	73	Young
	2400	71	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also e monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	75	Garcia
	0600	68	Bellman
	0900	70	Bellman
	1200	70	Bellman
	1500	70	ARITA
	1800	75	ARITA
	2100	72	ARITA
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	68	SYPRASEUTH
	0600	68	K. Bellman
	0900	70	K. Bellman
	1200	70	K. Bellman
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	73	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	70	QUIJAS
	0600	70	SERRANO
	0900	70	SERRANO
	1200	70	SERRANO
	1500	75	QUIJAS
	1800	76	QUIJAS
	2100	75	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	70	QUIJAS
	0600	66	SERRANO
	0900	68	SERRANO
	1200	69	SERRANO
	1500	70	Cooper
	1800	70	Cooper
	2100	68	Cooper
	2400	66	Cooper

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	65	Cooper
	0600	64	SERRANO
	0900	64	SERRANO
	1200	64	SERRANO
	1500	66	Cooper
	1800	65	Cooper
	2100	65	Cooper
	2400	63	Cooper

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	67	Cooper
	0600	68	SERRANO
	0900	68	SERRANO
	1200	70	SERRANO
	1500	70	Young
	1800	70	Young
	2100	70	Young
	2400	69	Cooper

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	65	Cooper
	0600	68	SERRANO
	0900	69	SERRANO
	1200	70	SERRANO
	1500	73	Young
	1800	74	Young
	2100	73	Young
	2400	71	Manfoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	67	Garcia
	0600	69	Beeman
	0900	69	Beeman
	1200	70	Beeman
	1500	70	ARITA
	1800	70	ARITA
	2100	70	ARITA
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	67	SYPRASEUTH
	0600	69	K. Beeman
	0900	70	K. Beeman
	1200	69	K. Beeman
	1500	71	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	71	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	70	QUIJAS
	0600	66	SERRANO
	0900	68	SERRANO
	1200	70	SERRANO
	1500	72	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	72	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	69	QUIJAS
	0600	68	SERRANO
	0900	67	SERRANO
	1200	67	SERRANO
	1500	70	Gar
	1800	70	Gar
	2100	68	Gar
	2400	69	Gar

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	66	Gar
	0600	69	SERRANO
	0900	70	SERRANO
	1200	72	SERRANO
	1500	74	Gar
	1800	70	Gar
	2100	70	Gar
	2400	70	Gar

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	68	Gar
	0600	66	SERRANO
	0900	68	SERRANO
	1200	72	SERRANO
	1500	73	Young
	1800	72	Young
	2100	72	Young
	2400	71	Gar

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	68	Gar
	0600	68	SERRANO
	0900	69	SERRANO
	1200	70	SERRANO
	1500	71	Young
	1800	71	Young
	2100	71	Young
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	74	Garcia
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMF Housing Unit: I-3 Temp. Reading Location: VARIES (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	74	Garcia
	0600	73	Robinson
	0900	75	Robinson
	1200	75	Robinson
	1500	76	ARITA
	1800	74	ARITA
	2100	73	ARITA
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	68	SYPRASEUTH
	0600	73	Kirkpatrick
	0900	74	Kirkpatrick
	1200	76	Kirkpatrick
	1500	78	QUIJAS
	1800	78	QUIJAS
	2100	77	QUIJAS
	2400	74	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	73	QUIJAS
	0600	72	SERRANO
	0900	73	SERRANO
	1200	74	SERRANO
	1500	76	QUIJAS
	1800	77	QUIJAS
	2100	76	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	72	QUIJAS
	0600	71	SERRANO
	0900	72	SERRANO
	1200	74	SERRANO
	1500	75	Cover
	1800	74	Cover
	2100	72	Cover
	2400	70	Cover

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	68	Cover
	0600	70	SERRANO
	0900	71	SERRANO
	1200	72	SERRANO
	1500	74	Cover
	1800	70	Cover
	2100	70	Cover
	2400	70	Cover

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	68	Cover
	0600	69	SERRANO
	0900	71	SERRANO
	1200	73	SERRANO
	1500	73	Young
	1800	73	Young
	2100	73	Young
	2400	70	Cover

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	70	Cover
	0600	69	SERRANO
	0900	72	SERRANO
	1200	72	SERRANO
	1500	73	Young
	1800	73	Young
	2100	73	Young
	2400	71	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-3** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	75	Garcia
	0600	70	Beaman
	0900	75	Beaman
	1200	73	Beaman
	1500	75	ARITA
	1800	74	ARITA
	2100	74	ARITA
	2400	71	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	70	SYPRASEUTH
	0600	72	K. Beaman
	0900	72	K. Beaman
	1200	74	K. Beaman
	1500	78	QUIJAS
	1800	79	QUIJAS
	2100	78	QUIJAS
	2400	75	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	70	QUIJAS
	0600	70	SERRANO
	0900	72	SERRANO
	1200	74	SERRANO
	1500	77	QUIJAS
	1800	77	QUIJAS
	2100	75	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	70	QUIJAS
	0600	72	SERRANO
	0900	74	SERRANO
	1200	76	SERRANO
	1500	77	Cor
	1800	75	Cor
	2100	74	Cor
	2400	72	Cor

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	70	Cor
	0600	71	SERRANO
	0900	71	SERRANO
	1200	72	SERRANO
	1500	72	Cor
	1800	70	Cor
	2100	66	Cor
	2400	66	Cor

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	66	Cor
	0600	70	SERRANO
	0900	71	SERRANO
	1200	72	SERRANO
	1500	73	YOUNG
	1800	73	YOUNG
	2100	72	YOUNG
	2400	71	Cor

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	70	Cor
	0600	70	SERRANO
	0900	71	SERRANO
	1200	72	SERRANO
	1500	73	YOUNG
	1800	73	YOUNG
	2100	72	YOUNG
	2400	70	MENDOZA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	7	Garcia
	0600		
	0900		
	1200	Closed	
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300		
	0600	Closed	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300		
	0600	Closed	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300		
	0600	Closed	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300		
	0600	Closed	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300		
	0600	Closed	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300		
	0600	Closed	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	70	Garcia
	0600	71	Berman
	0900	75	Berman
	1200	73	Berman
	1500	73	ARITA
	1800	73	ARITA
	2100	73	ARITA
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	68	SYPRASEUTH
	0600	70	K. Berman
	0900	72	K. Berman
	1200	73	K. Berman
	1500	77	QUIJAS
	1800	78	QUIJAS
	2100	77	QUIJAS
	2400	74	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	71	QUIJAS
	0600	71	SERRANO
	0900	72	SERRANO
	1200	73	SERRANO
	1500	78	QUIJAS
	1800	79	QUIJAS
	2100	74	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	71	QUIJAS
	0600	71	SERRANO
	0900	73	SERRANO
	1200	74	SERRANO
	1500	75	Gar
	1800	73	Gar
	2100	72	Gar
	2400	70	Gar

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	68	Gar
	0600	71	SERRANO
	0900	71	SERRANO
	1200	71	SERRANO
	1500	72	Gar
	1800	70	Gar
	2100	70	Gar
	2400	68	Gar

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	65	Gar
	0600	66	SERRANO
	0900	65	SERRANO
	1200	68	SERRANO
	1500	70	Young
	1800	70	Young
	2100	70	Young
	2400	70	Gar

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	68	Gar
	0600	69	SERRANO
	0900	70	SERRANO
	1200	70	SERRANO
	1500	71	Young
	1800	71	Young
	2100	70	Young
	2400	69	MENDOZA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	69	Garcia
	0600	68	Beeman
	0900	69	Beeman
	1200	70	Beeman
	1500	73	ARMA
	1800	73	ARMA
	2100	73	ARMA
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	68	SYPRASEUTH
	0600	68	K. Beeman
	0900	69	K. Beeman
	1200	71	K. Beeman
	1500	73	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	72	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	70	QUIJAS
	0600	73	SERRANO
	0900	71	SERRANO
	1200	71	SERRANO
	1500	72	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	71	QUIJAS
	0600	66	SERRANO
	0900	66	SERRANO
	1200	68	SERRANO
	1500	70	Cor
	1800	69	Cor
	2100	68	Cor
	2400	65	Cor

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	63	Cor
	0600	68	SERRANO
	0900	62	SERRANO
	1200	63	SERRANO
	1500	66	Cor
	1800	66	Cor
	2100	65	Cor
	2400	65	Cor

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	63	Cor
	0600	66	SERRANO
	0900	65	SERRANO
	1200	67	SERRANO
	1500	69	Yonto
	1800	69	Yonto
	2100	68	Yonto
	2400	65	Cor

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	63	Cor
	0600	62	SERRANO
	0900	62	SERRANO
	1200	64	SERRANO
	1500	66	Yonto
	1800	65	Yonto
	2100	65	Yonto
	2400	64	MUNOZ

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	70	Garcia
	0600	69	Beeman
	0900	71	Beeman
	1200	71	Beeman
	1500	74	ARITA
	1800	74	ARITA
	2100	73	ARITA
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	69	SYPRASEUTH
	0600	68	K. Beeman
	0900	70	K. Beeman
	1200	72	K. Beeman
	1500	74	QUIJAS
	1800	74	QUIJAS
	2100	74	QUIJAS
	2400	71	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	69	QUIJAS
	0600	73	SERRANO
	0900	71	SERRANO
	1200	71	SERRANO
	1500	73	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	72	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	70	QUIJAS
	0600	66	SERRANO
	0900	66	SERRANO
	1200	68	SERRANO
	1500	70	Cox
	1800	70	Cox
	2100	66	Cox
	2400	66	Cox

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	65	Cox
	0600	61	SERRANO
	0900	62	SERRANO
	1200	63	SERRANO
	1500	66	Katz
	1800	66	Cox
	2100	65	Cox
	2400	63	Cox

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	67	Cox
	0600	66	SERRANO
	0900	65	SERRANO
	1200	68	SERRANO
	1500	69	YOUNG
	1800	69	YOUNG
	2100	69	YOUNG
	2400	65	Cox

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	63	Cox
	0600	62	SERRANO
	0900	62	SERRANO
	1200	64	SERRANO
	1500	65	YOUNG
	1800	65	YOUNG
	2100	65	YOUNG
	2400	64	MADORO

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	75	Garcia
	0600	73	Brown
	0900	74	Brown
	1200	77	Brown
	1500	74	ARITA
	1800	74	ARITA
	2100	73	ARITA
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	68	SYPRASEUTH
	0600	74	K. Brown
	0900	76	K. Brown
	1200	76	K. Brown
	1500	74	QUIJAS
	1800	76	QUIJAS
	2100	76	QUIJAS
	2400	73	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	73	QUIJAS
	0600	72	SERRANO
	0900	73	SERRANO
	1200	73	SERRANO
	1500	75	QUIJAS
	1800	77	QUIJAS
	2100	74	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	72	QUIJAS
	0600	68	SERRANO
	0900	66	SERRANO
	1200	69	SERRANO
	1500	71	Cox
	1800	70	Cox
	2100	70	Cox
	2400	68	Cox

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	66	Cox
	0600	64	SERRANO
	0900	68	SERRANO
	1200	68	SERRANO
	1500	70	Cox
	1800	70	Cox
	2100	69	Cox
	2400	66	Cox

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	67	Cox
	0600	68	SERRANO
	0900	67	SERRANO
	1200	69	SERRANO
	1500	69	Young
	1800	68	Young
	2100	68	Young
	2400	66	Cox

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	65	Cox
	0600	65	SERRANO
	0900	66	SERRANO
	1200	66	SERRANO
	1500	68	Young
	1800	68	Young
	2100	66	Young
	2400	67	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	78	Garcia
	0600	75	[illegible]
	0900	77	[illegible]
	1200	77	[illegible]
	1500	78	ARITA
	1800	77	ARITA
	2100	79	ARITA
	2400	76	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	74	SYPRASEUTH
	0600	77	K. [illegible]
	0900	79	K. [illegible]
	1200	80	K. [illegible]
	1500	80	QUIJAS
	1800	81	QUIJAS
	2100	80	QUIJAS
	2400	76	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	75	QUIJAS
	0600	70	SERRANO
	0900	72	SERRANO
	1200	74	SERRANO
	1500	77	QUIJAS
	1800	79	QUIJAS
	2100	77	QUIJAS
	2400	74	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	72	QUIJAS
	0600	70	SERRANO
	0900	72	SERRANO
	1200	73	SERRANO
	1500	76	[illegible]
	1800	76	[illegible]
	2100	74	[illegible]
	2400	74	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	74	[illegible]
	0600	68	SERRANO
	0900	70	SERRANO
	1200	72	SERRANO
	1500	74	[illegible]
	1800	77	[illegible]
	2100	74	[illegible]
	2400	66	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	66	[illegible]
	0600	68	SERRANO
	0900	70	SERRANO
	1200	72	SERRANO
	1500	74	YOUNG
	1800	74	YOUNG
	2100	73	YOUNG
	2400	73	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	74	[illegible]
	0600	68	SERRANO
	0900	70	SERRANO
	1200	72	SERRANO
	1500	72	YOUNG
	1800	73	YOUNG
	2100	74	YOUNG
	2400	70	MENDOZA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	75	Garcia
	0600	76	[illegible]
	0900	76	[illegible]
	1200	76	[illegible]
	1500	77	ARITA
	1800	76	ARITA
	2100	76	ARITA
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	72	SYPRASEUTH
	0600	77	K. German
	0900	78	K. German
	1200	81	K. German
	1500	80	QUIJAS
	1800	81	QUIJAS
	2100	80	QUIJAS
	2400	77	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	75	QUIJAS
	0600	70	SERRANO
	0900	72	SERRANO
	1200	74	SERRANO
	1500	77	QUIJAS
	1800	79	QUIJAS
	2100	76	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	72	QUIJAS
	0600	70	SERRANO
	0900	72	SERRANO
	1200	73	SERRANO
	1500	76	Cox
	1800	76	Cox
	2100	74	Cox
	2400	72	Cox

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	70	Cox
	0600	68	SERRANO
	0900	70	SERRANO
	1200	72	SERRANO
	1500	74	Cox
	1800	72	Cox
	2100	70	Cox
	2400	70	Cox

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	68	Cox
	0600	69	SERRANO
	0900	70	SERRANO
	1200	72	SERRANO
	1500	73	Young
	1800	74	Young
	2100	73	Young
	2400	72	Cox

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	70	Cox
	0600	68	SERRANO
	0900	70	SERRANO
	1200	72	SERRANO
	1500	72	Young
	1800	72	Young
	2100	72	Young
	2400	70	Martinez

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	75	Garcia
	0600	75	Brown
	0900	76	Brown
	1200	77	Brown
	1500	78	ARITA
	1800	77	ARITA
	2100	77	ARITA
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	71	SYPRASEUTH
	0600	76	K. BROWN
	0900	78	K. BROWN
	1200	79	K. Brown
	1500	81	QUIJAS
	1800	82	QUIJAS
	2100	80	QUIJAS
	2400	76	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	75	QUIJAS
	0600	70	SERRANO
	0900	72	SERRANO
	1200	74	SERRANO
	1500	78	QUIJAS
	1800	80	QUIJAS
	2100	77	QUIJAS
	2400	74	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	72	QUIJAS
	0600	70	SERRANO
	0900	72	SERRANO
	1200	73	SERRANO
	1500	75	Cabrera
	1800	76	Cabrera
	2100	74	Cabrera
	2400	74	Cabrera

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	71	Cabrera
	0600	68	SERRANO
	0900	70	SERRANO
	1200	72	SERRANO
	1500	76	Cabrera
	1800	75	Cabrera
	2100	72	Cabrera
	2400	72	Cabrera

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	71	Cabrera
	0600	68	SERRANO
	0900	70	SERRANO
	1200	72	SERRANO
	1500	73	YOUNG
	1800	74	YOUNG
	2100	74	YOUNG
	2400	72	Cabrera

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	70	Cabrera
	0600	69	SERRANO
	0900	70	SERRANO
	1200	72	SERRANO
	1500	73	YOUNG
	1800	73	YOUNG
	2100	71	YOUNG
	2400	70	MENDOZA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/14/2024	0300	76	Garcia
	0600	79	[illegible]
	0900	79	[illegible]
	1200	79	[illegible]
	1500	74	ARITA
	1800	75	ARITA
	2100	77	ARITA
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/15/2024	0300	72	SYPRASEUTH
	0600	78	K. Brown
	0900	79	K. Brown
	1200	79	K. Brown
	1500	79	QUIJAS
	1800	80	QUIJAS
	2100	79	QUIJAS
	2400	76	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/16/2024	0300	75	QUIJAS
	0600	70	SERRANO
	0900	72	SERRANO
	1200	74	SERRANO
	1500	80	QUIJAS
	1800	80	QUIJAS
	2100	77	QUIJAS
	2400	75	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/17/2024	0300	71	QUIJAS
	0600	70	SERRANO
	0900	72	SERRANO
	1200	73	SERRANO
	1500	75	Cole
	1800	76	Cole
	2100	76	Cole
	2400	75	Cole

FRIDAY

Date	Time	Temp.	Name (Print)
10/18/2024	0300	74	Cole
	0600	68	SERRANO
	0900	70	SERRANO
	1200	72	SERRANO
	1500	74	Cole
	1800	77	Cole
	2100	70	Cole
	2400	70	Cole

SATURDAY

Date	Time	Temp.	Name (Print)
10/19/2024	0300	68	Cole
	0600	68	SERRANO
	0900	70	SERRANO
	1200	72	SERRANO
	1500	74	Young
	1800	73	Young
	2100	73	Young
	2400	72	Cole

SUNDAY

Date	Time	Temp.	Name (Print)
10/20/2024	0300	70	Cole
	0600	68	SERRANO
	0900	70	SERRANO
	1200	72	SERRANO
	1500	74	Young
	1800	73	Young
	2100	73	Young
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Mon 10/21/2024	0100	56	Mendoza
	0200	54	Mendoza
	0300	56	Mendoza
	0400	54	Mendoza
	0500	53	Mendoza
	0600	68	MATHIESEN
	0700	68	MATHIESEN
	0800	70	MATHIESEN
	0900	70	MATHIESEN
	1000	71	MATHIESEN
	1100	72	MATHIESEN
	1200	72	MATHIESEN
	1300	72	MATHIESEN
	1400	76	QUIJAS
	1500	78	QUIJAS
	1600	77	QUIJAS
	1700	70	QUIJAS
	1800	68	QUIJAS
	1900	66	QUIJAS
	2000	63	QUIJAS
	2100	62	QUIJAS
	2200	62	SYPRASEUTH
	2300	60	SYPRASEUTH
	2400	58	SYPRASEUTH

DATE	TIME	TEMP.	PRINTED NAME
Tue 10/22/2024	0100	57	SYPRASEUTH
	0200	56	SYPRASEUTH
	0300	56	SYPRASEUTH
	0400	55	SYPRASEUTH
	0500	56	SYPRASEUTH
	0600	58	MORENO
	0700	62	MORENO
	0800	63	MORENO
	0900	65	MORENO
	1000	66	MORENO
	1100	69	MORENO
	1200	70	MORENO
	1300	72	QUIJAS
	1400	74	QUIJAS
	1500	75	QUIJAS
	1600	75	QUIJAS
	1700	70	QUIJAS
	1800	68	QUIJAS
	1900	63	QUIJAS
	2000	61	QUIJAS
	2100	59	QUIJAS
	2200	59	QUIJAS
	2300	58	QUIJAS
	2400	57	QUIJAS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 10/23/2024	0100	56	QUIJAS
	0200	54	QUIJAS
	0300	53	QUIJAS
	0400	53	QUIJAS
	0500	52	QUIJAS
	0600	52	C. Yang
	0700	65	C. Yang
	0800	69	C. Yang
	0900	70	C. Yang
	1000	71	C. Yang
	1100	73	C. Yang
	1200	73	C. Yang
	1300	73	C. Yang
	1400	79	QUIJAS
	1500	80	QUIJAS
	1600	79	QUIJAS
	1700	76	QUIJAS
	1800	71	QUIJAS
	1900	69	QUIJAS
	2000	67	QUIJAS
	2100	66	QUIJAS
	2200	66	QUIJAS
	2300	66	QUIJAS
	2400	65	QUIJAS

DATE	TIME	TEMP.	PRINTED NAME
Thu 10/24/2024	0100	63	QUIJAS
	0200	62	QUIJAS
	0300	61	QUIJAS
	0400	60	QUIJAS
	0500	59	QUIJAS
	0600	57	C. Yang
	0700	57	C. Yang
	0800	58	C. Yang
	0900	58	C. Yang
	1000	66	C. Yang
	1100	70	C. Yang
	1200	72	C. Yang
	1300	74	C. Yang
	1400	74	Coen
	1500	75	Coen
	1600	75	Coen
	1700	74	Coen
	1800	72	Coen
	1900	69	Coen
	2000	65	Coen
	2100	63	Coen
	2200	62	Coen
	2300	60	Coen
	2400	60	Coen

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Fri 10/25/2024	0100	51	Gonzalez
	0200	53	Gonzalez
	0300	53	Gonzalez
	0400	52	Gonzalez
	0500	50	Cruz
	0600	50	C. Yang
	0700	51	C. Yang
	0800	52	C. Yang
	0900	55	C. Yang
	1000	61	C. Yang
	1100	63	C. Yang
	1200	69	C. Yang
	1300	73	C. Yang
	1400	73	Cruz
	1500	74	Cruz
	1600	74	Gonzalez
	1700	72	Cruz
	1800	70	Cruz
	1900	69	Cruz
	2000	68	Cruz
	2100	66	Cruz
	2200	65	Cruz
	2300	63	Cruz
	2400	62	Cruz

DATE	TIME	TEMP.	PRINTED NAME
Sat 10/26/2024	0100	60	Gonzalez
	0200	58	Gonzalez
	0300	55	Gonzalez
	0400	53	Gonzalez
	0500	50	Cruz
	0600	50	C. Yang
	0700	51	C. Yang
	0800	55	C. Yang
	0900	60	C. Yang
	1000	60	C. Yang
	1100	70	C. Yang
	1200	73	C. Yang
	1300	75	C. Yang
	1400	75	SEVILLA
	1500	76	SEVILLA
	1600	77	SEVILLA
	1700	77	SEVILLA
	1800	74	SEVILLA
	1900	70	SEVILLA
	2000	66	SEVILLA
	2100	65	SEVILLA
	2200	63	Cruz
	2300	62	Cruz
	2400	60	Cruz

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Sun 10/27/2024	0100	60	Graber
	0200	59	Graber
	0300	57	Graber
	0400	55	Graber
	0500	55	Graber
	0600	50	C. Yang
	0700	50	C. Yang
	0800	55	C. Yang
	0900	62	C. Yang
	1000	67	C. Yang
	1100	73	C. Yang
	1200	75	C. Yang
	1300	75	C. Yang
	1400	74	A. Vue
	1500	72	A. Vue
	1600	72	A. Vue
	1700	71	A. Vue
	1800	68	A. Vue
	1900	66	A. Vue
	2000	64	A. Vue
	2100	60	A. Vue
	2200	60	Mendoza
	2300	58	Mendoza
	2400	55	Mendoza

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also e monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300		
	0600	C	
	0900	L	
	1200	O	
	1500	S	
	1800	E	
	2100	D	
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	C	
	0600	L	
	0900	O	
	1200	S	
	1500	E	
	1800	D	
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300		
	0600	C	
	0900	L	
	1200	O	
	1500	S	
	1800	E	
	2100	D	
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300		
	0600	C	
	0900	L	
	1200	O	
	1500	S	
	1800	E	
	2100	D	
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300		
	0600	C	
	0900	L	
	1200	O	
	1500	S	
	1800	E	
	2100	D	
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300		
	0600	C	
	0900	L	
	1200	O	
	1500	S	
	1800	E	
	2100	D	
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	68	Brahs
	0600	70	C.Yuma
	0900	71	C.Yuma
	1200	72	C.Yuma
	1500	71	[illegible]
	1800	[illegible]	[illegible]
	2100		CLOSED
	2400		

NOTES

opened - 10/27/24

closed 10/27/24 @ 2100

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-1** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	70	Mendoza
	0600	73	MATHIESEN
	0900	71	MATHIESEN
	1200	74	MATHIESEN
	1500	77	QUIJAS
	1800	77	QUIJAS
	2100	75	QUIJAS
	2400	73	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	73	SYPRASEUTH
	0600	75	P. Moreno
	0900	76	P. Moreno
	1200	77	P. Moreno
	1500	78	QUIJAS
	1800	77	QUIJAS
	2100	75	QUIJAS
	2400	73	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	70	QUIJAS
	0600	76	C. Yang
	0900	76	C. Yang
	1200	77	C. Yang
	1500	78	QUIJAS
	1800	77	QUIJAS
	2100	76	QUIJAS
	2400	74	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	73	QUIJAS
	0600	70	C. Yang
	0900	71	C. Yang
	1200	72	C. Yang
	1500	72	Cover
	1800	70	Cover
	2100	70	Cover
	2400	68	Cover

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	65	Cover
	0600	70	C. Yang
	0900	71	C. Yang
	1200	72	C. Yang
	1500	73	Cover
	1800	72	Cover
	2100	70	Cover
	2400	68	Cover

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	67	Cover
	0600	70	C. Yang
	0900	71	C. Yang
	1200	72	C. Yang
	1500	73	SEVZLLA
	1800	72	SEVZLLA
	2100	72	SEVZLLA
	2400	71	Cover

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	68	Cover
	0600	70	C. Yang
	0900	74	C. Yang
	1200	74	C. Yang
	1500	73	Vue
	1800	72	Vue
	2100	71	Vue
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	69	Mendoza
	0600	74	MATHIESEN
	0900	75	MATHIESEN
	1200	75	MATHIESEN
	1500	74	QUIJAS
	1800	74	QUIJAS
	2100	75	QUIJAS
	2400	73	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	71	SYPRASEUTH
	0600	78	P. Moreno
	0900	79	P. Moreno
	1200	79	P. Moreno
	1500	80	QUIJAS
	1800	79	QUIJAS
	2100	76	QUIJAS
	2400	74	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	70	QUIJAS
	0600	75	C. Yano
	0900	76	C. Yano
	1200	78	C. Yano
	1500	79	QUIJAS
	1800	79	QUIJAS
	2100	77	QUIJAS
	2400	75	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	73	QUIJAS
	0600	74	C. Yano
	0900	74	C. Yano
	1200	75	C. Yano
	1500	79	Gov
	1800	72	Gov
	2100	70	Gov
	2400	68	Gov

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	66	Gov
	0600	74	C. Yano
	0900	74	C. Yano
	1200	74	C. Yano
	1500	74	Gov
	1800	72	Gov
	2100	71	Gov
	2400	70	Gov

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	68	Gov
	0600	75	C. Yano
	0900	75	C. Yano
	1200	76	C. Yano
	1500	75	SEVILLA
	1800	74	SEVILLA
	2100	74	SEVILLA
	2400	72	Gov

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	70	Gov
	0600	70	C. Yano
	0900	71	C. Yano
	1200	73	C. Yano
	1500	75	Vue
	1800	72	Vue
	2100	71	Vue
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-1** Temp. Reading Location: **137**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	68	Mendoza
	0600	69	MATHUESEN
	0900	70	MATHUESEN
	1200	70	MATHUESEN
	1500	71	QUIJAS
	1800	71	QUIJAS
	2100	70	QUIJAS
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	65	SYPRASEUTH
	0600	66	P. Moreno
	0900	66	P. Moreno
	1200	69	P. Moreno
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	72	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	66	QUIJAS
	0600	70	C. Yang
	0900	71	C. Yang
	1200	72	C. Yang
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	73	QUIJAS
	2400	71	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	70	QUIJAS
	0600	68	C. Yang
	0900	69	C. Yang
	1200	71	C. Yang
	1500	72	Cole
	1800	71	Cole
	2100	70	Cole
	2400	68	Cole

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	67	Cole
	0600	69	C. Yang
	0900	69	C. Yang
	1200	72	C. Yang
	1500	73	Cole
	1800	72	Cole
	2100	71	Cole
	2400	70	Cole

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	68	Cole
	0600	67	C. Yang
	0900	68	C. Yang
	1200	71	C. Yang
	1500	70	SEVILLA
	1800	70	SEVILLA
	2100	70	SEVILLA
	2400	69	Cole

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	68	Cole
	0600	68	C. Yang
	0900	69	C. Yang
	1200	71	C. Yang
	1500	74	Vue
	1800	70	Vue
	2100	70	Vue
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMF Housing Unit: N-1 Temp. Reading Location: C/O OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	69	Mendoza
	0600	64	MATHIESEN
	0900	69	MATHIESEN
	1200	70	MATHIESEN
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	68	SYPRASEUTH
	0600	67	P. Moreno
	0900	70	P. Moreno
	1200	71	P. Moreno
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	69	QUIJAS
	0600	70	C. Yang
	0900	71	C. Yang
	1200	72	C. Yang
	1500	74	QUIJAS
	1800	75	QUIJAS
	2100	73	QUIJAS
	2400	70	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	70	QUIJAS
	0600	72	C. Yang
	0900	73	C. Yang
	1200	74	C. Yang
	1500	74	Cuev
	1800	72	Cuev
	2100	71	Cuev
	2400	70	Cuev

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	68	Cuev
	0600	72	C. Yang
	0900	72	C. Yang
	1200	73	C. Yang
	1500	73	Cuev
	1800	72	Cuev
	2100	71	Cuev
	2400	70	Cuev

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	68	Cuev
	0600	70	C. Yang
	0900	70	C. Yang
	1200	72	C. Yang
	1500	73	SEVZLER
	1800	72	SEVZLER
	2100	72	SEVZLER
	2400	71	Cuev

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	70	Cuev
	0600	73	C. Yang
	0900	73	C. Yang
	1200	73	C. Yang
	1500	72	Vue
	1800	71	Vue
	2100	70	Vue
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	67	Mendoza
	0600	70	MATHIESEN
	0900	71	MATHIESEN
	1200	72	MATHIESEN
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	72	QUIJAS
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	67	SYPRASEUTH
	0600	68	P. Moreno
	0900	69	P. Moreno
	1200	71	P. Moreno
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	72	QUIJAS
	2400	71	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	68	QUIJAS
	0600	69	C. Yamd
	0900	69	C. YamD
	1200	71	C. YamD
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	72	QUIJAS
	2400	70	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	69	QUIJAS
	0600	70	C. Yamd
	0900	71	C. Yamd
	1200	72	C. Yamd
	1500	72	Cor
	1800	71	Cor
	2100	70	Cor
	2400	70	Cor

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	68	Cor
	0600	70	C. YamD
	0900	71	C. YamD
	1200	72	C. YamD
	1500	70	Cor
	1800	72	Cor
	2100	70	Cor
	2400	70	Cor

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	67	Cor
	0600	70	C. Yamd
	0900	71	C. Yamd
	1200	73	C. Yamd
	1500	73	SEVILLA
	1800	72	SEVILLA
	2100	72	SEVILLA
	2400	70	Cor

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	69	Cor
	0600	70	C. Yamd
	0900	71	C. YamD
	1200	72	C. YamD
	1500	74	Vue
	1800	72	Vue
	2100	71	Vue
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also e monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	69	Mendoza
	0600	70	MATHEEN
	0900	71	MATHEEN
	1200	71	MATHEEN
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	71	QUIJAS
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	68	SYPRASEUTH
	0600	68	P. Moreno
	0900	69	P. Moreno
	1200	69	P. Moreno
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	71	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	68	QUIJAS
	0600	68	C. Yano
	0900	69	C. Yano
	1200	70	C. Yano
	1500	71	QUIJAS
	1800	71	QUIJAS
	2100	70	QUIJAS
	2400	69	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	68	QUIJAS
	0600	67	C. Yano
	0900	68	C. Yano
	1200	71	C. Yano
	1500	72	[illegible]
	1800	72	[illegible]
	2100	71	[illegible]
	2400	70	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	64	[illegible]
	0600	66	C. Yano
	0900	68	C. Yano
	1200	72	C. Yano
	1500	72	[illegible]
	1800	71	[illegible]
	2100	70	[illegible]
	2400	70	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	66	[illegible]
	0600	67	C. Yano
	0900	68	C. Yano
	1200	71	C. Yano
	1500	73	SEVZUA
	1800	72	SEVZUA
	2100	72	SEVZUA
	2400	71	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	70	[illegible]
	0600	68	C. Yano
	0900	68	C. Yano
	1200	70	C. Yano
	1500	74	Vue
	1800	70	Vue
	2100	70	Vue
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	68	Mendoza
	0600	72	MATHIESEN
	0900	73	MATHIESEN
	1200	73	MATHIESEN
	1500	77	QUIJAS
	1800	77	QUIJAS
	2100	75	QUIJAS
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	69	SYPRASEUTH
	0600	72	P. Moreno
	0900	73	P. Moreno
	1200	74	P. Moreno
	1500	77	QUIJAS
	1800	77	QUIJAS
	2100	75	QUIJAS
	2400	73	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	69	QUIJAS
	0600	72	C. Yang
	0900	73	C. Yang
	1200	74	C. Yang
	1500	76	QUIJAS
	1800	76	QUIJAS
	2100	75	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	71	QUIJAS
	0600	72	C. Yang
	0900	73	C. Yang
	1200	74	C. Yang
	1500	75	Cuev
	1800	73	Cuev
	2100	72	Cuev
	2400	70	Cuev

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	66	Cuev
	0600	70	C. Yang
	0900	71	C. Yang
	1200	73	C. Yang
	1500	73	Cuev
	1800	72	Cuev
	2100	71	Cuev
	2400	70	Cuev

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	68	Cuev
	0600	70	C. Yang
	0900	71	C. Yang
	1200	72	C. Yang
	1500	74	SEVILLA
	1800	74	SEVILLA
	2100	72	SEVILLA
	2400	70	Cuev

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	69	Cuev
	0600	72	C. Yang
	0900	73	C. Yang
	1200	74	C. Yang
	1500	74	Vue
	1800	72	Vue
	2100	71	Vue
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also e monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	70	Mendoza
	0600	68	MATHIESEN
	0900	68	MATHIESEN
	1200	69	MATHIESEN
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	73	QUIJAS
	2400	71	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	68	SYPRASEUTH
	0600	68	P. MORENO
	0900	68	P. MORENO
	1200	69	P. MORENO
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	73	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	69	QUIJAS
	0600	68	C. Young
	0900	68	C. Young
	1200	69	C. Young
	1500	73	QUIJAS
	1800	75	QUIJAS
	2100	74	QUIJAS
	2400	70	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	68	QUIJAS
	0600	68	C. Young
	0900	68	C. Young
	1200	69	C. Young
	1500	70	Cav
	1800	70	Cav
	2100	68	Cav
	2400	65	Cav

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	65	Cav
	0600	68	C. Young
	0900	69	C. Young
	1200	71	C. Young
	1500	72	Cav
	1800	72	Cav
	2100	71	Cav
	2400	70	Cav

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	68	Cav
	0600	68	C. Young
	0900	69	C. Young
	1200	72	C. Young
	1500	74	SEVILLA
	1800	73	SEVILLA
	2100	72	SEVILLA
	2400	70	Cav

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	69	Cav
	0600	68	C. Young
	0900	69	C. Young
	1200	70	C. Young
	1500	74	Vue
	1800	71	Vue
	2100	70	Vue
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	70	Mendoza
	0600	67	MATHIESEN
	0900	67	MATHIESEN
	1200	68	MATHIESEN
	1500	73	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	71	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	68	SYPRASEUTH
	0600	66	P. Moreno
	0900	66	P. Moreno
	1200	68	P. Moreno
	1500	73	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	71	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	69	QUIJAS
	0600	69	C. Yamo
	0900	69	C. Yamo
	1200	69	C. Yamo
	1500	73	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	71	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	69	QUIJAS
	0600	66	C. Yamo
	0900	68	C. Yamo
	1200	70	C. Yamo
	1500	71	Cole
	1800	70	Cole
	2100	70	Cole
	2400	68	Cole

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	65	Cole
	0600	66	C. Yamo
	0900	67	C. Yamo
	1200	69	C. Yamo
	1500	71	Cole
	1800	70	Cole
	2100	70	Cole
	2400	70	Cole

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	65	Cole
	0600	67	C. Yamo
	0900	67	C. Yamo
	1200	69	C. Yamo
	1500	74	SEVZLA
	1800	73	SEVZLA
	2100	71	SEVZLA
	2400	70	Cole

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	65	Cole
	0600	66	C. Yamo
	0900	68	C. Yamo
	1200	71	C. Yamo
	1500	74	Vue
	1800	73	Vue
	2100	72	Vue
	2400	71	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-3** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	69	Mendoza
	0600	70	Mathiesen
	0900	70	Mathiesen
	1200	74	Mathiesen
	1500	72	Quijas
	1800	73	Quijas
	2100	71	Quijas
	2400	69	Sypraseuth

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	68	Sypraseuth
	0600	69	P. Moreno
	0900	70	P. Moreno
	1200	72	P. Moreno
	1500	72	Quijas
	1800	73	Quijas
	2100	71	Quijas
	2400	70	Quijas

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	68	Quijas
	0600	70	C. Yang
	0900	70	C. Yang
	1200	72	C. Yang
	1500	77	Quijas
	1800	77	Quijas
	2100	73	Quijas
	2400	71	Quijas

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	70	Quijas
	0600	70	C. Yang
	0900	71	C. Yang
	1200	72	C. Yang
	1500	72	Cav
	1800	70	Cav
	2100	70	Cav
	2400	68	Cav

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	67	Cav
	0600	69	C. Yang
	0900	70	C. Yang
	1200	72	C. Yang
	1500	73	Cav
	1800	72	Cav
	2100	70	Cav
	2400	68	Cav

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	66	Cav
	0600	69	C. Yang
	0900	70	C. Yang
	1200	72	C. Yang
	1500	76	Sevzua
	1800	74	Sevzua
	2100	72	Sevzua
	2400	70	Cav

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	69	Cav
	0600	69	C. Yang
	0900	71	C. Yang
	1200	72	C. Yang
	1500	71	Vue
	1800	70	Vue
	2100	70	Vue
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-3** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	68	Mendoza
	0600	70	MATHIESEN
	0900	70	MATHIESEN
	1200	72	MATHIESEN
	1500	78	QUIJAS
	1800	77	QUIJAS
	2100	75	QUIJAS
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	69	SYPRASEUTH
	0600	70	P. Moreno
	0900	71	P. Moreno
	1200	74	P. Moreno
	1500	75	QUIJAS
	1800	74	QUIJAS
	2100	75	QUIJAS
	2400	71	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	70	QUIJAS
	0600	69	C. Yang
	0900	70	C. Yang
	1200	73	C. Yang
	1500	72	QUIJAS
	1800	75	QUIJAS
	2100	73	QUIJAS
	2400	70	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	69	QUIJAS
	0600	69	C. Yang
	0900	70	C. Yang
	1200	71	C. Yang
	1500	72	Cook
	1800	72	Cook
	2100	71	Cook
	2400	70	Cook

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	68	Cook
	0600	70	C. Yang
	0900	70	C. Yang
	1200	71	C. Yang
	1500	72	Cook
	1800	71	Cook
	2100	70	Cook
	2400	70	Cook

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	68	Cook
	0600	70	C. Yang
	0900	70	C. Yang
	1200	71	C. Yang
	1500	75	SEVILLA
	1800	75	SEVILLA
	2100	73	SEVILLA
	2400	72	Cook

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	71	Cook
	0600	68	C. Yang
	0900	69	C. Yang
	1200	71	C. Yang
	1500	71	Vue
	1800	71	Vue
	2100	71	Vue
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also e monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	70	Mendoza
	0600	69	MATHEESEN
	0900	69	MATHEESEN
	1200	72	MATHEESEN
	1500	72	QUIJAS
	1800	71	QUIJAS
	2100	71	QUIJAS
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	67	SYPRASEUTH
	0600	70	P. Moreno
	0900	71	P. Moreno
	1200	73	P. Moreno
	1500	75	QUIJAS
	1800	74	QUIJAS
	2100	71	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	69	QUIJAS
	0600	69	C. Young
	0900	70	C. Young
	1200	72	C. Young
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	73	QUIJAS
	2400	71	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	69	QUIJAS
	0600	71	C. Young
	0900	72	C. Young
	1200	73	C. Young
	1500	74	Cav
	1800	72	Cav
	2100	72	Cav
	2400	70	Cav

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	66	Cav
	0600	70	C. Young
	0900	71	C. Young
	1200	73	C. Young
	1500	74	Cav
	1800	73	Cav
	2100	72	Cav
	2400	71	Cav

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	70	Cav
	0600	70	C. Young
	0900	70	C. Young
	1200	72	C. Young
	1500	77	SEVILLA
	1800	76	SEVILLA
	2100	72	SEVILLA
	2400	71	Cav

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	70	Cav
	0600	70	C. Young
	0900	70	C. Young
	1200	72	C. Young
	1500	72	Vill
	1800	72	Vill
	2100	70	Vill
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	64	Mendoza
	0600	64	MATHIESEN
	0900	63	MATHIESEN
	1200	69	MATHIESEN
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	73	QUIJAS
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	67	SYPRASEUTH
	0600	67	P. Moreno
	0900	67	P. Moreno
	1200	71	P. Moreno
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	73	QUIJAS
	2400	71	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	68	QUIJAS
	0600	65	C. Yang
	0900	66	C. Yang
	1200	68	C. Yang
	1500	70	QUIJAS
	1800	71	QUIJAS
	2100	71	QUIJAS
	2400	70	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	66	QUIJAS
	0600	69	C. Yang
	0900	70	C. Yang
	1200	72	C. Yang
	1500	72	Cov
	1800	70	Cov
	2100	70	Cov
	2400	68	Cov

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	66	Cov
	0600	65	C. Yang
	0900	67	C. Yang
	1200	72	C. Yang
	1500	73	Cov
	1800	72	Cov
	2100	72	Cov
	2400	70	Cov

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	68	Cov
	0600	65	C. Yang
	0900	67	C. Yang
	1200	70	C. Yang
	1500	74	SEVZUA
	1800	74	SEVZUA
	2100	71	SEVZUA
	2400	70	Cov

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	68	Cov
	0600	73	C. Yang
	0900	73	C. Yang
	1200	74	C. Yang
	1500	77	Vela
	1800	76	Vela
	2100	74	Vela
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	64	Mendoza
	0600	65	MATHIESEN
	0900	63	MATHIESEN
	1200	69	MATHIESEN
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	72	QUIJAS
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	66	SYPRASEUTH
	0600	67	P. MORENO
	0900	67	P. MORENO
	1200	71	P. MORENO
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	73	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	67	QUIJAS
	0600	65	C. Young
	0900	66	C. Young
	1200	67	C. Young
	1500	71	QUIJAS
	1800	71	QUIJAS
	2100	70	QUIJAS
	2400	68	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	65	QUIJAS
	0600	69	C. Young
	0900	70	C. Young
	1200	71	C. Young
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	68	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	65	[illegible]
	0600	66	C. Young
	0900	68	C. Young
	1200	72	C. Young
	1500	73	[illegible]
	1800	73	[illegible]
	2100	71	[illegible]
	2400	70	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	67	[illegible]
	0600	66	C. Young
	0900	68	C. Young
	1200	71	C. Young
	1500	75	SEVILLA
	1800	74	SEVILLA
	2100	72	SEVILLA
	2400	71	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	68	[illegible]
	0600	70	C. Young
	0900	71	C. Young
	1200	72	C. Young
	1500	76	Vue
	1800	75	Vue
	2100	72	Vue
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also e monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	66	Mendoza
	0600	71	MATHESEN
	0900	72	MATHESEN
	1200	72	MATHESEN
	1500	73	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	67	SYPRASEUTH
	0600	72	P. Moreno
	0900	72	P. Moreno
	1200	72	P. Moreno
	1500	74	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	69	QUIJAS
	0600	71	C. Yang
	0900	72	C. Yang
	1200	73	C. Yang
	1500	74	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	72	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	71	QUIJAS
	0600	67	C. Yang
	0900	68	C. Yang
	1200	71	C. Yang
	1500	70	Cor
	1800	70	Cor
	2100	70	Cor
	2400	68	Cor

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	66	Cor
	0600	67	C. Yang
	0900	68	C. Yang
	1200	72	C. Yang
	1500	73	Cor
	1800	73	Cor
	2100	71	Cor
	2400	70	Cor

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	68	Cor
	0600	68	C. Yang
	0900	68	C. Yang
	1200	70	C. Yang
	1500	74	SEVILLA
	1800	74	SEVILLA
	2100	71	SEVILLA
	2400	69	Cor

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	68	Cor
	0600	70	C. Yang
	0900	71	C. Yang
	1200	72	C. Yang
	1500	72	Vue
	1800	72	Vue
	2100	71	Vue
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	71	Mendoza
	0600	72	MATHESEN
	0900	74	MATHESEN
	1200	74	MATHESEN
	1500	76	QUIJAS
	1800	76	QUIJAS
	2100	74	QUIJAS
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	68	SYPRASEUTH
	0600	72	P. Moreno
	0900	72	P. Moreno
	1200	74	P. Moreno
	1500	80	QUIJAS
	1800	79	QUIJAS
	2100	76	QUIJAS
	2400	71	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	69	QUIJAS
	0600	68	C. Yang
	0900	69	C. Yang
	1200	70	C. Yang
	1500	75	QUIJAS
	1800	74	QUIJAS
	2100	76	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	68	QUIJAS
	0600	67	C. Yang
	0900	68	C. Yang
	1200	72	C. Yang
	1500	72	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	65	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	66	[illegible]
	0600	68	C. Yang
	0900	69	C. Yang
	1200	71	C. Yang
	1500	72	[illegible]
	1800	72	[illegible]
	2100	71	[illegible]
	2400	69	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	69	[illegible]
	0600	68	C. Yang
	0900	69	C. Yang
	1200	70	C. Yang
	1500	75	SEVILLA
	1800	74	SEVILLA
	2100	70	SEVILLA
	2400	71	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	68	[illegible]
	0600	68	C. Yang
	0900	68	C. Yang
	1200	72	C. Yang
	1500	75	[illegible]
	1800	75	[illegible]
	2100	73	[illegible]
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	72	Mendoza
	0600	74	MATHESEN
	0900	74	MATHESEN
	1200	74	MATHESEN
	1500	76	QUIJAS
	1800	75	QUIJAS
	2100	74	QUIJAS
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	69	SYPRASEUTH
	0600	72	P. Moreno
	0900	72	P. Moreno
	1200	73	P. Moreno
	1500	77	QUIJAS
	1800	77	QUIJAS
	2100	76	QUIJAS
	2400	71	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	70	QUIJAS
	0600	68	C. Young
	0900	69	C. Young
	1200	71	C. Young
	1500	74	QUIJAS
	1800	74	QUIJAS
	2100	75	QUIJAS
	2400	72	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	68	QUIJAS
	0600	67	C. Young
	0900	68	C. Young
	1200	71	C. Young
	1500	72	Cole
	1800	70	Cole
	2100	70	Cole
	2400	66	Cole

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	66	Cole
	0600	67	C. Young
	0900	69	C. Young
	1200	71	C. Young
	1500	72	Cole
	1800	72	Cole
	2100	70	Cole
	2400	70	Cole

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	68	Cole
	0600	68	C. Young
	0900	68	C. Young
	1200	71	C. Young
	1500	75	SEVILLA
	1800	72	SEVILLA
	2100	71	SEVILLA
	2400	70	Cole

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	66	Cole
	0600	68	C. Young
	0900	69	C. Young
	1200	71	C. Young
	1500	75	Vee
	1800	75	Vee
	2100	72	Vee
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	72	Mendoza
	0600	73	MATHIESEN
	0900	75	MATHIESEN
	1200	75	MATHIESEN
	1500	76	QUIJAS
	1800	76	QUIJAS
	2100	75	QUIJAS
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	70	SYPRASEUTH
	0600	73	P. Moreno
	0900	72	P. Moreno
	1200	74	P. Moreno
	1500	77	QUIJAS
	1800	77	QUIJAS
	2100	76	QUIJAS
	2400	73	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	71	QUIJAS
	0600	69	C. Yang
	0900	70	C. Yang
	1200	72	C. Yang
	1500	75	QUIJAS
	1800	74	QUIJAS
	2100	74	QUIJAS
	2400	70	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	69	QUIJAS
	0600	67	C. Yang
	0900	68	C. Yang
	1200	72	C. Yang
	1500	70	Cor
	1800	70	Cor
	2100	70	Cor
	2400	68	Cor

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	66	Cor
	0600	67	C. Yang
	0900	70	C. Yang
	1200	72	C. Yang
	1500	73	Cor
	1800	70	Cor
	2100	70	Cor
	2400	68	Cor

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	66	Cor
	0600	66	C. Yang
	0900	68	C. Yang
	1200	72	C. Yang
	1500	77	SEVILLA
	1800	73	SEVILLA
	2100	70	SEVILLA
	2400	68	Cor

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	66	Cor
	0600	68	C. Yang
	0900	68	C. Yang
	1200	72	C. Yang
	1500	75	Vue
	1800	75	Vue
	2100	73	Vue
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/21/2024	0300	72	Mendoza
	0600	73	MATHIESEN
	0900	74	MATHIESEN
	1200	74	MATHIESEN
	1500	75	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/22/2024	0300	68	SYPRASEUTH
	0600	72	P. MORENO
	0900	73	P. MORENO
	1200	75	P. MORENO
	1500	74	QUIJAS
	1800	76	QUIJAS
	2100	75	QUIJAS
	2400	71	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/23/2024	0300	70	QUIJAS
	0600	68	C. Yang
	0900	69	C. Yang
	1200	72	C. Yang
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	71	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/24/2024	0300	69	QUIJAS
	0600	67	C. Yang
	0900	68	C. Yang
	1200	72	C. Yang
	1500	72	Gov
	1800	70	Gov
	2100	70	Gov
	2400	70	Gov

FRIDAY

Date	Time	Temp.	Name (Print)
10/25/2024	0300	66	Gov
	0600	67	C. Yang
	0900	68	C. Yang
	1200	73	C. Yang
	1500	73	Gov
	1800	72	Gov
	2100	71	Gov
	2400	70	Gov

SATURDAY

Date	Time	Temp.	Name (Print)
10/26/2024	0300	68	Gov
	0600	67	C. Yang
	0900	68	C. Yang
	1200	73	C. Yang
	1500	76	SEVILLA
	1800	72	SEVILLA
	2100	72	SEVILLA
	2400	70	Gov

SUNDAY

Date	Time	Temp.	Name (Print)
10/27/2024	0300	70	Gov
	0600	68	C. Yang
	0900	69	C. Yang
	1200	72	C. Yang
	1500	74	Vue
	1800	74	Vue
	2100	73	Vue
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Mon 10/28/2024	0100	56	Mendoza
	0200	54	Mendoza
	0300	51	Mendoza
	0400	55	Mendoza
	0500	56	Mendoza
	0600	56	Beeman
	0700	57	Beeman
	0800	57	Beeman
	0900	57	Beeman
	1000	57	Beeman
	1100	58	Beeman
	1200	63	Beeman
	1300	64	QUIJAS
	1400	64	QUIJAS
	1500	65	QUIJAS
	1600	63	QUIJAS
	1700	62	QUIJAS
	1800	57	QUIJAS
	1900	55	QUIJAS
	2000	54	QUIJAS
	2100	53	QUIJAS
	2200	54	SYPRASEUTH
	2300	54	SYPRASEUTH
	2400	53	SYPRASEUTH

DATE	TIME	TEMP.	PRINTED NAME
Tue 10/29/2024	0100	52	SYPRASEUTH
	0200	51	SYPRASEUTH
	0300	50	SYPRASEUTH
	0400	53	SYPRASEUTH
	0500	55	SYPRASEUTH
	0600	49	Beeman
	0700	51	Beeman
	0800	51	Beeman
	0900	52	Beeman
	1000	57	Beeman
	1100	64	Beeman
	1200	65	Beeman
	1300	66	Beeman
	1400	67	QUIJAS
	1500	69	QUIJAS
	1600	69	QUIJAS
	1700	65	QUIJAS
	1800	61	QUIJAS
	1900	57	QUIJAS
	2000	56	QUIJAS
	2100	55	QUIJAS
	2200	53	QUIJAS
	2300	50	QUIJAS
	2400	49	QUIJAS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 10/30/2024	0100	49	QUIJAS
	0200	48	QUIJAS
	0300	48	QUIJAS
	0400	48	QUIJAS
	0500	48	QUIJAS
	0600	50	Beard
	0700	51	Beard
	0800	51	Beard
	0900	52	Beard
	1000	53	Beard
	1100	55	Beard
	1200	59	Beard
	1300	60	Beard
	1400	64	QUIJAS
	1500	64	QUIJAS
	1600	63	QUIJAS
	1700	60	QUIJAS
	1800	59	QUIJAS
	1900	57	QUIJAS
	2000	56	QUIJAS
	2100	55	QUIJAS
	2200	55	QUIJAS
	2300	54	QUIJAS
	2400	54	QUIJAS

DATE	TIME	TEMP.	PRINTED NAME
Thu 10/31/2024	0100	54	QUIJAS
	0200	53	QUIJAS
	0300	53	QUIJAS
	0400	52	QUIJAS
	0500	51	QUIJAS
	0600	51	Beard
	0700	52	Beard
	0800	52	Beard
	0900	53	Beard
	1000	54	Beard
	1100	56	Beard
	1200	58	Beard
	1300	59	Beard
	1400	70	Green
	1500	71	Green
	1600	70	Green
	1700	68	Green
	1800	64	Green
	1900	60	Green
	2000	58	Green
	2100	55	Green
	2200	52	Green
	2300	50	Green
	2400	50	Green

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300		
	0600		
	0900		
	1200		
	1500	72	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	65	SYPRASEUTH
	0600	68	Brecher
	0900	70	Brecher
	1200	71	Brecher
	1500	77	QUIJAS
	1800	76	QUIJAS
	2100	75	QUIJAS
	2400	71	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	68	QUIJAS
	0600	69	Brecher
	0900	70	Brecher
	1200	72	Brecher
	1500	71	QUIJAS
	1800	71	QUIJAS
	2100	70	QUIJAS
	2400	70	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	67	QUIJAS
	0600	67	Brecher
	0900	67	Brecher
	1200	68	Brecher
	1500	68	Brecher
	1800	66	Brecher
	2100	66	Brecher
	2400	65	Brecher

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

H-1 OPEN 10/28/2024 @ 1445

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-1** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	69	Mendoza
	0600	68	Beaman
	0900	69	Beaman
	1200	72	Beaman
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	72	QUIJAS
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	67	SYPRASEUTH
	0600	68	Beaman
	0900	70	Beaman
	1200	66	Beaman
	1500	75	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	68	QUIJAS
	0600	65	Beard
	0900	69	Beard
	1200	70	Beard
	1500	74	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	71	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	68	QUIJAS
	0600	69	Beard
	0900	69	Beard
	1200	70	Beard
	1500	70	Beard
	1800	66	Beard
	2100	65	Beard
	2400	65	Beard

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	68	Mendoza
	0600	69	Berman
	0900	69	Berman
	1200	71	Berman
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	67	SYPRASEUTH
	0600	67	Berman
	0900	67	Berman
	1200	68	Berman
	1500	74	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	67	QUIJAS
	0600	68	[illegible]
	0900	68	[illegible]
	1200	70	[illegible]
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	71	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	67	QUIJAS
	0600	68	Berard
	0900	67	Berard
	1200	70	Berard
	1500	70	Berard
	1800	68	Berard
	2100	68	Berard
	2400	68	Berard

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMF Housing Unit: M-1 Temp. Reading Location: 137 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	69	Mendoza
	0600	70	Beaman
	0900	70	Beaman
	1200	71	Beaman
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	72	QUIJAS
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	67	SYPRASEUTH
	0600	68	Beaman
	0900	69	Beaman
	1200	68	Beaman
	1500	69	QUIJAS
	1800	69	QUIJAS
	2100	69	QUIJAS
	2400	68	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	68	QUIJAS
	0600	69	Beard
	0900	69	Beard
	1200	70	Beard
	1500	70	QUIJAS
	1800	71	QUIJAS
	2100	71	QUIJAS
	2400	70	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	68	QUIJAS
	0600	68	Beard
	0900	69	Beard
	1200	70	Beard
	1500	71	[illegible]
	1800	69	[illegible]
	2100	68	[illegible]
	2400	65	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	68	Mendoza
	0600	70	Beaman
	0900	69	Beaman
	1200	70	Beaman
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	67	SYPRASEUTH
	0600	67	Beaman
	0900	68	Beaman
	1200	68	Beaman
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	68	QUIJAS
	0600	70	Beard
	0900	71	Beard
	1200	72	Beard
	1500	72	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	71	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	68	QUIJAS
	0600	69	Beard
	0900	70	Beard
	1200	71	Beard
	1500	71	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	69	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	68	Mendoza
	0600	70	Brenner
	0900	69	Brenner
	1200	70	Brenner
	1500	71	QUIJAS
	1800	72	QUIJAS
	2100	71	QUIJAS
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	65	SYPRASEUTH
	0600	68	Brenner
	0900	70	Brenner
	1200	70	Brenner
	1500	71	QUIJAS
	1800	72	QUIJAS
	2100	71	QUIJAS
	2400	69	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	68	QUIJAS
	0600	72	Beard
	0900	72	Beard
	1200	73	Beard
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	71	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	68	QUIJAS
	0600	69	Beard
	0900	70	Beard
	1200	71	Beard
	1500	71	Carr
	1800	70	Carr
	2100	70	Brenner
	2400	68	Brenner

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	68	Mendoza
	0600	70	Brewer
	0900	71	Brewer
	1200	71	Brewer
	1500	71	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	66	SYPRASEUTH
	0600	65	Brewer
	0900	65	Brewer
	1200	66	Brewer
	1500	71	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	68	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	65	QUIJAS
	0600	[illegible]	Brand
	0900	68	Brand
	1200	71	Brand
	1500	71	QUIJAS
	1800	71	QUIJAS
	2100	71	QUIJAS
	2400	70	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	67	QUIJAS
	0600	68	Brand
	0900	70	Brand
	1200	72	Brand
	1500	72	[illegible]
	1800	71	[illegible]
	2100	70	[illegible]
	2400	68	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	69	Mendoza
	0600	71	Brewer
	0900	72	Brewer
	1200	71	Brewer
	1500	72	QUIJAS
	1800	73	QUIJAS
	2100	72	QUIJAS
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	67	SYPRASEUTH
	0600	69	Brewer
	0900	69	Brewer
	1200	70	Brewer
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	72	QUIJAS
	2400	69	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	68	QUIJAS
	0600	71	Beard
	0900	72	Beard
	1200	73	Beard
	1500	74	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	70	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	68	QUIJAS
	0600	70	Beard
	0900	71	Beard
	1200	73	Beard
	1500	72	[illegible]
	1800	71	[illegible]
	2100	70	[illegible]
	2400	69	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	68	Mendoza
	0600	69	Bleiman
	0900	70	Bleiman
	1200	71	Bleiman
	1500	71	QUIJAS
	1800	71	QUIJAS
	2100	70	QUIJAS
	2400	67	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	65	SYPRASEUTH
	0600	66	Bleiman
	0900	66	Bleiman
	1200	67	Bleiman
	1500	70	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	68	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	66	QUIJAS
	0600	67	Board
	0900	68	Board
	1200	69	Board
	1500	70	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	70	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	67	QUIJAS
	0600	69	Board
	0900	70	Board
	1200	71	Board
	1500	70	[illegible]
	1800	70	[illegible]
	2100	69	[illegible]
	2400	66	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	69	Mendoza
	0600	65	Brown
	0900	69	Brown
	1200	70	Brown
	1500	71	Quijas
	1800	72	Quijas
	2100	72	Quijas
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	65	SYPRASEUTH
	0600	69	Brown
	0900	69	Brown
	1200	69	Brown
	1500	71	Quijas
	1800	72	Quijas
	2100	71	Quijas
	2400	69	Quijas

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	68	Quijas
	0600	72	[illegible]
	0900	73	[illegible]
	1200	74	[illegible]
	1500	74	Quijas
	1800	74	Quijas
	2100	73	Quijas
	2400	70	Quijas

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	69	Quijas
	0600	70	[illegible]
	0900	71	[illegible]
	1200	72	[illegible]
	1500	72	[illegible]
	1800	72	[illegible]
	2100	71	[illegible]
	2400	70	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-3** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	68	Mendoza
	0600	69	Beeman
	0900	70	Beeman
	1200	71	Beeman
	1500	73	QUIJAS
	1800	71	QUIJAS
	2100	71	QUIJAS
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	66	SYPRASEUTH
	0600	69	Beeman
	0900	70	Beeman
	1200	71	Beeman
	1500	74	QUIJAS
	1800	73	QUIJAS
	2100	72	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	68	QUIJAS
	0600	69	Beard
	0900	70	Beard
	1200	71	Beard
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	72	QUIJAS
	2400	71	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	69	QUIJAS
	0600	70	Beard
	0900	71	Beard
	1200	72	Beard
	1500	92	Fowler
	1800	91	Fowler
	2100	90	Fowler
	2400	77	Fowler

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMF Housing Unit: J-3 Temp. Reading Location: C/O OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	67	Mendoza
	0600	70	Beaman
	0900	71	Beaman
	1200	72	Beaman
	1500	72	Quijas
	1800	72	Quijas
	2100	72	Quijas
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	65	SYPRASEUTH
	0600	70	Beaman
	0900	70	Beaman
	1200	71	Beaman
	1500	72	Quijas
	1800	72	Quijas
	2100	72	Quijas
	2400	70	Quijas

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	70	Quijas
	0600	70	Beard
	0900	71	Beard
	1200	72	Beard
	1500	72	Quijas
	1800	72	Quijas
	2100	72	Quijas
	2400	70	Quijas

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	69	Quijas
	0600	69	Beard
	0900	70	Beard
	1200	72	Beard
	1500	72	Beard
	1800	71	Beard
	2100	70	Beard
	2400	68	Beard

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	68	Mendoza
	0600	70	Beeman
	0900	70	Beeman
	1200	71	Beeman
	1500	72	QUIJAS
	1800	71	QUIJAS
	2100	71	QUIJAS
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	67	SYPRASEUTH
	0600	68	Beeman
	0900	69	Beeman
	1200	73	Beeman
	1500	72	QUIJAS
	1800	71	QUIJAS
	2100	71	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	68	QUIJAS
	0600	69	[illegible]
	0900	70	[illegible]
	1200	71	[illegible]
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	71	QUIJAS
	2400	69	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	68	QUIJAS
	0600	70	Beard
	0900	71	Beard
	1200	72	Beard
	1500	71	[illegible]
	1800	70	[illegible]
	2100	68	[illegible]
	2400	68	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	66	Mendoza
	0600	67	Beaman
	0900	69	Beaman
	1200	70	Beaman
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	71	QUIJAS
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	65	SYPRASEUTH
	0600	71	Beaman
	0900	72	Beaman
	1200	72	Beaman
	1500	75	QUIJAS
	1800	74	QUIJAS
	2100	73	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	69	QUIJAS
	0600	70	Beard
	0900	72	Beard
	1200	72	Beard
	1500	76	QUIJAS
	1800	76	QUIJAS
	2100	74	QUIJAS
	2400	70	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	68	QUIJAS
	0600	72	Beard
	0900	71	Beard
	1200	72	Beard
	1500	72	[illegible]
	1800	71	[illegible]
	2100	70	[illegible]
	2400	70	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	65	Mendoza
	0600	69	Brown
	0900	69	Brown
	1200	70	Brown
	1500	71	Quijas
	1800	70	Quijas
	2100	70	Quijas
	2400	67	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	65	SYPRASEUTH
	0600	73	Brown
	0900	73	Brown
	1200	73	Brown
	1500	75	Quijas
	1800	74	Quijas
	2100	73	Quijas
	2400	71	Quijas

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	70	Quijas
	0600	73	Brown
	0900	76	Brown
	1200	76	Brown
	1500	76	Quijas
	1800	75	Quijas
	2100	74	Quijas
	2400	71	Quijas

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	70	Quijas
	0600	71	Brown
	0900	72	Brown
	1200	73	Brown
	1500	73	[illegible]
	1800	72	[illegible]
	2100	75	[illegible]
	2400	75	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also e monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	67	Mendoza
	0600	69	[illegible]
	0900	70	Brown
	1200	69	Beuhler
	1500	71	QUIJAS
	1800	71	QUIJAS
	2100	71	QUIJAS
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	65	SYPRASEUTH
	0600	68	Beuhler
	0900	69	Beuhler
	1200	69	Beuhler
	1500	68	QUIJAS
	1800	69	QUIJAS
	2100	69	QUIJAS
	2400	68	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	67	QUIJAS
	0600	68	Brand
	0900	69	Brand
	1200	70	Brand
	1500	70	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	69	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	68	QUIJAS
	0600	70	Brand
	0900	71	Brand
	1200	72	Brand
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	64	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	70	Mendoza
	0600	64	Brown
	0900	70	Brown
	1200	72	Brown
	1500	74	QUIJAS
	1800	75	QUIJAS
	2100	72	QUIJAS
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	65	SYPRASEUTH
	0600	69	Blevins
	0900	69	Brown
	1200	70	Blevins
	1500	71	QUIJAS
	1800	71	QUIJAS
	2100	71	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	69	QUIJAS
	0600	70	Beard
	0900	71	Beard
	1200	72	Beard
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	74	QUIJAS
	2400	72	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	70	QUIJAS
	0600	71	Beard
	0900	73	Beard
	1200	74	Beard
	1500	74	[illegible]
	1800	73	[illegible]
	2100	72	[illegible]
	2400	70	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	70	Mendoza
	0600	70	Beaman
	0900	71	Beaman
	1200	71	Beaman
	1500	74	QUIJAS
	1800	75	QUIJAS
	2100	72	QUIJAS
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	67	SYPRASEUTH
	0600	69	Beaman
	0900	70	Beaman
	1200	70	Beaman
	1500	74	QUIJAS
	1800	75	QUIJAS
	2100	74	QUIJAS
	2400	71	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	69	QUIJAS
	0600	69	[illegible]
	0900	70	[illegible]
	1200	71	[illegible]
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	71	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	69	QUIJAS
	0600	70	[illegible]
	0900	71	[illegible]
	1200	72	[illegible]
	1500	72	[illegible]
	1800	71	[illegible]
	2100	70	[illegible]
	2400	70	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	69	Mendoza
	0600	71	Beeman
	0900	71	Beeman
	1200	71	Beeman
	1500	74	QUIJAS
	1800	75	QUIJAS
	2100	73	QUIJAS
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	66	SYPRASEUTH
	0600	68	Beeman
	0900	68	Beeman
	1200	69	Beeman
	1500	70	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	70	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	68	QUIJAS
	0600	70	Beard
	0900	71	Beard
	1200	72	Beard
	1500	75	QUIJAS
	1800	76	QUIJAS
	2100	74	QUIJAS
	2400	71	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	70	QUIJAS
	0600	71	Beard
	0900	72	Beard
	1200	73	Beard
	1500	73	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	71	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
10/28/2024	0300	69	MUNDO29
	0600	71	Beeman
	0900	71	Beeman
	1200	72	Beeman
	1500	73	QUIJAS
	1800	74	QUIJAS
	2100	72	QUIJAS
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
10/29/2024	0300	67	SYPRASEUTH
	0600	71	Beeman
	0900	72	Beeman
	1200	72	Beeman
	1500	79	QUIJAS
	1800	78	QUIJAS
	2100	76	QUIJAS
	2400	72	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
10/30/2024	0300	71	QUIJAS
	0600	71	Beeman
	0900	72	Beeman
	1200	73	Beeman
	1500	79	QUIJAS
	1800	79	QUIJAS
	2100	77	QUIJAS
	2400	73	QUIJAS

THURSDAY

Date	Time	Temp.	Name (Print)
10/31/2024	0300	70	QUIJAS
	0600	71	Beeman
	0900	72	Beeman
	1200	73	Beeman
	1500	73	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator