STATE OF CALIFORNIA

HEAT PLAN - MONTHLY SUMMARY REPORT

CDCR MH-7711-1 (02/17)

Monthly Summary Report

Institution: SQ RC

Memorandum

Date: June 4, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Monthly Summary Report

The following is a summary of the heat related activity for the month of May 2024

at SQRC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: No

   Number of days Stage I Alert initiated: 0

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

   Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

NICOLE AVILA (A)

Warden Name

DocuSigned by:

Nicole Avila

436DF5DF3FF84FD...

Warden Signature

RHONDA LITT

Chief Executive Officer Name

DocuSigned by:

Rhonda Litt

CF867134239440F...

Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

1

STATE OF CALIFORNIA

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
1-May-2024	0100	55	J. CORNEJO
	0200	54	J. CORNEJO
	0300	52	J. CORNEJO
	0400	52	J. CORNEJO
	0500	50	J. CORNEJO
	0600	50	J. CORNEJO
	0700	53	J. CORNEJO
	0800	54	J. CORNEJO
	0900	59	J. CORNEJO
	1000	61	J. CORNEJO
	1100	64	J. CORNEJO
	1200	68	J. CORNEJO
	1300	69	J. CORNEJO
	1400	70	J. CORNEJO
	1500	73	T. Burson
	1600	74	T. Burson
	1700	79	T. Burson
	1800	77	T. Burson
	1900	73	T. Burson
	2000	68	T. Burson
	2100	64	T. Burson
	2200	63	T. Burson
	2300	62	I. Lopez
	2400	61	I. Lopez

Date	Time	Temp.	Printed Name
2-May-2024	0100	59	I. Lopez
	0200	58	I. Lopez
	0300	57	I. Lopez
	0400	56	I. Lopez
	0500	56	I. Lopez
	0600	56	I. Lopez
	0700	55	J. CORNEJO
	0800	60	J. CORNEJO
	0900	62	J. CORNEJO
	1000	66	J. CORNEJO
	1100	68	J. CORNEJO
	1200	70	J. CORNEJO
	1300	73	J. CORNEJO
	1400	76	J. CORNEJO
	1500	74	T. Burson
	1600	76	T. Burson
	1700	75	T. Burson
	1800	72	T. Burson
	1900	69	T. Burson
	2000	63	T. Burson
	2100	63	T. Burson
	2200	61	T. Burson
	2300	61	I. Lopez
	2400	60	I. Lopez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
3-May-2024	0100	60	I. Lopez
	0200	57	I. Lopez
	0300	56	I. Lopez
	0400	55	I. Lopez
	0500	54	I. Lopez
	0600	54	I. Lopez
	0700	53.	G. Rosiorv
	0800	55.	G. Rosiorv
	0900	59	G. Rosiorv
	1000	61	G. Rosiorv
	1100	63	G. Rosiorv
	1200	67	G. Rosiorv.
	1300	72.	G. Rosiorv
	1400	81	G. Rosiorv.
	1500	78	T. Barron
	1600	76	T. Barron
	1700	77	T. Barron
	1800	72	T. Barron
	1900	68	T. Barron
	2000	65	T. Barron
	2100	61	T. Barron
	2200	59	T. Barron
	2300	58	I. Lopez
	2400	57	I. Lopez

Date	Time	Temp.	Printed Name
4-May-2024	0100	57	I. Lopez
	0200	57	I. Lopez
	0300	56	I. Lopez
	0400	56	I. Lopez
	0500	55	I. Lopez
	0600	54	I. Lopez
	0700	53	I. Lopez
	0800	53	I. Lopez
	0900	54	I. Lopez
	1000	54	I. Lopez
	1100	55	I. Lopez
	1200	55	I. Lopez
	1300	56	I. Lopez
	1400	56	I. Lopez
	1500	56	T. Barron
	1600	56	T. Barron
	1700	56	T. Barron
	1800	57	T. Barron
	1900	56	T. Barron
	2000	52	T. Barron
	2100	51	T. Barron
	2200	51	T. Barron
	2300	50	J. Cornejo
	2400	50	J. Cornejo

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-May-2024	0100	49	J. CORNEJO
	0200	49	J. CORNEJO
	0300	48	J. CORNEJO
	0400	46	J. CORNEJO
	0500	48	J. CORNEJO
	0600	47	J. CORNEJO
	0700	48	J. CORNEJO
	0800	52	J. CORNEJO
	0900	53	J. CORNEJO
	1000	55	J. CORNEJO
	1100	56	J. CORNEJO
	1200	59	J. CORNEJO
	1300	63	J. CORNEJO
	1400	64	J. CORNEJO
	1500	64	J. LOPEZ
	1600	64	J. LOPEZ
	1700	63	J. LOPEZ
	1800	62	J. LOPEZ
	1900	61	J. LOPEZ
	2000	57	J. LOPEZ
	2100	54	J. LOPEZ
	2200	54	J. LOPEZ
	2300	54	J. LOPEZ
	2400	53	J. LOPEZ

Date	Time	Temp.	Printed Name
6-May-2024	0100	52	J. LOPEZ
	0200	51	J. LOPEZ
	0300	51	J. LOPEZ
	0400	51	J. LOPEZ
	0500	50	J. LOPEZ
	0600	50	J. LOPEZ
	0700	52	J. CORNEJO
	0800	55	J. CORNEJO
	0900	56	J. CORNEJO
	1000	60	J. CORNEJO
	1100	60	J. CORNEJO
	1200	62	J. CORNEJO
	1300	65	J. CORNEJO
	1400	65	J. CORNEJO
	1500	65	J. LOPEZ
	1600	65	J. LOPEZ
	1700	65	J. LOPEZ
	1800	65	J. LOPEZ
	1900	65	J. LOPEZ
	2000	64	J. LOPEZ
	2100	61	J. LOPEZ
	2200	59	J. LOPEZ
	2300	58	J. LOPEZ
	2400	57	J. LOPEZ

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-May-2024	0100	55	I. Lopez
	0200	53	I. Lopez
	0300	52	I. Lopez
	0400	51	I. Lopez
	0500	51	I. Lopez
	0600	51	I. Lopez
	0700	52	J. CORNEJO
	0800	54	J. CORNEJO
	0900	56	J. CORNEJO
	1000	59	J. CORNEJO
	1100	61	J. CORNEJO
	1200	63	J. CORNEJO
	1300	66	J. CORNEJO
	1400	70	J. CORNEJO
	1500	71	T. Bowen
	1600	71	T. Bowen
	1700	72	T. Bowen
	1800	70	T. Bowen
	1900	68	T. Bowen
	2000	65	T. Bowen
	2100	62	T. Bowen
	2200	61	T. Bowen
	2300	58	J. CORNEJO
	2400	57	J. CORNEJO

Date	Time	Temp.	Printed Name
8-May-2024	0100	56	J. CORNEJO
	0200	56	J. CORNEJO
	0300	62	J. CORNEJO
	0400	61	J. CORNEJO
	0500	62	J. CORNEJO
	0600	61	J. CORNEJO
	0700	64	J. Stephen
	0800	66	J. Stephen
	0900	68	J. Stephen
	1000	71	J. Stephen
	1100	73	J. Stephen
	1200	75	J. Stephen
	1300	77	J. Stephen
	1400	76	J. Stephen
	1500	77	T. Bowen
	1600	78	T. Bowen
	1700	80	T. Bowen
	1800	81	T. Bowen
	1900	79	T. Bowen
	2000	75	T. Bowen
	2100	74	T. Bowen
	2200	75	T. Bowen
	2300	73	I. Lopez
	2400	72	I. Lopez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-May-2024	0100	71	I. Lopez
	0200	70	I Lopez
	0300	70	I. Lopez
	0400	69	I Lopez
	0500	68	I Lopez
	0600	68	J. Lopez
	0700	68	J. CORNEJO
	0800	69	J. CORNEJO
	0900	70	J. CORNEJO
	1000	72	J. CORNEJO
	1100	73	J. CORNEJO
	1200	74	J. CORNEJO
	1300	76	J. CORNEJO
	1400	77	J. CORNEJO
	1500	81	T Bann
	1600	77	T. Bann
	1700	75	T Bann
	1800	72	T Bann
	1900	70	T Bann
	2000	65	T Bann
	2100	60	T Bann
	2200	59	T Bann
	2300	59	J Stephn.
	2400	58	J. Stephn.

Date	Time	Temp.	Printed Name
10-May-2024	0100	57	J. Stephn
	0200	56	J. Stephn.
	0300	55	J. Stephn.
	0400	55	J. Stephn.
	0500	56	J Stephn.
	0600	55	J. Stephn.
	0700	58	J. Stephn.
	0800	60	J. Stephn.
	0900	63	J. Stephn.
	1000	67	J. Stephn.
	1100	71	J. Stephn.
	1200	75	J. Stephn.
	1300	77	J. Stephn.
	1400	81	J. Stephn.
	1500	80	T Bann
	1600	77	T Bann
	1700	77	T Bann
	1800	75	T Bann
	1900	74	T Bann
	2000	69	T Bann
	2100	64	T Bann
	2200	62	T Bann
	2300	61	I. Lopez
	2400	60	I Lopez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
11-May-2024	0100	59	I. Lopez
	0200	58	I. Lopez
	0300	57	I. Lopez
	0400	57	I. Lopez
	0500	56	I. Lopez
	0600	56	I. Lopez
	0700	56	I. Lopez
	0800	58	I. Lopez
	0900	60	I. Lopez
	1000	62	I. Lopez
	1100	66	I. Lopez
	1200	70	I. Lopez
	1300	69	I. Lopez
	1400	69	I. Lopez
	1500	69	Z. Burton
	1600	72	Z. Burton
	1700	70	Z. Burton
	1800	67	Z. Burton
	1900	65	Z. Burton
	2000	60	Z. Burton
	2100	57	Z. Burton
	2200	57	Z. Burton
	2300	57	J. CORNEJO
	2400	57	J. CORNEJO

Date	Time	Temp.	Printed Name
12-May-2024	0100	56	J. CORNEJO
	0200	56	J. CORNEJO
	0300	56	J. CORNEJO
	0400	57	J. CORNEJO
	0500	55	J. CORNEJO
	0600	55	J. CORNEJO
	0700	55	J. CORNEJO
	0800	56	J. CORNEJO
	0900	57	J. CORNEJO
	1000	61	J. CORNEJO
	1100	62	J. CORNEJO
	1200	64	J. CORNEJO
	1300	65	J. CORNEJO
	1400	66	J. CORNEJO
	1500	66	I. Lopez
	1600	66	I. Lopez
	1700	66	I. Lopez
	1800	66	I. Lopez
	1900	65	I. Lopez
	2000	64	I. Lopez
	2100	60	I. Lopez
	2200	57	I. Lopez
	2300	56	I. Lopez
	2400	56	I. Lopez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
13-May-2024	0100	74	I. Lopez
	0200	73	I. Lopez
	0300	73	I. Lopez
	0400	72	I. Lopez
	0500	72	I. Lopez
	0600	72	I. Lopez
	0700	52	J. CORNEJO
	0800	54	J. CORNEJO
	0900	57	J. CORNEJO
	1000	57	J. CORNEJO
	1100	61	J. CORNEJO
	1200	62	J. CORNEJO
	1300	64	J. CORNEJO
	1400	65	J. CORNEJO
	1500	64	J. CORNEJO
	1600	64	I. Lopez
	1700	63	I. Lopez
	1800	62	I. Lopez
	1900	59	I. Lopez
	2000	57	I. Lopez
	2100	55	I. Lopez
	2200	54	I. Lopez
	2300	53	I. Lopez
	2400	53	I. Lopez

Date	Time	Temp.	Printed Name
14-May-2024	0100	53	I. Lopez
	0200	53	I. Lopez
	0300	53	I. Lopez
	0400	53	I. Lopez
	0500	52	I. Lopez
	0600	52	I. Lopez
	0700	54	J. CORNEJO
	0800	54	J. CORNEJO
	0900	56	J. CORNEJO
	1000	58	J. CORNEJO
	1100	61	J. CORNEJO
	1200	63	J. CORNEJO
	1300	64	J. CORNEJO
	1400	64	J. CORNEJO
	1500	65	T. Bauer
	1600	66	T. Bauer
	1700	62	T. Bauer
	1800	61	T. Bauer
	1900	59	T. Bauer
	2000	56	T. Bauer
	2100	55	T. Bauer
	2200	54	T. Bauer
	2300	53	J. CORNEJO
	2400	51	J. CORNEJO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
15-May-2024	0100	54	J. CORNEJO
	0200	53	J. CORNEJO
	0300	53	J. CORNEJO
	0400	53	J. CORNEJO
	0500	53	J. CORNEJO
	0600	53	J. CORNEJO
	0700	54	J. CORNEJO
	0800	55	J. CORNEJO
	0900	57	J. CORNEJO
	1000	59	J. CORNEJO
	1100	60	J. CORNEJO
	1200	63	J. CORNEJO
	1300	63	J. CORNEJO
	1400	65	J. CORNEJO
	1500	66	Z. Baron
	1600	66	Z. Baron
	1700	65	Z. Baron
	1800	64	Z. Baron
	1900	62	Z. Baron
	2000	59	Z. Baron
	2100	57	Z. Baron
	2200	57	Z. Baron
	2300	56	J. Stephen
	2400	55	J. Stephen

Date	Time	Temp.	Printed Name
16-May-2024	0100	55	J. Stephen
	0200	54	J. Stephen
	0300	54	J. Stephen
	0400	55	J. Stephen
	0500	56	J. Stephen
	0600	56	J. Stephen
	0700	56	J. CORNEJO
	0800	57	J. CORNEJO
	0900	58	J. CORNEJO
	1000	59	J. CORNEJO
	1100	60	J. CORNEJO
	1200	62	J. CORNEJO
	1300	63	J. CORNEJO
	1400	64	J. CORNEJO
	1500	64	Z. Baron
	1600	65	Z. Baron
	1700	65	Z. Baron
	1800	63	Z. Baron
	1900	61	Z. Baron
	2000	59	Z. Baron
	2100	58	Z. Baron
	2200	57	Z. Baron
	2300	56	I. Lopez
	2400	55	I. Lopez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
17-May-2024	0100	55	I. Lopez
	0200	55	I. Lopez
	0300	55	I. Lopez
	0400	54	I. Lopez
	0500	54	I. Lopez
	0600	54	I. Lopez
	0700	55	J. Stephn.
	0800	57	J. Stephn.
	0900	58	J. Stephn.
	1000	60	J. Stephn.
	1100	62	J. Stephn.
	1200	64	J. Stephn.
	1300	65	J. Stephn.
	1400	67	J. Stephn.
	1500	65	T. Barron
	1600	65	T. Barron
	1700	65	T. Barron
	1800	63	T. Barron
	1900	61	T. Barron
	2000	58	T. Barron
	2100	58	T. Barron
	2200	56	T. Barron
	2300	56	I. Lopez
	2400	55	I. Lopez

Date	Time	Temp.	Printed Name
18-May-2024	0100	55	I. Lopez
	0200	55	I. Lopez
	0300	55	I. Lopez
	0400	55	I. Lopez
	0500	55	I. Lopez
	0600	56	I. Lopez
	0700	56	I. Lopez
	0800	56	I. Lopez
	0900	56	I. Lopez
	1000	58	I. Lopez
	1100	59	I. Lopez
	1200	61	I. Lopez
	1300	62	I. Lopez
	1400	63	I. Lopez
	1500	63	T. Barron
	1600	64	T. Barron
	1700	63	T. Barron
	1800	61	T. Barron
	1900	59	T. Barron
	2000	57	T. Barron
	2100	56	T. Barron
	2200	55	T. Barron
	2300	54	J. CORNEJO
	2400	54	J. CORNEJO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
19-May-2024	0100	54	J. CORNEJO
	0200	54	J. CORNEJO
	0300	54	J. CORNEJO
	0400	53	J. CORNEJO
	0500	53	J. CORNEJO
	0600	52	J. CORNEJO
	0700	54	J. CORNEJO
	0800	56	J. CORNEJO
	0900	57	J. CORNEJO
	1000	60	J. CORNEJO
	1100	61	J. CORNEJO
	1200	61	J. CORNEJO
	1300	65	J. CORNEJO
	1400	65	J. CORNEJO
	1500	68	I. Lopez
	1600	68	I. Lopez
	1700	70	I. Lopez
	1800	71	I. Lopez
	1900	70	I. Lopez
	2000	63	I. Lopez
	2100	60	I. Lopez
	2200	58	I. Lopez
	2300	57	I. Lopez
	2400	56	I. Lopez

Date	Time	Temp.	Printed Name
20-May-2024	0100	55	I. Lopez
	0200	54	I. Lopez
	0300	54	I. Lopez
	0400	54	I. Lopez
	0500	53	I. Lopez
	0600	53	I. Lopez
	0700	54	J. CORNEJO
	0800	57	J. CORNEJO
	0900	59	J. CORNEJO
	1000	63	J. Stephn.
	1100	65	J. Stephn.
	1200	67	J. Stephn.
	1300	69	J. Stephn.
	1400	68	J. Stephn.
	1500	69	I. Lopez
	1600	69	I. Lopez
	1700	67	I. Lopez
	1800	66	I. Lopez
	1900	65	I. Lopez
	2000	63	I. Lopez
	2100	61	I. Lopez
	2200	59	I. Lopez
	2300	58	I. Lopez
	2400	57	I. Lopez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
21-May-2024	0100	56	J. Lopez
	0200	55	J. Lopez
	0300	54	J. Lopez
	0400	53	J. Lopez
	0500	53	J. Lopez
	0600	53	J. Lopez
	0700	53	J. CORNEJO
	0800	57	J. CORNEJO
	0900	60	J. CORNEJO
	1000	67	J. CORNEJO
	1100	68	J. CORNEJO
	1200	71	J. CORNEJO
	1300	75	J. CORNEJO
	1400	75	J. CORNEJO
	1500	76	T. Barron
	1600	77	T. Barron
	1700	77	T. Barron
	1800	75	T. Barron
	1900	70	T. Barron
	2000	65	T. Barron
	2100	62	T. Barron
	2200	61	T. Barron
	2300	60	J. Lopez
	2400	59	J. Lopez

Date	Time	Temp.	Printed Name
22-May-2024	0100	57	J. Lopez
	0200	56	J. Lopez
	0300	55	J. Lopez
	0400	54	J. Lopez
	0500	54	J. Lopez
	0600	54	J. Lopez
	0700	55	J. CORNEJO
	0800	57	J. CORNEJO
	0900	61	J. CORNEJO
	1000	64	J. CORNEJO
	1100	70	J. CORNEJO
	1200	71	J. CORNEJO
	1300	72	J. CORNEJO
	1400	73	J. CORNEJO
	1500	81	T. Barron
	1600	79	T. Barron
	1700	77	T. Barron
	1800	77	T. Barron
	1900	73	T. Barron
	2000	70	T. Barron
	2100	68	T. Barron
	2200	63	T. Barron
	2300	61	J. CORNEJO
	2400	60	J. CORNEJO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
23-May-2024	0100	58	J. CORNEJO
	0200	58	J. CORNEJO
	0300	58	J. CORNEJO
	0400	55	J. CORNEJO
	0500	54	J. CORNEJO
	0600	54	J. CORNEJO
	0700	54	J. CORNEJO
	0800	58	J. CORNEJO
	0900	61	J. CORNEJO
	1000	64	J. CORNEJO
	1100	68	J. CORNEJO
	1200	70	J. CORNEJO
	1300	72	J. CORNEJO
	1400	73	J. CORNEJO
	1500	77	Z. Barron
	1600	77	Z. Barron
	1700	78	Z. Barron
	1800	77	Z. Barron
	1900	69	Z. Barron
	2000	67	Z. Barron
	2100	62	Z. Barron
	2200	59	Z. Barron
	2300	57	J. Stephn.
	2400	56	J. Stephn.

Date	Time	Temp.	Printed Name
24-May-2024	0100	56	J. Stephn.
	0200	55	J. Stephn.
	0300	54	J. Stephn.
	0400	53	J. Stephn.
	0500	53	J. Stephn.
	0600	53	J. Stephn.
	0700	54	J. Stephn.
	0800	55	J. Stephn.
	0900	57	J. Stephn.
	1000	59	J. Stephn.
	1100	61	J. Stephn.
	1200	64	J. Stephn.
	1300	65	J. Stephn.
	1400	66	J. Stephn.
	1500	67	G. Rosioru
	1600	66	G. Rosioru
	1700	66	G. Rosioru
	1800	64	G. Rosioru
	1900	62	G. Rosioru
	2000	60	G. Rosioru
	2100	57	G. Rosioru.
	2200	57	G. Rosioru
	2300	57	G. Rosioru
	2400	57	G. Rosioru.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
25-May-2024	0100	56	G. ROSIORU.
	0200	54	G. ROSIORU.
	0300	54	G. ROSIORU
	0400	54	G. ROSIORU
	0500	54	G. ROSIORU
	0600	54	G. ROSIORU
	0700	54	G. ROSIORU.
	0800	57	G. ROSIORU.
	0900	58	I. LOPEZ
	1000	59	I. LOPEZ
	1100	62	I. LOPEZ
	1200	64	I. LOPEZ
	1300	66	I. LOPEZ
	1400	68	I. LOPEZ
	1500	70	I. LOPEZ
	1600	70	G. ROSIORU
	1700	68	G. ROSIORU
	1800	67	G. ROSIORU
	1900	64	G. ROSIORU
	2000	59	G. ROSIORU
	2100	57	G. ROSIORU
	2200	56	G. ROSIORU
	2300	54	J. CORNEJO
	2400	53	J. CORNEJO

Date	Time	Temp.	Printed Name
26-May-2024	0100	52	J. CORNEJO
	0200	52	J. CORNEJO
	0300	52	J. CORNEJO
	0400	51	J. CORNEJO
	0500	52	J. CORNEJO
	0600	52	J. CORNEJO
	0700	53	J. CORNEJO
	0800	55	J. CORNEJO
	0900	57	J. CORNEJO
	1000	67	J. CORNEJO
	1100	62	J. CORNEJO
	1200	67	J. CORNEJO
	1300	68	J. CORNEJO
	1400	70	J. CORNEJO
	1500	71	I. LOPEZ
	1600	71	I. LOPEZ
	1700	70	I. LOPEZ
	1800	69	I. LOPEZ
	1900	68	I. LOPEZ
	2000	67	I. LOPEZ
	2100	64	I. LOPEZ
	2200	62	I. LOPEZ
	2300	60	I. LOPEZ
	2400	58	I. LOPEZ

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
27-May-2024	0100	56	J. Lopez
	0200	55	J. Lopez
	0300	54	J. Lopez
	0400	53	J. Lopez
	0500	53	J. Lopez
	0600	53	J. Lopez
	0700	54	J. CORNEJO
	0800	55	J. CORNEJO
	0900	56	J. CORNEJO
	1000	61	J. CORNEJO
	1100	60	J. CORNEJO
	1200	62	J. CORNEJO
	1300	63	J. CORNEJO
	1400	64	J. CORNEJO
	1500	64	J. Lopez
	1600	65	J. Lopez
	1700	65	J. Lopez
	1800	64	J. Lopez
	1900	62	J. Lopez
	2000	60	J. Lopez
	2100	57	J. Lopez
	2200	55	J. Lopez
	2300	55	J. CORNEJO
	2400	54	J. CORNEJO

Date	Time	Temp.	Printed Name
28-May-2024	0100	54	J. CORNEJO
	0200	54	J. CORNEJO
	0300	54	J. CORNEJO
	0400	54	J. CORNEJO
	0500	53	J. CORNEJO
	0600	53	J. CORNEJO
	0700	54	J. CORNEJO
	0800	55	J. CORNEJO
	0900	56	J. CORNEJO
	1000	59	J. CORNEJO
	1100	60	J. CORNEJO
	1200	64	J. CORNEJO
	1300	68	J. CORNEJO
	1400	69	J. CORNEJO
	1500	75	T. Brown
	1600	79	T. Brown
	1700	72	T. Brown
	1800	78	T. Brown
	1900	73	T. Brown
	2000	69	T. Brown
	2100	67	T. Brown
	2200	66	T. Brown
	2300	64	J. Stephen
	2400	62	J. Stephen

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
29-May-2024	0100	59	J. Stephen.
	0200	57	J. Stephen.
	0300	55	J. Stephen
	0400	55	J. Stephen.
	0500	56	J. Stephen.
	0600	55	J. Stephen.
	0700	58	J. CORNEJO
	0800	60	J. CORNEJO
	0900	62	J. CORNEJO
	1000	64	J. CORNEJO
	1100	66	J. CORNEJO
	1200	68	J. CORNEJO
	1300	71	J. CORNEJO
	1400	76	J. CORNEJO
	1500	81	J. CORNEJO
	1600	84	T. Barron
	1700	82	T. Barron
	1800	81	T. Barron
	1900	78	T. Barron
	2000	77	T. Barron
	2100	68	T. Barron
	2200	66	T. Barron
	2300	66	G. ROSIORU
	2400	64	G. ROSIORU

Date	Time	Temp.	Printed Name
30-May-2024	0100	61	G. ROSIORU
	0200	61	G. ROSIORU
	0300	59	G. ROSIORU.
	0400	58	G. ROSIORU
	0500	57	G. ROSIORU
	0600	57	G. ROSIORU
	0700	57	J. CORNEJO
	0800	60	J. CORNEJO
	0900	64	J. CORNEJO
	1000	66	J. CORNEJO
	1100	68	J. CORNEJO
	1200	71	J. CORNEJO
	1300	72	J. CORNEJO
	1400	77	J. CORNEJO
	1500	79	CALOTA
	1600	80	CALOTA
	1700	78	CALOTA
	1800	77	CALOTA
	1900	74	Calota
	2000	71	CALOTA
	2100	66	CALOTA
	2200	65	CALOTA
	2300	63	G. ROSIORU
	2400	63	G. ROSIORU.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEAPRTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: San Quentin State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: SQ Boiler House

Immediately notify the Watch Commander at extension # 5051 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
31-May-2024	0100	62	G. Rosiorv.
	0200	60	G. Rosiorv
	0300	60	G. Rosiorv.
	0400	59	G. Rosiorv
	0500	59	G. Rosiorv
	0600	58	G. Rosiorv
	0700	58	G. Rosiorv
	0800	62	G. Rosiorv
	0900	66	G. Rosiorv
	1000	73	G. Rosiorv
	1100	72	G. Rosiorv
	1200	74	G. Rosiorv.
	1300	76	G. Rosiorv
	1400	77	G. Rosiorv
	1500	72	Stanciu
	1600	72	Stanciu
	1700	72	Stanciu
	1800	68	Stanciu
	1900	66	Stanciu
	2000	62	Stanciu
	2100	59	Stanciu
	2200	58	Stanciu
	2300	57	J. Stephn.
	2400	56	J. Stephn.

Date	Time	Temp.	Printed Name
1-Jun-2024	0100	55	J. Stephn.
	0200	53	J. Stephn.
	0300	52	J. Stephn.
	0400	52	J. Stephn.
	0500	53	J. Stephn.
	0600	53	J. Stephn.
	0700	53	J. Stephn.
	0800	55	J. Lopez
	0900	57	J. Lopez
	1000	60	J. Lopez
	1100	63	J. Lopez
	1200	65	J. Lopez
	1300	68	J. Lopez
	1400	66	J. Lopez
	1500	78	T. Baron
	1600	76	T. Baron
	1700	77	T. Baron
	1800	76	T. Baron
	1900	71	T. Baron
	2000	72	T. Baron
	2100	66	T. Baron
	2200	66	T. Baron
	2300	62	J. Stephn.
	2400	60	J. Stephn.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQRC Housing Unit: A.C Temp. Reading Location: 3RD TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0000	70°	[illegible]
	0300	69°	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Tuesday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Wednesday

Date	Time	Temp.	Name (Print)
5/1	0000	70°	GRAVES II
	0300	64°	GRAVES II
	0600	64	FAAITA
	0900	64	FAAITA
	1200	66	FAAITA
	1500	68	NONY
	1800	68	NONY
	2100	67	NONY

Thursday

Date	Time	Temp.	Name (Print)
5/2	0000	66°	ALTARO
	0300	65°	ALTARO
	0600	66	FAAITA
	0900	68	[illegible]
	1200	68	FAITA
	1500	70	NONY
	1800	70	NONY
	2100	68	NONY

Friday

Date	Time	Temp.	Name (Print)
5/3	0000	66	VESELY
	0300	66	VESELY
	0600	66	Hzemenya
	0900	68	Hzemenya
	1200	68	Hzemenya
	1500	64	Hzemenya
	1800	66	Hzemenya
	2100	66	Hzemenya

Saturday

Date	Time	Temp.	Name (Print)
5/4	0000	64°	VESELY
	0300	61°	VESELY
	0600	62°	Hzemenya
	0900	63°	Hzemenya
	1200	64°	Hzemenya
	1500	64°	Hzemenya
	1800	62°	Hzemenya
	2100	60°	Hzemenya

Sunday

Date	Time	Temp.	Name (Print)
5/5	0000	61	VESELY
	0300	59	VESELY
	0600	60	Hzemenya
	0900	62	Hzemenya
	1200	63	Hzemenya
	1500	63	DASALLA
	1800	60	DASALLA
	2100	60	DASALLA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: A/C Temp. Reading Location: 3rd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0000	64	VESELY
	0300	64	VESELY
	0600	57	WHITE
	0900	59	WHITE
	1200	61	WHITE
	1500	64	DASAUT
	1800	63	DASAUT
	2100	63	DASAUT

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0000	61	VESELY
	0300	61	VESELY
	0600	61	FAAITA
	0900	63	FAAITA
	1200	63	FAAITA
	1500	66	CARTER
	1800	66	CARTER
	2100	66	GRANCSII

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0000	64°	GRANCSII
	0300	66°	GRANCSII
	0600	66°	GRANCSII
	0900	66	FAAITA
	1200	66	FAAITA
	1500	73	NUNOY
	1800	73	NUNOY
	2100	73	NUNOY

Thursday

Date	Time	Temp.	Name (Print)
5/9	0000	72°F	ROMERO
	0300	72°F	ROMERO
	0600	70	FAAITA
	0900	70	FAAITA
	1200	72	FAAITA
	1500	72	NUNOY
	1800	72	NUNOY
	2100	70	NUNOY

Friday

Date	Time	Temp.	Name (Print)
5/10	0000	67	Ford
	0300	66	IBARRA
	0600	66	FAAITA
	0900	68	FAAITA
	1200	70	FAAITA
	1500	72	NUNOY
	1800	72	NUNOY
	2100	72	NUNOY

Saturday

Date	Time	Temp.	Name (Print)
5/11	0000	68	Ford
	0300	64	IBARRA
	0600	64	Montanez
	0900	66	Montanez
	1200	68	Montanez
	1500	64	DC
	1800	64	DC
	2100	64	DC

Sunday 5/12

Date	Time	Temp.	Name (Print)
5/12	0000	64	PJD
	0300	64	PJD
	0600	64	DASAUT
	0900	64	DASAUT
	1200	64	DASAUT
	1500	66	DASAUT
	1800	66	DASAUT
	2100	64	DASAUT

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

#5321

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: A/C Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0000	63°F	Urchison
	0300	63°F	Urchison
	0600	63	DASALLA
	0900	63	DASALLA
	1200	63	DASALLA
	1500	59	DASALLA
	1800	59	DASALLA
	2100	59	DASALLA

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0000	61	VESELY
	0300	61	VESELY
	0600	61	FAAITA
	0900	61	FAAITA
	1200	61	FAAITA
	1500	64	DIbarra
	1800	61	Carter
	2100	61	Carter

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0000	64°	M. GRAVES II
	0300	61°	M. GRAVES II
	0600	61	FAAITA
	0900	61	FAAITA
	1200	61	FAAITA
	1500	64	NONOY
	1800	64	NONOY
	2100	64	NONOY

Thursday

Date	Time	Temp.	Name (Print)
5/16	0000	59	IBARRA
	0300	61	IBARRA
	0600	59	FAAITA
	0900	61	FAAITA
	1200	61	FAAITA
	1500	63	Carter
	1800	63	Carter
	2100	[illegible]	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5/17	0000	61	VESELY
	0300	61	VESELY
	0600	59	FAAITA
	0900	61	FAAITA
	1200	63	FAAITA
	1500	61	NONOY
	1800	61	NONOY
	2100	59	NONOY

Saturday

Date	Time	Temp.	Name (Print)
5/18	0000	61	PJU
	0300	61	PJU
	0600	59	WHITE
	0900		
	1200		
	1500	61	Carter
	1800	61	CUEVAS
	2100	61	CUEVAS

Sunday

Date	Time	Temp.	Name (Print)
5/19	0000	59	VESELY
	0300	61	VESELY
	0600	58	DASALLA
	0900	60	DASALLA
	1200	61	DASALLA
	1500	64	DASALLA
	1800	66	DASALLA
	2100	66	DASALLA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: A/C Temp. Reading Location: 3rd TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension x5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0000	64	VESELY
	0300	63	VESELY
	0600	62	DASAUA
	0900	62	DASAUA
	1200	62	DASAUA
	1500	62	DASAUA
	1800	62	DASAUA
	2100	64	DASAUA

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0000	64	VESELY
	0300	63	VESELY
	0600	63	WHITE
	0900	64	WHITE
	1200	64	WHITE
	1500	70	Carter
	1800	68	Carter
	2100	66	Carter

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0000	65	GRANCOTT
	0300	65	GRANCOTT
	0600	64	FAAITA
	0900	66	FAAITA
	1200	68	FAAITA
	1500	72	Carter
	1800	70	Carter
	2100	68	Carter

Thursday

Date	Time	Temp.	Name (Print)
5/23	0000	66	IBARRA
	0300	64	IBARRA
	0600	64	FAAITA
	0900	64	FAAITA
	1200	66	FAAITA
	1500	72	DASAUA
	1800	72	DASAUA
	2100	72	DASAUA

Friday

Date	Time	Temp.	Name (Print)
5/24	0000	68	AZUCDO
	0300	67	Azucar
	0600	64	WHITE
	0900	64	WHITE
	1200	66	WHITE
	1500	66	Carter
	1800	67	Carter
	2100	66	Carter

Saturday

Date	Time	Temp.	Name (Print)
5/25	0000		AMARO
	0300		AMARO
	0600	63	AMARO
	0900	63	Garcia
	1200	64	Garcia
	1500	66	DASAUA
	1800	66	DASAUA
	2100	66	DASAUA

Sunday

Date	Time	Temp.	Name (Print)
5/26	0000	63	IBARRA
	0300	63	Jamin
	0600	61	DASAUA
	0900	62	DASAUA
	1200	64	DASAUA
	1500	66	DJOMORIT
	1800	67	DJOMORIT
	2100	68	DJOMORIT

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: A/C Temp. Reading Location: 3rd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension x5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0000	65	VESELY
	0300	64	VESELY
	0600	61	GRANSTIN
	0900	63°	GRANSTIN
	1200	63°	GRANSTIN
	1500	63°	CORCHADO
	1800	63°	CORCHADO
	2100	61°	CORCHADO

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0000	63	VESELY
	0300	61	VESELY
	0600	61	FAAITA
	0900	61	FAAITA
	1200	63	FAAITA
	1500	66	CORCHADO
	1800	68	CORCHADO
	2100	68	NONNY

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0000		
	0300		
	0600	64	FAAITA
	0900	66	FAAITA
	1200	68	FAAITA
	1500	73	CORCHADO
	1800	73	CORCHADO
	2100	73	CORCHADO

Thursday

Date	Time	Temp.	Name (Print)
5/30	0000	70	IBARRA
	0300	68	IBARRA
	0600	66	FAAITA
	0900	68	FAAITA
	1200	70	FAAITA
	1500	72	NONNY
	1800	73	NONNY
	2100	73	NONNY

Friday

Date	Time	Temp.	Name (Print)
5/31	0000	70	VESELY
	0300	69	VESELY
	0600	66	FAAITA
	0900	69	FAAITA
	1200	72	FAAITA
	1500	68	NONNY
	1800	68	NONNY
	2100	66	NONNY

Saturday

Date	Time	Temp.	Name (Print)
6/1	0000	64	VESELY
	0300	62	VESELY
	0600	63	[illegible]
	0900	63	[illegible]
	1200	66	[illegible]
	1500	73	[illegible]
	1800	76	[illegible]
	2100	73	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
6/2	0000	65	~~VESELY~~ JO
	0300	64	~~VESELY~~ JO
	0600	66	DASAUT
	0900	66	DASAUT
	1200	66	DASAUT
	1500	68	DASAUT
	1800	68	DASAUT
	2100	68	DASAUT

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: San Quentin Housing Unit: Alpine Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	[redacted]		
	[redacted]		
	[redacted]		
	[redacted]		
	[redacted]		
	[redacted]		
	[redacted]		
	[redacted]		

Tuesday

Date	Time	Temp.	Name (Print)
	[redacted]		
	[redacted]		
	[redacted]		
	[redacted]		
	[redacted]		
	[redacted]		
	[redacted]		
	[redacted]		

Wednesday

Date	Time	Temp.	Name (Print)
2024 May 1st	0000	68	Voth
	0300	68	Voth
	0600	64	A. Lee
	0900	66	A. Lee
	1200	66	A. Lee
	1500	69	Brooks
	1800	68	Brooks
	2100	~~68~~ 71	Brooks

Thursday

Date	Time	Temp.	Name (Print)
MAY 2	0000	69	Rillera
	0300	68	Rillera
	0600	67	Pond
	0900	68	Pond
	1200	69	Pond
	1500	70	Strong
	1800	67	Strong
	2100	66	Strong

Friday

Date	Time	Temp.	Name (Print)
2024 May 3rd	0000	69	Rillera
	0300	68	Rillera
	0600	63	Pond
	0900	66	Pond
	1200	68	Pond
	1500	71	Pond
	1800	72	Pond
	2100	68	Pond

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0000	65	Amaro
	0300	68°	Amaro
	0600	~~68~~ 64°	~~Amaro~~ Hannah
	0900	65°	Hannah
	1200	67°	Hannah
	1500	67	Pasco
	1800	65	Pasco
	2100	66	Pasco

Sunday

Date	Time	Temp.	Name (Print)
May 5	0000	60	Arzate
	0300	60	Arzate
	0600	63	Arzate
	0900	64	Saum
	1200	63	Saum
	1500	66	Saum
	1800	64	Saum
	2100	66	Saum

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: San Quentin Housing Unit: ALPINE Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
May 6	0000	63	BORGES
	0300	62	BORGES
	0600	62	BORGES
	0900	64°	LEWIS
	1200	64°	
	1500	66°	S. [illegible]
	1800	67°	S. [illegible]
	2100	67°	S. [illegible]

Tuesday

Date	Time	Temp.	Name (Print)
MAY 7	0000	65	VONG
	0300	65	VONG
	0600	64	A. LEE
	0900	64	A. LEE
	1200	65	A. LEE
	1500	68°	S. [illegible]
	1800	68	S. [illegible]
	2100	68°	S. [illegible]

Wednesday

Date	Time	Temp.	Name (Print)
MAY 8	0000	67	VONG
	0300	66	VONG
	0600	65	A. LEE
	0900	70	A. LEE
	1200	70	A. LEE
	1500	74	M. LEWIS
	1800	74	M. LEWIS
	2100	73	M. LEWIS

Thursday

Date	Time	Temp.	Name (Print)
MAY 9	0000	69	C. Ashlock
	0300	66	C. Ashlock
	0600	68	C. Ashlock
	0900	73	PUNO
	1200	73	PUNO
	1500	75	LEWIS
	1800	74	LEWIS
	2100	~~70~~ 72	LEWIS

Friday

Date	Time	Temp.	Name (Print)
MAY 10	0000	68	C. [illegible]
	0300	65	C. [illegible]
	0600	64°	PUNO
	0900	66	PUNO
	1200	70	PUNO
	1500	72	PUNO
	1800	72	PUNO
	2100	72	PUNO

Saturday

Date	Time	Temp.	Name (Print)
MAY 11	0000	66	[illegible]
	0300	64	[illegible]
	0600	64°	PUNO
	0900	68°	PUNO
	1200	70°	PUNO
	1500	72	Pasco
	1800	71	Pasco
	2100	68	Pasco

Sunday

Date	Time	Temp.	Name (Print)
MAY 12	0000	69°	S. Lemus
	0300	68	S. Lemus
	0600	68°	P. Cadenas
	0900	68°	A. [illegible]
	1200	69°	A. [illegible]
	1500	70	C. Pasco
	1800	70	C. Pasco
	2100	70	C. Pasco

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: San Quentin Housing Unit: Alpine Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
May 13	0000	68	C. Ashlock
	0300	65	C. Ashlock
	0600	68	P. Cadenas
	0900	68	P. Cadenas
	1200	68	P. Cadenas
	1500	67	SICKING
	1800	68	SICKING
	2100	68	SICKING

Tuesday

Date	Time	Temp.	Name (Print)
May 14	0000	65	VOth
	0300	65	VOth
	0600	64	A. Lee
	0900	64	A. Lee
	1200	64	A. Lee
	1500	68	S. Wiles
	1800	68	SM
	2100	66	SM

Wednesday

Date	Time	Temp.	Name (Print)
May 15	0000	66	VOth
	0300	66	VOth
	0600	64	A. Lee
	0900	66	STRING
	1200	67	STRING
	1500	67	PERA
	1800	68	PERA
	2100	67	PERA

Thursday

Date	Time	Temp.	Name (Print)
May 16	0000	67	L. Cabasag
	0300	66	L. Cabasag
	0600	66	L. Cabasag
	0900	64	PUNO
	1200		PUNO
	1500	66	PERA
	1800	68	PERA
	2100	68	PERA

Friday

Date	Time	Temp.	Name (Print)
May 17	0000	670	C. Ashlock
	0300	650	C. Ashlock
	0600	61	PUNO
	0900	65	PUNO
	1200	65	PUNO
	1500	66	PERA
	1800	66	PERA
	2100	66	PERA

Saturday

Date	Time	Temp.	Name (Print)
May 18	0000	63	P. Cadenas
	0300	64	P. Cadenas
	0600	65	PUNO
	0900	65	PUNO
	1200	66	PUNO
	1500	67	Pasco
	1800	66	Pasco
	2100	66	Pasco

Sunday

Date	Time	Temp.	Name (Print)
May 19	0000	64	P. Cadenas
	0300	64	P. Cadenas
	0600	62	SAIM
	0900	64	SAIM
	1200	65	SAIM
	1500	69	Pasco
	1800	69	Pasco
	2100	69	Pasco

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: San Quentin Housing Unit: ALPINE Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
May 20	0000	66	B. WERK
	0300	65	B. WERK
	0600	65	B. WERK
	0900	67	P. Cadenas
	1200	68	P. Cadenas
	1500	68°	S. M
	1800	69	Sm
	2100	69	S. M

Tuesday

Date	Time	Temp.	Name (Print)
May 21	0000	67	N. VOLH
	0300	67	N. VOLH
	0600	65	A LEE
	0900	67	A. LEE
	1200	67	A. LEE
	1500	71°	S. M
	1800	70	S. M
	2100	70	S. M

Wednesday

Date	Time	Temp.	Name (Print)
	0000	68	N. VOLH
	0300	68	N. VOLH
	0600	66	A. LEE
	0900	67	A. LEE
	1200	67	A. LEE
	1500	72	PERA
	1800	72	PERA
	2100	70	PERA

Thursday

Date	Time	Temp.	Name (Print)
May 23	0000	69	C. Ashlock
	0300	66	C. Ashlock
	0600	66	PUNO
	0900	67	PUNO
	1200	69	PUNO
	1500	72	PERA
	1800	72	PERA
	2100	70	PERA

Friday

Date	Time	Temp.	Name (Print)
May 24	0000	68°	C. Ashlock
	0300	65°	C. Ashlock
	0600	66°	PUNO
	0900	68	PUNO
	1200	68	PUNO
	1500	62	PUNO
	1800	69°	PUNO
	2100		PUNO

Saturday

Date	Time	Temp.	Name (Print)
MAY 25	0000	65	[illegible]
	0300	64	[illegible]
	0600	62°	PUNO
	0900	65°	PUNO
	1200	65°	PUNO
	1500	69	Pasco
	1800	69	Pasco
	2100	69	pasco

Sunday

Date	Time	Temp.	Name (Print)
May 26	0000	60	[illegible]
	0300	64	[illegible]
	0600	62	SAIM
	0900	64	SAIM
	1200	69	SAIM
	1500	70	Pasco
	1800	71	Pasco
	2100	69	Pasco

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _____ Housing Unit: Alpine Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
May 27	0000	67.0	C. Ashlock
	0300	63.0	C. Ashlock
	0600	64	P. Cadenas
	0900	67	P. Cadenas
	1200	68	P. Cadenas
	1500	68	S. Stirling
	1800	68	S. Stirling
	2100	68	S. Stirling

Tuesday

Date	Time	Temp.	Name (Print)
May 28	0000	68	VONG
	0300	67	YOUNG
	0600	65	A. LEE
	0900	66	A. LEE
	1200	66	A. LEE
	1500	69	SICKING
	1800	70	SICKING
	2100	70	SICKING

Wednesday

Date	Time	Temp.	Name (Print)
May 29	0000	70	VONG
	0300	69	VONG
	0600	67	LEWIS
	0900	67	LEWIS
	1200	69	LEWIS
	1500	71	PERA
	1800	74	PERA
	2100	74	PERA

Thursday

Date	Time	Temp.	Name (Print)
May 30	0000	68.7 F	X. Lewis
	0300	69.6	X. Lewis
	0600	67.0	D. MENDOZA
	0900	68°	PONO
	1200	70°	PONO
	1500	74	PERA
	1800	74	PERA
	2100	75	PERA

Friday

Date	Time	Temp.	Name (Print)
May 31	0000	68.0	C. Ashlock
	0300	65.0	C. Ashlock
	0600	68°	PONO
	0900	70°	PONO
	1200	72°	PONO
	1500	73	PERA
	1800	72	PERA
	2100	69	PERA

Saturday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Sunday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: San Quentin Housing Unit: BADGER Temp. Reading Location: TIER 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)

Tuesday

Date	Time	Temp.	Name (Print)

Wednesday

Date	Time	Temp.	Name (Print)
May 1st	0000	53°	RUELAS
	0300	51°	RUELAS
	0600	64	BURNS
	0900	63	Burns
	1200	66	Burns
	1500	68	BURNS
	1800	70	BURNS
	2100	70	Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
May 2nd, 2024	0000	49°	RUELAS
	0300	50°	RUELAS
	0600	54	TAXERA
	0900	58	TAXERA
	1200	64	
	1500	64	
	1800	64	
	2100	70	

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0000	66°	OROZCO
	0300	66°	OROZCO
	0600	64°	HANNAH
	0900	66°	HANNAH
	1200	68°	HANNAH
	1500	68	Gonzalez
	1800	70	Gonzalez
	2100	70	Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0000	70	
	0300	70	
	0600	72	Gray
	0900	72	Gray
	1200	72	Gray
	1500	73	Gray
	1800	73	Gray
	2100	73	Gray

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0000	63	S. Lemus
	0300	63°	S. Lemus
	0600	64°	R. Gray
	0900	71°	R. Gray
	1200	71°	R. Gray
	1500	71°	R. Gray
	1800	72°	N. Ramirez
	2100	72°	N. Ramirez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: San Quentin Housing Unit: BADGER Temp. Reading Location: TIGR1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0000	61	J. RIVERA
	0300	63	J. RIVERA
	0600	61	SMITH
	0900	63	SMITH
	1200	63	SMITH
	1500	65	SMITH
	1800	62	SMITH
	2100	60	SMITH

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0000	63	RIVERA
	0300	63	RIVERA
	0600	62	SMITH
	0900	63	SMITH
	1200	63	SMITH
	1500	66	Gonzalez
	1800	68	Gonzalez
	2100	70	Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
05/08/2024	0000	50°	RUELAS
	0300	49°	RUELAS
	0600	58	SMITH
	0900	63	SMITH
	1200	65	SMITH
	1500	68	Gonzalez
	1800	70	Gonzalez
	2100	71	Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
5.9.24	0000	48°	RUELAS
	0300	49°	RUELAS
	0600	62°	[illegible]
	0900	64°	[illegible]
	1200	66°	[illegible]
	1500	69	Gonzalez
	1800	71	Gonzalez
	2100	73	Gonzalez

Friday

Date	Time	Temp.	Name (Print)
5.10.24	0000	49°	RUELAS
	0300	50°	RUELAS
	0600	64°	HANNAH
	0900	64°	HANNAH
	1200	68°	HANNAH
	1500	70	Gonzalez
	1800	71	Gonzalez
	2100	71	Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
5.11.24	0000	49°	RUELAS
	0300	50°	RUELAS
	0600	76°	R. Gray
	0900	76°	R. Gray
	1200	78°	R. Gray
	1500	74	[illegible]
	1800	[illegible]	[illegible]
	2100	65	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5.12.2024	0000	61	RUELAS
	0300	63	RUELAS
	0600	79°	R. Gray
	0900	75°	R. Gray
	1200	75°	R. Gray
	1500	77	N. [illegible]
	1800	75°	N. [illegible]
	2100	72°	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: San Quentin Housing Unit: BADGER Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0000	62	RIVERA
	0300	62	RIVERA
	0600	60	SMITH
	0900	62	SMITH
	1200	64	SMITH
	1500	74	SMITH
	1800	70	SMITH
	2100	68	SMITH

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0000	68	RIVERA
	0300	60	RIVERA
	0600	59	SMITH
	0900	62	SMITH
	1200	65	SMITH
	1500	68	Gonzalez
	1800	68	Gonzalez
	2100	68	Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
5.15.24	0000	66	RIVERAS
	0300	64	RIVERAS
	0600	61	SMITH
	0900	63	SMITH
	1200	64	SMITH
	1500	68	Gonzalez
	1800	68	Gonzalez
	2100	68	Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
5.16.24	0000	64	RIVERAS
	0300	66	RIVERAS
	0600	66	BIRK
	0900	67	BIRK
	1200	69	BIRK
	1500	69	Gonzalez
	1800	70	Gonzalez
	2100	70	Gonzalez

Friday

Date	Time	Temp.	Name (Print)
5-17-24	0000	62°F	Urchison
	0300	61°F	Urchison
	0600	60°F	Stewart
	0900	60	Stewart
	1200	60	Stewart
	1500	71	MALIK
	1800	62	MALIK
	2100	62	MALIK

Saturday

Date	Time	Temp.	Name (Print)
5.18.24	0000	62	Ford
	0300	62	Ford
	0600	68°	R. Gray
	0900	65°	R. Gray
	1200	65°	R. Gray
	1500	70°	Herndon
	1800	71°	Herndon
	2100	71°	Herndon

Sunday

Date	Time	Temp.	Name (Print)
5.19.24	0000	60	Cabasag
	0300	60	Cabasag
	0600	61	Cabasag
	0900	68°	R. Gray
	1200	68°	R. Gray
	1500	72	Rome
	1800	63	Rome
	2100	63	Rome

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: San Quentin Housing Unit: BADGER Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0000	61	ROLLERA
	0300	62	ROLLERA
	0600	61	SMITH
	0900	61	SMITH
	1200	63	SMITH
	1500	64	SMITH
	1800	62	SMITH
	2100	62	SMITH

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0000	62	ROLLERA
	0300	62	ROLLERA
	0600	62	GUTTIE
	0900	67	GUTTIE
	1200	69	GUTTIE
	1500	67	Gonzalez
	1800	69	Gonzalez
	2100	69	Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0000	60	A. GATLIGAY
	0300	60	A. GATLIGAY
	0600	60	SMITH
	0900	61	SMITH
	1200	62	SMITH
	1500	68	Gonzalez
	1800	68	Gonzalez
	2100	70	Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0000	63	HUNTER
	0300	62	HUNTER
	0600	64	BIRK
	0900	67	BIRK
	1200	72	BIRK
	1500	68°	Hernandez
	1800	68°	Hernandez
	2100	70°	Hernandez

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0000	62	HUNTER
	0300	62	HUNTER
	0600	62	SEWARD
	0900	62	SEWARD
	1200	67	FLEMMING
	1500	68	Gonzalez
	1800	68	Gonzalez
	2100	68	Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0000	65°	Morgan
	0300	67	Morgan
	0600	68°	Gray
	0900	69	Gray
	1200	69	Gray
	1500	69	Hernandez
	1800	69	Hernandez
	2100	70	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0000	69	W. ROYES
	0300	67	W. ROYES
	0600	67°	R. Gray
	0900	68°	R. Gray
	1200	68°	R. Gray
	1500	69°	Romano
	1800	68	Romano
	2100	68	Romano

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: BADGER Temp. Reading Location: TIER 1

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0000	68	B. WERK
	0300	68	B. WERK
	0600	68	B. WERK
	0900	61	SMITH
	1200	63	SMITH
	1500	64	SMITH
	1800	62	SMITH
	2100	60	SMITH

Tuesday

Date	Time	Temp.	Name (Print)
	0000	62	RIVERA
	0300	61	RIVERA
	0600	60	SMITH
	0900	62	SMITH
	1200	62	SMITH
	1500	66	Gonzalez
	1800	68	Gonzalez
	2100	70	Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
5.29.24	0000	60	S. RUELAS
	0300	63	S. RUELAS
	0600	64	SMITH
	0900	62	SMITH
	1200	62	SMITH
	1500	68	Gonzalez
	1800	68	Gonzalez
	2100	68	Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
5.30.24	0000	65	RUELAS
	0300	70	RUELAS
	0600	69	Hardy
	0900	70	[illegible]
	1200	71	[illegible]
	1500	71	Gonzalez
	1800	71	Gonzalez
	2100	71	Gonzalez

Friday

Date	Time	Temp.	Name (Print)
5.31.24	0000	60	RUELAS
	0300	60	RUELAS
	0600	69	Herndon
	0900	70	Herndon
	1200	71	Herndon
	1500	71	Gonzalez
	1800	71	Gonzalez
	2100	71	Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Sunday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: CHSB Temp. Reading Location: 1st 2nd 3rd 4th 5th Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

~~Monday~~ WED. 5-1-24

Date	Time	Temp.	Name (Print)
	0000	70	Anderson
	0300	70	Anderson
	0600	70	Flores
	0900	70	Flores
	1200	70	Flores
	1500	72	Slipsager
	1800	72	Slipsager
	2100	72	Slipsager

~~Tuesday~~

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

~~Wednesday~~

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Thursday 5-2-24

Date	Time	Temp.	Name (Print)
	0000	70	Anderson
	0300	70	Anderson
	0600	70	Flores
	0900	72	Flores
	1200	70	Flores
	1500	72	Slipsager
	1800	72	Slipsager
	2100	72	Slipsager

Friday 5-3-24

Date	Time	Temp.	Name (Print)
	0000	70	Anderson
	0300	70	Anderson
	0600	72	Flores
	0900	70	Flores
	1200	70	Flores
	1500	70	Slipsager
	1800	72	Slipsager
	2100	72	Slipsager

Saturday 5-4-24

Date	Time	Temp.	Name (Print)
	0000	70	Anderson
	0300	68	Anderson
	0600	68	Dzwin
	0900	70	Arana
	1200	72	Arana
	1500	70	Young
	1800	70	Young
	2100	72	Young

Sunday 5-5-24

Date	Time	Temp.	Name (Print)
	0000	72	Anderson
	0300	72	Anderson
	0600	72	Khan
	0900	72	Khan
	1200	73	Khan
	1500	73	McMunches
	1800	70	McMunches
	2100	70	McMunches

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: CHSB Temp. Reading Location: 1st 2nd 3rd 4th 5th Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5-6-24

Date	Time	Temp.	Name (Print)
5/6/24	0000	70	Cementes
	0300	70	Cementes
	0600	70	Flores
	0900	70	Flores
	1200	70	Flores
	1500	72	Slipsager
	1800	73	Slipsager
	2100	70	Slipsager

Tuesday 5-7-24

Date	Time	Temp.	Name (Print)
5/7/24	0000	70	Carmichael
	0300	70	Carmichael
	0600	70	Flores
	0900	70	Flores
	1200	72	Flores
	1500	75	Slipsager
	1800	75	Slipsager
	2100	75	Slipsager

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0000	73	Anderson
	0300	73	Anderson
	0600	73	Flores
	0900	73	Flores
	1200	75	Flores
	1500	75	Slipsager
	1800	75	Slipsager
	2100	75	Slipsager

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0000	73	Anderson
	0300	73	Anderson
	0600	73	Flores
	0900	73	Flores
	1200	75	Flores
	1500	75	Slipsager
	1800	72	Slipsager
	2100	72	Slipsager

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0000	73	Anderson
	0300	73	Anderson
	0600	75	Flores
	0900	75	Flores
	1200	75	Flores
	1500	75	Slipsager
	1800	75	Slipsager
	2100	75	Slipsager

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0000	73	Zuleta
	0300	72	Nunez
	0600	72	Burrage CE
	0900	72	Plunn
	1200	73	Plunn
	1500	72	Young
	1800	72	[illegible]
	2100	72	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0000	72	Cementes
	0300	72	Cementes
	0600	72	J. Chen
	0900	72	J. Chen
	1200	73	J. Chen
	1500	72	M. Eunder
	1800	73	M. Eunder
	2100	72	F. Cementes

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: CHSB Temp. Reading Location: 1st 2nd 3rd 4th 5th Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5-13-24

Date	Time	Temp.	Name (Print)
5/13/24	0000	72	Cervantes
	0300	72	Cervantes
	0600	73°	Fonseca
	0900	73°	Fonseca
	1200	73°	Fonseca
	1500	73°	Slipsager
	1800	75°	Slipsager
	2100	73°	Slipsager

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0000	73	[illegible]
	0300	75	R. Cornwell
	0600	75	Flora
	0900	75	Flora
	1200	70	Flora
	1500	73	Slipsager
	1800	75	Slipsager
	2100	75	Slipsager

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0000	73	[illegible]
	0300	75	[illegible]
	0600	73	Flora
	0900	73	Flora
	1200	73	Flora
	1500	73	Slipsager
	1800	73	Slipsager
	2100	73	Slipsager

Thursday

Date	Time	Temp.	Name (Print)
5-16-24	0000	[illegible]	J. Edwards
	0300	73	J. Edwards
	0600	73	J. Edwards
	0900	75	J. Edwards
	1200	73	J. Edwards
	1500	73	[illegible]
	1800	73	[illegible]
	2100	73	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5-17-24	0000	72	[illegible]
	0300	73	[illegible]
	0600	73	[illegible]
	0900	73	[illegible]
	1200	73	[illegible]
	1500	75	Slipsager
	1800	75	Slipsager
	2100	75	Slipsager

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0000	70°	J. FERNANDEZ
	0300	70°	S. Hill
	0600	70°	O. AMOR
	0900	72	[illegible]
	1200	72°	O. AMOR
	1500	75°	D. Young
	1800	75°	D. Young
	2100	75°	D. Young

Sunday

Date	Time	Temp.	Name (Print)
5-19-24	0000	73	Cervantes
	0300	73	Cervantes
	0600	73	J. Khan
	0900	75	J. Khan
	1200	75	O. AMOR
	1500	75	M. Funder
	1800	75	M. Funder
	2100	75	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE LOG
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: CHSB Temp. Reading Location: 1st 2nd 3rd 4th 5th Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-20-24	0000	72	Cerantes
	0300	72	Cerantes
	0600	72	Flores
	0900	72	Flores
	1200	75	Flores
	1500	77	Slipsager
	1800	77	Slipsager
	2100	77	Slipsager

Tuesday

Date	Time	Temp.	Name (Print)
5-21-24	0000	75	Sandoval
	0300	75	Sandoval
	0600	72	Flores
	0900	75	Flores
	1200	75	Flores
	1500	77	Slipsager
	1800	75	Slipsager
	2100	73	Slipsager

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0000	79	Sandoval
	0300	79	Sandoval
	0600	77	Flores
	0900	72	Flores
	1200	72	Flores
	1500	77	Garcia J
	1800	79	Garcia J
	2100	75	Garcia J

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0000	73	Edwards
	0300	73	Jones, J.
	0600	75	Flores
	0900	75	Flores
	1200	75	Flores
	1500	75	Slipsager
	1800	75	Slipsager
	2100	75	Slipsager

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0000	79	Edwards
	0300	72	Cerantes
	0600	75	Flores
	0900	75	Flores
	1200	75	Flores
	1500	75	Slipsager
	1800	75	Slipsager
	2100	75	Slipsager

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0000	78°	J. ROSALES
	0300	72°	J. ROSALES
	0600	72°	J. ROSALES
	0900	75°	O. AMOR
	1200	75°	O. AMOR
	1500	75°	G. MORA
	1800	75°	[illegible]
	2100		

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0000	72	Cerantes
	0300	72	Cerantes
	0600	75°	[redacted] O. AMOR
	0900	75	J. Mar
	1200	77°	O. AMOR
	1500	77°	M. Fundes
	1800	77°	M. Fundes
	2100	77	M. Fundes

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: CHSB Temp. Reading Location: 1st 2nd 3rd 4th 5th Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0000	72	Cervantes
	0300	72	Cervantes
	0600	77	Velasquez
	0900	77	Velasquez
	1200	75	Velasquez
	1500	75	Slipsager
	1800	75	Slipsager
	2100	75	Slipsager

Tuesday

Date	Time	Temp.	Name (Print)
05-28-2024	0000	73	Carmichael
	0300	73	Carmichael
	0600	75°	KA JIMENEZ
	0900	75°	KA JIMENEZ
	1200	77°	KA JIMENEZ
	1500	75	Slipsager
	1800	75	Slipsager
	2100	75	Slipsager

Wednesday

Date	Time	Temp.	Name (Print)
5.29.24	0000	72	PEREZ
	0300	73	PEREZ
	0600	73	Bradford
	0900	77	Bradford
	1200	75	Bradford
	1500	75	Slipsager
	1800	75	Slipsager
	2100	75	Slipsager

Thursday

Date	Time	Temp.	Name (Print)
	0000	73°	Sandoval
	0300	73°	Sandoval
	0600	72	Powell
	0900	76	Powell
	1200	75	Powell
	1500	75	Slipsager
	1800	75	Slipsager
	2100	75	Slipsager

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0000	73	Ford
	0300	73	Ford
	0600	77°	MCNEEL
	0900	77°	MCNEEL
	1200	75°	MCNEEL
	1500	75	Slipsager
	1800	75	Slipsager
	2100	73	Slipsager

Saturday

Date	Time	Temp.	Name (Print)
06-01-24	0000	74	Miller
	0300	72°	ROSALES
	0600	72°	ROSALES
	0900	78°	O. AMOR
	1200	73	Burrayce
	1500	73	Young
	1800	73	Young
	2100	73	Young

Sunday

Date	Time	Temp.	Name (Print)
	0000	73	J. Tran
	0300	73	J. Tran
	0600	73	J. Tran
	0900	78°	O. AMOR
	1200	78°	O. AMOR
	1500	77°	M. Funches
	1800	77°	M. Funches
	2100	75°	M. Funches

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

6-520
5-21

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: San Quentin Housing Unit: DORMER Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)

Tuesday

Date	Time	Temp.	Name (Print)

Wednesday

Date	Time	Temp.	Name (Print)
May 1st 2024	0000	69°	S. Erickson
	0300	70°	S. Erickson
	0600	64°	J. SIBLEY
	0900	67°	J. SIBLEY
	1200	70	J. SIBLEY
	1500	70	Kawakami
	1800	70	Kawakami
	2100	70	Kawakami

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0000	70°	S. Erickson
	0300	70°	S. Erickson
	0600	70°	[illegible]
	0900	67	J. SIBLEY
	1200	70	J. SIBLEY
	1500	70	Kawakami
	1800	70	Kawakami
	2100	70	Kawakami

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0000	69°	S. Erickson
	0300	69°	S. Erickson
	0600	67°	J. SIBLEY
	0900	66°	J. SIBLEY
	1200	68°	J. SIBLEY
	1500	71	Kawakami
	1800	70	Kawakami
	2100	69	Kawakami

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0000	68	G Casao
	0300	69	G Casao
	0600	67	Quach
	0900	65	Quach
	1200	68	Quach
	1500	67	Kawakami
	1800	66	Kawakami
	2100	67	Kawakami

Sunday

Date	Time	Temp.	Name (Print)
5-5-24	0000	66	Casao
	0300	66	Casao
	0600	64	SIBLEY, J
	0900	65	SIBLEY, J
	1200	67	SIBLEY J
	1500	66	Kawakami
	1800	66	Kawakami
	2100	66	Kawakami

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: San Quentin Housing Unit: Donner Temp. Reading Location: 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-6-24	0000	67	S. Erickson
	0300	67	S. Erickson
	0600	65	C. Wilson
	0900	68	C. Wilson
	1200	68	C. Wilson
	1500	69	Criseno
	1800	69	Criseno
	2100	68	Criseno

Tuesday

Date	Time	Temp.	Name (Print)
5-7-24	0000	68	S. Erickson
	0300	68	S. Erickson
	0600	68	C. Wilson
	0900	68	C. Wilson
	1200	70	C. Wilson
	1500	67	J. Edmond
	1800	69	J. Edmond
	2100	66	J. Edmond

Wednesday

Date	Time	Temp.	Name (Print)
5-8-24	0000	68	S. Erickson
	0300	68	S. Erickson
	0600	68	C. Wilson
	0900	68	C. Wilson
	1200	70	C. Wilson
	1500	70	Kawakami
	1800	71	Kawakami
	2100	71	Kawakami

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0000	71°	S. Erickson
	0300	71°	S. Erickson
	0600	70°	J. Sibley
	0900	72	J. Sibley
	1200		
	1500	73	Kawakami
	1800	72	Kawakami
	2100	72	Kawakami

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0000	70°	S. Erickson
	0300		S. Erickson
	0600	68°	S. Quach
	0900	68°	S. Quach
	1200	69°	S. Quach
	1500	72	Kawakami
	1800	72	Kawakami
	2100	72	Kawakami

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0000	69	Casao
	0300	68	Casao
	0600	66	Quach
	0900	69	Quach
	1200	69	Quach
	1500	70	Kawakami
	1800	69	Kawakami
	2100	69	Kawakami

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0000	68	Casao
	0300	68	Casao
	0600	66	Simpson J
	0900	67	Sibley J
	1200	68	Sibley J
	1500	69	Kawakami
	1800		Kawakami
	2100		Kawakami

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OF CALIFORNIA

SIDE TEMPERATURE RECORD

DCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: Donner Temp. Reading Location: _____

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-31-24	0000	66.7	S. Erickson
	0300	67°	S. Erickson
	0600	68°	S. Erickson
	0900	67°	S. Erickson
	1200	68°	S. Erickson
	1500	69°	M. Vado
	1800	68°	M. Vado
	2100	69°	M. Vado

Tuesday

Date	Time	Temp.	Name (Print)
8-1-24	0000	67°	S. Erickson
	0300	67°	S. Erickson
	0600	67	C. Wilson
	0900	68	C. Wilson
	1200	70	C. Wilson
	1500	68	Criseno
	1800	68	Criseno
	2100	68	Criseno

Wednesday

Date	Time	Temp.	Name (Print)
8-2-24	0000	67°	S. Erickson
	0300	67°	S. Erickson
	0600	65°	SIBLEY, J
	0900	66	SIBLEY, J
	1200	67	SIBLEY, J
	1500	67	Kawakami
	1800	68	Kawakami
	2100	67	Kawakami

Thursday

Date	Time	Temp.	Name (Print)
8-3-24	0000	68°	S. Erickson
	0300	68°	S. Erickson
	0600	68	C. Wilson
	0900	68	C. Wilson
	1200	70	C. Wilson
	1500	67	Kawakami
	1800	68	Kawakami
	2100	68	Kawakami

Friday

Date	Time	Temp.	Name (Print)
8-4-24	0000	68°	S. Erickson
	0300	68°	S. Erickson
	0600	66°	CORCHADO
	0900	68°	SIBLEY, J
	1200	68	SIBLEY, J
	1500	67	Kawakami
	1800	67	Kawakami
	2100	67	Kawakami

Saturday

Date	Time	Temp.	Name (Print)
8-5-24	0000	65	G Casas
	0300	65	G Casas
	0600	66	SIBLEY, J
	0900	66	SIBLEY, J
	1200	68	SIBLEY, J
	1500	68	Kawakami
	1800	67	Kawakami
	2100	67	Kawakami

Sunday

Date	Time	Temp.	Name (Print)
8-6-24	0000	66	G Casas
	0300	66	G Casas
	0600	65	SIBLEY, J
	0900	66	SIBLEY, J
	1200	67	SIBLEY, J
	1500	68	Kawakami
	1800	69	Kawakami
	2100	68	Kawakami

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITAT

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: DORMER Temp. Reading Location: (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
12-02-5	0000	68	S. Erickson
	0300	68	S. Erickson
	0600	68	C. Wilson
	0900	68	C. Wilson
	1200	70	C. Wilson
	1500	70	Criseno
	1800	69	Criseno
	2100	69	BORER

Tuesday

Date	Time	Temp.	Name (Print)
12-12-5	0000	68°	S. Erickson
	0300	68°	S. Erickson
	0600	68°	C. Wilson
	0900	68	C. Wilson
	1200	71	C. Wilson
	1500	71	White
	1800	71	White
	2100	71	White

Wednesday

Date	Time	Temp.	Name (Print)
12-22-5	0000	68	S. Erickson
	0300	68	S. Erickson
	0600		
	0900		
	1200		
	1500	70	J. Nguyen
	1800	70	na
	2100	70	na

Thursday

Date	Time	Temp.	Name (Print)
12-32-5	0000	69°	S. Erickson
	0300	69°	S. Erickson
	0600	66°	CORCHADO.
	0900	66°	CORCHADO
	1200	69°	SIBLEY. J
	1500	70	Kawakami.
	1800	71	Kawakami.
	2100	70	Kawakami

Friday

Date	Time	Temp.	Name (Print)
12-42-5	0000	68.9	
	0300	68.6	
	0600	65°	S. Quach
	0900	65	S. Quach
	1200	67	SIBLEY. J
	1500	69	Kawakami
	1800	69	Kawakami
	2100	68	Kawakami

Saturday

Date	Time	Temp.	Name (Print)
12-52-5	0000	~~68.9~~ 66	~~[illegible]~~ Casao
	0300	~~68.6~~ 65	~~[illegible]~~ Casao
	0600	64	SIBLEY. J
	0900	68	SIBLEY. J
	1200	68	Quach
	1500	69	Kawakami
	1800	69	Kawakami
	2100	69	Kawakami

Sunday

Date	Time	Temp.	Name (Print)
12-02-5	0000	66	Casao
	0300	66	Casao
	0600	64	SIBLEY. J
	0900	65	SIBLEY. J
	1200	66	~~Kawakami~~ SIBLEY
	1500	70	Kawakami
	1800	70	Kawakami
	2100	70	Kawakami

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: San Quentin Housing Unit: DONNER Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
12-22-5	0000	69°	S. Erickson
	0300	69°	S. Erickson
	0600	68	C. Wilson
	0900	68	C. Wilson
	1200	70	C. Wilson
	1500	69	K. Crisenio
	1800	69	K. Crisenio
	2100	69	K. Crisenio

Tuesday

Date	Time	Temp.	Name (Print)
12-23-5	0000	68°	S. Erickson
	0300	68°	S. Erickson
	0600	66°	Wilson
	0900	66°	Wilson
	1200	67°	Wilson
	1500	69°	Crisenio
	1800		
	2100		

Wednesday

Date	Time	Temp.	Name (Print)
12-24-5	0000	69	a DW
	0300	68	a DW
	0600	67	SIBLEY, J
	0900	68	SIBLEY, J
	1200	69	SIBLEY, J
	1500	71	Kawakami
	1800	72	Kawakami
	2100	72	Kawakami

Thursday

Date	Time	Temp.	Name (Print)
12-25-5	0000	70°	S. Erickson
	0300	70°	S. Erickson
	0600	68°	J. SIBLEY
	0900	68	F. CORCHADO
	1200	70	J. SIBLEY
	1500	72	Kawakami
	1800	72	Kawakami
	2100	72	Kawakami

Friday

Date	Time	Temp.	Name (Print)
12-26-5	0000	71°	S. Erickson
	0300	71°	S. Erickson
	0600	68°	S. Quach
	0900	70	J. SIBLEY
	1200	71	S. Quach
	1500	72	Kawakami M
	1800	72	Kawakami M
	2100	72	Kawakami

Saturday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Sunday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: *SQ* Housing Unit: *East Block* Temp. Reading Location: *1st Tier*
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension *5051* when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Tuesday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Wednesday

Date	Time	Temp.	Name (Print)
5-1	0000	72	MORGAN
	0300	72	MORGAN
	0600	65	MORGAN
	0900	69	AVALOS
	1200	72	AVALOS
	1500	76	Cuevas
	1800	76	Cuevas
	2100	73	Cuevas

Thursday

Date	Time	Temp.	Name (Print)
5-2	0000	72	MORGAN
	0300	72	MORGAN
	0600	68	MORGAN
	0900	74	AVALOS
	1200	79	AVALOS
	1500	76	Cuevas
	1800	75	Cuevas
	2100	73	Cuevas

Friday

Date	Time	Temp.	Name (Print)
5-3	0000	72	S. Lemus
	0300	71	S. Lemus
	0600	69	J. AVALOS
	0900	70	J. AVALOS
	1200	72	J. AVALOS
	1500	75	Cuevas
	1800	73	Cuevas
	2100	72	Cuevas

Saturday

Date	Time	Temp.	Name (Print)
5/4	0000	70	M. Ford
	0300	70	M. Ford
	0600	70	PEKAREK
	0900	70	PEKAREK
	1200	70	PEKAREK
	1500	70	MARTINEZ
	1800	70	Martinez
	2100	69	Martinez

Sunday

Date	Time	Temp.	Name (Print)
5/5	0000	66°	X. Lemus
	0300	69°	X. Lemus
	0600	68°	F. Singh
	0900	69°	F. Singh
	1200	69°	F. Singh
	1500	69°	J. Sanchez
	1800	68°	J. Sanchez
	2100	65°	J. Sanchez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ***SQ*** Housing Unit: ***East Block*** Temp. Reading Location: ***1st Tier***
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension *5051* when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0000	71	X. Lewis
	0300	70	X. Lewis
	0600	62	J. AVALOS
	0900	64	J. AVALOS
	1200	67	J. AVALOS
	1500	69	Cuevas
	1800	67	Cuevas
	2100	68	Cuevas

Tuesday

Date	Time	Temp.	Name (Print)
5-7	0000	65	MORGAN
	0300	64	MORGAN
	0600	65	MORGAN
	0900	64	AVALOS
	1200	66	AVALOS
	1500	69	Cuevas
	1800	72	Cuevas
	2100	70	Cuevas

Wednesday

Date	Time	Temp.	Name (Print)
5-8	0000	69	MORGAN
	0300	67	MORGAN
	0600	68	MORGAN
	0900	71	AVALOS
	1200	73	AVALOS
	1500	73	Cuevas
	1800	75	Cuevas
	2100	75	Cuevas

Thursday

Date	Time	Temp.	Name (Print)
5-9	0000	74	MORGAN
	0300	74	MORGAN
	0600	74	MORGAN
	0900	73	
	1200	74	
	1500	73	Cuevas
	1800	77	Cuevas
	2100	74	Cuevas

Friday

Date	Time	Temp.	Name (Print)
	0000	69	M. Medina
	0300	70	M. Medina
	0600	71	M. Medina
	0900	72	Sponsler
	1200	72	Sponsler
	1500	76	Cuevas
	1800	76	Cuevas
	2100	75	Cuevas

Saturday

Date	Time	Temp.	Name (Print)
5/11	0000	74	V. RUIZ
	0300	74	V. RUIZ
	0600	74	V. RUIZ
	0900	71	T. Singh
	1200	71	D. PEKAREK
	1500	71	Almaraz
	1800	70	Almaraz
	2100	70	Almaraz

Sunday

Date	Time	Temp.	Name (Print)
	0000	69.8	X. Lewis
	0300	68.9	X. Lewis
	0600	68	Almaraz
	0900	69	Almaraz
	1200	68	Almaraz
	1500	69	Almaraz
	1800	69	Almaraz
	2100	69	Almaraz

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: *SQ* Housing Unit: ***East Block*** Temp. Reading Location: *1st Tier*
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension *5051* when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0000	68.65.9°	X. Lemus
	0300	66.6°	X. Lemus
	0600	67	Sponsler
	0900	68	Sponsler
	1200	68	Sponsler
	1500	69	Cuevas
	1800	70	Cuevas
	2100	69	Cuevas

Tuesday

Date	Time	Temp.	Name (Print)
5-14	0000	64	MORGAN
	0300	65	MORGAN
	0600	65	MORGAN
	0900	63	AVALOS
	1200	65	AVALOS
	1500	68	Cuevas
	1800	72	Cuevas
	2100	67	Cuevas

Wednesday

Date	Time	Temp.	Name (Print)
5-15	0000	66	MORGAN
	0300	65	MORGAN
	0600	64	MORGAN
	0900	63	AVALOS
	1200	66	AVALOS
	1500	68	Cuevas
	1800	68	Cuevas
	2100	68	Cuevas

Thursday

Date	Time	Temp.	Name (Print)
5-16	0000	65	MORGAN
	0300	65	MORGAN
	0600	63	AVALOS
	0900	64	AVALOS
	1200	65	AVALOS
	1500	67	Cuevas
	1800	70	Cuevas
	2100	72	Cuevas

Friday

Date	Time	Temp.	Name (Print)
5-17	0000	69	V. TRAN
	0300	65	V. TRAN
	0600	63	SPONSLER
	0900	61	SPONSLER
	1200	66	Sponsler
	1500	67	Cuevas
	1800	68	Cuevas
	2100	67	Cuevas

Saturday

Date	Time	Temp.	Name (Print)
5/18	0000	68	V. TRAN
	0300	64	V. TRAN
	0600	60	Almaraz
	0900	60	Almaraz
	1200	61	Almaraz
	1500	68	Almaraz
	1800	69	Almaraz
	2100	70	Almaraz

Sunday

Date	Time	Temp.	Name (Print)
5/19	0000	64.8°	X. Lemus
	0300	64.9	X. Lemus
	0600	63	
	0900	63	
	1200	61	
	1500	68	R. Can
	1800	70	R. Can
	2100	68	R. Can

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: *SQ* Housing Unit: *East Block* Temp. Reading Location: *1st Tier*
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension *5051* when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0000	66	[illegible]
	0300	67	[illegible]
	0600	67	[illegible]
	0900	67	[illegible]
	1200	68	[illegible]
	1500	68	[illegible]
	1800	68	[illegible]
	2100	67	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0000	68	[illegible]
	0300	68	[illegible]
	0600	69	[illegible]
	0900	69	[illegible]
	1200	68	[illegible]
	1500	69	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0000	64	[illegible]
	0300	64	[illegible]
	0600	65	[illegible]
	0900	66	[illegible]
	1200	66	[illegible]
	1500	68	[illegible]
	1800	68	[illegible]
	2100	69	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
5/23	0000	71	[illegible]
	0300	71	[illegible]
	0600	72	[illegible]
	0900	72	[illegible]
	1200	72	[illegible]
	1500	71	[illegible]
	1800	71	[illegible]
	2100	70	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5/24	0000	65	[illegible]
	0300	65	[illegible]
	0600	66	[illegible]
	0900	66	[illegible]
	1200	67	[illegible]
	1500	67	[illegible]
	1800	68	[illegible]
	2100	68	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
5/25	0000	67	[illegible]
	0300	67	[illegible]
	0600	68	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	70	[illegible]
	1800	70	[illegible]
	2100	69	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5/26	0000	65	[illegible]
	0300	66	[illegible]
	0600	66	[illegible]
	0900	67	[illegible]
	1200	67	[illegible]
	1500	68	[illegible]
	1800	69	[illegible]
	2100	69	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: *SQ* Housing Unit: *East Block* Temp. Reading Location: *1st Tier*
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension *5051* when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0000	71	[illegible]
	0300	70	[illegible]
	0600	62	[illegible]
	0900	66	[illegible]
	1200	67	[illegible]
	1500	69	[illegible]
	1800	67	[illegible]
	2100	68	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0000	70	[illegible]
	0300	68	[illegible]
	0600	68	[illegible]
	0900	71	[illegible]
	1200	71	[illegible]
	1500	73	[illegible]
	1800	75	[illegible]
	2100	75	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Friday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Saturday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Sunday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: DORM 1 Temp. Reading Location: H-UNIT
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0000	70°	J. PLASCONCIA
	0300	64°	J. PLASCONCIA
	0600	63°	S. ERICKSON
	0900	64°	S. ERICKSON
	1200	68	S. ERICKSON
	1500	75	S. ZEREZGHI
	1800	75	S. ZEREZGHI
	2100	72°	J. PLASCONCIA

Tuesday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Wednesday

Date	Time	Temp.	Name (Print)
5-1-24	0000	66°	J. PLASCONCIA
	0300	64°	J. PLASCONCIA
	0600		
	0900		
	1200		
	1500	75°	J. PLASCONCIA
	1800	75°	J. PLASCONCIA
	2100	72°	J. PLASCONCIA

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0000	70°	J. PLASCONCIA
	0300	68°	J. PLASCONCIA
	0600	66	A. REYES
	0900	70	F. JAUREGUI
	1200	70	F. JAUREGUI
	1500	75°	J. PLASCONCIA
	1800	75	S. ZEREZGHI
	2100	73	S. ZEREZGHI

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0000	70°	O. WUNFMEKA
	0300	68°	O. WUNFMEKA
	0600	66	C. PASCO
	0900	66	C. PASCO
	1200	68	C. PASCO
	1500	68	S. ZEREZGHI
	1800	68	F. VILLEGAS
	2100	72	S. ZEREZGHI

Saturday

Date	Time	Temp.	Name (Print)
05-04-24	0000	70°	Quezeneka
	0300	68°	Quezeneka
	0600	66°	O. AMOR
	0900	64	O. AMOR
	1200	64	O. AMOR
	1500	66	Patencia
	1800	64	Patencia
	2100	64	Patencia

Sunday

Date	Time	Temp.	Name (Print)
05/05/24	0000	63°	A. [illegible]
	0300	61°	A. [illegible]
	0600	59°	C. WILLIAMS
	0900	64	C. [illegible]
	1200	64	C. [illegible]
	1500	68°	O. AMOR
	1800	66°	O. AMOR
	2100	66°	O. AMOR

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQSP Housing Unit: H-UNIT/1 DORM Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5059 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0000		
	0300		
	0600	61	CAMELO
	0900		
	1200		
	1500	70°	Peppers
	1800	70°	Peppers
	2100	66°	Peppers

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0000	60°	J. Plasconcia
	0300	62°	J. Plasconcia
	0600	63	Smith
	0900	64	Smith
	1200		
	1500	70	ZEREZGHI
	1800	73	ZEREZGHI
	2100	70	ZEREZGHI

Wednesday

Date	Time	Temp.	Name (Print)
	0000	68	Segubar
	0300	64	Segubar
	0600	64	Morr
	0900	68	Morr
	1200		
	1500	77	ZEREZGHI
	1800	77	ZEREZGHI
	2100	77	ZEREZGHI

Thursday

Date	Time	Temp.	Name (Print)
	0000	75	J. PLASCONCIA
	0300	73	J. PLASCONCIA
	0600	72	F. JAUGAN
	0900	75	F. JAUGAN
	1200	77	F. JAUGAN
	1500	79°	J. PLASCONCIA
	1800	77	ZEREZGHI
	2100	73°	J. PLASCONCIA

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0000	73°	J. PLASCONCIA
	0300	70°	J. PLASCONCIA
	0600	66	C. Pasco
	0900	70	C. Pasco
	1200	70	C. Pasco
	1500	77	ZEREZGHI
	1800	77	ZEREZGHI
	2100	77	Brooks

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0000	70	M. Brooks
	0300	70	M. Brooks
	0600	68°	A. Mercado
	0900	70°	B. ADAMS
	1200	72°	B. ADAMS
	1500	73	B. CALDER
	1800	73	B. CALDER
	2100	72	B. CALDER

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0000	68	Brooks
	0300	66	Brooks
	0600	66	Funches
	0900	66	Funches
	1200	68°	B. ADAMS
	1500	70°	Cole
	1800	70°	Cole
	2100	70°	Cole

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SBSP Housing Unit: H-UNIT/DORM 1 Temp. Reading Location: DORM 1 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0000	66	IBARRA
	0300	64	IBARRA
	0600	64	ONWUEMEKA
	0900	64	ONWUEMEKA
	1200	68	ONWUEMEKA
	1500	70	B.WERK
	1800	70	B.WERK
	2100	68	B.WERK

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0000	66	Ford
	0300	64	Ford
	0600	64°	Smith
	0900	66°	Smith
	1200	66°	Smith
	1500	68	ZEREZGHI
	1800	68	ZEREZGHI
	2100	68	ZEREZGHI

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0000	68	ONWUEMEKA
	0300	64	ONWUEMEKA
	0600	[illegible]	[illegible]
	0900	[illegible]	[illegible]
	1200	72	[illegible]
	1500	68	ZEREZGHI
	1800	68	ZEREZGHI
	2100	68	ZEREZGHI

Thursday

Date	Time	Temp.	Name (Print)
5/16	0000	66	Zereghi
	0300	66	Zereghi
	0600	66	Bennett
	0900	66	Bennett
	1200	66	Bennett
	1500	68	ZEREZGHI
	1800	68	ZEREZGHI
	2100	68	ZEREZGHI

Friday

Date	Time	Temp.	Name (Print)
5/17	0000	68	ONWUEMEKA
	0300	64	ONWUEMEKA
	0600	64	ONWUEMEKA
	0900	64	C.Pasco
	1200	66	C.Pasco
	1500	68	ZEREZGHI
	1800	70	ZEREZGHI
	2100	68	ZEREZGHI

Saturday

Date	Time	Temp.	Name (Print)
5/18	0000	66	MARTINEZ
	0300	66	MARTINEZ
	0600	63°	Smith
	0900	64°	B.ADAMS
	1200	64°	B.ADAMS
	1500	68	B.CALDER
	1800	68	B.CALDER
	2100	66	

Sunday

Date	Time	Temp.	Name (Print)
5/19	0000	64	BROOKS
	0300	64	BROOKS
	0600	63°	J.T. WEARY
	0900	63°	B.ADAMS
	1200	62°	J.T. WEARY
	1500	68	S Aguirre
	1800	68	S Aguirre
	2100	66	S Aguirre

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: H-unit Dorm 1 Temp. Reading Location: (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/10/24	0000	67	
	0300	67	
	0600	63	J Bennett
	0900	63	J Bennett
	1200	64	J Bennett
	1500	68	Pepp
	1800	68	Pepp
	2100	67	Pepp

Tuesday

Date	Time	Temp.	Name (Print)
5-12-24	0000	64°	Onwumeka
	0300	68°	Onwumeka
	0600	61	J Bennett
	0900	63	J. Bennett
	1200	64	J. Bennett
	1500	73	ZEREZGHI
	1800	73	ZEREZGHI
	2100	73	ZEREZGHI

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0000	64	Onwumeka
	0300	65	Onwumeka
	0600	64	J Bennett
	0900	66	J Bennett
	1200	65	J. Bennett
	1500	72	ZEREZGHI
	1800	73	ZEREZGHI
	2100	73	ZEREZGHI

Thursday

Date	Time	Temp.	Name (Print)
5-32-24	0000	66°	Allen
	0300	66°	Allen
	0600	64	JAUGAH
	0900	66	JAUGAH
	1200	66	JAUGAH
	1500	70	ZEREZGHI
	1800	70	Bradley
	2100	66	Bradley

Friday

Date	Time	Temp.	Name (Print)
5-42-24	0000	66°	A. Allen
	0300	65°	Allen
	0600	61	C. Pasco
	0900	63	C. Pasco
	1200	64	C. Pasco
	1500	68	Palencia
	1800	68	Palencia
	2100	68	Palencia

Saturday

Date	Time	Temp.	Name (Print)
5-52-24	0000	66	Brooks
	0300	64	Brooks
	0600	64	J. Bennett
	0900	66	J. Bennett
	1200	66°	B. Adams
	1500	75	Vong
	1800	72	Vong
	2100	70	Vong

Sunday

Date	Time	Temp.	Name (Print)
5-62-24	0000	66	Brooks
	0300	64	Brooks
	0600	63	J Bennett
	0900	64	J Bennett
	1200	66	J. Bennett
	1500	68	McDaniel
	1800	68	McDaniel
	2100	66	McDaniel

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: Hunt Temp. Reading Location: Dorm 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0000	64	Dunnewerth
	0300	65	Dunnewerth
	0600	66	J. Bennett
	0900	66	J. Bennett
	1200	68	J. Bennett
	1500	68	CANELA
	1800	70°	CANELA
	2100	78°	CANELA

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0000	64	Dunnewerth
	0300	64	Dunnewerth
	0600	64	J Bennett
	0900	66	J Bennett
	1200	68	J Bennett
	1500	72°	A. DAVIS
	1800	75°	A. DAVIS
	2100	73°	A. DAVIS

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0000	64°	Dunnewerth
	0300	66°	Dunnewerth
	0600	66	J Bennett
	0900	68	J Bennett
	1200	73	J Bennett
	1500	75	J. CORONA
	1800	77	J. CORONA
	2100	74	J. CORONA

Thursday

Date	Time	Temp.	Name (Print)
5/30	0000	73°	J. PLASCENCIA
	0300	73	J. P.
	0600	70	F. JAUGAN
	0900	70	F. JAUGAN
	1200	72	F. JAUGAN
	1500	75	J. PLASCENCIA
	1800	77	S. ZERELGAI
	2100	77	S. ZERELGAI

Friday

Date	Time	Temp.	Name (Print)
5/31	0000	73°	J. PLASCENCIA
	0300	73	J. PLASCENCIA
	0600	68	C. Pasco
	0900	70	C. Pasco
	1200	73	C. Pasco
	1500	73	ZERELGAI
	1800	73	ZERELGAI
	2100	73.	ZERELGAI

Saturday

Date	Time	Temp.	Name (Print)
6/1	0000	68	BROOKS
	0300	68	Brooks
	0600	68	J Bennett
	0900	68	J Bennett
	1200	70	J. Bennett
	1500	73°	Tarlandwind
	1800	72°	Tarlandwind
	2100	73°	Tarlandwind

Sunday

Date	Time	Temp.	Name (Print)
6/2	0000	70	BROOKS
	0300	68	Brooks
	0600	68	J. Bennett
	0900	68	C. Pasco
	1200	68	C. Pasco
	1500	77	B. CAUSE
	1800	77	B. CAUSE
	2100	74	B. CAUSE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: Dorm #2 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Tuesday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200	73°	M. HERNANDEZ
	1500	75°	J CAUDILL
	1800	75°	J CAUDILL
	2100	76	CAUDILL

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0000	75	FRASER
	0300	73	FRASER
	0600	70	A. REYES
	0900	70	S. GRISWOLD
	1200	73	A. REYES
	1500	77	Nguyen
	1800	77	Nguyen
	2100	77	CORNWELL

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0000	72	SMITH
	0300	72	SMITH
	0600	72	GRISWOLD
	0900	73	GRISWOLD
	1200	75	BROWN
	1500	75	Brown
	1800	75	Brown
	2100	76	Br

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0000	75	Beeson
	0300	73	Beeson
	0600	72	Richardson
	0900	73	Aguirre
	1200	73	Aguirre
	1500	77	Wells
	1800	77	Wells
	2100	73	Wells

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0000	73	S. Lemus
	0300	72	S. Lemus
	0600	72	E. Solorio
	0900	73	E. Solorio
	1200	73	E. Solorio
	1500	70	C. PANDAY
	1800	70	C. PANDAY
	2100	70	C. PANDAY

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0000	72	Mour
	0300	72	Mour
	0600	72	GRISWOLD
	0900	70	GRISWOLD
	1200	72	GRISWOLD
	1500	68	Aguirre
	1800	68	Aguirre
	2100	68	Aguirre

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution SQSP Housing Unit: 2 Temp. Reading Location: Dorm 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	70	FRASER
	0600	70	FRASER
	0900	70	FRASER
	1200	72	FRASER
	1500	73°	CALDILL
	1800	73°	CALDILL
	2100	73°	CALDILL
	2400	73	M. BROOKS

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	72	M. BROOKS
	0600	70	[illegible]
	0900	72	GRISWOLD
	1200	73	GRISWOLD
	1500	77	Torgerson
	1800	77	Torgerson
	2100	77	Torgerson
	2400	73	FRASER

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	73	FRASER
	0600	72°	GRISWOLD
	0900	73°	GRISWOLD
	1200	75	GRISWOLD
	1500	79	MARTINEZ
	1800	81	MARTINEZ
	2100	79	MARTINEZ
	2400	73	FRASER

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	77	FRASER
	0600	75	GRISWOLD
	0900	75	GRISWOLD
	1200	79	GRISWOLD
	1500	81	Brown
	1800	82	Brown
	2100	80	Brown
	2400	73	BEESON

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	71	BEESON
	0600	76	Brown
	0900	75	Brown
	1200	77	Brown
	1500	79	Brown
	1800	75	Brown
	2100	76	Brown
	2400	75	BEESON

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	73	Brown
	0600	73	Brown
	0900	75	Brown
	1200	77	Brown
	1500	75	Brown
	1800	75	Brown
	2100	75	Johnson
	2400	73	BEESON

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	72	BEESON
	0600	72	GRISWOLD
	0900	73	GRISWOLD
	1200	73	
	1500	73	Johnson
	1800	73	Johnson
	2100	72	Johnson
	2400	70	Johnson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: Dorm 2 Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0000	72°	ROSALES
	0300	70°	ROSALES
	0600	70	GRISWOLD
	0900	72	GRISWOLD
	1200	72	GRISWOLD
	1500	72°	SOLANO
	1800	73°	SOLANO
	2100	72°	SOLANO

Tuesday

Date	Time	Temp.	Name (Print)
5/14/20 24	0000	72	M. BROOKS
	0300	70	M. BROOKS
	0600	70	GRISWOLD
	0900	72	GRISWOLD
	1200	72	GRISWOLD
	1500	72	THOMPSON
	1800	72	THOMPSON
	2100	72	THOMPSON

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0000	70	FRASER
	0300	70	FRASER
	0600	68	GRISWOLD
	0900	70	GRISWOLD
	1200	72	GRISWOLD
	1500	73	MARTINEZ
	1800	72	MARTINEZ
	2100	72	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0000	70	FRASER
	0300	70	FRASER
	0600	70	GRISWOLD
	0900	70	GRISWOLD
	1200	70	GRISWOLD
	1500	72	GARZA
	1800	72	GARZA
	2100	72	GARZA

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0000	70	B. CASEY
	0300	70	B. CASEY
	0600	70	BROWN
	0900	72	BROWN
	1200	72	BROWN
	1500	73	BROWN
	1800	73	BROWN
	2100	72	BROWN

Saturday

Date	Time	Temp.	Name (Print)
	0000	70	BERSON
	0300	70	BERSON
	0600	70	BROWN
	0900	71	BROWN
	1200	72	BROWN
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0000	68	BERSON
	0300	68	BERSON
	0600	52°	AGUILAR
	0900	61°	AGUILAR
	1200	61°	AGUILAR
	1500	73	JOHNSON
	1800	73	JOHNSON
	2100	73	JOHNSON

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQSP Housing Unit: Dorm Unit Temp. Reading Location: Dorm 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/21/24	0000	70	Brooks
	0300	70	Brooks
	0600	70	Griswold
	0900	70	Robertson
	1200	72	Griswold
	1500		
	1800		
	2100		

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0000	70°	Brooks
	0300	68°	Brooks
	0600	68°	Griswold
	0900	70°	Griswold
	1200	72°	Griswold
	1500	74°	Verdoza
	1800	75°	Verdoza
	2100	76°	Verdoza

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0000	70	Jaime
	0300	69	Jaime
	0600	68	Vaz
	0900	70	A. Ramos
	1200	72	A. Ramos
	1500	77	Martinez
	1800	77	Martinez
	2100	77	Martinez

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0000	72	Fraser
	0300	68	Fraser
	0600	66	Griswold
	0900	70	Griswold
	1200	71	Brown
	1500	73	Brown
	1800	73	Brown
	2100	72	Brown

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0000	70	Beeson
	0300	70	Beeson
	0600	66	Brown
	0900	68	Brown
	1200	68	Brown
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0000	70	Beeson
	0300	68	Beeson
	0600	67	Brown
	0900	66	Brown
	1200	67	Brown
	1500	70	Johnson
	1800	70	Johnson
	2100	70	Johnson

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0000	64	Beeson
	0300	64	Beeson
	0600	64	Griswold
	0900	69	Griswold
	1200	69	Griswold
	1500	70	Johnson
	1800	70	Johnson
	2100	70	Johnson

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQSP Housing Unit: ~~Dorm 2~~ H unit Temp. Reading Location: Dorm 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/20 24	0000	68	Brooks
	0300	68	Brooks
	0600	66	Griswold
	0900	68	Griswold
	1200	68	Griswold
	1500	70	Quirk
	1800	72	Quirk
	2100	70	Quirk

Tuesday

Date	Time	Temp.	Name (Print)
5/28/20 24	0000	68	Brooks
	0300	66	Brooks
	0600	66	Griswold
	0900	69	Griswold
	1200	70	Griswold
	1500	75	Forgman
	1800	75	Forgman
	2100	75	Forgman

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0000	72	Fraser
	0300	71	Fraser
	0600	70	Griswold
	0900	70	Griswold
	1200	72	Griswold
	1500	77	Mariner
	1800	77	Mariner
	2100	77	Mariner

Thursday

Date	Time	Temp.	Name (Print)
5/30	0000	73	Fraser
	0300	70	Fraser
	0600	70	Griswold
	0900	70	Griswold
	1200	73	Griswold
	1500	77	Brown
	1800	76	Brown
	2100	75	Brown

Friday

Date	Time	Temp.	Name (Print)
5/31	0000	70	Beeson
	0300	70	Beeson
	0600	70	Brown
	0900	72	Brown
	1200	73	Brown
	1500	75	Brown
	1800	75	Brown
	2100	75	Brown

Saturday

Date	Time	Temp.	Name (Print)
6/1/20	0000	70	B. Casser
	0300	70	B. Casser
	0600	66	Brown
	0900	68	Brown
	1200	70	Brown
	1500	77	Johnson
	1800	77	Johnson
	2100	77	Johnson

Sunday

Date	Time	Temp.	Name (Print)
6/2/20	0000	70	B. Casser
	0300	70	B. Casser
	0600	68	B. Chernik
	0900	72	B. Chernik
	1200	72	B. Chernik
	1500	73	Casser
	1800	71	Casser
	2100	71	Casser

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: 3 Temp. Reading Location: DESK
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Tuesday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Wednesday

Date	Time	Temp.	Name (Print)
05/01/2024	0000	66	BERMUDEZ
	0300	64	BERMUDEZ
	0600	70	Moura
	0900	73	Moura
	1200	73	Moura
	1500	73	Cara
	1800	75	Navarro
	2100	75	Navarro

Thursday

Date	Time	Temp.	Name (Print)
05/02/2024	0000	75	JAIME
	0300	75	JAIME
	0600	73	S. Erickson
	0900	73	S. Erickson
	1200	75°	S. Erickson
	1500	77	JAIME
	1800	77	JAIME
	2100	77	JAIME

Friday

Date	Time	Temp.	Name (Print)
05/03/2024	0000	75	JAIME
	0300	75	JAIME
	0600	73	Melendez
	0900	73	Melendez
	1200	75	Melendez
	1500	75	LANUZA
	1800	77	LANUZA
	2100	75	LANUZA

Saturday

Date	Time	Temp.	Name (Print)
05/04/2024	0000	75	JAIME
	0300	75	JAIME
	0600	73	Palencia
	0900	73	Melendez
	1200	73	PALENCIA
	1500	73	LANUZA
	1800	73	LANUZA
	2100	73	LANUZA

Sunday

Date	Time	Temp.	Name (Print)
05/05/2024	0000	73	SMITH
	0300	72	SMITH
	0600	73	Palencia
	0900	73	Palencia
	1200	73	DANKU
	1500	73	LANUZA
	1800	73	LANUZA
	2100	73	LANUZA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: HUNT Temp. Reading Location: DORM 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0300	70	SMITH
	0600	72	Palencia
	0900	73	[illegible]
	1200	73	[illegible]
	1500	75	RCOOK
	1800	75	RCOOK
	2100	75	RCOOK
	2400	73	SMITH

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0300	72	SMITH
	0600	72	BURNS
	0900	73	BURNS
	1200	73	BURNS
	1500	75	VILLARIN
	1800	75	VILLARIN
	2100	77	VILLARIN
	2400	73	M. BROOKS

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	73	M. BROOKS
	0600	73	SCHAAK
	0900	75	SCHAAK
	1200	75	SCHAAK
	1500	77	
	1800	77	
	2100	77	
	2400	77	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	79	[illegible]
	0600	77	Acevedo
	0900	77	Acevedo
	1200	77	Acevedo
	1500	77	Acevedo
	1800	79	moran
	2100	77	moran
	2400	75	JAIME

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	75	JAIME
	0600	73	Melendez
	0900	74	Almanza
	1200	75	Almanza
	1500	79	LANUZA
	1800	79	LANUZA
	2100	77	LANUZA
	2400	77	JAIME

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	75	JAIME
	0600	73	Melendez
	0900	75	Melendez
	1200	75	Melendez
	1500	77	PANDAY
	1800	77	PANDAY
	2100	76	PANDAY
	2400	75	SMITH

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	75	SMITH
	0600	73	SCHAAK
	0900	74	SCHAAK
	1200	75	SCHAAK
	1500	75	LANUZA
	1800	75	LANUZA
	2100	75	LANUZA
	2400	76	SMITH

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: DORM 3 Temp. Reading Location: Desk
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0000	75	SMITH
	0300	73	SMITH
	0600	73	Palencia
	0900	75	Palencia
	1200	75	Palencia
	1500	75	S Aguirre
	1800	75	S Aguirre
	2100	75	S Aguirre

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0000	73	SMITH
	0300	73	SMITH
	0600	73	[illegible]
	0900	75	Palencia
	1200	75	Palencia
	1500	75	Aguirre
	1800	77	Aguirre
	2100	75	Aguirre

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0000	75	BROOKS
	0300	73	BROOKS
	0600	75	JAIME
	0900	75	JAIME
	1200	75	JAIME
	1500	77	Lara
	1800	77	Lara
	2100	77	Lara

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0000	75	MARQUEZ
	0300	75	MARQUEZ
	0600	73	RAMIREZ
	0900	73	RAMIREZ
	1200	75	RAMIREZ
	1500	75	Lara
	1800	75	JAIME
	2100	75	JAIME

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0000	75	JAIME
	0300	75	JAIME
	0600	73	Melendez
	0900	73	Melendez
	1200	75	Melendez
	1500	75	LANUZA
	1800	75	LANUZA
	2100	75	LANUZA

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0000	75	JAIME
	0300	75	JAIME
	0600	72	palencia
	0900	73	palencia
	1200	73	palencia
	1500	73	LANUZA
	1800	73	LANUZA
	2100	73	LANUZA

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0000	73	SMITH
	0300	73	SMITH
	0600	72	palencia
	0900	73	Palencia
	1200	73	palencia
	1500	75	LANUZA
	1800	75	LANUZA
	2100	75	LANUZA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: DORM 3 Temp. Reading Location: DESK
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 505 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5/20	0000	73	SMITH
	0300	73	SMITH
	0600	73°	Palencia
	0900	72°	Palencia
	1200	72°	Palencia
	1500	72°	WHITE
	1800	71°	WHITE
	2100	71	WHITE

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0000	72	SMITH
	0300	70	SMITH
	0600	64	BURNS
	0900	68	BURNS
	1200	70	BURNS
	1500	75°	RCook
	1800	75%	RCook
	2100	73	RCook

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0000	70	BROOKS
	0300	64	BROOKS
	0600	64	SCHAAK
	0900	70°	VUE
	1200	70°	VUE
	1500	70°	VUE
	1800	70°	VUE
	2100	72°	VUE

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0000	68	MARTINEZ
	0300	68	MARTINEZ
	0600	64	SCHAAK
	0900	70	SCHAAK
	1200	72	SCHAAK
	1500	73	Moran
	1800	73	Lara
	2100	73	Lara

Friday

Date	Time	Temp.	Name (Print)
5/24	0000	70	JAIME
	0300	69	JAIME
	0600	63	Smith
	0900	65	Smith
	1200	68	Smith
	1500	70	LANUZA
	1800	70	LANUZA
	2100	70	LANUZA

Saturday

Date	Time	Temp.	Name (Print)
5/25/29	0000	70	JAIME
	0300	68	JAIME
	0600	63	Palencia
	0900	68	Palencia
	1200	68	Palencia
	1500	70	LANUZA
	1800	70	LANUZA
	2100	70	LANUZA

Sunday

Date	Time	Temp.	Name (Print)
5/26	0000	68	SMITH
	0300	68	SMITH
	0600	63	Palencia
	0900	68	Palencia
	1200	68	Palencia
	1500	70	LANUZA
	1800	72	LANUZA
	2100	72	LANUZA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: FORM 3 Temp. Reading Location: DESK (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)	
5/27	0300	68	SMITH	
	0600	63	Palencia	
	0900	64	Palencia	
	1200	66	Palencia	
	1500	70	VUE	
	1800	68	VUE	
	2100	66	VUE	
	2400	66	SMITH	

Tuesday

Date	Time	Temp.	Name (Print)	
5/28	0300	66	SMITH	
	0600	63	Palencia	
	0900	64	Palencia	
	1200	66	Palencia	
	1500	70	WHITE	
	1800	70	WHITE	
	2100	71	WHITE	
	2400	70	Brooks	

Wednesday

Date	Time	Temp.	Name (Print)	
5/29	0300	68	Brooks	
	0600	64	SCHAAK	
	0900	64	SCHAAK	
	1200	68	SCHAAK	
	1500	73	VUE	
	1800	77	VUE	
	2100	75	VUE	
	2400	68	MANOUR	

Thursday

Date	Time	Temp.	Name (Print)	
5/30	0300	68	MANOUR	
	0600	70	Jones	
	0900	70	Jones	
	1200	70	Jones	
	1500	77	Lara	
	1800	75	JAIME	
	2100	75	JAIME	
	2400	70	JAIME	

Friday

Date	Time	Temp.	Name (Print)	
5/31	0300	70	JAIME	
	0600	68	Melendez	
	0900	72	FERNANDEZ	
	1200	72	Melendez	
	1500	75	LANZA	
	1800	72	LANZA	
	2100	72	LANZA	
	2400	70	JAIME	

Saturday

Date	Time	Temp.	Name (Print)	
6/1	0300	70	JAIME	
	0600	64	Palencia	
	0900	68	Palencia	
	1200	68	Palencia	
	1500	73	LANZA	
	1800	72	LANZA	
	2100	72	LANZA	
	2400	70	SMITH	

Sunday

Date	Time	Temp.	Name (Print)	
6/2	0300	66	SMITH	
	0600	66	Palencia	
	0900	68	Palencia	
	1200	70	Palencia	
	1500	70	SMITH	
	1800	70	SMITH	
	2100	68	SMITH	
	2400	68	SMITH	

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: H-UNIT Temp. Reading Location: DORM 4
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension SOS1 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

April 29

Tuesday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

April 30

Wednesday

Date	Time	Temp.	Name (Print)
5-1-24	0000	66	H Sanchez
	0300	64	H Sanchez
	0600	63°F	Lara
	0900	64°F	Lara
	1200	64°F	Lara
	1500	70°	HUTSON
	1800	73	HUTSON
	2100	73	HUTSON

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0000	70	H Sanchez
	0300	66	H Sanchez
	0600	66	H SANCHEZ Lara
	0900	68	H Sanchez
	1200	70	H Sanchez
	1500	72	H Sanchez
	1800	72	G. Bradley
	2100	72	G. Bradley

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0000	70°	Johnson
	0300	70°	Johnson
	0600	66°	LANUZA
	0900	68	BOHANON
	1200	68	BOHANON
	1500	73	R. STIDHAM
	1800	73	R. STIDHAM
	2100	72	R STIDHAM

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0000	70	JOHNSON
	0300	70	JOHNSON
	0600	66	LANUZA
	0900	63	LANUZA
	1200	63	LANUZA
	1500	63	STIDHAM
	1800	63	STIDHAM
	2100	63	STIDHAM

Sunday

Date	Time	Temp.	Name (Print)
5-5-24	0000	60	BOHANON
	0300	61	BOHANON
	0600	59	VANG
	0900	61	VANG
	1200	64	VANG
	1500	66	NIU
	1800	66	NIU
	2100	64	NIU

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: H-UNIT D4 Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0000	64	V.RUIZ
	0300	61	V.RUIZ
	0600	59	VANG
	0900	61	VANG
	1200	66	VANG
	1500	68	UCLISN
	1800	68	UCLISN
	2100	70	UCLISN

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0000	68	H Sanchez
	0300	66	H Sanchez
	0600	63	Lara
	0900	63	Lara
	1200	64	Lara
	1500	68	UCLISN
	1800	72	UCLISN
	2100	72	UCLISN

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0000	68	H Sanchez
	0300	64	H Sanchez
	0600	66	Lara
	0900	70	Lara
	1200	70	Lara
	1500	75	UCLISN
	1800	77	UCLISN
	2100	75	UCLISN

Thursday

Date	Time	Temp.	Name (Print)
5.9.24	0000	75	H Sanchez
	0300	73	H Sanchez
	0600	72	H Sanchez
	0900	72	Lara
	1200	72	Lara
	1500	74	Lara
	1800	77	SEGURA
	2100	75	HUTSON

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0000	68	TAFOLLA
	0300	64	TAFOLLA
	0600	68	LANUZA
	0900		
	1200		
	1500	77°	RAMOS
	1800	77°	RAMOS
	2100	77°	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0000	68	IBARRA
	0300	66	
	0600		
	0900		
	1200		
	1500	72°	CRUZ
	1800	73	CRUZ
	2100	70	CRUZ

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0000	73	Johnson
	0300	72	Johnson
	0600	68	D. COLBERT
	0900	68	D. COLBERT
	1200	70	D. COLBERT
	1500	70°	J. aguilar
	1800	70°	J. aguilar
	2100	70°	J. aguilar

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: JCI Housing Unit: Dorm 4 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension JCI **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5-13-24	0000	64	A. Morgan
	0300	64	A. Morgan
	0600	63	VANG, K.
	0900	63	VANG
	1200	64	VANG
	1500	70	UCLUSIN
	1800	68	UCLUSIN
	2100	66	UCLUSIN

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0000	65	H Sanchez
	0300	63	H Sanchez
	0600	63	Lara
	0900	66	LARA
	1200	66	LARA
	1500	66	LARA
	1800	70	UCLUSIN
	2100	66	UCLUSIN

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0000	63	H Sanchez
	0300	63	H Sanchez
	0600	63	Lara
	0900	66	Lara
	1200	66	Lara
	1500	68	UCLUSIN
	1800	66	UCLUSIN
	2100	68	UCLUSIN

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0000	64	H Sanchez
	0300	64	H Sanchez
	0600	64	H Sanc Lara
	0900	64	H Sanchez
	1200	66	H Sanchez
	1500	68	Tarlington
	1800	68	Tarlington
	2100	68	SEGURA

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0000	66	Ford
	0300	64	Ford
	0600	63	LANUZA
	0900	66	BOHANON
	1200	66	BOHANON
	1500	68	VILLEGAS
	1800	68	VILLEGAS
	2100	68	VILLEGAS

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0000	64	Crenison
	0300	64	Crenison
	0600	63	LANUZA
	0900		
	1200		
	1500	66	STOHAM
	1800	66	STOHAM
	2100	64	STOHAM

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0000	64	BOHANON
	0300	63	BOHANON
	0600	61	VANG, K.
	0900	63	VANG, K.
	1200	66	VANG, K.
	1500	70	Xiong
	1800	72	Richardson
	2100	70	Richardson

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: Dorm 4 Temp. Reading Location: Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension SOS 1 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5-20-24	0000	66	H Sanchez
	0300	64	H Sanchez
	0600	63	VANG, K
	0900	64	VANG, K
	1200	68	VANG, K
	1500	72	WILLIS
	1800	70	WILLIS
	2100	70	Richardson

Tuesday

Date	Time	Temp.	Name (Print)
5-21-24	0000		H Sanchez
	0300		H Sanchez
	0600	63	Lara
	0900	68	Lara
	1200	68	Lara
	1500	73	WILLIS
	1800	75	WILLIS
	2100	73	Richardson

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0000	68	H Sanchez
	0300	66	H Sanchez
	0600	64	GAVRILCHIK
	0900	66	GAVRILCHIK
	1200	70	GAVRILCHIK
	1500	73	WILLIS
	1800	75	WILLIS
	2100	73	WILLIS

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0000	70	H Sanchez
	0300	66	H Sanchez
	0600	66	A Sanchez
	0900	70	Lara
	1200	70	Lara
	1500	75°	HUTSON
	1800	75°	HUTSON
	2100	73°	HUTSON

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0000	68	MARTINEZ
	0300	66	MARTINEZ
	0600	64	VONG
	0900	66	VONG
	1200	70	VONG
	1500	77	STOKHAM
	1800	77	STOKHAM
	2100	70	STOKHAM

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0000	70	Johnson
	0300	70	Johnson
	0600	64	LANUZA
	0900	66	LANUZA
	1200	68	LANUZA
	1500	72	Cervantes
	1800	72	Cervantes
	2100	70	Cervantes

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0000	66	BOHANON
	0300	66	BOHANON
	0600	64	VANG, K.
	0900	66	VANG, K.
	1200	68	VANG, K.
	1500	72	SAUM
	1800	73	SAUM
	2100	73	SAUM

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CDCR SQSP Housing Unit: H UNIT # 4 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0000	70	DANKO
	0300	70	DANKO
	0600	60	DANKO
	0900	63	DANKO
	1200	68	DANKO
	1500	70	VELUSIN
5/24	1800	72	VELUSIN
	2100	70	Richardson

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0000	66	H Sanchez
	0300	66	H Sanchez
	0600	64	GAVRILCHK
	0900	65	GAVRILCHK
	1200	68	GAVRILCHK
	1500	72	VELUSIN
5/24	1800	73	VELUSIN
	2100	73	VELUSIN

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0000	70	H Sanchez
	0300	72	H Sanchez
	0600	68	
	0900	71	Rodriguez, J
	1200	73	
	1500	77	VELUSIN
	1800	79	VELUSIN
	2100	77	VELUSIN

Thursday

Date	Time	Temp.	Name (Print)
5/30	0000	75	H Sanchez
	0300	72	H Sanchez
	0600	70	
	0900	70	
	1200	75	
	1500	77	HO
	1800	77	HO
	2100	75	HO

Friday

Date	Time	Temp.	Name (Print)
5/31	0000	72	Manzanez
	0300	72	Manzanez
	0600	68	LANUZA
	0900	72	BOHANON
	1200	73	BOHANON
	1500	75	RAMOS
	1800	75	RAMOS
	2100	75	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
6/1	0000	68	HEIL
	0300	66	HEIL
	0600	64	LANUZA
	0900	68	LANUZA
	1200	70	LANUZA
	1500	73	Xiong
	1800	73	Xiong
	2100	72	Xiong

Sunday

Date	Time	Temp.	Name (Print)
6/2	0000	70	BOHANON
	0300	70	BOHANON
	0600	68	VANG, K.
	0900	70	VANG, K.
	1200	70	VANG, K.
	1500	75	Magat
	1800	75	Magat
	2100	75	Magat

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: DORM 5 Temp. Reading Location: PODIUM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
[redacted]	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Tuesday

Date	Time	Temp.	Name (Print)
[redacted]	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Wednesday

Date	Time	Temp.	Name (Print)
5-1-24	0000	75°	Davis
	0300	70°	Davis
	0600	66°	Segura
	0900	68°	Healy
	1200	70°	Healy
	1500	75	S. Martin
	1800	77	S. Martin
	2100	78	S. Martin

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0000	75	CASTRO
	0300	72	CASTRO
	0600	77	VONG
	0900	72	VONG
	1200	75	VONG
	1500	77°	R. STIDHAM
	1800	75°	R. STIDHAM
	2100	75°	R. STIDHAM

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0000		CASTRO
	0300		CASTRO
	0600	70	VONG
	0900	72°	VONG
	1200	74°	VONG
	1500	77°	TAFOYA
	1800	75	TAFOYA
	2100	73	TAFOYA

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0000	72	NUNEZ
	0300	70	NUNEZ
	0600	70	VONG
	0900	70	VONG
	1200	70	VONG
	1500	72	TAFOYA
	1800	72	TAFOYA
	2100	72	TAFOYA

Sunday

Date	Time	Temp.	Name (Print)
5-5-24	0000	70°	Rincon
	0300	68°	Rincon
	0600	68	VONG
	0900	68	VONG
	1200	70	VONG
	1500	72	Black
	1800	70	Black
	2100		Black

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: DORM 5 Temp. Reading Location: DORM 5 PODIUM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-6-24	0000	70	Johnson
	0300	69	Johnson
	0600	66°	S. Erickson
	0900	66°	S. Erickson
	1200	68°	S. Erickson
	1500	72	R Black
	1800	73	R Black
	2100	72	R Black

Tuesday

Date	Time	Temp.	Name (Print)
5-7-24	0000	70	Davis
	0300	67°	Davis
	0600	66°	UCLBIN
	0900	68°	VANG, K.
	1200	70°	VANG, K.
	1500	72	BLACK
	1800	75	BLACK
	2100	72	BLACK

Wednesday

Date	Time	Temp.	Name (Print)
5-8-24	0000	72°	Davis
	0300	72°	Davis
	0600	70°	CORONA
	0900	72°	CORONA
	1200	72°	CORONA
	1500	75°	Mimo
	1800	81°	Mimo
	2100	79°	Mimo

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0000	79°	CASTRO
	0300	79°	CASTRO
	0600	75°	Corona
	0900	77°	Corona
	1200	79°	Corona
	1500	81°	S. Lemus
	1800	81°	S. Lemus
	2100	79°	S. Lemus

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0000		CASTRO
	0300		CASTRO
	0600	72°	CORONA
	0900	73°	CORONA
	1200	75°	CORONA
	1500	81°	TAFOLLA
	1800	81°	TAFOLLA
	2100	79°	TAFOLLA

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0000	73°	Rincon
	0300	71	Rincon
	0600	72°	CORONA
	0900	73°	CORONA
	1200	75°	CORONA
	1500	80°	TAFOLLA
	1800	79°	TAFOLLA
	2100	77°	TAFOLLA

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0000		Johnson
	0300		Johnson
	0600	70°	CORONA
	0900	72°	CORONA
	1200	72°	CORONA
	1500	75	Black
	1800	75	Black
	2100	75	Black

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: DORM 5 Temp. Reading Location: PODIUM

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-20-24	0000	70	Johnson
	0300	70	Johnson
	0600	70	D. Johnson
	0900	70	D. Johnson
	1200	72	D. Johnson
	1500	73	Black
	1800	73	Black
	2100	73	Black

Tuesday

Date	Time	Temp.	Name (Print)
5-21-24	0000	71°	Davis
	0300	72°	Davis
	0600	68°	UCLUSIN
	0900	70°	VANG, K
	1200	72	VANG, K
	1500	75	Black
	1800	75	Black
	2100	75	Black

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0000	75°	Davis
	0300	72°	Davis
	0600	70°	CORONA
	0900	70°	CORONA
	1200	72°	CORONA
	1500	73°	[illegible]
	1800	75	[illegible]
	2100	75	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0000	75°	CASTRO
	0300	72°	CASTRO
	0600	70°	CORONA
	0900	70°	CORONA
	1200	73°	CORONA
	1500	77	STUDHAM
	1800	77	STUDHAM
	2100	77	STUDHAM

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0000	75	CASTRO
	0300	71	CASTRO
	0600	68°	CORONA
	0900	70°	CORONA
	1200	72°	CORONA
	1500	74°	TAPIA
	1800	73°	TAPIA
	2100	74°	TAPIA

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0000	74	CASTRO
	0300	71°	CASTRO
	0600	68°	Tadlock
	0900	70°	Tadlock
	1200	72°	Tadlock
	1500	74°	TAPIA
	1800	73°	TAPIA
	2100	73°	TAPIA

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0000	70	Rincon
	0300	68	Rincon
	0600	68	D. Johnson
	0900	68	D. Johnson
	1200	72	D. Johnson
	1500	73	D. Johnson
	1800	77	Black
	2100		Black

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: DORM 5 Temp. Reading Location: Radium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-13-24	0000	70°	Johnson
	0300	70°	Johnson
	0600	68°	Smith
	0900	69°	Smith
	1200	70°	Smith
	1500	73	Palencia
	1800	75	Palencia
	2100	72°	Palencia

Tuesday

Date	Time	Temp.	Name (Print)
5-14-24	0000	70°	Davis
	0300	68°	Davis
	0600	68	Sanchez
	0900	68	Sanchez
	1200	70	Sanchez
	1500	72	BLACK
	1800	75	BLACK
	2100	72	BLACK

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0000	68°	Davis
	0300	68°	Davis
	0600	68	SEGURA
	0900	68	Tarlington
	1200	70	Tarlington
	1500	70°	S. Nunez
	1800	72	
	2100	72°	

Thursday

Date	Time	Temp.	Name (Print)
5-16-24	0000	68°	CASTRO
	0300	68°	CASTRO
	0600	68°	Tarlington
	0900	70°	Tarlington
	1200	70	SEGURA
	1500	72	R. STROATHM
	1800	72	R. STROATHM
	2100	72	R. STROATHM

Friday

Date	Time	Temp.	Name (Print)
5-17-24	0000	61°	CASTRO
	0300	61°	CASTRO
	0600	68	SEGURA
	0900	68	SEGURA
	1200	70	SEGURA
	1500	74	TAFOYA
	1800	72°	TAFOYA
	2100	72°	TAFOYA

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0000	62°	CASTRO
	0300	61°	CASTRO
	0600	68°	Tarlington
	0900	68°	Tarlington
	1200	68°	Tarlington
	1500	73	TAFOYA
	1800	72	TAFOYA
	2100	72	TAFOYA

Sunday

Date	Time	Temp.	Name (Print)
5-19-24	0000	57	J. Jamm
	0300	57	J. Jamm
	0600	67°	Tarlington
	0900	68°	Tarlington
	1200	70°	Tarlington
	1500	72	BLACK
	1800	75	BLACK
	2100	75	BLACK

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: DORM 5 Temp. Reading Location: Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0000	69	Rincon
	0300	69	Rincon
	0600	70	D. Johnson
	0900	70	D. Johnson
	1200	76	D. Johnson
	1500	72	palencia
	1800	73	Palencia
	2100	73	palencia

Tuesday

Date	Time	Temp.	Name (Print)
5-28-24	0000	70°	Davis
	0300	70°	Davis
	0600	68°	VANG, K
	0900	69°	VANG, K
	1200	70°	VANG, K
	1500	72	BLACK
	1800	77	Black
	2100	77	Black

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0000	75	Davis
	0300	73	Davis
	0600	72	CORONA
	0900	72	CORONA
	1200	75	CORONA
	1500	81	SICKING
	1800	82	SICKING
	2100	79	SICKING

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0000	79°	CASTRO
	0300	75°	CASTRO
	0600	73°	CORONA
	0900	73°	CORONA
	1200	75°	CORONA
	1500	79°	STOHAM
	1800	79°	STOHAM
	2100	79°	STOHAM

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0000	77	CASTRO
	0300	77	CASTRO
	0600	73°	CORONA
	0900	75°	CORONA
	1200	75°	CORONA
	1500	77°	TAFOYA
	1800	77°	TAFOYA
	2100	77°	TAFOYA

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0000	75	Rincon
	0300	72	Rincon
	0600	70°	Tallindalitt
	0900	72°	SICKING
	1200	73°	Tallindalitt
	1500	77°	TAFOYA
	1800	77°	TAFOYA
	2100	77°	TAFOYA

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0000	75°	Rincon
	0300	76°	Rincon
	0600	73°	Tallindalitt
	0900	75°	B. Gill
	1200	75°	Tallindalitt
	1500	79	Black
	1800	79	Black
	2100	77	Black

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **SQRC** Housing Unit: **NORTH BLOCK** Temp. Reading Location: **1ST AND 5TH TIER**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0000	68	Thomassen
	0300	68	Thomassen
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Tuesday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Wednesday

Date	Time	Temp.	Name (Print)
May 1st 2024	0000	66	Agbontaen
	0300	66	Agbontaen
	0600	68	MORA
	0900	70°	MORA
	1200	72°	MORA
	1500	72°	BIRK
	1800	72°	BIRK
	2100	72°	BIRK

Thursday

Date	Time	Temp.	Name (Print)
MAY 2nd 2024	0000		
	0300		
	0600	66	BIRK
	0900	68	BIRK
	1200	69	BIRK
	1500	73	BIRK
	1800	73	BIRK
	2100	73	BIRK

Friday

Date	Time	Temp.	Name (Print)
MAY 3rd 2024	0000	72°	VANG
	0300	70°	VANG
	0600	60°	Hernandez
	0900	65°	Hernandez
	1200	70°	Hernandez
	1500	70°	CASILLAS
	1800	71°	CASILLAS
	2100	70	CASILLAS

Saturday

Date	Time	Temp.	Name (Print)
May 4th	0000	69	[illegible]
	0300	69	[illegible]
	0600	68	BFLORES
	0900	68	BFLORES
	1200	68	BFLORES
	1500	66	LMARTINEZ
	1800	65	Lmartinez
	2100	66	Lmartinez

Sunday

Date	Time	Temp.	Name (Print)
May 5th 2024	0000	64	Thomassen
	0300	68	Thomassen
	0600	66	FLORES
	0900	68	FLORES
	1200	68°	FLORES.
	1500	70°	SOLANO
	1800	68°	SOLANO
	2100	66°	SOLANO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **SQRC** Housing Unit: **NORTH BLOCK** Temp. Reading Location: **1ST AND 5TH TIER**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0000	68	Thomassen
	0300	72	Thomassen
	0600	70	CASILLAS
	0900	73°	CASILLAS
	1200	75°	CASILLAS
	1500	72°	NIU
	1800	70°	NIU
	2100	72	NIU

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0000	59	Flores
	0300	[illegible]	Flores
	0600	68°	MORA
	0900	71°	MORA
	1200	75°	MORA
	1500	72°	VANG
	1800	73°	VANG
	2100	72°	VANG

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0000	70	Agbontaen
	0300	68	Agbontaen
	0600	73°	MORA
	0900	75°	MORA
	1200	77°	MORA
	1500	77°	BIRK
	1800	77°	BIRK
	2100	79°	BIRK

Thursday

Date	Time	Temp.	Name (Print)
5/9	0000	75	BRRUIZ
	0300	75°	BRRUIZ
	0600	75	VANG
	0900	77	VANG
	1200	77	VANG
	1500	78°	BIRK
	1800	78°	BIRK
	2100	76°	BIRK

Friday

Date	Time	Temp.	Name (Print)
5/10	0000	68	Thomassen
	0300	68	Thomassen
	0600	70°	Hernandez
	0900	72°	Hernandez
	1200	73°	Hernandez
	1500	77°	Hernandez
	1800	77	Hernandez
	2100	76	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
5/11	0000	75°	S. Lemus
	0300	73	D. Flores
	0600	73	D. Flores
	0900	75°	C. CASILLAS
	1200	76°	C. CASILLAS
	1500	72°	C. Mathews
	1800	73°	C. Mathews
	2100	76°	C. Mathews

Sunday

Date	Time	Temp.	Name (Print)
5/12	0000	66	Thomassen
	0300	68	Thomassen
	0600	68	CASILLAS
	0900	70	CASILLAS
	1200	74	CASILLAS
	1500	77	Bratton
	1800	78	Bratton
	2100	77	Bratton

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **SQRC** Housing Unit: **NORTH BLOCK** Temp. Reading Location: **1ST AND 5TH TIER**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0000	72	Thomasson
	0300	70	Thomasson
	0600	68	CASILLAS
	0900	70	CASILLAS
	1200	72	CASILLAS
	1500	74	Wright
	1800	75	Wright
	2100	73	Wright

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0000	64	Flores
	0300	64	Flores
	0600	66	Zavala
	0900	68	Zavala
	1200	68	Zavala
	1500	68°	Brattan
	1800	68°	Brattan
	2100	66°	Brattan

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0000	68	Aguirre
	0300	68	Aguirre
	0600	68°	MORA
	0900	69°	MORA
	1200	70°	MORA
	1500	69°	BIRK
	1800	69°	BIRK
	2100	70°	BIRK

Thursday

Date	Time	Temp.	Name (Print)
5/16	0000	68°	BR RUIZ
	0300	68	BR RUIZ
	0600	70°	MORA
	0900	71°	MORA
	1200	73°	MORA
	1500	75°	BIRK
	1800	75°	BIRK
	2100	73°	BIRK

Friday

Date	Time	Temp.	Name (Print)
5/17	0000	68	Flores
	0300	68	Flores
	0600	70	CASILLAS
	0900	72	CASILLAS
	1200	73	CASILLAS
	1500	68°	BIRK
	1800	70°	BIRK
	2100	70°	BIRK

Saturday

Date	Time	Temp.	Name (Print)
5/18	0000	70	CASILLAS
	0300	70	CASILLAS
	0600	68	B FLORES
	0900	68	B FLORES
	1200	77	B FLORES
	1500	68	Tosiai
	1800	67	Tosiai
	2100	68	Tosiai

Sunday

Date	Time	Temp.	Name (Print)
5/19	0000	72	Thomasson
	0300	75	Thomasson
	0600	74	CASILLAS
	0900	75	CASILLAS
	1200	77	CASILLAS
	1500	72	Tosiai
	1800	72	Tosiai
	2100	72	Tosiai

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **SQRC** Housing Unit: **NORTH BLOCK** Temp. Reading Location: **1ST AND 5TH TIER**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0000	68	Thomassen
	0300	66	Thomassen
	0600	68°	CASILLAS
	0900	69°	CASILLAS
	1200	72°	CASILLAS
	1500	69	unsnt
	1800	70	unsnt
	2100	70	unsnt

Tuesday

Date	Time	Temp.	Name (Print)
21	0000	68	M. Flores
	0300	73	M Flores
	0600	71	CASILLAS
	0900	72°	CASILLAS
	1200	74°	CASILLAS
	1500	76	BIRK
	1800	77	BIRK
	2100	74	BIRK

Wednesday

Date	Time	Temp.	Name (Print)
22	0000	68	Agbontaen
	0300	68	Agbontaen
	0600	70°	MORA
	0900	72°	MORA
	1200	74°	MORA
	1500	75	BIRK
	1800	75	BIRK
	2100	72	BIRK

Thursday

Date	Time	Temp.	Name (Print)
23	0000	72	Ruiz
	0300	72	Ruiz
	0600	70	VANG
	0900	72	VANG
	1200	72	VANG
	1500	74	BIRK
	1800	74	BIRK
	2100	73	BIRK

Friday

Date	Time	Temp.	Name (Print)
24	0000	68	Flores
	0300	68	Flores
	0600	68	VANG
	0900	70	VANG
	1200	73	VANG
	1500	75	CASILLAS
	1800	74	CASILLAS
	2100	73	CASILLAS

Saturday

Date	Time	Temp.	Name (Print)
25	0000	66	Flores
	0300	66	Flores
	0600	68°	CASILLAS
	0900	70	CASILLAS
	1200	72°	CASILLAS
	1500	74	CASILLAS
	1800	77	CASILLAS
	2100	78	CASILLAS

Sunday

Date	Time	Temp.	Name (Print)
26	0000	74	Williams
	0300	72	Williams
	0600	72	CASILLAS
	0900	74	CASILLAS
	1200	75	CASILLAS
	1500	77	Williams
	1800	77	Williams
	2100	76	Williams

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **SQRC** Housing Unit: **NORTH BLOCK** Temp. Reading Location: **1ST AND 5TH TIER**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
27	0000	73	Thomasson
	0300	72	Thomasson
	0600	72	CASILLAS
	0900	74	CASILLAS
	1200	75	CASILLAS
	1500	77	CASILLAS
	1800	76	CASILLAS
	2100	77	CASILLAS

Tuesday

Date	Time	Temp.	Name (Print)
28	0000	70	Thomasson
	0300	72	Thomasson
	0600	69	W. REYES
	0900	70	W. REYES
	1200	70	W. REYES
	1500	73°	P. VANG
	1800	73°	P. VANG
	2100	73	P. VANG

Wednesday

Date	Time	Temp.	Name (Print)
29	0000	70	Agbontaen
	0300	68	Agbontaen
	0600	70°	MORA
	0900	72°	MORA
	1200	75°	MORA
	1500	75	B. BIRK
	1800	73	B. BIRK
	2100	73	B. BIRK

Thursday

Date	Time	Temp.	Name (Print)
30	0000	73	BRUIZ
	0300	73	B. RUIZ
	0600	73°	P. VANG
	0900	73°	P. VANG
	1200	75°	P. VANG
	1500	75	B. BIRK
	1800	74	B. BIRK
	2100	74	B. BIRK

Friday

Date	Time	Temp.	Name (Print)
31	0000	72	Thomasson
	0300	70	Thomasson
	0600	72	CABRERA
	0900	73°	CABRERA
	1200	73°	CABRERA
	1500	74	CASILLAS
	1800	74°	CASILLAS
	2100	73	CASILLAS

Saturday

Date	Time	Temp.	Name (Print)
1	0000	67	Thomasson
	0300	64	Thomasson
	0600	68	CASILLAS
	0900	71	CASILLAS
	1200	73	CASILLAS
	1500	73	Tosiai
	1800	73	Tosiai
	2100	73	Tosiai

Sunday

Date	Time	Temp.	Name (Print)
2	0000	67	S. Burden
	0300	70	S. Burden
	0600	73	W. REYES
	0900	75	W. REYES
	1200	77	W. REYES
	1500	75	Bratten
	1800	75	Bratten
	2100	75	Bratten

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: S.Q.R.C. Housing Unit: West Block Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension ~~5051~~ 5321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Tuesday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0000	70°	E. WEAVER
	0300	70°	E. WEAVER
	0600	65	Peters
	0900	66	Peters
	1200	68	Peters
	1500	72	Hamwick
	1800	72	Hamwick
	2100	73	Hamwick

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0000	70	M. Ford
	0300	70	M. Ford
	0600	66	Peters
	0900	68	Peters
	1200	72	Peters
	1500	73	Hamwick
	1800	71	Hamwick
	2100	70	Hamwick

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0000	66	Hamwick
	0300	64	Amaro
	0600	65	Amaro
	0900	66	Rios
	1200	68	Rios
	1500	68	McDonald
	1800	68	McDonald
	2100	68	McDonald

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0000	68	V. Ruiz
	0300	68	V. Ruiz
	0600	68	V. Ruiz
	0900	66	Rios
	1200	66	Rios
	1500	64	McDonald
	1800	66	McDonald
	2100	66	McDonald

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0000	68	Bergman
	0300	68	Bergman
	0600	61	Rios
	0900	62	Rios
	1200	64	Rios
	1500	66	Fouch
	1800	66	Fouch
	2100	63	Fouch

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ Housing Unit: WESTBLOCK Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0000	64	WERK
	0300	64	WERK
	0600	64	Peters
	0900	64	Peters
	1200	64	Peters
	1500	66	Fouch
	1800	68	MEDRIANO
	2100	66	MEDRIANO

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0000	64	Ford
	0300	64	Ford
	0600	64	Peters
	0900	64	Peters
	1200	64	Peters
	1500	66	HARWICK
	1800	68	Harwick
	2100	65	Harwick

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0000	66	Alvarez
	0300	66	Alvarez
	0600	68	Pham
	0900	68	Peters
	1200	~~68~~ 70	Peters
	1500	72	B.WERK
	1800	72	B.WERK
	2100	72	B.WERK

Thursday

Date	Time	Temp.	Name (Print)
5/9	0000	73°	E.WEAVER
	0300	73°	E.WEAVER
	0600	70	Peters
	0900	70	Peters
	1200	73	Peters
	1500	75	Henderson
	1800	72	Henderson
	2100	72	Henderson

Friday

Date	Time	Temp.	Name (Print)
5/10	0000	71°	E.WEAVER
	0300	71°	E.WEAVER
	0600	68	Peters
	0900	68	Peters
	1200	70	Peters
	1500	75	Mechan
	1800	75	Mechan
	2100	74	Mechan

Saturday

Date	Time	Temp.	Name (Print)
5/11	0000	70°	BERGMAN
	0300	70°	BERGMAN
	0600	70	ACEVEDO
	0900	70	ACEVEDO
	1200	70	ACEVEDO
	1500	72	IBARRA
	1800	70	IBARRA
	2100	68	IBARRA

Sunday

Date	Time	Temp.	Name (Print)
5/12	0000	68°	BERGMAN
	0300	68°	BERGMAN
	0600	66	Hesson
	0900	66	Hesson
	1200	66	Hesson
	1500	68	Medrano
	1800	68	Medrano
	2100	68	Medrano

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: S.Q.R.C. Housing Unit: West Block Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension ~~5057~~ 5721 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0000	64	Weaver
	0300	64	Weaver
	0600	64	Fen
	0900	64	Fen
	1200	64	Fen
	1500	66	Fench
	1800	66	Fench
	2100	64	Fench

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0000	64°	E. Weaver
	0300	64°	E. Weaver
	0600	64	[illegible]
	0900	64	[illegible]
	1200	64	[illegible]
	1500	66	Hawick
	1800	66	Hawick
	2100	62	Hawick

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0000	65°	E. Weaver
	0300	65°	E. Weaver
	0600	64	[illegible]
	0900	64	[illegible]
	1200	64	[illegible]
	1500	66	Hawick
	1800	66	Hawick
	2100	64	Hawick

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0000	65°	E. Weaver
	0300	65°	E. Weaver
	0600	64	[illegible]
	0900	64	[illegible]
	1200	66	[illegible]
	1500	71	Hawick
	1800	66	Hawick
	2100	66	Hawick

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0000	65°	E. Weaver
	0300	65°	E. Weaver
	0600	64	[illegible]
	0900	64	[illegible]
	1200	66	[illegible]
	1500	66	McDonald
	1800	66	McDonald
	2100	65	McD[illegible]

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0000	63	[illegible]
	0300	63	[illegible]
	0600	67	Johnson
	0900	67	Johnson
	1200	68	Johnson
	1500	65	Sanders
	1800	67	Sanders
	2100	63	Sanders

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0000	63	Berg[illegible]
	0300	63	Berg[illegible]
	0600	65	McDonald
	0900	66	McDonald
	1200	66	Mcd[illegible]
	1500	68	Fanch
	1800	66	Fanch
	2100	66	Fanch

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQRC Housing Unit: West Block Temp. Reading Location: Skylight
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5051 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0000	65°	E. WEAVER
	0300	65°	E. WEAVER
	0600	63	Peters
	0900	64	Peters
	1200	66	Peters
	1500	68	Fuch
	1800	66	Fuch
	2100	66	Fuch

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0000	66°	E. WEAVER
	0300	66°	E. WEAVER
	0600	66	PETERS
	0900	66	PETERS
	1200	66	PETERS
	1500	66	HARWICK
	1800	68	HARWICK
	2100	67	HARWICK

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0000	66°	E. WEAVER
	0300	66°	E. WEAVER
	0600	64	Peters
	0900	66	Peters
	1200	68	Peters
	1500	[illegible]	HARWICK
	1800	[illegible]	HARWICK
	2100	[illegible]	HARWICK

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0000	68°	E. WEAVER
	0300	70°	E. WEAVER
	0600	69	Peters
	0900	66	Peters
	1200	68	[illegible]
	1500	72	J. Richmond
	1800	75	J. Richmond
	2100	72	J. Richmond

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0000	68°	E. WEAVER
	0300	68°	E. WEAVER
	0600	68°	D. EVANS
	0900	68°	D. EVANS
	1200	68°	D. EVANS
	1500	68	McDonald
	1800	68	McDonald
	2100		

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0000	63	BERGMAN
	0300	63	BERGMAN
	0600	64	BURGOS
	0900	66	BURGOS
	1200	66	BURGOS
	1500	66	McDonald
	1800	68	McDonald
	2100	68	McDonald

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0000	68	McDonald
	0300	66	Berg
	0600	68	McDonald
	0900	68	McDonald
	1200	68	McDonald
	1500	68°	Medina
	1800	70°	Medina
	2100	70°	Medina

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQRC Housing Unit: WEST BLOCK Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 9051 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0000	66	PLATES
	0300	66°	PLATES
	0600	66	PLATES
	0900	63°	Ray
	1200	66°	Ray
	1500	65°	CRUZ
	1800	64°	CRUZ
	2100	64°	CRUZ

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0000	64°	E. WEAVER
	0300	64°	E. WEAVER
	0600	64	Peters
	0900	64	Peters
	1200	64	Peters
	1500	68	Hanwick
	1800	70	Hanwick
	2100	70	Hanwick

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0000	68°	E. WEAVER
	0300	66°	E. WEAVER
	0600	66	Peters
	0900	68	Peters
	1200	70	Peters
	1500	70	Hanwick
	1800	72	Hanwick
	2100	73	Hanwick

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0000	70°	E. WEAVER
	0300	70°	E. WEAVER
	0600	70	Peters
	0900	70	Peters
	1200	70	Peters
	1500	72	Hanwick
	1800	72	Hanwick
	2100	72	Hanwick

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0000	70°	E. WEAVER
	0300	70°	E. WEAVER
	0600	68	Peters
	0900	70	Peters
	1200	72	Peters
	1500	73	McDonald
	1800	72	McDonald
	2100	68	McDonald

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0000	68	BERGMAN
	0300	68	BERGMAN
	0600	69	McDonald
	0900	65	McDonald
	1200	66	McDonald
	1500	72	McDonald
	1800	72	McDonald
	2100	70	McDonald

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0000	68	Medrano
	0300	70	Medrano
	0600	68°F	Medrano
	0900	68	Medrano
	1200	68	Medrano
	1500	73	Medrano
	1800	72	Medrano
	2100	72	Medrano

Notes

DISTRIBUTION: Original: Institution ADA Coordinator