

Monthly Summary Report

Institution: WSP

Memorandum

Date: July 2, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Wasco State Prison-RC

The following is a summary of the heat related activity for the month of June
at WSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes _____

Number of days Stage I Alert initiated: 27

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No _____

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____

Number of days Stage III Alert initiated: _____

4. Weekly list of heat risk patients archived? Yes _____

5. Number of patients with heat related illness.1 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Christian Pfeiffer

Warden Name

Warden Signature

Penny Shank

Chief Executive Officer Name

Penny Shank

Chief Executive Officer Signature

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (64161)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSF - RL Housing Unit: H

Temp. Reading Location: TIER | (DORM)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	
	0600	70	
	0900	70	
	1200	70	
	1500	70	
	1800	70	
	2100	70	
	2400	79	ABUSTU

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70	AGW/STJ
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	75	L. MARY
	0600	75	BLASDELL
	0900	76	BLASDELL
	1200	77	BLASDELL
	1500	77	ALROBIAI
	1800	77	ALROBIAI
	2100	77	ALROBIAI
	2400	80	L. MARY

SATURDAY

-10-

Dat	Time	Temp.	Name (Print)
6/1/24	0300	70	ROSEN
	0600	78	Salinas
	0900	78	Salinas
	1200	79	Salinas
	1500	79	Salinas
	1800	79	Salina
	2100	79	Salina
	2400	79	ROSEN

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: JSP-BC Housing Unit: H1 Temp. Reading Location: Tier 1 (Dorm)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/3/24	0300	80	Melia
	0600	80	Horn
	0900	78	Horn
	1200	78	Horn
	1500	78	Martinez
	1800	78	Nelson
	2100	78	G. Days
	2400	78	Fuentes

Wednesday			
Date	Time	Temp.	Name (Print)
6/5/24	0300	72	W.SANCHEZ
	0600	78	J.VASQUEZ
	0900	79	J.VASQUEZ
	1200	80	J.VASQUEZ
	1500	80	Fernan
	1800	80	Fernan
	2100	79	Fernan
	2400	79	Melia

Friday			
Date	Time	Temp.	Name (Print)
6/7/24	0300	81	A.BUSTA
	0600	81	Horn
	0900	82	Horn
	1200	81	Horn
	1500	81	Arc
	1800	80	Arc
	2100	80	Arc
	2400	80	W.SANCHEZ

Sunday			
Date	Time	Temp.	Name (Print)
6/9/24	0300	78	Fuentes
	0600	80	Soliz
	0900	82	Soliz
	1200	82	Soliz
	1500	80	Arc
	1800	80	Arc
	2100	80	Arc
	2400	80	L.Maria

Tuesday			
Date	Time	Temp.	Name (Print)
6/4/24	0300	76	Fuentes
	0600	76	Marta
	0900	78	Marta
	1200	78	Marta
	1500	78	G. Days
	1800	78	G. Days
	2100	78	G. Days
	2400	72	WSANCHEZ

Thursday			
Date	Time	Temp.	Name (Print)
6/6/24	0300	79	Melia
	0600	80	Horn
	0900	80	Horn
	1200	81	Horn
	1500	81	Arc
	1800	81	Arc
	2100	80	Arc
	2400	81	ABUSTA

Saturday			
Date	Time	Temp.	Name (Print)
6/8/24	0300	80	WSANCHEZ
	0600	81	Salinas
	0900	81	Salinas
	1200	82	Salinas
	1500	80	L.Maria
	1800	82	L.Maria
	2100	78	L.Maria
	2400	78	Fuentes

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDOR 2031 (8418)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: H1 Temp. Reading Location: Tier 1 (Dorm.)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	80	L. M. G.
	0600	78	M. C. A. S.
	0900	79	Iniguez
	1200	78	Iniguez
	1500	76	Mun
	1800	74	Martinez
	2100	78	Mun
	2400	78	R. R. T.

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	80	Fernandes
	0600	80	Horn
	0900	80	Horn
	1200	80	Horn
	1500	81	Horn
	1800	80	Horn
	2100	81	Horn
	2400	80	F. F.

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	78	F. F.
	0600	78	C. C. A. S.
	0900	78	C. C. A. S.
	1200	80	C. C. A. S.
	1500	80	C. C. A. S.
	1800	80	C. C. A. S.
	2100	80	C. C. A. S.
	2400	81	

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	80	F. F.
	0600	80	Oscar
	0900	81	Oscar
	1200	81	Oscar
	1500	81	Oscar
	1800	81	Oscar
	2100	80	Oscar
	2400	80	AUGUSTO

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	80	AUGUSTO
	0600	80	C. C. A. S.
	0900	80	Horn
	1200	80	C. C. A. S.
	1500	80	Aug
	1800	80	Aug
	2100	79	Aug
	2400	80	AUGUSTO

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	80	AUGUSTO
	0600	78	C. C. A. S.
	0900	78	C. C. A. S.
	1200	78	C. C. A. S.
	1500	78	Aug
	1800	79	Aug
	2100	79	Aug
	2400	80	AUGUSTO

Notes

Date	Time	Temp.	Name (Print)
6/16/24	0300	78	AUGUSTO
	0600	78	C. C. A. S.
	0900	78	C. C. A. S.
	1200	78	C. C. A. S.
	1500	78	Mun
	1800	78	Mun
	2100	79	Mun
	2400	79	L. M. G.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 1031 (06/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H 1 Temp. Reading Location: F
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
11/11/11	0300	76	FUENTES
	0600	73	CALZADA
	0900	78	CALZADA
	1200	72	CALZADA
	1500	73	Mor. -
	1800	78	Co. Reyes
	2100	78	Co. Reyes
	2400	76	FUENTES

Wednesday

Date	Time	Temp.	Name (Print)
6/19/93	0300	79	KBVG(1)
	0600	78	Carrizo
	0900	78	Carrizo
	1200	78	Carrizo
	1500	78	Ard
	1800	78	Ard
	2100	77	Ard
	2400	77	Melvin

Friday

Date	Time	Temp.	Name (Print)
6/21/14	0300	78	ABUSIV
	0600	79	JAN
	0900	78	LEAL
	1200	79	HARR
	1500	78	ROB
	1800	78	ROB
	2100	78	VAN
	2400	78	ABUSIV

Sunday

Date	Time	Temp.	Name (Print)
Wednesday	0300	70	ALUSTV
	0600	30	CARLSON
	0900	60	CARLSSON
	1200	70	CARLSSON
	1500	50	KRISTEN
	1800	79	KRISTEN
	2100	72	KRISTEN
	2400	74	KRISTEN

Tuesday

Dat	Time	Temp.	Name (Print)
26/18/21	0300	76	Fuentes
	0600	77	Hagan
	0900	78	Hagan
	1200	79	Hagan
	1500	79	G. Rogers
	1800	79	G. Rogers
	2100	79	G. Rogers
	2400	79	Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
6/20/84	0300	76	McGinn
	0600	76	Hart
	0900	77	Hart
	1200	77	Hart
	1500	78	Hart
	1800	78	Hart
	2100	77	Hart
	2400	78	Krusto

Saturday

Date	Time	Temp.	Name (Print)
6/22/21	0300	70	ABSTU
	0600	78	CALZAR
	0900	78	CALZAR
	1200	79	CALZAR
	1500	79	KAN
	1800	79	PAUL
	2100	79	KAN
	2400	79	ABSTU

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: BWSP Housing Unit: H Temp. Reading Location: ST
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/18	0300	80	Megan
	0600	80	CALZADA
	0900	80	CALZADA
	1200	80	CALZADA
	1500	80	L. Days
	1800	80	L. Days
	2100	80	L. Days
	2400	80	Megan

Tuesday

Date	Time	Temp.	Name (Print)
6/25/18	0300	80	Fuentes
	0600	80	CALZADA
	0900	80	CALZADA
	1200	80	CALZADA
	1500	81	PONCE
	1800	82	PONCE
	2100	81	PONCE
	2400	80	Fuentes

Wednesday

Date	Time	Temp.	Name (Print)
6/26/18	0300	79	Megan
	0600	79	CALZADA
	0900	80	CALZADA
	1200	80	CALZADA
	1500	80	PAL
	1800	80	PAL
	2100	79	PAL
	2400	79	Megan

Thursday

Date	Time	Temp.	Name (Print)
6/27/18	0300	79	Megan
	0600	80	Hart
	0900	80	Hart
	1200	80	Hart
	1500	80	Hart
	1800	80	Hart
	2100	80	Hart
	2400	80	Hart

Friday

Date	Time	Temp.	Name (Print)
6/28/18	0300	80	Hart
	0600	80	Hart
	0900	80	Hart
	1200	80	Hart
	1500	80	MEDINA
	1800	80	MEDINA
	2100	80	MEDINA
	2400	80	MEDINA

Saturday

Date	Time	Temp.	Name (Print)
6/29/18	0300	80	KOVSTO
	0600	78	CALZADA
	0900	79	CALZADA
	1200	79	CALZADA
	1500	79	FALY
	1800	80	FALY
	2100	80	FALY
	2400	80	Fuentes

Sunday

Date	Time	Temp.	Name (Print)
6/30/18	0300	80	Fuentes
	0600	80	CALZADA
	0900	80	CALZADA
	1200	80	CALZADA
	1500	80	Mahan
	1800	80	Mahan
	2100	80	Mahan
	2400	80	Mahan

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NSP-RC Housing Unit: H 2 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	75°	R. Morales
	0600	73	M. Yanez
	0900	75	M. Yanez
	1200	78	M. Yanez
	1500	79	J. Valencia
	1800	79	J. Valencia
	2100	79	J. Valencia
	2400	78	Ramirez

Sunday

Date	Time	Temp.	Name (Print)
	0300	77	RAMIREZ
6-02	0600	76	M. YANEZ
	0900	77	M. YANEZ
	1200	79	M. YANEZ
	1500	80	J. Valencia
	1800	82	A. CERMENO
	2100	80	J. Valencia
	2400	77	R. Morales

Notes:

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: H2 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	74	M. Graham
	0600	73	BLASDEU
	0900	74	BLASDEU
	1200	76	BLASDEU
	1500	77	J. Valencia
	1800	81	J. Valencia
	2100	79	J. Valencia
	2400	77	M. Graham

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	78°	E. GONZALEZ
	0600	78	BLASDEU
	0900	79	BLASDEU
	1200	82	BLASDEU
	1500	82	J. Valencia
	1800	84	J. Valencia
	2100	84	J. Valencia
	2400	81°	M. Graham

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	78°	M. Graham
	0600	77	M. Graham
	0900	78	A. Yanez
	1200	80	A. Yanez
	1500	82	CERMENO A
	1800	81	CERMENO A
	2100	79	CERMENO A
	2400	75	C. MORALES

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	75°	R. Morales
	0600	73	M. Yanez
	0900	74	A. Yanez
	1200	75	M. Yanez
	1500	76	A. CERMENO
	1800	77	A. CERMENO
	2100	79	A. CERMENO
	2400	76	M. Graham

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	74	M. Graham
	0600	73	M. Yanez
	0900	75	J. Vasquez
	1200	79	J. Vasquez
	1500	79	J. Valencia
	1800	81	J. Valencia
	2100	81	J. Valencia
	2400	81°	E. GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	79°	M. Graham
	0600	79	BLASDEU
	0900	81	BLASDEU
	1200	81	BLASDEU
	1500	84	J. Valencia
	1800	84	J. Valencia
	2100	84	J. Valencia
	2400	81°	M. Graham

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	76	R. Morales
	0600	75	A. Yanez
	0900	75	M. Yanez
	1200	78	A. Yanez
	1500	79	CERMENO A
	1800	79	CERMENO A
	2100	79	CERMENO A
	2400	77°	R. Morales

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-R/C Housing Unit: H-2 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday				
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	
<i>6-10-18</i>	0300	72	<i>A. Graham</i>	<i>6-11-18</i>	0300	79	<i>M. Graham</i>	<i>6-12-18</i>	0300	80	<i>M. Graham</i>	<i>6-13-18</i>	0300	77	<i>Fuentes</i>	<i>6-14-18</i>	0300	74	<i>M. Graham</i>	<i>6-15-18</i>	0300	75°	<i>R. Morales</i>	<i>6-16-18</i>	0300	73°	<i>R. Morales</i>	
	0600	73	<i>BLASDELL</i>		0600	77	<i>BLASDELL</i>		0600	75	<i>M. Graham</i>		0600	75	<i>M. Graham</i>		0600	74	<i>M. Graham</i>		0600	74	<i>M. Graham</i>		0600	73	<i>R. Morales</i>	
	0900	75	<i>BLASDELL</i>		0900	77	<i>BLASDELL</i>		0900	75	<i>M. Graham</i>		0900	75	<i>M. Graham</i>		0900	74	<i>M. Graham</i>		0900	74	<i>M. Graham</i>		0900	73	<i>R. Morales</i>	
	1200	77	<i>M. Yanez</i>		1200	79	<i>BLASDELL</i>		1200	74	<i>M. Graham</i>		1200	74	<i>M. Graham</i>		1200	73	<i>M. Graham</i>		1200	73	<i>M. Graham</i>		1200	72	<i>R. Morales</i>	
	1500	77	<i>J. Valenck</i>		1500	71	<i>J. Valenck</i>		1500	71	<i>J. Valenck</i>		1500	81	<i>J. Valenck</i>		1500	81	<i>J. Valenck</i>		1500	79	<i>J. Valenck</i>		1500	78	<i>R. Morales</i>	
	1800	81	<i>J. Valenck</i>		1800	82	<i>J. Valenck</i>		1800	79	<i>J. Valenck</i>		1800	78	<i>R. Morales</i>													
	2100	81	<i>J. Valenck</i>		2100	82	<i>J. Valenck</i>		2100	79	<i>J. Valenck</i>		2100	78	<i>R. Morales</i>													
	2400	77	<i>M. Graham</i>		2400	80	<i>M. Graham</i>		2400	80	<i>M. Graham</i>		2400	80	<i>M. Graham</i>		2400	79	<i>M. Graham</i>		2400	78	<i>M. Graham</i>		2400	77	<i>R. Morales</i>	
Wednesday				Thursday				Friday				Saturday				Sunday				Notes								
<i>6-12-18</i>	0300	80	<i>M. Graham</i>	<i>6-13-18</i>	0300	77	<i>BLASDELL</i>	<i>6-14-18</i>	0300	74	<i>M. Graham</i>	<i>6-15-18</i>	0300	75°	<i>R. Morales</i>	<i>6-16-18</i>	0300	73°	<i>R. Morales</i>									
	0600	77	<i>BLASDELL</i>		0600	75	<i>BLASDELL</i>		0600	77	<i>M. Graham</i>		0600	75	<i>M. Graham</i>		0600	74	<i>M. Graham</i>		0600	73	<i>M. Graham</i>	0600	72	<i>R. Morales</i>		
	0900	74	<i>BLASDELL</i>		0900	77	<i>BLASDELL</i>		0900	74	<i>M. Graham</i>		0900	75	<i>M. Graham</i>		0900	74	<i>M. Graham</i>		0900	73	<i>M. Graham</i>	0900	72	<i>R. Morales</i>		
	1200	81	<i>BLASDELL</i>		1200	74	<i>BLASDELL</i>		1200	74	<i>M. Graham</i>		1200	75	<i>M. Graham</i>		1200	74	<i>M. Graham</i>		1200	73	<i>M. Graham</i>	1200	72	<i>R. Morales</i>		
	1500	84	<i>J. Valenck</i>		1500	81	<i>J. Valenck</i>		1500	79	<i>J. Valenck</i>	1500	78	<i>R. Morales</i>														
	1800	81	<i>J. Valenck</i>		1800	79	<i>J. Valenck</i>	1800	78	<i>R. Morales</i>																		
	2100	81	<i>J. Valenck</i>		2100	79	<i>J. Valenck</i>	2100	78	<i>R. Morales</i>																		
	2400	79	<i>J. Valenck</i>		2400	74	<i>M. Graham</i>		2400	73	<i>M. Graham</i>	2400	72	<i>R. Morales</i>														

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDH-2 Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/17/14	0300	70	M. Graham
	0600	73	B. Blasell
	0900	75	B. Blasell
	1200	75	B. Blasell
	1500	75	Valencia
	1800	75	Valencia
	2100	75	Valencia
	2400	72	M. Graham

Tuesday

Date	Time	Temp.	Name (Print)
06/18/14	0300	70	M. Graham
	0600	72	J. Yanez
	0900	73	M. Yanez
	1200	75	M. Yanez
	1500	75	J. Valencia
	1800	75	J. Valencia
	2100	75	J. Valencia
	2400	72	M. Graham

Wednesday

Date	Time	Temp.	Name (Print)
06/19/14	0300	70	M. GRAHAM
	0600	73°	J. LUQUE
	0900	73°	J. LUQUE
	1200	75°	J. LUQUE
	1500	79	J. Valencie
	1800	79	J. Valencie
	2100	77	J. Valencie
	2400	72	M. GRAHAM

Thursday

Date	Time	Temp.	Name (Print)
06/20/14	0300	70	M. GRAHAM
	0600	73	F. RAMIREZ
	0900	73	F. RAMIREZ
	1200	75	F. RAMIREZ
	1500	77	J. Valencia
	1800	79	J. Valencia
	2100	77	J. Valencia
	2400	72	M. GRAHAM

Friday

Date	Time	Temp.	Name (Print)
06/21/14	0300	75°	M. GRAHAM
	0600	72	M. Yanez
	0900	73	M. Yanez
	1200	70	M. Yanez
	1500	77	A. CERMENO
	1800	79	A. CERMENO
	2100	79	A. CERMENO
	2400	72	A. NAJERA

Saturday

Date	Time	Temp.	Name (Print)
06/22/14	0300	73	A. NAJERA
	0600	73	J. Valencia
	0900	77	J. Valencia
	1200	79	J. Valencia
	1500	81	S. Seville
	1800	82	S. Seville
	2100	82	S. Seville
	2400	79	RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
06/23/14	0300	77	RAMIREZ
	0600	77	CERMENO A.
	0900	80	CERMENO A.
	1200	81	CERMENO A.
	1500	84	J. Valencia
	1800	84	J. Valencia
	2100	82	J. Valencia
	2400	79	M. Graham

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDH-2 Temp. Reading Location: 1ST TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/24/18	0300	79°	J. Valencie
	0600	77°	M. Vanz
	0900	77°	M. Vanz
	1200	82°	M. Vanz
	1500	85	J. Valencie
	1800	84	J. Valencie
	2100	84	J. Valencie
	2400	81	M. GRAHAM

Tuesday

Date	Time	Temp.	Name (Print)
06/25/18	0300	79	M. GRAHAM
	0600	77	J. Valencie
	0900	79	J. Valencie
	1200	81	J. Valencie
	1500	82	J. Valencie
	1800	82	J. Valencie
	2100	81	J. Valencie
	2400	79	M. GRAHAM

Wednesday

Date	Time	Temp.	Name (Print)
06/26/18	0300	79	M. GRAHAM
	0600	75	J. Valencie
	0900	78	J. Valencie
	1200	79	J. Valencie
	1500	79	J. Valencie
	1800	81	J. Valencie
	2100	82	J. Valencie
	2400	78	M. GRAHAM

Thursday

Date	Time	Temp.	Name (Print)
06/27/18	0300	77	M. Graham
	0600	75	M. Vanz
	0900	76	
	1200	77	
	1500	79	J. Valencie
	1800	81	J. Valencie
	2100	81	J. Valencie
	2400	79	R. Morales

Friday

Date	Time	Temp.	Name (Print)
06/28/18	0300	75	M. GRAHAM
	0600	74	M. Vanz
	0900	75	M. Vanz
	1200	77	M. Vanz
	1500	79	CARMEN A
	1800	81	CARMEN A
	2100	79	CARMEN A
	2400	79	R. TAPULIA

Saturday

Date	Time	Temp.	Name (Print)
06/29/18	0300	79	R. TAPULIA
	0600	75	D. MEDINA
	0900	75	D. MEDINA
	1200	77	D. MEDINA
	1500	77	A. CERMEND
	1800	78	A. CERMEND
	2100	78	A. CERMEND
	2400	77	R. MORALES

Sunday

Date	Time	Temp.	Name (Print)
06/30/18	0300	75°	R. MORALES
	0600	77	A. CERMEND
	0900	77	A. CERMEND
	1200	78	A. CERMEND
	1500	81	J. Valencie
	1800	82	J. Valencie
	2100	82	J. Valencie
	2400	81	RAMIREZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H3 Temp. Reading Location: Day Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300	74	E. Villalobos
	0600	76	Basrao
	0900	78	Basrao
	1200	78	Santana
	1500	79	M. Valencia
	1800	78	M. Valencia
	2100	79	M. Valencia
	2400	78	VILLALOBOS

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	77	E. Villalobos
	0600	75	J. Amador
	0900	78	J. Amador
	1200	78	J. Amador
	1500	78	S. River
	1800	78	S. River
	2100	78	S. River
	2400	78	S. River

Notes

6/1/18

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: Day Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	75	C. VILLALBES
6/3/18	0600	76	Gastano
	0900	77	Banaco
	1200	77	Banaco
	1500	79	N. MOLARDO
	1800	78	N. MOLARDO
	2100	77	N. MOLARDO
	2400	78	S. BORREGO

Wednesday

Date	Time	Temp.	Name (Print)
6/5/18	0300	79	J. GALANIZ
	0600	77	R. BAKER
	0900	77	R. BAKER
	1200	80	R. BAKER
	1500	81	R. MICHELSON
	1800	82	R. MICHELSON
	2100	82	R. MICHELSON
	2400	80	R. MICHELSON

Friday

Date	Time	Temp.	Name (Print)
6/7/18	0300	83	J. GALANIZ
	0600	81	E. HURD
	0900	81	E. HURD
	1200	81	E. HURD
	1500	81	R. MICHELSON
	1800	81	R. MICHELSON
	2100	81	R. MICHELSON
	2400	80	J. GALANIZ

Sunday

Date	Time	Temp.	Name (Print)
6/10/18	0300	78	S. RIVERA
	0600	78	Garcia
	0900	79	Garcia
	1200	80	Garcia
	1500	80	ALKOBATI
	1800	80	ALKOBATI
	2100	79	ALKOBATI
	2400	78	O. JALADEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/4/18	0300	77	S. BORREGO
	0600	78	K. Bailey
	0900	78	K. Bailey
	1200	78	K. Bailey
	1500	74	J. GALANIZ
	1800	73	J. GALANIZ
	2100	78	J. GALANIZ
	2400	78	J. GALANIZ

Thursday

Date	Time	Temp.	Name (Print)
6/6/18	0300	80	S. BORREGO
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	82	R. MICHELSON
	1800	83	R. MICHELSON
	2100	83	R. MICHELSON
	2400	83	J. GALANIZ

Saturday

Date	Time	Temp.	Name (Print)
6/8/18	0300	80	J. GALANIZ
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	80	S. RIVERA
	1800	80	S. RIVERA
	2100	78	S. RIVERA
	2400	78	S. RIVERA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (0418)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: D-P-4 Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6081 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/10/24	0300	78	P. VALADEZ
	0600	78	BATIRON
	0900	79	P. VALADEZ
	1200	79	P. VALADEZ
	1500	79	N. MOSAVERO
	1800	80	N. MOSAVERO
	2100	80	N. MOSAVERO
	2400	80	S. BORREGO

Wednesday

Date	Time	Temp.	Name (Print)
5/12/24	0300	79	S. BORREGO
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	81	R. MICHENER
	1800	81	R. MICHENER
	2100	81	R. MICHENER
	2400	80	S. BORREGO

Friday

Date	Time	Temp.	Name (Print)
5/14/24	0300	80	J. GALANIZ
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	80	D. VALADEZ ALCARAZ
	1800	80	D. VALADEZ ALCARAZ
	2100	83	ALCARAZ
	2400	80	D. VALADEZ

Sunday

Date	Time	Temp.	Name (Print)
5/16/24	0300	79	F. HARVEY
	0600	78	F. HARVEY
	0900	79	F. HARVEY
	1200	79	F. HARVEY
	1500	79	S. RIVERA
	1800	79	S. RIVERA
	2100	79	S. RIVERA
	2400	79	S. BORREGO

Tuesday

Date	Time	Temp.	Name (Print)
5/11/24	0300	79	S. BORREGO
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	81	R. MICHENER
	1800	81	R. MICHENER
	2100	81	R. MICHENER
	2400	80	S. BORREGO

Thursday

Date	Time	Temp.	Name (Print)
5/13/24	0300	80	S. BORREGO
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	80	J. GALANIZ
	1800	80	J. GALANIZ
	2100	80	J. GALANIZ
	2400	80	J. GALANIZ

Saturday

Date	Time	Temp.	Name (Print)
5/15/24	0300	80	P. VALADEZ
	0600	79	BATIRON
	0900	80	BATIRON
	1200	80	BATIRON
	1500	79	S. RIVERA
	1800	80	S. RIVERA
	2100	80	S. RIVERA
	2400	80	S. RIVERA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H3 Temp. Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	73	S. BOREA
	0600	75	Gannone
	0900	75	R. BOAKER
	1200	75	R. BOAKER
	1500	78	M. ENIGAN
	1800	78	M. ENIGAN
	2100	77	M. ENIGAN
	2400	75	S. BOREA

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	72	S. BOREA
	0600	75	E. HURD
	0900	75	E. HURD
	1200	75	E. HURD
	1500	76	S. SEVILL
	1800	76	S. SEVILL
	2100	75	S. SEVILL
	2400	75	S. BOREA

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	78	S. GALAVIZ
	0600	76	E. HURD
	0900	76	E. HURD
	1200	76	E. HURD
	1500	76	R. Michtson
	1800	77	R. Michtson
	2100	77	R. Michtson
	2400	75	S. GALAVIZ

Sunday

Date	Time	Temp.	Name (Print)
6-23-24	0300	79	S. RIVERA
	0600	80	S. MARTINEZ
	0900	80	BASILIO
	1200	80	BASILIO
	1500	80	S. RIVERA
	1800	80	S. RIVERA
	2100	80	S. RIVERA
	2400	78	S. BOREA

Tuesday

Date	Time	Temp.	Name (Print)
6-18-24	0300	72	S. BOREA
	0600	75	E. HURD
	0900	75	E. HURD
	1200	75	E. HURD
	1500	75	R. Michtson
	1800	75	R. Michtson
	2100	74	R. Michtson
	2400	73	S. BOREA

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	75	S. BOREA
	0600	75	E. HURD
	0900	75	E. HURD
	1200	75	E. HURD
	1500	76	R. Michtson
	1800	76	R. Michtson
	2100	75	R. Michtson
	2400	76	S. GALAVIZ

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	75	S. GALAVIZ
	0600	76	BASILIO
	0900	77	BASILIO
	1200	78	BASILIO
	1500	80	S. RIVERA
	1800	80	S. RIVERA
	2100	80	S. RIVERA
	2400	80	S. RIVERA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H3 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	79	S. BORREGO
	0600	79	Barrera
	0900	80	Barrera
	1200	80	Barrera
	1500	80	N. M. SAKAWA
	1800	80	N. M. SAKAWA
	2100	79	N. M. SAKAWA
	2400	80	S. BORREGO

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	80	S. BORREGO
	0600	80	E. HURO
	0900	80	E. HURO
	1200	80	E. HURO
	1500	80	ENRIQUEW
	1800	81	ENRIQUEW
	2100	80	ENRIQUEW
	2400	80	S. BORREGO

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	80	S. BORREGO
	0600	80	R. BAKER
	0900	83	R. BAKER
	1200	90	R. BAKER
	1500	82	R. MICHELSON
	1800	82	R. MICHELSON
	2100	82	R. MICHELSON
	2400	81	S. BORREGO

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	80	S. BORREGO
	0600	80	J. LUDOLE
	0900	80	J. LUDOLE
	1200	80	J. LUDOLE
	1500	79	R. MICHELSON
	1800	79	R. MICHELSON
	2100	78	R. MICHELSON
	2400	80	J. GALANIZ

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	80	J. GALANIZ
	0600	80	E. HURO
	0900	80	E. HURO
	1200	80	E. HURO
	1500	79	R. MICHELSON
	1800	80	R. MICHELSON
	2100	80	R. MICHELSON
	2400	80	S. SMITH

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	80	S. SMITH
	0600	80	S. SMITH
	0900	80	E. HURO
	1200	80	E. HURO
	1500	80	S. RIVERA
	1800	80	S. RIVERA
	2100	80	S. RIVERA
	2400	79	S. RIVERA

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	79	S. RIVERA
	0600	79	Barrera
	0900	80	Barrera
	1200	80	Barrera
	1500	80	S. RIVERA
	1800	80	S. RIVERA
	2100	80	S. RIVERA
	2400	80	MAMANAC

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR-2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: 44 Temp. Reading Location: 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	78	C. Villalobos
	0600	78	J. Ramirez
	0900	80	J. Ramirez
	1200	80	J. Ramirez
	1500	81	R. Michtelson
	1800	82	R. Michtelson
	2100	82	R. Michtelson
	2400	82	C. Villalobos

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	80	C. Villalobos
	0600	78	J. Ramirez
	0900	76	J. Ramirez
	1200	78	J. Ramirez
	1500	80	I. Alcalde
	1800	81	I. Alcalde
	2100	82	I. Alcalde
	2400	80	J. Ramirez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP RC Housing Unit: 44 Temp. Reading Location: /57
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6021 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-1-24	0300	80	F GALICIA
	0600	78	J. RAMIREZ
	0900	78	J. RAMIREZ
	1200	79	J. RAMIREZ
	1500	80	A. MOCOZA
	1800	80	A.M. OCOCZA
	2100	80	A.M. OCOCZA
	2400	80	I. HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	80	I. HERNANDEZ
	0600	80	I. HERNANDEZ
	0900	80	B. ORTEGA
	1200	80	B. ORTEGA
	1500	80	A. MOCOZA
	1800	80	A. MOCOZA
	2100	80	A. MOCOZA
	2400	80	N. MOSARDO

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	0300	80	N. MOSARDO
	0600	80	F. MELGOZA
	0900	80	F. MELGOZA
	1200	80	F. MELGOZA
	1500	81	B. ORTEGA
	1800	83	B. ORTEGA
	2100	80	B. ORTEGA
	2400	80	N. MOSARDO

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	0300	80	N. MOSARDO
	0600	79	J. RAMIREZ
	0900	79	J. RAMIREZ
	1200	80	J. RAMIREZ
	1500	81	B. ORTEGA
	1800	83	B. ORTEGA
	2100	80	B. ORTEGA
	2400	80	N. MOSARDO

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	0300	80	N. MOSARDO
	0600	78	J. RAMIREZ
	0900	78	J. RAMIREZ
	1200	79	J. RAMIREZ
	1500	80	J. AMADOR
	1800	80	J. AMADOR
	2100	80	J. AMADOR
	2400	78	K. CESNA

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	0300	78	K. CEJA
	0600	79	F. GALICIA
	0900	80	F. GALICIA
	1200	81	F. GALICIA
	1500	76	R. MICHELSON
	1800	78	R. MICHELSON
	2100	76	R. MICHELSON
	2400	76	C. VILLALOBOS

Notes

Date	Time	Temp.	Name (Print)
6/9/2024	0300	74	C. VILLALOBOS
	0600	72	F. GALICIA
	0900	76	F. GALICIA
	1200	78	F. GALICIA
	1500	78	L. Alcalde
	1800	78	L. Alcalde
	2100	78	L. Alcalde
	2400	78	K. CESNA

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H4 Temp. Reading Location: T1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6000 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	75°	K. CESA
	0600	79	I. HERNANDEZ
	0900	72	B. LELAYA
	1200	73	B. LELAYA
	1500	73	S. Rios
	1800	78	S. Rios
	2100	78	S. Rios
	2400	78	N. MOSARDO

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	75	N. MOSARDO
	0600	74	I. HERNANDEZ
	0900	75	I. HERNANDEZ
	1200	75	I. HERNANDEZ
	1500	78	S. Rios
	1800	80	S. Rios
	2100	80	S. Rios
	2400	80	N. MOSARDO

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	79	N. MOSARDO
	0600	79	I. HERNANDEZ
	0900	79	B. Ortega
	1200	81	B. Ortega
	1500	82	B. Ortega
	1800	82	B. Ortega
	2100	80	B. Ortega
	2400	80	N. MOSARDO

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	78	N. MOSARDO
	0600	78	MACIEL, J.
	0900	78	MACIEL, J.
	1200	78	MACIEL, J.
	1500	79	B. Ortega
	1800	79	B. Ortega
	2100	79	B. Ortega
	2400	79	N. MOSARDO

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	77	N. MOSARDO
	0600	73	MACIEL, J.
	0900	73	MACIEL, J.
	1200	75	MACIEL, J.
	1500	74	Ortega, B.
	1800	78	Ortega, B.
	2100	78	Ortega, B.
	2400	75	S. Rivero

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	74	S. Rivero
	0600	73	MACIEL, J.
	0900	73	MACIEL, J.
	1200	74	MACIEL, J.
	1500	73	L. Medina
	1800	73	L. Medina
	2100	72	L. Medina
	2400	76	M. Pascual

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	72	M. Pascual
	0600	72	MACIEL, J.
	0900	72	MACIEL, J.
	1200	73	MACIEL, J.
	1500	75	L. Alcalde
	1800	75	L. Alcalde
	2100	74	L. Alcalde
	2400	77	M. Pascual

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H4 Temp. Reading Location: T
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	74	M. ANTONIA
	0600	74	I. HERNANDEZ
	0900	75	I. HERNANDEZ
	1200	75	I. HERNANDEZ
	1500	75	F. HARVEY
	1800	72	F. HARVEY
	2100	72	F. HARVEY
	2400	72	I. HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	70	I. HERNANDEZ
	0600	70	J. LUQUE
	0900	70	J. LUQUE
	1200	70	J. LUQUE
	1500	70	F. HARVEY
	1800	72	F. HARVEY
	2100	72	F. HARVEY
	2400	70	M. PANTDIA

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	71	M. PANTDIA
	0600	71	F. MELGOZA
	0900	71	I. HERNANDEZ
	1200	79	F. MELGOZA
	1500	75	I. Alcala
	1800	75	I. Alcala
	2100	75	I. Alcala
	2400	72	S. MORENO

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	72	S. MORENO
	0600	70	E. GONZALEZ
	0900	71	E. GONZALEZ
	1200	71	E. GONZALEZ
	1500	73	I. Alcala
	1800	73	I. Alcala
	2100	73	I. Alcala
	2400	72	L. PEREZCHICA

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	L. PEREZCHICA
	0600	71	E. GONZALEZ
	0900	71	E. GONZALEZ
	1200	72	E. GONZALEZ
	1500	74	B. O'NEAL
	1800	74	B. O'NEAL
	2100	72	B. O'NEAL
	2400	72	M. SONES

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	73	D. GIBB
	0600	77	E. GONZALEZ
	0900	71	E. GONZALEZ
	1200	72	E. GONZALEZ
	1500	78	R. MICHAELSON
	1800	78	R. M. MICHAELSON
	2100	78	R. M. MICHAELSON
	2400	78	E. GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	76	E. GONZALEZ
	0600	79	E. GONZALEZ
	0900	78	E. GONZALEZ
	1200	78	E. GONZALEZ
	1500	80	F. HARVEY
	1800	80	F. HARVEY
	2100	79	F. HARVEY
	2400	75	N. JONES

Notes

INSIDE TEMPERATURE RECORD
CDGR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H4 Temp. Reading Location: T1
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/21/18	0300	75	G. Montoya
	0600	75	J. Ramirez
	0900	79	J. Ramirez
	1200	74	J. Ramirez
	1500	79	A.M. OCTOAN
	1800	80	A.M. OCTOAN
	2100	80	A.M. OCTOAN
	2400	80	N. Mojando

Tuesday

Date	Time	Temp.	Name (Print)
6/21/18	0300	78	N. MOJANDO
24	0600	75	J. RAMIREZ
	0900	79	J. RAMIREZ
	1200	79	J. RAMIREZ
	1500	80	A.M. OCTOAN
	1800	80	A.M. OCTOAN
	2100	80	K.M. OCTOAN
	2400	80	N. MOJANDO

Wednesday

Date	Time	Temp.	Name (Print)
6/22/18	0300	80	N. MOJANDO
24	0600	80	J. RAMIREZ
	0900	80	J. RAMIREZ
	1200	80	J. RAMIREZ
	1500	80	B. ORTEGA
	1800	81	B. ORTEGA
	2100	79	B. ORTEGA
	2400	79	N. MOJANDO

Thursday

Date	Time	Temp.	Name (Print)
6/21/18	0300	79	N. MOSALES
24	0600	70	J. RAMIREZ
	0900	75	J. RAMIREZ
	1200	76	J. RAMIREZ
	1500	78	B. ORTEGA
	1800	79	B. ORTEGA
	2100	74	B. ORTEGA
	2400	78	S. SERVILLE

Friday

Date	Time	Temp.	Name (Print)
6/24/18	0300	78	S. SERVILLE
	0600	78	S. SERVILLE
	0900	79	S. SERVILLE
	1200	79	S. SERVILLE
	1500	79	B. ORTEGA
	1800	79	B. ORTEGA
	2100	78	B. ORTEGA
	2400	78	G. MONTAÑA H4

Saturday

Date	Time	Temp.	Name (Print)
6/29/18	0300	77	G. MONTAÑA H4
	0600	74	J. RAMIREZ
	0900	74	J. RAMIREZ
	1200	74	J. RAMIREZ
	1500	76	R. MICHELSON
	1800	78	R. MICHELSON
	2100	78	R. MICHELSON
	2400	76	J. RAMIREZ

Notes

Date	Time	Temp.	Name (Print)
6/30/18	0300	75	J. RAMIREZ
	0600	75	J. RAMIREZ
	0900	75	J. RAMIREZ
	1200	76	J. RAMIREZ
	1500	80	F. HARVEY
	1800	80	F. HARVEY
	2100	79	F. HARVEY
	2400	79	F. GALICIA

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: M1 Temp. Reading Location: Dayroom (1st tier)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/11/24	0300	69	A. GONZALEZ
	0600	70	MENOR
	0900	70	MUNIZ
	1200	70	INUSA
	1500	70	D. RODRIGUEZ
	1800	71	D. RODRIGUEZ
	2100	71	D. RODRIGUEZ
	2400	71	A. RODRIGUEZ

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	69	A. Rodriguez
	0600	70	D. Munoz
	0900	70	D. Munoz
	1200	71	D. Munoz
	1500	70	Ortiz
	1800	70	Ortiz
	2100	80	Ortiz
	2400	79	B. McFarland

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	68	B. Holland
	0600	66	B. Holland
	0900	69	D. Munoz
	1200	70	D. Munoz
	1500	76°	Orte
	1800	78°	Orte
	2100	80°	Orte
	2400	78°	Orte

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	78°	G. Ortiz
	0600	78°	G. Ortiz
	0900	70	D. Munoz
	1200	70	D. Munoz
	1500	78	T. Livingston
	1800	79	T. Livingston
	2100	79	T. Livingston
	2400	78	R. Boyd

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	78	L. Floyd
	0600	76°	S. Mejia
	0900	78°	S. Mejia
	1200	78°	S. Mejia
	1500	78	J. Chavarria
	1800	78	J. Chavarria
	2100	79	J. Chavarria
	2400	80	L. Floyd

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	79	L. Floyd
	0600	80	S. Mejia
	0900	81°	S. Mejia
	1200	81	S. Mejia
	1500	81	A. Lopez
	1800	80	A. Lopez
	2100	80	A. Lopez
	2400	80	L. Floyd

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	80	L. Floyd
	0600	80	Munoz
	0900	80	Munoz
	1200	81	Munoz
	1500	81	Allobiai
	1800	80	Allobiai
	2100	80	Allobiai
	2400	78	A. Gonzales

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	78	A. Gonzales
	0600	78	Munoz
	0900	78	Munoz
	1200	80	Munoz
	1500	81	Bartlow
	1800	80	Bartlow
	2100	78	Bartlow
	2400	76	A. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	A. Rodriguez
	0600	72	Munoz
	0900	72	Munoz
	1200	72	Munoz
	1500	76°	Orte
	1800	78°	Orte
	2100	80°	Orte
	2400	76	A. Rodriguez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension (6001) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	70	A. RODRIGUEZ
	0600	71	MUNOZ
	0900	72	MUNOZ
	1200	72	MUNOZ
	1500	78	Ortiz
	1800	78°	Ortiz
	2100	78°	Ortiz
	2400	78°	Ortiz

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	78°	Ortiz
	0600	78	Ortiz
	0900	78	MUNOZ
	1200	78	MUNOZ
	1500	79	J. RUFFY
	1800	79	J. RUFFY
	2100	80	Z. REED
	2400	80	L. CLOUTIER

Wednesday			
Date	Time	Temp.	Name (Print)
<u>6/18/24</u>	0300	80	L. CLOUTIER
	0600	81	S. MEJIA
	0900	82	S. MEJIA
	1200	82	S. MEJIA
	1500	82	J. RUFFY
	1800	82	J. RUFFY
	2100	82	J. RUFFY
	2400	80	L. CLOUTIER

Thursday			
Date	Time	Temp.	Name (Print)
<u>6/19/24</u>	0300	80	L. CLOUTIER
	0600	80	S. MEJIA
	0900	79°	S. MEJIA
	1200	80°	S. MEJIA
	1500	82	J. RUFFY
	1800	82	J. RUFFY
	2100	82	J. RUFFY
	2400	82	J. NICKEL

Friday			
Date	Time	Temp.	Name (Print)
<u>6/20/24</u>	0300	81	J. NICKEL
	0600	78	MUNOZ
	0900	78	MUNOZ
	1200	78	MUNOZ
	1500	80	ALROBIAI
	1800	80	ALROBIAI
	2100	79	ALROBIAI
	2400	78	L. CLOUTIER

Saturday			
Date	Time	Temp.	Name (Print)
<u>6/21/24</u>	0300	78	L. CLOUTIER
	0600	78	MUNOZ
	0900	78	MUNOZ
	1200	80	MUNOZ
	1500	82	JONES
	1800	80	JONES
	2100	80	JONES
	2400	77	A. RODRIGUEZ

Sunday			
Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	72	A. RODRIGUEZ
	0600	72	MUNOZ
	0900	72	MUNOZ
	1200	72	MUNOZ
	1500	78	Ortiz
	1800	78°	Ortiz
	2100	78	Ortiz
	2400	78	A. RODRIGUEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WS SP Housing Unit: M1 Temp. Reading Location: DAY Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6-17-24

Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	70	ORTIZ
	0600	72	MUNIZ
	0900	72	MUNIZ
	1200	72	MUNIZ
	1500	78	ORTIZ
	1800	78	ORTIZ
	2100	78	ORTIZ
	2400	78	ORTIZ

Tuesday

Date	Time	Temp.	Name (Print)
<u>6-18-24</u>	0300	78	ORTIZ
	0600	78	ORTIZ
	0900	70	MUNIZ
	1200	70	MUNIZ
	1500	75	J. RUFFY
	1800	75	J. RUFFY
	2100	78	J. RUFFY
	2400	70	J. RUFFY

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/19-24</u>	0300	70	R. Clegg
	0600	75	S. MEJIA
	0900	75	S. MEJIA
	1200	75	S. MEJIA
	1500	72	J. RUFFY
	1800	72	J. RUFFY
	2100	75	J. RUFFY
	2400	72	R. Clegg

Thursday

Date	Time	Temp.	Name (Print)
<u>6-20-24</u>	0300	72	R. Clegg
	0600	73	S. MEJIA
	0900	73	S. MEJIA
	1200	74	S. MEJIA
	1500	73	J. RUFFY
	1800	73	J. RUFFY
	2100	73	J. RUFFY
	2400	71	R. Clegg

Friday

Date	Time	Temp.	Name (Print)
<u>6/21-24</u>	0300	71	R. Clegg
	0600	72	MUNIZ
	0900	72	MUNIZ
	1200	74	MUNIZ
	1500	73	J. RUFFY
	1800	74	J. RUFFY
	2100	74	J. RUFFY
	2400	74	R. Clegg

Saturday

Date	Time	Temp.	Name (Print)
<u>6-22-24</u>	0300	73	R. Clegg
	0600	73	T. LINDNER
	0900	74	T. LINDNER
	1200	76	T. LINDNER
	1500	74	J. RUFFY
	1800	73	J. RUFFY
	2100	76	J. RUFFY
	2400	74	A. ROBERTSON

Sunday

Date	Time	Temp.	Name (Print)
<u>6/23-24</u>	0300	72	A. ROBERTSON
	0600	74	MUNIZ
	0900	74	MUNIZ
	1200	74	MUNIZ
	1500	70	ORTIZ
	1800	78	ORTIZ
	2100	80	ORTIZ
	2400	78	A. ROBERTSON

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/24/14</u>	0300	74-	A. ROOPURUZ
	0600	74	D. MUNIZ
	0900	74	D. MUNIZ
	1200	74	D. MUNIZ
	1500	82-	Ortiz
	1800	82	Ortiz
	2100	82	Ortiz
	2400	80	Ortiz

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/25/14</u>	0300	78	Ortiz
	0600	78	D. MUNIZ
	0900	78	D. MUNIZ
	1200	78	D. MUNIZ
	1500	78	G. ZAKAOSA
	1800	79	G. ZAKAOSA
	2100	80	G. ZAKAOSA
	2400	80	L. Cloyd

Wednesday

Date	Time	Temp.	Name (Print)
<u>6-26-14</u>	0300	80	L. Cloyd
	0600	80	S. MEJIA
	0900	80	S. MEJIA
	1200	82	S. MEJIA
	1500	82	S. RIOS
	1800	82	S. RIOS
	2100	82	S. RIOS
	2400	80	L. Cloyd

Thursday

Date	Time	Temp.	Name (Print)
<u>6-27-14</u>	0300	80	L. Cloyd
	0600	80	S. MEJIA
	0900	80	S. MEJIA
	1200	81	S. MEJIA
	1500	78	J. RUFFY
	1800	80	J. RUFFY
	2100	80	J. RUFFY
	2400	80	L. Cloyd

Friday

Date	Time	Temp.	Name (Print)
<u>6-28-14</u>	0300	80	L. Cloyd
	0600	80	H. LOPEZ
	0900	79	H. LOPEZ
	1200	78	H. LOPEZ
	1500	78	J. RUFFY
	1800	80	J. RUFFY
	2100	80	J. RUFFY
	2400	76	D. COBB

Saturday

Date	Time	Temp.	Name (Print)
<u>6-29-14</u>	0300	75°	D. COBB
	0600	78	J. CALIFORNIA
	0900	78	J. CALIFORNIA
	1200	78	J. CALIFORNIA
	1500	80	J. RUFFY
	1800	80	J. RUFFY
	2100	78	J. RUFFY
	2400	74	A. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
<u>6/30/14</u>	0300	72	A. ROOPURUZ
	0600	78	J. CALIFORNIA
	0900	76	J. CALIFORNIA
	1200	78	J. CALIFORNIA
	1500	82	Ortiz
	1800	82	C. Fife
	2100	78	A. RUFFY
	2400	72	A. RUFFY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: M-2 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	72	K. Faly
	0600	71	A. Leon
	0900	70	A. Leon
	1200	71	A. Leon
	1500	75	M. Cordova
	1800	75	M. Cordova
	2100	75	M. Cordova
	2400	72	J. Dunn

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	71	J. Dunn
	0600	70	A. Leon
	0900	71	A. Leon
	1200	71	A. Leon
	1500	75	M. Cordova
	1800	75	M. Cordova
	2100	75	M. Cordova
	2400	74	M. PANTOJA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M2

Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-24	0300	75	M. PANTOJA
	0600	75	M. PANTOJA
	0900	74	M. PANTOJA
	1200	73	M. PANTOJA
	1500	74	ZARGOZA
	1800	75	ZARGOZA
	2100	74	ZARGOZA
	2400	73	M. PANTOJA

Tuesday

Date	Time	Temp.	Name (Print)
9-25	0300	72	M. PANTOJA
	0600	73	L. Brown
	0900	74	L. Brown
	1200	74	L. Brown
	1500	70°	Ortiz
	1800	80°	Ortiz
	2100	82°	Ortiz
	2400	73	MAMAUAG

Wednesday

Date	Time	Temp.	Name (Print)
9-26	0300	73	MAMAUAG
	0600	74	C. CHAPPELL, C.
	0900	78	C. CHAPPELL, C.
	1200	81	C. CHAPPELL, C.
	1500	81	L. Chay
	1800	81	L. Chay
	2100	81	L. Chay
	2400	80	Gonzales

Thursday

Date	Time	Temp.	Name (Print)
9-27	0300	79	Gonzales
	0600	78	J. Rodriguez
	0900	78	J. Rodriguez
	1200	79	J. Rodriguez
	1500	80	M. Cordas
	1800	80	M. Cordas
	2100	80	M. Cordas
	2400	80	M. Pascual

Friday

Date	Time	Temp.	Name (Print)
9-28	0300	79	M. Pascual
	0600	74	Mur
	0900	78	Mur
	1200	79	Mur
	1500	80	M. Cordas
	1800	80	M. Cordas
	2100	79	M. Cordas
	2400	73	M. PANTOJA

Saturday

Date	Time	Temp.	Name (Print)
9-29	0300	72	M. PANTOJA
	0600	72	A. Leon
	0900	73	A. Leon
	1200	73	A. Leon
	1500	79	M. Cordas
	1800	79	M. Cordas
	2100	78	M. Cordas
	2400	78	A. T. LACAS

Sunday

Date	Time	Temp.	Name (Print)
9-30	0300	77	A. T. LACAS
	0600	73	A. Leon
	0900	78	A. Leon
	1200	78	A. Leon
	1500	80	M. Cordas
	1800	80	M. Cordas
	2100	80	M. Cordas
	2400	78	A. T. LACAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: 11.2

Temp. Reading Location: Day Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/10/18	0300	78	A. TACIAS
	0600	74	Mallora
	0900	76	Mallora
	1200	78	Mallora
	1500	80	M. Cardenas
	1800	80	M. Cardenas
	2100	80	M. Cardenas
	2400	79	A. TACIAS

Tuesday

Date	Time	Temp.	Name (Print)
4/11/18	0300	78	A. TACIAS
	0600	74	Mallora
	0900	76	Mallora
	1200	78	Mallora
	1500	80	A. Alvarado
	1800	79	A. Alvarado
	2100	78	A. Alvarado
	2400	78	F. HARVEY

Wednesday

Date	Time	Temp.	Name (Print)
4/12/18	0300	78	F. HARVEY
	0600	77	F. HARVEY
	0900	78	Mallora
	1200	79	Mallora
	1500	82	A. Leon
	1800	82	A. Leon
	2100	81	A. Leon
	2400	78	A. TACIAS

Thursday

Date	Time	Temp.	Name (Print)
4/13/18	0300	78	A. TACIAS
	0600	80	Mallora
	0900	80	Mallora
	1200	80	Mallora
	1500	80	M. Cardenas
	1800	80	M. Cardenas
	2100	80	M. Cardenas
	2400	79	M. Pascual

Friday

Date	Time	Temp.	Name (Print)
4/14/18	0300	77	M. Pascual
	0600	74	Mallora
	0900	76	Mallora
	1200	78	Mallora
	1500	80	M. Cardenas
	1800	80	M. Cardenas
	2100	80	M. Cardenas
	2400	78	M. Pascual

Saturday

Date	Time	Temp.	Name (Print)
4/15/18	0300	77	M. Pascual
	0600	76	A. Leon
	0900	77	A. Leon
	1200	79	A. Leon
	1500	80	M. Cardenas
	1800	80	M. Cardenas
	2100	80	M. Cardenas
	2400	78	A. TACIAS

Sunday

Date	Time	Temp.	Name (Print)
4/16/18	0300	77	A. TACIAS
	0600	77	A. Leon
	0900	77	A. Leon
	1200	77	A. Leon
	1500	80	M. Cardenas
	1800	80	M. Cardenas
	2100	80	M. Cardenas
	2400	79	M. Pascual

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M-2 Temp. Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	77	M. Pascual
	0600	72	Mallano
	0900	74	Mallano
	1200	74	Mallano
	1500	80	M. Cordova
	1800	80	M. Cordova
	2100	80	M. Cordova
	2400	77	A. Macias

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	77	A. Macias
	0600	70	Mallano
	0900	72	Mallano
	1200	72	Mallano
	1500	78°	Ortu
	1800	78°	Ortu
	2100	78°	Ortu
	2400	75	A. Macias

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	75	A. Macias
	0600	71	Mallano
	0900	71	Mallano
	1200	72	Mallano
	1500	73	L. Cloyd
	1800	75	L. Cloyd
	2100	75	L. Cloyd
	2400	75	A. Macias

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	75	A. Macias
	0600	71	Mallano
	0900	71	Mallano
	1200	72	Mallano
	1500	80	M. Cordova
	1800	80	M. Cordova
	2100	80	M. Cordova
	2400	75	E. T. LUNA

Friday

Date	Time	Temp.	Name (Print)
6/24	0300	72	E. T. LUNA
	0600	70	Mallano
	0900	71	Mallano
	1200	72	Mallano
	1500	80	M. Cordova
	1800	80	M. Cordova
	2100	80	M. Cordova
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300		
	0600	71	A. Leon
	0900	73	A. Leon
	1200	75	A. Leon
	1500	80	M. Cordova
	1800	80	M. Cordova
	2100	80	M. Cordova
	2400	80	C. Lomeli

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	80	C. Lomeli
	0600	75	Leon
	0900	75	Leon
	1200	75	Leon
	1500	85	M. Cordova
	1800	85	M. Cordova
	2100	85	M. Cordova
	2400	80	C. Lomeli

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M-2 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	80	C. Lomeu
24	0600	80	Mallano
	0900	81	Mallano
	1200	82	Mallano
	1500	85	m. Cordon
	1800	85	m. Cordon
	2100	85	m. Cordon
	2400	80	A. T. Acias

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	80	A. T. Acias
26	0600	80	Mallano
	0900	80	Mallano
	1200	80	Mallano
	1500	81	R. Lloyd
	1800	81	R. Lloyd
	2100	81	R. Lloyd
	2400	80	A. T. Acias

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	80	D. Cobb
28	0600	79	Leon
	0900	80	Leon
	1200	80	Leon
	1500	85	m. Cordon
	1800	85	m. Cordon
	2100	85	m. Cordon
	2400	83	F. GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	80	A. T. Acias
30	0600	80	A. Leon
	0900	80	A. Leon
	1200	80	A. Leon
	1500	85	m. Cordon
	1800	85	m. Cordon
	2100	85	m. Cordon
	2400	84	A. T. Acias

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	79	A. T. Acias
25	0600	80	Mallano
	0900	80	Mallano
	1200	80	Mallano
	1500	84	O. H. L.
	1800	86	O. H. L.
	2100	86	O. H. L.
	2400	82	A. T. Acias

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	79	A. T. Acias
27	0600	79	Mallano
	0900	80	Mallano
	1200	80	Mallano
	1500	82	m. Cordon
	1800	82	m. Cordon
	2100	82	m. Cordon
	2400	81	D. COBB

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	80	F. GONZALEZ
29	0600	79	Leon
	0900	80	Leon
	1200	80	Leon
	1500	85	m. Cordon
	1800	85	m. Cordon
	2100	85	m. Cordon
	2400	82	A. T. Acias

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	72	C. Marlinne
	0600	73	Bostine
	0900	73	Bostine
	1200	74	Bostine
	1500	73	Bostine
	1800	72	Bostine
	2100	72	Bostine
	2400	72	Chase

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70	McAfee
	0600	71°	MANNINGST
	0900	71°	MANNINGST
	1200	72°	MANNINGST
	1500	73	Bostick
	1800	72	Bostick
	2100	72	Bostick
	2400	72	McAfee

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	72	CMartinez
	0600	72	Linares
	0900	72	Linares
	1200	72	Linares
	1500	72	G.CHACON
	1800	74	G.CHACON
	2100	74	G.CHACON
	2400	74	G.CHACON

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	72	G.CHACON
	0600	72	T.Kitchen
	0900	72	T.Kitchen
	1200	73	T.Kitchen
	1500	73	CLAUDIE
	1800	73	CLAUDIE
	2100	73	CLAUDIE
	2400	72	G.CHACON

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	72	G.CHACON
	0600	71	C.TUCKER
	0900	78	C.TUCKER
	1200	78	C.TUCKER
	1500	76	CLAUDIE
	1800	76	CLAUDIE
	2100	74	CLAUDIE
	2400	79	CMartinez

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	72	CMartinez
	0600	72	G.HENSON
	0900	79	G.HENSON
	1200	76	G.HENSON
	1500	78	MONTONY
	1800	78	MONTONY
	2100	79	MONTONY
	2400	79	B.Garcia

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	79	B.Garcia
	0600	79	G.HENSON
	0900	79	G.HENSON
	1200	79	G.HENSON
	1500	79	MONTONY
	1800	79	MONTONY
	2100	79	MONTONY
	2400	75	CMartinez

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	75	CMartinez
	0600	73	MANNING,T
	0900	74	MANNING,T
	1200	75	MANNING,T
	1500	75	Boston
	1800	74	Boston
	2100	74	Boston
	2400	72	CMartinez

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	CMartinez
	0600	73	Boston
	0900	74	Boston
	1200	74	Boston
	1500	75	Boston
	1800	74	Boston
	2100	73	Boston
	2400	73	CMartinez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	73	Martinez
	0600	73	G. Henson
	0900	73	G. Henson
	1200	73	G. Henson
	1500	74	Montoya
	1800	74	Montoya
	2100	74	Montoya
	2400	74	B. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	75	G. Henson
	0600	75	G. Henson
	0900	75	G. Henson
	1200	75	G. Henson
	1500	78	G. Zarahosa
	1800	78	G. Zarahosa
	2100	76	G. Zarahosa
	2400	73	Martinez

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	Martinez
	0600	72	G. Henson
	0900	73	G. Henson
	1200	74	G. Henson
	1500	75	Montoya
	1800	75	Montoya
	2100	74	Montoya
	2400	74	J. Ryall

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	71	Martinez
	0600	72	Bolton
	0900	73	Bolton
	1200	74	Bolton
	1500	74	Bolton
	1800	73	Bolton
	2100	72	Bolton
	2400	71	Bolton

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	74	B. Garcia
	0600	74	G. Henson
	0900	74	G. Henson
	1200	74	G. Henson
	1500	75	Montoya
	1800	75	Montoya
	2100	75	Montoya
	2400	75	C. Hill

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	73	Martinez
	0600	73	G. Henson
	0900	74	G. Henson
	1200	74	G. Henson
	1500	75	Montoya
	1800	76	Montoya
	2100	75	Montoya
	2400	72	Martinez

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	J. Ryall
	0600	70	J. Ryall
	0900	80	C. Marena
	1200	83	C. Marena
	1500	84	C. Marena
	1800	72	Bostick
	2100	71	Bostick
	2400	71	Martinez

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	71	CMORTNER
	0600	72	GELIAN
	0900	72	G.CHACON
	1200	72	G.CHACON
	1500	73	MONTOLI
	1800	73	MONTOLI
	2100	73	MONTOLI
	2400	72	GELIAN

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	72	G.CHACON
	0600	72	G.HENSON
	0900	74	G.HENSON
	1200	74	G.HENSON
	1500	74	MONTOLI
	1800	75	MONTOLI
	2100	74	MONTOLI
	2400	72	G.CHACON

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	G.CHACON
	0600	72	G.HENSON
	0900	74	G.HENSON
	1200	74	G.HENSON
	1500	75	S.RUPE
	1800	77	S.RUPE
	2100	77	S.RUPE
	2400	72	G.CHACON

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	72	G.CHACON
	0600	72	G.HENSON
	0900	74	G.HENSON
	1200	74	G.HENSON
	1500	75	V.MORENO
	1800	74	V.MORENO
	2100	74	V.MORENO
	2400	72	G.CHACON

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	G.CHACON
	0600	72	G.HENSON
	0900	72	G.HENSON
	1200	74	G.HENSON
	1500	75	MONTOLI
	1800	75	MONTOLI
	2100	74	MONTOLI
	2400	72	G.CHACON

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	72	G.CHACON
	0600	72	F.FUENTES
	0900	75	F.FUENTES
	1200	75	F.FUENTES
	1500	75	G.TORRES
	1800	75	G.TORRES
	2100	75	G.TORRES
	2400	72	G.CHACON

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	72	G.CHACON
	0600	72	BOSTON
	0900	73	BOSTON
	1200	74	BOSTON
	1500	74	BOSTON
	1800	74	BOSTON
	2100	72	BOSTON
	2400	72	G.CHACON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	72	C. Martinez
	0600	72	G. Henson
	0900	74	G. Henson
	1200	74	G. Henson
	1500	72	G. Chan
	1800	72	G. Chan
	2100	72	G. Chan
	2400	72	G. Chan

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	72	G. Chan
	0600	72	M. Cloud
	0900	73	M. Cloud
	1200	72	M. Cloud
	1500	75	Montoya
	1800	75	Montoya
	2100	75	Montoya
	2400	72	G. Chan

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	72	G. Chan
	0600	72	R. Rivera
	0900	72	R. Rivera
	1200	74	R. Rivera
	1500	76	Montoya
	1800	76	Montoya
	2100	76	Montoya
	2400	73	Montoya

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	73	Montoya
	0600	73	G. Henson
	0900	74	G. Henson
	1200	74	G. Henson
	1500	75	Montoya
	1800	76	Montoya
	2100	76	Montoya
	2400	74	Montoya

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	74	C. Martinez
	0600	74	G. Henson
	0900	74	G. Henson
	1200	74	G. Henson
	1500	76	Montoya
	1800	75	Montoya
	2100	75	Montoya
	2400	74	L. Hill

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	74	L. Hill
	0600	74°	Manning
	0900	74°	Manning
	1200	75°	Manning
	1500	75	Boston
	1800	74	Boston
	2100	73	Boston
	2400	73	C. Martinez

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	73	C. Martinez
	0600	73	Boston
	0900	74	Boston
	1200	75	Boston
	1500	75	Boston
	1800	74	Boston
	2100	73	Boston
	2400	72	C. Martinez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70	C Martinez
	0600	72°	MANNING ET
	0900	72°	MANNING ET
	1200	73°	MANNING ET
	1500	73	Bostick
	1800	72	Bostick
	2100	72	Bostick
	2400	72	C Martinez

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	72	C Martinez
	0600	77	Bostick
	0900	73	Bostick
	1200	73	Bostick
	1500	74	Bertier
	1800	73	Bertier
	2100	72	Bostick
	2400	72	C Martinez

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	72	Chastine
	0600	72	Linares
	0900	72	Linares
	1200	72	Linares
	1500	72	G.CHAwn
	1800	74	G.CHAwn
	2100	74	G.CHAwn
	2400	72	G.CHAwn

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	72	G.CHAwn
	0600	72	T.Kitchen
	0900	72	T.Kitchen
	1200	73	T.Kitchen
	1500	74	GLAUNF
	1800	74	GLAUNF
	2100	74	GLAUNF
	2400	72	G.CHAwn

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	72	GCHAwn
	0600	71	C.Tucker
	0900	78	C.Tucker
	1200	78	C.Tucker
	1500	76	GLAUNF
	1800	76	GLAUNF
	2100	74	GLAUNF
	2400	79	C.Martinez

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	72	CHastine
	0600	72	G.HENSON
	0900	76	G.HENSON
	1200	76	G.HENSON
	1500	77	MONTONI
	1800	77	MONTONI
	2100	78	MONTONI
	2400	78	S.Garcia

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	78	B.Garcia
	0600	78	G.HENSON
	0900	78	G.HENSON
	1200	78	G.HENSON
	1500	78	MONTONI
	1800	78	MONTONI
	2100	78	MONTONI
	2400	75	CHastine

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	75	CHastine
	0600	73°	MANNINGIT
	0900	74°	MANNINGIT
	1200	75°	MANNINGIT
	1500	75	B.Garcia
	1800	75	B.Garcia
	2100	76	B.Garcia
	2400	72	CHastine

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	CHastine
	0600	73	B.Garcia
	0900	74	B.Garcia
	1200	74	B.Garcia
	1500	75	B.Garcia
	1800	74	B.Garcia
	2100	74	B.Garcia
	2400	73	CHastine

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	73	CHARTERER
	0600	73	G. HENSON
	0900	73	G. HENSON
	1200	74	G. HENSON
	1500	75	MONTONY
	1800	75	MONTONY
	2100	75	MONTONY
	2400	75	B. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	75	B. GARCIA
	0600	75	G. HENSON
	0900	75	G. HENSON
	1200	75	G. HENSON
	1500	76	MONTONY
	1800	76	MONTONY
	2100	76	MONTONY
	2400	76	C. HILL

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76	C. HILL
	0600	76	G. HENSON
	0900	76	G. HENSON
	1200	78	G. HENSON
	1500	78	G. ZARNOZA
	1800	78	G. ZARNOZA
	2100	78	G. ZARNOZA
	2400	78	C. MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	73	CHARTERER
	0600	73	G. HENSON
	0900	74	G. HENSON
	1200	75	G. HENSON
	1500	75	MONTONY
	1800	75	MONTONY
	2100	74	MONTONY
	2400	72	CHARTERER

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	CHARTERER
	0600	72	G. HENSON
	0900	74	G. HENSON
	1200	75	G. HENSON
	1500	76	MONTONY
	1800	76	MONTONY
	2100	75	MONTONY
	2400	74	T. YILIS

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	73	J. TRILLIO
	0600	73	J. TRILLIO
	0900	82	CAMARENA
	1200	89	CAMARENA
	1500	84	CAMARENA
	1800	72	B. RIVERA
	2100	72	B. RIVERA
	2400	72	CHARTERER

Notes

Date	Time	Temp.	Name (Print)
6/16/24	0300	72	CHARTERER
	0600	71	BOLTON
	0900	75	BOLTON
	1200	74	BOLTON
	1500	74	BOLTON
	1800	75	BOLTON
	2100	72	BOLTON
	2400	71	CHARTERER

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: 01 Temp. Reading Location: TIER 2/B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	C. MARTINEZ
	0600	72	G. HAGAN
	0900	72	G. HAGAN
	1200	72	G. HAGAN
	1500	73	MONTGOMERY
	1800	73	MONTGOMERY
	2100	72	MONTGOMERY
	2400	72	G. HAGAN

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	G. HAGAN
	0600	72	G. HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	70	S. RUIZ
	1800	77	S. RUIZ
	2100	75	S. RUIZ
	2400	72	G. HAGAN

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	G. HAGAN
	0600	72	G. HENSON
	0900	75	G. HENSON
	1200	75	G. HENSON
	1500	75	MONTGOMERY
	1800	75	MONTGOMERY
	2100	74	MONTGOMERY
	2400	72	G. HAGAN

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	72	G. HAGAN
	0600	72	B. SPENCE
	0900	73	B. SPENCE
	1200	74	B. SPENCE
	1500	74	B. SPENCE
	1800	73	B. SPENCE
	2100	72	B. SPENCE
	2400	72	G. HAGAN

Tuesday

Date	Time	Temp.	Name (Print)
6/24/24	0300	72	G. HAGAN
	0600	72	G. HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	75	MONTGOMERY
	1800	75	MONTGOMERY
	2100	74	MONTGOMERY
	2400	72	G. HAGAN

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	72	CHARTER
	0600	72	G. HENSON
	0900	76	G. HENSON
	1200	76	G. HENSON
	1500	75	V. MORENO
	1800	75	V. MORENO
	2100	76	V. MORENO
	2400	72	CHARTER

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	72	CHARTER
	0600	72	F. FUENTES
	0900	75	F. FUENTES
	1200	75	F. FUENTES
	1500	75	G. TORRES
	1800	75	G. TORRES
	2100	75	G. TORRES
	2400	72	CHARTER

Notes

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2/B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	72	CHARTREE
	0600	72	G HENSON
	0900	74	G HENSON
	1200	75	G HENSON
	1500	72	G CHAN
	1800	72	G CHAN
	2100	72	G CHAN
	2400	72	G CHAN

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	72	G CHAN
	0600	72	M CLOUD
	0900	75	M CLOUD
	1200	75	M CLOUD
	1500	74	MONTON
	1800	70	MONTON
	2100	74	MONTON
	2400	77	G CHAN

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	72	G CHAN
	0600	72	R RIVER
	0900	72	R RIVER
	1200	74	R RIVER
	1500	70	MONTON
	1800	70	MONTON
	2100	70	MONTON
	2400	73	CHARTREE

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	73	CHARTREE
	0600	73	G HENSON
	0900	74	G HENSON
	1200	76	G HENSON
	1500	70	MONTON
	1800	70	MONTON
	2100	70	MONTON
	2400	74	CHARTREE

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	74	CHARTREE
	0600	74	G HENSON
	0900	74	G HENSON
	1200	76	G HENSON
	1500	77	MONTON
	1800	70	MONTON
	2100	70	MONTON
	2400	74	C. H. JONES

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	74	L. DILL
	0600	74	MANNING
	0900	74	MANNING
	1200	75	MANNING
	1500	75	BOSSICK
	1800	74	BOSSICK
	2100	73	BOSSICK
	2400	73	CHARTREE

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	75	CHARTREE
	0600	73	BOSSICK
	0900	74	BOSSICK
	1200	75	BOSSICK
	1500	75	BOSSICK
	1800	74	BOSSICK
	2100	73	CHARTREE
	2400	72	CHARTREE

Notes

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: FDB2 Temp. Reading Location: A-SIDE 2ND Tier
(e.g., 1ST tier, 2ND tier, 3RD tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	72	G-CHAW
6/24	0600	71°	P. MULLIGAN
6/24	0900	71°	P. MULLIGAN
6/24	1200	72°	P. MULLIGAN
6/24	1500	72°	P. MULLIGAN
6/24	1800	72	P. MULLIGAN
6/24	2100	72	P. MULLIGAN
6/24	2400	74	G-CHAW

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	70	GLAINE
6/24	0600	70	SWENSON
6/24	0900	72	SWENSON
6/24	1200	72	SWENSON
6/24	1500	73	SWENSON
6/24	1800	73	SWENSON
6/24	2100	70	SWENSON
6/24	2400	73	G-CHAW

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution WIP-RC Housing Unit: FB-D2

Temp. Reading Location:

Inside 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	72	G.CHACON
	0600	72	S.WEISER
	0900	72	S.WEISER
	1200	72	S.WEISER
	1500	73	BOSTICK
24	1800	72	BOSTICK
	2100	72	BOSTICK
	2400	70	GLAUBE

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	70	GLAUBE
	0600	71	SWEISER
	0900	73	SWEISER
	1200	74	SWEISER
	1500	76	SWEISER
24	1800	77	SWEISER
	2100	74	SWEISER
	2400	74	GLAUBE

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	74	GLAUBE
	0600	79	P.MULLIGAN
	0900	80	P.MULLIGAN
	1200	80	P.MULLIGAN
	1500	80°	P.MULLIGAN
24	1800	78°	P.MULLIGAN
	2100	77	P.MULLIGAN
	2400	76	GLAUBE

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	72	G.CHACON
	0600	74	SWEISER
	0900	71	SWEISER
	1200	77	SWEISER
	1500	78	SWEISER
24	1800	78	SWEISER
	2100	78	SWEISER
	2400	76	GLAUBE

Tuesday

Date	Time	Temp.	Name (Print)
6/24	0300	70	GLAUBE
	0600	73°	MANNING,T.
	0900	75°	MANNING,T.
	1200	76°	MANNING,T.
	1500	76°	MANNING,T.
	1800	75°	MANNING,T.
	2100	72°	MANNING,T.
	2400	70	GLAUBE

Thursday

Date	Time	Temp.	Name (Print)
6/24	0300	72	GLAUBE
	0600	74°	P.MULLIGAN
	0900	76°	P.MULLIGAN
	1200	77°	P.MULLIGAN
	1500	80°	P.MULLIGAN
	1800	82°	P.MULLIGAN
	2100	82°	P.MULLIGAN
	2400	78	GLAUBE

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	74	GLAUBE
	0600	76°	P.MULLIGAN
	0900	76°	P.MULLIGAN
	1200	78°	P.MULLIGAN
	1500	76°	G.CHACON
	1800	74°	G.CHACON
	2100	73	G.CHACON
	2400	73	G.CHACON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment 11
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: FDB 2 Temp. Reading Location: A-SIDE 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	74	GLAUME
	0600	76°	MANNING,T
	0900	76°	MANNING,T
	1200	77°	MANNING,T
	1500	78	G. LEMUS
	1800	77	G. LEMUS
	2100	78	G. LEMUS
	2400	78	GLAUME

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76	GLAUME
	0600	77	SWESEN
	0900	78	SWESEN
	1200	78	SWESEN
	1500	77	SWESEN
	1800	76	SWESEN
	2100	76	SWESEN
	2400	76	GLAUME

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	74	GLAUME
	0600	74°	P. MULLIGAN
	0900	74°	P. MULLIGAN
	1200	74°	P. MULLIGAN
	1500	74°	P. MULLIGAN
	1800	74°	P. MULLIGAN
	2100	74°	P. MULLIGAN
	2400	72	GLAUME

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	72	G. CHAUW
	0600	72	C. PAMMEN
	0900	74	C. PAMMEN
	1200	77	C. PAMMEN
	1500	76	S. SWESEN
	1800	74	S. SWESEN
	2100	73	S. SWESEN
	2400	72	G. CHAUW

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	76	GLAUME
	0600	76°	MANNING,T
	0900	76°	MANNING,T
	1200	77°	MANNING,T
	1500	78°	MANNING,T
	1800	77°	MANNING,T
	2100	76°	MANNING,T
	2400	76	GLAUME

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	76	GLAUME
	0600	78°	P. MULLIGAN
	0900	78°	P. MULLIGAN
	1200	80°	P. MULLIGAN
	1500	78°	P. MULLIGAN
	1800	76°	P. MULLIGAN
	2100	77°	P. MULLIGAN
	2400	76	GLAUME

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	GLAUME
	0600	73	G. CHAUW
	0900	78	G. CHAUW
	1200	78	G. CHAUW
	1500	78°	P. MULLIGAN
	1800	72°	P. MULLIGAN
	2100	72°	P. MULLIGAN
	2400	72	G. CHAUW

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution WSP-RC Housing Unit FB-D2 Temp. Reading Location: 2nd Tier ASAC
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		<u>6/17/24</u>		Tuesday		<u>6/18/24</u>	
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300	72	G LAUDER		0300	72	G LAUDER
	0600	73°	MANNING, T.		0600	72°	MANNING, T.
	0900	74°	MANNING, T.		0900	73°	MANNING, T.
	1200	75°	MANNING, T.		1200	74°	MANNING, T.
	1500	76°	M CLOUD		1500	75°	MANNING, T.
	1800	74°	M CLOUD		1800	74°	MANNING, T.
	2100	73°	M CLOUD		2100	73°	MANNING, T.
	2400	72	G LAUDER		2400	72	G LAUDER
Wednesday		<u>6/19/24</u>		Thursday		<u>6/20/24</u>	
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300	72	G LAUDER		0300	72	G LAUDER
	0600	72	Swenson		0600	72°	P. MULLIGAN
	0900	74	Swenson		0900	74°	P. MULLIGAN
	1200	73	Swenson		1200	72°	P. MULLIGAN
	1500	73	Swenson		1500	72°	P. MULLIGAN
	1800	73	Swenson		1800	72°	P. MULLIGAN
	2100	73	Swenson		2100	72°	P. MULLIGAN
	2400	72	G LAUDER		2400	72	G LAUDER
Friday		<u>6/21/24</u>		Saturday		<u>6/22/24</u>	
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300	72	G LAUDER		0300	72	G LAUDER
	0600	72°	P. MULLIGAN		0600	72	Swenson
	0900	72°	P. MULLIGAN		0900	72	Swenson
	1200	72°	P. MULLIGAN		1200	73	Swenson
	1500	72°	P. MULLIGAN		1500	72	Swenson
	1800	72°	P. MULLIGAN		1800	72	Swenson
	2100	72°	P. MULLIGAN		2100	72	Swenson
	2400	72	G LAUDER		2400	72	G LAUDER
Sunday		<u>6/23/24</u>		Notes			
Date	Time	Temp.	Name (Print)				
	0300	72	Swenson, P. MULLIGAN				
	0600	73	P. MULLIGAN, G LAUDER				
	0900	73	P. MULLIGAN, G LAUDER				
	1200	73	P. MULLIGAN, G LAUDER				
	1500	73°	G LAUDER, P. MULLIGAN				
	1800	73°	G LAUDER, P. MULLIGAN				
	2100	72	G LAUDER, P. MULLIGAN				
	2400	72	G LAUDER, P. MULLIGAN				

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	72°	C.CHACON
	0600	74°	MANNINGIT
	0900	75°	MANNINGIT
	1200	76°	MANNINGIT
	1500	75	Betha
	1800	74	Betha
	2100	72	Gordon
	2400	72	CLAUDIE

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	72	CLAUDIE
	0600	72	Swenson
	0900	73	Swenson
	1200	73	Swenson
	1500	73	Swenson
	1800	72	Swenson
	2100	72	Swenson
	2400	72	CLAUDIE

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	74	CLAUDIE
	0600	74	Swenson
	0900	73	Swenson
	1200	73	Swenson
	1500	73	P.MULLIGAN
	1800	73	P.MULLIGAN
	2100	73	P.MULLIGAN
	2400	72	CLAUDIE

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	72	G CHACON
	0600	72°	P.MULLIGAN
	0900	72°	P.MULLIGAN
	1200	72°	P.MULLIGAN
	1500	72°	P.MULLIGAN
	1800	72°	P.MULLIGAN
	2100	72°	P.MULLIGAN
	2400	72	G CHACON

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	72	CLAUDIE
	0600	74°	MANNINGIT
	0900	75°	MANNINGIT
	1200	76°	MANNINGIT
	1500	76°	MANNINGIT
	1800	75°	MANNINGIT
	2100	73°	MANNINGIT
	2400	72	CLAUDIE

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	72	CLAUDIE
	0600	76°	P.MULLIGAN
	0900	75°	P.MULLIGAN
	1200	74°	P.MULLIGAN
	1500	76°	P.MULLIGAN
	1800	78°	P.MULLIGAN
	2100	78°	P.MULLIGAN
	2400	76	CLAUDIE

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	72	CLAUDIE
	0600	73	Swenson
	0900	74	Swenson
	1200	74	Swenson
	1500	75	Swenson
	1800	75	Swenson
	2100	75	Swenson
	2400	72	G CHACON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB2 Temp. Reading Location: B-SIDE 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6	0300	73	G.C. CHAM.
	0600	72°	P.MULLIGAN
	0900	72°	P.MULLIGAN
2	1200	73°	P.MULLIGAN
	1500	73°	P.MULLIGAN
	1800	73°	P.MULLIGAN
24	2100	73°	P.MULLIGAN
	2400	73	G.C. CHAM.

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6	0300	70	CLAUDE
	0600	70	Swenson
	0900	70	Swenson
1	1200	70	Swenson
	1500	72	Swenson
	1800	72	Swenson
24	2100	71	Swenson
	2400	73	G.C. CHAM.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-ore Housing Unit: FB-02 Temp. Reading Location: B Stair - 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	72	G. CHACON
	0600	72	S. WELLS
	0900	72	S. WELLS
	1200	72	S. WELLS
	1500	73	BOSTICK
	1800	72	BOSTICK
	2100	72	BOSTICK
	2400	70	GLAUDIE

Wednesday

Date	Time	Temp.	Name (Print)
6/24	0300	72	GLAUDIE
	0600	73	SWENSON
	0900	74	SWENSON
	1200	73	SWENSON
	1500	78	SWENSON
	1800	76	SWENSON
	2100	74	SWENSON
	2400	74	GLAUDIE

Friday

Date	Time	Temp.	Name (Print)
6/24	0300	80	GLAUDIE
	0600	78	C. MULLIGAN
	0900	79	C. MULLIGAN
	1200	80	C. MULLIGAN
	1500	82°	P. MULLIGAN
	1800	80°	P. MULLIGAN
	2100	78°	P. MULLIGAN
	2400	78	GLAUDIE

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	72	G. CHACON
	0600	76	S. WELLS
	0900	78	S. WELLS
	1200	79	S. WELLS
	1500	78	S. WELLS
	1800	75	S. WELLS
	2100	78	S. WELLS
	2400	76	GLAUDIE

Tuesday

Date	Time	Temp.	Name (Print)
6/24	0300	70	GLAUDIE
	0600	75°	MANNING, T.
	0900	75°	MANNING, T.
	1200	75°	MANNING, T.
	1500	75°	MANNING, T.
	1800	74°	MANNING, T.
	2100	72°	MANNING, T.
	2400	72	GLAUDIE

Thursday

Date	Time	Temp.	Name (Print)
6/24	0300	74	GLAUDIE
	0600	76°	P. MULLIGAN
	0900	78°	P. MULLIGAN
	1200	80°	P. MULLIGAN
	1500	82°	P. MULLIGAN
	1800	84°	P. MULLIGAN
	2100	83°	P. MULLIGAN
	2400	80	GLAUDIE

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	76	GLAUDIE
	0600	79°	P. MULLIGAN
	0900	79°	P. MULLIGAN
	1200	81°	P. MULLIGAN
	1500	76	G. CHACON
	1800	74°	G. CHACON
	2100	73°	G. CHACON
	2400	73°	G. CHACON

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB2Temp. Reading Location: B-SIDE 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	74	CLAUDE
	0600	76°	MANNING,T.
	0900	76°	MANNING,T.
	1200	77°	MANNING,T.
	1500	78	G. LAMER
	1800	76	G. LAMER
	2100	78	G. LAMER
	2400	76	CLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76	CLAUDE
	0600	77	Swenson
	0900	77	Swenson
	1200	78	Swenson
	1500	77	Swenson
	1800	77	Swenson
	2100	76	Swenson
	2400	76	CLAUDE

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	74	CLAUDE
	0600	74°	P. MULLIGAN
	0900	75°	P. MULLIGAN
	1200	75°	P. MULLIGAN
	1500	75°	P. MULLIGAN
	1800	75°	P. MULLIGAN
	2100	73°	P. MULLIGAN
	2400	72	CLAUDE

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	72	G. CHAGW.
	0600	72	C. AMMISON
	0900	73	C. AMMISON
	1200	77	C. AMMISON
	1500	75	P. Swenson
	1800	74	P. Swenson
	2100	71	P. Swenson
	2400	72	G. CHAGW.

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	76	CLAUDE
	0600	76°	MANNING,T.
	0900	77°	MANNING,T.
	1200	77°	MANNING,T.
	1500	78°	MANNING,T.
	1800	77°	MANNING,T.
	2100	76°	MANNING,T.
	2400	76	CLAUDE

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	76	CLAUDE
	0600	77°	P. MULLIGAN
	0900	77°	P. MULLIGAN
	1200	79°	P. MULLIGAN
	1500	77°	P. MULLIGAN
	1800	75°	P. MULLIGAN
	2100	76°	P. MULLIGAN
	2400	74	CLAUDE

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	CLAUDE
	0600	73	PEREZ
	0900	78	PEREZ
	1200	78	PEREZ
	1500	78°	P. MULLIGAN
	1800	73°	P. MULLIGAN
	2100	73°	P. MULLIGAN
	2400	72	G. CHAGW.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution WSP-RC Housing Unit: FB-D2 Temp. Reading Location: 2nd Tier B 5 b.c.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		<u>6/17/24</u>	
Date	Time	Temp.	Name (Print)
	0300	72	G CHAN
	0600	72°	MANNING G.T.
	0900	73°	MANNING G.T.
	1200	74°	MANNING G.T.
	1500	75°	M. CLOUD
	1800	74°	M. CLOUD
	2100	73°	M. CLOUD
	2400	72	GLAUDR

Wednesday		<u>6/19/24</u>	
Date	Time	Temp.	Name (Print)
	0300	72	GLAUDR
	0600	73	Svensen
	0900	74	Svensen
	1200	73	Svensen
	1500	72	Svensen
	1800	72	Svensen
	2100	72	Svensen
	2400	72	GLAUDR

Friday		<u>6/21/24</u>	
Date	Time	Temp.	Name (Print)
	0300	70	GLAUDR
	0600	70	P. MULLIGAN
	0900	70°	P. MULLIGAN
	1200	70°	P. MULLIGAN
	1500	70°	P. MULLIGAN
	1800	70°	P. MULLIGAN
	2100	70°	P. MULLIGAN
	2400	70	GLAUDR

Sunday		<u>6/23/24</u>	
Date	Time	Temp.	Name (Print)
	0300	72	G CHAN
	0600	72°	P. MULLIGAN
	0900	72°	P. MULLIGAN
	1200	72°	P. MULLIGAN
	1500	72°	P. MULLIGAN
	1800	72°	P. MULLIGAN
	2100	70°	P. MULLIGAN
	2400	72	G CHAN

Tuesday		<u>6/18/24</u>	
Date	Time	Temp.	Name (Print)
	0300	72	GLAUDR
	0600	72°	MANNING G.T.
	0900	73°	MANNING G.T.
	1200	74°	MANNING G.T.
	1500	75°	MANNING G.T.
	1800	74°	MANNING G.T.
	2100	73°	MANNING G.T.
	2400	72	GLAUDR

Thursday		<u>6/20/24</u>	
Date	Time	Temp.	Name (Print)
	0300	72	GLAUDR
	0600	72°	P. MULLIGAN
	0900	74°	P. MULLIGAN
	1200	71	P. MULLIGAN
	1500	71°	P. MULLIGAN
	1800	71°	P. MULLIGAN
	2100	70°	P. MULLIGAN
	2400	70	GLAUDR

Saturday		<u>6/22/24</u>	
Date	Time	Temp.	Name (Print)
	0300	70	GLAUDR
	0600	71	Svensen
	0900	71	Svensen
	1200	72	Svensen
	1500	71	Svensen
	1800	71	Svensen
	2100	70	Svensen
	2400	72	GLAUDR

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: B SIDE 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/24/24</u>	0300	72°	C. CHACON
	0600	74°	MANNING IT
	0900	75°	MANNING IT
	1200	76°	MANNING IT
	1500	75	Rebekah
	1800	74	Rebekah
	2100	72	Rebekah
	2400	72	CLAUDIE

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/26/24</u>	0300	72	CLAUDIE
	0600	72	Svenson
	0900	73	Svenson
	1200	73	Svenson
	1500	72	Svenson
	1800	72	Svenson
	2100	72	Svenson
	2400	72	CLAUDIE

Friday

Date	Time	Temp.	Name (Print)
<u>6/28/24</u>	0300	74	CLAUDIE
	0600	73	Svenson
	0900	73	Svenson
	1200	73	Svenson
	1500	73	P. MULLIGAN
	1800	73	P. MULLIGAN
	2100	73	P. MULLIGAN
	2400	72	CLAUDIE

Sunday

Date	Time	Temp.	Name (Print)
<u>6/30/24</u>	0300	72	G. CHAM
	0600	72°	P. MULLIGAN
	0900	73°	P. MULLIGAN
	1200	73°	P. MULLIGAN
	1500	73°	P. MULLIGAN
	1800	73°	P. MULLIGAN
	2100	75	P. MULLIGAN
	2400	72	G. CHAM

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/25/24</u>	0300	72	CLAUDIE
	0600	74°	MANNING IT
	0900	75°	MANNING IT
	1200	76°	MANNING IT
	1500	75°	MANNING IT
	1800	74°	MANNING IT
	2100	73°	MANNING IT
	2400	72	CLAUDIE

Thursday

Date	Time	Temp.	Name (Print)
<u>6/27/24</u>	0300	72	CLAUDIE
	0600	74°	P. MULLIGAN
	0900	74°	P. MULLIGAN
	1200	73°	P. MULLIGAN
	1500	75°	P. MULLIGAN
	1800	76°	P. MULLIGAN
	2100	76°	P. MULLIGAN
	2400	74	CLAUDIE

Saturday

Date	Time	Temp.	Name (Print)
<u>6/29/24</u>	0300	72	CLAUDIE
	0600	73	Svenson
	0900	74	Svenson
	1200	74	Svenson
	1500	74	Svenson
	1800	73	Svenson
	2100	73	Svenson
	2400	72	G. CHAM

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: 2nd tier A side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/14	0300	74	MONTANA
05/14	0600		Gonzalez
05/14	0900		Gonzalez
05/14	1200		Gonzalez
05/14	1500		
05/14	1800		
05/14	2100		
05/14	2400		

Tuesday

Date	Time	Temp.	Name (Print)
05/15	0300		
05/15	0600		
05/15	0900		
05/15	1200		
05/15	1500		
05/15	1800		
05/15	2100		
05/15	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/16	0300		
05/16	0600		
05/16	0900		
05/16	1200		
05/16	1500		
05/16	1800		
05/16	2100		
05/16	2400		

Thursday

Date	Time	Temp.	Name (Print)
05/17	0300		
05/17	0600		
05/17	0900		
05/17	1200		
05/17	1500		
05/17	1800		
05/17	2100		
05/17	2400		

Friday

Date	Time	Temp.	Name (Print)
05/18	0300		
05/18	0600		
05/18	0900		
05/18	1200		
05/18	1500		
05/18	1800		
05/18	2100		
05/18	2400		

Saturday

Date	Time	Temp.	Name (Print)
05/19	0300	70	N MUN TOYA
05/19	0600	71	Gonzalez
05/19	0900	71	Gonzalez
05/19	1200	71	Gonzalez
05/19	1500	73	GCHACON
05/19	1800	74	GCHACON
05/19	2100	75	GCHACON
05/19	2400	73	LHILL

Sunday

Date	Time	Temp.	Name (Print)
05/20	0300	73	LHILL
05/20	0600	71	Gonzalez
05/20	0900	71	Gonzalez
05/20	1200	71	Gonzalez
05/20	1500	71	Solis
05/20	1800	71	Solis
05/20	2100	70	Solis
05/20	2400	69	HILL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: 2nd A Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	69	H. CERA
6/3/24	0600	71	Gonzalez
6/3/24	0900	71	Gonzalez
6/3/24	1200	71	Gonzalez
6/3/24	1500	72	Solis
6/3/24	1800	72	Solis
6/3/24	2100	71	Solis
6/3/24	2400	71	H.CERA

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	70	H.CERA
6/4/24	0600	71	Gonzalez
6/4/24	0900	71	Gonzalez
6/4/24	1200	71	Gonzalez
6/4/24	1500	71	Solis
6/4/24	1800	71	Solis
6/4/24	2100	79	Solis
6/4/24	2400	70	H.CERA

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	70	H.CERA
6/5/24	0600	70°	MANNING IT
6/5/24	0900	72°	MANNING IT
6/5/24	1200	76°	MANNING IT
6/5/24	1500	76	B.GARCIA
6/5/24	1800	76	B.GARCIA
6/5/24	2100	76	B.GARCIA
6/5/24	2400	74	H.CERA

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	73	H.CERA
6/6/24	0600	74	I.SANCHEZ
6/6/24	0900	76	I.SANCHEZ
6/6/24	1200	78	I.SANCHEZ
6/6/24	1500	78	J.HIRACHENA
6/6/24	1800	78	J.HIRACHENA
6/6/24	2100	78	J.HIRACHENA
6/6/24	2400	78	J.HIRACHENA

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	77	J.HIRACHENA
6/7/24	0600	78	Gonzalez
6/7/24	0900	78	Gonzalez
6/7/24	1200	78	Gonzalez
6/7/24	1500	80	R.Alvarez
6/7/24	1800	80	R.Alvarez
6/7/24	2100	80	R.Alvarez
6/7/24	2400	79	MONTAGUE

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	79	MONTAGUE
6/8/24	0600	78	BARAJAS
6/8/24	0900	78	BARAJAS
6/8/24	1200	79	BARAJAS
6/8/24	1500	80	Solis
6/8/24	1800	80	Solis
6/8/24	2100	80	Solis
6/8/24	2400	80	C.H.II

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	79	C.H.II
6/9/24	0600	79	Gonzalez
6/9/24	0900	79	Gonzalez
6/9/24	1200	79	Gonzalez
6/9/24	1500	80	Solis
6/9/24	1800	80	Solis
6/9/24	2100	80	Solis
6/9/24	2400	80	SEALE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: A SIDE (2nd)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 10 24	0300	71°	SCALES
	0600	73°	Gonzalez
	0900	73°	Gonzalez
	1200	73°	Gonzalez
	1500	75	Solis
	1800	76	Solis
	2100	75	Solis
	2400	75°	SCALES

Tuesday

Date	Time	Temp.	Name (Print)
06 11 24	0300	72°	SCALES
	0600	72°	Gonzalez
	0900	72°	Gonzalez
	1200	72°	Gonzalez
	1500	78	GARLINA
	1800	78	GARCIA
	2100	78	GARCIA
	2400	75	A.NAJENA

Wednesday

Date	Time	Temp.	Name (Print)
06 12 24	0300	73	A.NAJENA
	0600	73°	MANNING,T
	0900	73°	MANNING,T
	1200	74°	MANNING,T
	1500	74	B.Garcia
	1800	74	B.Garcia
	2100	74	B.Garcia
	2400	74	A.NAJENA

Thursday

Date	Time	Temp.	Name (Print)
06 13 24	0300	72	A.NAJENA
	0600	73°	R.Dhalua
	0900	75°	R.Dhalua
	1200	75	R.Dhalua
	1500	75	J.Perez,Jr
	1800	75	J.Perez,Jr
	2100	75	J.Perez,Jr
	2400	75	J.Perez,Jr

Friday

Date	Time	Temp.	Name (Print)
06 14 24	0300	75	J.Perez,Jr
	0600	75	C.VASQUEZ
	0900	75	C.VASQUEZ
	1200	75	C.VASQUEZ
	1500	75	R.Alan
	1800	75	R.Alan
	2100	75	R.Alan
	2400	75	H.CERA

Saturday

Date	Time	Temp.	Name (Print)
06 15 24	0300	73	H.CERA
	0600	74°	R.Dhalua
	0900	74°	R.Dhalua
	1200	75°	R.Dhalua
	1500	77	Solis
	1800	78	Solis
	2100	76	Solis
	2400	76	C.Hill

Sunday

Date	Time	Temp.	Name (Print)
06 16 24	0300	76	C.Hill
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	80	Solis
	1800	80	Solis
	2100	78	Solis
	2400	77	R.Garcia

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: D3 Temp. Reading Location: tier 2/B side
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 17 24	0300	75	D. SIEURA
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	78	Gonzalez
	1500	78	Solis
	1800	78	Solis
	2100	77	Solis
	2400	78	SCALES

R
R
D

Tuesday

Date	Time	Temp.	Name (Print)
06 18 24	0300	78	SCALES
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	78	M. Medina
	1800	78	Medredio
	2100	78	M. Medina
	2400	78.5	H. CERA

D
D
D
P

Wednesday

Date	Time	Temp.	Name (Print)
06 19 24	0300	75	H-CERA
	0600	75	Muz
	0900	76	Muz
	1200	77	Muz
	1500	77	Garcia
	1800	77	Garcia
	2100	77	Garcia
	2400	76	L-HII

D

Thursday

Date	Time	Temp.	Name (Print)
06 20 24	0300	76	L-HII
	0600	76	ZEPEDA, H
	0900	76	ZEPEDA, A
	1200	76	ZEPEDA, A
	1500	76	HIRACHETA
	1800	74	HIRACHETA
	2100	76	HIRACHETA
	2400	76	HIRACHETA

+

Friday

Date	Time	Temp.	Name (Print)
06 21 24	0300	75	HIRACHETA
	0600	75	Gonzalez
	0900	76	Gonzalez
	1200	76	Gonzalez
	1500	80°	R. Alcalde
	1800	80°	R. Alcalde
	2100	80°	R. Alcalde
	2400	79	FALCIA

Saturday

Date	Time	Temp.	Name (Print)
06 22 24	0300	79	GALICIA
	0600	79	Gonzalez
	0900	79	Gonzalez
	1200	79	Gonzalez
	1500	78	J. M.
	1800	78	J. M.
	2100	78	J. M.
	2400	79	L-HII

Notes

Date	Time	Temp.	Name (Print)
06 23 24	0300	77	L-HII
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	77	Solis
	1800	80	Solis
	2100	80	Solis
	2400	78	Solis

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP / RC Housing Unit: F0B3 Temp. Reading Location: ASIDE 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	68°	SCALES
	0600	70°	Gonzalez
	0900	70°	Gonzalez
	1200	78°	Borajosa
	1500	80°	Solis
	1800	78°	Solis
	2100	78°	Solis
	2400	79°	SCALES

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	70°	SCALES
	0600	77°	Gonzalez
	0900	77°	Gonzalez
	1200	77°	Gonzalez
	1500	78°	Solis
	1800	80°	Solis
	2100	80°	Solis
	2400	78°	Scales

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	78°	Scales
	0600	70°	MANNING, T.
	0900	71°	MANNING, T.
	1200	72°	MANNING, T.
	1500	72°	R. Garcia
	1800	72°	R. Garcia
	2100	72°	R. Garcia
	2400	71°	L. Hill

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	71°	L. Hill
	0600	71°	V. Velasquez
	0900	71°	V. Velasquez
	1200	71°	V. Velasquez
	1500	71°	H. Sanchez
	1800	71°	H. Sanchez
	2100	71°	H. Sanchez
	2400	71°	H. Sanchez

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	71°	Herneta
	0600	71°	Gonzalez
	0900	71°	Gonzalez
	1200	71°	Gonzalez
	1500	73°	R. Alcala
	1800	73°	R. Alcala
	2100	73°	R. Alcala
	2400	73°	Montoy

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	73°	Montoy
	0600	73°	Gonzalez
	0900	73°	Gonzalez
	1200	73°	Gonzalez
	1500	76°	Solis
	1800	78°	Solis
	2100	76°	Solis
	2400	71°	L. Hill

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	74°	L. Hill
	0600	74°	Gonzalez
	0900	74°	Gonzalez
	1200	74°	Gonzalez
	1500	76°	Solis
	1800	76°	Solis
	2100	75°	Solis
	2400	74°	CLAUDE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: 2nd Tier B Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1	0300	74	<u>Murphy</u>
10/1	0600		<u>Gonzalez</u>
10/1	0900		
10/1	1200		
10/1	1500		
10/1	1800		
10/1	2100		
10/1	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06/01	0300	70	M. Mon 70/A
01	0600	73	Gonzalez
24	0900	73	Gonzalez
24	1200	73	Gonzalez
24	1500	73	Gonzalez
24	1800	78	G. CHAN
24	2100	75	G. CHAN
24	2400	72	1444

Sunday

Date	Time	Temp.	Name (Print)
06/02	0300	72	L. T. L.
02	0600	73	Gonzalez
24	0900	73	Gonzalez
24	1200	73	Gonzalez
24	1500	72	Solis
24	1800	72	Solis
24	2100	70	Solis
24	2400	69	H. L.

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: ②3 Temp. Reading Location: Ind B Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 3/ 24	0300	69	H-CERA
	0600	73	Gonzalez
	0900	73	Gonzalez
	1200	73	Gonzalez
	1500	73	Solis
	1800	73	Solis
	2100	72	Solis
	2400	71	H-CERA

Tuesday

Date	Time	Temp.	Name (Print)
5/ 4/ 24	0300	71	H-CERA
	0600	72	Gonzalez
	0900	72	Gonzalez
	1200	72	Gonzalez
	1500	72	Solis
	1800	72	Solis
	2100	71	Solis
	2400	71	H-CERA

Wednesday

Date	Time	Temp.	Name (Print)
6/ 24	0300	71	H-CERA
	0600	72	MANNING, T
	0900	74	MANNING, T
	1200	75	MANNING, T
	1500	75	B.GARCIA
	1800	75	B.GARCIA
	2100	75	B.GARCIA
	2400	74	H-CERA

Thursday

Date	Time	Temp.	Name (Print)
6/ 24	0300	73	H-CERA
	0600	73	J.SALAZAR
	0900	76	J.SALAZAR
	1200	78	J.SALAZAR
	1500	78	J.HIRACUSHA
	1800	78	J.HIRACUSHA
	2100	78	J.HIRACUSHA
	2400	77	J.HIRACUSHA

Friday

Date	Time	Temp.	Name (Print)
6/ 24	0300	77	J.HIRACUSHA
	0600	79	Gonzalez
	0900	79	Gonzalez
	1200	79	Gonzalez
	1500	80	R.Alcal
	1800	80	R.Alcal
	2100	80	R.Alcal
	2400	79	MINTON

Saturday

Date	Time	Temp.	Name (Print)
6/ 24	0300	79	MINTON
	0600	80	Barajas
	0900	79	Barajas
	1200	80	Barajas
	1500	80	Solis
	1800	80	Solis
	2100	80	Solis
	2400	80	C.HITI

Sunday

Date	Time	Temp.	Name (Print)
6/ 24	0300	79	C.HITI
	0600	79	Gonzalez
	0900	79	Gonzalez
	1200	79	Gonzalez
	1500	80	Solis
	1800	80	Solis
	2100	80	Solis
	2400	80	SCALES

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: 03 Temp. Reading Location: B SIDE (2nd)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
04/10/24	0300	78	SCALES
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	78	Solis
	1800	78	Solis
	2100	77	Solis
	2400	77	SCALES

Tuesday

Date	Time	Temp.	Name (Print)
04/11/24	0300	78	SCALES
	0600	79	Gonzalez
	0900	79	Gonzalez
	1200	79	Gonzalez
	1500	78	GARCIA
	1800	78	GARCIA
	2100	79	GARCIA
	2400	76	A. NAJERA

Wednesday

Date	Time	Temp.	Name (Print)
04/12/24	0300	77	A. NAJERA
	0600	78°	MANNING, T
	0900	78°	MANNING, T
	1200	78°	MANNING, T
	1500	78	B. GARCIA
	1800	78	B. GARCIA
	2100	78	B. GARCIA
	2400	77	ANAJERA

Thursday

Date	Time	Temp.	Name (Print)
04/13/24	0300	75	A. NAJERA
	0600	77	R. Dhalwala
	0900	79°	R. Dhalwala
	1200	79°	R. Dhalwala
	1500	77	HIRACHANDA
	1800	77	HIRACHANDA
	2100	77	HIRACHANDA
	2400	77	HIRACHANDA

Friday

Date	Time	Temp.	Name (Print)
04/14/24	0300	77	HIRACHANDA
	0600	77	C. VASQUEZ
	0900	77	C. VASQUEZ
	1200	77	C. VASQUEZ
	1500	78	R. Alvarado
	1800	78	R. Alvarado
	2100	78	R. Alvarado
	2400	77	H. CERA

Saturday

Date	Time	Temp.	Name (Print)
04/15/24	0300	76	H. CERA
	0600	77°	R. Dhalwala
	0900	77	R. Dhalwala
	1200	78°	R. Dhalwala
	1500	78	Solis
	1800	78	Solis
	2100	76	Solis
	2400	76	C. HILL

Sunday

Date	Time	Temp.	Name (Print)
04/16/24	0300	76	C. HILL
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	80	Solis
	1800	80	Solis
	2100	78	Solis
	2400	77	Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: D3 Temp. Reading Location: tier 2/A side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 17 24	0300	75	O. SECURA
	0600	73	Gonzalez
	0900	73	Gonzalez
	1200	73	Gonzalez
	1500	73	Solis
	1800	73	Solis
	2100	72	Solis
	2400	72°	SCALES

Tuesday

Date	Time	Temp.	Name (Print)
06 18 24	0300	70°	SCALES
	0600	72	Gonzalez
	0900	72	Gonzalez
	1200	72	Gonzalez
	1500	78°	U. Medina
	1800	78°	U. Medina
	2100	78°	U. Medina
	2400	74	H. CERA

Wednesday

Date	Time	Temp.	Name (Print)
06 19 24	0300	72	H. CERA
	0600	72	Hurz
	0900	72	Hurz
	1200	72	Hurz
	1500	73	3 Garcia
	1800	73	3 Garcia
	2100	73	3 Garcia
	2400	72	L. Hill

Thursday

Date	Time	Temp.	Name (Print)
06 20 24	0300	72	L. Hill
	0600	72	Zepeda
	0900	72	Zepeda
	1200	72	Zepeda
	1500	72	H. Garcia
	1800	72	H. Garcia
	2100	72	H. Garcia
	2400	71	H. Garcia

Friday

Date	Time	Temp.	Name (Print)
06 21 24	0300	72	H. Garcia
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	78	Gonzalez
	1500	75°	R. Alvarado
	1800	75°	R. Alvarado
	2100	75°	R. Alvarado
	2400	74	GALICIA

Saturday

Date	Time	Temp.	Name (Print)
06 22 24	0300	74	GALICIA
	0600	74	Gonzalez
	0900	74	Gonzalez
	1200	75°	Gonzalez
	1500	76	J. S.
	1800	77	J. S.
	2100	70	J. S.
	2400	70	L. Hill

Sunday

Date	Time	Temp.	Name (Print)
06 23 24	0300	70	L. Hill
	0600	71	Gonzalez
	0900	71	Gonzalez
	1200	71	Gonzalez
	1500	71	Solis
	1800	73	Solis
	2100	73	Solis
	2400	68°	SCALES

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-R/C Housing Unit: FDB3 Temp. Reading Location: B30E 2nd TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	78°	SCALES
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Burgo
	1500	80	Solis
	1800	78	Solis
	2100	78	Solis
	2400	78°	SCALES

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	SCALES
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	78	Solis
	1800	80	Solis
	2100	80	Solis
	2400	78	SCALES

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	78	SCALES
	0600	77°	MANNING,T
	0900	77°	MANNING,T
	1200	78°	MANNING,T
	1500	78	B.GARCIA
	1800	78	B.GARCIA
	2100	78	B.GARCIA
	2400	77	L.H.II

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	77	L.H.II
	0600	77	V.VELASQUEZ
	0900	77	V.VELASQUEZ
	1200	77	V.VELASQUEZ
	1500	77	HIRACHETA
	1800	77	HIRACHETA
	2100	77	HIRACHETA
	2400	77	HIRACHETA

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	77	HIRACHETA
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	80°	R.Alcala
	1800	80°	R.Alcala
	2100	80°	R.Alcala
	2400	78	MONTAÑO

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	77	MONTAÑO
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	77	Solis
	1800	78	Solis
	2100	78	Solis
	2400	78	H.I.I

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	74	H.I.I
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	78	Solis
	1800	78	Solis
	2100	75	Solis
	2400	74	O-LAURA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: WSP Housing Unit: FD B4 Temp. Reading Location: TOP TIER A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1000 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		*

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	75	L. MASTRO
	0600	76	V. VELASQUEZ
	0900	75	V. VELASQUEZ
	1200	77	V. VELASQUEZ
	1500	78	L. MASTRO
	1800	78	L. MASTRO
	2100	77	L. MASTRO
	2400	76	J. HIRACHETA

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	76	J. HIRACHETA
	0600	78°	SHERWOOD
	0900	80°	SHERWOOD
	1200	80°	SHERWOOD
	1500	78	SWEATON
	1800	78	SWEATON
	2100	77	SWEATON
	2400	76°	RFGARZA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB 4 Temp. Reading Location: TOP TIER A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/3	0300	75°	RFGARZA
4/3	0600	75°	H.SHERWOOD
4/3	0900	77°	H.SHERWOOD
4/3	1200	79°	H.SHERWOOD
4/3	1500	77	C.PARRISON
4/3	1800	79	C.PARRISON
4/3	2100	77	C.PARRISON
4/3	2400	77	B.GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
4/4	0300	77	B.GARCIA
4/4	0600	76	S.RAMIREZ
4/4	0900	75	S.RAMIREZ
4/4	1200	77	S.RAMIREZ
4/4	1500	77	C.PARRISON
4/4	1800	78	C.PARRISON
4/4	2100	74	C.PARRISON
4/4	2400	74	A.MAJESTA

Wednesday

Date	Time	Temp.	Name (Print)
4/5	0300	75	A.MAJESTA
4/5	0600	78°	SHERWOOD
4/5	0900	80°	SHERWOOD
4/5	1200	81°	SHERWOOD
4/5	1500	81	PARRISON
4/5	1800	81	PARRISON
4/5	2100	80	PARRISON
4/5	2400	79°	RFGARZA

Thursday

Date	Time	Temp.	Name (Print)
4/6	0300	78°	RFGARZA
4/6	0600	78°	SHERWOOD
4/6	0900	82°	SHERWOOD
4/6	1200	82°	SHERWOOD
4/6	1500	83	PARRISON
4/6	1800	82	PARRISON
4/6	2100	80	PARRISON
4/6	2400	79°	RFGARZA

Friday

Date	Time	Temp.	Name (Print)
4/7	0300	79°	RFGARZA
4/7	0600	79°	I.SALAZAR
4/7	0900	80°	I.SALAZAR
4/7	1200	82°	I.SALAZAR
4/7	1500	80	B.MATA
4/7	1800	80	B.MATA
4/7	2100	79	B.MATA
4/7	2400	78	L.MASTRO

Saturday

Date	Time	Temp.	Name (Print)
4/8	0300	76	L.MASTRO
4/8	0600	76	I.SALAZAR
4/8	0900	78	I.SALAZAR
4/8	1200	79°	I.SALAZAR
4/8	1500	75	L.MASTRO
4/8	1800	75	L.MASTRO
4/8	2100	75	L.MASTRO
4/8	2400	74	OLAVIDE

Sunday

Date	Time	Temp.	Name (Print)
4/9	0300	74	OLAVIDE
4/9	0600	75	SHERWOOD
4/9	0900	74	SHERWOOD
4/9	1200	74	SHERWOOD
4/9	1500	76	K.GUMBES
4/9	1800	75	K.GUMBES
4/9	2100	75	K.GUMBES
4/9	2400	75°	RFGARZA

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB 4 Temp. Reading Location: TOP TIER A
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	74°	RF GARZA
6/10/24	0600	75°	H.SHERWOOD
6/10/24	0900	77°	H.SHERWOOD
6/10/24	1200	78°	H.SHERWOOD
6/10/24	1500	79°	C.PARKERSON
6/10/24	1800	80°	C.PARKERSON
6/10/24	2100	79°	C.PARKERSON
6/10/24	2400	78°	RF GARZA

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76°	RF GARZA
6/12/24	0600	76°	SHERWOOD
6/12/24	0900	75°	SHERWOOD
6/12/24	1200	76°	VILLANUEVA
6/12/24	1500	78°	C.PARKERSON
6/12/24	1800	79°	C.PARKERSON
6/12/24	2100	76°	C.PARKERSON
6/12/24	2400	75°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	75°	L.Lopez
6/14/24	0600	76°	Lopez BARBERS
6/14/24	0900	77°	Barbers A.
6/14/24	1200	78°	Barbers A.
6/14/24	1500	74°	L.MASTRO
6/14/24	1800	72°	L.MASTRO
6/14/24	2100	78°	L.MASTRO
6/14/24	2400	72°	RF GARZA

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	72°	J.HIRANO
6/16/24	0600	72°	SHERWOOD
6/16/24	0900	75°	SHERWOOD
6/16/24	1200	77°	SHERWOOD
6/16/24	1500	78°	PARKERSON
6/16/24	1800	77°	PARKERSON
6/16/24	2100	76°	PARKERSON
6/16/24	2400	75°	RF GARZA

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	77°	RF GARZA
6/11/24	0600	77°	SHERWOOD
6/11/24	0900	77°	SHERWOOD
6/11/24	1200	79°	C.PARKERSON
6/11/24	1500	79°	C.PARKERSON
6/11/24	1800	78°	C.PARKERSON
6/11/24	2100	78°	C.PARKERSON
6/11/24	2400	77°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	74°	RF GARZA
6/13/24	0600	74°	L.Lopez
6/13/24	0900	75°	L.Lopez
6/13/24	1200	75°	L.Lopez
6/13/24	1500	78°	C.PARKERSON
6/13/24	1800	77°	C.PARKERSON
6/13/24	2100	77°	C.PARKERSON
6/13/24	2400	76°	RF GARZA

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	71°	RF GARZA
6/15/24	0600	72°	L.NAVARRO
6/15/24	0900	72°	L.NAVARRO
6/15/24	1200	73°	L.NAVARRO
6/15/24	1500	73°	L.NAVARRO
6/15/24	1800	72°	S.MAGDALEN
6/15/24	2100	72°	S.MAGDALEN
6/15/24	2400	72°	J.HIRANO

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB4 Temp. Reading Location: TOP TIER A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/17	0300	74°	RF GARZA
	0600	74	Lepeda
	0900	74	Lepeda
	1200	74	Lepeda
	1500	74	C. Johnson
	1800	78	C. Johnson
	2100	75	C. Johnson
	2400	74°	RF GARZA

Tuesday

Date	Time	Temp.	Name (Print)
4/18	0300	73°	RF GARZA
	0600	73°	SHERWOOD
	0900	71	SHERWOOD
	1200	71	SHERWOOD
	1500	71	C. Johnson
	1800	70	C. Johnson
	2100	70	C. Johnson
	2400	69°	RF GARZA

Wednesday

Date	Time	Temp.	Name (Print)
4/19	0300	69°	RF GARZA
	0600	69	SHERWOOD
	0900	71	SHERWOOD
	1200	72	SHERWOOD
	1500	74	C. Johnson
	1800	73	C. Johnson
	2100	72	C. Johnson
	2400	71°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
4/20	0300	70°	RF GARZA
	0600	70°	SHERWOOD
	0900	71	SHERWOOD
	1200	72	SHERWOOD
	1500	73	S. Moreno
	1800	74	S. Moreno
	2100	72	S. Moreno
	2400	76	J. Salinas

Friday

Date	Time	Temp.	Name (Print)
4/21	0300	76	J. Salinas
	0600	72	Velasquez
	0900	72	Velasquez
	1200	72	Velasquez
	1500	70	J. Rodriguez
	1800	70	J. Rodriguez
	2100	70	J. Rodriguez
	2400	70	L. Mastro

Saturday

Date	Time	Temp.	Name (Print)
4/22	0300	70	L. Mastro
	0600	70	V. Velasquez
	0900	70	V. Velasquez
	1200	70	V. Velasquez
	1500	72	L. Mastro
	1800	72	L. Mastro
	2100	72	L. Mastro
	2400	72	J. Hiracheta

Sunday

Date	Time	Temp.	Name (Print)
4/23	0300	72	J. Hiracheta
	0600	69	SHERWOOD
	0900	70	SHERWOOD
	1200	72	SHERWOOD
	1500	72	S. Swenson
	1800	72	S. Swenson
	2100	71	S. Swenson
	2400	70	K. Quinn

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4 Temp. Reading Location: A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/14	0300	72	GRIMES
	0600	76	CAMARENA
	0900	78	CAMARENA
	1200	83	CAMARENA
	1500	83	C. DOMINICK
	1800	82	C. DOMINICK
	2100	81	C. DOMINICK
	2400	80	RF GARZA

Tuesday

Date	Time	Temp.	Name (Print)
6/25/14	0300	79°	RF GARZA
	0600	79°	SHERWOOD
	0900	79°	SHERWOOD
	1200	79	SHERWOOD
	1500	80	C. DOMINICK
	1800	81	C. DOMINICK
	2100	79	C. DOMINICK
	2400	78°	RF GARZA

Wednesday

Date	Time	Temp.	Name (Print)
6/26/14	0300	77°	RF GARZA
	0600	77	SHERWOOD
	0900	80	SHERWOOD
	1200	81	SHERWOOD
	1500	79	C. DOMINICK
	1800	79	C. DOMINICK
	2100	78	C. DOMINICK
	2400	78°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
6/27/14	0300	77°	RF GARZA
	0600	79°	ZARAGOZA JR.
	0900	80°	ZARAGOZA JR.
	1200	81°	ZARAGOZA JR.
	1500	81	Infante
	1800	80	Infante
	2100	78	Infante
	2400	78°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
6/28/14	0300	77°	RF GARZA
	0600	77	V. VELASQUEZ
	0900	77	V. VELASQUEZ
	1200	77	V. VELASQUEZ
	1500	77	R. RIOS
	1800	77	R. RIOS
	2100	77	R. RIOS
	2400	76°	RF GARZA

Saturday

Date	Time	Temp.	Name (Print)
6/29/14	0300	75°	RF GARZA
	0600	75	V. VELASQUEZ
	0900	75	V. VELASQUEZ
	1200	75	V. VELASQUEZ
	1500	73	L. MASTRO
	1800	73	L. MASTRO
	2100	73	L. MASTRO
	2400	73	L. MASTRO

Sunday

Date	Time	Temp.	Name (Print)
6/30/14	0300	72	L. MASTRO
	0600	72	SHERWOOD
	0900	72	SHERWOOD
	1200	74	SHERWOOD
	1500	74	S. VELASQUEZ
	1800	77	S. VELASQUEZ
	2100	77	S. VELASQUEZ
	2400	76°	RF GARZA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FP B4 Temp. Reading Location: TOS TIER B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	69	L. MASTRO
	0600	70	V. VELASQUEZ
	0900	72	V. VELASQUEZ
	1200	72	V. VELASQUEZ
	1500	72	L. MASTRO
	1800	72	L. MASTRO
	2100	71	L. MASTRO
	2400	72	J. HIRACHETA

Sunday

Date	Time	Temp.	Name (Print)
	0300	72	J. HIRACHETA
	0600	65°	SHERWOOD
	0900	66°	SHERWOOD
	1200	66°	SHERWOOD
	1500	66°	SHERWOOD
	1800	67	SHERWOOD
	2100	65	SHERWOOD
	2400	65°	R. GARCIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDBY Temp. Reading Location: TOP TIER B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6	0300	64°	RFGARZA	P	0300	69	B.GARCIA
	0600	65°	H.SHERWOOD	P	0600	70	STRAMER
3	0900	65°	H.SHERWOOD	P	0900	70	STRAMER
	1200	66°	H.SHERWOOD	P	1200	70	STRAMER
24	1500	68	C.PARRISON	P	1500	71	C.PARRISON
	1800	69	C.PARRISON	P	1800	72	C.PARRISON
	2100	67	C.PARRISON	P	2100	70	C.PARRISON
	2400	69	B.GARCIA	P	2400	72	A.NAJERA

Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
4	0300	67	A.NAJERA	P	0300	72	A.NAJERA
	0600	65°	SHERWOOD	P	0600	71°	H.SHERWOOD
5	0900	65°	SHERWOOD	P	0900	70°	H.SHERWOOD
	1200	66°	SHERWOOD	P	1200	71°	H.SHERWOOD
24	1500	68	C.PARRISON	P	1500	73	C.PARRISON
	1800	70	C.PARRISON	P	1800	74	C.PARRISON
	2100	70	C.PARRISON	P	2100	70	C.PARRISON
	2400	69°	RFGARZA	P	2400	69°	RFGARZA

Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6	0300	69°	RFGARZA	P	0300	74	L.MASTRO
	0600	79°	I.SALAZAR	P	0600	75	I.SALAZAR
7	0900	80	I.SALAZAR	P	0900	78	I.SALAZAR
	1200	80	I.SALAZAR	P	1200	80	I.SALAZAR
24	1500	80	B.MATA	P	1500	70	L.MASTRO
	1800	80	B.MATA	P	1800	70	L.MASTRO
	2100	78	B.MATA	P	2100	70	L.MASTRO
	2400	77	L.MASTRO	P	2400	70	O.LAVDEZ

Sunday				Notes			
Date	Time	Temp.	Name (Print)	Notes			
8	0300	70	GLAUME				
	0600	72	SHERWOOD				
9	0900	68	SHERWOOD				
	1200	65	SHERWOOD				
24	1500	68	K.GAMES				
	1800	68	K.GAMES				
	2100	68	K.GAMES				
	2400	67°	RFGARZA				

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB4 Temp. Reading Location: TOP TIER B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	67°	R.F.GARZA
/	0600	67°	S.HERWOOD
10	0900	67°	S.HERWOOD
/	1200	66°	S.HERWOOD
24	1500	66°	C.PARKER
	1800	65°	C.PARKER
	2100	65°	C.PARKER
	2400	64°	R.F.GARZA

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	64°	R.F.GARZA
/	0600	65°	S.HERWOOD
11	0900	65°	S.HERWOOD
/	1200	67°	C.PARKER
24	1500	68°	C.PARKER
	1800	67°	C.PARKER
	2100	67°	C.PARKER
	2400	66°	R.F.GARZA

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	66°	R.F.GARZA
/	0600	65°	S.HERWOOD
12	0900	66°	S.HERWOOD
/	1200	66°	V.Illigman
24	1500	68°	C.PARKER
	1800	68°	C.PARKER
	2100	67°	C.PARKER
	2400	66°	R.F.GARZA

Thursday

Date	Time	Temp.	Name (Print)
6	0300	65°	R.F.GARZA
/	0600	66°	L.Lopez
13	0900	65°	L.Lopez
/	1200	70°	L.Lopez
24	1500	71°	C.PARKER
	1800	70°	C.PARKER
	2100	69°	C.PARKER
	2400	68°	R.F.GARZA

Friday

Date	Time	Temp.	Name (Print)
6	0300	67°	R.F.GARZA
/	0600	68°	A.BARGAS
14	0900	70°	A.BARGAS
/	1200	72°	Bargas A.
24	1500	70°	L.MASTRO
	1800	69°	L.MASTRO
	2100	69°	L.MASTRO
	2400	68°	R.F.GARZA

Saturday

Date	Time	Temp.	Name (Print)
6	0300	67°	R.F.GARZA
/	0600	67°	L.NAVAMO
15	0900	67°	L.NAVAMO
/	1200	67°	L.NAVAMO
24	1500	67°	L.MASTRO
	1800	68°	S.MAGDULENO
	2100	69°	S.MAGDULENO
	2400	69°	J.HIRACONO

Sunday

Date	Time	Temp.	Name (Print)
6	0300	68°	J.HIRACONO
/	0600	68°	S.HERWOOD
14	0900	65°	S.HERWOOD
/	1200	63°	S.HERWOOD
24	1500	65°	C.PARKER
	1800	67°	C.PARKER
	2100	67°	C.PARKER
	2400	66°	R.F.GARZA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: F0B4 Temp. Reading Location: TOP TIER B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	65°	RF GARCIA
	0600	65	L. Repeach
	0900	65	L. Repeach
	1200	65	L. Repeach
	1500	66	C. Garrison
	1800	67	C. Garrison
6/24	2100	65	C. Garrison
	2400	64°	RF GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	63°	RF GARCIA
	0600	63	SHERWOOD
	0900	62	SHERWOOD
	1200	62	SHERWOOD
	1500	63	C. Garrison
	1800	63	C. Garrison
6/24	2100	62	C. Garrison
	2400	61°	RF GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	60°	RF GARCIA
	0600	60	SHERWOOD
	0900	62	SHERWOOD
	1200	63	SHERWOOD
	1500	62	C. Garrison
	1800	62	C. Garrison
6/24	2100	61	C. Garrison
	2400	60°	RF GARCIA

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	60°	RF GARCIA
	0600	61	SHERWOOD
	0900	61	SHERWOOD
	1200	61	SHERWOOD
	1500	68	S. Moreno
	1800	66	S. Moreno
6/24	2100	64	S. Moreno
	2400	74	J. HIRACHETA

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	74	J. HIRACHETA
	0600	66	Velasquez
	0900	66	Velasquez
	1200	66	Velasquez
	1500	67	M. Ravelo
	1800	67	M. Ravelo
6/24	2100	65	M. Ravelo
	2400	67	L. MASTRO

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	67	L. MASTRO
	0600	67	V. Velasquez
	0900	67	V. Velasquez
	1200	67	V. Velasquez
	1500	69	L. MASTRO
	1800	69	L. MASTRO
6/24	2100	69	L. MASTRO
	2400	69	J. HIRACHETA

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	69	J. HIRACHETA
	0600	65	SHERWOOD
	0900	67	SHERWOOD
	1200	64	SHERWOOD
	1500	67	Swenson
	1800	67	Swenson
6/24	2100	67	Swenson
	2400	67	K. OMES

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4 Temp. Reading Location: B SIDE Top tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/14	0300	67	GRIMES
	0600	76	CAMARENA
	0900	78	CAMARENA
	1200	83	CAMARENA
	1500	68	C.JOHNSON
	1800	68	C.JOHNSON
	2100	67	C.JOHNSON
	2400	67°	RF GARZA

R
J
D

Tuesday

Date	Time	Temp.	Name (Print)
6/25/14	0300	66°	RF GARZA
	0600	67°	SHERWOOD
	0900	66°	SHERWOOD
	1200	67	SHERWOOD
	1500	68	C.JOHNSON
	1800	69	C.JOHNSON
	2100	69	C.JOHNSON
	2400	68°	RF GARZA

R
P
D

Wednesday

Date	Time	Temp.	Name (Print)
6/26/14	0300	67°	RF GARZA
	0600	68	SHERWOOD
	0900	70	SHERWOOD
	1200	71	SHERWOOD
	1500	72	C.JOHNSON
	1800	75	C.JOHNSON
	2100	73	C.JOHNSON
	2400	72°	RF GARZA

R
P
D

Thursday

Date	Time	Temp.	Name (Print)
6/27/14	0300	71°	RF GARZA
	0600	79°	ZAMORA JR.
	0900	80°	ZAMORA JR.
	1200	81°	ZAMORA JR.
	1500	81	Infante
	1800	78	Infante
	2100	76	Infante
	2400	75°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
6/28/14	0300	74°	RF GARZA
	0600	74	V.VELASQUEZ
	0900	74	V.VELASQUEZ
	1200	74	V.VELASQUEZ
	1500	74	R.RIOS
	1800	74	R.RIOS
	2100	74	R.RIOS.
	2400	73°	RF GARZA

Date	Time	Temp.	Name (Print)
6/29/14	0300	72°	RF GARZA
	0600	72	V.VELASQUEZ
	0900	72	V.VELASQUEZ
	1200	72	V.VELASQUEZ
	1500	71	L.MASTRO
	1800	71	L.MASTRO
	2100	71	L.MASTRO
	2400	70	L.MASTRO

Sunday

Date	Time	Temp.	Name (Print)
6/30/14	0300	70	L.MASTRO
	0600	70	SHERWOOD
	0900	69	SHERWOOD
	1200	71	SHERWOOD
	1500	74	J.DICKINSON
	1800	74	J.DICKINSON
	2100	74	J.DICKINSON
	2400	75°	RF GARZA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP RL Housing Unit: FDBS A SIDE Temp. Reading Location: 2ND
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	70	K. GUANAS
	0600	70	P. MATA
	0900	70	P. MATA
	1200	72	P. MATA
	1500	72	R. GUNALAS
	1800	72	R. GUNALAS
	2100	72	R. GUNALAS
	2400	70	K. GUANAS

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	K. GUANAS
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	72	L. MASTRO
	1800	72	L. MASTRO
	2100	72	L. MASTRO
	2400	72	J. HIRAKAWA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: OS A side Temp. Reading Location: 2nd floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	72	J. HIRACHINA
	0600	72	I. SALAZAR
	0900	74	I. SALAZAR
	1200	75	I. SALAZAR
	1500	74	L. MASTRO
	1800	74	L. MASTRO
	2100	74	L. MASTRO
	2400	74	J. HIRACHINA

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	74	J. HIRACHINA
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K. GAMES
	1800	74	K. GAMES
	2100	73	K. GAMES
	2400	71	K. GAMES

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	74	K. GAMES
	0600	74	Abney
	0900	75	Abney
	1200	75	Abney
	1500	75	K. GAMES
	1800	75	K. GAMES
	2100	74	K. GAMES
	2400	72	K. GAMES

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	72	K. GAMES
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	75	M. CLOUD
	1800	77	M. CLOUD
	2100	77	M. CLOUD
	2400	77	K. GAMES

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	77	K. GAMES
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	75	K. GAMES
	1800	75	K. GAMES
	2100	75	K. GAMES
	2400	73	K. GAMES

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	73	K. GAMES
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K. GAMES
	1800	74	K. GAMES
	2100	73	K. GAMES
	2400	72	K. GAMES

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	K. GAMES
	0600	72	I. SALAZAR
	0900	73	I. SALAZAR
	1200	75	I. SALAZAR
	1500	73	L. MASTRO
	1800	73	L. MASTRO
	2100	73	L. MASTRO
	2400	73	J. HIRACHINA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: DS A side Temp. Reading Location: 2nd floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	73	J. HARRISON
	0600	73	JUAREZ
	0900	74	A. MARTINEZ
	1200	74	A. MARTINEZ
	1500	74	J. HARRISON
	1800	74	J. HARRISON
	2100	74	J. HARRISON
	2400	73	J. HARRISON

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76	Shamp
	0600	73	Abney
	0900	75	Abney
	1200	75	Abney
	1500	78	Shamp
	1800	78	Shamp
	2100	78	Shamp
	2400	75	K. GUNNIS

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	75	K. GUNNIS
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	76	K. GUNNIS
	1800	75	K. GUNNIS
	2100	74	K. GUNNIS
	2400	72	K. GUNNIS

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	72	K. GUNNIS
	0600	70	K. GUNNIS
	0900	70	K. GUNNIS
	1200	70	K. GUNNIS
	1500	71	L. MATAZO
	1800	71	L. MATAZO
	2100	70	L. MATAZO
	2400	70	J. HARRISON

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	73	J. HARRISON
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	76	Shamp
	1800	78	Shamp
	2100	78	Shamp
	2400	76	Shamp

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	75	K. GUNNIS
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	75	K. GUNNIS

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	K. GUNNIS
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	J. HARRISON
	1800	72	J. HARRISON
	2100	72	J. HARRISON
	2400	72	K. GUNNIS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LSP Housing Unit: D 5 A-SIDE Temp. Reading Location: 2nd floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	70	J. HIRACHETA
	0600	71	G. MONTAÑA
	0900	71	G. MONTAÑA
	1200	73	G. MONTAÑA
	1500	72	L. MASTRO
	1800	71	L. MASTRO
	2100	70	L. MASTRO
	2400	70	J. HIRACHETA

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/18/24</u>	0300	70	J. HIRACHETA
	0600	72	Abney
	0900	72	Abney
	1200	74	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	72	Shamp
	2400	72	Shamp

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/19/24</u>	0300	72	Shamp
	0600	72	Abney
	0900	72	Abney
	1200	74	Abney
	1500	72	Mur
	1800	72	Mur
	2100	72	Mur
	2400	70	K. GRIMES

Thursday

Date	Time	Temp.	Name (Print)
<u>6/20/24</u>	0300	70	K. GRIMES
	0600	72	Abney
	0900	72	Abney
	1200	74	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	72	Shamp
	2400	70	K. GRIMES

Friday

Date	Time	Temp.	Name (Print)
<u>6-21-24</u>	0300	70	K. GRIMES
	0600	72	Abney
	0900	72	Abney
	1200	74	Abney
	1500	74	K. GRIMES
	1800	73	K. GRIMES
	2100	72	K. GRIMES
	2400	70	K. GRIMES

Saturday

Date	Time	Temp.	Name (Print)
<u>6-22-24</u>	0300	70	K. GRIMES
	0600	72	Abney
	0900	72	Abney
	1200	74	Abney
	1500	75	K. GRIMES
	1800	75	K. GRIMES
	2100	74	K. GRIMES
	2400	72	K. GRIMES

Sunday

Date	Time	Temp.	Name (Print)
<u>6-23-24</u>	0300	72	K. GRIMES
	0600	72	V. VELASQUEZ
	0900	72	V. VELASQUEZ
	1200	72	V. VELASQUEZ
	1500	75	L. MASTRO
	1800	75	L. MASTRO
	2100	75	L. MASTRO
	2400	75	J. HIRACHETA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: A SIDE 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>6-24-24</u>	0300	73	J. HIRAGA
	0600	73	V. Velasquez
	0900	73	V. Velasquez
	1200	74	Linares
	1500	75	L. MASTRO
	1800	75	L. MASTRO
	2100	77	L. MASTRO
	2400	77	J. HIRAGA

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6-25-24</u>	0300	77	J. HIRAGA
	0600	75	Abney
	0900	75	Abney
	1200	76	Abney
	1500	78	Shamp
	1800	78	Shamp
	2100	78	Shamp
	2400	76	Shamp

Wednesday			
Date	Time	Temp.	Name (Print)
<u>6/26/24</u>	0300	76	Shamp
	0600	76	Abney
	0900	76	Abney
	1200	76	Abney
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	75	K. GUMAS

Thursday			
Date	Time	Temp.	Name (Print)
<u>6-27-24</u>	0300	75	K. GUMAS
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	75	K. GUMAS

Friday			
Date	Time	Temp.	Name (Print)
<u>6-28-24</u>	0300	75	K. GUMAS
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	75	K. GUMAS
	1800	75	K. GUMAS
	2100	75	K. GUMAS
	2400	75	K. GUMAS

Saturday			
Date	Time	Temp.	Name (Print)
<u>6-29-24</u>	0300	75	K. GUMAS
	0600	74	A. CARLUCCIO
	0900	75	A. CARLUCCIO
	1200	76	A. CARLUCCIO
	1500	76	R. GONZALEZ
	1800	76	R. GONZALEZ
	2100	75	R. GONZALEZ
	2400	74	R. GONZALEZ

Sunday			
Date	Time	Temp.	Name (Print)
<u>6-30-24</u>	0300	74	K. GUMAS
	0600	74	V. Velasquez
	0900	74	V. Velasquez
	1200	74	V. Velasquez
	1500	74	L. MASTRO
	1800	74	L. MASTRO
	2100	74	L. MASTRO
	2400	75	L. MASTRO

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSI-RL Housing Unit: FPBS-BS102 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
Sept 4.	0300	70	K. OLMAS
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	70	L. MASTRO
	1800	70	L. MASTRO
	2100	70	L. MASTRO
	2400	70	S. HORNCHER

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	K. GLUMAC
	0600	70	B. MATTA
	0900	70	B. MATTA
	1200	72	B. MATTA
	1500	72	R. GONZALEZ
	1800	72	H. GUERRERO
	2100	72	R. GONZALEZ
	2400	70	K. GLUMAC

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 B-SIDE Temp. Reading Location: ZND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/3/24</u>	0300	71	J. HIRACHET
	0600	71	I. SALAZAR
	0900	71	I. SALAZAR
	1200	72	I. SALAZAR
	1500	72	L. MASTRO
	1800	72	L. MASTRO
	2100	72	L. MASTRO
	2400	72	J. HIRACHET

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/4/24</u>	0300	72	J. HIRACHET
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K. GAMES
	1800	74	K. GAMES
	2100	73	K. GAMES
	2400	71	K. GAMES

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/5/24</u>	0300	71	K. GAMES
	0600	74	Abney
	0900	75	Abney
	1200	75	Abney
	1500	75	K. GAMES
	1800	75	K. GAMES
	2100	74	K. GAMES
	2400	72	K. GAMES

Thursday

Date	Time	Temp.	Name (Print)
<u>6/6/24</u>	0300	72	K. GAMES
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	75	M. CLOUD
	1800	75	M. CLOUD
	2100	75	M. CLOUD
	2400	77	K. GAMES

Friday

Date	Time	Temp.	Name (Print)
<u>6/7/24</u>	0300	77	K. GAMES
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	75	K. GAMES
	1800	72	K. GAMES
	2100	75	K. GAMES
	2400	75	K. GAMES

Saturday

Date	Time	Temp.	Name (Print)
<u>6/8/24</u>	0300	73	K. GAMES
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K. GAMES
	1800	74	K. GAMES
	2100	73	K. GAMES
	2400	72	K. GAMES

Sunday

Date	Time	Temp.	Name (Print)
<u>6/9/24</u>	0300	72	K. GAMES
	0600	72	I. SALAZAR
	0900	72	I. SALAZAR
	1200	75	I. SALAZAR
	1500	73	L. MASTRO
	1800	73	L. MASTRO
	2100	73	L. MASTRO
	2400	73	J. HIRACHET

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: DS BSIDE Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>6/11/24</u>	0300	72	J. HIRACHERA	<u>6/11/24</u>	0300	73	I. HIRACHERA
	0600	73	JUAREZ		0600	74	A. GENEY
	0900	74	A. MARTINEZ		0900	74	M. ONCEY
	1200	74	A. MARTINEZ		1200	74	A. ONCEY
	1500	74	I. HIRACHERA		1500	74	S. SHAMP
	1800	74	H. MARTINEZ		1800	76	S. SHAMP
	2100	74	J. HIRACHERA		2100	76	S. SHAMP
	2400	73	J. HIRACHERA		2400	74	S. SHAMP
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>6/13/24</u>	0300	74	S. SHAMP	<u>6/13/24</u>	0300	75	K. GUARNAS
	0600	75	A. GENEY		0600	75	A. GENEY
	0900	75	A. GENEY		0900	75	A. GENEY
	1200	75	A. GENEY		1200	75	A. GENEY
	1500	76	S. SHAMP		1500	74	S. SHAMP
	1800	76	S. SHAMP		1800	74	S. SHAMP
	2100	76	S. SHAMP		2100	74	S. SHAMP
	2400	75	K. GUARNAS		2400	75	K. GUARNAS
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>6/14/24</u>	0300	74	K. GUARNAS	<u>6/15/24</u>	0300	72	K. GUARNAS
	0600	75	A. GENEY		0600	74	A. GENEY
	0900	75	A. GENEY		0900	74	A. GENEY
	1200	75	A. GENEY		1200	74	A. GENEY
	1500	76	K. GUARNAS		1500	74	K. GUARNAS
	1800	75	K. GUARNAS		1800	72	K. GUARNAS
	2100	74	K. GUARNAS		2100	72	K. GUARNAS
	2400	72	K. GUARNAS		2400	72	K. GUARNAS
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
<u>6/16/24</u>	0300	72	K. GUARNAS				
	0600	70	K. GUARNAS				
	0900	70	K. GUARNAS				
	1200	70	K. GUARNAS				
	1500	70	L. MASTRO				
	1800	70	L. MASTRO				
	2100	70	L. MASTRO				
	2400	70	J. HIRACHERA				

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 B510E Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	J. HIRACHITA
	0600	72	G. MASTRO
	0900	72	G. MASTRO
	1200	73	G. MASTRO
	1500	72	L. MASTRO
	1800	72	L. MASTRO
	2100	71	L. MASTRO
	2400	71	J. HIRACHITA

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	Shamp
	0600	72	Abrey
	0900	72	Abrey
	1200	74	Abrey
	1500	72	Mur
	1800	72	Mur
	2100	72	Mur
	2400	74	Shamp

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	70	K. GUMAS
	0600	72	Abrey
	0900	72	Abrey
	1200	74	Abrey
	1500	74	K. GUMAS
	1800	73	K. GUMAS
	2100	72	K. GUMAS
	2400	70	K. GUMAS

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	72	K. GUMAS
	0600	72	V. VELASQUEZ
	0900	72	V. VELASQUEZ
	1200	72	V. VELASQUEZ
	1500	75	L. MASTRO
	1800	75	L. MASTRO
	2100	75	L. MASTRO
	2400	75	J. HIRACHITA

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	71	J. Hirachita
	0600	72	Abrey
	0900	72	Abrey
	1200	74	Abrey
	1500	72	Shamp
	1800	72	Shamp
	2100	70	Shamp
	2400	70	Shamp

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	72	Abrey
	0600	72	Abrey
	0900	72	Abrey
	1200	74	Abrey
	1500	74	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	70	Galvis

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	70	K. GUMAS
	0600	72	Abrey
	0900	72	Abrey
	1200	74	Abrey
	1500	75	R. Guzman
	1800	75	R. Guzman
	2100	74	R. Guzman
	2400	72	K. GUMAS

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: B SIDE
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6-24-24	0300	73	J. HIRACHETA
	0600	73	V. VELASQUEZ
	0900	73	V. VELASQUEZ
	1200	73	L. MASTRO
	1500	75	L. MASTRO
	1800	75	L. MASTRO
	2100	77	L. MASTRO
	2400	77	J. HIRACHETA

Tuesday			
Date	Time	Temp.	Name (Print)
6-25-24	0300	77	J. HIRACHETA
	0600	77	A. HONEY
	0900	77	A. HONEY
	1200	78	A. HONEY
	1500	76	Shawn
	1800	76	Shawn
	2100	76	Shawn
	2400	74	Shawn

Wednesday			
Date	Time	Temp.	Name (Print)
6/26/24	0300	74	Shawn
	0600	74	A. HONEY
	0900	74	A. HONEY
	1200	74	A. HONEY
	1500	74	Shawn
	1800	74	Shawn
	2100	74	Shawn
	2400	74	K. GUMAS

Thursday			
Date	Time	Temp.	Name (Print)
6-27-24	0300	74	K. GUMAS
	0600	78	A. HONEY
	0900	75	A. HONEY
	1200	75	A. HONEY
	1500	74	Shawn
	1800	74	Shawn
	2100	74	Shawn
	2400	77	K. GUMAS

Friday			
Date	Time	Temp.	Name (Print)
6-28-24	0300	74	K. GUMAS
	0600	74	A. HONEY
	0900	74	A. HONEY
	1200	74	A. HONEY
	1500	74	K. GUMAS
	1800	74	K. GUMAS
	2100	73	K. GUMAS
	2400	73	K. GUMAS

Sunday			
Date	Time	Temp.	Name (Print)
6-30-24	0300	74	K. GUMAS
	0600	74	V. VELASQUEZ
	0900	74	V. VELASQUEZ
	1200	74	V. VELASQUEZ
	1500	75	L. MASTRO
	1800	75	L. MASTRO
	2100	75	L. MASTRO
	2400	75	L. MASTRO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB 4 Temp. Reading Location: A 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5-24	0300	70	KENT
	0600	68	E-CALVO
	0900	70	E-CALVO
	1200	70	E-CALVO
	1500	70	J-PAGE
	1800	72	J-KCC
	2100	70	J-PAGE
	2400	70	C-LONEU

Sunday

Date	Time	Temp.	Name (Print)
5-25	0300	68	C-LONEU
	0600	68	E-CALVO
	0900	70	E-CALVO
	1200	70	E-CALVO
	1500	70	J-PAGE
	1800	71	J-PAGE
	2100	70	J-PAGE
	2400	70	J-PAGE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB4

Temp. Reading Location: A 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(A)
Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	68	V. REYNOLDS
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	70	E. M. LEON
	1800	70	E. M. LEON
	2100	70	E. M. LEON
	2400	70	V. REYNOLDS

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	68	V. REYNOLDS
	0600	70	L. RICHARDSON
	0900	70	L. RICHARDSON
	1200	70	L. RICHARDSON
	1500	70	E. M. LEON
	1800	70	E. M. LEON
	2100	70	E. M. LEON
	2400	70	V. REYNOLDS

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	70	V. REYNOLDS
	0600	70	L. RICHARDSON
	0900	70	L. RICHARDSON
	1200	71	L. RICHARDSON
	1500	72	E. M. LEON
	1800	75	E. M. LEON
	2100	75	E. M. LEON
	2400	75	RECORDED

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	75	RECORDED
	0600	75	E. CALVO
	0900	75	E. CALVO
	1200	75	E. CALVO
	1500	75	E. M. LEON
	1800	80	E. M. LEON
	2100	78	E. M. LEON
	2400	78	RECORDED

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	78	RECORDED
	0600	78	E. CALVO
	0900	78	E. CALVO
	1200	78	E. CALVO
	1500	79	E. M. LEON
	1800	78	E. M. LEON
	2100	78	E. M. LEON
	2400	75	V. REYNOLDS

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	75	V. REYNOLDS
	0600	75	V. REYNOLDS
	0900	75	V. REYNOLDS
	1200	75	V. REYNOLDS
	1500	75	A. S. REED
	1800	74	A. S. REED
	2100	76	A. S. REED
	2400	76	V. REYNOLDS

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	75	V. REYNOLDS
	0600	75	D. NUÑEZ
	0900	73	D. NUÑEZ
	1200	73	D. NUÑEZ
	1500	75	A. S. REED
	1800	76	A. S. REED
	2100	76	A. S. REED
	2400	74	V. REYNOLDS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDBk Temp. Reading Location: B 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1000 when the inside air temperature reaches 90 degrees and again at 95 degrees.

3
Monday

Date	Time	Temp.	Name (Print)
<u>5-21-19</u>	0300	75	V. REYNAL
	0600	75	V. REYNAL
	0900	75	V. REYNAL
	1200	77	V. REYNAL
	1500	78	E. CALVO
	1800	78	E. CALVO
	2100	75	E. CALVO
	2400	75	V. REYNAL

Tuesday

Date	Time	Temp.	Name (Print)
<u>5-22-19</u>	0300	75	V. REYNAL
	0600	75	L. RICCIERI
	0900	74	L. RICCIERI
	1200	74	L. RICCIERI
	1500	78	E. CALVO
	1800	78	E. CALVO
	2100	78	E. CALVO
	2400	78	V. REYNAL

Wednesday

Date	Time	Temp.	Name (Print)
<u>5-23-19</u>	0300	75	V. REYNAL
	0600	77	L. RICCIERI
	0900	79	L. RICCIERI
	1200	77	L. RICCIERI
	1500	80	E. CALVO
	1800	80	E. CALVO
	2100	76	E. CALVO
	2400	75	unstaffed

Thursday

Date	Time	Temp.	Name (Print)
<u>5-24-19</u>	0300	75	W. OFFORD
	0600	73	E. CALVO
	0900	75	E. CALVO
	1200	75	E. CALVO
	1500	78	E. CALVO
	1800	78	E. CALVO
	2100	75	E. CALVO
	2400	75	E. OFFORD

Friday

Date	Time	Temp.	Name (Print)
<u>5-24-19</u>	0300	75	unstaffed
	0600	75	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	75	E. CALVO
	1800	75	E. CALVO
	2100	72	E. CALVO
	2400	72	V. REYNAL

Saturday

Date	Time	Temp.	Name (Print)
<u>5-15-19</u>	0300	72	V. REYNAL
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	70	A. VELLATO
	1800	70	A. VELLATO
	2100	70	A. VELLATO
	2400	70	V. REYNAL

Sunday

Date	Time	Temp.	Name (Print)
<u>5-16-19</u>	0300	70	V. REYNAL
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	74	S. SEVILLA
	1800	76	S. SEVILLA
	2100	76	S. SEVILLA
	2400	75	E. ZELAYA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSF Housing Unit: FDB6 Temp. Reading Location: A 3rd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(K)
Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	70	E.ZULAYA
	0600	70	E.CAWD
	0900	70	E.CAWD
	1200	70	E.CAWD
	1500	72	E.MYERS
	1800	72	EAN LEON
	2100	70	EAN LEON
	2400	70	E.ZULAYA

Tuesday

Date	Time	Temp.	Name (Print)
6-18-24	0300	78	V.ZEIN
	0600	70	L.BICKER
	0900	72	L.BICKER
	1200	72	L.BICKER
	1500	72	E.MYERS
	1800	72	E.MYERS
	2100	78	E.MYERS
	2400	78	V.ZEIN

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	68	V.ZEIN
	0600	70	UNKN
	0900	72	UNKN
	1200	72	UNKN
	1500	72	EAN LEON
	1800	72	EAN LEON
	2100	70	EAN LEON
	2400	70	UNKN

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	70	UNKN
	0600	70	E.CAWD
	0900	70	E.CAWD
	1200	70	E.CAWD
	1500	72	EAN LEON
	1800	72	EAN LEON
	2100	70	EAN LEON
	2400	70	UNKN

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	70	UNKN
	0600	68	E.CAWD
	0900	71	E.CAWD
	1200	71	E.CAWD
	1500	71	S.KICS
	1800	72	S.KICS
	2100	70	S.KICS
	2400	70	V.ZEIN

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	70	V.ZEIN
	0600	70	A.NAG
	0900	70	A.NAG
	1200	72	A.NAG
	1500	73	A.NAG
	1800	73	A.NAG
	2100	73	A.NAG
	2400	73	V.ZEIN

Sunday

Date	Time	Temp.	Name (Print)
6-23-24	0300	71	V.ZEIN
	0600	70	D.ANDREWZ
	0900	70	D.ANDREWZ
	1200	70	D.ANDREWZ
	1500	75	ALKOBIAF
	1800	75	ALKOBIAF
	2100	73	ALKOBIAF
	2400	72	V.ZEIN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB 4 Temp. Reading Location: A 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(A)
Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	71	V. ROYNE
	0600	73	E. CALVO
	0900	75	E. CALVO
	1200	75	E. CALVO
	1500	75	E. CALVO
	1800	78	E. CALVO
	2100	78	E. CALVO
	2400	75	V. ROYNE

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	72	V. ROYNE
	0600	72	L. CALVO
	0900	73	C. RODRIGUEZ
	1200	75	C. RODRIGUEZ
	1500	78	C. RODRIGUEZ
	1800	78	C. RODRIGUEZ
	2100	78	C. RODRIGUEZ
	2400	77	V. ROYNE

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	75	V. ROYNE
	0600	75	C. RODRIGUEZ
	0900	75	C. RODRIGUEZ
	1200	75	C. RODRIGUEZ
	1500	75	N. INFANTE
	1800	75	N. INFANTE
	2100	75	N. INFANTE
	2400	70	N. INFANTE

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	70	✓ off duty
	0600	72	E. CALVO
	0900	73	E. CALVO
	1200	75	E. CALVO
	1500	78	F. BUSTOS
	1800	78	F. BUSTOS
	2100	74	F. BUSTOS
	2400	74	✓ off duty

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	72	✓ off duty
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	75	E. CALVO
	1500	75	A. PRECIADO
	1800	75	A. PRECIADO
	2100	75	A. PRECIADO
	2400	75	K. FALY

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	73	K. FALY
	0600	72	J. PEREZ
	0900	73	J. PEREZ
	1200	75	J. PEREZ
	1500	75	A. PRECIADO
	1800	75	A. PRECIADO
	2100	75	A. PRECIADO
	2400	75	V. ROYNE

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	72	V. ROYNE
	0600	72	C. RODRIGUEZ
	0900	73	C. RODRIGUEZ
	1200	75	C. RODRIGUEZ
	1500	75	A. PRECIADO
	1800	75	A. PRECIADO
	2100	75	A. PRECIADO
	2400	75	V. ROYNE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FD B6

Temp. Reading Location: B - 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-2-24	0300	70	V. Reynal
	0600	65	E. CALVO
	0900	68	E. CALVO
	1200	68	E. CALVO
	1500	90	J. Perez
	1800	70	J. Perez
	2100	68	J. Perez
	2400	68	C. Lameau

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	65	C. Lameau
	0600	65	E. CALVO
	0900	68	E. CALVO
	1200	68	E. CALVO
	1500	68	J. Perez
	1800	70	J. Perez
	2100	68	J. Perez
	2400	70	V. Reynal

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NSP Housing Unit: FDB4 Temp. Reading Location: B 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1000 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	70	V. REYNOLDS
	0600	68	E. CALVO
	0900	70	E. CALVO
	1200	68	E. CALVO
	1500	70	E. CALVO
	1800	70	E. CALVO
	2100	70	E. CALVO
	2400	70	V. REYNOLDS

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	68	V. REYNOLDS
	0600	69	L. LIEUTENANT
	0900	70	L. LIEUTENANT
	1200	70	L. LIEUTENANT
	1500	70	E. CALVO
	1800	70	E. CALVO
	2100	70	E. CALVO
	2400	70	V. REYNOLDS

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	70	V. REYNOLDS
	0600	70	L. LIEUTENANT
	0900	70	L. LIEUTENANT
	1200	71	L. LIEUTENANT
	1500	72	E. CALVO
	1800	75	E. CALVO
	2100	75	E. CALVO
	2400	75	unfilled

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	70	unfilled
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	79	E. CALVO
	1800	80	E. CALVO
	2100	78	E. CALVO
	2400	70	unfilled

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	76	unfilled
	0600	75	E. CALVO
	0900	75	E. CALVO
	1200	75	E. CALVO
	1500	79	E. CALVO
	1800	78	E. CALVO
	2100	78	E. CALVO
	2400	75	V. REYNOLDS

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	75	V. REYNOLDS
	0600	75	V. REYNOLDS
	0900	75	V. REYNOLDS
	1200	75	V. REYNOLDS
	1500	75	A. REED
	1800	75	A. REED
	2100	75	A. REED
	2400	74	V. REYNOLDS

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	75	V. REYNOLDS
	0600	75	D. NUNEZ
	0900	75	D. NUNEZ
	1200	75	D. NUNEZ
	1500	75	A. REED
	1800	75	A. REED
	2100	75	A. REED
	2400	76	V. REYNOLDS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB4 Temp. Reading Location: A 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	75	V. REYNAR
	0600	75	V. REYNAR
	0900	75	V. REYNAR
	1200	75	V. REYNAR
	1500	78	EAN'LEON
	1800	78	EAN'LEON
	2100	75	EAN'LEON
	2400	75	V. REYNAR

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	75	V. REYNAR
	0600	75	EAN'LEON
	0900	74	EAN'LEON
	1200	74	EAN'LEON
	1500	78	EAN'LEON
	1800	78	EAN'LEON
	2100	78	EAN'LEON
	2400	79	V. REYNAR

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	75	V. REYNAR
	0600	77	EAN'LEON
	0900	78	EAN'LEON
	1200	77	EAN'LEON
	1500	80	EAN'LEON
	1800	80	EAN'LEON
	2100	76	EAN'LEON
	2400	75	notched

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	75	notched
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	78	EAN'LEON
	1800	78	EAN'LEON
	2100	75	EAN'LEON
	2400	75	notched

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	75	V. REYNAR
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	75	EAN'LEON
	1800	75	EAN'LEON
	2100	72	EAN'LEON
	2400	72	V. REYNAR

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	72	V. REYNAR
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	70	A. S. REEDER
	1800	70	A. S. REEDER
	2100	70	A. S. REEDER
	2400	70	V. REYNAR

Sunday

Date	Time	Temp.	Name (Print)
6-16-24	0300	70	V. REYNAR
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	74	S. SEVILLA
	1800	76	S. SEVILLA
	2100	76	S. SEVILLA
	2400	75	B. Zalaya

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDOR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FD36

Temp. Reading Location:

B 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(B)
Monday

Date	Time	Temp.	Name (Print)
<i>HC-81-3</i>	0300	70	E. CALVO
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	72	E. CALVO
	1800	72	E. CALVO
	2100	70	E. CALVO
	2400	70	V. REYNOLDS

Tuesday

Date	Time	Temp.	Name (Print)
<i>HC-81-3</i>	0300	68	V. REYNOLDS
	0600	68	L. REEDER
	0900	72	L. REEDER
	1200	72	L. REEDER
	1500	72	E. CALVO
	1800	72	E. CALVO
	2100	70	E. CALVO
	2400	70	V. REYNOLDS

Wednesday

Date	Time	Temp.	Name (Print)
<i>HC-81-3</i>	0300	68	V. REYNOLDS
	0600	69	L. REEDER
	0900	72	L. REEDER
	1200	72	L. REEDER
	1500	72	E. CALVO
	1800	72	E. CALVO
	2100	70	E. CALVO
	2400	70	<i>scribble</i>

Thursday

Date	Time	Temp.	Name (Print)
<i>HC-81-3</i>	0300	70	L. REEDER
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	72	E. CALVO
	1800	72	E. CALVO
	2100	70	E. CALVO
	2400	70	<i>waffled</i>

Friday

Date	Time	Temp.	Name (Print)
<i>HC-81-3</i>	0300	70	<i>scribble</i>
	0600	68	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	71	S. REEDER
	1800	72	S. REEDER
	2100	70	S. REEDER
	2400	70	V. REYNOLDS

Saturday

Date	Time	Temp.	Name (Print)
<i>HC-81-3</i>	0300	70	V. REYNOLDS
	0600	70	A. ABULFAD
	0900	70	A. ABULFAD
	1200	72	A. ABULFAD
	1500	73	A. ABULFAD
	1800	73	A. ABULFAD
	2100	73	A. ABULFAD
	2400	73	V. REYNOLDS

Sunday

Date	Time	Temp.	Name (Print)
<i>HC-81-3</i>	0300	71	<i>scribble</i>
	0600	70	D. ADAMOWICZ
	0900	70	D. ADAMOWICZ
	1200	70	D. ADAMOWICZ
	1500	75	A. ROBERT
	1800	75	A. ROBERT
	2100	73	A. ROBERT
	2400	72	V. REYNOLDS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FB 84

Temp. Reading Location: B 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6-24-24	0300	71	V. Reynal
	0600	73	E. CALVO
	0900	73	E. CALVO
	1200	73	E. CALVO
	1500	75	E. CALVO
	1800	78	E. CALVO
	2100	76	E. CALVO
	2400	75	V. Reynal

Tuesday			
Date	Time	Temp.	Name (Print)
6-25-24	0300	72	V. Reynal
	0600	72	G. G. G. -tier
	0900	73	G. G. G. -tier
	1200	75	G. G. G. -tier
	1500	78	E. CALVO
	1800	79	E. CALVO
	2100	78	E. CALVO
	2400	77	V. Reynal

Wednesday			
Date	Time	Temp.	Name (Print)
6-26-24	0300	75	V. Reynal
	0600	75	G. G. G. -tier
	0900	73	G. G. G. -tier
	1200	75	G. G. G. -tier
	1500	70	N. Infante
	1800	70	N. Infante
	2100	70	N. Infante
	2400	70	nofferd

Thursday			
Date	Time	Temp.	Name (Print)
6-27-24	0300	70	G. G. G. -tier
	0600	72	G. G. G. -tier
	0900	73	G. G. G. -tier
	1200	75	G. G. G. -tier
	1500	78	E. BUSTOS
	1800	76	E. BUSTOS
	2100	76	E. BUSTOS
	2400	76	G. G. G. -tier

Friday			
Date	Time	Temp.	Name (Print)
6-28-24	0300	76	G. G. G. -tier
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	75	E. CALVO
	1500	75	A. Preciado
	1800	75	A. Preciado
	2100	75	A. Preciado
	2400	75	K. Raley

Saturday			
Date	Time	Temp.	Name (Print)
6-29-24	0300	73	K. Raley
	0600	72	J. PEREZ
	0900	73	J. PEREZ
	1200	75	J. PEREZ
	1500	75	A. PRECIADO
	1800	75	A. PRECIADO
	2100	75	A. PRECIADO
	2400	75	V. Reynal

Sunday			
Date	Time	Temp.	Name (Print)
6-30-24	0300	72	V. Reynal
	0600	72	A. Gutiérrez
	0900	73	G. G. G. -tier
	1200	75	G. G. G. -tier
	1500	75	A. Gutiérrez
	1800	75	A. Gutiérrez
	2100	75	A. Gutiérrez
	2400	75	V. Reynal

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees..

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-24	0300	70	Delgadillo
	0600	70	Rivas, L.
	0900	70	Rivas, L.
	1200	70	Rivas, L.
	1500	75	U. Medina
	1800	75	U. Medina
	2100	75	U. Medina
	2400	72	S. Delgadillo

Sunday

Date	Time	Temp.	Name (Print)
6-24	0300	70	M. Anderson
	0600	70	Reyna
	0900	70	Reyna
	1200	72	Reyna
	1500	74	D. Holguin
	1800	74	D. Holguin
	2100	72	D. Holguin
	2400	71	S. Delgadillo

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7

Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	70	S. Delgadillo ✓
	0600	70	G. Perez ✓
	0900	70	J. Perez ✓
	1200	73°	G. Perez ✓
	1500	77	F. Garcia ✓
	1800	77°	estra
	2100	77	omra
	2400	72	S. Delgadillo

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	74	S. Delgadillo
	0600	72°	G. Perez ✓
	0900	73	G. Perez ✓
	1200	78	G. Perez
	1500	80°	J. Gutierrez
	1800	80°	J. Gutierrez
	2100	80°	J. Gutierrez
	2400	80°	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	78	J. Dominguez
	0600	73	J. Perez
	0900	77	J. Perez
	1200	77	J. Perez
	1500	80	J. Gutierrez
	1800	81°	J. Gutierrez
	2100	80°	J. Gutierrez
	2400	78	F. Garcia

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	F. Garcia
	0600	70	J. Perez
	0900	72	J. Perez
	1200	74	J. Perez
	1500	75	J. Castellanos
	1800	76	J. Castellanos
	2100	75	J. Castellanos
	2400	76	S. Delgadillo

Tuesday

Date	Time	Temp.	Name (Print)
6/9/24	0300	70	S. Delgadillo
	0600	70	G. Perez
	0900	71°	G. Perez
	1200	72	J. Perez
	1500	73	C. Gillett
	1800	73	C. Gillett
	2100	73	C. Gillett
	2400	76	S. Delgadillo

Thursday

Date	Time	Temp.	Name (Print)
6/10/24	0300	78	J. Dominguez
	0600	76	J. Elias
	0900	78	J. Elias
	1200	80°	J. Elias
	1500	80°	J. Gutierrez
	1800	82°	J. Gutierrez
	2100	81°	J. Gutierrez
	2400	80	J. Dominguez

Saturday

Date	Time	Temp.	Name (Print)
6/10/24	0300	71	F. Garcia
	0600	72	J. Perez
	0900	74	J. Perez
	1200	77	J. Perez
	1500	78	J. Castellanos
	1800	78	J. Castellanos
	2100	79	J. Castellanos
	2400	75	F. Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7

Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	72	S. Delgadillo
	0600	72	J. Perez
	0900	73	J. Perez
	1200	73	J. Perez
	1500	77	J. Perez
	1800	78	J. Perez
	2100	78	J. Perez
	2400	75	S. Delgadillo

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76°	S. Delgadillo
	0600	78	G. Perea
	0900	78	G. Perea
	1200	80	J. ELIAS
	1500	80°	A. MARTIN
	1800	80°	A. MARTIN
	2100	80°	A. MARTIN
	2400	80°	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	78	J. Dominguez
	0600	71	J. Perez
	0900	72	J. Perez
	1200	74	J. Perez
	1500	79	J. FRANCIS
	1800	79	J. Castellanos
	2100	78	J. Castellanos
	2400	73	A. Ortiz

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	74	S. Delgadillo
	0600	70	S. Delgadillo
	0900	72	S. Delgadillo
	1200	72	S. Delgadillo
	1500	74	J. Castellanos
	1800	76	J. Castellanos
	2100	78	J. Castellanos
	2400	73	A. Ortiz

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	73	S. Delgadillo
	0600	72	J. Perez
	0900	76	J. Perez
	1200	80	J. Perez
	1500	81	J. Castellanos
	1800	81	J. Castellanos
	2100	79	J. Castellanos
	2400	75	S. Delgadillo

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	78°	J. Dominguez
	0600	74	J. ELIAS
	0900	76	J. ELIAS
	1200	78	J. ELIAS
	1500	81	L. PONCE
	1800	80	A. LOPEZ
	2100	80	A. LOPEZ
	2400	80	J. Dominguez

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	79	A. Ortiz
	0600	79	A. Ortiz
	0900	73	J. Castellanos
	1200	74	J. Castellanos
	1500	75	J. Castellanos
	1800	75	J. Castellanos
	2100	74	J. Castellanos
	2400	74	S. Delgadillo

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the inside ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7

Temp. Reading Location: 1st Tier

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

(e.g., 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100)

6001 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	78	A. Ortiz
	0600	77	A. Ortiz
	0900	71	J. Perez
	1200	74	S. Lopez
	1500	77	F. Ortiz
6/18/24	1800	74	N. Infante
	2100	74	N. Infante
	2400	72	S. Delgadillo

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	S. Delgadillo
	0600	71	G. Perez
	0900	72	G. Perez
	1200	73	G. Perez
	1500	78	A. Lopez
6/20/24	1800	79	A. Lopez
	2100	79	A. Lopez
	2400	71	Rodriguez

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	71	Dominguez
	0600	71	J. Perez
	0900	72	J. Perez
	1200	73	J. Perez
	1500	76	J. Castellanos
	1800	78	J. Castellanos
	2100	78	J. Castellanos
	2400	76	Rivas, L.

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	72	Rivas, L.
	0600	72	Perez, J.
	0900	75	Perez, J.
	1200	79	Perez, J.
	1500	80	A. Lopez
	1800	79	A. Lopez
	2100	79	A. Lopez
	2400	78	D. Villanueva

Tuesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	S. Delgadillo
	0600	70	J. Perez
	0900	71	J. Perez
	1200	71	J. Perez
	1500	73	J. Castellanos
	1800	74	J. Castellanos
	2100	73	J. Castellanos
	2400	72	S. Delgadillo

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	74	Rodriguez
	0600	70	Rodriguez
	0900	70	G. Perez
	1200	71	G. Perez
	1500	72°	A. Martinez
	1800	73°	A. Martinez
	2100	75°	A. Martinez
	2400	74°	Dominguez

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	74	Rivas, L.
	0600	74	Rivas, L.
	0900	74	Rivas, L.
	1200	74	Rivas, L.
	1500	76	S. Espinosa
	1800	76	S. Espinosa
	2100	74	S. Espinosa
	2400	74	Rivas, L.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7

Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	78	K. Garcia
	0600	73	J. Perez
	0900	75	J. Perez
	1200	80	J. Perez
	1500	80	F. Ortiz
	1800	81	F. Ortiz
	2100	81	F. Ortiz
	2400	80	J. Dominguez

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	78	D. Villagran
	0600	74	J. Elias
	0900	76	J. Elias
	1200	78	J. Elias
	1500	80	A. Lopez
	1800	80	A. Lopez
	2100	80	A. Lopez
	2400	80	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	74	J. Dominguez
	0600	74	J. Perez
	0900	76	J. Perez
	1200	79	J. Perez
	1500	80	A. Lopez
	1800	81	A. Lopez
	2100	81	A. Lopez
	2400	80	S. Delgadillo

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	72	S. Delgadillo
	0600	72	G. Rizel
	0900	74°	G. Rizel
	1200	80	G. Rizel
	1500	81	J. Castellanos
	1800	80	J. Castellanos
	2100	75	J. Castellanos
	2400	78	DELGADILLO

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	J. DOMINGUEZ
	0600	78	G. PEREZ
	0900	78°	C. GILL
	1200	80°	G. PEREZ
	1500	81	J. CASTELLANOS
	1800	81	J. CASTELLANOS
	2100	80	J. CASTELLANOS
	2400	80	D. VILLAGRAN

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	78	J. DOMINGUEZ
	0600	74	J. ELIAS
	0900	74	J. ELIAS
	1200	78	J. ELIAS
	1500	78°	A. MARTINEZ
	1800	80°	A. MARTINEZ
	2100	80°	A. MARTINEZ
	2400	80	J. DOMINGUEZ

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	75	S. Delgadillo
	0600	72	J. Perez
	0900	74	J. Perez
	1200	78	J. Perez
	1500	80	J. Castellanos
	1800	81	J. Castellanos
	2100	80	J. Castellanos
	2400	72	S. Delgadillo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C1-A Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	71	Dunne
	0600	70	Server
	0900	70	Server
	1200	70	Server
	1500	71	Dunne
	1800	73	Dunne
	2100	71	Dunne
	2400	70	Dunne

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	70	Dunne
	0600	70	BETAN COURT
	0900	72	BETAN COURT
	1200	73	BETAN COURT
	1500	70	A. FRAUSTO
	1800	72	A. FRAUSTO
	2100	72	A. FRAUSTO
	2400	71	M. Dunne

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	71	M. Dunn
	0600	71	D. BETAN COURT
	0900	71	D. BETAN COURT
	1200	74	D. BETAN COURT
	1500	74	R. Rice
	1800	74	R. Rice
	2100	73	R. Rice
	2400	73	R. Rice

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	72	R. Rice
	0600	72	D. BETAN COURT
	0900	73	D. BETAN COURT
	1200	74	D. BETAN COURT
	1500	74	H. AGUAND
	1800	75	H. AGUAND
	2100	74	H. AGUAND
	2400	72	R. Rice

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	72	R. Rice
	0600	72	D. JONES
	0900	74	D. JONES
	1200	74	D. JONES
	1500	74	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	79	F. Hernande

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	78	F. Hernande
	0600	75	MACIEL J.
	0900	70	MACIEL J.
	1200	78	MACIEL J.
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	78	F. Hernande

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	77	F. Hernande
	0600	74	D. BETAN COURT
	0900	74	D. BETAN COURT
	1200	75	D. BETAN COURT
	1500	75	Dunne
	1800	78	Dunne
	2100	76	Dunne
	2400	74	Dunne

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	72	Dunne
	0600	72	D. BETAN COURT
	0900	73	D. BETAN COURT
	1200	74	D. BETAN COURT
	1500	74	R. Rice
	1800	74	R. Rice
	2100	74	R. Rice
	2400	74	K. Smith

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	74	K. Smith
	0600	74	BETAN COURT
	0900	75	BETAN COURT
	1200	75	BETAN COURT
	1500	77	Dunne
	1800	77	Dunne
	2100	76	Dunne
	2400	74	Dunne

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	71	M. Dunne
	0600	71	D. BETAN COURT
	0900	72	D. BETAN COURT
	1200	74	D. BETAN COURT
	1500	75	Rice
	1800	76	Rice
	2100	76	Rice
	2400	75	Rice

Wednesday

Date	Time	Temp.	Name (Print)
5/12/19	0300	73	Rice
	0600	73	O. NUNEZ
	0900	74	O. NUNEZ
	1200	75	O. NUNEZ
	1500	75	S. T. LOS
	1800	80	S. T. LOS
	2100	80	S. T. LOS
	2400	77	Hernandez

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	74	M. DUNNE
	0600	74	BETAN COURT
	0900	74	BETAN COURT
	1200	75	BETAN COURT
	1500	78	M. DUNNE
	1800	79	M. Dunne
	2100	78	M. Dunne
	2400	77	M. Dunne

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	74	Dunne
	0600	74	BETANCOURT
	0900	75	BETANCOURT
	1200	75	BETANCOURT
	1500	75	Rice
	1800	75	Rice
	2100	75	Rice
	2400	74	Dunne

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	74	Rice
	0600	74	BETANCOURT
	0900	75	BETANCOURT
	1200	75	Betancourt
	1500	76	Rice
	1800	76	Rice
	2100	76	Rice
	2400	75	Rice

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	76	Hernandez
	0600	74°	J. LUQUE
	0900	74°	J. LUQUE
	1200	76°	J. LUQUE
	1500	78	S. Rios
	1800	79	S. Rios
	2100	79	S. Rios
	2400	78	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	74	M. Dunne
	0600	74	BETAN COMET
	0900	74	BETAN COMET
	1200	75	BETAN COMET
	1500	79	Dunne
	1800	88	Dunne
	2100	79	Dunne
	2400	75	Dunne

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C-1 A Side Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	72	M. Dunne
	0600	72	BETANCOURT
	0900	72	BETANCOURT
	1200	71	BETANCOURT
	1500	71	R. Rice
	1800	71	R. Rice
	2100	71	Rice
	2400	70	Rice

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	70	Rice
	0600	70	BETANCOURT
	0900	70	BETANCOURT
	1200	71	BETANCOURT
	1500	71	Rice
	1800	71	Rice
	2100	71	Rice
	2400	70	Rice

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	69	M. Dunne
	0600	69	M. Amore
	0900	70	M. Amore
	1200	71	M. Amore
	1500	72	F. HARVEY
	1800	72	F. HARVEY
	2100	72	F. HARVEY
	2400	73	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	73	Hernandez
	0600	70	M. Amore
	0900	70	M. Amore
	1200	70	M. Amore
	1500	71	F. HARVEY
	1800	71	F. HARVEY
	2100	71	F. HARVEY
	2400	71	F. HARVEY

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	71	Hernandez
	0600	71	BETANCOURT
	0900	71	BETANCOURT
	1200	72	BETANCOURT
	1500	73	M. Dunne
	1800	73	M. Dunne
	2100	72	M. Dunne
	2400	71	M. Dunne

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	70	M. Dunne
	0600	71	BETANCOURT
	0900	72	BETANCOURT
	1200	74	BETANCOURT
	1500	75	Dunne
	1800	76	Dunne
	2100	74	Dunne
	2400	71	Dunne

Sunday

Date	Time	Temp.	Name (Print)
6-23-24	0300	71	Dunne
	0600	72	BETANCOURT
	0900	72	BETANCOURT
	1200	73	BETANCOURT
	1500	74	G. TURNS
	1800	75	G. TURNS
	2100	76	G. TURNS
	2400	76	M. AMORE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-A SIDE Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	77	MAMAUG
	0600	74	BETANCOURT
	0900	75	BETANCOURT
	1200	76	BETANCOURT
	1500	77	R.Rice
	1800	78	R.Rice
	2100	77	R.Rice
	2400	77	R.Rice

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	75	R.Rice
	0600	75	BETANCOURT
	0900	76	BETANCOURT
	1200	78	BETANCOURT
	1500	78	R.Rice
	1800	78	R.Rice
	2100	76	R.Rice
	2400	75	R.Rice

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	75	R.Rice
	0600	74	G.Earnest
	0900	75	G.Earnest
	1200	75	G.Earnest
	1500	79	T.GARNEST/F.HARVEY
	1800	79	F.HARVEY
	2100	79	F.HARVEY
	2400	79	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	78	Hann
	0600	77	GANNON, S
	0900	78	GANNON, S
	1200	78	GANNON, S
	1500	78	F.HARVEY
	1800	78	F.HARVEY
	2100	77	F.HARVEY
	2400	76	Hernandez

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	75	Hernandez
	0600	74	BETANCOURT
	0900	75	BETANCOURT
	1200	76	BETANCOURT
	1500	79	Dunne
	1800	79	Dunne
	2100	78	Dunne
	2400	76	Dunne

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	75	Dunne
	0600	75	BETANCOURT
	0900	76	BETANCOURT
	1200	78	BETANCOURT
	1500	79	Dunne
	1800	78	Dunne
	2100	77	Dunne
	2400	75	Dunne

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	75	Dunne
	0600	76	BETANCOURT
	0900	76	BETANCOURT
	1200	78	BETANCOURT
	1500	78	R.Rice
	1800	76	R.Rice
	2100	75	R.Rice
	2400	74	C.LOMELI

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1 FLR 2B Temp. Reading Location: 7th
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300	72	K Smith
	0600	72	F. Cota
	0900	72	F. Cota
	1200	72	F. Cota
	1500	72	A. Gonzalez
	1800	72	A. Gonzalez
	2100	72	A. Gonzalez
	2400	72	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	72	K Smith
	0600	72	F. Cota
	0900	72	F. Cota
	1200	72	F. Cota
	1500	72	A. Gonzalez
	1800	72	A. Gonzalez
	2100	72	A. Gonzalez
	2400	72	K Smith

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	70	K Smith
	0600	70	F. Cota
	0900	70	F. Cota
	1200	72	F. Cota
	1500	72	A. Gonzalez
	1800	73	A. Gonzalez
	2100	73	A. Gonzalez
	2400	71	K Smith

Sunday

Date	Time	Temp.	Name (Print)
6/20 th	0300	70	K Smith
	0600	70	W. Scott
	0900	71	W. Scott
	1200	71	W. Scott
	1500	72	G. Jones
	1800	72	G. Jones
	2100	71	G. Jones
	2400	71	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	70	K Smith
	0600	70	F. Cota
	0900	71	F. Cota
	1200	71	F. Cota
	1500	71	A. Gonzalez
	1800	70	A. Gonzalez
	2100	70	A. Gonzalez
	2400	70	K Smith

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	72	K Smith
	0600	72	F. Cota
	0900	72	F. Cota
	1200	73	F. Cota
	1500	73	A. Gonzalez
	1800	73	A. Gonzalez
	2100	72	A. Gonzalez
	2400	72	K Smith

Saturday

Date	Time	Temp.	Name (Print)
6/1/21	0300	70	R. Montano
	0600	70	F. Cota
	0900	70	F. Cota
	1200	72	F. Cota
	1500	72	A. Gonzalez
	1800	71	A. Gonzalez
	2100	71	A. Gonzalez
	2400	70	K. ORTIZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RK Housing Unit: C1 F12 B Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	72	K Smith
6/3/18	0600	72	A. ATILANO
	0900	73	A. ATILANO
	1200	74	A. ATILANO
	1500	72	J. RAMIREZ
	1800	72	J. RAMIREZ
	2100	72	J. RAMIREZ
	2400	72	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
6/5/18	0300	72	K Smith
	0600	72°	F. GL
	0900	73°	F. GL
	1200	73°	F. GL
	1500	75	A. Gonzales
	1800	76	A. Gonzales
	2100	76	A. Gonzales
	2400	78	K Smith

Friday

Date	Time	Temp.	Name (Print)
6/7/18	0300	78	K Smith
	0600	76°	F. Cota
	0900	76°	F. Cota
	1200	76°	F. Cota
	1500	78°	A. Gonzales
	1800	78°	A. Gonzales
	2100	78	A. Gonzales
	2400	78	K Smith

Sunday

Date	Time	Temp.	Name (Print)
6/9/18	0300	74	F. ORTIZ
	0600	73	F. Cota
	0900	73	F. Cota
	1200	74	F. Cota
	1500	72	J. RAMIREZ
	1800	72	J. RAMIREZ
	2100	72	J. RAMIREZ
	2400	72	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
6/18/18	0300	72	K Smith
	0600	72	A. ATILANO
	0900	73	A. ATILANO
	1200	73	A. ATILANO
	1500	72	J. RAMIREZ
	1800	72	J. RAMIREZ
	2100	72	J. RAMIREZ
	2400	72	K Smith

Thursday

Date	Time	Temp.	Name (Print)
6/19/18	0300	78	K Smith
	0600	76°	F. GL
	0900	76°	F. GL
	1200	76°	F. GL
	1500	80°	J. RUVACABO
	1800	79°	J. RUVACABO
	2100	79°	J. RUVACABO
	2400	78	K Smith

Saturday

Date	Time	Temp.	Name (Print)
6/18/18	0300	74	F. ORTIZ
	0600	74°	F. Cota
	0900	74°	F. Cota
	1200	74°	F. Cota
	1500	74	A. Gonzales
	1800	75	A. Gonzales
	2100	75	A. Gonzales
	2400	75°	F. ORTIZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C1 F12 B Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	72	K Smith
6/10/19	0600	72	A. ATILAND
	0900	73	A. ATILAND
	1200	73	A. ATILAND
	1500	73	J. RAMIREZ
	1800	74	J. RAMIREZ
	2100	74	J. RAMIREZ
	2400	74	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
	0300	72	K Smith
6/12/19	0600	72°	Che
	0900	72°	Che
	1200	72°	Che
	1500	74	J. RAMIREZ
	1800	74	J. RAMIREZ
	2100	74	J. RAMIREZ
	2400	74	K Smith

Friday

Date	Time	Temp.	Name (Print)
6/14/19	0300	72	K Smith
	0600	72°	Che
	0900	72°	Che
	1200	72°	Che
	1500	73	Gonzales
	1800	73	Gonzales
	2100	72	Gonzales
	2400	72	K Smith

Sunday

Date	Time	Temp.	Name (Print)
6/16/19	0300	75	F. ORTIZ
	0600	73°	Che
	0900	73°	Che
	1200	73°	Che
	1500	73°	Medina
	1800	73°	Medina
	2100	72°	Medina
	2400	72°	A. MARTIN

Tuesday

Date	Time	Temp.	Name (Print)
6/11/19	0300	74	K Smith
	0600	74	A. ATILAND
	0900	74	A. ATILAND
	1200	74	A. ATILAND
	1500	74	J. RAMIREZ
	1800	74	J. RAMIREZ
	2100	74	J. RAMIREZ
	2400	74	K Smith

Thursday

Date	Time	Temp.	Name (Print)
6/13/19	0300	72	K Smith
	0600	72°	Che
	0900	72°	Che
	1200	72°	Che
	1500	73	J. RAMIREZ
	1800	73	J. RAMIREZ
	2100	73	J. RAMIREZ
	2400	74	K Smith

Saturday

Date	Time	Temp.	Name (Print)
6/15/19	0300	73	F. ORTIZ
	0600	73°	Che
	0900	73°	Che
	1200	73°	Che
	1500	73	A. GONZALES
	1800	73	A. GONZALES
	2100	73	A. GONZALES
	2400	77	F. ORTIZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C-1 FL 2B Temp. Reading Location: 1st TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	A MARTINEZ
	0600	70	A MARTINEZ
	0900	71	A ATILANO
	1200	72	A ATILANO
	1500	72	J RAMIREZ
	1800	72	J RAMIREZ
	2100	72	J RAMIREZ
	2400	72	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	K Smith
	0600	70°	Cota
	0900	70°	Cota
	1200	70°	Cota
	1500	72	J RAMIREZ
	1800	72	J RAMIREZ
	2100	72	J RAMIREZ
	2400	72	K Smith

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	K Smith
	0600	72	Cota
	0900	74	Cota
	1200	74	Cota
	1500	74	J RAMIREZ
	1800	74	J RAMIREZ
	2100	73	J RAMIREZ
	2400	73	K Smith

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	72	FORTIZ
	0600	72	Cota
	0900	72	Cota
	1200	72	Cota
	1500	72	J RAMIREZ
	1800	72	J RAMIREZ
	2100	72	J RAMIREZ
	2400	72	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	72	K Smith
	0600	72	A ATILANO
	0900	72	A ATILANO
	1200	73	A ATILANO
	1500	72	J RAMIREZ
	1800	72	J RAMIREZ
	2100	72	J RAMIREZ
	2400	72	K Smith

Thursday

Date	Time	Temp.	Name (Print)
6/24/24	0300	70	K Smith
	0600	70°	Cota
	0900	70°	Cota
	1200	70°	Cota
	1500	70	Marcia
	1800	70	Marcia
	2100	70	Marcia
	2400	72	K Smith

Saturday

Date	Time	Temp.	Name (Print)
6/24/24	0300	70	K Smith
	0600	71	Cota
	0900	71	Cota
	1200	72	Cota
	1500	72	Solano
	1800	72	Solano
	2100	72	J RAMIREZ
	2400	72	FORTIZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C1 F12 B Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/14	0300	72	R Smith
	0600	73	A ATILANO
	0900	74	A ATILANO
	1200	75	A ATILANO
	1500	72	J RAMIREZ
	1800	72	J RAMIREZ
	2100	72	J RAMIREZ
	2400	72	R Smith

Tuesday

Date	Time	Temp.	Name (Print)
6/25/14	0300	72	R Smith
	0600	72	A ATILANO
	0900	73	A ATILANO
	1200	73	A ATILANO
	1500	73	J RAMIREZ
	1800	73	J RAMIREZ
	2100	72	J RAMIREZ
	2400	72	R Smith

Wednesday

Date	Time	Temp.	Name (Print)
6/26/14	0300	72	R Smith
	0600	73	F. G
	0900	75°	F. G
	1200	75°	F. G
	1500	77°	J. RAMIREZ
	1800	75°	J. RAMIREZ
	2100	75°	J. RAMIREZ
	2400	72	R Smith

Thursday

Date	Time	Temp.	Name (Print)
6/27/14	0300	72	R Smith
	0600	73°	F. G
	0900	75°	F. G
	1200	75°	F. G
	1500	75	G TOMAS
	1800	75	G TOMAS
	2100	78	G TOMAS
	2400	75	F. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
6/28/14	0300	75	F. GONZALEZ
	0600	73	F. GONZALEZ
	0900	75°	F. G
	1200	75°	F. G
	1500	77	A. GONZALES
	1800	77	A. GONZALES
	2100	77	A. GONZALES
	2400	77	F. GONZALES

Saturday

Date	Time	Temp.	Name (Print)
6/29/14	0300	75	F. ORTIZ
	0600	75°	F. G
	0900	75°	F. G
	1200	75°	F. G
	1500	78	A. GONZALES
	1800	76	A. GONZALES
	2100	76	A. GONZALES
	2400	78	F. ORTIZ

Notes

Date	Time	Temp.	Name (Print)
6/30/14	0300	77	F. ORTIZ
	0600	75°	F. G
	0900	75°	F. G
	1200	75°	F. G
	1500	73°	J. RAMIREZ
	1800	73°	J. RAMIREZ
	2100	73°	J. RAMIREZ
	2400	72	R Smith

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C-2 A Temp. Reading Location: Z
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70	Henwood
	0600	72	J. D.
	0900	74	J. D.
	1200	74	J. D.
	1500	72	Dominique
	1800	72	Dominique
	2100	72	Dominique
	2400	71	Henwood

Sunday

Date	Time	Temp.	Name (Print)
	0300	71	Henwood
	0600	71	M. Rios
	0900	72	M. Rios
	1200	72	M. Rios
	1500	76	C. Lamey
	1800	76	C. Lamey
	2100	74	C. Lamey
	2400	74	E. Lozano

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C2-A Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/13/24	0300	70°	E. LOZANDO
	0600	79	R. LEE
	0900	71	R. LEE, JR
	1200	73	R. LEE, JR
	1500	73	Aguirre
	1800	72	Aguirre
	2100	72	Alvarado
	2400	71	E. LOZANDO

Wednesday

Date	Time	Temp.	Name (Print)
6/15/24	0300	71	T. Henwood
	0600	72	T. Henwood
	0900	73	R. LEE, JR
	1200	75	R. LEE, JR
	1500	75	Dominguez
	1800	80	Dominguez
	2100	79	Dominguez
	2400	78	T. Henwood

Friday

Date	Time	Temp.	Name (Print)
6/17/24	0300	80	T. Henwood
	0600	80	LEE
	0900	81	LEE
	1200	80	LEE
	1500	80	DOMINGUEZ
	1800	80	DOMINGUEZ
	2100	80	DOMINGUEZ
	2400	80	G. Montoya

Sunday

Date	Time	Temp.	Name (Print)
6/19/24	0300	79	T. Henwood
	0600	75	AGAYO
	0900	75	AGAYO
	1200	76	AGAYO
	1500	76	LUMELI
	1800	76	LUMELI
	2100	76	LUMELI
	2400	76°	E. LOZANDO

Tuesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	E. LOZANDO
	0600	68	R. LEE, JR
	0900	70	R. LEE, JR
	1200	71	R. LEE, JR
	1500	74	Dominguez
	1800	71	Dominguez
	2100	71	Dominguez
	2400	71	T. Henwood

Thursday

Date	Time	Temp.	Name (Print)
6/21/24	0300	77	T. Henwood
	0600	78	T. Henwood
	0900	79	R. LEE, JR
	1200	83	R. LEE, JR
	1500	80	Dominguez
	1800	80	Dominguez
	2100	80	Dominguez
	2400	80	G. Montoya

Saturday

Date	Time	Temp.	Name (Print)
6/23/24	0300	78	G. Montoya
	0600	78	O. NUNEZ
	0900	78	O. NUNEZ
	1200	80	O. NUNEZ
	1500	80	Dominguez
	1800	80	Dominguez
	2100	80	Dominguez
	2400	79	T. Henwood

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C2-A Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/1/24	0300	80	E. LOZAND
	0600	80	LEE
	0900	80	LEE
	1200	80	LEE
	1500	80	LOMELI
	1800	80	LOMELI
	2100	80	LOMELI
	2400	80°	E. LOZAND

Tuesday

Date	Time	Temp.	Name (Print)
6/1/24	0300	77°	E. LOZAND
	0600	77°	S-BLAKE
	0900	77°	S-BLAKE
	1200	77°	S-BLAKE
	1500	78	A. FRANCO
	1800	79	A. FRANCO
	2100	80	A. FRANCO
	2400	79	T. Henwood

Wednesday

Date	Time	Temp.	Name (Print)
6/2/24	0300	79	T. Henwood
	0600	78	R. RIVERA
	0900	78	R. RIVERA
	1200	78	R. RIVERA
	1500	80	Dominguez
	1800	80	Dominguez
	2100	80	Dominguez
	2400	79	T. Henwood

Thursday

Date	Time	Temp.	Name (Print)
6/3/24	0300	79	T. Henwood
	0600	79	LEE
	0900	80	LEE
	1200	80	LEE
	1500	78	Dominguez
	1800	78	Dominguez
	2100	78	Dominguez
	2400	79	T. Henwood

Friday

Date	Time	Temp.	Name (Print)
6/4/24	0300	77	T. Henwood
	0600	78	LEE
	0900	78	LEE
	1200	78	LEE
	1500	79	Dominguez
	1800	79	Dominguez
	2100	79	Dominguez
	2400	78	T. Henwood

Saturday

Date	Time	Temp.	Name (Print)
6/5/24	0300	77	T. Henwood
	0600	77	MONTROY
	0900	77	MONTROY
	1200	80	MONTROY
	1500	80	DOMINGUEZ
	1800	80	DOMINGUEZ
	2100	80	DOMINGUEZ
	2400	79	T. Henwood

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	78	T. Henwood
	0600	74	M. RIOS
	0900	74	M. RIOS
	1200	74	M. RIOS
	1500	75	C. LUMELI
	1800	75	C. LUMELI
	2100	75	C. LUMELI
	2400	75	E. LOZAND

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C-2-A Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/14	0300	75°	E. LOZANO
	0600	75°	LEE
	0900	75°	LEE
	1200	75°	LEE
	1500	72	A. GONZALES
	1800	72	A. GONZALES
	2100	72	A. GONZALES
	2400	70°	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
6/19/14	0300	72	T. HENWOOD
	0600	73	R. LEE
	0900	74	R. LEE
	1200	75	R. LEE
	1500	75	D. DOMINGUEZ
	1800	72	D. DOMINGUEZ
	2100	72	D. DOMINGUEZ
	2400	71	T. HENWOOD

Friday

Date	Time	Temp.	Name (Print)
6/20/14	0300	72	T. HENWOOD
	0600	72	R. LEE
	0900	72	R. LEE
	1200	73	R. LEE
	1500	75	D. DOMINGUEZ
	1800	75	D. DOMINGUEZ
	2100	75	D. DOMINGUEZ
	2400	73	T. HENWOOD

Sunday

Date	Time	Temp.	Name (Print)
6/22/14	0300	76	T. HENWOOD
	0600	77	R. LEE
	0900	80	R. LEE
	1200	80	R. LEE
	1500	78	D. DOMINGUEZ
	1800	80	D. DOMINGUEZ
	2100	78	D. DOMINGUEZ
	2400	80	E. LOZANO

Tuesday

Date	Time	Temp.	Name (Print)
6/23/14	0300	70°	E. LOZANO
	0600	71	LEE
	0900	72	LEE
	1200	73	LEE
	1500	75	D. DOMINGUEZ
	1800	75	D. DOMINGUEZ
	2100	75	D. DOMINGUEZ
	2400	74	T. HENWOOD

Thursday

Date	Time	Temp.	Name (Print)
6/24/14	0300	70	T. HENWOOD
	0600	71	R. LEE
	0900	72	R. LEE
	1200	73	R. LEE
	1500	75	D. DOMINGUEZ
	1800	75	D. DOMINGUEZ
	2100	75	D. DOMINGUEZ
	2400	72	T. HENWOOD

Saturday

Date	Time	Temp.	Name (Print)
6/28/14	0300	73	T. HENWOOD
	0600	74	MARTINEZ
	0900	74	MARTINEZ
	1200	75	MARTINEZ
	1500	77	MARTINEZ
	1800	77	MARTINEZ
	2100	77	MARTINEZ
	2400	77	T. HENWOOD

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C-2-A Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday:

Date	Time	Temp.	Name (Print)
6/24/24	0300	80	E. LOZANO
	0600	80	R. LEE
	0900	81	R. LEE
	1200	82	R. LEE
	1500	80	A. GONZALES
	1800	80	A. GONZALES
	2100	80	A. GONZALES
	2400	80	E. LOZANO

Tuesday:

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	E. LOZANO
	0600	79	R. LEE
	0900	80	R. LEE
	1200	81	R. LEE
	1500	81	DOMINGUEZ
	1800	80	DOMINGUEZ
	2100	80	DOMINGUEZ
	2400	80	T. HENWOOD

Wednesday:

Date	Time	Temp.	Name (Print)
6/26/24	0300	78	T. HENWOOD
	0600	80	R. LEE
	0900	81	R. LEE
	1200	82	R. LEE
	1500	82	DOMINGUEZ
	1800	80	DOMINGUEZ
	2100	80	DOMINGUEZ
	2400	79	T. HENWOOD

Thursday:

Date	Time	Temp.	Name (Print)
6/27/24	0300	78	T. HENWOOD
	0600	79	R. LEE
	0900	80	R. LEE
	1200	81	R. LEE
	1500	82	DOMINGUEZ
	1800	80	DOMINGUEZ
	2100	80	DOMINGUEZ
	2400	65	T. HENWOOD

Friday:

Date	Time	Temp.	Name (Print)
6/28/24	0300	66	T. HENWOOD
	0600	78	R. LEE
	0900	80	R. LEE
	1200	80	R. LEE
	1500	82	I. DOMINGUEZ
	1800	80	I. DOMINGUEZ
	2100	80	I. DOMINGUEZ
	2400	80	HENWOOD

Saturday:

Date	Time	Temp.	Name (Print)
6/29/24	0300	78	T. HENWOOD
	0600	78	DAY
	0900	79	DAY
	1200	80	DAY
	1500	80	DAY
	1800	79	DAY
	2100	78	DAY
	2400	78	HENWOOD

Notes:

Date	Time	Temp.	Name (Print)
6/30/24	0300	77	HENWOOD
	0600	76	M. RIOS
	0900	76	M. RIOS
	1200	77	M. RIOS
	1500	78	M. RIOS
	1800	78	C. LUNELL
	2100	78	C. LUNELL
	2400	77	E. LOZANO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2 Temp. Reading Location: tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6021 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	75	Lozano
	0600	78	R-LEE
	0900	79	R-LEE
24	1200	80	R-LEE
	1500	82	Gonzales
	1800	82	Gonzales
24	2100	84	Gonzales
	2400	75	Henderson

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	75	Henderson
	0600	77	R-LEE
	0900	78	R-LEE
26	1200	79	R-LEE
	1500	80	I. Dominguez
	1800	81	I. Dominguez
26	2100	82	I. Dominguez
	2400	79	Henderson

Friday

Date	Time	Temp.	Name (Print)
6	0300	79	Henderson
	0600	80	R-LEE
	0900	81	R-LEE
26	1200	82	R-LEE
	1500	83	I. Dominguez
	1800	83	I. Dominguez
26	2100	85	I. Dominguez
	2400	70	Henderson

Sunday

Date	Time	Temp.	Name (Print)
6	0300	63	Henderson
	0600	77	Dix
	0900	79	Dix
26	1200	80	Dix
	1500	81	Lomeli
	1800	82	Lomeli
26	2100	83	Lomeli
	2400	80	Lopez

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	76	Lopez
	0600	77	R-LEE
	0900	78	R-LEE
25	1200	79	R-LEE
	1500	81	I. Dominguez
	1800	82	I. Dominguez
25	2100	83	I. Dominguez
	2400	75	Henderson

Thursday

Date	Time	Temp.	Name (Print)
6	0300	78	Henderson
	0600	79	R-LEE
	0900	80	R-LEE
27	1200	81	R-LEE
	1500	82	I. Dominguez
	1800	84	I. Dominguez
27	2100	84	I. Dominguez
	2400	79	Henderson

Saturday

Date	Time	Temp.	Name (Print)
6	0300	65	Henderson
	0600	70	Rios
	0900	69	Rios
26	1200	77	Rios
	1500	80	Dix
	1800	83	Dix
26	2100	82	Dix
	2400	80	Henderson

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-B Temp. Reading Location: 1st
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	71	VIGIL
	0600	71	VIGIL
	0900	73	EMICHA
	1200	74	SCARZA
	1500	76	MARIE
	1800	77	MAROS
	2100	74	MAROS
	2400	73	VIGIL

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	73	VIGIL
	0600	71	VIGIL
	0900	73	SCARZA
	1200	78	SCARZA
	1500	72	MAROS
	1800	74	MAROS
	2100	72	MAROS
	2400	72	OMAROS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSF Housing Unit: C2 B Temp. Reading Location: 1ST
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/1/14	0300	71	CAMPES
	0600	71	W. SANTOS
	0900	72	W. SANTOS
	1200	74	W. SANTOS
	1500	74	M. RIOS
	1800	74	M. RIOS
	2100	74	M. RIOS
	2400	73	E. MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/4/14	0300	70	E. MARTINEZ
	0600	71	E. MARTINEZ
	0900	71	HAGUANO
	1200	72	HAGUANO
	1500	75	GONZALEZ
	1800	77	GONZALEZ
	2100	75	GONZALEZ
	2400	73	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
6/5/14	0300	73	E. LOZANO
	0600	73	M. HERNANDEZ
	0900	77	M. HERNANDEZ
	1200	77	M. HERNANDEZ
	1500	78	M. HERNANDEZ
	1800	78	M. HERNANDEZ
	2100	76	M. HERNANDEZ
	2400	74	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
6/6/14	0300	72	E. LOZANO
	0600	75	M. HERNANDEZ
	0900	70	M. HERNANDEZ
	1200	80	M. HERNANDEZ
	1500	80	M. RIOS
	1800	79	M. RIOS
	2100	79	M. RIOS
	2400	75	J. VIGIL

Friday

Date	Time	Temp.	Name (Print)
6/7/14	0300	73	J. VIGIL
	0600	74	M. HERNANDEZ
	0900	75	M. HERNANDEZ
	1200	80	M. HERNANDEZ
	1500	79	M. RIOS
	1800	77	M. RIOS
	2100	75	M. RIOS
	2400	75	J. VIGIL

Saturday

Date	Time	Temp.	Name (Print)
6/8/14	0300	74	J. VIGIL
	0600	74	J. VIGIL
	0900	73	S. GARZA
	1200	74	S. GARZA
	1500	80	M. RIOS
	1800	80	M. RIOS
	2100	78	M. RIOS
	2400	77	J. VIGIL

Sunday

Date	Time	Temp.	Name (Print)
6/9/14	0300	76	J. VIGIL
	0600	75	J. VIGIL
	0900	76	S. GARZA
	1200	75	S. GARZA
	1500	79	H. AGUAYO
	1800	78	H. AGUAYO
	2100	77	H. AGUAYO
	2400	76	J. VIGIL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (0418)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: USPRC Housing Unit: C-2-B Temp. Reading Location: 1st TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/21	0300	76	J. VIGIL
	0600	76	J. VIGIL
	0900	73	M. AGUAW
	1200	75	M. AGUAW
	1500	78	M. AGUAW
	1800	78	M. AGUAW
	2100	78	M. AGUAW
	2400	77	J. VIGIL

Tuesday

Date	Time	Temp.	Name (Print)
6/11/21	0300	76	J. VIGIL
	0600	75	J. VIGIL
	0900	75	M. AGUAW
	1200	78	M. AGUAW
	1500	78	GONZALEZ
	1800	78	GONZALEZ
	2100	78	GONZALEZ
	2400	77	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
6/12/21	0300	77	E. LOZANO
	0600	77	M. FERNANDEZ
	0900	79	M. FERNANDEZ
	1200	79	M. FERNANDEZ
	1500	80	M. FERNANDEZ
	1800	81	M. FERNANDEZ
	2100	79	M. FERNANDEZ
	2400	77	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
6/13/21	0300	77	E. LOZANO
	0600	77	M. FERNANDEZ
	0900	80	M. FERNANDEZ
	1200	80	M. FERNANDEZ
	1500	80	M. RIOS
	1800	79	M. RIOS
	2100	79	M. RIOS
	2400	78	J. VIGIL

Friday

Date	Time	Temp.	Name (Print)
6/14/21	0300	77	J. VIGIL
	0600	76	J. VIGIL
	0900	78	M. GARCIA
	1200	78	M. GARCIA
	1500	78	M. RIOS
	1800	78	M. RIOS
	2100	78	M. RIOS
	2400	77	J. VIGIL

Saturday

Date	Time	Temp.	Name (Print)
6/15/21	0300	76	J. VIGIL
	0600	76	J. VIGIL
	0900	71	S. GARCIA
	1200	72	S. GARCIA
	1500	76	M. RIOS
	1800	76	M. RIOS
	2100	79	M. RIOS
	2400	75	J. VIGIL

Notes

Date	Time	Temp.	Name (Print)
6/16/21	0300	75	J. VIGIL
	0600	74	J. VIGIL
	0900	73	S. GARCIA
	1200	73	S. GARCIA
	1500	75	M. RIOS
	1800	74	M. RIOS
	2100	74	S. GARCIA
	2400	74	C. CAMP

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-B Temp. Reading Location: 1ST
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	CAMPOS
	0600	70	H.AGUADO
	0900	70	H.AGUADO
	1200	72	H.AGUADO
	1500	72	M.RIOS
	1800	72	M.RIOS
	2100	72	M.RIOS
	2400	72	CAMPOS

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	72	CAMPOS
	0600	72	H.AGUADO
	0900	72	H.AGUADO
	1200	72	H.AGUADO
	1500	72	A.Gonzales
	1800	72	A.Gonzales
	2100	72	A.Gonzales
	2400	70	E.LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	E.LOZANO
	0600	70	M.FERNANDEZ
	0900	70	M.FERNANDEZ
	1200	78	M.FERNANDEZ
	1500	78	M.FERNANDEZ
	1800	75	M.FERNANDEZ
	2100	71	M.FERNANDEZ
	2400	72	E.LOZANO

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	70	E.LOZANO
	0600	72	M.FERNANDEZ
	0900	72	M.FERNANDEZ
	1200	74	M.FERNANDEZ
	1500	74	M.rios
	1800	74	M.rios
	2100	74	M.rios
	2400	75	J.VIGIL

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	74	J.VIGIL
	0600	73	J.VIGIL
	0900	75	M.FERNANDEZ
	1200	75	M.FERNANDEZ
	1500	74	M.rios
	1800	74	M.rios
	2100	74	M.rios
	2400	75	J.VIGIL

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	74	J.VIGIL
	0600	73	J.VIGIL
	0900	79	S.GARCIA
	1200	79	S.GARCIA
	1500	76	M.rios
	1800	76	M.rios
	2100	75	M.rios
	2400	75	J.VIGIL

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	74	J.VIGIL
	0600	74	J.VIGIL
	0900	73	S.GARCIA
	1200	74	S.GARCIA
	1500	74	H.AGUADO
	1800	74	H.AGUADO
	2100	74	H.AGUADO
	2400	74	CAMPOS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2 B Temp. Reading Location: 1SF
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	72	CAMPUS
	0600	72	H.AGUNDO
	0900	74	H.AGUNDO
	1200	74	H.AGUNDO
	1500	74	HERNANDEZ
	1800	73	HERNANDEZ
	2100	73	HERNANDEZ
	2400	73	CAMPUS

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	72	CAMPUS
	0600	72	H.AGUNDO
	0900	74	H.AGUNDO
	1200	74	H.AGUNDO
	1500	79	A.GONZALES
	1800	79	A.GONZALES
	2100	79	A.GONZALES
	2400	80	E.LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	77	E.LOZANO
	0600	77	HERNANDEZ
	0900	78	HERNANDEZ
	1200	79	HERNANDEZ
	1500	80	HERNANDEZ
	1800	78	HERNANDEZ
	2100	77	HERNANDEZ
	2400	77	E.LOZANO

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	77	E.LOZANO
	0600	77	HERNANDEZ
	0900	77	HERNANDEZ
	1200	79	HERNANDEZ
	1500	79	MARIO'S
	1800	78	MARIO'S
	2100	78	MARIO'S
	2400	77	J.VIGIL

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	76	J.VIGIL
	0600	76	J.VIGIL
	0900	77	HERNANDEZ
	1200	78	HERNANDEZ
	1500	78	HERNANDEZ
	1800	78	MARIO'S
	2100	78	MARIO'S
	2400	77	J.VIGIL

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	76	J.VIGIL
	0600	76	J.VIGIL
	0900	76	SCARIA
	1200	77	SCARIA
	1500	78	MARIO'S
	1800	78	MARIO'S
	2100	78	MARIO'S
	2400	77	J.VIGIL

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	76	J.VIGIL
	0600	76	J.VIGIL
	0900	76	SCARIA
	1200	76	SCARIA
	1500	78	MARIO'S
	1800	78	MARIO'S
	2100	78	MARIO'S
	2400	76	CAMPUS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-A Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	70	L. AMARAL
	0600	70	L. AMARAL
	0900	72	Scorcher
	1200	75	Scorcher
	1500	75	Bandy
	1800	75	Bandy
	2100	74	Bandy
	2400	73	K. CETA

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	73	K. CETA
	0600	70	J. B.
	0900	70	J. B.
	1200	71	Scorcher
	1500	71	Bandy
	1800	71	Bandy
	2100	70	Bandy
	2400	70	S. STAFF

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3A Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-16	0300	70	S. Stafford
	0600	70	S. Balmer
	0900	74	S. Moreno
	1200	76	S. Moreno
	1500	71	B. Banks
	1800	71	B. Banks
	2100	71	B. Banks
	2400	70	A. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
5-17	0300	70	A. Gonzalez
	0600	70	S. Moreno
	0900	70	S. Moreno
	1200	70	S. Moreno
	1500	71	B. Banks
	1800	71	B. Banks
	2100	71	B. Banks
	2400	71	A. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
5-18	0300	70	S. Moreno
	0600	70	W. Sire
	0900	70	W. Sire
	1200	72	W. Sire
	1500	72	B. Banks
	1800	72	B. Banks
	2100	72	B. Banks
	2400	76	S. Moreno

Thursday

Date	Time	Temp.	Name (Print)
5-19	0300	75	S. Moreno
	0600	78	D. Rios
	0900	78	D. Rios
	1200	79	D. Rios
	1500	80	M. Hernandez
	1800	80	M. Hernandez
	2100	80	M. Hernandez
	2400	78	M. Hernandez

Friday

Date	Time	Temp.	Name (Print)
5-20	0300	70	S. Hare
	0600	72	S. Hare
	0900	72	S. Hare
	1200	70	S. Hare
	1500	76	J. McCain
	1800	75	J. McCain
	2100	75	J. McCain
	2400	74	S. Hare

Saturday

Date	Time	Temp.	Name (Print)
5-21	0300	70	...
	0600	73	...
	0900	75	...
	1200	80	...
	1500	75	C. Gillett
	1800	75	C. Gillett
	2100	74	C. Gillett
	2400	72	L. Ponce

Sunday

Date	Time	Temp.	Name (Print)
5-22	0300	72	L. Ponce
	0600	72	S. Moreno
	0900	74	S. Moreno
	1200	76	S. Moreno
	1500	72	B. Banks
	1800	72	B. Banks
	2100	72	B. Banks
	2400	72	M. Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3 (A-SIDE) Temp. Reading Location: 2ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	73	MAMAUG
	0600	72	STRONNAN
	0900	74	S. ROMAN
	1200	75	C. ROMAN
	1500	74	BONALDI //
	1800	74	BONALDI //
	2100	73	BONALDI //
	2400	73	MAMAUG

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	74	A. M. OCHOA
	0600	74	H. AGUAW
	0900	74	H. AGUAW
	1200	77	H. AGUAW
	1500	78	A. BONALDI //
	1800	78	A. BONALDI //
	2100	78	A. BONALDI //
	2400	77	A. M. OCHOA

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	S. HUE
	0600	72	S. HUE
	0900	72	S. ROMAN//
	1200	74	S. ROMAN//
	1500	75	S. GARZA
	1800	75	S. GARZA
	2100	73	S. GARZA
	2400	73	S. HUE

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	70	BONALDI //
	0600	70	S. ROMAN//
	0900	70	S. ROMAN//
	1200	72	C. ROMAN
	1500	72	BONALDI //
	1800	72	BONALDI //
	2100	72	BONALDI //
	2400	72	S. COBB

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	74	A. M. OCHOA
	0600	74	C. FARNEST
	0900	74	C. FARNEST
	1200	74	C. FARNEST
	1500	74	BONALDI //
	1800	74	BONALDI //
	2100	73	BONALDI //
	2400	76	A. M. OCHOA

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	78	F. HARVEY
	0600	76	F. HARVEY
	0900	73	Gadelia
	1200	75	Gadelia
	1500	76	M. HENRY
	1800	70	M. HENRY
	2100	75	M. HENRY
	2400	75	S. HUE

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	70	S. HUE
	0600	70	S. HUE
	0900	73	S. ROMAN//
	1200	75	S. ROMAN//
	1500	72	BONALDI //
	1800	72	BONALDI //
	2100	72	BONALDI //
	2400	72	BONALDI //

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3(A-Side) Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1/18	0300	75	D. COBB
	0600	70	S. NODDIN
	0900	75	J. WOODWARD
	1200	75	S. RONALD
	1500	72	B. BANHILL
	1800	72	B. BANHILL
	2100	70	B. BANHILL
	2400	70	D. COBB

Tuesday

Date	Time	Temp.	Name (Print)
5/1/18	0300	70	M. MARSH
	0600	70	S. RODRIGUEZ
	0900	71	S. RODRIGUEZ
	1200	71	S. RODRIGUEZ
	1500	72	B. BANHILL
	1800	72	B. BANHILL
	2100	70	B. BANHILL
	2400	70	MARSH

Wednesday

Date	Time	Temp.	Name (Print)
5/1/18	0300	70	MARSH
	0600	70	H. AGUADIA
	0900	70	H. AGUADIA
	1200	72	H. AGUADIA
	1500	72	M. VALENCIA
	1800	72	M. VALENCIA
	2100	72	M. VALENCIA
	2400	72	MARSH

Thursday

Date	Time	Temp.	Name (Print)
5/1/18	0300	70	G. FINE
	0600	70	G. FINE
	0900	71	G. FINE
	1200	71	G. FINE
	1500	72	M. HERNANDEZ
	1800	72	M. HERNANDEZ
	2100	72	M. HERNANDEZ
	2400	72	G. FINE

Friday

Date	Time	Temp.	Name (Print)
5/1/18	0300	70	S. LIO
	0600	70	S. LIO
	0900	77	S. LIO
	1200	75	S. LIO
	1500	75	S. LIO
	1800	75	S. LIO
	2100	73	S. LIO
	2400	72	S. LIO

Saturday

Date	Time	Temp.	Name (Print)
5/2/18	0300	70	S. LIO
	0600	70	S. LIO
	0900	73	S. LIO
	1200	77	S. LIO
	1500	77	A. ALVAREZ
	1800	78	A. ALVAREZ
	2100	78	A. ALVAREZ
	2400	78	E. ZELAYA

Sunday

Date	Time	Temp.	Name (Print)
5/2/18	0300	73	E. ZELAYA
	0600	72	B. BANHILL
	0900	73	B. BANHILL
	1200	74	B. BANHILL
	1500	80	J. AMADOR
	1800	80	J. AMADOR
	2100	80	J. AMADOR
	2400	79	L. CARRAVAY

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: WSP Housing Unit: 23-A/16 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	79	L.CARRAWAY
	0600	79	S.PoNDRAS
	0900	79	S.Rogers
	1200	78	S.Nichols
	1500	78	B.Banks
	1800	78	B.Banks
	2100	78	B.Banks
	2400	78	S.Seville

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	S.Seville
	0600	78	S.Seville
	0900	76	J.Rivas
	1200	77	J.Rivas
	1500	78	B.Banks
	1800	80	B.Banks
	2100	80	B.Banks
	2400	80	F.GONZALEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	80	F.GONZALEZ
	0600	76	H.Aguayo
	0900	76	H.Aguayo
	1200	76	H.Aguayo
	1500	78	B.Banks
	1800	78	B.Banks
	2100	78	B.Banks
	2400	78	Olegario

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	78	Chester
	0600	79	Rico
	0900	79	Rico
	1200	79	Rico
	1500	80	HERNANDEZ
	1800	79	HERNANDEZ
	2100	78	HERNANDEZ
	2400	78	S.Lee

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	75	S.Hill
	0600	75	S.Hill
	0900	75	S.Pommer
	1200	77	S.Pommer
	1500	78	S.Garcia
	1800	79	S.Garcia
	2100	75	S.Garcia
	2400	75	S.Garcia

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	72	S.Hill
	0600	72	S.Hill
	0900	70	S.Pommer
	1200	76	S.Pommer
	1500	76	B.Banks
	1800	76	B.Banks
	2100	76	B.Banks
	2400	76	S.Seville

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	75	S.Seville
	0600	75	S.Seville
	0900	75	A.Ridge
	1200	77	A.Ridge
	1500	76	B.Banks
	1800	76	B.Banks
	2100	76	B.Banks
	2400	76	B.Banks

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3B Temp. Reading Location: T2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	70	
	0600	71	
	0900	71	
	1200	71	
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/94	0300	73	L. Amador
	0600	73	L. Amador
	0900	73	L. Amador
	1200	73	L. Amador
	1500	73	S. Garza
	1800	71	S. Garza
	2100	70	S. Garza
	2400	70	L. Amador

Sunday

Date	Time	Temp.	Name (Print)
6/1/94	0300	70	L. Amador
	0600	70	L. Amador
	0900	71	F. Gonzalez
	1200	73	F. Gonzalez
	1500	73	S. Garza
	1800	71	S. Garza
	2100	70	S. Garza
	2400	71	S. Garza

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3 Temp. Reading Location: B pod TL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	70	S. Lue
	0600	69	S. Lue
	0900	70	C. Lue
	1200	71	C. Lue
	1500	72	Gadelia
	1800	72	Gadelia
	2100	72	Gadelia
	2400	70	G. Lemos

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	69	G. Lemos
	0600	70	G. Lemos
	0900	71	C. Lue
	1200	71	C. Lue
	1500	72	Gadelia
	1800	74	Gadelia
	2100	77	Gadelia
	2400	70	G. Lemos

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	70	G. Lemos
	0600	72	G. Lemos
	0900	71	C. Lue
	1200	74	C. Lue
	1500	76	Gadelia
	1800	77	Gadelia
	2100	80	Gadelia
	2400	74	G. Lemos

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	70	G. Lemos
	0600	71	C. Lue
	0900	73	C. Lue
	1200	79	C. Lue
	1500	80	Gadelia
	1800	80	Gadelia
	2100	80	Gadelia
	2400	80	G. Lemos

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	80	G. Lemos
	0600	80	D. Rios
	0900	81	D. Rios
	1200	81	D. Rios
	1500	81	Gadelia
	1800	80	Gadelia
	2100	78	Gadelia
	2400	80	G. Lemos

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	80	G. Lemos
	0600	80	D. Rios
	0900	80	D. Rios
	1200	80	D. Rios
	1500	78	S. Garza
	1800	76	S. Garza
	2100	75	S. Garza
	2400	72	S. Lue

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	70	S. Lue
	0600	70	S. Lue
	0900	71	C. Lue
	1200	75	C. Lue
	1500	75	S. Garza
	1800	74	S. Garza
	2100	73	S. Garza
	2400	72	S. Lue

Notes

NP

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND I

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3

Temp. Reading Location: B 12

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	70	S. Huie
	0600	70	S. Huie
	0900	74	C. Gour
	1200	75	C. Gour
	1500	78	Gredella
	1800	79	Gredella
	2100	80	Gredella
	2400	78	F. Martinez

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	76	F. Martinez
	0600	71	C. Gour
	0900	73	C. Gour
	1200	77	C. Gour
	1500	79	Gredella
	1800	80	Gredella
	2100	80	Gredella
	2400	78	F. Martinez

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	76	F. Martinez
	0600	72	F. Martinez
	0900	72	C. Gour
	1200	74	C. Gour
	1500	80°	J. Medina
	1800	80°	J. Medina
	2100	80°	J. Medina
	2400	78	F. Martinez

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	76	F. Martinez
	0600	74	F. Martinez
	0900	73	C. Gour
	1200	74	C. Gour
	1500	78	Gredella
	1800	78	Gredella
	2100	78	Gredella
	2400	76	F. Martinez

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	75	F. Martinez
	0600	74	F. Martinez
	0900	74	D. Rios
	1200	74	D. Rios
	1500	75	Gredella
	1800	76	Gredella
	2100	75	Gredella
	2400	75	Gredella

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	75	Gredella
	0600	75	Gredella
	0900	75	D. Rios
	1200	75	D. Rios
	1500	76	S. Garcia
	1800	76	S. Garcia
	2100	74	S. Garcia
	2400	75	S. Garcia

Notes

Date	Time	Temp.	Name (Print)
6-16-24	0300	72	S. Huie
	0600	70	S. Huie
	0900	72	C. Gour
	1200	73	C. Gour
	1500	74	S. Garcia
	1800	75	S. Garcia
	2100	73	S. Garcia
	2400	70	S. Huie

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C 3 Temp. Reading Location: B dayroom T2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	70	S. Hsie
	0600	70	S. Hsie
	0900	70	C. Lam
	1200	73	C. Lam
	1500	75	Garcia, M.
	1800	75	Gadelia
	2100	75	Gadelia
	2400	70	Bailey

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	70	BAILEY
	0600	71	Gardon
	0900	73	Gardon
	1200	74	Gardon
	1500	74	Gardon
	1800	74	Gardon
	2100	74	Gardon
	2400	70	BAILEY

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	70	K. BAILEY
	0600	72	D. MEDINA
	0900	72	D. MEDINA
	1200	74	D. MEDINA
	1500	76	ACROBATIA
	1800	79	ACROBAT
	2100	79	ACROBAT
	2400	70	K. BAILEY

Sunday

Date	Time	Temp.	Name (Print)
6-23-24	0300	80	S. Hsie
	0600	80	S. Hsie
	0900	80	T. Rios
	1200	81	S. Garcia
	1500	81	S. Garcia
	1800	79	S. Garcia
	2100	80	J. Gandy
	2400	80	S. Hsie

Tuesday

Date	Time	Temp.	Name (Print)
6-24-24	0300	70	Bailey
	0600	70	Gardon
	0900	71	C. Lam
	1200	73	C. Lam
	1500	73	Gardon
	1800	74	Gardon
	2100	73	Gardon
	2400	70	Bailey

Thursday

Date	Time	Temp.	Name (Print)
6-25-24	0300	70	BAILEY
	0600	71	Gardon
	0900	72	C. Lam
	1200	74	C. Lam
	1500	74	Gardon
	1800	73	Gardon
	2100	72	Gardon
	2400	70	BAILEY

Saturday

Date	Time	Temp.	Name (Print)
6-25-24	0300	70	K. Bailey
	0600	78	D. Rios
	0900	80	D. Rios
	1200	80	D. Rios
	1500	79	S. Garcia
	1800	78	S. Garcia
	2100	77	S. Garcia
	2400	70	K. Bailey

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-B Temp. Reading Location: 2nd TIER
C3-B (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	80	S. Hine
6/24/18	0600	80	S. Hine
	0900	80	L. Martinez
	1200	82	L. Martinez
	1500	85	Gadelka
	1800	87	Gadelka
	2100	86	Gadelka
	2400	86	Gadelka

Wednesday

Date	Time	Temp.	Name (Print)
6/26/18	0300	86	Chavez
	0600	80	T. Pitts
	0900	80	T. Pitts
	1200	80	T. Pitts
	1500	80	Gadelka
	1800	85	Gadelka
	2100	85	Gadelka
	2400	85	Gadelka

Friday

Date	Time	Temp.	Name (Print)
6/28/18	0300	80	F. Martinez
	0600	80	F. Martinez
	0900	80	Rios
	1200	81	Rios
	1500	81	Garcia
	1800	82	Garcia
	2100	83	Garcia
	2400	82	F. Martinez

Sunday

Date	Time	Temp.	Name (Print)
6/30/18	0300	76	A. Trabell
	0600	77	S. OBA
	0900	81	S. OBA
	1200	82	S. OBA
	1500	82	L. PONCE
	1800	82	L. PONCE
	2100	82	L. PONCE
	2400	80	S. Hine

Tuesday

Date	Time	Temp.	Name (Print)
6/25/18	0300	86	Chavez
	0600	83	Chavez
	0900	83	Garcia
	1200	81	Garcia
	1500	83	Gadelka
	1800	86	Gadelka
	2100	88	Gadelka
	2400	88	Bragg

Thursday

Date	Time	Temp.	Name (Print)
6/27/18	0300	83	Gadelka
	0600	80	Gadelka
	0900	80	S. OBA
	1200	81	S. OBA
	1500	81	Gadelka
	1800	83	Gadelka
	2100	83	Gadelka
	2400	82	F. Martinez

Date	Time	Temp.	Name (Print)
6/29/18	0300	80	F. Martinez
	0600	80	F. Martinez
	0900	80	Rios
	1200	81	Rios
	1500	80	S. Garcia
	1800	80	S. Garcia
	2100	78	S. Garcia
	2400	78	A. Frausto

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-A Temp. Reading Location: TIER 2
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800	✓	
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
6/12/11	0300	66	D. WILLIAMS
	0600	67	ZENDEJAS
	0900	68	ZENDEJAS
	1200	70	ZENDJAS
	1500	72	JEFFORD
	1800	73	JEFFORD
	2100	72	JEFFORD
	2400	65	Fulay

Date	Time	Temp.	Name (Print)
6/2/24	0300	65	Foley
	0600	65	D. Rios
	0900	65	D. Rios
	1200	65	D. Rios
	1500	65	M. Garcia
	1800	65	M. Garcia
	2100	65	M. Garcia
	2400	65	Werners

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10081 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	65	WILLIAMS
	0600	67	REES
	0900	68	REES
	1200	68	REES
	1500	70	JEFFORD
	1800	71	JEFFORD
	2100	71	JEFFORD
	2400	70	WILLIAMS

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	70	WILLIAMS
	0600	70	ZENDEJAS
	0900	71	ZENDEJAS
	1200	72	ZENDEJAS
	1500	71	J. JEFFORD
	1800	73	J. JEFFORD
	2100	73	J. JEFFORD
	2400	72	J. QUINONEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	70	J. QUINONEZ
	0600	70	ZENDEJAS
	0900	71	ZENDEJAS
	1200	72	ZENDEJAS
	1500	72	Freak like BOYFRIEND
	1800	72	LO like BOYFRIEND
	2100	72	J. JEFFORD ✓
	2400	72	J. QUINONEZ

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	70	J. QUINONEZ
	0600	71	ZENDEJAS
	0900	71	ZENDEJAS
	1200	72	ZENDEJAS
	1500	73	Hernandez
	1800	72	Hernandez
	2100	73	Hernandez
	2400	73	WILLIAMS

Friday Thermostats might be broken

Date	Time	Temp.	Name (Print)
6/7/24	0300	73	WILLIAMS
	0600	73	D. ARROYO
	0900	73	D. ARROYO
	1200	73	D. ARROYO
	1500	73	Hernandez
	1800	73	Hernandez
	2100	73	Hernandez
	2400	70	WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	70	WILLIAMS
	0600	70	D. ARROYO
	0900	73	D. ARROYO
	1200	73	D. ARROYO
	1500	74	JEFFORD
	1800	75	JEFFORD
	2100	75	JEFFORD
	2400	73	WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	70	WILLIAMS
	0600	70	D. ARROYO
	0900	70	D. ARROYO
	1200	70	D. ARROYO
	1500	72	J. JEFFORD
	1800	74	J. JEFFORD
	2100	73	J. JEFFORD
	2400	70	F. HARVEY

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: T 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/10/24

Date	Time	Temp.	Name (Print)
<u>6/10/24</u>	0300	70	F. HARVEY
	0600	70	F. HARVEY
	0900	70	D. RIOS
	1200	70	D. RIOS
	1500	72	J. JEFFORD
	1800	73	J. JEFFORD
	2100	73	J. JEFFORD
	2400	73	F. HARVEY

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/12/24</u>	0300	70	J. QUINONEZ
	0600	71	J. ZENDEZA
	0900	72	J. ZENDEZA
	1200	72	J. ZENDEZA
	1500	72	Hernandez
	1800	72	Hernandez
	2100	72	Hernandez
	2400	72	THOMAS

Friday

Date	Time	Temp.	Name (Print)
<u>6/14/24</u>	0300	70	THOMAS
	0600	76	J. ZENDEZA
	0900	77	J. ZENDEZA
	1200	78	J. ZENDEZA
	1500	78	Hernandez
	1800	79	Hernandez
	2100	79	Hernandez
	2400	76	WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	76	K. SMITH
	0600	72	D. RIOS
	0900	72	D. RIOS
	1200	72	D. RIOS
	1500	72	J. JEFFORD
	1800	72	J. JEFFORD
	2100	72	J. JEFFORD
	2400	72	STAFFORD

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/11/24</u>	0300		
	0600	70	J. ZENDEZA
	0900	71	J. ZENDEZA
	1200	72	J. ZENDEZA
	1500	72	J. JEFFORD
	1800	75	J. JEFFORD
	2100	75	J. JEFFORD
	2400	72	J. QUINONEZ

Thursday

Date	Time	Temp.	Name (Print)
<u>6/13/24</u>	0300	75	THOMAS
	0600	75	J. ZENDEZA
	0900	74	J. ZENDEZA
	1200	74	J. ZENDEZA
	1500	76	Hernandez
	1800	77	Hernandez
	2100	77	Hernandez
	2400	74	WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
<u>6/15/24</u>	0300	76	WILLIAMS
	0600	76	J. ZENDEZA
	0900	77	J. ZENDEZA
	1200	78	J. ZENDEZA
	1500	78	J. JEFFORD
	1800	77	J. JEFFORD
	2100	77	J. JEFFORD
	2400	76	K. SMITH

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	68	J. STAFFORD
	0600	68	RICO
	0900	68	RICO
	1200	68	RICO
	1500	68	M. VALENCIA
	1800	68	M. VALENCIA
	2100	68	M. VALENCIA
	2400	67	J. STAFFORD

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	67	J. STAFFORD
	0600	70	J. ZENDEJAS
	0900	71	J. ZENDEJAS
	1200	72	J. ZENDEJAS
	1500	73	J. JEFFORD
	1800	73	J. JEFFORD
	2100	72	J. JEFFORD
	2400	69	J. QUINONEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	64	J. QUINONEZ
	0600	70	J. ZENDEJAS
	0900	71	J. ZENDEJAS
	1200	72	J. ZENDEJAS
	1500	71	HORNADAY
	1800	70	HORNADAY
	2100	70	HORNADAY
	2400	69	HORNADAY

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	69	HORNADAY
	0600	70	ZENDEJAS
	0900	71	ZENDEJAS
	1200	73	ZENDEJAS
	1500	77	HORNADAY
	1800	77	HORNADAY
	2100	76	HORNADAY
	2400	74	WILLIAMS

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	74	WILLIAMS
	0600	75	ZENDEJAS
	0900	76	ZENDEJAS
	1200	77	ZENDEJAS
	1500	78	HORNADAY
	1800	77	HORNADAY
	2100	77	HORNADAY
	2400	76	WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	74	WILLIAMS
	0600	79	ZENDEJAS
	0900	79	ZENDEJAS
	1200	80	ZENDEJAS
	1500	80	WILLIAMS
	1800	80	WILLIAMS
	2100	80	WILLIAMS
	2400	78	WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	78	WILLIAMS
	0600	79	RICO
	0900	79	RICO
	1200	80	RICO
	1500	82	JEFFORD
	1800	82	JEFFORD
	2100	82	JEFFORD
	2400	78	SENILE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-B-side Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	78	S. Sciville
	0600	78	S. Sciville
	0900	80	R. Rios
	1200	80	R. Rios
	1500	81	JEFFORD
	1800	81	JEFFORD
	2100	81	JEFFORD
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	72	J. Quiñonez
	0600	72	D. Cabrera
	0900	78	D. Cabrera
	1200	78	D. Cabrera
	1500	80	J. JEFFORD
	1800	81	J. JEFFORD
	2100	81	J. JEFFORD
	2400	76	J. Quiñonez

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	72	J. Quiñonez
	0600	72	ZENDERA
	0900	75	ZENDERA
	1200	75	ZENDERA
	1500	78	JEFFORD
	1800	76	JEFFORD
	2100	76	JEFFORD
	2400	74	J. Quiñonez

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	73	Williams
	0600	73	ZENDERA
	0900	76	ZENDERA
	1200	78	ZENDERA
	1500	78	Hernandez
	1800	76	Hernandez
	2100	77	Hernandez
	2400	70	Williams

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	76	Williams
	0600	77	ZENDERA
	0900	78	ZENDERA
	1200	77	ZENDERA
	1500	78	Hernandez
	1800	78	Hernandez
	2100	77	Hernandez
	2400	75	Williams

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	72	Williams
	0600	72	ZENDERA
	0900	74	ZENDERA
	1200	75	ZENDERA
	1500	79	JEFFORD
	1800	79	JEFFORD
	2100	79	JEFFORD
	2400	77	Guerrero

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	71	Guerrero
	0600	72	Rios
	0900	72	Rios
	1200	73	Rios
	1500	74	JEFFORD
	1800	74	JEFFORD
	2100	74	JEFFORD
	2400	72	Williams

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-F2B Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 601 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
Sept 19	0300	70	K. Garcia
	0600	70°	Gamer
	0900	71°	Gamer
	1200	71°	Gamer
	1500	71	Williams
	1800	71	Williams
	2100	70	Williams
	2400	70	K. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
5/5/2021	0300	68	BARRON
	0600	70°	GAMON
	0900	70	GAMON
	1200	72	GAMON
	1500	72	WILLIAMS
	1800	72	WILLIAMS
	2100	70	WILLIAMS
	2400	68	BARRON

Wednesday

Date	Time	Temp.	Name (Print)
Nov 12	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
Wednesday 9/15/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/29/19	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
5/5	1200		
5/2	1500		
5/5	1800		
5/5	2100		
5/5	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4 B SIDE Temp. Reading Location: T2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	69	BARTON
	0600	70	TANNAN
	0900	72	TANNAN
	1200	75	TANNAN
	1500	76	TANNAN
	1800	75	TANNAN
	2100	75	TANNAN
	2400	75	BARTON

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	71	BARTON
	0600	70	SALINAS
	0900	71	SALINAS
	1200	72	SALINAS
	1500	72	TANNAN
	1800	75	TANNAN
	2100	75	TANNAN
	2400	75	BARTON

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	72	BARTON
	0600	74	SALINAS
	0900	74	SALINAS
	1200	75	SALINAS
	1500	76	S. Moreno
	1800	75	S. Moreno
	2100	80	S. Moreno
	2400	79	TANNAN

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	79	TANNAN
	0600	78	SALINAS
	0900	78	SALINAS
	1200	78	SALINAS
	1500	79	Williams
	1800	79	Williams
	2100	78	Williams
	2400	79	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	78	J. Quinonez
	0600	78	Gomez
	0900	78	Gomez
	1200	78	Gomez
	1500	78	Gomez
	1800	78	Gomez
	2100	78	Gomez
	2400	77	BARTON

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	72	T.BARTON
	0600	72	Gomez
	0900	72	Gomez
	1200	75	Gomez
	1500	76	Williams
	1800	75	Williams
	2100	75	Williams
	2400	75	BARTON

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	71	BARTON
	0600	71	Gomez
	0900	73	Gomez
	1200	73	Gomez
	1500	74	Raley
	1800	74	Raley
	2100	74	Raley
	2400	73	BARTON

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4 FLR 2B Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	70	BARTON
	0600	70	TANNAN
	0900	71	TANNAN
	1200	74	TANNAN
	1500	77	TANNAN
	1800	74	TANNAN
	2100	73	TANNAN
	2400	73	BARTON

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	71	BARTON
	0600	70	T. PITTS
	0900	70	T. PITTS
	1200	74	T. PITTS
	1500	78	TANNAN
	1800	79	TANNAN
	2100	77	TANNAN
	2400	77	BARTON

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/18/24</u>	0300	72	BARTON
	0600	72	Solinas
	0900	74	Solinas
	1200	77	Solinas
	1500	75	TANNAN
	1800	74	TANNAN
	2100	72	TANNAN
	2400	77	J. Quinonez

Thursday

Date	Time	Temp.	Name (Print)
<u>6/19/24</u>	0300	76	J. Quinonez
	0600	76	Solinas
	0900	77	Solinas
	1200	78	Solinas
	1500	78	WILLIAMS
	1800	78	WILLIAMS
	2100	76	WILLIAMS
	2400	75	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
<u>6/20/24</u>	0300	74	J. Quinonez
	0600	74	Gamer
	0900	74	Gamer
	1200	75	Gamer
	1500	76	Gamer
	1800	76	Gamer
	2100	74	Gamer
	2400	74	BARTON

Saturday

Date	Time	Temp.	Name (Print)
<u>6/21/24</u>	0300	71	BARTON
	0600	71	Gamer
	0900	71	Gamer
	1200	71	Gamer
	1500	71	Alcaraz
	1800	74	Alcaraz
	2100	74	Alcaraz
	2400	74	BARTON

Sunday

Date	Time	Temp.	Name (Print)
<u>6/22/24</u>	0300	72	BARTON
	0600	72	Gamer
	0900	73	Gamer
	1200	74	Gamer
	1500	74	J. TORRES
	1800	76	J. TORRES
	2100	74	J. TORRES
	2400	73	BARTON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: CY B SIDE Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension Gov 1 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	68	BARTON
	0600	69	TANAHY
	0900	70	TANAHY
	1200	70	TANAHY
	1500	70	TANAHY
	1800	69	TANAHY
	2100	69	TANAHY
	2400	68	BARTON

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/18/24</u>	0300	68	BARTON
	0600	68	SALINAS, E.
	0900	69	SALINAS, E.
	1200	70	SALINAS, E.
	1500	69	TANAHY
	1800	69	TANAHY
	2100	68	TANAHY
	2400	68	BARTON

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/19/24</u>	0300	68	J. QUINONEZ
	0600	68	E. SALINAS
	0900	69	E. SALINAS
	1200	70	E. SALINAS
	1500	70	TANAHY
	1800	69	TANAHY
	2100	69	TANAHY
	2400	72	J. QUINONEZ

Thursday

Date	Time	Temp.	Name (Print)
<u>6/20/24</u>	0300	71°	J. QUINONEZ
	0600	71°	GAMM
	0900	71°	GAMM
	1200	72	WILLIAMS
	1500	72	WILLIAMS
	1800	72	WILLIAMS
	2100	70	WILLIAMS
	2400	70	J. QUINONEZ

Friday

Date	Time	Temp.	Name (Print)
<u>6/21/24</u>	0300	70	J. QUINONEZ
	0600	70°	GAMM
	0900	72°	GAMM
	1200	72°	GAMM
	1500	70°	GAMM
	1800	72°	GAMM
	2100	72°	GAMM
	2400	75	E. ZELAYA

Saturday

Date	Time	Temp.	Name (Print)
<u>6/22/24</u>	0300	79°	E. ZELAYA
	0600	73	D. MEDINA
	0900	75	D. MEDINA
	1200	75	D. MEDINA
	1500	79°	G. ZARAGOZA
	1800	80°	G. ZARAGOZA
	2100	80	G. ZARAGOZA
	2400	80	J. QUINONEZ

Sunday

Date	Time	Temp.	Name (Print)
<u>6/23/24</u>	0300	74	D. MEDINA
	0600	74	D. MEDINA
	0900	76	D. MEDINA
	1200	76	D. MEDINA
	1500	78°	M. VALENCIA
	1800	81	M. VALENCIA
	2100	81	M. VALENCIA
	2400	81	BARTON

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4 B-SIDE Temp. Reading Location: 2 TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/14/24	0300	71	BARTON
	0600	71	TANNAN
	0900	70	TANNAN
	1200	78	TANNAN
	1500	78	TANNAN
	1800	79	TANNAN
	2100	78	TANNAN
	2400	71	BARTON

Tuesday

Date	Time	Temp.	Name (Print)
6/15/24	0300	70	BARTON
	0600	78	Salinas, E.
	0900	79	Salinas, E.
	1200	79	Salinas, E.
	1500	71	THOMAS
	1800	77	THOMAS
	2100	78	TANNAN
	2400	78	BARTON

Wednesday

Date	Time	Temp.	Name (Print)
6/16/24	0300	75	BARTON
	0600	75	Salinas, E.
	0900	77	Salinas, E.
	1200	79	Salinas, E.
	1500	79	TANNAN
	1800	79	N. MORALES
	2100		N. MORALES
	2400	78	J. Quinonez

Thursday

Date	Time	Temp.	Name (Print)
6/17/24	0300	76	J. Quinonez
	0600	76	Gamer
	0900	76	Gamer
	1200	78	Gamer
	1500	78	WILLIAMS
	1800	78	WILLIAMS
	2100	76	WILLIAMS
	2400	76	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	76	J. Quinonez
	0600	76	Gamer
	0900	76	Gamer
	1200	76	Gamer
	1500	76	Gamer
	1800	76	Gamer
	2100	76	Gamer
	2400	76	BARTON

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	74	BARTON
	0600	74	Gamer
	0900	74	Gamer
	1200	74	Gamer
	1500	76	A. GARCIA
	1800	74	A. GARCIA
	2100	74	A. GARCIA
	2400	74	BARTON, R.

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	73	BARTON, R.
	0600	73	Gamer
	0900	73	Gamer
	1200	76	Gamer
	1500	78	WILLIAMS
	1800	78	WILLIAMS
	2100	78	WILLIAMS
	2400	74	BARTON, R.

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B1 A-SIDE Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	75	WILLIE MARTINEZ
	0600	76	J Espinoza
	0900	76	J Espinoza
	1200	78	J Espinoza
	1500	78	J Espinoza
	1800	78	J Espinoza
	2100	75	J Espinoza
	2400	74	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	73	MARTINEZ
	0600	70°	S. ENRIQUEZ
	0900	73°	S. ENRIQUEZ
	1200	75°	S. ENRIQUEZ
	1500	77	J. Espinosa
	1800	79	J. Espinosa
	2100	75	J. Espinosa
	2400	75	M. Diaz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	75	M. DIAZ
	0600	75	Cledeger
	0900	75	Cledeger
	1200	76	Cledeger
	1500	77	J Espinosa
	1800	75	J Espinosa
	2100	75	J Espinosa
	2400	75	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	76	M. DIAZ
	0600	76	L Cledeger
	0900	76	L Cledeger
	1200	77	L Cledeger
	1500	77	M. Franco
	1800	77	M. Franco
	2100	77	M. Franco
	2400	77	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	78	M. DIAZ
	0600	78	W. SENE
	0900	80	W. SENE
	1200	80	W. SENE
	1500	79	MORA
	1800	80	MORA
	2100	80	MORA
	2400	79	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	77	MARTINEZ
	0600	75	S. ENRIQUEZ
	0900	76	S. ENRIQUEZ
	1200	76	S. ENRIQUEZ
	1500	78	J Espinosa
	1800	79	J Espinosa
	2100	76	J Espinosa
	2400	76	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	75	M. DIAZ
	0600	75	Cledeger
	0900	75	Cledeger
	1200	76	Cledeger
	1500	72	CROWELL
	1800	72	CROWELL
	2100	72	CROWELL
	2400	76	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	77	M. DIAZ
	0600	77	W. SENE
	0900	77	F. COPPER
	1200	76	RIVER
	1500	78	M. FRANCO
	1800	78	M. FRANCO
	2100	78	M. FRANCO
	2400	78	M. DIAZ

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	78	MARTINEZ
	0600	76	J Espinosa
	0900	76	J Espinosa
	1200	76	J Espinosa
	1500	78	J Espinosa
	1800	78	J Espinosa
	2100	78	J Espinosa
	2400	79	MARTINEZ

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	76	M. DIAZ
	0600	76	C. BERNSTEIN
	0900	76	J. TULLIO
	1200	77	J. TULLIO
	1500	75	L. AMARAL
	1800	76	L. AMARAL
	2100	75	L. AMARAL
	2400	76	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
6/24	0300	80	M. DIAZ
	0600	80	E-DIAZ
	0900	80	E. DIAZ
	1200	80	E. DIAZ
	1500	80°	M. Franco
	1800	80°	M. Franco
	2100	80°	M. Franco
	2400	80	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
6/14/84	0300	80	M. DIAZ
	0600	80	E. DIAZ
	0900	80	E. DIAZ
	1200	80	E. DIAZ
	1500	80	MORA
	1800	80	MORA
	2100	80	MORA
	2400	80	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	78	MARTINEZ
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	CROWELL
	1500	78	J Espinoza
	1800	78	J Espinoza
	2100	76	J Espinoza
	2400	75	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
6/11/84	0300	76	M. DIAZ
	0600	76	E. DIAZ
	0900	76	E. DIAZ
	1200	78	E. DIAZ
	1500	78	CROSELE
	1800	78	CROSELL
	2100	80	CROWELL
	2400	80	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	80	H. DIAZ
	0600	80	E. DIAZ
	0900	80	E. DIAZ
	1200	80	E. DIAZ
	1500	80°	M. Franco
	1800	80°	M. Franco
	2100	80°	M. Franco
	2400	80	H. DIAZ

Saturday

Date	Time	Temp.	Name (Print)
6/15/84	0300	79	MARTINEZ
	0600	77	J Espinosa
	0900	77	J Espinosa
	1200	77	J Espinosa
	1500	80	J Espinosa
	1800	78	J Espinosa
	2100	78	J Espinosa
	2400	78	MARTINEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	75	M. DIAZ
	0600	75	L. Cledenes
	0900	75	L. Cledenes
	1200	76	L. Cledenes
	1500	77	F. REYES
	1800	77	R. REYES
	2100	74	R. REYES
	2400	76	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	76	M. DIAZ
	0600	76	L. Cledenes
	0900	76	L. Cledenes
	1200	76	L. Cledenes
	1500	78	CROWELL
	1800	72	CROWELL
	2100	72	CROWELL
	2400	76	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	76	M. DIAZ
	0600	76	L. Cledenes
	0900	76	L. Cledenes
	1200	77	L. Cledenes
	1500	77	S. MORENO
	1800	77	S. MORENO
	2100	76	S. MORENO
	2400	76	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	73	M. DIAZ
	0600	73	O. NUNEZ
	0900	74	O. NUNEZ
	1200	75	O. NUNEZ
	1500	76	M. FRANC
	1800	76	M. FRANC
	2100	76	M. FRANC
	2400	76	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	76	M. DIAZ
	0600	72	A. BARAJAS
	0900	72	A. BARAJAS
	1200	72	A. BARAJAS
	1500	77	J. ESPINOZA
	1800	77	J. ESPINOZA
	2100	77	J. ESPINOZA
	2400	78	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	76	MARTINEZ
	0600	76	J. ESPINOZA
	0900	80	J. ESPINOZA
	1200	80	J. ESPINOZA
	1500	78	J. ESPINOZA
	1800	76	J. ESPINOZA
	2100	76	J. ESPINOZA
	2400	79	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	79	MARTINEZ
	0600	79	CROWELL
	0900	77	CROWELL
	1200	77	CROWELL
	1500	80	J. ESPINOZA
	1800	80	J. ESPINOZA
	2100	78	J. ESPINOZA
	2400	78	M. DIAZ

Notes

CALIFORNIA
INSTITUTION TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/24/18</u>	0300	78	M. DIAZ
	0600	78	L. Clendener
	0900	78	L. Clendener
	1200	79	L. Clendener
	1500	79	R. REYES
	1800	79	R. REYES
	2100	80	R. REYES
	2400	80	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/25/18</u>	0300	80	H. DIAZ
	0600	77	L. Clendener
	0900	77	L. Clendener
	1200	79	L. Clendener
	1500	78	H. AGUARD
	1800	78	H. AGUARD
	2100	80	H. AGUARD
	2400	80	H. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/26/18</u>	0300	80	M. DIAZ
	0600	79	L. Clendener
	0900	79	L. Clendener
	1200	80	L. Clendener
	1500	80	N. Franco
	1800	80	N. Franco
	2100	80	N. Franco
	2400	80	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
<u>6/27/18</u>	0300	80	M. DIAZ
	0600	79	L. Clendener
	0900	79	L. Clendener
	1200	80	L. Clendener
	1500	80	M. Franco
	1800	80	M. Franco
	2100	80	M. Franco
	2400	80	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
<u>6/28/18</u>	0300	80	M. DIAZ
	0600	80	L. Clendener
	0900	80	L. Clendener
	1200	81	L. Clendener
	1500	80	J. Espinosa
	1800	78	J. Espinosa
	2100	78	J. Espinosa
	2400	79	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
<u>6/29/18</u>	0300	78	MARTINEZ
	0600	78	J. Landeros
	0900	79	J. Landeros
	1200	79	J. Landeros
	1500	80	J. Espinosa
	1800	78	J. Espinosa
	2100	78	J. Espinosa
	2400	79	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
<u>6/30/18</u>	0300	78	MARTINEZ
	0600	76	Crowell
	0900	76	Crowell
	1200	76	Crowell
	1500	78	J. Espinosa
	1800	78	J. Espinosa
	2100	78	J. Espinosa
	2400	80	M. DIAZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B1 B-SIDE Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	72	MARTINEZ
	0600	74	J-Espinoza
	0900	74	J-Espinoza
	1200	74	J-Espinoza
	1500	76	J-Espinoza
	1800	76	J-Espinoza
	2100	73	J-Espinoza
	2400	72	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	71	MARTINEZ
	0600	70°	S-ENRIQUEZ
	0900	73°	S-ENRIQUEZ
	1200	75°	S-ENRIQUEZ
	1500	77	J-Espinoza
	1800	77	J-Espinoza
	2100	75	J-Espinoza
	2400	70	M-DIAZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier B-side
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/3/24</u>	0300	70	M. DIAZ
	0600	71	Clendesen
	0900	71	Clendesen
	1200	73	Clendesen
	1500	75	J Espinaca
	1800	73	J Espinaca
	2100	73	J Espinaca
	2400	70	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/5/24</u>	0300	70	M. DIAZ
	0600	70	L. Clendesen
	0900	71	L. Clendesen
	1200	72	L. Clendesen
	1500	73	M. Franco
	1800	73	M. Franco
	2100	73	M. Franco
	2400	73	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
<u>6/7/24</u>	0300	73	M. DIAZ
	0600	75	M. DIAZ W. SERVAN
	0900	75	M. DIAZ W. SERVAN
	1200	78	M. DIAZ W. SERVAN
	1500	79	M. DIAZ
	1800	80	M. DIAZ
	2100	79	M. DIAZ
	2400	76	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
<u>6/9/24</u>	0300	73	MARTINEZ
	0600	70	S. FURIQUEZ
	0900	75	S. FURIQUEZ
	1200	75	S. FURIQUEZ
	1500	76	J Espinaca
	1800	76	J Espinaca
	2100	74	J Espinaca
	2400	72	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/4/24</u>	0300	70	M. DIAZ
	0600	70	Clendesen
	0900	71	Clendesen
	1200	71	Clendesen
	1500	71	CROWELL
	1800	71	CROWELL
	2100	71	CROWELL
	2400	70	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
<u>6/6/24</u>	0300	73	M. DIAZ
	0600	77	W. SERVAN
	0900	78	F. COWELL
	1200	79	F. COWELL
	1500	79	M. FRANCO
	1800	79	M. FRANCO
	2100	79	M. FRANCO
	2400	78	M. DIAZ

Saturday

Date	Time	Temp.	Name (Print)
<u>6/8/24</u>	0300	75	MARTINEZ
	0600	74	J Espinaca
	0900	74	J Espinaca
	1200	76	J Espinaca
	1500	76	J Espinaca
	1800	76	J Espinaca
	2100	76	J Espinaca
	2400	75	MARTINEZ

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	70	M. DIAZ
	0600	71	TRUJILLO
	0900	71	TRUJILLO
	1200	73	TRUJILLO
	1500	75	L. ANARAL
	1800	76	L. ANARAL
	2100	76	L. ANARAL
	2400	72	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	70	M. DIAZ
	0600	70	E. DIAZ
	0900	70	E. DIAZ
	1200	72	E. DIAZ
	1500	76	Crowell
	1800	76	Crowell
	2100	78	Crowell
	2400	73	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	73	M. DIAZ
	0600	73	E. DIAZ
	0900	75	E. DIAZ
	1200	76	E. DIAZ
	1500	76	M. Franco
	1800	76	M. Franco
	2100	76	M. Franco
	2400	73	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	73	M. DIAZ
	0600	75	E. DIAZ
	0900	77	E. DIAZ
	1200	77	E. DIAZ
	1500	77°	M. Franco
	1800	77°	M. Franco
	2100	77°	M. Franco
	2400	71	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	71	M. DIAZ
	0600	71	E. DIAZ
	0900	72	E. DIAZ
	1200	76	E. DIAZ
	1500	77	MORT
	1800	78	MORT
	2100	79	MORT
	2400	75	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	73	MARTINEZ
	0600	77	J. Espinosa
	0900	77	J. Espinosa
	1200	77	J. Espinosa
	1500	80	J. Espinosa
	1800	78	J. Espinosa
	2100	78	J. Espinosa
	2400	73	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	71	MARTINEZ
	0600	71	Crowell
	0900	71	Crowell
	1200	71	Crowell
	1500	76	J. Espinosa
	1800	76	J. Espinosa
	2100	74	J. Espinosa
	2400	70	M. DIAZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 17/ 18/ 19/ 20/ 21/ 22/ 23/	0300	70	M. DIAZ
	0600	70	L. Clendenser
	0900	71	L. Clendenser
	1200	71	L. Clendenser
	1500	72	R. REYES
	1800	71	R. REYES
	2100	70	R. REYES
	2400	68	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
6/ 18/ 19/ 20/ 21/ 22/ 23/ 24/	0300	68	M. DIAZ
	0600	68	L. Clendenser
	0900	69	L. Clendenser
	1200	69	L. Clendenser
	1500	70	Crawell
	1800	70	Crawell
	2100	70	Crawell
	2400	70	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
6/ 19/ 20/ 21/ 22/ 23/ 24/	0300	68	M. DIAZ
	0600	68	L. Clendenser
	0900	68	L. Clendenser
	1200	69	L. Clendenser
	1500	72	S. Moreno
	1800	70	S. Moreno
	2100	70	S. Moreno
	2400	68	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
6/ 20/ 21/ 22/ 23/ 24/	0300	68	M. DIAZ
	0600	73	O. NUNEZ
	0900	74	O. NUNEZ
	1200	72	O. NUNEZ
	1500	70	M. Franco
	1800	70	M. Franco
	2100	70	M. Franco
	2400	70	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
6/ 21/ 22/ 23/ 24/	0300	70	M. DIAZ
	0600	70	A. Barajas
	0900	70	A. Barajas
	1200	70	A. Barajas
	1500	74	J. Espinosa
	1800	74	J. Espinosa
	2100	74	J. Espinosa
	2400	71	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6/ 22/ 23/ 24/	0300	72	MARTINEZ
	0600	76	J. Espinosa
	0900	80	J. Espinosa
	1200	80	J. Espinosa
	1500	78	J. Espinosa
	1800	74	J. Espinosa
	2100	74	J. Espinosa
	2400	75	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/ 23/ 24/	0300	73	MARTINEZ
	0600	73	Crawell
	0900	73	Crawell
	1200	73	Crawell
	1500	78	J. Espinosa
	1800	78	J. Espinosa
	2100	76	J. Espinosa
	2400	72	M. DIAZ

Notes

CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 24/ 24	0300	72	M. DIAZ
	0600	73	L. Cledeser
	0900	73	L. Cledeser
	1200	75	L. Cledeser
	1500	75	R. REYES
	1800	76	R. REYES
	2100	76	R. REYES
	2400	73	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
6/ 25/ 24	0300	73	M. DIAZ
	0600	73	L. Cledeser
	0900	73	L. Cledeser
	1200	74	L. Cledeser
	1500	78	H. AGUAMO
	1800	77	H. AGUAMO
	2100	79	H. AGUAMO
	2400	73	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
6/ 26/ 24	0300	73	M. DIAZ
	0600	73	L. Cledeser
	0900	74	L. Cledeser
	1200	75	L. Cledeser
	1500	76	M. Franco
	1800	76	M. Franco
	2100	76	M. Franco
	2400	73	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
6/ 27/ 24	0300	73	M. DIAZ
	0600	73	L. Cledeser
	0900	74	L. Cledeser
	1200	75	L. Cledeser
	1500	75°	M. Franco
	1800	75°	M. Franco
	2100	75	M. Franco
	2400	73	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
6/ 28/ 24	0300	70	M. DIAZ
	0600	71	L. Cledeser
	0900	71	L. Cledeser
	1200	73	L. Cledeser
	1500	78	J. Espinosa
	1800	76	J. Espinosa
	2100	76	J. Espinosa
	2400	74	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6/ 29/ 24	0300	73	MARTINEZ
	0600	75	J. LANDERS
	0900	76	J. LANDERS
	1200	76	J. LANDERS
	1500	78	J. ESPINOSA
	1800	76	J. ESPINOSA
	2100	76	J. ESPINOSA
	2400	75	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/ 30/ 24	0300	74	MARTINEZ
	0600	74	CROWELL
	0900	74	CROWELL
	1200	74	CROWELL
	1500	76	J. Espinosa
	1800	76	J. Espinosa
	2100	76	J. Espinosa
	2400	75	M. DIAZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-Rc Housing Unit: B 2 Temp. Reading Location: A-5-0 E 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	72	R. Gonzalez
	0600	70	M. PANTOJA
	0900	71	M. PANTOJA
	1200	72	M. PANTOJA
	1500	73	C. PENA
	1800	72	C. PENA
	2100	72	C. PENA
	2400	72	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	72	R. Gonzalez
	0600	70	Bailey
	0900	71	Bailey
	1200	72	Bailey
	1500	73	R. Pinon
	1800	72	R. Pinon
	2100	72	R. Pinon
	2400	72	R. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSR-RC Housing Unit: B2 Temp. Reading Location: A-5105 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 3/ 24	0300	71	R. GUNZELER
	0600	71	CROWELL
	0900	71	CROWELL
	1200	71	CROWELL
	1500	72	R. Pinon
	1800	72	R. Pinon
	2100	72	R. Pinon
	2400	71	K. Barnes

Tuesday

Date	Time	Temp.	Name (Print)
6/ 4/ 24	0300	71	K. Barnes
	0600	71	CROWELL
	0900	71	CROWELL
	1200	71	CROWELL
	1500	72	R. Pinon
	1800	73	R. Pinon
	2100	74	R. Pinon
	2400	75	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/ 5/ 24	0300	74	MARTINEZ
	0600	76	MORAES
	0900	76	MORAES
	1200	76	MORAES
	1500	76	R. Pinon
	1800	77	R. Pinon
	2100	78	R. Pinon
	2400	79	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/ 6/ 24	0300	78	MARTINEZ
	0600	78	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	R. Pinon
	1800	79	R. Pinon
	2100	79	R. Pinon
	2400	78	G. MONTAÑEZ

Friday

Date	Time	Temp.	Name (Print)
6/ 7/ 24	0300	74	G. Montañez
	0600	75	MORA
	0900	79	MORA
	1200	79	MORA
	1500	79	M. Franco
	1800	79	M. Franco
	2100	79	M. Franco
	2400	78	R. GUNZELER

Saturday

Date	Time	Temp.	Name (Print)
6/ 8/ 24	0300	77	R. GUNZELER
	0600	78	MORA
	0900	78	MORA
	1200	78	MORA
	1500	80	J. Sader
	1800	80	J. Sader
	2100	78	J. Jackson
	2400	77	R. GUNZELER

Sunday

Date	Time	Temp.	Name (Print)
6/ 9/ 24	0300	77	R. GUNZELER
	0600	75	J. Espinosa
	0900	75	J. Espinosa
	1200	76	J. Espinosa
	1500	78	J. Iglesias
	1800	78	J. Iglesias
	2100	77	J. Iglesias
	2400	77	R. GUNZELER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-R.C Housing Unit: B 2

Temp. Reading Location: A - S. 105 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 10/ 24/	0300	77	R. GUNNARSEN
	0600	73	CROWELL
	0900	73	CROWELL
	1200	73	CROWELL
	1500	74	R. PINON
	1800	74	R. PINON
	2100	73	R. PINON
	2400	72	R. GUNNARSEN

Tuesday

Date	Time	Temp.	Name (Print)
6/ 11/ 24/	0300	72	R. GUNNARSEN
	0600	73	CROWELL
	0900	73	CROWELL
	1200	74	CROWELL
	1500	75	R. PINON
	1800	76	R. PINON
	2100	75	R. PINON
	2400	79	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/ 12/ 24/	0300	78	MARTINEZ
	0600	78	MORA
	0900	79	MORA
	1200	79	MORA
	1500	80	R. PINON
	1800	80	R. PINON
	2100	79	R. PINON
	2400	79	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/ 13/ 24/	0300	79	MARTINEZ
	0600	79	MORA
	0900	79	MORA
	1200	79	MORA
	1500	80	R. PINON
	1800	80	R. PINON
	2100	79	R. PINON
	2400	79	SHAMO

Friday

Date	Time	Temp.	Name (Print)
6/ 14/ 24/	0300	78	SHAMO
	0600	78	MORA
	0900	78	MORA
	1200	79	MORA
	1500	79	M. FRANCO
	1800	79	M. FRANCO
	2100	79	M. FRANCO
	2400	78	R. GUNNARSEN

Saturday

Date	Time	Temp.	Name (Print)
6/ 15/ 24/	0300	78	R. GUNNARSEN
	0600	78	MORA
	0900	79	MORA
	1200	79	MORA
	1500	76	OPENA
	1800	76	OPENA
	2100	74	OPENA
	2400	74	R. GUNNARSEN

Sunday

Date	Time	Temp.	Name (Print)
6/ 16/ 24/	0300	74	R. GUNNARSEN
	0600	76	J. ESPINOSA
	0900	76	J. ESPINOSA
	1200	76	J. ESPINOSA
	1500	76	J. ESPINOSA
	1800	77	J. ESPINOSA
	2100	79	J. ESPINOSA
	2400	78	R. GUNNARSEN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSD-RU Housing Unit: B2 Temp. Reading Location: A-510E 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 17/ 24/	0300	72	R. Guzman
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	CROWELL
	1500	73	R. Pinon
	1800	73	R. Pinon
	2100	72	R. Pinon
	2400	72	R. Guzman

Wednesday

Date	Time	Temp.	Name (Print)
6/ 19/ 24/	0300	72	MARTINEZ
	0600	72	MORA
	0900	72	MORA
	1200	72	MORA
	1500	73	R. Pinon
	1800	73	R. Pinon
	2100	72	R. Pinon
	2400	73	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
6/ 21/ 24/	0300	72	Shamp
	0600	74	MORA
	0900	77	MORA
	1200	79	MORA
	1500	79	M. Franco
	1800	79	M. Franco
	2100	79	M. Franco
	2400	78	R. Guzman

Sunday

Date	Time	Temp.	Name (Print)
6/ 23/ 24/	0300	77	R. Guzman
	0600	77	MORA
	0900	78	MORA
	1200	79	MORA
	1500	79	EASY
	1800	78	EASY
	2100	78	EASY
	2400	77	R. Guzman

Tuesday

Date	Time	Temp.	Name (Print)
6/ 18/ 24/	0300	72	R. Guzman
	0600	70	CROWELL
	0900	70	CROWELL
	1200	71	CROWELL
	1500	72	R. Pinon
	1800	72	R. Pinon
	2100	73	R. Pinon
	2400	73	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/ 20/ 24/	0300	72	MARTINEZ
	0600	75	MORA
	0900	75	MORA
	1200	78	MORA
	1500	78	R. Pinon
	1800	78	R. Pinon
	2100	75	R. Pinon
	2400	72	Shamp

Saturday

Date	Time	Temp.	Name (Print)
6/ 22/ 24/	0300	76	R. Guzman
	0600	76	MORA
	0900	78	MORA
	1200	79	MORA
	1500	80	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	73	R. Guzman

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRAC Housing Unit: B2 Temp. Reading Location: A-SIDE 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/21	0300	77	R. Gonzalez
6/24/21	0600	78	Vasquez J
6/24/21	0900	78	Vasquez J
6/24/21	1200	78	Vasquez J
6/24/21	1500	80	M. Garcia
6/24/21	1800	80	M. Garcia
6/24/21	2100	80	M. Garcia
6/24/21	2400	78	R. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
6/25/21	0300	78	R. Gonzalez
6/25/21	0600	78	I. Salazar
6/25/21	0900	78	I. Salazar
6/25/21	1200	78	I. Salazar
6/25/21	1500	80	M. Garcia
6/25/21	1800	80	M. Garcia
6/25/21	2100	80	M. Garcia
6/25/21	2400	80	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/26/21	0300	80	MARTINEZ
6/26/21	0600	79	Mora
6/26/21	0900	80	Mora
6/26/21	1200	80	Mora
6/26/21	1500	80	Mora
6/26/21	1800	80	Mora
6/26/21	2100	80	M. Garcia
6/26/21	2400	80	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/27/21	0300	79	MARTINEZ
6/27/21	0600	79	Mora
6/27/21	0900	80	Mora
6/27/21	1200	80	Mora
6/27/21	1500	80	M. Garcia
6/27/21	1800	81	M. Garcia
6/27/21	2100	80	Martinez
6/27/21	2400	78	Shaw

Friday

Date	Time	Temp.	Name (Print)
6/28/21	0300	78	Shaw
6/28/21	0600	79	Mora
6/28/21	0900	80	Mora
6/28/21	1200	80	Mora
6/28/21	1500	80	M. Franco
6/28/21	1800	80	M. Franco
6/28/21	2100	80	M. Franco
6/28/21	2400	79	R. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
6/29/21	0300	78	R. Gonzalez
6/29/21	0600	79	Mora
6/29/21	0900	80	Mora
6/29/21	1200	80	Mora
6/29/21	1500	78	Opena
6/29/21	1800	78	Opena
6/29/21	2100	78	Opena
6/29/21	2400	77	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
6/30/21	0300	77	R. Gonzalez
6/30/21	0600	78	M. Salazar
6/30/21	0900	80	M. Salazar
6/30/21	1200	80	M. Salazar
6/30/21	1500	80	M. Garcia
6/30/21	1800	80	M. Garcia
6/30/21	2100	80	M. Garcia
6/30/21	2400	78	R. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B2 Temp. Reading Location: B-Side 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	72	R. Gonzalez
6/24	0600	70	M. Pantoya
6/24	0900	70	M. Pantoya
6/24	1200	71	M. Pantoya
6/24	1500	72	C. Pena
6/24	1800	72	C. Pena
6/24	2100	71	C. Pena
6/24	2400	72	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	72	R. Gonzalez
6/24	0600	70	Bailey
6/24	0900	71	Bailey
6/24	1200	72	Bailey
6/24	1500	73	R. Pinon
6/24	1800	73	R. Pinon
6/24	2100	72	R. Pinon
6/24	2400	72	R. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-LC Housing Unit: 32 Temp. Reading Location: B-5100 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	71	R. Gonzalez
	0600	71	Crowell
	0900	71	Crowell
	1200	71	Crowell
	1500	72	R. Pinon
	1800	72	R. Pinon
	2100	72	R. Pinon
	2400	72	K. Colomes

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	71	K. Colomes
	0600	71	Crowell
	0900	71	Crowell
	1200	71	Crowell
	1500	72	R. Pinon
	1800	74	R. Pinon
	2100	74	R. Pinon
	2400	74	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	73	MARTINEZ
	0600	74	Morales
	0900	74	Morales
	1200	74	Morales
	1500	75	R. Pinon
	1800	76	R. Pinon
	2100	76	R. Pinon
	2400	76	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	76	MARTINEZ
	0600	77	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	R. Pinon
	1800	78	R. Pinon
	2100	78	R. Pinon
	2400	78	G. Montague

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	73	G. Montague
	0600	74	MORA
	0900	78	MORA
	1200	79	MORA
	1500	79	M. Franco
	1800	79	M. Franco
	2100	79	M. Franco
	2400	78	R. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	77	R. Gonzalez
	0600	77	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	J. Jackson
	1800	78	J. Jackson
	2100	76	J. Jackson
	2400	77	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	77	R. Gonzalez
	0600	75	J. Espinoza
	0900	75	J. Espinoza
	1200	75	J. Espinoza
	1500	77	J. Espinoza
	1800	77	J. Espinoza
	2100	76	J. Espinoza
	2400	77	R. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B2 Temp. Reading Location: B-S-06 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/10/24</u>	0300	77	<u>R. Gonzalez</u>
	0600	73	<u>Crowell</u>
	0900	73	<u>Crowell</u>
	1200	73	<u>Crowell</u>
	1500	74	<u>R. Pinon</u>
	1800	75	<u>R. Pinon</u>
	2100	74	<u>R. Pinon</u>
	2400	72	<u>R. Gonzalez</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/12/24</u>	0300	76	<u>Martinez</u>
	0600	77	<u>Mora</u>
	0900	79	<u>Mora</u>
	1200	79	<u>Mora</u>
	1500	80	<u>R. Pinon</u>
	1800	79	<u>R. Pinon</u>
	2100	79	<u>R. Pinon</u>
	2400	78	<u>Martinez</u>

Friday

Date	Time	Temp.	Name (Print)
<u>6/14/24</u>	0300	78	<u>Shamp</u>
	0600	78	<u>Mora</u>
	0900	78	<u>Mora</u>
	1200	79	<u>Mora</u>
	1500	79°	<u>M. Franco</u>
	1800	79°	<u>M. Franco</u>
	2100	79°	<u>M. Franco</u>
	2400	78	<u>R. Gonzalez</u>

Sunday

Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	74	<u>R. Gonzalez</u>
	0600	76	<u>J. Espinoza</u>
	0900	76	<u>J. Espinoza</u>
	1200	76	<u>J. Espinoza</u>
	1500	76	<u>J. Espinoza</u>
	1800	77	<u>J. Espinoza</u>
	2100	77	<u>J. Espinoza</u>
	2400	78	<u>R. Gonzalez</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/11/24</u>	0300	72	<u>R. Gonzalez</u>
	0600	73	<u>Crowell</u>
	0900	73	<u>Crowell</u>
	1200	74	<u>Crowell</u>
	1500	75	<u>R. Pinon</u>
	1800	76	<u>R. Pinon</u>
	2100	76	<u>R. Pinon</u>
	2400	76	<u>Martinez</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>6/13/24</u>	0300	76	<u>Martinez</u>
	0600	78	<u>Mora</u>
	0900	79	<u>Mora</u>
	1200	79	<u>Mora</u>
	1500	80	<u>R. Pinon</u>
	1800	80	<u>R. Pinon</u>
	2100	79	<u>R. Pinon</u>
	2400	78	<u>Shamp</u>

Saturday

Date	Time	Temp.	Name (Print)
<u>6/15/24</u>	0300	78	<u>R. Gonzalez</u>
	0600	78	<u>Mora</u>
	0900	79	<u>Mora</u>
	1200	79	<u>Mora</u>
	1500	76°	<u>C. Penna</u>
	1800	76°	<u>C. Penna</u>
	2100	74°	<u>C. Penna</u>
	2400	74	<u>R. Gonzalez</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B2 Temp. Reading Location: B-300 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6061 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 17/ 24/	0300	72	R. CROWELL
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	Crowell
	1500	73	R. Pinon
	1800	74	R. Pinon
	2100	73	R. Pinon
	2400	72	R. Larson

Tuesday

Date	Time	Temp.	Name (Print)
6/ 18/ 24/	0300	72	R. CROWELL
	0600	70	CROWELL
	0900	70	CROWELL
	1200	71	CROWELL
	1500	72	R. Pinon
	1800	73	R. Pinon
	2100	73	R. Pinon
	2400	73	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/ 19/ 24/	0300	73	MARTINEZ
	0600	73	MORA
	0900	73	MORA
	1200	73	MORA
	1500	74	R. Pinon
	1800	74	R. Pinon
	2100	73	R. Pinon
	2400	73	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/ 20/ 24/	0300	72	MARTINEZ
	0600	75	MORA
	0900	75	MORA
	1200	77	MORA
	1500	77	R. Pinon
	1800	78	R. Pinon
	2100	76	R. Pinon
	2400	70	Shamp

Friday

Date	Time	Temp.	Name (Print)
6/ 21/ 24/	0300	70	Shamp
	0600	75	MORA
	0900	77	MORA
	1200	78	MORA
	1500	78	M. France
	1800	79	M. France
	2100	79	M. France
	2400	78	R. Larvaez

Saturday

Date	Time	Temp.	Name (Print)
6/ 22/ 24/	0300	76	R. Larvaez
	0600	76	MORA
	0900	78	MORA
	1200	80	MORA
	1500	80	S. Schuer
	1800	80	J. Jackson
	2100	80	J. Schuer
	2400	78	R. Larvaez

Sunday

Date	Time	Temp.	Name (Print)
6/ 23/ 24/	0300	77	R. Larvaez
	0600	77	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	EASY
	1800	78	EASY
	2100	78	EASY
	2400	77	R. Larvaez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-Rc Housing Unit: B2 Temp. Reading Location: B-510E 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	77	R. GARCIA
	0600	78	J. SOTO
	0900	78	M. SOTO
	1200	78	M. SOTO
	1500	80	M. Garcia
	1800	80	M. Garcia
	2100	80	M. Garcia
	2400	78	R. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	R. GARCIA
	0600	78	I. SALAZAR
	0900	78	I. SALAZAR
	1200	78	I. SALAZAR
	1500	80	M. Garcia
	1800	80	M. Garcia
	2100	80	M. Garcia
	2400	80	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	80	MARTINEZ
	0600	80	MORA
	0900	80	MORA
	1200	80	MORA
	1500	80	MORA
	1800	80	M. GARCIA
	2100	80	M. GARCIA
	2400	80	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	80	MARTINEZ
	0600	80	MORA
	0900	80	MORA
	1200	80	MORA
	1500	80	M. GARCIA
	1800	81	M. GARCIA
	2100	80	M. GARCIA
	2400	78	SHAW

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	78	Shaw
	0600	79	MORA
	0900	80	MORA
	1200	80	MORA
	1500	80	A. Franco
	1800	80	M. Franco
	2100	80	M. Franco
	2400	79	R. GARCIA

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	78	R. GARCIA
	0600	79	MORA
	0900	80	MORA
	1200	80	MORA
	1500	79	C. SPENNA
	1800	78	C. SPENNA
	2100	78	C. SPENNA
	2400	78	R. GARCIA

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	78	R. GARCIA
	0600	78	M. SOTO
	0900	78	M. SOTO
	1200	78	M. SOTO
	1500	80	M. Garcia
	1800	80	M. Garcia
	2100	80	M. Garcia
	2400	78	R. GARCIA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3A Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	71°	M. Fran Co
	0600	71°	M. Fran Co
	0900	71	T. Pitts
	1200	70	T. Pitts
	1500	72	S. Delarion
	1800	72	S. Delarion
	2100	72	S. Delarion
	2400	70	S. Delarion

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	70	S DELA Roca
	0600	70	J VASQUEZ
	0900	70	J VASQUEZ
	1200	70	J VASQUEZ
	1500	72	CENA
	1800	71	CENA
	2100	70	CENA
	2400	70	S DELA Roca

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 A Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 3 24	0300	70	S. Delk R
	0600	70	V. Reynal
	0900	70	V. Reynal
	1200	70	V. Reynal
	1500	70	J. Jackson
	1800	72	J. Jackson
	2100	70	J. Jackson
	2400	72	S. Delk R

Wednesday

Date	Time	Temp.	Name (Print)
6 5 24	0300	68	S. Delk R
	0600	70	CROWELL
	0900	71	CROWELL
	1200	71	Crowell
	1500	71	D. Knight
	1800	71	D. Knight
	2100	71	D. Knight
	2400	72	S. Delk R

Friday

Date	Time	Temp.	Name (Print)
6 7 24	0300	74	MARTINEZ
	0600	72	J. Jackson
	0900	76	J. Jackson
	1200	76	J. Jackson
	1500	73	D. Knight
	1800	73	D. Knight
	2100	70	D. Knight
	2400	70	M. Franco

Sunday

Date	Time	Temp.	Name (Print)
6 9 24	0300	71	S. Delk R
	0600	71	A. Varela
	0900	74	A. Varela
	1200	76	A. Varela
	1500	78	J. Jackson
	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	74	S. Delk R

Tuesday

Date	Time	Temp.	Name (Print)
6 4 24	0300	70	S. Delk R
	0600	70	A. Varela
	0900	70	A. Varela
	1200	70	A. Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S. Delk R

Thursday

Date	Time	Temp.	Name (Print)
6 6 24	0300	72	S. Delk R
	0600	72	D. Jones
	0900	72	D. Jones
	1200	72	D. Jones
	1500	72	D. Knight
	1800	72	D. Knight
	2100	72	D. Knight
	2400	75	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6 8 24	0300	70	M. Franco
	0600	70	M. Franco
	0900	70	N. Gonzalez
	1200	72	N. Gonzalez
	1500	74	D. Knight
	1800	74	D. Knight
	2100	72	D. Knight
	2400	72	S. Delk R

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 A Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	74	S. Deln Rola
	0600	75	A. Varela
	0900	75	A. Varela
	1200	77	A. Varela
	1500	78	Ji. Jackson
	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	76	S. Deln Rola

Wednesday

Date	Time	Temp.	Name (Print)
6 12 24	0300	74	S. Delta Rosa
	0600	74	CROWELL
	0900	74	CROWELL
	1200	76	CROWELL
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	77	S. Delta Rosa

Friday

Date	Time	Temp.	Name (Print)
6 14 24	0300	75	MARTINEZ
	0600	77	A Varela
	0900	77	A Varela
	1200	77	A Varela
	1500	710	D. Knight
	1800	710	D. Knight
	2100	710	D. Knight
	2400	76°	M. Franco

Sunday

Date	Time	Temp.	Name (Print)
6 16 24	0300	74	S Del Rio
	0600	76	A Varela
	0900	75	A Varela
	1200	75	A Varela
	1500	75°	C PENA
	1800	76°	C PENA
	2100	75°	C PENA
	2400	74	S Del Rio

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	74	S. DELA ROSA
	0600	76	ZEPEDA
	0900	76	ZEPEDA
	1200	76	ZEPEDA
	1500	76	D. KNIGHT
	1800	76	D. KNIGHT
	2100	76	D. KNIGHT
	2400	76	S. DELA ROSA

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	76	S. DELA ROSA
	0600	76	D. JONES
	0900	76	D. JONES
	1200	76	D. JONES
6/24	1500	76	D. KNIGHT
	1800	76	D. KNIGHT
	2100	76	D. KNIGHT
	2400	76	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	74	M. Franco
	0600	76	A. Varela
	0900	76	A. Varela
	1200	76	A. Varela
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	76	S. Deup

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 A Temp. Reading Location: 2 ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 / 17 / 24	0300	74	S Delta Rota
	0600	72	A Varela
	0900	75	A Varela
	1200	75	A Varela
	1500	76	A Varela
	1800	76	A Varela
	2100	76	A Varela
	2400	74	S Delta Rota

Wednesday

Date	Time	Temp.	Name (Print)
6 / 19 / 24	0300	72	S Delta Rota
	0600	70	CROWELL
	0900	70	CROWELL
	1200	72	CROWELL
	1500	72	D. KNIGHT
	1800	72	D. KNIGHT
	2100	72	D. KNIGHT
	2400	72	S Delta Rota

Friday

Date	Time	Temp.	Name (Print)
6 / 21 / 24	0300	72	MARTINEZ
	0600	73	A Varela
	0900	74	A Varela
	1200	74	A Varela
	1500	74	D. KNIGHT
	1800	74	D. KNIGHT
	2100	74	D. KNIGHT
	2400	74	M. Franco

Sunday

Date	Time	Temp.	Name (Print)
6 / 23 / 24	0300	74	S Delta Rota
	0600	74	A Varela
	0900	75	A Varela
	1200	75	A Varela
	1500	76	J. JACKSON
	1800	78	J. JACKSON
	2100	76	J. JACKSON
	2400	76	S Delta Rota

Tuesday

Date	Time	Temp.	Name (Print)
6 / 18 / 24	0300	74	S Delta Rota
	0600	74	A Varela
	0900	75	A Varela
	1200	75	A Varela
	1500	72	D. KNIGHT
	1800	72	D. KNIGHT
	2100	72	D. KNIGHT
	2400	72	S Delta Rota

Thursday

Date	Time	Temp.	Name (Print)
6 / 20 / 24	0300	70	S Delta Rota
	0600	71	SAMARIPAS
	0900	71	SAMARIPAS
	1200	73	SAMARIPAS
	1500	72	D. KNIGHT
	1800	72	D. KNIGHT
	2100	72	D. KNIGHT
	2400	73	MARTINER

Saturday

Date	Time	Temp.	Name (Print)
6 / 22 / 24	0300	74	M. Franco
	0600	74	M. Franco
	0900	74	M. Gonzalez
	1200	75	M. Gonzalez
	1500	73	D. KNIGHT
	1800	73	D. KNIGHT
	2100	73	D. KNIGHT
	2400	74	S Delta Rota

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 A Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier etc)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	75	S. Delta R
6/24	0600	75	A. Varela
6/24	0900	75	A. Varela
6/24	1200	76	A. Varela
6/24	1500	77	J. Jackson
6/24	1800	77	J. Jackson
6/24	2100	78	J. Jackson
6/24	2400	77	S. Delta R

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	74	S. Delta R
6/26	0600	74	Mur
6/26	0900	74	Mur
6/26	1200	74	Mur
6/26	1500	74	D. Knight
6/26	1800	74	D. Knight
6/26	2100	74	D. Knight
6/26	2400	74	S. Delta R

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	75	MARTINEZ
6/28	0600	75	A. Varela
6/28	0900	75	A. Varela
6/28	1200	75	A. Varela
6/28	1500	74	D. Knight
6/28	1800	74	D. Knight
6/28	2100	74	D. Knight
6/28	2400	74	M. France

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	75	K. Raley
6/30	0600	74	J. Jackson
6/30	0900	74	J. Jackson
6/30	1200	74	J. Jackson
6/30	1500	75	CAPENA
6/30	1800	76	CAPENA
6/30	2100	76	CAPENA
6/30	2400	76	S. Delta R

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	77	S. Delta R
6/25	0600	75	A. Varela
6/25	0900	77	A. Varela
6/25	1200	77	A. Varela
6/25	1500	74	D. Knight
6/25	1800	74	D. Knight
6/25	2100	74	D. Knight
6/25	2400	74	S. Delta R

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	74	S. Delta R
6/27	0600	75	R. Rivera
6/27	0900	76	R. Rivera
6/27	1200	70	R. Rivera
6/27	1500	74	D. Knight
6/27	1800	74	D. Knight
6/27	2100	74	D. Knight
6/27	2400	75	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	74°	M. France
6/29	0600	77°	M. France
6/29	0900	76	A. Varela
6/29	1200	72	A. Varela
6/29	1500	75	D. Knight
6/29	1800	75	D. Knight
6/29	2100	75	D. Knight
6/29	2400	78	K. Raley

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 B Side Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	71°	Mr. Franco
	0600	71°	Mr. Franco
	0900	71	T. Pitts
	1200	70	T. Pitts
	1500	70	S. Delta Ray
	1800	72	S. Delta Ray
	2100	72	S. Delta Ray
	2400	70	S. Delta Ray

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	S DELA ROCA
	0600	70	J VASQUEZ
	0900	70	J VASQUEZ
	1200	70	J VASQUEZ
	1500	72	C RENA
	1800	71	C RENA
	2100	70	C RENA
	2400	70	S DELA ROCA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 B Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 3 24	0300	70	S DelaRosa
	0600	70	V. Reyna
	0900	70	V. Reyna
	1200	70	V. Reyna
	1500	70	J. Jackson
	1800	72	J. Jackson
	2100	70	J. Jackson
	2400	70	S DelaRosa

Wednesday

Date	Time	Temp.	Name (Print)
6 5 24	0300	70	S DelaRosa
	0600	70	CROWELL
	0900	71	CROWELL
	1200	71	Crowell
	1500	71	D. Knight
	1800	71	D. Knight
	2100	71	D. Knight
	2400	71	S DelaRosa

Friday

Date	Time	Temp.	Name (Print)
6 7 24	0300	75	MARTINEZ
	0600	72	J. Jackson
	0900	76	J. Jackson
	1200	76	J. Jackson
	1500	74	D. Knight
	1800	73	D. Knight
	2100	70	D. Knight
	2400	70	M. Franco

Sunday

Date	Time	Temp.	Name (Print)
6 9 24	0300	71	S DelaRosa
	0600	70	A Varela
	0900	75	A Varela
	1200	78	A Varela
	1500	78	J. Jackson
	1800	78	J. Jackson
	2100	76	J. Jackson
	2400	76	S DelaRosa

Tuesday

Date	Time	Temp.	Name (Print)
6 4 24	0300	70	S DelaRosa
	0600	70	A Varela
	0900	71	A Varela
	1200	71	A Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S DelaRosa

Thursday

Date	Time	Temp.	Name (Print)
6 6 24	0300	72	S DelaRosa
	0600	72	D. Jones
	0900	72	D. Jones
	1200	72	D. Jones
	1500	72	D. Knight
	1800	72	D. Knight
	2100	72	D. Knight
	2400	75	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6 8 24	0300	70	M. Franco
	0600	70	M. Franco
	0900	70	N. GONZALES
	1200	72	N. GONZALES
	1500	70	D. Knight
	1800	75	D. Knight
	2100	73	D. Knight
	2400	72	S DelaRosa

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 B Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>10</u> <u>24</u>	0300	74	S Dela Rosa
	0600	75	A Varela
	0900	75	A Varela
	1200	76	A Varela
	1500	78	J. Jackson
	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	76	S Dela Rosa

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>11</u> <u>24</u>	0300	74	S Dela Rosa
	0600	78	Zepeda
	0900	76	ZEPEDA
	1200	76	ZEPEDA
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	76	S Dela Rosa

Wednesday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>12</u> <u>24</u>	0300	74	S Dela Rosa
	0600	74	CROWELL
	0900	74	CROWELL
	1200	76	CROWELL
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	76	S Dela Rosa

Friday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>14</u> <u>24</u>	0300	76	MARTINEZ
	0600	79	A Varela
	0900	77	A Varela
	1200	78	A Varela
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	76	M. Franco

Sunday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>16</u> <u>24</u>	0300	76	S Dela Rosa
	0600	76	A Varela
	0900	77	A Varela
	1200	77	A Varela
	1500	76	CRENA
	1800	76	CRENA
	2100	75	CRENA
	2400	74	S Dela Rosa

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>11</u> <u>24</u>	0300	74	S Dela Rosa
	0600	78	Zepeda
	0900	76	ZEPEDA
	1200	76	ZEPEDA
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	76	S Dela Rosa

Thursday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>13</u> <u>24</u>	0300	76	S Dela Rosa
	0600	76	D. Jones
	0900	76	D. JONES
	1200	76	D. JONES
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	76	MARTINEZ

Saturday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>15</u> <u>24</u>	0300	76	M. Franco
	0600	77	A Varela
	0900	77	A Varela
	1200	77	A Varela
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	76	S Dela Rosa

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 B Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 17 24	0300	74	S. Dela Rosa
	0600	75	A. Varela
	0900	77	A. Varela
	1200	77	A. Varela
	1500	78	A. Varela
	1800	78	A. Varela
	2100	78	A. Varela
	2400	76	S. Dela Rosa

Tuesday

Date	Time	Temp.	Name (Print)
6 18 24	0300	74	S. Dela Rosa
	0600	75	A. Varela
	0900	75	A. Varela
	1200	76	A. Varela
	1500	72	D. Knight
	1800	72	D. Knight
	2100	72	D. Knight
	2400	72	S. Dela Rosa

Wednesday

Date	Time	Temp.	Name (Print)
6 19 24	0300	72	S. Dela Rosa
	0600	72	Crowell
	0900	72	Crowell
	1200	72	Crowell
	1500	72	D. Knight
	1800	72	D. Knight
	2100	72	D. Knight
	2400	72	S. Dela Rosa

Thursday

Date	Time	Temp.	Name (Print)
6 20 24	0300	72	S. Dela Rosa
	0600	71	JAMARATTAJ
	0900	72	JAMARATTAJ
	1200	74	JAMARATTAJ
	1500	72	D. Knight
	1800	72	D. Knight
	2100	72	D. Knight
	2400	74	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
6 21 24	0300	73	MARTINEZ
	0600	74	A. Varela
	0900	75	A. Varela
	1200	75	A. Varela
	1500	74	D. Knight
	1800	74	D. Knight
	2100	74	D. Knight
	2400	74	M. France

Saturday

Date	Time	Temp.	Name (Print)
6 22 24	0300	74	M. France
	0600	74	M. France
	0900	74	N. GONZALES
	1200	75	N. GONZALES
	1500	73	D. Knight
	1800	73	D. Knight
	2100	73	D. Knight
	2400	74	S. Dela Rosa

Sunday

Date	Time	Temp.	Name (Print)
6 23 24	0300	74	S. Dela Rosa
	0600	74	A. Varela
	0900	75	A. Varela
	1200	76	A. Varela
	1500	76	J. Jackson
	1800	78	J. Jackson
	2100	76	J. Jackson
	2400	76	S. Dela Rosa

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT 430 - INMATE CARE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit B3 B Temp. Reading Location 2 ND Tier R

(e.g. 1st tier 2nd tier 3rd tier etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300	74	S. Deln Rose
<u>6</u>	0600	75	A. Varela
<u>24</u>	0900	75	A. Varela
	1200	76	A. Varela
	1500	78	J. Jackson
<u>24</u>	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	77	S. Deln Rose

Wednesday			
Date	Time	Temp.	Name (Print)
	0300	74	S. Deln Rose
<u>6</u>	0600	74	Muz
<u>24</u>	0900	74	Muz
	1200	74	Muz
	1500	74	D. Knight
<u>24</u>	1800	74	D. Knight
	2100	74	D. Knight
	2400	74	S. Deln Rose

Friday			
Date	Time	Temp.	Name (Print)
	0300	75	MARTINEZ
<u>6</u>	0600	75	A. Varela
<u>24</u>	0900	75	A. Varela
	1200	75	A. Varela
	1500	74	D. Knight
<u>24</u>	1800	74	D. Knight
	2100	74	D. Knight
	2400	74	M. Franco

Sunday			
Date	Time	Temp.	Name (Print)
<u>6</u>	0300	74	K. Raly
<u>30</u>	0600	74	J. Jackson
<u>24</u>	0900	74	J. Jackson
	1200	74	J. Jackson
	1500	75	C. PENNA
	1800	76	C. PENNA
	2100	76	C. PENNA
	2400	76	S. Deln Rose

Tuesday			
Date	Time	Temp.	Name (Print)
	0300	77	S. Deln Rose
<u>6</u>	0600	75	A. Varela
<u>25</u>	0900	76	A. Varela
	1200	77	A. Varela
	1500	74	D. Knight
<u>24</u>	1800	74	D. Knight
	2100	74	D. Knight
	2400	74	S. Deln Rose

Thursday			
Date	Time	Temp.	Name (Print)
	0300	73	S. Deln Rose
<u>6</u>	0600	75	R. Rivera
<u>27</u>	0900	76	R. R.
	1200	76	R. R.
	1500	74	D. Knight
<u>24</u>	1800	74	D. Knight
	2100	74	D. Knight
	2400	74	MARTINEZ

Saturday			
Date	Time	Temp.	Name (Print)
	0300	74°	M. Franco
<u>6</u>	0600	74°	M. Franco
<u>29</u>	0900	75	A. Varela
	1200	76	A. Varela
	1500	75	D. Knight
<u>24</u>	1800	75	D. Knight
	2100	75	D. Knight
	2400	74	K. Raly

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB4

Temp. Reading Location: A - SIDE 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06-02-24	0300	75	Hernandez
	0600	75	P. Burman
	0900	75	P. Burman
	1200	77	P. Burman
	1500	79	E. Huiztron
	1800	79	E. Huiztron
	2100	79	E. Huiztron
	2400	78	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
06-02-24	0300	75	Hernandez
	0600	75	P. Burman
	0900	75	P. Burman
	1200	75	P. Burman
	1500	75	E. Huiztron
	1800	75	E. Huiztron
	2100	75	E. Huiztron
	2400	75	Hernandez

Notes

STATE OF CALIFORNIA:
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: R-4 Temp. Reading Location: A-side 2nd tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	73	Hernandez
	0600	73	P. Guzman
	0900	73	P. Guzman
	1200	74	P. Guzman
	1500	74	E. Huettman
	1800	74	E. Huettman
	2100	74	E. Huettman
	2400	74	C. Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
6/24	0300	74	C. Vasquez
	0600	74	P. Guzman
	0900	74	P. Guzman
	1200	74	P. Guzman
	1500	74	J. Jackson
	1800	76	J. Jackson
	2100	74	J. Jackson
	2400	74	C. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
6/24	0300	74	C. Vasquez
	0600	74	P. Guzman
	0900	74	P. Guzman
	1200	74	P. Guzman
	1500	76	J. Jackson
	1800	78	J. Jackson
	2100	76	J. Jackson
	2400	75	C. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
6/24	0300	74	C. Vasquez
	0600	74	P. Guzman
	0900	74	P. Guzman
	1200	74	P. Guzman
	1500	74	C. Vasquez
	1800	75	C. Vasquez
	2100	75	C. Vasquez
	2400	74	C. Vasquez

Friday

Date	Time	Temp.	Name (Print)
6/24	0300	74	C. Vasquez
	0600	72	Samarripas
	0900	73	Samarripas
	1200	74	Samarripas
	1500	74	S. De Leon
	1800	75	S. De Leon
	2100	74	S. De Leon
	2400	74	C. Vasquez

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	73	C. Vasquez
	0600	73	Samarripas
	0900	74	Samarripas
	1200	75	Samarripas
	1500	75	C. Huettman
	1800	75	C. Huettman
	2100	75	C. Huettman
	2400	74	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	73	Hernandez
	0600	72	Bailey
	0900	73	Bailey
	1200	73	Bailey
	1500	73	E. Huettman
	1800	73	E. Huettman
	2100	73	E. Huettman
	2400	73	Hernandez

Notes

INSIDE TEMPERATURE RECORD

CDCR.2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 Temp. Reading Location: A-Side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/10/24</u>	0300	73	Hernandez
	0600	73	P.Guzman
	0900	73	P.Guzman
	1200	75	P.Guzman
	1500	73	E.Huettiron
	1800	73	E.Huettiron
	2100	73	E.Huettiron
	2400	74	C.Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/11/24</u>	0300	74	C.Vasquez
	0600	74	P.Guzman
	0900	74	P.Guzman
	1200	76	P.Guzman
	1500	78	J.Jackson
	1800	82	J.Jackson
	2100	78	J.Jackson
	2400	73	C.Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/12/24</u>	0300	73	C.Vasquez
	0600	77	R.Tapia
	0900	70	R.Tapia
	1200	81	R.Tapia
	1500	82	J.Baker
	1800	82	J.Baker
	2100	78	J.Saturn
	2400	75	C.Vasquez

Thursday

Date	Time	Temp.	Name (Print)
<u>6/13/24</u>	0300	74	C.Vasquez
	0600	74	P.Guzman
	0900	74	P.Guzman
	1200	74	P.Guzman
	1500	73	E.Huettiron
	1800	73	E.Huettiron
	2100	73	E.Huettiron
	2400	73	C.Vasquez

Friday

Date	Time	Temp.	Name (Print)
<u>6/14/24</u>	0300	73	C.Vasquez
	0600	74	S.Rodriguez
	0900	75	J.Rodriguez
	1200	76	S.Rodriguez
	1500	73	E.Huettiron
	1800	73	E.Huettiron
	2100	73	E.Huettiron
	2400	74	C.Vasquez

Saturday

Date	Time	Temp.	Name (Print)
<u>6/15/24</u>	0300	74	C.Vasquez
	0600	71	SAMARKIPAL
	0900	73	SAMARKIPAL
	1200	74	SAMARKIPAL
	1500	74	E.Huettiron
	1800	74	E.Huettiron
	2100	74	E.Huettiron
	2400	73	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	73	Hernandez
	0600	73	P.Guzman
	0900	73	P.Guzman
	1200	73	P.Guzman
	1500	72	E.Huettiron
	1800	73	E.Huettiron
	2100	73	E.Huettiron
	2400	73	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 Temp. Reading Location: A-side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	73	Hernandez
	0600	73	P.Gurman
	0900	73	P.Gurman
	1200	73	P.Gurman
	1500	74	G.Zamora
	1800	74	J.Jackson
	2100	72	G.Zamora
	2400	73	C.VASQUEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	73	C.VASQUEZ
	0600	73	P.Gurman
	0900	73	P.Gurman
	1200	74	P.Gurman
	1500	74	S.Jackson
	1800	76	J.Jackson
	2100	74	J.Jackson
	2400	73	C.VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	73	C.VASQUEZ
	0600	73	P.Gurman
	0900	73	P.Gurman
	1200	73	P.Gurman
	1500	74	J.Jackson
	1800	74	J.Jackson
	2100	74	J.Jackson
	2400	73	C.VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	73	C.VASQUEZ
	0600	73	S.Gutierrez
	0900	72	S.Gutierrez
	1200	n	S.Gutierrez
	1500	78	M.Icaraz
	1800	78	M.Icaraz
	2100	78	M.Icaraz
	2400	80	C.Lopez

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	73	C.Lopez
	0600	76	R.Samarripas
	0900	75	R.Samarripas
	1200	74	R.Samarripas
	1500	79	V.Medina
	1800	78	V.Medina
	2100	78	V.Medina
	2400	77	C.VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	74	C.VASQUEZ
	0600	73	SAMARRIPAS
	0900	74	SAMARRIPAS
	1200	75	SAMARRIPAS
	1500	75	C.VASQUEZ
	1800	75	C.VASQUEZ
	2100	75	C.VASQUEZ
	2400	74	C.VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	74	C.VASQUEZ
	0600	74	E.Cortez
	0900	76	E.Cortez
	1200	76	E.Cortez
	1500	79	R.Perez
	1800	79	R.Perez
	2100	76	R.Perez
	2400	75	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B4 Temp. Reading Location: A-side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/18	0300	74	Hernandez
	0600	77	P.Gurman
	0900	74	P.Gurman
	1200	74	P.Gurman
	1500	74	E.HuzzRow
	1800	74	E.HuzzRow
	2100	74	E.HuzzRow
	2400	74	J. NICKELL

Tuesday

Date	Time	Temp.	Name (Print)
6/25/18	0300	73	J. NICKELL
	0600	73	P.Gurman
	0900	73	P.Gurman
	1200	73	P.Gurman
	1500	74	J. Secha
	1800	76	J. Secha
	2100	74	J. Secha
	2400	74	J. NICKELL

Wednesday

Date	Time	Temp.	Name (Print)
6/26/18	0300	74	J. NICKELL
	0600	76	W.Sever
	0900	77	W.Sever
	1200	77	W.Sever
	1500	78	J. Secha
	1800	78	J. Secha
	2100	76	J. Secha
	2400	74	A.NASCENT

Thursday

Date	Time	Temp.	Name (Print)
6/27/18	0300	73	A.NASCENT
	0600	73	P.Gurman
	0900	73	P.Gurman
	1200	73	P.Gurman
	1500	73	E.HuzzRow
	1800	73	E.HuzzRow
	2100	73	E.HuzzRow
	2400	74	A.NASCENT

Friday

Date	Time	Temp.	Name (Print)
6/28/18	0300	73	A.NASCENT
	0600	72	JAMARIPAS
	0900	73	JAMARIPAS
	1200	74	JAMARIPAS
	1500	74	E.HuzzRow
	1800	74	E.HuzzRow
	2100	74	E.HuzzRow
	2400	74	J. NICKELL

Saturday

Date	Time	Temp.	Name (Print)
6/29/18	0300	73	J. NICKELL
	0600	72	JAMARIPAS
	0900	73	JAMARIPAS
	1200	74	JAMARIPAS
	1500	74	K.Gaines
	1800	74	K.Gaines
	2100	74	K.Gaines
	2400	73	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
6/30/18	0300	73	Hernandez
	0600	74	CAMARENA
	0900	76	CAMARENA
	1200	82	CAMARENA
	1500	82	E.HuzzRow
	1800	82	E.HuzzRow
	2100	82	E.HuzzRow
	2400	82	E.HuzzRow

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBBY Temp. Reading Location: B-SIDE 2nd tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06-01-24	0300	75	E. Hernandez
	0600	75	P. Guzman
	0900	75	P. Guzman
	1200	77	P. Guzman
	1500	79	E. Huizerton
	1800	79	E. Huizerton
	2100	79	E. Huizerton
	2400	78	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
06-02-24	0300	75	Hernandez
	0600	75	P. Guzman
	0900	75	P. Guzman
	1200	77	P. Guzman
	1500	77	E. Huizerton
	1800	77	E. Huizerton
	2100	75	E. Huizerton
	2400	75	Hernandez

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: R-4 Temp. Reading Location: B-side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/3/24</u>	0300	73	Hernandez
	0600	77	P.Guzman
	0900	77	P.Guzman
	1200	78	P.Guzman
	1500	78	E.HUTIRON
	1800	77	E.HUTIRON
	2100	77	E.HUTIRON
	2400	77	C.VASQUEZ

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/4/24</u>	0300	77	C.VASQUEZ
	0600	77	P.Guzman
	0900	77	P.Guzman
	1200	77	P.Guzman
	1500	78	J.Jackson
	1800	80	J.Jackson
	2100	80	J.Jackson
	2400	79	C.VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/5/24</u>	0300	77	C.VASQUEZ
	0600	77	P.Guzman
	0900	77	P.Guzman
	1200	77	P.Guzman
	1500	78	J.Jackson
	1800	80	J.Jackson
	2100	80	J.Jackson
	2400	79	C.VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
<u>6/6/24</u>	0300	77	C.VASQUEZ
	0600	77	P.Guzman
	0900	77	P.Guzman
	1200	77	P.Guzman
	1500	78	C.VASQUEZ
	1800	78	C.VASQUEZ
	2100	78	C.VASQUEZ
	2400	78	C.VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
<u>6/7/24</u>	0300	78	C.VASQUEZ
	0600	75	J.MARSHIPS
	0900	76	J.MARSHIPS
	1200	71	J.MARSHIPS
	1500	74	J.Del Rio
	1800	74	J.Del Rio
	2100	74	J.Del Rio
	2400	75	C.VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
<u>6/8/24</u>	0300	75	C.VASQUEZ
	0600	71	J.MARSHIPS
	0900	73	J.MARSHIPS
	1200	74	J.MARSHIPS
	1500	74	E.HUTIRON
	1800	74	E.HUTIRON
	2100	74	E.HUTIRON
	2400	74	HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
<u>6/9/24</u>	0300	73	Hernandez
	0600	72	Bailey
	0900	73	Bailey
	1200	73	Bailey
	1500	73	E.HUTIRON
	1800	73	E.HUTIRON
	2100	73	E.HUTIRON
	2400	73	Hernandez

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B- 4 Temp. Reading Location: B-side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/10/24</u>	0300	73	Hernandez
	0600	73	P.Guzman
	0900	73	P.Guzman
	1200	73	P.Guzman
	1500	73	E.Huettlron
	1800	73	E.Huettlron
	2100	73	E.Huettlron
	2400	75	C.Masolez

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/11/24</u>	0300	76	C.Masolez
	0600	76	P.Guzman
	0900	76	P.Guzman
	1200	78	P.Guzman
	1500	80	J.Jackson
	1800	82	J.Jackson
	2100	80	J.Jackson
	2400	77	C.Masolez

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/12/24</u>	0300	77	C.Masolez
	0600	77	R.Tafolla
	0900	70	R.Tafolla
	1200	71	R.Tafolla
	1500	82	J.Sanchez
	1800	84	J.Sanchez
	2100	80	J.Sanchez
	2400	78	C.Masolez

Thursday

Date	Time	Temp.	Name (Print)
<u>6/13/24</u>	0300	77	C.Masolez
	0600	77	P.Guzman
	0900	77	P.Guzman
	1200	77	P.Guzman
	1500	77	E.Huettlron
	1800	77	E.Huettlron
	2100	77	E.Huettlron
	2400	77	C.Masolez

Friday

Date	Time	Temp.	Name (Print)
<u>6/14/24</u>	0300	77	C.Masolez
	0600	74	S.Aldo Guzman
	0900	75	J.Rodriguez
	1200	76	J.Rodriguez
	1500	73	E.Huettlron
	1800	73	E.Huettlron
	2100	73	E.Huettlron
	2400	77	C.Masolez

Saturday

Date	Time	Temp.	Name (Print)
<u>6/15/24</u>	0300	77	C.Masolez
	0600	74	JAMPARIAS
	0900	75	JAMPARIAS
	1200	76	JAMPARIAS
	1500	76	E.Huettlron
	1800	76	E.Huettlron
	2100	76	E.Huettlron
	2400	73	Hernandez

Notes

Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	73	Hernandez
	0600	77	P.Guzman
	0900	73	P.Guzman
	1200	75	P.Guzman
	1500	76	E.Huettlron
	1800	73	E.Huettlron
	2100	73	E.Huettlron
	2400	73	Hernandez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 Temp. Reading Location: B-side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2014	0300	73	Hernandez
	0600	73	P Guzman
	0900	73	P Guzman
	1200	73	P Guzman
	1500	74	G. Zarate
	1800	74	G. Zarate
	2100	72	G. Zarate
	2400	75	C. Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2014	0300	75	C. Vasquez
	0600	75	P Guzman
	0900	75	P Guzman
	1200	76	P Guzman
	1500	78	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	78	C. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2014	0300	77	C. Vasquez
	0600	77	P Guzman
	0900	77	P Guzman
	1200	77	P Guzman
	1500	78	J. Jackson
	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	77	C. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
6/20/2014	0300	76	C. Vasquez
	0600	74	Guerrero
	0900	76	Guerrero
	1200	77	Guerrero
	1500	78	Alcaraz
	1800	79	Alcaraz
	2100	80	Alcaraz
	2400	80	Clopp

Friday

Date	Time	Temp.	Name (Print)
6/21/2014	0300	78	Clopp
	0600	76	SAMARRIPAS
	0900	77	SAMARRIPAS
	1200	78	SAMARRIPAS
	1500	79	V. Medina
	1800	78	V. Medina
	2100	78	V. Medina
	2400	77	C. Vasquez

Saturday

Date	Time	Temp.	Name (Print)
6/22/2014	0300	77	C. Vasquez
	0600	76	SAMARRIPAS
	0900	77	SAMARRIPAS
	1200	78	SAMARRIPAS
	1500	78	C. Vasquez
	1800	78	C. Vasquez
	2100	78	C. Vasquez
	2400	77	C. Vasquez

Sunday

Date	Time	Temp.	Name (Print)
6/23/2014	0300	77	C. Vasquez
	0600	77	E. Gutierrez
	0900	77	E. Gutierrez
	1200	78	E. Gutierrez
	1500	79	Rude
	1800	79	Rude
	2100	78	Rude
	2400	75	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 Temp. Reading Location: B side 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	74	Hernandez
	0600	74	P. Guzman
	0900	74	P. Guzman
	1200	74	P. Guzman
	1500	74	E. Hutzken
	1800	74	E. Hutzken
	2100	74	E. Hutzken
	2400	78	J. Nickell

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	76	J. NICKELL
	0600	76	W. Scree
	0900	77	W. Scree
	1200	77	W. Scree
	1500	80	J. Sacke
	1800	82	J. Sacke
	2100	78	J. Sacke
	2400	78	A. Nasenka

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	77	J. NICKELL
	0600	74	SAMARALIPAS
	0900	75	SAMARALIPAS
	1200	76	SAMARALIPAS
	1500	76	E. Hutzken
	1800	76	E. Hutzken
	2100	76	E. Hutzken
	2400	75	J. NICKELL

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	73	Hernandez
	0600	76	C. ARENA
	0900	80	C. ARENA
	1200	81	C. ARENA
	1500	81	E. Hutzken
	1800	81	E. Hutzken
	2100	81	E. Hutzken
	2400	81	J. NICKELL

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	J. NICKELL
	0600	78	P. Guzman
	0900	78	P. Guzman
	1200	78	P. Guzman
	1500	78	J. Tuck
	1800	80	J. Tuck
	2100	80	J. Tuck
	2400	80	J. NICKELL

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	77	D. NAYERA
	0600	77	P. Guzman
	0900	77	P. Guzman
	1200	77	P. Guzman
	1500	77	E. Hutzken
	1800	77	E. Hutzken
	2100	77	E. Hutzken
	2400	78	A. NAYERA

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	79	J. NICKELL
	0600	71	SAMARALIPAS
	0900	72	SAMARALIPAS
	1200	73	SAMARALIPAS
	1500	73	K. Guzman
	1800	73	K. Guzman
	2100	73	K. Guzman
	2400	73	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5-A side Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	72	C. YOCUM
	0600	72	JAMAR HIPPS
	0900	71	JAMAR HIPPS
	1200	72	JAMAR HIPPS
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	72	C. YOCUM

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	C. YOCUM
	0600	70	C. BLACKWOOD
	0900	71	C. BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	72	C. YOCUM

Notes

100-182
1016 1016

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5-A-510 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	72	C. YOCUM
	0600	70	JAMARIS PAS
	0900	71	JAMARIS PAS
	1200	72	JAMARIS PAS
	1500	73	E. BORREGO
	1800	74	E. BORREGO
	2100	73	E. BORREGO
	2400	72	A.YACIN

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	72	A. AYACA
	0600	72	K. RIVERA
	0900	72	K. RIVERA
	1200	72	K. RIVERA
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	72	C. LOMEY

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	72	C. LOMEY
	0600	72	C. BLACKWOOD
	0900	72	C. BLACKWOOD
	1200	73	C. BLACKWOOD
	1500	75	E. GONZALEZ
	1800	75	E. GONZALEZ
	2100	75	E. GONZALEZ
	2400	75	C. YOCUM

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	75	C. YOCUM
	0600	77	C. BLACKWOOD
	0900	77	C. BLACKWOOD
	1200	77	C. BLACKWOOD
	1500	77	Ramor
	1800	77	Ramor
	2100	77	Ramor
	2400	75	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	75	C. YOCUM
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	77	C. BLACKWOOD
	1500	77	Ramor
	1800	77	Ramor
	2100	77	Ramor
	2400	75	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	75	C. YOCUM
	0600	73	C. BLACKWOOD
	0900	74	C. BLACKWOOD
	1200	74	C. BLACKWOOD
	1500	74	E. GONZALEZ
	1800	74	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	72	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	72	C. YOCUM
	0600	74	J. CASQUEL
	0900	74	J. CASQUEL
	1200	74	J. CASQUEL
	1500	74°	E. GONZALEZ
	1800	74	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	72	C. YOCUM

Notes

B5

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: L-5P Housing Unit: B5-1 side Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

6001

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	72	C. YOCUM
	0600	71	R. SAMPARRIPAS
	0900	72	SAMPARRIPAS
	1200	73	SAMPARRIPAS
	1500	75	S. BORREGO
	1800	74	S. BORREGO
	2100	74	S. BORREGO
	2400	73	A. AYALA

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	73	A. AYALA
	0600	73	CAMARENA
	0900	73	CAMARENA
	1200	74	CAMARENA
	1500	76	VALADAR
	1800	80	VALADAR
	2100	78	VALADAR
	2400	78	MONTAÑA

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	78	MONTAÑA
	0600	78	CAMARENA
	0900	79	CAMARENA
	1200	81	CAMARENA
	1500	81	VALADER
	1800	82	VALADER
	2100	81	VALADER
	2400	80	C. YOCUM

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	80	C. YOCUM
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	77	C. BLACKWOOD
	1500	77	RAMIREZ
	1800	77	RAMIREZ
	2100	77	RAMIREZ
	2400	75	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	75	C. YOCUM
	0600	76	P. RIVERA
	0900	76	RIVERA
	1200	78	RIVERA
	1500	78	RAMIREZ
	1800	78	RAMIREZ
	2100	78	RAMIREZ
	2400	76	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	76	C. YOCUM
	0600	79	H. MOLINA
	0900	76	A. R. D. GUE
	1200	77	A. G. GUE
	1500	77	S. SEVILLA
	1800	77	S. SEVILLA
	2100	77	S. SEVILLA
	2400	75	M. DIAZ

Sunday

Date	Time	Temp.	Name (Print)
6-16-24	0300	72	M. DIAZ
	0600	71	SAMPARRIPAS
	0900	71	SAMPARRIPAS
	1200	73	SAMPARRIPAS
	1500	74	S. BORREGO
	1800	74	S. BORREGO
	2100	72	S. BORREGO
	2400	72	H. CECIA

Notes

B5

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB5-A side Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/1/24	0300	71	H. CERA
	0600	72	S. DELA PENA
	0900	72	S. DELA PENA
	1200	74	S. DELA PENA
	1500	74	S. BURKEO
	1800	74	S. BURKEO
	2100	73	S. BURKEO
	2400	72	A. AYALA

Tuesday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70	A. AYALA
	0600	69	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	70	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70	A. AYALA
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	72	O. VALADOL
	1800	72	O. VALADOL
	2100	72	O. VALADOL
	2400	72	C. YOCUM

Thursday

Date	Time	Temp.	Name (Print)
6/1/24	0300	72	C. YOCUM
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	75	RAMIREZ
	1800	75	RAMIREZ
	2100	75	RAMIREZ
	2400	72	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
6/1/24	0300	72	C. YOCUM
	0600	71	C. BLACKWOOD
	0900	71	C. BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	75	RAMIREZ
	1800	75	RAMIREZ
	2100	75	RAMIREZ
	2400	75	A. ORTIZ

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	75	A. ORTIZ
	0600	75	A. ORTIZ
	0900	73	C. BLACKWOOD
	1200	73	C. BLACKWOOD
	1500	75	E. GONZALEZ
	1800	75	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	72	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
6/1/24	0300	72	C. YOCUM
	0600	71	S. ENRIQUEZ
	0900	73	S. ENRIQUEZ
	1200	73	S. ENRIQUEZ
	1500	74	S. ESPINOZA
	1800	74	S. ESPINOZA
	2100	74	S. ESPINOZA
	2400	74	C. YOCUM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 A side Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	74	C. YOCUM
	0600	73°	SAMAR RIPAS.
	0900	74°	SAMAR RIPAS.
	1200	75°	SAMAR RIPAS.
	1500	78°	E. GONZALEZ
	1800	78°	E. GONZALEZ
	2100	74°	E. GONZALEZ
	2400	74	A. ORTM

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	74	A. ORTM
	0600	74	A. ORTM
	0900	75°	L. NAVARRO
	1200	75°	L. NAVARRO
	1500	78	E. GONZALEZ
	1800	78	E. GONZALEZ
	2100	78	E. GONZALEZ
	2400	74	A. NAVARRO

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	73	A. NAVARRO
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	76	C. BLACKWOOD
	1500	77	D. VALADORE
	1800	77	D. VALADORE
	2100	77	D. VALADORE
	2400	78	M. PASCUAL

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	73	M. PASCUAL
	0600	75	C. BLACKWOOD
	0900	75	C. BLACKWOOD
	1200	75	C. BLACKWOOD
	1500	78	Ramirez
	1800	78	Ramirez
	2100	78	Ramirez
	2400	76	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	76	C. YOCUM
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	76	C. BLACKWOOD
	1500	78	Ramirez
	1800	78	Ramirez
	2100	78	Ramirez
	2400	76	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	76	C. YOCUM
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	76	C. BLACKWOOD
	1500	78°	E. GONZALEZ
	1800	78°	E. GONZALEZ
	2100	76°	E. GONZALEZ
	2400	76	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	76	C. YOCUM
	0600	74	SAMAR RIPAS
	0900	75	SAMAR RIPAS
	1200	76	SAMAR RIPAS
	1500	78°	E. GONZALEZ
	1800	78°	E. GONZALEZ
	2100	76°	E. GONZALEZ
	2400	76°	A. YOUNG

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5-B5.62 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	72	C.YOCUM
	0600	70	JAMARRIPAS.
	0900	71	JAMARRIPAS.
	1200	72	JAMARRIPAS.
	1500	72°	E.GONZALEZ
	1800	72°	E.GONZALEZ
	2100	72°	E.GONZALEZ
	2400	72	C.YOCUM

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	C.YOCUM
	0600	70	C.BLACKWOOD
	0900	70	C.BLACKWOOD
	1200	71	C.BLACKWOOD
	1500	72°	E.GONZALEZ
	1800	72°	E.GONZALEZ
	2100	72°	E.GONZALEZ
	2400	72	C.YOCUM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5-B side Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	72	C. YOCUM
	0600	70	SAMARIPALI
	0900	71	SAMARIPALI
	1200	73	SAMARIPALI
	1500	72	S. BORREGO
	1800	74	S. BORREGO
	2100	72	S. BORREGO
	2400	72	A. AYACA

Wednesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	72	C. LUNELI
	0600	72	C. BLACKWOOD
	0900	72	C. BLACKWOOD
	1200	73	C. BLACKWOOD
	1500	75°	E. GONZALEZ
	1800	75°	E. GONZALEZ
	2100	75°	E. GONZALEZ
	2400	75	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	75	C. YOCUM
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	77	C. BLACKWOOD
	1500	77	Ramirez
	1800	77	Ramirez
	2100	77	Ramirez
	2400	75	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	72	C. YOCUM
	0600	74	J. VASQUEZ
	0900	74	J. VASQUEZ
	1200	74	J. VASQUEZ
	1500	74°	E. GONZALEZ
	1800	74°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	72	C. YOCUM

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	72	A. AYACA
	0600	72	K. RIVERA
	0900	72	K. RIVERA
	1200	72	K. RIVERA
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	72	C. LUNELI

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	75	C. YOCUM
	0600	77	C. BLACKWOOD
	0900	77	C. BLACKWOOD
	1200	77	C. BLACKWOOD
	1500	77	Ramirez
	1800	77	Ramirez
	2100	77	Ramirez
	2400	75	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	75	C. YOCUM
	0600	75	C. BLACKWOOD
	0900	74	C. BLACKWOOD
	1200	74	C. BLACKWOOD
	1500	74	E. GONZALEZ
	1800	74	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	72	C. YOCUM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

35

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 - B Side Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

6001

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	72	C-YOCUM
	0600	70	R-SAMARRIPAS
	0900	71	SAMARRIPAS
	1200	73	SAMARRIPAS
	1500	75	S-BOLLEGO
	1800	74	S-BOLLEGO
	2100	74	S-BOLLEGO
	2400	73	A-AYALA

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	73	A-AYALA
	0600	73	C-CAMARENA
	0900	74	CAMARENA
	1200	74	C-CAMARENA
	1500	76	V-VALADER
	1800	80	V-VALADER
	2100	78	V-VALADER
	2400	76	MONTAÑA

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	71	MONTAÑA
	0600	78	C-CAMARENA
	0900	80	CAMARENA
	1200	82	CAMARENA
	1500	82	V-VALADER
	1800	83	V-VALADER
	2100	82	V-VALADER
	2400	80	C-YOCUM

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	80	C-YOCUM
	0600	76	C-BLACKWOOD
	0900	76	C-BLACKWOOD
	1200	77	C-BLACKWOOD
	1500	77	RAMIREZ
	1800	77	RAMIREZ
	2100	77	RAMIREZ
	2400	75	C-YOCUM

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	75	C-YOCUM
	0600	74	RIVERA
	0900	78	RIVERA
	1200	78	RIVERA
	1500	78	RAMIREZ
	1800	78	RAMIREZ
	2100	79	RAMIREZ
	2400	76	C-YOCUM

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	76	C-YOCUM
	0600	75	A-RODRIGUEZ
	0900	76	A-RODRIGUEZ
	1200	77	A-RODRIGUEZ
	1500	77	S-SANCHEZ
	1800	77	S-SANCHEZ
	2100	77	S-SANCHEZ
	2400	75	H-DIAZ

Sunday

Date	Time	Temp.	Name (Print)
6-16-24	0300	72	M-DIAZ
	0600	71	SAMARRIPAS
	0900	71	SAMARRIPAS
	1200	73	SAMARRIPAS
	1500	74	S-BOLLEGO
	1800	74	S-BOLLEGO
	2100	72	S-BOLLEGO
	2400	72	H-CERA

Notes

B5

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB5 - B side Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
24	0300	71	H. CERA
24	0600	72	S. Delnby
24	0900	72	S. Delnby
24	1200	74	S. Delnby
24	1500	74	S. BOLKECO
24	1800	74	S. BOLKECO
24	2100	74	S. BOLKECO
24	2400	72	A. AYALA

Tuesday

Date	Time	Temp.	Name (Print)
24	0300	70	A. AYALA
24	0600	71	C. BLACKWOOD
24	0900	71	C. BLACKWOOD
24	1200	71	C. BLACKWOOD
24	1500	72	E. GONZALEZ
24	1800	72	E. GONZALEZ
24	2100	72	E. GONZALEZ
24	2400	70	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
24	0300	70	A. AYALA
24	0600	70	C. BLACKWOOD
24	0900	70	C. BLACKWOOD
24	1200	71	C. BLACKWOOD
24	1500	72	D. VALADIZ
24	1800	72	D. VALADIZ
24	2100	72	D. VALADIZ
24	2400	72	C. YOCUM

Thursday

Date	Time	Temp.	Name (Print)
24	0300	72	C. YOCUM
24	0600	71	C. BLACKWOOD
24	0900	71	C. BLACKWOOD
24	1200	71	C. BLACKWOOD
24	1500	75	Ramirez
24	1800	75	Ramirez
24	2100	75	Ramirez
24	2400	72	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
24	0300	72	C. YOCUM
24	0600	71	C. BLACKWOOD
24	0900	71	C. BLACKWOOD
24	1200	71	C. BLACKWOOD
24	1500	75	Ramirez
24	1800	75	Ramirez
24	2100	75	Ramirez
24	2400	75	A. ORTEZ

Saturday

Date	Time	Temp.	Name (Print)
24	0300	75	A. ORTEZ
24	0600	75	A. ORTEZ
24	0900	73	C. BLACKWOOD
24	1200	73	C. BLACKWOOD
24	1500	75	E. GONZALEZ
24	1800	75	E. GONZALEZ
24	2100	72	E. GONZALEZ
24	2400	72	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
24	0300	72	C. YOCUM
24	0600	71	S. ENRIQUEZ
24	0900	73	S. ENRIQUEZ
24	1200	73	S. ENRIQUEZ
24	1500	74	S. ESPINOZA
24	1800	74	S. ESPINOZA
24	2100	74	S. ESPINOZA
24	2400	74	C. YOCUM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 B-side Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6-24-24	0300	74	C-Youn
	0600	73°	SAMARRIPAS.
	0900	74°	SAMARRIPAS.
	1200	76°	SAMARRIPAS.
	1500	78°	E.GONZALEZ
	1800	78°	E.GONZALEZ
	2100	76°	E.GONZALEZ
	2400	76	A.Ort

Tuesday			
Date	Time	Temp.	Name (Print)
6-25-24	0300	76	A.Ort
	0600	76	A.Ort
	0900	76	L.NAVARRO
	1200	75°	L.NAVARRO
	1500	78	E.GONZALEZ
	1800	78	E.GONZALEZ
	2100	78	E.GONZALEZ
	2400	76	A.MAYENT

Wednesday			
Date	Time	Temp.	Name (Print)
6-26-24	0300	74	D.NASIENT
	0600	76	C.BLACKWOOD
	0900	77	C.BLACKWOOD
	1200	77	C.BLACKWOOD
	1500	78	D.VAVALOZ
	1800	78	D.VAVALOZ
	2100	78	D.VAVALOZ
	2400	80	M.PASCUAL

Thursday			
Date	Time	Temp.	Name (Print)
6-27-24	0300	73	M.Pascual
	0600	77	C.BLACKWOOD
	0900	77	C.BLACKWOOD
	1200	77	C.BLACKWOOD
	1500	77	RAMIREZ
	1800	78	Ramirez
	2100	78	Ramirez
	2400	76	C.YOCUM

Friday			
Date	Time	Temp.	Name (Print)
6-28-24	0300	76	C.YOCUM
	0600	77	C.BLACKWOOD
	0900	77	C.BLACKWOOD
	1200	77	C.BLACKWOOD
	1500	78	Ramirez
	1800	78	Ramirez
	2100	78	Ramirez
	2400	76	C.YOCUM

Saturday			
Date	Time	Temp.	Name (Print)
6-29-24	0300	76	C.YOCUM
	0600	76	C.BLACKWOOD
	0900	76	C.BLACKWOOD
	1200	76	C.BLACKWOOD
	1500	80°	E.GONZALEZ
	1800	80°	E.GONZALEZ
	2100	78°	E.GONZALEZ
	2400	76	C.YOCUM

Notes

Sunday			
Date	Time	Temp.	Name (Print)
6-30-24	0300	76	C.YOCUM
	0600	73	SAMARRIPAS
	0900	74	SAMARRIPAS
	1200	75	SAMARRIPAS
	1500	78°	E.GONZALEZ
	1800	78°	E.GONZALEZ
	2100	76°	E.GONZALEZ
	2400	76°	C.YOCUM

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB6 Temp. Reading Location: ZND Tier A-SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	D300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-11-24	0300	70	C De lao
	0600	70	Valdez
	0900	72	Valdez
	1200	75	Valdez
	1500	75	Ramirez
	1800	75	Ramirez
	2100	75	Ramirez
	2400	72	C De lao

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	72	L. Del Rio
	0600	70	J. Rodriguez
	0900	72	J. Rodriguez
	1200	73	J. Rodriguez
	1500	73	Ramirez
	1800	73	Ramirez
	2100	73	Ramirez
	2400	72	L. Del Rio

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: F13B6 Temp. Reading Location: IND TIER - A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6061 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
6-3-24	0300	70	C. DeLoach
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	RIPPER
	1800	71	RIPPER
	2100	71	RIPPER
	2400	69	C. DeLoach

Date	Time	Temp.	Name (Print)
6-4-24	0300	69	Caldwell
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	DUPREE
	1800	71	DUPREE
	2100	70	DUPREE
	2400	70	C Deas

Wednesday			
Date	Time	Temp.	Name (Print)
6-5-24	0300	69	Dekra
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	71	CARRIE
	1800	71	RIDDER
	2100	71	RIDDER
	2400	72	SAC

Date	Time	Temp.	Name (Print)
6-6-24	0300	72	SPIKE
	0600	72	C. TUCKER
	0900	72	C. TUCKER
	1200	72	C. TUCKER
	1500	73	RIPPLE
	1800	72	RIPPLE
	2100	72	RIPPLE
	2400	72	SPIKE

Friday			
Date	Time	Temp.	Name (Print)
6-7-24	0300	72	S. D. R.
	0600	72	Rex -
	0900	74	V. Bergan
	1200	75	V. Reyna
	1500	74	R. REBE
	1800	74	R. REBE
	2100	74	R. REBE
	2400	70	L. De (m)

Date	Time	Temp.	Name (Print)
6-8-24	0300	70	C. De La O
	0600	70	V. Reyna
	0900	73	V. Vey
	1200	75	V. Reyna
	1500	75	Ramirez
	1800	75	Ramirez
	2100	75	Ramirez
	2400	73	C. De La O

Sunday			
Date	Time	Temp.	Name (Print)
6-9-24	0300	73	S. Delgadillo
	0600	72	S. Delgadillo
	0900	72	S. Delgadillo
	1200	72	S. Delgadillo
	1500	75	Ramirez
	1800	75	Ramirez
	2100	75	Ramirez
	2400	74	C. Delgadillo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: F10B C Temp. Reading Location: 2ND Tier A SIDE
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>6-10-24</u>	0300	74	DeLoz
	0600	74	Rubin
	0900	74	Rubin
	1200	75	Rubin
	1500	71	RIPPER
	1800	71	RIPPER
	2100	71	RIPPER
	2400	70	DeLoz

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6-11-24</u>	0300	75	DeLoz
	0600	70	V. Reyna
	0900	72	V. Reyna
	1200	72	V. Reyna
	1500	72	RIVAS
	1800	71	RIPPER
	2100	71	RIPPER
	2400	71	DeLoz

Wednesday			
Date	Time	Temp.	Name (Print)
<u>6-12-24</u>	0300	71	DeLoz
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	RIPPER
	1800	71	RIPPER
	2100	71	RIPPER
	2400	71	SPIR

Thursday			
Date	Time	Temp.	Name (Print)
<u>6-13-24</u>	0300	71	SPIR
	0600	71	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	RIVE
	1800	71	RIVE
	2100	71	RIVE
	2400	71	SPIR

Friday			
Date	Time	Temp.	Name (Print)
<u>6-14-24</u>	0300	71	SPIR
	0600	71	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	RIVER
	1800	71	RIVER
	2100	71	RIVER
	2400	72	C. DeLoz

Saturday			
Date	Time	Temp.	Name (Print)
<u>6-15-24</u>	0300	72	C. DeLoz
	0600	72	V. Reyna
	0900	72	V. Reyna
	1200	72	V. Reyna
	1500	74	RAMIREZ
	1800	74	RAMIREZ
	2100	74	RAMIREZ
	2400	72	DeLoz

Notes			

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBBG Temp. Reading Location: 2nd A-SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	72	C. VASQUEZ	<u>6-18-24</u>	0300	70	C. DELA
	0600	71	F. RIVAS		0600	70	RIVAS
	0900	71	F. RIVAS		0900	71	RIVAS
	1200	71	F. RIVAS		1200	71	RIVAS
	1500	71	RIVAS		1500	71	RIVAS
	1800	71	RIVAS		1800	71	RIVAS
	2100	71	RIVAS		2100	71	RIVAS
	2400	70	C. DELA		2400	70	Delta
Wednesday							
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>6-18-24</u>	0300	70	Delta	<u>6-19-24</u>	0300	70	J. VASQUEZ
	0600	70	RIVAS		0600	70	F. RIVAS
	0900	70	RIVAS		0900	70	F. RIVAS
	1200	70	RIVAS		1200	71	F. RIVAS
	1500	71	RIVAS		1500	71	RIVAS
	1800	71	RIVAS		1800	71	RIVAS
	2100	71	RIVAS		2100	71	RIVAS
	2400	70	J. VASQUEZ		2400	70	J. VASQUEZ
Friday							
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>6-21-24</u>	0300	71	A. NASENT	<u>6-22-24</u>	0300	70	C. DELA
	0600	71	F. RIVAS		0600	71	F. RIVAS
	0900	71	F. RIVAS		0900	71	F. RIVAS
	1200	71	F. RIVAS		1200	75	RAMIREZ
	1500	71	RIVAS		1500	75	RAMIREZ
	1800	71	RIVAS		1800	75	RAMIREZ
	2100	71	RIVAS		2100	75	RAMIREZ
	2400	70	C. DELA		2400	72	Delta
Sunday							
Date	Time	Temp.	Name (Print)	Notes			
<u>6-23-24</u>	0300	72	Delta				
	0600	72	F. RIVAS				
	0900	72	F. RIVAS				
	1200	72	F. RIVAS				
	1500	75	RAMIREZ				
	1800	75	RAMIREZ				
	2100	75	RAMIREZ				
	2400	74	Delta				

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBBL Temp. Reading Location: ZAD - A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	72	DELAO
	0600	72	F. RIVAS
	0900	72	F. RIVAS
	1200	72	F. RIVAS
	1500	72	R. RIVAS
	1800	72	R. RIVAS
	2100	72	R. RIVAS
	2400	70	DELAO

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	70	DELAO
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	R. RIVAS
	1800	71	R. RIVAS
	2100	71	R. RIVAS
	2400	70	DELAO

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	70	DELAO
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	R. RIVAS
	1800	71	R. RIVAS
	2100	71	R. RIVAS
	2400	71	SAR

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	70	SAR
	0600	70	RIVAS
	0900	71	RIVAS
	1200	71	RIVAS
	1500	71	R. RIVAS
	1800	71	R. RIVAS
	2100	71	R. RIVAS
	2400	71	SAR

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	71	SAR
	0600	71	RIVAS
	0900	71	RIVAS
	1200	71	RIVAS
	1500	71	R. RIVAS
	1800	71	R. RIVAS
	2100	71	R. RIVAS
	2400	70	DELAO

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	70	DELAO
	0600	70	RIVAS
	0900	71	RIVAS
	1200	71	RIVAS
	1500	76	RAMIREZ
	1800	76	RAMIREZ
	2100	76	RAMIREZ
	2400	76	DELAO

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	74	DELAO
	0600	74	F. RIVAS
	0900	74	F. RIVAS
	1200	74	F. RIVAS
	1500	74	RAMIREZ
	1800	75	RAMIREZ
	2100	75	RAMIREZ
	2400	74	K. GARNERS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB6 Temp. Reading Location: 2ND TIER B-SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	C Delso
	0600	70	Valdez
	0900	72	Valdez
	1200	73	Valdez
	1500	73	Ramirez
	1800	74	Ramirez
	2100	74	Ramirez
	2400	72	Delso

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	72	C Delso
	0600	70	C Rodriguez
	0900	72	C Rodriguez
	1200	73	C Rodriguez
	1500	73	Ramirez
	1800	73	Ramirez
	2100	73	Ramirez
	2400	72	C Delso

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LWSP Housing Unit: FBBG Temp. Reading Location: INP TIER-B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	70	C De La
	0600	70	F. Rivas
	0900	70	F. Rivas
	1200	70	F. Rivas
	1500	71	RIPPE
	1800	71	RIPPE
	2100	71	RIPPE
	2400	69	C De La

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	69	C De La
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	71	RIPPE
	1800	71	RIPPE
	2100	71	RIPPE
	2400	70	C De La

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	69	C De La
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	71	RIPPE
	1800	71	RIPPE
	2100	71	RIPPE
	2400	72	S. Delgadillo

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	72	S. Tucker
	0600	72	C. Tucker
	0900	70	C. Tucker
	1200	70	C. Tucker
	1500	71	RIPPE
	1800	71	RIPPE
	2100	71	RIPPE
	2400	72	S. Tucker

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	72	S. Delgadillo
	0600	72	Rivas
	0900	74	Rivas
	1200	75	Rivas
	1500	71	RIPPE
	1800	71	RIPPE
	2100	71	RIPPE
	2400	70	C De La

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	70	C De La
	0600	70	V. Rivas
	0900	72	V. Rivas
	1200	74	V. Rivas
	1500	75	Ramirez
	1800	75	Ramirez
	2100	75	Ramirez
	2400	73	C De La

Notes

Date	Time	Temp.	Name (Print)
6-9-24	0300	73	C De La
	0600	72	S. Delgadillo
	0900	72	S. Delgadillo
	1200	72	S. Delgadillo
	1500	75	Ramirez
	1800	75	Ramirez
	2100	75	Ramirez
	2400	74	C De La

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBBL Temp. Reading Location: 2nd Tier B-SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	74	Delos
	0600	74	Rivas
	0900	71	Rubio
	1200	74	Rubio
	1500	74	Rivas
	1800	71	Rivas
	2100	71	Rivas
	2400	70	DeLois

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	70	Delos
	0600	70	V. Reyna
	0900	70	V. Reyna
	1200	72	V. Reyna
	1500	72	Rivas
	1800	71	Rivas
	2100	71	Rivas
	2400	71	DeLois

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	71	DeLois
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	71	Rivas
	1800	71	Rivas
	2100	71	Rivas
	2400	71	Santos

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	71	Santos
	0600	71	F. Rivas
	0900	71	F. Rivas
	1200	71	F. Rivas
	1500	71	A. Rivas
	1800	71	Rivas
	2100	71	Rivas
	2400	71	Santos

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	71	Santos
	0600	71	F. Rivas
	0900	71	F. Rivas
	1200	71	F. Rivas
	1500	71	Rivas
	1800	71	Rivas
	2100	71	Rivas
	2400	70	DeLois

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	70	DeLois
	0600	70	V. Reyna
	0900	70	V. Reyna
	1200	71	V. Reyna
	1500	74	Ramirez
	1800	74	Ramirez
	2100	74	Ramirez
	2400	72	DeLois

Notes

Date	Time	Temp.	Name (Print)
6-16-24	0300	70	DeLois
	0600	70	V. DeLois
	0900	72	V. DeLois
	1200	72	V. DeLois
	1500	75	Ramirez
	1800	75	Ramirez
	2100	75	Ramirez
	2400	74	Z. MCGOVERN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: EBB6 Temp. Reading Location: 2nd tier IS-SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	69	C. VASQUEZ
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	R. DIAZ
	1800	71	R. DIAZ
	2100	71	R. DIAZ
	2400	68	D. DELA

Tuesday

Date	Time	Temp.	Name (Print)
<u>6-18-24</u>	0300	68	C. DELA
	0600	70	RIVAS
	0900	71	RIVAS
	1200	71	RIVAS
	1500	71	R. DIAZ
	1800	71	R. DIAZ
	2100	70	R. DIAZ
	2400	70	D. DELA

Wednesday

Date	Time	Temp.	Name (Print)
<u>6-19-24</u>	0300	70	D. DELA
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	R. DIAZ
	1800	71	R. DIAZ
	2100	71	R. DIAZ
	2400	70	J. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
<u>6-20-24</u>	0300	70	J. VASQUEZ
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	R. DIAZ
	1800	71	R. DIAZ
	2100	71	R. DIAZ
	2400	71	A. NASENT

Friday

Date	Time	Temp.	Name (Print)
<u>6-21-24</u>	0300	70	A. NASENT
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	71	F. RIVAS
	1500	71	R. DIAZ
	1800	71	R. DIAZ
	2100	71	R. DIAZ
	2400	68	C. DELA

Saturday

Date	Time	Temp.	Name (Print)
<u>6-22-24</u>	0300	68	A. C. DELA
	0600	69	F. RIVAS
	0900	69	F. RIVAS
	1200	75	RAMIREZ
	1500	75	RAMIREZ
	1800	75	RAMIREZ
	2100	75	RAMIREZ
	2400	72	D. DELA

Sunday

Date	Time	Temp.	Name (Print)
<u>6-23-24</u>	0300	72	C. DELA
	0600	72	F. RIVAS
	0900	72	F. RIVAS
	1200	72	F. RIVAS
	1500	75	RAMIREZ
	1800	75	RAMIREZ
	2100	75	RAMIREZ
	2400	74	C. DELA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LWSP Housing Unit: FBB6 Temp. Reading Location: 2ND - B - SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	70	Delta
	0600	70	F-RIVAS
	0900	70	F-RIVAS
	1200	70	F-RIVAS
	1500	71	RIDGE
	1800	71	CARL
	2100	71	CARL
	2400	70	Delta

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	70	Delta
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	RIDGE
	1800	71	ROD
	2100	71	ROD
	2400	71	Delta

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	70	Delta
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	RIDGE
	1800	71	RIDGE
	2100	71	RIDGE
	2400	71	SALV

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	70	SALV
	0600	71	RIVAS
	0900	71	RIVAS
	1200	71	RIVAS
	1500	71	RIDGE
	1800	71	RIDGE
	2100	71	RIDGE
	2400	71	SALV

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	71	SALV
	0600	71	RIVAS
	0900	71	RIVAS
	1200	71	RIVAS
	1500	71	RIDGE
	1800	71	RIDGE
	2100	71	RIDGE
	2400	70	Delta

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	70	Delta
	0600	70	F-RIVAS
	0900	71	RIVAS
	1200	71	RIVAS
	1500	76	RAMIREZ
	1800	76	RAMIREZ
	2100	76	RAMIREZ
	2400	76	Delta

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	74	Delta
	0600	74	F-RIVAS
	0900	74	F-RIVAS
	1200	74	F-RIVAS
	1500	74	RAMIREZ
	1800	75	RAMIREZ
	2100	75	RAMIREZ
	2400	74	KGARNES

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2

Temp. Reading Location: TIER 2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06-01-24	0300	70	A. RAMIREZ
	0600	71	A. RAMIREZ
	0900	70	M. Martinez
	1200	72	M. Martinez
	1500	74	M. Martinez
	1800	76	M. Martinez
	2100	75	M. Martinez
	2400	73	A. RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
06-02-24	0300	71	A. RAMIREZ
	0600	70	at porch
	0900	72	up on 2nd flr
	1200	72	at 600 ft elev
	1500	72	J. OROZCO
	1800	71	J. OROZCO
	2100	71	J. OROZCO
	2400	71	B. MARTIN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0300	71	B.MATA
	0600	72	J.BLACK
	0900	72	J.BLACK
	1200	72	J.BLACK
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	72	B.MATA

Tuesday

Date	Time	Temp.	Name (Print)
06-04-24	0300	71	B.MATA
	0600	71	O.Sheron
	0900	72	O.Sheron
	1200	72	O.Sheron
	1500	72	C.Nieto
	1800	72	C.Nieto
	2100	72	C.Nieto
	2400	71	B.MATA

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	71	B.MATA
	0600	72	M.GORDON
	0900	70	M.GORDON
	1200	71	M.GORDON
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	73	B.MATA

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	71	B.MATA
	0600	71	M.GORDON
	0900	71	M.GORDON
	1200	72	M.GORDON
	1500	74	C.Nieto
	1800	74	C.Nieto
	2100	74	C.Nieto
	2400	74	B.MATA

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0300	73	B.MATA
	0600	71	M.GORDON
	0900	71	M.GORDON
	1200	72	M.GORDON
	1500	74	C.Nieto
	1800	74	C.Nieto
	2100	74	C.Nieto
	2400	73	J.SANTANA

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0300	72	J.SANTANA
	0600	72	M.GORDON
	0900	72	M.GORDON
	1200	72	M.GORDON
	1500	74	B.MATA
	1800	74	B.MATA
	2100	74	B.MATA
	2400	73	J.SANTANA

Sunday

Date	Time	Temp.	Name (Print)
06-09-24	0300	72	J.SANTANA
	0600	72	J.BLACK
	0900	72	J.BLACK
	1200	72	J.BLACK
	1500	72	B.MATA
	1800	72	B.MATA
	2100	72	B.MATA
	2400	72	B.MATA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-10-24	0300	71	B. MATA
	0600	70	M. Montoya
	0900	72	M. Montoya
	1200	72	M. Montoya
	1500	72	C Nieto
	1800	72	C Nieto
	2100	72	C Nieto
	2400	71	B MATA

Tuesday

Date	Time	Temp.	Name (Print)
06-11-24	0300	70	B. MATA
	0600	70	D. Schum
	0900	71	D. Schum
	1200	71	D. Schum
	1500	73	C Nieto
	1800	73	C Nieto
	2100	73	C Nieto
	2400	72	J. NICKELL

Wednesday

Date	Time	Temp.	Name (Print)
06-12-24	0300	71	J. NICKELL
	0600	71	W. Gobler
	0900	71	W. Gobler
	1200	71	W. Gobler
	1500	73	C Nieto
	1800	73	C Nieto
	2100	73	C Nieto
	2400	71	S. MORENO

Thursday

Date	Time	Temp.	Name (Print)
06-13-24	0300	71	S. MORENO
	0600	71	M. Gobler
	0900	71	M. Gobler
	1200	73	M. Gobler
	1500	73	C Nieto
	1800	73	C Nieto
	2100	73	C Nieto
	2400	71	H. CERA

Friday

Date	Time	Temp.	Name (Print)
06-14-24	0300	71	H. CERA
	0600	71	M. Gobler
	0900	71	M. Gobler
	1200	71	M. Gobler
	1500	72	J. OROZCO
	1800	71	J. OROZCO
	2100	71	J. OROZCO
	2400	71	J. SANCHEZ

Saturday

Date	Time	Temp.	Name (Print)
06-15-24	0300	71	J. SANCHEZ
	0600	72	M. Gobler
	0900	71	M. Gobler
	1200	72	M. Gobler
	1500	72	J. OROZCO
	1800	72	J. OROZCO
	2100	71	J. OROZCO
	2400	71	J. SANCHEZ

Notes

Date	Time	Temp.	Name (Print)
06-16-24	0300	71	J. SANCHEZ
	0600	72	M. Gobler
	0900	72	M. Gobler
	1200	72	M. Gobler
	1500	71	J. OROZCO
	1800	71	J. OROZCO
	2100	71	J. OROZCO
	2400	71	B. MATA

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-17-24	0300	71	B.MATA
	0600	71	L.Dela-Torre
	0900	72	L.Dela-Torre
	1200	72	L.Dela-Torre
	1500	72	C.Nieto
	1800	72	C.Nieto
	2100	72	C.Nieto
	2400	71	B.MATA

Tuesday

Date	Time	Temp.	Name (Print)
06-18-24	0300	71	B.MATA
	0600	72	M.Chehert
	0900	73	M.Chehert
	1200	73	M.Chehert
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	72	B.MATA

Wednesday

Date	Time	Temp.	Name (Print)
06-19-24	0300	71	B.MATA
	0600	71	A.Gonzales
	0900	71	A.Gonzales
	1200	72	M.Chehert
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	72	B.MATA

Thursday

Date	Time	Temp.	Name (Print)
06-20-24	0300	71	B.MATA
	0600	71	M.Chehert
	0900	71	M.Chehert
	1200	72	M.Chehert
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	72	B.MATA

Friday

Date	Time	Temp.	Name (Print)
06-21-24	0300	71	B.MATA
	0600	71	M.Chehert
	0900	71	M.Chehert
	1200	72	M.Chehert
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	72	J.Sanchez

Saturday

Date	Time	Temp.	Name (Print)
06-22-24	0300	70	J.Sanchez
	0600	71	M.Chehert
	0900	72	M.Chehert
	1200	72	M.Chehert
	1500	74	C.Nieto
	1800	74	C.Nieto
	2100	74	C.Nieto
	2400	73	J.Sanchez

Sunday

Date	Time	Temp.	Name (Print)
06-23-24	0300	71	J.Sanchez
	0600	72	M.Chehert
	0900	73	M.Chehert
	1200	73	M.Chehert
	1500	74	J.Sanchez
	1800	74	J.Sanchez
	2100	74	J.Sanchez
	2400	75	B.MATA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-24-24	0300	72	B.MATA
	0600	72	L.Delatorre
	0900	72	L.Delatorre
	1200	73	L.Delatorre
	1500	74	C.Nieto
	1800	74	C.Nieto
	2100	74	C.Nieto
	2400	73	B.MATA

Tuesday

Date	Time	Temp.	Name (Print)
06-25-24	0300	72	B.MATA
	0600	72	O.Schwarz
	0900	73	O.Schwarz
	1200	74	O.Schwarz
	1500	75	C.Nieto
	1800	75	C.Nieto
	2100	75	C.Nieto
	2400	74	B.MATA

Wednesday

Date	Time	Temp.	Name (Print)
06-26-24	0300	72	B.MATA
	0600	72	M.Gonzales
	0900	72	M.Gonzales
	1200	72	M.Gonzales
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	73	B.MATA

Thursday

Date	Time	Temp.	Name (Print)
06-27-24	0300	72	B.MATA
	0600	72	M.Gonzales
	0900	72	M.Gonzales
	1200	72	M.Gonzales
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	73	B.MATA

Friday

Date	Time	Temp.	Name (Print)
06-28-24	0300	72	B.MATA
	0600	72	M.Gonzales
	0900	72	M.Gonzales
	1200	72	M.Gonzales
	1500	73°	Pascual
	1800	73°	Pascual
	2100	73°	Pascual
	2400	72	J.Sanchez

Saturday

Date	Time	Temp.	Name (Print)
06-29-24	0300	71	J.Sanchez
	0600	72	M.Gonzales
	0900	72	M.Gonzales
	1200	73	M.Gonzales
	1500	74	L.CARRAWAY
	1800	74	L.CARRAWAY
	2100	74	L.CARRAWAY
	2400	73	J.Sanchez

Sunday

Date	Time	Temp.	Name (Print)
06-30-24	0300	71	J.Sanchez
	0600	72	M.Gonzales
	0900	72	M.Gonzales
	1200	72	M.Gonzales
	1500	74	L.CARRAWAY
	1800	74	L.CARRAWAY
	2100	74	L.CARRAWAY
	2400	72	B.MATA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06-01-24	0300	72	T. Morris
	0600	72	T. Morris
	0900	73	S. S. J. 17
	1200	72	S. S. J. 17
	1500	73	J. Jones
	1800	74	J. Jones
	2100	75	J. Jones
	2400	74	T. Morris

Sunday

Date	Time	Temp.	Name (Print)
06-02-24	0300	72	T. Mans
	0600	72	T. Mans
	0900	72	M. Oehlert
	1200	73	M. Oehlert
	1500	73	S. Seville
	1800	74	S. Seville
	2100	74	S. Seville
	2400	79	T. Mans

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0300	72	J. Maw
	0600	72	J. Maw
	0900	72	L. Ramirez
	1200	72	L. Ramirez
	1500	73	J. Orozco
	1800	73	J. Orozco
	2100	72	J. Orozco
	2400	72	J. Maw

Tuesday

Date	Time	Temp.	Name (Print)
06-04-24	0300	72	J. Maw
	0600	70	J. Maw
	0900	70	L. Ramirez
	1200	71	L. Ramirez
	1500	72	J. Orozco
	1800	72	J. Orozco
	2100	72	J. Orozco
	2400	72	J. Maw

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	70	J. Maw
	0600	70	J. Maw
	0900	70	L. Ramirez
	1200	73	L. Ramirez
	1500	74	J. Lopes
	1800	75	J. Lopes
	2100	76	J. Lopes
	2400	75	J. Maw

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	74	J. Sanche
	0600	76	L. Ramirez
	0900	76	C. Ramirez
	1200	77	L. Ramirez
	1500	77	J. Lopes
	1800	78	J. Lopes
	2100	78	J. Lopes
	2400	78	J. Sanche

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0300	74	J. Sanche
	0600	74	L. Ramirez
	0900	75	L. Ramirez
	1200	76	L. Ramirez
	1500	76	J. Lopes
	1800	77	J. Lopes
	2100	78	J. Lopes
	2400	78	J. Maw

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0300	76	J. Maw
	0600	75	J. Maw
	0900	77	S. Ordiz
	1200	78	S. Ordiz
	1500	78	J. Lopes
	1800	79	J. Lopes
	2100	79	J. Lopes
	2400	76	J. Maw

Notes

Date	Time	Temp.	Name (Print)
06-09-24	0300	79	J. Maw
	0600	79	J. Maw
	0900	75	S. Ordiz
	1200	75	S. Ordiz
	1500	75	J. Lopes
	1800	76	J. Lopes
	2100	79	J. Lopes
	2400	75	J. Maw

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-10-24	0300	75	T. Manz
	0600	72	T. Manz
	0900	73	M. Oehlert
	1200	74	M. Oehlert
	1500	74	J. Orozco
	1800	73	J. Orozco
	2100	73	J. Orozco
	2400	72	T. Manz

Tuesday

Date	Time	Temp.	Name (Print)
06-11-24	0300	70	T. Manz
	0600	70	T. Manz
	0900	73	M. Oehlert
	1200	75	M. Oehlert
	1500	75	J. Orozco
	1800	74	J. Orozco
	2100	74	J. Orozco
	2400	74	T. Manz

Wednesday

Date	Time	Temp.	Name (Print)
06-12-24	0300	72	T. Manz
	0600	72	T. Manz
	0900	75	L. Ramirez
	1200	78	L. Ramirez
	1500	78	J. Lopes
	1800	79	J. Lopes
	2100	80	J. Lopes
	2400	75	J. Smith

Thursday

Date	Time	Temp.	Name (Print)
06-13-24	0300	74	J. Smith
	0600	74	L. Ramirez
	0900	74	L. Ramirez
	1200	75	L. Ramirez
	1500	75	J. Lopes
	1800	76	J. Lopes
	2100	77	J. Lopes
	2400	75	J. Smith

Friday

Date	Time	Temp.	Name (Print)
06-14-24	0300	73	J. Smith
	0600	73	L. Ramirez
	0900	73	L. Ramirez
	1200	73	L. Ramirez
	1500	73	J. Lopes
	1800	74	J. Lopes
	2100	75	J. Lopes
	2400	74	T. Manz

Saturday

Date	Time	Temp.	Name (Print)
06-15-24	0300	72	T. Manz
	0600	72	T. Manz
	0900	73	C. Ernest
	1200	73	C. Ernest
	1500	74	C. Ernest
	1800	75	J. Lopes
	2100	76	J. Lopes
	2400	74	T. Manz

Sunday

Date	Time	Temp.	Name (Print)
06-16-24	0300	72	T. Manz
	0600	72	T. Manz
	0900	73	C. Rodriguez
	1200	74	C. Rodriguez
	1500	75	J. Lopes
	1800	76	J. Lopes
	2100	77	J. Lopes
	2400	75	T. Manz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-17-24	0300	72	J. Mays
	0600	72	J. Mays
	0900	72	L. Ramirez
	1200	72	L. Ramirez
	1500	72	J. Orozco
	1800	72	J. Orozco
	2100	71	J. Orozco
	2400	70	J. Mays

Tuesday

Date	Time	Temp.	Name (Print)
06-18-24	0300	70	J. Mays
	0600	70	J. Mays
	0900	70	L. Ramirez
	1200	70	L. Ramirez
	1500	70	J. Orozco
	1800	70	J. Orozco
	2100	69	J. Orozco
	2400	69	C. Hill

Wednesday

Date	Time	Temp.	Name (Print)
06-19-24	0300	69	C. Hill
	0600	69	L. Ramirez
	0900	70	L. Ramirez
	1200	70	L. Ramirez
	1500	71	J. Lopes
	1800	71	J. Lopes
	2100	73	J. Lopes
	2400	75	M. Mays

Thursday

Date	Time	Temp.	Name (Print)
06-20-24	0300	70	M. Mays
	0600	70	L. Ramirez
	0900	70	L. Ramirez
	1200	70	L. Ramirez
	1500	71	J. Lopes
	1800	72	J. Lopes
	2100	73	J. Lopes
	2400	71	J. Sanchez

Friday

Date	Time	Temp.	Name (Print)
06-21-24	0300	78	J. Sanchez
	0600	76	L. Ramirez
	0900	70	L. Ramirez
	1200	71	L. Ramirez
	1500	72	J. Lopes
	1800	72	J. Lopes
	2100	73	J. Lopes
	2400	73	J. Nicewer

Saturday

Date	Time	Temp.	Name (Print)
06-22-24	0300	71	J. Nicewer
	0600	71	S. Ordaz
	0900	73	S. Ordaz
	1200	73	S. Ordaz
	1500	73	J. Lopes
	1800	71	J. Lopes
	2100	75	J. Lopes
	2400	74	J. Mays

Notes

Date	Time	Temp.	Name (Print)
06-23-24	0300	72	J. Mays
	0600	72	J. Mays
	0900	73	S. Ordaz
	1200	74	S. Ordaz
	1500	74	J. Lopes
	1800	75	J. Lopes
	2100	76	J. Lopes
	2400	73	H. Cera

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-24-24	0300	71	M.CEPA
	0600	72	M.Oehlert
	0900	73	M.Oehlert
	1200	74	M.Oehlert
	1500	78	L.CARRAWAY
	1800	76	L.CARRAWAY
	2100	76	L.CARRAWAY
	2400	72	L.Burnas

Tuesday

Date	Time	Temp.	Name (Print)
06-25-24	0300	72	K.GARRET
	0600	72	L.Ramirez
	0900	73	L.Ramirez
	1200	73	L.Ramirez
	1500	74	L.CARRAWAY
	1800	74	L.CARRAWAY
	2100	74	L.CARRAWAY
	2400	74	J.Manson

Wednesday

Date	Time	Temp.	Name (Print)
06-26-24	0300	72	J.Mans
	0600	72	J.Mans
	0900	72	L.Ramirez
	1200	72	L.Ramirez
	1500	72	J.Lopes
	1800	73	J.Lopes
	2100	74	J.Lopes
	2400	74	J.Sanchez

Thursday

Date	Time	Temp.	Name (Print)
06-27-24	0300	73	J.Sanchez
	0600	73	L.Ramirez
	0900	73	L.Ramirez
	1200	73	L.Ramirez
	1500	73	J.Lopes
	1800	74	J.Lopes
	2100	75	J.Lopes
	2400	73	J.Sanchez

Friday

Date	Time	Temp.	Name (Print)
06-28-24	0300	72	J.Sanchez
	0600	72	L.Ramirez
	0900	73	L.Ramirez
	1200	74	L.Ramirez
	1500	75	J.Lopes
	1800	75	J.Lopes
	2100	75	J.Lopes
	2400	74	J.Mans

Saturday

Date	Time	Temp.	Name (Print)
06-29-24	0300	72	J.Mans
	0600	72	J.Mans
	0900	73	S.Cordiz
	1200	73	S.Cordiz
	1500	74	M.Cloud
	1800	74	M.Cloud
	2100	73	M.Cloud
	2400	72	J.Mans

Sunday

Date	Time	Temp.	Name (Print)
06-30-24	0300	72	J.Mans
	0600	72	J.Mans
	0900	73	S.Cordiz
	1200	73	S.Cordiz
	1500	73	J.Lopes
	1800	74	J.Lopes
	2100	75	J.Lopes
	2400	74	J.Mans

Notes

OF CALIFORNIA
SIDE TEMPERATURE RECORD
OCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed, (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).
In addition, the warden shall designate staff to be responsible to monitor and log the outside ambient air temperature for each unit where an inmate on the heat risk list is housed.

(Note: Air-conditioned housing units will also be monitored.)
Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
06-01-24	0300	70	L. PONCE
	0600	72	A. HERMOSILLO
	0900	74	A. HERMOSILLO
	1200	76	A. HERMOSILLO
	1500	75	A. LOPEZ
	1800	75	A. LOPEZ
	2100	74	A. LOPEZ
	2400	70	L. PONCE

Sunday			
Date	Time	Temp.	Name (Print)
06-02-24	0300	70	L. DONOS
	0600	70°	MUNEZ
	0900	71°	MUNEZ
	1200	71°	MUNEZ
	1500	72	J. Martinez
	1800	75	J. Martinez
	2100	77	J. Martinez
	2400	76	J. Martinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0300	72	J. Dunn
	0600	72	S. Ordiz
	0900	73	S. Ordiz
	1200	75	J. Martinez
	1500	75	J. Martinez
	1800	74	J. Martinez
	2100	74	J. Martinez
	2400	75	J. McCain

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	72	J. Sanchez
	0600	74	A. Hermosillo
	0900	77	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	J. Orozco
	1800	79	J. Orozco
	2100	79	J. Orozco
	2400	74	M. Pascual

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0300	72	A. Nasena
	0600	74	A. Hermosillo
	0900	77	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	J. Martinez
	1800	79	J. Martinez
	2100	79	J. Martinez
	2400	79	J. Martinez

Sunday

Date	Time	Temp.	Name (Print)
06-09-24	0300	74	B. Mata
	0600	74	A. Hermosillo
	0900	76	A. Hermosillo
	1200	78	A. Hermosillo
	1500	80	Z. Ruiz
	1800	79	Z. Ruiz
	2100	77	Z. Ruiz
	2400	76	E. Martinez

Tuesday

Date	Time	Temp.	Name (Print)
06-04-24	0300	73	J. McCain
	0600	72	S. Ordiz
	0900	75	S. Ordiz
	1200	77	S. Ordiz
	1500	74	J. Martinez
	1800	75	J. Martinez
	2100	75	J. Martinez
	2400	73	J. Santa

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	72	M. Pascual
	0600	74	A. Hermosillo
	0900	77	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	B. Mata
	1800	80	B. Mata
	2100	80	B. Mata
	2400	75	A. Najera

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0300	79	C. Hill
	0600	76	A. Hermosillo
	0900	78	A. Hermosillo
	1200	80	A. Hermosillo
	1500	79	A. Rodriguez
	1800	78	A. Rodriguez
	2100	79	A. Rodriguez
	2400	77	B. Mata

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
06-10-24	0300	73	E. Martinez	06-11-24	0300	73	J. McCain	06-12-24	0300	75	J. Martinez	06-13-24	0300	75	E. Martinez	06-14-24	0300	78	B. Garcia	06-15-24	0300	76	E. Martinez	06-16-24	0300	76	E. Martinez
	0600	74	E. Martinez		0600	72	S. Ortiz		0600	74	A. Hermosillo		0600	74	E. Martinez		0600	78	J. Martinez		0600	73	E. Martinez		0600	75	E. Martinez
	0900	75	S. Ortiz		0900	74	S. Ortiz		0900	77	A. Hermosillo		0900	77	A. Hermosillo		0900	79	J. Martinez		0900	75	E. Martinez		0900	76	E. Martinez
	1200	75	S. Ortiz		1200	77	Z. Renfro		1200	79	A. Hermosillo		1200	79	S. Moreno		1200	76	J. Martinez		1200	76	E. Martinez		1200	77	E. Martinez
	1500	74	J. Martinez		1500	78	J. Martinez		1500	79	S. Moreno		1500	79	S. Moreno		1500	78	J. Martinez		1500	78	J. Martinez		1500	78	J. Martinez
	1800	74	J. Martinez		1800	78	J. Martinez		1800	79	S. Moreno		1800	79	S. Moreno		1800	77	J. Martinez		1800	78	J. Martinez		1800	78	J. Martinez
	2100	73	J. Martinez		2100	77	J. Martinez		2100	77	S. Moreno		2100	77	S. Moreno		2100	76	J. Martinez		2100	76	J. Martinez		2100	76	J. Martinez
	2400	73	J. McCain		2400	76	J. Salter		2400	76	J. Salter		2400	78	B. Garcia		2400	73	E. Martinez		2400	76	E. Martinez		2400	76	E. Martinez
Notes																											

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: JNSP Housing Unit: FAB 3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	74	E. Martinez
	0600	74	S. Ortiz
	0900	75	S. Ortiz
	1200	75	S. Ortiz
	1500	75	J. Martinez
	1800	75	J. Martinez
	2100	73	J. Martinez
	2400	70	A. DUCUT

Tuesday

Date	Time	Temp.	Name (Print)
6-18-24	0300	69	A. DUCUT
	0600	71	S. Ortiz
	0900	70	S. Ortiz
	1200	70	S. Ortiz
	1500	72	J. Martinez
	1800	74	J. Martinez
	2100	71	J. Martinez
	2400	75	PAREDEC

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	75	PAREDEC
	0600	75	ZEPEDA
	0900	78	ZEPEDA
	1200	78	ZEPEDA
	1500	79	J. OROZCO
	1800	79	J. OROZCO
	2100	78	J. OROZCO
	2400	77	E. Martinez

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	75	E. Martinez
	0600	75	A. Hermosillo
	0900	77	A. Hermosillo
	1200	78	A. Hermosillo
	1500	79	O. ACELLO
	1800	79	O. ACELLO
	2100	78	O. ACELLO
	2400	77	E. Martinez

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	76	E. Martinez
	0600	76	A. Hermosillo
	0900	77	A. Hermosillo
	1200	78	A. Hermosillo
	1500	79	J. Martinez
	1800	79	J. Martinez
	2100	78	J. Martinez
	2400	76	E. Martinez

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	76	E. Martinez
	0600	75	A. Hermosillo
	0900	77	A. Hermosillo
	1200	78	A. Hermosillo
	1500	78	Ramis
	1800	79	Ramis
	2100	78	Ramis
	2400	74	E. Martinez

Notes

Date	Time	Temp.	Name (Print)
6-23-24	0300	77	E. Martinez
	0600	76	S. Ortiz
	0900	76	S. Ortiz
	1200	78	J. Day
	1500	80	J. Martinez
	1800	80	J. Martinez
	2100	80	J. Martinez
	2400	78	E. Martinez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-24-24	0300	77	E. Martinez
	0600	76	E. Martinez
	0900	76	S. Ordiz
	1200	77	S. Ordiz
	1500	80	J. Martinez
	1800	79	J. Martinez
	2100	79	J. Martinez
	2400	79	A. Acut

Wednesday Tuesday

Date	Time	Temp.	Name (Print)
06-25-24	0300	78	A. Acut
	0600	78	A. Acut
	0900	79	S. Ordiz
	1200	80	S. Ordiz
	1500	80	J. Martinez
	1800	79	J. Martinez
	2100	79	J. Martinez
	2400	78	C. Lumei

Friday

Date	Time	Temp.	Name (Print)
06-28-24	0300	77	E. Martinez
	0600	77	E. Martinez
	0900	77	A. Hermosillo
	1200	79	A. Hermosillo
	1500	78	R. Camer
	1800	79	R. Camer
	2100	79	R. Camer
	2400	78	E. Martinez

Sunday

Date	Time	Temp.	Name (Print)
06-30-24	0300	78	E. Martinez
	0600	78	E. Martinez
	0900	78	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	L. Goyen
	1800	80	L. Goyen
	2100	80	L. Goyen
	2400	79	E. Martinez

Wednesday Tuesday Wednesday

Date	Time	Temp.	Name (Print)
06-25-24	0300	78	C. Lumei
	0600	78	C. Lumei
	0900	78	A. Hermosillo
	1200	80	A. Hermosillo
	1500	78	L. Carraway
	1800	78	L. Carraway
	2100	78	L. Carraway
	2400	78	E. Martinez

Thursday

Date	Time	Temp.	Name (Print)
06-27-24	0300	78	E. Martinez
	0600	78	E. Martinez
	0900	78	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	J. Medina
	1800	78	J. Medina
	2100	78	J. Medina
	2400	78	E. Martinez

Saturday

Date	Time	Temp.	Name (Print)
06-29-24	0300	78	E. Martinez
	0600	78	E. Martinez
	0900	78	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	Z. Ruhn
	1800	80	Z. Ruhn
	2100	78	Z. Ruhn
	2400	78	E. Martinez

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06-01-24	0300	72	M. CLOUD
	0600	72	M. DeLaTorre
	0900	73	M. DeLaTorre
	1200	73	M. DeLaTorre
	1500	74	B. MATA
	1800	74	B. MATA
	2100	73	B. MATA
	2400	73	C. GILLETT

Sunday

Date	Time	Temp.	Name (Print)
06-02-24	0300	72	C. GILLETT
	0600	72	C. GILLETT
	0900	73	B. MATA
	1200	73	B. MATA
	1500	74	B. MATA
	1800	71	J. AGUILAR
	2100	72	J. AGUILAR
	2400	72	L. McCain

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0300	72	J. McLean
	0600	72	B. Mata
	0900	72	B. Mata
	1200	73	B. Mata
	1500	71	S. Aguilar
	1800	71	S. Aguilar
	2100	71	S. Aguilar
	2400	70	M. Cloud

Tuesday

Date	Time	Temp.	Name (Print)
06-04-24	0300	70	M. Cloud
	0600	72	M. Delatorre
	0900	72	M. Delatorre
	1200	73	M. Delatorre
	1500	71	S. Aguilar
	1800	71	S. Aguilar
	2100	71	S. Aguilar
	2400	70	M. Cloud

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	70	M. Cloud
	0600	71	S. Ordiz
	0900	72	S. Ordiz
	1200	73	S. Ordiz
	1500	71	J. Aguilar
	1800	71	J. Aguilar
	2100	71	S. Aguilar
	2400	71°	E. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	71	E. Gonzalez
	0600	71	Andrea
	0900	72	Andrea
	1200	74	Andrea
	1500	71	S. Aguilar
	1800	71	S. Aguilar
	2100	71	S. Aguilar
	2400	71	M. Cloud

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0300	70	M. Cloud
	0600	72	M. Delatorre
	0900	73	M. Delatorre
	1200	73	M. Delatorre
	1500	76	J. Orozco
	1800	78	J. Orozco
	2100	78	J. Orozco
	2400	75	M. Cloud

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0300	73	M. Cloud
	0600	73	M. Delatorre
	0900	74	M. Delatorre
	1200	74	M. Delatorre
	1500	76	J. Orozco
	1800	77	J. Orozco
	2100	77	J. Orozco
	2400	75	J. McLean

Notes

Date	Time	Temp.	Name (Print)
06-09-24	0300	75	J. McLean
	0600	70	M. Delatorre
	0900	74	M. Delatorre
	1200	78	M. Delatorre
	1500	78	B. Holland
	1800	78	B. Holland
	2100	76	B. Holland
	2400	76	J. McLean

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	75	J. McLean
	0600	75	M. DelaTorre
	0900	75	M. DelaTorre
	1200	76	M. DelaTorre
	1500	76	L. CARRAWAY
	1800	76	L. CARRAWAY
	2100	79	L. CARRAWAY
	2400	78	PAREOZ

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	75	PAREOZ
	0600	75	PAREOZ
	0900	76	M. DelaTorre
	1200	76	M. DelaTorre
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	78	H. CERA

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76	H. CERA
	0600	76	K. Rivera
	0900	76	K. Rivera
	1200	77	K. Rivera
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	77	J. NICKEL

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	76	J. NICKEL
	0600	76	L. Navarro
	0900	75	L. Navarro
	1200	76	L. Navarro
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	74	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	M. CLOUD
	0600	72	M. DelaTorre
	0900	72	M. DelaTorre
	1200	73	M. DelaTorre
	1500	75	S. Seville
	1800	76	S. Seville
	2100	76	S. Seville
	2400	74	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	M. CLOUD
	0600	72	M. DelaTorre
	0900	72	M. DelaTorre
	1200	73	M. DelaTorre
	1500	79	E. Bustos
	1800	74	E. Bustos
	2100	73	E. Bustos
	2400	73	C. INSOUER

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	73	C. INSOUER
	0600	73	M. DelaTorre
	0900	74	M. DelaTorre
	1200	74	M. DelaTorre
	1500	74	L. CARRAWAY
	1800	75	L. CARRAWAY
	2100	75	L. CARRAWAY
	2400	74	C. VASCONCELOS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	70	CAMARENA
	0600	74	CAMARENA
	0900	78	CAMARENA
	1200	80	CAMARENA
	1500	71	J. AGUILAR
	1800	73	J. AGUILAR
	2100	70	J. AGUILAR
	2400	70	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	70	M. CLOUD
	0600	70	S. ORTIZ
	0900	71	S. ORTIZ
	1200	71	S. ORTIZ
	1500	71	S. AGUILAR
	1800	71	S. AGUILAR
	2100	71	S. AGUILAR
	2400	70	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	70	M. CLOUD
	0600	72	M. Delatorre
	0900	73	M. Delatorre
	1200	73	M. Delatorre
	1500	76	J. OROZCO
	1800	77	J. OROZCO
	2100	77	J. OROZCO
	2400	79	M. CLOUD

Sunday

Date	Time	Temp.	Name (Print)
6-23-24	0300	71	Hernandez
	0600	71	M. Delatorre
	0900	73	M. Delatorre
	1200	75	M. Delatorre
	1500	71	S. AGUILAR
	1800	71	S. AGUILAR
	2100	71	S. AGUILAR
	2400	70	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
6-20-24	0300	70	M. CLOUD
	0600	70	M. Delatorre
	0900	71	M. Delatorre
	1200	72	M. Delatorre
	1500	71	S. AGUILAR
	1800	72	S. AGUILAR
	2100	72	S. AGUILAR
	2400	70	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	70	M. CLOUD
	0600	70	J. BALL
	0900	70	J. BALL
	1200	71	J. BALL
	1500	71	S. AGUILAR
	1800	71	S. AGUILAR
	2100	71	S. AGUILAR
	2400	70	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	73	M. CLOUD
	0600	73	M. Delatorre
	0900	74	M. Delatorre
	1200	75	M. Delatorre
	1500	78	J. OROZCO
	1800	79	J. OROZCO
	2100	78	J. OROZCO
	2400	75	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/29	0300	72	M. Cloud
6/1	0600	72	M. De La Torre
6/2	0900	74	M. De La Torre
6/3	1200	74	M. De La Torre
6/4	1500	71	S. AGUILAR
6/5	1800	71	S. AGUILAR
6/6	2100	71	S. AGUILAR
6/7	2400	70	M. Cloud

Tuesday

Date	Time	Temp.	Name (Print)
6/1	0300	70	M. Cloud
6/2	0600	73	M. Dehler
6/3	0900	73	M. Dehler
6/4	1200	74	M. Dehler
6/5	1500	76	S. AGUILAR
6/6	1800	73	S. AGUILAR
6/7	2100	70	S. AGUILAR
6/8	2400	70	M. Cloud

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	70	M. Cloud
6/27	0600	71	S. ORTIZ
6/28	0900	72	S. ORTIZ
6/29	1200	73	S. ORTIZ
6/30	1500	71	S. AGUILAR
7/1	1800	73	S. AGUILAR
7/2	2100	70	S. AGUILAR
7/3	2400	70	M. Cloud

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	70	M. Cloud
6/28	0600	70	Ardell
6/29	0900	72	Ardell
6/30	1200	74	Ardell
7/1	1500	75	S. AGUILAR
7/2	1800	71	S. AGUILAR
7/3	2100	70	S. AGUILAR
7/4	2400	70	M. Cloud

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	70	M. Cloud
6/29	0600	71	M. De La Torre
6/30	0900	73	M. De La Torre
7/1	1200	73	M. De La Torre
7/2	1500	76	J. ORTIZ
7/3	1800	77	J. ORTIZ
7/4	2100	77	J. ORTIZ
7/5	2400	75	M. Cloud

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	74	M. Cloud
6/30	0600	74	M. De La Torre
7/1	0900	74	M. De La Torre
7/2	1200	75	M. De La Torre
7/3	1500	77	J. ORTIZ
7/4	1800	78	J. ORTIZ
7/5	2100	78	J. ORTIZ
7/6	2400	76	M. Eason

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	72	M. Escobar
7/1	0600	73	M. De La Torre
7/2	0900	75	M. De La Torre
7/3	1200	76	M. De La Torre
7/4	1500	76	J. AGUILAR
7/5	1800	73	J. AGUILAR
7/6	2100	71	J. AGUILAR
7/7	2400	75	A. Duvall

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top-tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06-01-24	0300	72	M CLOUD
	0600	72	M. Delatorre
	0900	73	M. Delatorre
	1200	73	M. Delatorre
	1500	73	B. MATA
	1800	73	B. MATA
	2100	73	B. MATA
	2400	73	C. GILLET

Sunday

Date	Time	Temp.	Name (Print)
06-02-24	0300	72	C. GILLET
	0600	72	C. GILLET
	0900	73	B. MATA
	1200	73	B. MATA
	1500	74	B. MATA
	1800	71	J. AGUILAR
	2100	72	J. AGUILAR
	2400	72	J. AGUILAR

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0300	72	J. McCains
	0600	72	B. MATA
	0900	72	B. MATA
	1200	73	B. MATA
	1500	71	J. AGUILAR
	1800	71	J. AGUILAR
	2100	71	J. AGUILAR
	2400	70	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
06-04-24	0300	70	M. CLOUD
	0600	72	M. Delatorre
	0900	72	M. Delatorre
	1200	73	M. Delatorre
	1500	71	J. AGUILAR
	1800	71	J. AGUILAR
	2100	71	J. AGUILAR
	2400	70	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	70	M. CLOUD
	0600	71	S. ORTIZ
	0900	72	S. ORTIZ
	1200	73	S. ORTIZ
	1500	71	J. AGUILAR
	1800	71	J. AGUILAR
	2100	71	J. AGUILAR
	2400	71	E. GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	71	E. GONZALEZ
	0600	71	Andrea
	0900	73	Andrea
	1200	75	Andrea
	1500	71	J. AGUILAR
	1800	71	J. AGUILAR
	2100	71	J. AGUILAR
	2400	71	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0300	70	M. CLOUD
	0600	72	M. Delatorre
	0900	73	M. Delatorre
	1200	73	M. Delatorre
	1500	76	J. OROZCO
	1800	77	J. OROZCO
	2100	77	J. OROZCO
	2400	75	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0300	73	M. CLOUD
	0600	73	M. Delatorre
	0900	74	M. Delatorre
	1200	74	M. Delatorre
	1500	76	J. OROZCO
	1800	78	J. OROZCO
	2100	78	J. OROZCO
	2400	75	J. McCains

Notes

Date	Time	Temp.	Name (Print)
06-09-24	0300	77	J. McCains
	0600	76	M. Delatorre
	0900	76	M. Delatorre
	1200	78	M. Delatorre
	1500	78	B. Hollard
	1800	78	B. Hollard
	2100	77	B. Hollard
	2400	76	J. McCains

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	75'	J. McCain
	0600	75	M. De La Torre
	0900	75	M. De La Torre
	1200	76	M. De La Torre
	1500	76	L. CARRAWAY
	1800	76	L. CARRAWAY
	2100	79	L. CARRAWAY
	2400	78	PAREDER

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	75	PAREDER
	0600	75	PAREDER
	0900	76	M. De La Torre
	1200	76	M. De La Torre
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	78	H. CERA

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	76	H. CERA
	0600	76	K. Rivera
	0900	76	K. Rivera
	1200	76	K. Rivera
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	77°	J. NICKEL

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	76	J. NICKEL
	0600	75	L. NAVARO
	0900	75	L. NAVARO
	1200	76	L. NAVARO
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400		M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300		M. CLOUD
	0600	72	M. De La Torre
	0900	72	M. De La Torre
	1200	73	M. De La Torre
	1500	75	S. SEMIC
	1800	76	S. SEMIC
	2100	76	S. SEMIC
	2400	74	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	72	M. CLOUD
	0600	72	M. De La Torre
	0900	72	M. De La Torre
	1200	73	M. De La Torre
	1500	73	M. De La Torre
	1800	73	M. De La Torre
	2100	73	B. BUSTOS
	2400	73	C. VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	73	C. VASQUEZ
	0600	73	M. De La Torre
	0900	74	M. De La Torre
	1200	74	M. De La Torre
	1500	79	L. CARRAWAY
	1800	75	L. CARRAWAY
	2100	75	L. CARRAWAY
	2400	75	L. CARRAWAY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: P1B4-Bside Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	75	J. Mcrain
	0600	75	M. Delatorre
	0900	75	M. Delatorre
	1200	76	M. Delatorre
	1500	76	L. CARRAWAY
	1800	76	L. CARRAWAY
	2100	79	L. CARRAWAY
	2400	78	PAREDEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	75	PAREDEZ
	0600	75	PAREDEZ
	0900	76	M. Delatorre
	1200	76	M. Delatorre
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	78	H. CERA

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	74	H. CERA
	0600	76	K. RIVERA
	0900	76	K. RIVERA
	1200	77	K. RIVERA
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	77	J. NICKELL

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	75	J. NICKELL
	0600	76	L. NAVARRO
	0900	75	L. NAVARRO
	1200	76	L. NAVARRO
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	74	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	M. CLOUD
	0600	72	M. De laTorre
	0900	72	M. De laTorre
	1200	73	M. De laTorre
	1500	75	S. Seville
	1800	74	S. Seville
	2100	76	S. Seville
	2400	74	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	M. CLOUD
	0600	72	M. De laTorre
	0900	72	M. De laTorre
	1200	73	M. De laTorre
	1500	74	E. BUSTOS
	1800	74	E. BUSTOS
	2100	73	E. BUSTOS
	2400	73	C. VASQUEZ

Notes

Date	Time	Temp.	Name (Print)
6/16/24	0300	73	C. VASQUEZ
	0600	73	M. De laTorre
	0900	74	M. De laTorre
	1200	74	M. De laTorre
	1500	74	L. CARRAWAY
	1800	75	L. CARRAWAY
	2100	75	L. CARRAWAY
	2400	74	C. VASQUEZ

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
May 17-24	0300	73	CAMARENA
	0600	73	CAMARENA
	0900	78	CAMARENA
	1200	80	CAMARENA
	1500	71	J.AGUILAR
	1800	73	J.AGUILAR
	2100	70	J.AGUILAR
	2400	70	M.CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
May 18-24	0300	70	M.CLOUD
	0600	70	M.Delatorre
	0900	71	M.Delatorre
	1200	72	M.Delatorre
	1500	71	J.AGUZAR
	1800	72	J.AGUZAR
	2100	72	J.AGUZAR
	2400	70	M.CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
May 19-24	0300	70	M.CLOUD
	0600	70	S.ORTIZ
	0900	71	S.ORTIZ
	1200	71	S.ORTIZ
	1500	71	J.AGUZAR
	1800	71	J.AGUZAR
	2100	71	J.AGUZAR
	2400	70	M.CLOUD

Thursday

Date	Time	Temp.	Name (Print)
May 20-24	0300	70	M.CLOUD
	0600	70	J.BALL
	0900	70	J.BALL
	1200	71	J.BALL
	1500	71	J.AGUZAR
	1800	71	J.AGUZAR
	2100	71	J.AGUZAR
	2400	70	M.CLOUD

Friday

Date	Time	Temp.	Name (Print)
May 21-24	0300	70	M.CLOUD
	0600	72	M.Delatorre
	0900	73	M.Delatorre
	1200	73	M.Delatorre
	1500	76	J.OROZCO
	1800	77	J.OROZCO
	2100	77	J.OROZCO
	2400	75	M.CLOUD

Saturday

Date	Time	Temp.	Name (Print)
May 22-24	0300	73	M.CLOUD
	0600	73	M.Delatorre
	0900	74	M.Delatorre
	1200	75	M.Delatorre
	1500	78	J.OROZCO
	1800	79	J.OROZCO
	2100	77	J.OROZCO
	2400	75	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
May 23-24	0300	71	Hernandez
	0600	71	M.Delatorre
	0900	73	M.Delatorre
	1200	75	M.Delatorre
	1500	71	J.AGUZAR
	1800	71	J.AGUZAR
	2100	71	J.AGUZAR
	2400	70	M.CLOUD

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 1 25 25 25	0300	72	M. CLOUD
	0600	72	M. Del Torre
	0900	74	M. Del Torre
	1200	74	M. Del Torre
	1500	71	J. AGUILAR
	1800	71	J. AGUILAR
	2100	71	J. AGUILAR
	2400	70	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
6 1 25 25 25	0300	70°	M. CLOUD
	0600	71	Moehleit
	0900	73	Moehleit
	1200	73	Moehleit
	1500	70	J. AGUILAR
	1800	73	J. AGUILAR
	2100	70	J. AGUILAR
	2400	70	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
6 1 26 24	0300	70	M. CLOUD
	0600	71	S. ORTIZ
	0900	72	S. ORTIZ
	1200	73	S. ORTIZ
	1500	71	J. AGUILAR
	1800	73	J. AGUILAR
	2100	70	J. AGUILAR
	2400	70	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
6 1 27 24	0300	70	M. CLOUD
	0600	71	Ardito
	0900	73	Ardito
	1200	75	Ardito
	1500	75	J. AGUILAR
	1800	71	J. AGUILAR
	2100	70	J. AGUILAR
	2400	70	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
6 1 28 24	0300	70	M. CLOUD
	0600	71	M. Del Torre
	0900	73	M. Del Torre
	1200	73	M. Del Torre
	1500	76	J. ORCER
	1800	77	J. ORCER
	2100	77	J. ORCER
	2400	74	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
6 1 29 24	0300	74	M. CLOUD
	0600	74	M. Del Torre
	0900	76	M. Del Torre
	1200	75	M. Del Torre
	1500	78	J. ORCER
	1800	78	J. ORCER
	2100	78	J. ORCER
	2400	76	Escobar

Sunday

Date	Time	Temp.	Name (Print)
6/29 24	0300	73	Escobar
	0600	73	M. Del Torre
	0900	75	M. Del Torre
	1200	76	M. Del Torre
	1500	76	J. AGUILAR
	1800	73	J. AGUILAR
	2100	71	J. AGUILAR
	2400	75	A. Duvet

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06-01-24	0300	74	J. McCain
	0600	75	A. Arevalo
	0900	76	A. Arevalo
	1200	77	A. Arevalo
	1500	78	A. Sanchez
	1800	78	A. Sanchez
	2100	78	A. Sanchez
	2400	78	A. Sanchez

Notes

Date	Time	Temp.	Name (Print)
06-02-24	0300	78	A. Marquez
	0600	78	L. Lopez
	0900	78	L. Lopez
	1200	78	L. Lopez
	1500	79	J. O'Rourke
	1800	79	J. O'Rourke
	2100	77	J. O'Rourke
	2400	78	A. Marquez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OF CALIFORNIA
IN-DOOR TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0300	78	Marek
	0600	79	M. Oehlert
	0900	80	M. Oehlert
	1200	81	M. Oehlert
	1500	82	J. Oehlert
	1800	82	J. Oehlert
	2100	80	J. Oehlert
	2400	78	Marek

Tuesday

Date	Time	Temp.	Name (Print)
06-04-24	0300	78	Marcus
	0600	78	Zepedz
	0900	78	Zepedz
	1200	78	Zepedz
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	79	R. SANCHEZ
	2400	78	R. Marcess

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	78	A. Maress
	0600	79	D. NUNEZ
	0900	79	D. NUNEZ
	1200	79	D. NUNEZ
	1500	80	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	80	Maress

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	79	Marcos
	0600	79	Lizpedra
	0900	80	Lizpedra
	1200	80	Lizpedra
	1500	80	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	80°	J. M. L. G.

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0300	80	L. Agustin
	0600	80	Andrea
	0900	80	Alysha
	1200	81	Alysha
	1500	81	R. SAWCHIK
	1800	81	R. SAWCHIK
	2100	80	R. SAWCHIK
	2400	78	J. McCain

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0300	76	J. MULAN
	0600	78	F. ROJAS
	0900	78	F. ROJAS
	1200	79	F. ROJAS
	1500	80	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	78	Muness

Sunday

Date	Time	Temp.	Name (Print)
06-09-24	0300	78	Marees
	0600	78	Zepeda
	0900	78	Zepeda
	1200	78	Zepeda
	1500	78	1.020.300
	1800	79	1.020.200
	2100	78	1.020.750
	2400	78	Marees

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-10-24	0300	78	J. Maness
	0600	78	B. Miller
	0900	79	B. Miller
	1200	79	B. Miller
	1500	78	A. Frustro
	1800	78	A. Frustro
	2100	80	A. Frustro
	2400	78	Maness

Tuesday

Date	Time	Temp.	Name (Print)
06-11-24	0300	78	Maness
	0600	78	B. Miller
	0900	78	B. Miller
	1200	78	B. Miller
	1500	80	R. Sanchez
	1800	80	R. Sanchez
	2100	80	R. Sanchez
	2400	78	Maness

Wednesday

Date	Time	Temp.	Name (Print)
06-12-24	0300	78	Maness
	0600	78	B. Miller
	0900	80	B. Miller
	1200	80	B. Miller
	1500	80	R. Sanchez
	1800	80	R. Sanchez
	2100	80	R. Sanchez
	2400	78	Maness

Thursday

Date	Time	Temp.	Name (Print)
06-13-24	0300	78	Maness
	0600	78	B. Miller
	0900	78	B. Miller
	1200	80	B. Miller
	1500	80	R. Sanchez
	1800	80	R. Sanchez
	2100	80	R. Sanchez
	2400	77	J. McCain

Friday

Date	Time	Temp.	Name (Print)
06-14-24	0300	77	J. McCain
	0600	78	E. Gonzalez
	0900	78	E. Gonzalez
	1200	80	E. Gonzalez
	1500	80	R. Sanchez
	1800	80	R. Sanchez
	2100	80	R. Sanchez
	2400	78	McCain

Saturday

Date	Time	Temp.	Name (Print)
06-15-24	0300	78	Maness
	0600	78	Miller
	0900	78	E. Gonzalez
	1200	80	E. Gonzalez
	1500	80	R. Sanchez
	1800	80	R. Sanchez
	2100	80	R. Sanchez
	2400	78	Maness

Notes

Date	Time	Temp.	Name (Print)
06-16-24	0300	78	J. Maness
	0600	78	B. Miller
	0900	78	B. Miller
	1200	78	B. Miller
	1500	79	J. O'Toole
	1800	77	J. O'Toole
	2100	77	J. O'Toole
	2400	78	Maness

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-17-24	0300	78	A. Mares
	0600	74	S. VERDUGO
	0900	76	S. VERDUGO
	1200	76	S. VERDUGO
	1500	77	J. OROZCO
	1800	79	J. OROZCO
	2100	77	J. OROZCO
	2400	78	A. Mares

Tuesday

Date	Time	Temp.	Name (Print)
06-18-24	0300	78	A. Mares
	0600	75	S. VERDUGO
	0900	76	S. VERDUGO
	1200	77	S. VERDUGO
	1500	79	R. SANCHEZ
	1800	79	R. SANCHEZ
	2100	79	R. SANCHEZ
	2400	78	A. Mares

Wednesday

Date	Time	Temp.	Name (Print)
06-19-24	0300	78	A. Mares
	0600	74	S. VERDUGO
	0900	78	S. VERDUGO
	1200	78	S. VERDUGO
	1500	79	R. SANCHEZ
	1800	79	R. SANCHEZ
	2100	76	R. SANCHEZ
	2400	78	A. Mares

Thursday

Date	Time	Temp.	Name (Print)
06-20-24	0300	78	A. Mares
	0600	76	S. VERDUGO
	0900	76	S. VERDUGO
	1200	78	S. VERDUGO
	1500	79	R. SANCHEZ
	1800	79	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	77	A. Cerv

Friday

Date	Time	Temp.	Name (Print)
06-21-24	0300	75	C. Cruz
	0600	75	A. Mares
	0900	76	A. Mares
	1200	77	A. Mares
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	77	M. ESCOBAR

Saturday

Date	Time	Temp.	Name (Print)
06-22-24	0300	77	M. Escobar
	0600	77	A. Mares
	0900	77	A. Mares
	1200	78	A. Mares
	1500	78	B. Gartner
	1800	78	B. Gartner
	2100	78	B. Gartner
	2400	78	A. Mares

Sunday

Date	Time	Temp.	Name (Print)
06-23-24	0300	78	A. Mares
	0600	76	A. Cruz
	0900	77	A. Cruz
	1200	78	A. Cruz
	1500	79	J. OROZCO
	1800	80	J. OROZCO
	2100	79	J. OROZCO
	2400	78	A. Mares

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-24-24	0300	78	A. Maness
	0600	74	S. Verdugo
	0900	76	S. Verdugo
	1200	76	S. Verdugo
	1500	78	J. OROZCO
	1800	78	J. OROZCO
	2100	79	J. OROZCO
	2400	78	A. Maness

Tuesday

Date	Time	Temp.	Name (Print)
06-25-24	0300	78	A. Maness
	0600	74	S. Verdugo
	0900	76	S. Verdugo
	1200	78	S. Verdugo
	1500	78	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	78	A. Maness

Wednesday

Date	Time	Temp.	Name (Print)
06-26-24	0300	78	N. MANESS
	0600	74	S. VERDUGO
	0900	76	S. VERDUGO
	1200	78	S. VERDUGO
	1500	79	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	78	N. MANESS

Thursday

Date	Time	Temp.	Name (Print)
06-27-24	0300	78	Maness
	0600	74	S. Verdugo
	0900	78	S. Verdugo
	1200	78	S. Verdugo
	1500	79	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	79	R. SANCHEZ
	2400	79	A. CRUZ

Friday

Date	Time	Temp.	Name (Print)
06-28-24	0300	77	A. CRUZ
	0600	77	A. CRUZ
	0900	78	A. CRUZ
	1200	79	A. CRUZ
	1500	80	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	80	J. VILLANUEVA

Saturday

Date	Time	Temp.	Name (Print)
06-29-24	0300	78	J. Villanueva
	0600	77	A. CRUZ
	0900	77	A. CRUZ
	1200	78	A. CRUZ
	1500	79	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	79	R. SANCHEZ
	2400	78	A. CRUZ

Notes



CALIFORNIA CORRECTIONAL HEALTH CARE SERVICES



MEMORANDUM

Date : June 3, 2024

To : Nicarlo Ibarra
Litigation Coordinator
Wasco State Prison - Reception Center

From : KATHY P. SALAZAR
Chief Nurse Executive (A)

Subject : HEAT RELATED ILLNESS

This memorandum is to inform you that there was (1) heat related illnesses reported from May 1, 2024 through May 31, 2024. Please see attached CDCR MH-7711, Heat Incident Log.

If you have any questions or need further information please contact support staff R. Stein,
AGPA at extension [REDACTED]

DocuSigned by:

Kathy Salazar

AC64E79B6EE4499...

KATHY P. SALAZAR, RN, BSN
Chief Nurse Executive (A)
Wasco State Prison -Reception Center

Heat Incident Log

Institution: WSP-RC

Date: Jun 3, 2024

Number of Heat Incidents:

1. Patient Name: [REDACTED]

CDCR# [REDACTED]

Housing: [REDACTED]

MHSDS Designation:

Level of Care: EOP

Date of Heat Incident: 5/9/24

Location of Incident: [REDACTED]

Change in Level of Care:

List of Heat Risk Medications: Questianpine

Chief Medical Complaint: dehydration

Diagnosis of Heat Related Illness (specify):

Treatment Rendered: IV normal saline

Medication Changes Made: none

Ultimate Disposition of Patient: return to housing

Clinician's Name and Title: Eskander, Happy MD

2. Patient Name: [REDACTED]

CDCR# [REDACTED]

Housing: [REDACTED]

MHSDS Designation:

Level of Care:

Date of Heat Incident: 5/9/24

Location of Incident: [REDACTED]

Change in Level of Care:

List of Heat Risk Medications:

Chief Medical Complaint:

Diagnosis of Heat Related Illness (specify):

Treatment Rendered:

Medication Changes Made:

Ultimate Disposition of Patient:

Clinician's Name and Title:

3. Patient Name: [REDACTED]

CDCR# [REDACTED]

Housing: [REDACTED]

MHSDS Designation:

Level of Care:

Date of Heat Incident: 5/9/24

Location of Incident: [REDACTED]

Change in Level of Care:

List of Heat Risk Medications:

Chief Medical Complaint:

Diagnosis of Heat Related Illness (specify):

Treatment Rendered:

Medication Changes Made:

Ultimate Disposition of Patient:

Clinician's Name and Title:

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log (continued)

4. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 5/9/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
5. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 5/9/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
6. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 5/9/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log (continued)

7. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 5/9/24

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

8. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 5/9/24

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

9. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 5/9/24

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log (continued)

10. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 5/9/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
11. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 5/9/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
12.. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 5/9/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B1 A-SIDE Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	75	MARTINEZ
	0600	76	J Espinoza
	0900	76	J Espinoza
	1200	78	J Espinoza
	1500	78	J Espinoza
	1800	78	J Espinoza
	2100	75	J Espinoza
	2400	74	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	73	MARTINEZ
	0600	70°	S. ENRIQUEZ
	0900	73°	S. ENRIQUEZ
	1200	75°	S. ENRIQUEZ
	1500	77	J Espinosa
	1800	79	J Espinosa
	2100	75	J Espinosa
	2400	75	M. Diaz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	75	M. DIAZ
	0600	75	Cledeger
	0900	75	Cledeger
	1200	76	Cledeger
	1500	77	J Espinosa
	1800	75	J Espinosa
	2100	75	J Espinosa
	2400	75	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	76	M. DIAZ
	0600	76	L Cledeger
	0900	76	L Cledeger
	1200	77	L Cledeger
	1500	77	M. Franco
	1800	77	M. Franco
	2100	77	M. Franco
	2400	77	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	78	M. DIAZ
	0600	78	W. SENE
	0900	80	W. SENE
	1200	80	W. SENE
	1500	79	MORA
	1800	80	MORA
	2100	80	MORA
	2400	79	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	77	MARTINEZ
	0600	75	S. ENRIQUEZ
	0900	76	S. ENRIQUEZ
	1200	76	S. ENRIQUEZ
	1500	78	J Espinosa
	1800	79	J Espinosa
	2100	76	J Espinosa
	2400	76	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	75	M. DIAZ
	0600	75	Cledeger
	0900	75	Cledeger
	1200	76	Cledeger
	1500	72	CROWELL
	1800	72	CROWELL
	2100	72	CROWELL
	2400	76	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	77	M. DIAZ
	0600	77	W. SENE
	0900	77	F. COPPER
	1200	76	RIVER
	1500	78	M. FRANCO
	1800	78	M. FRANCO
	2100	78	M. FRANCO
	2400	78	M. DIAZ

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	78	MARTINEZ
	0600	76	J Espinosa
	0900	76	J Espinosa
	1200	76	J Espinosa
	1500	78	J Espinosa
	1800	78	J Espinosa
	2100	78	J Espinosa
	2400	79	MARTINEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	76	M. DIAZ
	0600	76	E. BERNSTON
	0900	76	J. TULLO
	1200	77	J. TULLO
	1500	75	L. AMARAL
	1800	76	L. AMARAL
	2100	75	L. AMARAL
	2400	76	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	80	M. DIAZ
	0600	80	E. DIAZ
	0900	80	E. DIAZ
	1200	80	E. DIAZ
	1500	80°	M. Franco
	1800	80°	M. Franco
	2100	80°	M. Franco
	2400	80	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	80	M. DIAZ
	0600	80	E. DIAZ
	0900	80	E. DIAZ
	1200	80	E. DIAZ
	1500	80	MORA
	1800	80	MORA
	2100	80	MORA
	2400	80	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	78	MARTINEZ
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	CROWELL
	1500	78	J. ESPINOZA
	1800	78	J. ESPINOZA
	2100	76	J. ESPINOZA
	2400	75	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	76	M. DIAZ
	0600	76	E. DIAZ
	0900	76	E. DIAZ
	1200	78	E. DIAZ
	1500	78	GOCIELL
	1800	78	GOCIELL
	2100	80	CROWELL
	2400	80	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	80	M. DIAZ
	0600	80	E. DIAZ
	0900	80	E. DIAZ
	1200	80	E. DIAZ
	1500	80°	M. Franco
	1800	80°	M. Franco
	2100	80°	M. Franco
	2400	80	M. DIAZ

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	79	MARTINEZ
	0600	77	J. ESPINOZA
	0900	77	J. ESPINOZA
	1200	77	J. ESPINOZA
	1500	80	J. ESPINOZA
	1800	78	J. ESPINOZA
	2100	78	J. ESPINOZA
	2400	78	MARTINEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	75	M. DIAZ
	0600	75	L. Cledenes
	0900	75	L. Cledenes
	1200	76	L. Cledenes
	1500	77	F. REYES
	1800	77	R. REYES
	2100	74	R. REYES
	2400	76	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	76	M. DIAZ
	0600	76	L. Cledenes
	0900	76	L. Cledenes
	1200	76	L. Cledenes
	1500	78	CROWELL
	1800	72	CROWELL
	2100	72	CROWELL
	2400	76	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	76	M. DIAZ
	0600	76	L. Cledenes
	0900	76	L. Cledenes
	1200	77	L. Cledenes
	1500	77	S. MORENO
	1800	77	S. MORENO
	2100	76	S. MORENO
	2400	76	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	73	M. DIAZ
	0600	73	O. NUNEZ
	0900	74	O. NUNEZ
	1200	75	O. NUNEZ
	1500	76	M. FRANC
	1800	76	M. FRANC
	2100	76	M. FRANC
	2400	76	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	76	M. DIAZ
	0600	72	A. BARAJAS
	0900	72	A. BARAJAS
	1200	72	A. BARAJAS
	1500	77	J. ESPINOZA
	1800	77	J. ESPINOZA
	2100	77	J. ESPINOZA
	2400	78	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	76	MARTINEZ
	0600	76	J. ESPINOZA
	0900	80	J. ESPINOZA
	1200	80	J. ESPINOZA
	1500	78	J. ESPINOZA
	1800	76	J. ESPINOZA
	2100	76	J. ESPINOZA
	2400	79	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	79	MARTINEZ
	0600	79	CROWELL
	0900	77	CROWELL
	1200	77	CROWELL
	1500	80	J. ESPINOZA
	1800	80	J. ESPINOZA
	2100	78	J. ESPINOZA
	2400	78	M. DIAZ

Notes

CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/24/18</u>	0300	78	M. DIAZ
	0600	78	L. Clendener
	0900	78	L. Clendener
	1200	79	L. Clendener
	1500	79	R. REYES
	1800	79	R. REYES
	2100	80	R. REYES
	2400	80	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/25/18</u>	0300	80	H. DIAZ
	0600	77	L. Clendener
	0900	77	L. Clendener
	1200	79	L. Clendener
	1500	78	H. AGUARD
	1800	78	H. AGUARD
	2100	80	H. AGUARD
	2400	80	H. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/26/18</u>	0300	80	M. DIAZ
	0600	79	L. Clendener
	0900	79	L. Clendener
	1200	80	L. Clendener
	1500	80	N. Franco
	1800	80	N. Franco
	2100	80	N. Franco
	2400	80	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
<u>6/27/18</u>	0300	80	M. DIAZ
	0600	79	L. Clendener
	0900	79	L. Clendener
	1200	80	L. Clendener
	1500	80	M. Franco
	1800	80	M. Franco
	2100	80	M. Franco
	2400	80	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
<u>6/28/18</u>	0300	80	M. DIAZ
	0600	80	L. Clendener
	0900	80	L. Clendener
	1200	81	L. Clendener
	1500	80	J. Espinosa
	1800	78	J. Espinosa
	2100	78	J. Espinosa
	2400	79	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
<u>6/29/18</u>	0300	78	MARTINEZ
	0600	78	J. Landeros
	0900	79	J. Landeros
	1200	79	J. Landeros
	1500	80	J. Espinosa
	1800	78	J. Espinosa
	2100	78	J. Espinosa
	2400	79	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
<u>6/30/18</u>	0300	78	MARTINEZ
	0600	76	Crowell
	0900	76	Crowell
	1200	76	Crowell
	1500	78	J. Espinosa
	1800	78	J. Espinosa
	2100	78	J. Espinosa
	2400	80	M. DIAZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B1 B-SIDE Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	72	MARTINEZ
	0600	74	J-Espinoza
	0900	74	J-Espinoza
	1200	74	J-Espinoza
	1500	76	J-Espinoza
	1800	76	J-Espinoza
	2100	73	J-Espinoza
	2400	72	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	71	MARTINEZ
	0600	70°	S-ENRIQUEZ
	0900	73°	S-ENRIQUEZ
	1200	75°	S-ENRIQUEZ
	1500	77	J-Espinoza
	1800	77	J-Espinoza
	2100	75	J-Espinoza
	2400	70	M-DIAZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier B-side
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/3/24</u>	0300	70	M. DIAZ
	0600	71	Clendesen
	0900	71	Clendesen
	1200	73	Clendesen
	1500	75	J Espinaca
	1800	73	J Espinaca
	2100	73	J Espinaca
	2400	70	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/5/24</u>	0300	70	M. DIAZ
	0600	70	L. Clendesen
	0900	71	L. Clendesen
	1200	72	L. Clendesen
	1500	73	M. Franco
	1800	73	M. Franco
	2100	73	M. Franco
	2400	73	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
<u>6/7/24</u>	0300	73	M. DIAZ
	0600	75	M. DIAZ W. SERVAN
	0900	75	M. DIAZ W. SERVAN
	1200	78	M. DIAZ W. SERVAN
	1500	79	M. DIAZ
	1800	80	M. DIAZ
	2100	79	M. DIAZ
	2400	76	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
<u>6/9/24</u>	0300	73	MARTINEZ
	0600	70	S. ENRIQUEZ
	0900	75	S. ENRIQUEZ
	1200	75	S. ENRIQUEZ
	1500	76	J Espinaca
	1800	76	J Espinaca
	2100	74	J Espinaca
	2400	72	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/4/24</u>	0300	70	M. DIAZ
	0600	70	Clendesen
	0900	71	Clendesen
	1200	71	Clendesen
	1500	71	CROWELL
	1800	71	CROWELL
	2100	71	CROWELL
	2400	70	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
<u>6/6/24</u>	0300	73	M. DIAZ
	0600	77	W. SERVAN
	0900	78	F. CARTER
	1200	79	F. CARTER
	1500	79	M. FRANCO
	1800	79	M. FRANCO
	2100	79	M. FRANCO
	2400	78	M. DIAZ

Saturday

Date	Time	Temp.	Name (Print)
<u>6/8/24</u>	0300	75	MARTINEZ
	0600	74	J Espinaca
	0900	74	J Espinaca
	1200	76	J Espinaca
	1500	76	J Espinaca
	1800	76	J Espinaca
	2100	76	J Espinaca
	2400	75	MARTINEZ

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	70	M. DIAZ
	0600	71	TRUJILLO
	0900	71	TRUJILLO
	1200	73	TRUJILLO
	1500	75	L. ANARAL
	1800	76	L. ANARAL
	2100	76	L. ANARAL
	2400	72	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	70	M. DIAZ
	0600	70	E. DIAZ
	0900	70	E. DIAZ
	1200	72	E. DIAZ
	1500	76	Crowell
	1800	76	Crowell
	2100	78	Crowell
	2400	73	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	73	M. DIAZ
	0600	73	E. DIAZ
	0900	75	E. DIAZ
	1200	76	E. DIAZ
	1500	76	M. Franco
	1800	76	M. Franco
	2100	76	M. Franco
	2400	73	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	73	M. DIAZ
	0600	75	E. DIAZ
	0900	77	E. DIAZ
	1200	77	E. DIAZ
	1500	77°	M. Franco
	1800	77°	M. Franco
	2100	77°	M. Franco
	2400	71	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	71	M. DIAZ
	0600	71	E. DIAZ
	0900	72	E. DIAZ
	1200	76	E. DIAZ
	1500	77	MORT
	1800	78	MORT
	2100	79	MORT
	2400	75	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	73	MARTINEZ
	0600	77	J. Espinosa
	0900	77	J. Espinosa
	1200	77	J. Espinosa
	1500	80	J. Espinosa
	1800	78	J. Espinosa
	2100	78	J. Espinosa
	2400	73	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	71	MARTINEZ
	0600	71	Crowell
	0900	71	Crowell
	1200	71	Crowell
	1500	76	J. Espinosa
	1800	76	J. Espinosa
	2100	74	J. Espinosa
	2400	70	M. DIAZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 17/ 18/ 19/ 20/ 21/ 22/ 23/	0300	70	M. DIAZ
	0600	70	L. Clendenser
	0900	71	L. Clendenser
	1200	71	L. Clendenser
	1500	72	R. REYES
	1800	71	R. REYES
	2100	70	R. REYES
	2400	68	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
6/ 18/ 19/ 20/ 21/ 22/ 23/ 24/	0300	68	M. DIAZ
	0600	68	L. Clendenser
	0900	69	L. Clendenser
	1200	69	L. Clendenser
	1500	70	Crawell
	1800	70	Crawell
	2100	70	Crawell
	2400	70	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
6/ 19/ 20/ 21/ 22/ 23/ 24/	0300	68	M. DIAZ
	0600	68	L. Clendenser
	0900	68	L. Clendenser
	1200	69	L. Clendenser
	1500	72	S. Moreno
	1800	70	S. Moreno
	2100	70	S. Moreno
	2400	68	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
6/ 20/ 21/ 22/ 23/ 24/	0300	68	M. DIAZ
	0600	73	O. NUNEZ
	0900	74	O. NUNEZ
	1200	72	O. NUNEZ
	1500	70	M. Franco
	1800	70	M. Franco
	2100	70	M. Franco
	2400	70	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
6/ 21/ 22/ 23/ 24/	0300	70	M. DIAZ
	0600	70	A. Barajas
	0900	70	A. Barajas
	1200	70	A. Barajas
	1500	74	J. Espinosa
	1800	74	J. Espinosa
	2100	74	J. Espinosa
	2400	71	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6/ 22/ 23/ 24/	0300	72	MARTINEZ
	0600	76	J. Espinosa
	0900	80	J. Espinosa
	1200	80	J. Espinosa
	1500	78	J. Espinosa
	1800	74	J. Espinosa
	2100	74	J. Espinosa
	2400	75	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/ 23/ 24/	0300	73	MARTINEZ
	0600	73	Crawell
	0900	73	Crawell
	1200	73	Crawell
	1500	78	J. Espinosa
	1800	78	J. Espinosa
	2100	76	J. Espinosa
	2400	72	M. DIAZ

Notes

CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 24/ 24	0300	72	M. DIAZ
	0600	73	L. Cledeser
	0900	73	L. Cledeser
	1200	75	L. Cledeser
	1500	75	R. REYES
	1800	76	R. REYES
	2100	76	R. REYES
	2400	73	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
6/ 25/ 24	0300	73	M. DIAZ
	0600	73	L. Cledeser
	0900	73	L. Cledeser
	1200	74	L. Cledeser
	1500	78	H. AGUAMO
	1800	77	H. AGUAMO
	2100	79	H. AGUAMO
	2400	73	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
6/ 26/ 24	0300	73	M. DIAZ
	0600	73	L. Cledeser
	0900	74	L. Cledeser
	1200	75	L. Cledeser
	1500	76	M. Franco
	1800	76	M. Franco
	2100	76	M. Franco
	2400	73	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
6/ 27/ 24	0300	73	M. DIAZ
	0600	73	L. Cledeser
	0900	74	L. Cledeser
	1200	75	L. Cledeser
	1500	75°	M. Franco
	1800	75°	M. Franco
	2100	75	M. Franco
	2400	73	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
6/ 28/ 24	0300	70	M. DIAZ
	0600	71	L. Cledeser
	0900	71	L. Cledeser
	1200	73	L. Cledeser
	1500	78	J. Espinosa
	1800	76	J. Espinosa
	2100	76	J. Espinosa
	2400	74	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6/ 29/ 24	0300	73	MARTINEZ
	0600	75	J. LANDERS
	0900	76	J. LANDERS
	1200	76	J. LANDERS
	1500	78	J. ESPINOSA
	1800	76	J. ESPINOSA
	2100	76	J. ESPINOSA
	2400	75	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/ 30/ 24	0300	74	MARTINEZ
	0600	74	CROWELL
	0900	74	CROWELL
	1200	74	CROWELL
	1500	76	J. Espinosa
	1800	76	J. Espinosa
	2100	76	J. Espinosa
	2400	75	M. DIAZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-Rc Housing Unit: B 2 Temp. Reading Location: A-5-0 E 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	72	R. Gonzalez
	0600	70	M. PANTOJA
	0900	71	M. PANTOJA
	1200	72	M. PANTOJA
	1500	73	C. PENA
	1800	72	C. PENA
	2100	72	C. PENA
	2400	72	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	72	R. Gonzalez
	0600	70	Bailey
	0900	71	Bailey
	1200	72	Bailey
	1500	73	R. Pinon
	1800	72	R. Pinon
	2100	72	R. Pinon
	2400	72	R. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSR-RC Housing Unit: B2 Temp. Reading Location: A-5105 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 3/ 24	0300	71	R. GUNZELER
	0600	71	CROWELL
	0900	71	CROWELL
	1200	71	CROWELL
	1500	72	R. Pinon
	1800	72	R. Pinon
	2100	72	R. Pinon
	2400	71	K. Barnes

Tuesday

Date	Time	Temp.	Name (Print)
6/ 4/ 24	0300	71	K. Barnes
	0600	71	CROWELL
	0900	71	CROWELL
	1200	71	CROWELL
	1500	72	R. Pinon
	1800	73	R. Pinon
	2100	74	R. Pinon
	2400	75	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/ 5/ 24	0300	74	MARTINEZ
	0600	76	MORAES
	0900	76	MORAES
	1200	76	MORAES
	1500	76	R. Pinon
	1800	77	R. Pinon
	2100	78	R. Pinon
	2400	79	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/ 6/ 24	0300	78	MARTINEZ
	0600	78	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	R. Pinon
	1800	79	R. Pinon
	2100	79	R. Pinon
	2400	78	G. MONTAÑEZ

Friday

Date	Time	Temp.	Name (Print)
6/ 7/ 24	0300	74	G. Montañez
	0600	75	MORA
	0900	79	MORA
	1200	79	MORA
	1500	79	M. Franco
	1800	79	M. Franco
	2100	79	M. Franco
	2400	78	R. GUNZELER

Saturday

Date	Time	Temp.	Name (Print)
6/ 8/ 24	0300	77	R. GUNZELER
	0600	78	MORA
	0900	78	MORA
	1200	78	MORA
	1500	80	J. Sader
	1800	80	J. Sader
	2100	78	J. Jackson
	2400	77	R. GUNZELER

Sunday

Date	Time	Temp.	Name (Print)
6/ 9/ 24	0300	77	R. GUNZELER
	0600	75	J. Espinosa
	0900	75	J. Espinosa
	1200	76	J. Espinosa
	1500	78	J. Iglesias
	1800	78	J. Iglesias
	2100	77	J. Iglesias
	2400	77	R. GUNZELER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-R.C Housing Unit: B 2

Temp. Reading Location: A - S. 105 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/10/24</u>	0300	77	<u>R. GUNNARSEN</u>
	0600	73	<u>CROWELL</u>
	0900	73	<u>CROWELL</u>
	1200	73	<u>CROWELL</u>
	1500	74	<u>R. PINON</u>
	1800	74	<u>R. PINON</u>
	2100	73	<u>R. PINON</u>
	2400	72	<u>R. GUNNARSEN</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/11/24</u>	0300	72	<u>R. GUNNARSEN</u>
	0600	73	<u>CROWELL</u>
	0900	73	<u>CROWELL</u>
	1200	74	<u>CROWELL</u>
	1500	75	<u>R. PINON</u>
	1800	76	<u>R. PINON</u>
	2100	75	<u>R. PINON</u>
	2400	79	<u>MARTINEZ</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/12/24</u>	0300	78	<u>MARTINEZ</u>
	0600	78	<u>MORA</u>
	0900	79	<u>MORA</u>
	1200	79	<u>MORA</u>
	1500	80	<u>R. PINON</u>
	1800	80	<u>R. PINON</u>
	2100	79	<u>R. PINON</u>
	2400	79	<u>MARTINEZ</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>6/13/24</u>	0300	79	<u>MARTINEZ</u>
	0600	79	<u>MORA</u>
	0900	79	<u>MORA</u>
	1200	79	<u>MORA</u>
	1500	80	<u>R. PINON</u>
	1800	80	<u>R. PINON</u>
	2100	79	<u>R. PINON</u>
	2400	79	<u>SHAMO</u>

Friday

Date	Time	Temp.	Name (Print)
<u>6/14/24</u>	0300	78	<u>SHAMO</u>
	0600	78	<u>MORA</u>
	0900	78	<u>MORA</u>
	1200	79	<u>MORA</u>
	1500	79	<u>L. FRANCO</u>
	1800	79	<u>L. FRANCO</u>
	2100	79	<u>L. FRANCO</u>
	2400	78	<u>R. GUNNARSEN</u>

Saturday

Date	Time	Temp.	Name (Print)
<u>6/15/24</u>	0300	78	<u>R. GUNNARSEN</u>
	0600	78	<u>MORA</u>
	0900	79	<u>MORA</u>
	1200	79	<u>MORA</u>
	1500	79	<u>C. PENNA</u>
	1800	76	<u>C. PENNA</u>
	2100	74	<u>C. PENNA</u>
	2400	74	<u>R. GUNNARSEN</u>

Sunday

Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	74	<u>R. GUNNARSEN</u>
	0600	76	<u>L. ESPINCEZA</u>
	0900	76	<u>L. ESPINCEZA</u>
	1200	76	<u>L. ESPINCEZA</u>
	1500	76	<u>L. ESPINCEZA</u>
	1800	74	<u>L. ESPINCEZA</u>
	2100	74	<u>L. ESPINCEZA</u>
	2400	78	<u>R. GUNNARSEN</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSD-RU Housing Unit: B2 Temp. Reading Location: A-510E 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 17/ 24/	0300	72	R. Guarecer
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	CROWELL
	1500	73	R. Pinon
	1800	73	R. Pinon
	2100	72	R. Pinon
	2400	72	R. Guarecer

Wednesday

Date	Time	Temp.	Name (Print)
6/ 19/ 24/	0300	72	MARTINEZ
	0600	72	MORA
	0900	72	MORA
	1200	72	MORA
	1500	73	R. Pinon
	1800	73	R. Pinon
	2100	72	R. Pinon
	2400	73	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
6/ 21/ 24/	0300	72	Shamp
	0600	74	MORA
	0900	77	MORA
	1200	79	MORA
	1500	79	M. Franco
	1800	79	M. Franco
	2100	79	M. Franco
	2400	78	R. Guarecer

Sunday

Date	Time	Temp.	Name (Print)
6/ 23/ 24/	0300	77	R. Guarecer
	0600	77	MORA
	0900	78	MORA
	1200	79	MORA
	1500	79	EASY
	1800	78	EASY
	2100	78	EASY
	2400	77	R. Guarecer

Tuesday

Date	Time	Temp.	Name (Print)
6/ 18/ 24/	0300	72	R. Guarecer
	0600	70	CROWELL
	0900	70	CROWELL
	1200	71	CROWELL
	1500	72	R. Pinon
	1800	72	R. Pinon
	2100	73	R. Pinon
	2400	73	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/ 20/ 24/	0300	72	MARTINEZ
	0600	75	MORA
	0900	75	MORA
	1200	78	MORA
	1500	78	R. Pinon
	1800	78	R. Pinon
	2100	75	R. Pinon
	2400	72	Shamp

Saturday

Date	Time	Temp.	Name (Print)
6/ 22/ 24/	0300	76	R. Guarecer
	0600	76	MORA
	0900	78	MORA
	1200	79	MORA
	1500	80	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	73	R. Guarecer

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRAC Housing Unit: B2 Temp. Reading Location: A-SIDE 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/21	0300	77	R. Gonzalez
6/24/21	0600	78	Vasquez J
6/24/21	0900	78	Vasquez J
6/24/21	1200	78	Vasquez J
6/24/21	1500	80	M. Garcia
6/24/21	1800	80	M. Garcia
6/24/21	2100	80	M. Garcia
6/24/21	2400	78	R. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
6/25/21	0300	78	R. Gonzalez
6/25/21	0600	78	I. Salazar
6/25/21	0900	78	I. Salazar
6/25/21	1200	78	I. Salazar
6/25/21	1500	80	M. Garcia
6/25/21	1800	80	M. Garcia
6/25/21	2100	80	M. Garcia
6/25/21	2400	80	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/26/21	0300	80	MARTINEZ
6/26/21	0600	79	Mora
6/26/21	0900	80	Mora
6/26/21	1200	80	Mora
6/26/21	1500	80	Mora
6/26/21	1800	80	Mora
6/26/21	2100	80	M. Garcia
6/26/21	2400	80	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/27/21	0300	79	MARTINEZ
6/27/21	0600	79	Mora
6/27/21	0900	80	Mora
6/27/21	1200	80	Mora
6/27/21	1500	80	M. Garcia
6/27/21	1800	81	M. Garcia
6/27/21	2100	80	Martinez
6/27/21	2400	78	Shaw

Friday

Date	Time	Temp.	Name (Print)
6/28/21	0300	78	Shaw
6/28/21	0600	79	Mora
6/28/21	0900	80	Mora
6/28/21	1200	80	Mora
6/28/21	1500	80	M. Franco
6/28/21	1800	80	M. Franco
6/28/21	2100	80	M. Franco
6/28/21	2400	79	R. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
6/29/21	0300	78	R. Gonzalez
6/29/21	0600	79	Mora
6/29/21	0900	80	Mora
6/29/21	1200	80	Mora
6/29/21	1500	78	Opena
6/29/21	1800	78	Opena
6/29/21	2100	78	Opena
6/29/21	2400	77	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
6/30/21	0300	77	R. Gonzalez
6/30/21	0600	78	M. Salazar
6/30/21	0900	80	M. Salazar
6/30/21	1200	80	M. Salazar
6/30/21	1500	80	M. Garcia
6/30/21	1800	80	M. Garcia
6/30/21	2100	80	M. Garcia
6/30/21	2400	78	R. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B2 Temp. Reading Location: B-Side 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	72	R. Gonzalez
6/24	0600	70	M. Pantoya
6/24	0900	70	M. Pantoya
6/24	1200	71	M. Pantoya
6/24	1500	72	C. Pena
6/24	1800	72	C. Pena
6/24	2100	71	C. Pena
6/24	2400	72	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	72	R. Gonzalez
6/24	0600	70	Bailey
6/24	0900	71	Bailey
6/24	1200	72	Bailey
6/24	1500	73	R. Pinon
6/24	1800	73	R. Pinon
6/24	2100	72	R. Pinon
6/24	2400	72	R. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-LC Housing Unit: 32 Temp. Reading Location: B-5100 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	71	R. Gonzalez
	0600	71	Crowell
	0900	71	Crowell
	1200	71	Crowell
	1500	72	R. Pinon
	1800	72	R. Pinon
	2100	72	R. Pinon
	2400	72	K. Colomes

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	71	K. Colomes
	0600	71	Crowell
	0900	71	Crowell
	1200	71	Crowell
	1500	72	R. Pinon
	1800	74	R. Pinon
	2100	74	R. Pinon
	2400	74	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	73	MARTINEZ
	0600	74	Morales
	0900	74	Morales
	1200	74	Morales
	1500	75	R. Pinon
	1800	76	R. Pinon
	2100	76	R. Pinon
	2400	76	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	76	MARTINEZ
	0600	77	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	R. Pinon
	1800	78	R. Pinon
	2100	78	R. Pinon
	2400	78	G. Montague

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	73	G. Montague
	0600	74	MORA
	0900	78	MORA
	1200	79	MORA
	1500	79	M. Franco
	1800	79	M. Franco
	2100	79	M. Franco
	2400	78	R. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	77	R. Gonzalez
	0600	77	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	J. Jackson
	1800	78	J. Jackson
	2100	76	J. Jackson
	2400	77	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	77	R. Gonzalez
	0600	75	J. Espinoza
	0900	75	J. Espinoza
	1200	75	J. Espinoza
	1500	77	J. Espinoza
	1800	77	J. Espinoza
	2100	76	J. Espinoza
	2400	77	R. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B2 Temp. Reading Location: B-S-06 2nd TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/10/24</u>	0300	77	<u>R. Gonzalez</u>
	0600	73	<u>Crowell</u>
	0900	73	<u>Crowell</u>
	1200	73	<u>Crowell</u>
	1500	74	<u>R. Pinon</u>
	1800	75	<u>R. Pinon</u>
	2100	74	<u>R. Pinon</u>
	2400	72	<u>R. Gonzalez</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/12/24</u>	0300	76	<u>Martinez</u>
	0600	77	<u>Mora</u>
	0900	79	<u>Mora</u>
	1200	79	<u>Mora</u>
	1500	80	<u>R. Pinon</u>
	1800	79	<u>R. Pinon</u>
	2100	79	<u>R. Pinon</u>
	2400	78	<u>Martinez</u>

Friday

Date	Time	Temp.	Name (Print)
<u>6/14/24</u>	0300	78	<u>Shamp</u>
	0600	78	<u>Mora</u>
	0900	78	<u>Mora</u>
	1200	79	<u>Mora</u>
	1500	79°	<u>M. Franco</u>
	1800	79°	<u>M. Franco</u>
	2100	79°	<u>M. Franco</u>
	2400	78	<u>R. Gonzalez</u>

Sunday

Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	74	<u>R. Gonzalez</u>
	0600	76	<u>J. Espinoza</u>
	0900	76	<u>J. Espinoza</u>
	1200	76	<u>J. Espinoza</u>
	1500	76	<u>J. Espinoza</u>
	1800	77	<u>J. Espinoza</u>
	2100	77	<u>J. Espinoza</u>
	2400	78	<u>R. Gonzalez</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/11/24</u>	0300	72	<u>R. Gonzalez</u>
	0600	73	<u>Crowell</u>
	0900	73	<u>Crowell</u>
	1200	74	<u>Crowell</u>
	1500	75	<u>R. Pinon</u>
	1800	76	<u>R. Pinon</u>
	2100	76	<u>R. Pinon</u>
	2400	76	<u>Martinez</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>6/13/24</u>	0300	76	<u>Martinez</u>
	0600	78	<u>Mora</u>
	0900	79	<u>Mora</u>
	1200	79	<u>Mora</u>
	1500	80	<u>R. Pinon</u>
	1800	80	<u>R. Pinon</u>
	2100	79	<u>R. Pinon</u>
	2400	78	<u>Shamp</u>

Saturday

Date	Time	Temp.	Name (Print)
<u>6/15/24</u>	0300	78	<u>R. Gonzalez</u>
	0600	78	<u>Mora</u>
	0900	79	<u>Mora</u>
	1200	79	<u>Mora</u>
	1500	76°	<u>C. Penna</u>
	1800	76°	<u>C. Penna</u>
	2100	74	<u>C. Penna</u>
	2400	74	<u>R. Gonzalez</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B2 Temp. Reading Location: B-300 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6061 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 17/ 24/	0300	72	R. CROWELL
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	Crowell
	1500	73	R. Pinon
	1800	74	R. Pinon
	2100	73	R. Pinon
	2400	72	R. Larson

Tuesday

Date	Time	Temp.	Name (Print)
6/ 18/ 24/	0300	72	R. CROWELL
	0600	70	CROWELL
	0900	70	CROWELL
	1200	71	CROWELL
	1500	72	R. Pinon
	1800	73	R. Pinon
	2100	73	R. Pinon
	2400	73	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/ 19/ 24/	0300	73	MARTINEZ
	0600	73	MORA
	0900	73	MORA
	1200	73	MORA
	1500	74	R. Pinon
	1800	74	R. Pinon
	2100	73	R. Pinon
	2400	73	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/ 20/ 24/	0300	72	MARTINEZ
	0600	75	MORA
	0900	75	MORA
	1200	77	MORA
	1500	77	R. Pinon
	1800	78	R. Pinon
	2100	76	R. Pinon
	2400	70	Shamp

Friday

Date	Time	Temp.	Name (Print)
6/ 21/ 24/	0300	70	Shamp
	0600	75	MORA
	0900	77	MORA
	1200	78	MORA
	1500	78	M. France
	1800	79	M. France
	2100	79	M. France
	2400	78	R. Larvaez

Saturday

Date	Time	Temp.	Name (Print)
6/ 22/ 24/	0300	76	R. Larvaez
	0600	76	MORA
	0900	78	MORA
	1200	80	MORA
	1500	80	S. Schuer
	1800	80	J. Jackson
	2100	80	J. Schuer
	2400	78	R. Larvaez

Sunday

Date	Time	Temp.	Name (Print)
6/ 23/ 24/	0300	77	R. Larvaez
	0600	77	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	EASY
	1800	78	EASY
	2100	78	EASY
	2400	77	R. Larvaez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-Rc Housing Unit: B2 Temp. Reading Location: B-510E 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	77	R. GARCIA
	0600	78	J. SOTO
	0900	78	M. GARCIA
	1200	78	M. GARCIA
	1500	80	M. GARCIA
	1800	80	M. GARCIA
	2100	80	M. GARCIA
	2400	78	R. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	R. GARCIA
	0600	78	I. SALAZAR
	0900	78	I. SALAZAR
	1200	78	I. SALAZAR
	1500	80	M. GARCIA
	1800	80	M. GARCIA
	2100	80	M. GARCIA
	2400	80	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	80	MARTINEZ
	0600	80	MORA
	0900	80	MORA
	1200	80	MORA
	1500	80	MORA
	1800	80	M. GARCIA
	2100	80	M. GARCIA
	2400	80	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	80	MARTINEZ
	0600	80	MORA
	0900	80	MORA
	1200	80	MORA
	1500	80	M. GARCIA
	1800	81	M. GARCIA
	2100	80	M. GARCIA
	2400	78	SHAW

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	78	Shaw
	0600	79	MORA
	0900	80	MORA
	1200	80	MORA
	1500	80	A. FRANC
	1800	80	M. FRANC
	2100	80	M. FRANC
	2400	79	R. GARCIA

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	78	R. GARCIA
	0600	79	MORA
	0900	80	MORA
	1200	80	MORA
	1500	79	C. SPEN
	1800	78	C. SPEN
	2100	78	C. SPEN
	2400	78	R. GARCIA

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	78	R. GARCIA
	0600	78	M. SOTO
	0900	78	M. SOTO
	1200	78	M. SOTO
	1500	80	M. GARCIA
	1800	80	M. GARCIA
	2100	80	M. GARCIA
	2400	78	R. GARCIA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3A Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	71°	M. French
	0600	71°	M. French
	0900	71	T. Pitts
	1200	70	T. Pitts
	1500	72	S. Nelson
	1800	72	S. Nelson
	2100	72	S. Nelson
	2400	70	S. Nelson

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	70	S DELA RO
	0600	70	J VASQUEZ
	0900	70	J VASQUEZ
	1200	70	J VASQUEZ
	1500	72	C RENA
	1800	71	C RENA
	2100	70	C RENA
	2400	70	S DELA RO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 A Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 3 24	0300	70	S. Delk R
	0600	70	V. Reynal
	0900	70	V. Reynal
	1200	70	V. Reynal
	1500	70	J. Jackson
	1800	72	J. Jackson
	2100	70	J. Jackson
	2400	72	S. Delk R

Wednesday

Date	Time	Temp.	Name (Print)
6 5 24	0300	68	S. Delk R
	0600	70	CROWELL
	0900	71	CROWELL
	1200	71	Crowell
	1500	71	D. Knight
	1800	71	D. Knight
	2100	71	D. Knight
	2400	72	S. Delk R

Friday

Date	Time	Temp.	Name (Print)
6 7 24	0300	74	MARTINEZ
	0600	72	J. Jackson
	0900	76	J. Jackson
	1200	76	J. Jackson
	1500	73	D. Knight
	1800	73	D. Knight
	2100	70	D. Knight
	2400	70	M. Franco

Sunday

Date	Time	Temp.	Name (Print)
6 9 24	0300	71	S. Delk R
	0600	71	A. Varela
	0900	74	A. Varela
	1200	76	A. Varela
	1500	78	J. Jackson
	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	74	S. Delk R

Tuesday

Date	Time	Temp.	Name (Print)
6 4 24	0300	70	S. Delk R
	0600	70	A. Varela
	0900	70	A. Varela
	1200	70	A. Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S. Delk R

Thursday

Date	Time	Temp.	Name (Print)
6 6 24	0300	72	S. Delk R
	0600	72	D. Jones
	0900	72	D. Jones
	1200	72	D. Jones
	1500	72	D. Knight
	1800	72	D. Knight
	2100	72	D. Knight
	2400	75	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6 8 24	0300	70	M. Franco
	0600	70	M. Franco
	0900	70	N. Gonzalez
	1200	72	N. Gonzalez
	1500	74	D. Knight
	1800	74	D. Knight
	2100	72	D. Knight
	2400	72	S. Delk R

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 A Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	74	S. Deln Rola
	0600	75	A. Varela
	0900	75	A. Varela
	1200	77	A. Varela
	1500	78	Ji. Jackson
	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	76	S. Deln Rola

Wednesday

Date	Time	Temp.	Name (Print)
6 12 24	0300	74	S. Delta Rosa
	0600	74	CROWELL
	0900	74	CROWELL
	1200	76	CROWELL
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	77	S. Delta Rosa

Friday

Date	Time	Temp.	Name (Print)
6 14 24	0300	75	MARTINEZ
	0600	77	A Varela
	0900	77	A Varela
	1200	77	A Varela
	1500	710	D. Knight
	1800	710	D. Knight
	2100	710	D. Knight
	2400	76°	M. Franco

Sunday

Date	Time	Temp.	Name (Print)
6 16 24	0300	74	S. Del Rio
	0600	76	A. Varela
	0900	75	A. Varela
	1200	75	A. Varela
	1500	75°	C. PENA
	1800	76°	C. PENA
	2100	75°	C. PENA
	2400	74	S. Del Rio

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	74	S. DELA ROSA
	0600	76	ZEPEDA
	0900	76	ZEPEDA
	1200	76	ZEPEDA
	1500	76	D. KNIGHT
	1800	76	D. KNIGHT
	2100	76	D. KNIGHT
	2400	76	S. DELA ROSA

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	76	S. DELA ROSA
	0600	76	D. JONES
	0900	76	D. JONES
	1200	76	D. JONES
6/24	1500	76	D. KNIGHT
	1800	76	D. KNIGHT
	2100	76	D. KNIGHT
	2400	76	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6 15 24	0300	74	M Franco
	0600	76	A Varela
	0900	76	A Varela
	1200	76	A Varela
	1500	76	D. KNIGHT
	1800	76	D. KNIGHT
	2100	76	D. KNIGHT
	2400	76	S Deup

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 A Temp. Reading Location: 2 ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 / 17 / 24	0300	74	S Delta Rota
	0600	72	A Varela
	0900	75	A Varela
	1200	75	A Varela
	1500	76	A Varela
	1800	76	A Varela
	2100	76	A Varela
	2400	74	S Delta Rota

Wednesday

Date	Time	Temp.	Name (Print)
6 / 19 / 24	0300	72	S Delta Rota
	0600	70	CROWELL
	0900	70	CROWELL
	1200	72	CROWELL
	1500	72	D. KNIGHT
	1800	72	D. KNIGHT
	2100	72	D. KNIGHT
	2400	72	S Delta Rota

Friday

Date	Time	Temp.	Name (Print)
6 / 21 / 24	0300	72	MARTINEZ
	0600	73	A Varela
	0900	74	A Varela
	1200	74	A Varela
	1500	74	D. KNIGHT
	1800	74	D. KNIGHT
	2100	74	D. KNIGHT
	2400	74	M. Franco

Sunday

Date	Time	Temp.	Name (Print)
6 / 23 / 24	0300	74	S Delta Rota
	0600	74	A Varela
	0900	75	A Varela
	1200	75	A Varela
	1500	76	J. JACKSON
	1800	78	J. JACKSON
	2100	76	J. JACKSON
	2400	76	S Delta Rota

Tuesday

Date	Time	Temp.	Name (Print)
6 / 18 / 24	0300	74	S Delta Rota
	0600	74	A Varela
	0900	75	A Varela
	1200	75	A Varela
	1500	72	D. KNIGHT
	1800	72	D. KNIGHT
	2100	72	D. KNIGHT
	2400	72	S Delta Rota

Thursday

Date	Time	Temp.	Name (Print)
6 / 20 / 24	0300	70	S Delta Rota
	0600	71	SAMARIPAS
	0900	71	SAMARIPAS
	1200	73	SAMARIPAS
	1500	72	D. KNIGHT
	1800	72	D. KNIGHT
	2100	72	D. KNIGHT
	2400	73	MARTINER

Saturday

Date	Time	Temp.	Name (Print)
6 / 22 / 24	0300	74	M. Franco
	0600	74	M. Franco
	0900	74	M. Gonzalez
	1200	75	M. Gonzalez
	1500	73	D. KNIGHT
	1800	73	D. KNIGHT
	2100	73	D. KNIGHT
	2400	74	S Delta Rota

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 A Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier etc)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	75	S. Delta R
6/24	0600	75	A. Varela
6/24	0900	75	A. Varela
6/24	1200	76	A. Varela
6/24	1500	77	J. Jackson
6/24	1800	77	J. Jackson
6/24	2100	78	J. Jackson
6/24	2400	77	S. Delta R

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	74	S. Delta R
6/26	0600	74	Mur
6/26	0900	74	Mur
6/26	1200	74	Mur
6/26	1500	74	D. Knight
6/26	1800	74	D. Knight
6/26	2100	74	D. Knight
6/26	2400	74	S. Delta R

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	75	MARTINEZ
6/28	0600	75	A. Varela
6/28	0900	75	A. Varela
6/28	1200	75	A. Varela
6/28	1500	74	D. Knight
6/28	1800	74	D. Knight
6/28	2100	74	D. Knight
6/28	2400	74	M. France

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	75	K. Raley
6/30	0600	74	J. Jackson
6/30	0900	74	J. Jackson
6/30	1200	74	J. Jackson
6/30	1500	75	CAPENA
6/30	1800	76	CAPENA
6/30	2100	76	CAPENA
6/30	2400	76	S. Delta R

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	77	S. Delta R
6/25	0600	75	A. Varela
6/25	0900	77	A. Varela
6/25	1200	77	A. Varela
6/25	1500	74	D. Knight
6/25	1800	74	D. Knight
6/25	2100	74	D. Knight
6/25	2400	74	S. Delta R

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	74	S. Delta R
6/27	0600	75	R. Rivera
6/27	0900	76	R. Rivera
6/27	1200	70	R. Rivera
6/27	1500	74	D. Knight
6/27	1800	74	D. Knight
6/27	2100	74	D. Knight
6/27	2400	75	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	74°	M. France
6/29	0600	77°	M. France
6/29	0900	76	A. Varela
6/29	1200	72	A. Varela
6/29	1500	75	D. Knight
6/29	1800	75	D. Knight
6/29	2100	75	D. Knight
6/29	2400	78	K. Raley

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 B side Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
6/1/24	0300	71°	Mr. Franco
6/1/24	0600	71°	Mr. Franco
6/1/24	0900	71	T. Pitts
6/1/24	1200	70	T. Pitts
6/1/24	1500	70	S. Delarosa
6/1/24	1800	72	S. Delarosa
6/1/24	2100	72	S. Delarosa
6/1/24	2400	70	S. Delarosa

Sunday			
Date	Time	Temp.	Name (Print)
	0300	70	S. Delarosa
	0600	70	J. Vasquez
	0900	70	J. Vasquez
	1200	70	J. Vasquez
	1500	72	C. DENA
	1800	71	C. DENA
	2100	70	C. DENA
	2400	70	S. Delarosa

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 B Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 3 24	0300	70	S DelaRosa
	0600	70	V. Reyna
	0900	70	V. Reyna
	1200	70	V. Reyna
	1500	70	J. Jackson
	1800	72	J. Jackson
	2100	70	J. Jackson
	2400	70	S DelaRosa

Wednesday

Date	Time	Temp.	Name (Print)
6 5 24	0300	70	S DelaRosa
	0600	70	CROWELL
	0900	71	CROWELL
	1200	71	Crowell
	1500	71	D. Knight
	1800	71	D. Knight
	2100	71	D. Knight
	2400	71	S DelaRosa

Friday

Date	Time	Temp.	Name (Print)
6 7 24	0300	75	MARTINEZ
	0600	72	J. Jackson
	0900	76	J. Jackson
	1200	76	J. Jackson
	1500	74	D. Knight
	1800	73	D. Knight
	2100	70	D. Knight
	2400	70	M. Franco

Sunday

Date	Time	Temp.	Name (Print)
6 9 24	0300	71	S DelaRosa
	0600	70	A Varela
	0900	75	A Varela
	1200	78	A Varela
	1500	78	J. Jackson
	1800	78	J. Jackson
	2100	76	J. Jackson
	2400	76	S DelaRosa

Tuesday

Date	Time	Temp.	Name (Print)
6 4 24	0300	70	S DelaRosa
	0600	70	A Varela
	0900	71	A Varela
	1200	71	A Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S DelaRosa

Thursday

Date	Time	Temp.	Name (Print)
6 6 24	0300	72	S DelaRosa
	0600	72	D. Jones
	0900	72	D. Jones
	1200	72	D. Jones
	1500	72	D. Knight
	1800	72	D. Knight
	2100	72	D. Knight
	2400	75	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6 8 24	0300	70	M. Franco
	0600	70	M. Franco
	0900	70	N. GONZALES
	1200	72	N. GONZALES
	1500	70	D. Knight
	1800	75	D. Knight
	2100	73	D. Knight
	2400	72	S DelaRosa

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 B Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>10</u> <u>24</u>	0300	74	S Dela Rosa
	0600	75	A Varela
	0900	75	A Varela
	1200	76	A Varela
	1500	78	J. Jackson
	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	76	S Dela Rosa

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>11</u> <u>24</u>	0300	74	S Dela Rosa
	0600	78	Zepeda
	0900	76	ZEPEDA
	1200	76	ZEPEDA
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	76	S Dela Rosa

Wednesday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>12</u> <u>24</u>	0300	74	S Dela Rosa
	0600	74	CROWELL
	0900	74	CROWELL
	1200	76	CROWELL
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	76	S Dela Rosa

Friday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>14</u> <u>24</u>	0300	76	MARTINEZ
	0600	79	A Varela
	0900	77	A Varela
	1200	78	A Varela
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	76	M. Franco

Sunday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>16</u> <u>24</u>	0300	76	S Dela Rosa
	0600	76	A Varela
	0900	77	A Varela
	1200	77	A Varela
	1500	76	CRENA
	1800	76	CRENA
	2100	75	CRENA
	2400	74	S Dela Rosa

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>11</u> <u>24</u>	0300	74	S Dela Rosa
	0600	78	Zepeda
	0900	76	ZEPEDA
	1200	76	ZEPEDA
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	76	S Dela Rosa

Thursday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>13</u> <u>24</u>	0300	76	S Dela Rosa
	0600	76	D. Jones
	0900	76	D. JONES
	1200	76	D. JONES
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	76	MARTINEZ

Saturday			
Date	Time	Temp.	Name (Print)
<u>6</u> <u>15</u> <u>24</u>	0300	76	M. Franco
	0600	77	A Varela
	0900	77	A Varela
	1200	77	A Varela
	1500	76	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	76	S Dela Rosa

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 B Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 17 24	0300	74	S. Dela Rosa
	0600	75	A. Varela
	0900	77	A. Varela
	1200	77	A. Varela
	1500	78	A. Varela
	1800	78	A. Varela
	2100	78	A. Varela
	2400	76	S. Dela Rosa

Tuesday

Date	Time	Temp.	Name (Print)
6 18 24	0300	74	S. Dela Rosa
	0600	75	A. Varela
	0900	75	A. Varela
	1200	76	A. Varela
	1500	72	D. Knight
	1800	72	D. Knight
	2100	72	D. Knight
	2400	72	S. Dela Rosa

Wednesday

Date	Time	Temp.	Name (Print)
6 19 24	0300	72	S. Dela Rosa
	0600	72	Crowell
	0900	72	Crowell
	1200	72	Crowell
	1500	72	D. Knight
	1800	72	D. Knight
	2100	72	D. Knight
	2400	72	S. Dela Rosa

Thursday

Date	Time	Temp.	Name (Print)
6 20 24	0300	72	S. Dela Rosa
	0600	71	JAMARATTAJ
	0900	72	JAMARATTAJ
	1200	74	JAMARATTAJ
	1500	72	D. Knight
	1800	72	D. Knight
	2100	72	D. Knight
	2400	74	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
6 21 24	0300	73	MARTINEZ
	0600	74	A. Varela
	0900	75	A. Varela
	1200	75	A. Varela
	1500	74	D. Knight
	1800	74	D. Knight
	2100	74	D. Knight
	2400	74	M. France

Saturday

Date	Time	Temp.	Name (Print)
6 22 24	0300	74	M. France
	0600	74	M. France
	0900	74	N. GONZALES
	1200	75	N. GONZALES
	1500	73	D. Knight
	1800	73	D. Knight
	2100	73	D. Knight
	2400	74	S. Dela Rosa

Sunday

Date	Time	Temp.	Name (Print)
6 23 24	0300	74	S. Dela Rosa
	0600	74	A. Varela
	0900	75	A. Varela
	1200	76	A. Varela
	1500	76	J. Jackson
	1800	78	J. Jackson
	2100	76	J. Jackson
	2400	76	S. Dela Rosa

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT 430 - INMATE CARE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit B3 B Temp. Reading Location 2ND Tier

(e.g. 1st tier 2nd tier 3rd tier etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300	74	S. Delt. R.
<u>6</u>	0600	75	A. Varela
<u>24</u>	0900	75	A. Varela
	1200	76	A. Varela
	1500	78	J. Jackson
<u>24</u>	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	77	S. Delt. R.

Wednesday			
Date	Time	Temp.	Name (Print)
	0300	74	S. Delt. R.
<u>6</u>	0600	74	Muz
<u>24</u>	0900	74	Muz
	1200	74	Muz
	1500	74	D. Knight
<u>24</u>	1800	74	D. Knight
	2100	74	D. Knight
	2400	74	S. Delt. R.

Friday			
Date	Time	Temp.	Name (Print)
	0300	75	MARTINEZ
<u>6</u>	0600	75	A. Varela
<u>24</u>	0900	75	A. Varela
	1200	75	A. Varela
	1500	74	D. Knight
<u>24</u>	1800	74	D. Knight
	2100	74	D. Knight
	2400	74	M. Franco

Sunday			
Date	Time	Temp.	Name (Print)
<u>6</u>	0300	74	K. Raly
<u>30</u>	0600	74	J. Jackson
<u>24</u>	0900	74	J. Jackson
	1200	74	J. Jackson
	1500	75	C. PENNA
	1800	76	C. PENNA
	2100	76	C. PENNA
	2400	76	S. Delt. R.

Tuesday			
Date	Time	Temp.	Name (Print)
	0300	77	S. Delt. R.
<u>6</u>	0600	75	A. Varela
<u>25</u>	0900	76	A. Varela
	1200	77	A. Varela
	1500	74	D. Knight
<u>24</u>	1800	74	D. Knight
	2100	74	D. Knight
	2400	74	S. Delt. R.

Thursday			
Date	Time	Temp.	Name (Print)
	0300	73	S. Delt. R.
<u>6</u>	0600	75	R. Rivera
<u>27</u>	0900	76	R. R.
	1200	76	R. R.
	1500	74	D. Knight
<u>24</u>	1800	74	D. Knight
	2100	74	D. Knight
	2400	74	MARTINEZ

Saturday			
Date	Time	Temp.	Name (Print)
	0300	74°	M. Franco
<u>6</u>	0600	74°	M. Franco
<u>29</u>	0900	75	A. Varela
	1200	76	A. Varela
	1500	75	D. Knight
<u>24</u>	1800	75	D. Knight
	2100	75	D. Knight
	2400	74	K. Raly

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB4

Temp. Reading Location: A - SIDE 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06-02-24	0300	75	Hernandez
	0600	75	P. Burman
	0900	75	P. Burman
	1200	77	P. Burman
	1500	79	E. Huiztron
	1800	79	E. Huiztron
	2100	79	E. Huiztron
	2400	78	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
06-02-24	0300	75	Hernandez
	0600	75	P. Burman
	0900	75	P. Burman
	1200	75	P. Burman
	1500	75	E. Huiztron
	1800	75	E. Huiztron
	2100	75	E. Huiztron
	2400	75	Hernandez

Notes

STATE OF CALIFORNIA:
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: R-4 Temp. Reading Location: A-side 2nd tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	73	Hernandez
	0600	73	P. Guzman
	0900	73	P. Guzman
	1200	74	P. Guzman
	1500	74	E. Huettman
	1800	74	E. Huettman
	2100	74	E. Huettman
	2400	74	C. Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
6/24	0300	74	C. Vasquez
	0600	74	P. Guzman
	0900	74	P. Guzman
	1200	74	P. Guzman
	1500	74	J. Jackson
	1800	76	J. Jackson
	2100	74	J. Jackson
	2400	74	C. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
6/24	0300	74	C. Vasquez
	0600	74	P. Guzman
	0900	74	P. Guzman
	1200	74	P. Guzman
	1500	76	J. Jackson
	1800	78	J. Jackson
	2100	76	J. Jackson
	2400	75	C. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
6/24	0300	74	C. Vasquez
	0600	74	P. Guzman
	0900	74	P. Guzman
	1200	74	P. Guzman
	1500	74	C. Vasquez
	1800	75	C. Vasquez
	2100	75	C. Vasquez
	2400	74	C. Vasquez

Friday

Date	Time	Temp.	Name (Print)
6/24	0300	74	C. Vasquez
	0600	72	Samarripas
	0900	73	Samarripas
	1200	74	Samarripas
	1500	74	S. De Leon
	1800	75	S. De Leon
	2100	74	S. De Leon
	2400	74	C. Vasquez

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	73	C. Vasquez
	0600	73	Samarripas
	0900	74	Samarripas
	1200	75	Samarripas
	1500	75	C. Huettman
	1800	75	C. Huettman
	2100	75	C. Huettman
	2400	74	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	73	Hernandez
	0600	72	Bailey
	0900	73	Bailey
	1200	73	Bailey
	1500	73	E. Huettman
	1800	73	E. Huettman
	2100	73	E. Huettman
	2400	73	Hernandez

Notes

INSIDE TEMPERATURE RECORD

CDCR.2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 Temp. Reading Location: A-Side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/10/24</u>	0300	73	Hernandez
	0600	73	P.Guzman
	0900	73	P.Guzman
	1200	75	P.Guzman
	1500	73	E.Huettiron
	1800	73	E.Huettiron
	2100	73	E.Huettiron
	2400	74	C.Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/11/24</u>	0300	74	C.Vasquez
	0600	74	P.Guzman
	0900	74	P.Guzman
	1200	76	P.Guzman
	1500	78	J.Jackson
	1800	82	J.Jackson
	2100	78	J.Jackson
	2400	73	C.Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/12/24</u>	0300	73	C.Vasquez
	0600	77	R.Tapia
	0900	70	R.Tapia
	1200	81	R.Tapia
	1500	82	J.Baker
	1800	82	J.Baker
	2100	78	J.Saturn
	2400	75	C.Vasquez

Thursday

Date	Time	Temp.	Name (Print)
<u>6/13/24</u>	0300	74	C.Vasquez
	0600	74	P.Guzman
	0900	74	P.Guzman
	1200	74	P.Guzman
	1500	73	E.Huettiron
	1800	73	E.Huettiron
	2100	73	E.Huettiron
	2400	73	C.Vasquez

Friday

Date	Time	Temp.	Name (Print)
<u>6/14/24</u>	0300	73	C.Vasquez
	0600	74	S.Rodriguez
	0900	75	J.Rodriguez
	1200	76	S.Rodriguez
	1500	73	E.Huettiron
	1800	73	E.Huettiron
	2100	73	E.Huettiron
	2400	74	C.Vasquez

Saturday

Date	Time	Temp.	Name (Print)
<u>6/15/24</u>	0300	74	C.Vasquez
	0600	71	SAMARKIPAL
	0900	73	SAMARKIPAL
	1200	74	SAMARKIPAL
	1500	74	E.Huettiron
	1800	74	E.Huettiron
	2100	74	E.Huettiron
	2400	73	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	73	Hernandez
	0600	73	P.Guzman
	0900	73	P.Guzman
	1200	73	P.Guzman
	1500	72	E.Huettiron
	1800	73	E.Huettiron
	2100	73	E.Huettiron
	2400	73	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 Temp. Reading Location: A-side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	73	Hernandez
	0600	73	P.Gurman
	0900	73	P.Gurman
	1200	73	P.Gurman
	1500	74	G.Zamora
	1800	74	J.Jackson
	2100	72	G.Zamora
	2400	73	C.VASQUEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	73	C.VASQUEZ
	0600	73	P.Gurman
	0900	73	P.Gurman
	1200	74	P.Gurman
	1500	74	S.Jackson
	1800	76	J.Jackson
	2100	74	J.Jackson
	2400	73	C.VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	73	C.VASQUEZ
	0600	73	P.Gurman
	0900	73	P.Gurman
	1200	73	P.Gurman
	1500	74	J.Jackson
	1800	74	J.Jackson
	2100	74	J.Jackson
	2400	73	C.VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	73	C.VASQUEZ
	0600	73	S.Gutierrez
	0900	72	S.Gutierrez
	1200	n	S.Gutierrez
	1500	78	M.Icaraz
	1800	78	M.Icaraz
	2100	78	M.Icaraz
	2400	80	C.Lopez

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	73	C.Lopez
	0600	76	R.Samarripas
	0900	75	R.Samarripas
	1200	74	R.Samarripas
	1500	79	V.Medina
	1800	78	V.Medina
	2100	78	V.Medina
	2400	77	C.VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	74	C.VASQUEZ
	0600	73	SAMARRIPAS
	0900	74	SAMARRIPAS
	1200	75	SAMARRIPAS
	1500	75	C.VASQUEZ
	1800	75	C.VASQUEZ
	2100	75	C.VASQUEZ
	2400	74	C.VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	74	C.VASQUEZ
	0600	74	E.Cortez
	0900	76	E.Cortez
	1200	76	E.Cortez
	1500	79	R.Perez
	1800	79	R.Perez
	2100	76	R.Perez
	2400	75	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B4 Temp. Reading Location: A-side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/18	0300	74	Hernandez
	0600	77	P.Gurman
	0900	74	P.Gurman
	1200	74	P.Gurman
	1500	74	E.HuzzRow
	1800	74	E.HuzzRow
	2100	74	E.HuzzRow
	2400	74	J. NICKELL

Tuesday

Date	Time	Temp.	Name (Print)
6/25/18	0300	73	J. NICKELL
	0600	73	P.Gurman
	0900	73	P.Gurman
	1200	73	P.Gurman
	1500	74	J. Secha
	1800	76	J. Secha
	2100	74	J. Secha
	2400	74	J. NICKELL

Wednesday

Date	Time	Temp.	Name (Print)
6/26/18	0300	74	J. NICKELL
	0600	76	W. Scova
	0900	77	W. Scova
	1200	77	W. Scova
	1500	78	J. Secha
	1800	78	J. Secha
	2100	76	J. Secha
	2400	74	A. Nascent

Thursday

Date	Time	Temp.	Name (Print)
6/27/18	0300	73	A. Nascent
	0600	73	P.Gurman
	0900	73	P.Gurman
	1200	73	P.Gurman
	1500	73	E.HuzzRow
	1800	73	E.HuzzRow
	2100	73	E.HuzzRow
	2400	74	A. Nascent

Friday

Date	Time	Temp.	Name (Print)
6/28/18	0300	73	A. Nascent
	0600	72	JAMARIPAS
	0900	73	JAMARIPAS
	1200	74	JAMARIPAS
	1500	74	E.HuzzRow
	1800	74	E.HuzzRow
	2100	74	E.HuzzRow
	2400	74	J. NICKELL

Saturday

Date	Time	Temp.	Name (Print)
6/29/18	0300	73	J. NICKELL
	0600	72	JAMARIPAS
	0900	73	JAMARIPAS
	1200	74	JAMARIPAS
	1500	74	K.Gaines
	1800	74	K.Gaines
	2100	74	K.Gaines
	2400	73	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
6/30/18	0300	73	Hernandez
	0600	74	CAMARENA
	0900	76	CAMARENA
	1200	82	CAMARENA
	1500	82	E.HuzzRow
	1800	82	E.HuzzRow
	2100	82	E.HuzzRow
	2400	82	E.HuzzRow

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBBY Temp. Reading Location: B-SIDE 2nd tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06-01-24	0300	75	E. Hernandez
	0600	75	P. Guzman
	0900	75	P. Guzman
	1200	77	P. Guzman
	1500	79	E. Huizerton
	1800	79	E. Huizerton
	2100	79	E. Huizerton
	2400	78	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
06-02-24	0300	75	Hernandez
	0600	75	P. Guzman
	0900	75	P. Guzman
	1200	77	P. Guzman
	1500	77	E. Huizerton
	1800	77	E. Huizerton
	2100	75	E. Huizerton
	2400	75	Hernandez

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: R-4 Temp. Reading Location: B-side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/3/24</u>	0300	73	Hernandez
	0600	77	P.Guzman
	0900	77	P.Guzman
	1200	78	P.Guzman
	1500	78	E.HUTIRON
	1800	77	E.HUTIRON
	2100	77	E.HUTIRON
	2400	77	C.VASQUEZ

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/4/24</u>	0300	77	C.VASQUEZ
	0600	77	P.Guzman
	0900	77	P.Guzman
	1200	77	P.Guzman
	1500	78	J.Jackson
	1800	80	J.Jackson
	2100	80	J.Jackson
	2400	79	C.VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/5/24</u>	0300	77	C.VASQUEZ
	0600	77	P.Guzman
	0900	77	P.Guzman
	1200	77	P.Guzman
	1500	78	J.Jackson
	1800	80	J.Jackson
	2100	80	J.Jackson
	2400	79	C.VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
<u>6/6/24</u>	0300	77	C.VASQUEZ
	0600	77	P.Guzman
	0900	77	P.Guzman
	1200	77	P.Guzman
	1500	78	C.VASQUEZ
	1800	78	C.VASQUEZ
	2100	78	C.VASQUEZ
	2400	78	C.VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
<u>6/7/24</u>	0300	78	C.VASQUEZ
	0600	75	J.MARSHIPS
	0900	76	J.MARSHIPS
	1200	71	J.MARSHIPS
	1500	74	J.Del Rio
	1800	74	J.Del Rio
	2100	74	J.Del Rio
	2400	75	C.VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
<u>6/8/24</u>	0300	75	C.VASQUEZ
	0600	71	J.MARSHIPS
	0900	73	J.MARSHIPS
	1200	74	J.MARSHIPS
	1500	74	E.HUTIRON
	1800	74	E.HUTIRON
	2100	74	E.HUTIRON
	2400	74	HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
<u>6/9/24</u>	0300	73	Hernandez
	0600	72	Bailey
	0900	73	Bailey
	1200	73	Bailey
	1500	73	E.HUTIRON
	1800	73	E.HUTIRON
	2100	73	E.HUTIRON
	2400	73	Hernandez

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B- 4 Temp. Reading Location: B-side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/10/24</u>	0300	73	Hernandez
	0600	73	P.Guzman
	0900	73	P.Guzman
	1200	73	P.Guzman
	1500	73	E.Huettlron
	1800	73	E.Huettlron
	2100	73	E.Huettlron
	2400	75	C.Masolez

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/11/24</u>	0300	76	C.Masolez
	0600	76	P.Guzman
	0900	76	P.Guzman
	1200	78	P.Guzman
	1500	80	J.Jackson
	1800	82	J.Jackson
	2100	80	J.Jackson
	2400	77	C.Masolez

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/12/24</u>	0300	77	C.Masolez
	0600	77	R.Tafolla
	0900	70	R.Tafolla
	1200	71	R.Tafolla
	1500	82	J.Sanchez
	1800	84	J.Sanchez
	2100	80	J.Sanchez
	2400	78	C.Masolez

Thursday

Date	Time	Temp.	Name (Print)
<u>6/13/24</u>	0300	77	C.Masolez
	0600	77	P.Guzman
	0900	77	P.Guzman
	1200	77	P.Guzman
	1500	77	E.Huettlron
	1800	77	E.Huettlron
	2100	77	E.Huettlron
	2400	77	C.Masolez

Friday

Date	Time	Temp.	Name (Print)
<u>6/14/24</u>	0300	77	C.Masolez
	0600	74	S.Aldo Guzman
	0900	75	J.Rodriguez
	1200	76	J.Rodriguez
	1500	73	E.Huettlron
	1800	73	E.Huettlron
	2100	73	E.Huettlron
	2400	77	C.Masolez

Saturday

Date	Time	Temp.	Name (Print)
<u>6/15/24</u>	0300	77	C.Masolez
	0600	74	JAMPARIAS
	0900	75	JAMPARIAS
	1200	76	JAMPARIAS
	1500	76	E.Huettlron
	1800	76	E.Huettlron
	2100	76	E.Huettlron
	2400	73	Hernandez

Notes

Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	73	Hernandez
	0600	77	P.Guzman
	0900	73	P.Guzman
	1200	75	P.Guzman
	1500	76	E.Huettlron
	1800	73	E.Huettlron
	2100	73	E.Huettlron
	2400	73	Hernandez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 Temp. Reading Location: B-side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2014	0300	73	Hernandez
	0600	73	P Guzman
	0900	73	P Guzman
	1200	73	P Guzman
	1500	74	G. Zarate
	1800	74	G. Zarate
	2100	72	G. Zarate
	2400	75	C. Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2014	0300	75	C. Vasquez
	0600	75	P Guzman
	0900	75	P Guzman
	1200	76	P Guzman
	1500	78	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	78	C. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2014	0300	77	C. Vasquez
	0600	77	P Guzman
	0900	77	P Guzman
	1200	77	P Guzman
	1500	78	J. Jackson
	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	77	C. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
6/20/2014	0300	76	C. Vasquez
	0600	74	Guerrero
	0900	76	Guerrero
	1200	77	Guerrero
	1500	78	Alcaraz
	1800	79	Alcaraz
	2100	80	Alcaraz
	2400	80	Clopp

Friday

Date	Time	Temp.	Name (Print)
6/21/2014	0300	78	Clopp
	0600	76	SAMARRIPAS
	0900	77	SAMARRIPAS
	1200	78	SAMARRIPAS
	1500	79	V. Medina
	1800	78	V. Medina
	2100	78	V. Medina
	2400	77	C. Vasquez

Saturday

Date	Time	Temp.	Name (Print)
6/22/2014	0300	77	C. Vasquez
	0600	76	SAMARRIPAS
	0900	77	SAMARRIPAS
	1200	78	SAMARRIPAS
	1500	78	C. Vasquez
	1800	78	C. Vasquez
	2100	78	C. Vasquez
	2400	77	C. Vasquez

Sunday

Date	Time	Temp.	Name (Print)
6/23/2014	0300	77	C. Vasquez
	0600	77	E. Gutierrez
	0900	77	E. Gutierrez
	1200	78	E. Gutierrez
	1500	79	Rude
	1800	79	Rude
	2100	78	Rude
	2400	75	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 Temp. Reading Location: B side 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	74	Hernandez
	0600	74	P. Guzman
	0900	74	P. Guzman
	1200	74	P. Guzman
	1500	74	E. Hutzkin
	1800	74	E. Hutzkin
	2100	74	E. Hutzkin
	2400	78	J. Nickell

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	76	J. NICKELL
	0600	76	W. Scov
	0900	77	W. Scov
	1200	77	W. Scov
	1500	80	J. Sack
	1800	82	J. Sack
	2100	78	J. Sack
	2400	78	A. Nasenka

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	77	J. NICKELL
	0600	74	SAMARALIPAS
	0900	75	SAMARALIPAS
	1200	76	SAMARALIPAS
	1500	76	E. Hutzkin
	1800	76	E. Hutzkin
	2100	76	E. Hutzkin
	2400	75	J. NICKELL

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	73	Hernandez
	0600	76	C. ARENA
	0900	80	C. ARENA
	1200	81	C. ARENA
	1500	81	E. Hutzkin
	1800	81	E. Hutzkin
	2100	81	E. Hutzkin
	2400	81	J. NICKELL

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	J. NICKELL
	0600	78	P. Guzman
	0900	78	P. Guzman
	1200	78	P. Guzman
	1500	78	J. Tuck
	1800	80	J. Tuck
	2100	80	J. Tuck
	2400	80	J. NICKELL

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	77	D. NAYERA
	0600	77	P. Guzman
	0900	77	P. Guzman
	1200	77	P. Guzman
	1500	77	E. Hutzkin
	1800	77	E. Hutzkin
	2100	77	E. Hutzkin
	2400	78	A. NAYERA

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	79	J. NICKELL
	0600	71	SAMARALIPAS
	0900	72	SAMARALIPAS
	1200	73	SAMARALIPAS
	1500	73	K. Guzman
	1800	73	K. Guzman
	2100	73	K. Guzman
	2400	73	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5-A side Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	72	C. YOCUM
	0600	72	JAMAR HIPPS
	0900	71	JAMAR HIPPS
	1200	72	JAMAR HIPPS
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	72	C. YOCUM

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	C. YOCUM
	0600	70	C. BLACKWOOD
	0900	71	C. BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	72	C. YOCUM

Notes

100-182
1016 1016

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5-A-510 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	72	C. YOCUM
	0600	70	JAMARIS PAS
	0900	71	JAMARIS PAS
	1200	72	JAMARIS PAS
	1500	73	E. BORREGO
	1800	74	E. BORREGO
	2100	73	E. BORREGO
	2400	72	A.YACIN

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	72	A. AYACA
	0600	72	K. RIVERA
	0900	72	K. RIVERA
	1200	72	K. RIVERA
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	72	C. LOMEY

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	72	C. LOMEY
	0600	72	C. BLACKWOOD
	0900	72	C. BLACKWOOD
	1200	73	C. BLACKWOOD
	1500	75	E. GONZALEZ
	1800	75	E. GONZALEZ
	2100	75	E. GONZALEZ
	2400	75	C. YOCUM

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	75	C. YOCUM
	0600	77	C. BLACKWOOD
	0900	77	C. BLACKWOOD
	1200	77	C. BLACKWOOD
	1500	77	Ramor
	1800	77	Ramor
	2100	77	Ramor
	2400	75	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	75	C. YOCUM
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	77	C. BLACKWOOD
	1500	77	Ramor
	1800	77	Ramor
	2100	77	Ramor
	2400	75	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	75	C. YOCUM
	0600	73	C. BLACKWOOD
	0900	74	C. BLACKWOOD
	1200	74	C. BLACKWOOD
	1500	74	E. GONZALEZ
	1800	74	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	72	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	72	C. YOCUM
	0600	74	J. CASQUEL
	0900	74	J. CASQUEL
	1200	74	J. CASQUEL
	1500	74°	E. GONZALEZ
	1800	74	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	72	C. YOCUM

Notes

B5

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: L-5P Housing Unit: B5-1 side Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	72	C. YOCUM
	0600	71	R. SAMPARRIPAS
	0900	72	SAMPARRIPAS
	1200	73	SAMPARRIPAS
	1500	75	S. BORREGO
	1800	74	S. BORREGO
	2100	74	S. BORREGO
	2400	73	A. AYALA

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	73	A. AYALA
	0600	73	CAMARENA
	0900	73	CAMARENA
	1200	74	CAMARENA
	1500	76	VALADAR
	1800	80	VALADAR
	2100	78	VALADAR
	2400	78	MONTAGUE

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	78	MONTAGUE
	0600	78	CAMARENA
	0900	79	CAMARENA
	1200	81	CAMARENA
	1500	81	VALADER
	1800	82	VALADER
	2100	81	VALADER
	2400	80	C. YOCUM

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	80	C. YOCUM
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	77	C. BLACKWOOD
	1500	77	RAMIREZ
	1800	77	RAMIREZ
	2100	77	RAMIREZ
	2400	75	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	75	C. YOCUM
	0600	76	P. RIVERA
	0900	76	RIVERA
	1200	78	RIVERA
	1500	78	RAMIREZ
	1800	78	RAMIREZ
	2100	78	RAMIREZ
	2400	76	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	76	C. YOCUM
	0600	79	H. MOLINA
	0900	76	A. RODRIGUEZ
	1200	77	A. MOLINA
	1500	77	S. SEVILLA
	1800	77	S. SEVILLA
	2100	77	S. SEVILLA
	2400	75	M. DIAZ

Sunday

Date	Time	Temp.	Name (Print)
6-16-24	0300	72	M. DIAZ
	0600	71	SAMPARRIPAS
	0900	71	SAMPARRIPAS
	1200	73	SAMPARRIPAS
	1500	74	S. BORREGO
	1800	74	S. BORREGO
	2100	72	S. BORREGO
	2400	72	H. CECIA

Notes

B5

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB5-A side Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/1/14	0300	71	H. CERA
6/1/14	0600	72	S. DELA PENA
6/1/14	0900	72	S. DELA PENA
6/1/14	1200	74	S. DELA PENA
6/1/14	1500	74	S. BURGOS
6/1/14	1800	74	S. BURGOS
6/1/14	2100	73	S. BURGOS
6/1/14	2400	72	A. AYALA

Tuesday

Date	Time	Temp.	Name (Print)
6/2/14	0300	70	A. AYALA
6/2/14	0600	69	C. BLACKWOOD
6/2/14	0900	70	C. BLACKWOOD
6/2/14	1200	70	C. BLACKWOOD
6/2/14	1500	72	E. GONZALEZ
6/2/14	1800	72	E. GONZALEZ
6/2/14	2100	72	E. GONZALEZ
6/2/14	2400	70	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
6/3/14	0300	70	A. AYALA
6/3/14	0600	70	C. BLACKWOOD
6/3/14	0900	70	C. BLACKWOOD
6/3/14	1200	70	C. BLACKWOOD
6/3/14	1500	72	O. VALADOL
6/3/14	1800	72	O. VALADOL
6/3/14	2100	72	O. VALADOL
6/3/14	2400	72	C. YOCUM

Thursday

Date	Time	Temp.	Name (Print)
6/4/14	0300	72	C. YOCUM
6/4/14	0600	70	C. BLACKWOOD
6/4/14	0900	70	C. BLACKWOOD
6/4/14	1200	70	C. BLACKWOOD
6/4/14	1500	75	RAMIREZ
6/4/14	1800	75	RAMIREZ
6/4/14	2100	75	RAMIREZ
6/4/14	2400	72	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
6/5/14	0300	72	C. YOCUM
6/5/14	0600	71	C. BLACKWOOD
6/5/14	0900	71	C. BLACKWOOD
6/5/14	1200	71	C. BLACKWOOD
6/5/14	1500	75	RAMIREZ
6/5/14	1800	75	RAMIREZ
6/5/14	2100	75	RAMIREZ
6/5/14	2400	75	A. ORTIZ

Saturday

Date	Time	Temp.	Name (Print)
6/6/14	0300	75	A. ORTIZ
6/6/14	0600	75	A. ORTIZ
6/6/14	0900	73	C. BLACKWOOD
6/6/14	1200	73	C. BLACKWOOD
6/6/14	1500	75	E. GONZALEZ
6/6/14	1800	75	E. GONZALEZ
6/6/14	2100	72	E. GONZALEZ
6/6/14	2400	72	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
6/7/14	0300	72	C. YOCUM
6/7/14	0600	71	S. ENRIQUEZ
6/7/14	0900	73	S. ENRIQUEZ
6/7/14	1200	73	S. ENRIQUEZ
6/7/14	1500	74	S. ESPINOZA
6/7/14	1800	74	S. ESPINOZA
6/7/14	2100	74	S. ESPINOZA
6/7/14	2400	74	C. YOCUM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 A side Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	74	C. YOCUM
	0600	73°	SAMAR RIPAS.
	0900	74°	SAMAR RIPAS.
	1200	75°	SAMAR RIPAS.
	1500	78°	E. GONZALEZ
	1800	78°	E. GONZALEZ
	2100	74°	E. GONZALEZ
	2400	74	A. ORTM

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	74	A. ORTM
	0600	74	A. ORTM
	0900	75°	L. NAVARRO
	1200	75°	L. NAVARRO
	1500	78	E. GONZALEZ
	1800	78	E. GONZALEZ
	2100	78	E. GONZALEZ
	2400	74	A. NAVARRO

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	73	A. NAVARRO
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	76	C. BLACKWOOD
	1500	77	D. VALADORE
	1800	77	D. VALADORE
	2100	77	D. VALADORE
	2400	78	M. PASCUAL

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	73	M. PASCUAL
	0600	75	C. BLACKWOOD
	0900	75	C. BLACKWOOD
	1200	75	C. BLACKWOOD
	1500	78	Ramirez
	1800	78	Ramirez
	2100	78	Ramirez
	2400	76	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	76	C. YOCUM
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	76	C. BLACKWOOD
	1500	78	Ramirez
	1800	78	Ramirez
	2100	78	Ramirez
	2400	76	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	76	C. YOCUM
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	76	C. BLACKWOOD
	1500	78°	E. GONZALEZ
	1800	78°	E. GONZALEZ
	2100	76°	E. GONZALEZ
	2400	76	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	76	C. YOCUM
	0600	74	SAMAR RIPAS
	0900	75	SAMAR RIPAS
	1200	76	SAMAR RIPAS
	1500	78°	E. GONZALEZ
	1800	78°	E. GONZALEZ
	2100	76°	E. GONZALEZ
	2400	76°	A. YOUNG

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5-B5.62 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	72	C.YOCUM
	0600	70	JAMARRIPAS.
	0900	71	JAMARRIPAS.
	1200	72	JAMARRIPAS.
	1500	72°	E.GONZALEZ
	1800	72°	E.GONZALEZ
	2100	72°	E.GONZALEZ
	2400	72	C.YOCUM

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	C.YOCUM
	0600	70	C.BLACKWOOD
	0900	70	C.BLACKWOOD
	1200	71	C.BLACKWOOD
	1500	72°	E.GONZALEZ
	1800	72°	E.GONZALEZ
	2100	72°	E.GONZALEZ
	2400	72	C.YOCUM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5-B side Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	72	C. YOCUM
	0600	70	SAMARIPALI
	0900	71	SAMARIPALI
	1200	73	SAMARIPALI
	1500	72	S. BORREGO
	1800	74	S. BORREGO
	2100	72	S. BORREGO
	2400	72	A. AYACA

Wednesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	72	C. LUNELI
	0600	72	C. BLACKWOOD
	0900	72	C. BLACKWOOD
	1200	73	C. BLACKWOOD
	1500	75°	E. GONZALEZ
	1800	75°	E. GONZALEZ
	2100	75°	E. GONZALEZ
	2400	75	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	75	C. YOCUM
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	77	C. BLACKWOOD
	1500	77	Ramirez
	1800	77	Ramirez
	2100	77	Ramirez
	2400	75	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	72	C. YOCUM
	0600	74	J. VASQUEZ
	0900	74	J. VASQUEZ
	1200	74	J. VASQUEZ
	1500	74°	E. GONZALEZ
	1800	74°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	72	C. YOCUM

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	72	A. AYACA
	0600	72	K. RIVERA
	0900	72	K. RIVERA
	1200	72	K. RIVERA
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	72	C. LUNELI

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	75	C. YOCUM
	0600	77	C. BLACKWOOD
	0900	77	C. BLACKWOOD
	1200	77	C. BLACKWOOD
	1500	77	Ramirez
	1800	77	Ramirez
	2100	77	Ramirez
	2400	75	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	75	C. YOCUM
	0600	75	C. BLACKWOOD
	0900	74	C. BLACKWOOD
	1200	74	C. BLACKWOOD
	1500	74	E. GONZALEZ
	1800	74	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	72	C. YOCUM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

35

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 - B Side Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

6001

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	72	C. YOCUM
	0600	70	R. SAMARAKIPAS
	0900	71	SAMARAKIPAS
	1200	73	SAMARAKIPAS
	1500	75	S. BORREGO
	1800	74	S. BORREGO
	2100	74	S. BORREGO
	2400	73	A. ATALA

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	73	A. ATALA
	0600	73	C. MARENA
	0900	74	C. MARENA
	1200	74	C. MARENA
	1500	76	V. VALADER
	1800	80	V. VALADER
	2100	78	V. VALADER
	2400	76	MONTAÑA

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	71	MONTAÑA
	0600	78	C. MARENA
	0900	80	C. MARENA
	1200	82	C. MARENA
	1500	82	V. VALADER
	1800	83	V. VALADER
	2100	82	V. VALADER
	2400	80	C. YOCUM

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	80	C. YOCUM
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	77	C. BLACKWOOD
	1500	77	Ramirez
	1800	77	Ramirez
	2100	77	Ramirez
	2400	75	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	75	C. YOCUM
	0600	76	Rivera
	0900	78	Rivera
	1200	78	Rivera
	1500	78	Ramirez
	1800	78	Ramirez
	2100	79	Ramirez
	2400	76	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	76	C. YOCUM
	0600	75	A. RODRIGUEZ
	0900	76	A. RODRIGUEZ
	1200	77	A. RODRIGUEZ
	1500	77	S. SANCHEZ
	1800	77	S. SANCHEZ
	2100	77	S. SANCHEZ
	2400	75	H. DIAZ

Sunday

Date	Time	Temp.	Name (Print)
6-16-24	0300	72	M. DIAZ
	0600	71	SAMARAKIPAS
	0900	71	SAMARAKIPAS
	1200	73	SAMARAKIPAS
	1500	74	S. BORREGO
	1800	74	S. BORREGO
	2100	72	S. BORREGO
	2400	72	H. CERA

Notes

B5

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB5 - B side Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
24	0300	71	H. CERA
24	0600	72	S. Delnby
24	0900	72	S. Delnby
24	1200	74	S. Delnby
24	1500	74	S. BOLKELO
24	1800	74	S. BOLKELO
24	2100	74	S. BOLKELO
24	2400	72	A. AYALA

Tuesday

Date	Time	Temp.	Name (Print)
24	0300	70	A. AYALA
24	0600	71	C. BLACKWOOD
24	0900	71	C. BLACKWOOD
24	1200	71	C. BLACKWOOD
24	1500	72	E. GONZALEZ
24	1800	72	E. GONZALEZ
24	2100	72	E. GONZALEZ
24	2400	70	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
24	0300	70	A. AYALA
24	0600	70	C. BLACKWOOD
24	0900	70	C. BLACKWOOD
24	1200	71	C. BLACKWOOD
24	1500	72	D. VALADORE
24	1800	72	D. VALADORE
24	2100	72	D. VALADORE
24	2400	72	C. YOCUM

Thursday

Date	Time	Temp.	Name (Print)
24	0300	72	C. YOCUM
24	0600	71	C. BLACKWOOD
24	0900	71	C. BLACKWOOD
24	1200	71	C. BLACKWOOD
24	1500	75	Ramirez
24	1800	75	Ramirez
24	2100	75	Ramirez
24	2400	72	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
24	0300	72	C. YOCUM
24	0600	71	C. BLACKWOOD
24	0900	71	C. BLACKWOOD
24	1200	71	C. BLACKWOOD
24	1500	75	Ramirez
24	1800	75	Ramirez
24	2100	75	Ramirez
24	2400	75	A. ORTEZ

Saturday

Date	Time	Temp.	Name (Print)
24	0300	75	A. ORTEZ
24	0600	75	A. ORTEZ
24	0900	73	C. BLACKWOOD
24	1200	73	C. BLACKWOOD
24	1500	75	E. GONZALEZ
24	1800	75	E. GONZALEZ
24	2100	72	E. GONZALEZ
24	2400	72	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
24	0300	72	C. YOCUM
24	0600	71	S. ENRIQUEZ
24	0900	73	S. ENRIQUEZ
24	1200	73	S. ENRIQUEZ
24	1500	74	S. ESPINOZA
24	1800	74	S. ESPINOZA
24	2100	74	S. ESPINOZA
24	2400	74	C. YOCUM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 B-side Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6-24-24	0300	74	C-Youn
	0600	73°	SAMARRIPAS.
	0900	74°	SAMARRIPAS.
	1200	76°	SAMARRIPAS.
	1500	78°	E.GONZALEZ
	1800	78°	E.GONZALEZ
	2100	76°	E.GONZALEZ
	2400	76	A.Ort

Tuesday			
Date	Time	Temp.	Name (Print)
6-25-24	0300	76	A.Ort
	0600	76	A.Ort
	0900	76	L.NAVARRO
	1200	75°	L.NAVARRO
	1500	78	E.GONZALEZ
	1800	78	E.GONZALEZ
	2100	78	E.GONZALEZ
	2400	76	A.MAYENT

Wednesday			
Date	Time	Temp.	Name (Print)
6-26-24	0300	74	A.NASIENT
	0600	76	C.BLACKWOOD
	0900	77	C.BLACKWOOD
	1200	77	C.BLACKWOOD
	1500	78	D.VAVALOZ
	1800	78	D.VAVALOZ
	2100	78	D.VAVALOZ
	2400	80	M.PASCUAL

Thursday			
Date	Time	Temp.	Name (Print)
6-27-24	0300	73	M.Pascual
	0600	77	C.BLACKWOOD
	0900	77	C.BLACKWOOD
	1200	77	C.BLACKWOOD
	1500	77	RAMIREZ
	1800	78	Ramirez
	2100	78	Ramirez
	2400	76	C.YOCUM

Friday			
Date	Time	Temp.	Name (Print)
6-28-24	0300	76	C.YOCUM
	0600	77	C.BLACKWOOD
	0900	77	C.BLACKWOOD
	1200	77	C.BLACKWOOD
	1500	78	Ramirez
	1800	78	Ramirez
	2100	78	Ramirez
	2400	76	C.YOCUM

Saturday			
Date	Time	Temp.	Name (Print)
6-29-24	0300	76	C.YOCUM
	0600	76	C.BLACKWOOD
	0900	76	C.BLACKWOOD
	1200	76	C.BLACKWOOD
	1500	80°	E.GONZALEZ
	1800	80°	E.GONZALEZ
	2100	78°	E.GONZALEZ
	2400	76	C.YOCUM

Notes

Sunday			
Date	Time	Temp.	Name (Print)
6-30-24	0300	76	C.YOCUM
	0600	73	SAMARRIPAS
	0900	74	SAMARRIPAS
	1200	75	SAMARRIPAS
	1500	78°	E.GONZALEZ
	1800	78°	E.GONZALEZ
	2100	76°	E.GONZALEZ
	2400	76°	C.YOCUM

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB6 Temp. Reading Location: ZND Tier A-SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	D300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	C De La
	0600	70	Valdez
	0900	72	Valdez
	1200	75	Valdez
	1500	75	Ramirez
	1800	75	Ramirez
	2100	75	Ramirez
	2400	72	C De La

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	72	L. Delar
	0600	70	J. Rodriguez
	0900	72	J. Rodriguez
	1200	73	J. Rodriguez
	1500	73	Ramirez
	1800	73	Ramirez
	2100	73	Ramirez
	2400	72	L. Delar

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: F13B6 Temp. Reading Location: IND TIER - A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6061 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6-3-24	0300	70	C. DeLoach
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	RIPPER
	1800	71	RIPPER
	2100	71	RIPPER
	2400	69	C. DeLoach

Date	Time	Temp.	Name (Print)
6-4-24	0300	69	Caldwell
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	DUPREE
	1800	71	DUPREE
	2100	71	DUPREE
	2400	70	Caldwell

Wednesday			
Date	Time	Temp.	Name (Print)
6-5-24	0300	69	Debra
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	71	LIRE
	1800	71	RIDER
	2100	71	RIDER
	2400	72	SAC

Thursday			
Date	Time	Temp.	Name (Print)
6-6-24	0300	72	S. TUCKER
	0600	72	C. TUCKER
	0900	72	C. TUCKER
	1200	72	C. TUCKER
	1500	73	R. MEE
	1800	72	RIDGE
	2100	72	RIDGE
	2400	72	S. MEE

Date	Time	Temp.	Name (Print)
6-7-24	0300	72	S. M. S.
	0600	72	Rex -
	0900	74	V. Rayne
	1200	75	V. Rayne
	1500	74	R. F. R.
	1800	74	R. F. R.
	2100	74	R. F. R.
	2400	70	C. De (12)

Saturday			
Date	Time	Temp.	Name (Print)
6-8-24	0300	70	C. A. L. O.
	0600	70	V. Reyna
	0900	73	V. Key
	1200	75	V. Reyna
	1500	75	Ramirez
	1800	75	Ramirez
	2100	75	Ramirez
	2400	73	C. Delao

Date	Time	Temp.	Name (Print)
6-9-24	0300	73	S. Delgadillo
	0600	72	S. Delgadillo
	0900	72	S. Delgadillo
	1200	72	S. Delgadillo
	1500	75	Ramirez
	1800	75	Ramirez
	2100	75	Ramirez
	2400	74	Melchor

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: F10B C Temp. Reading Location: 2ND Tier A SIDE
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>6-10-24</u>	0300	74	DeLoz
	0600	74	Rubin
	0900	74	Rubin
	1200	75	Rubin
	1500	71	RIPPER
	1800	71	RIPPER
	2100	71	RIPPER
	2400	70	DeLoz

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6-11-24</u>	0300	75	DeLoz
	0600	70	V. Reyna
	0900	72	V. Reyna
	1200	72	V. Reyna
	1500	72	RIVAS
	1800	71	RIPPER
	2100	71	RIPPER
	2400	71	DeLoz

Wednesday			
Date	Time	Temp.	Name (Print)
<u>6-12-24</u>	0300	71	DeLoz
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	RIPPER
	1800	71	RIPPER
	2100	71	RIPPER
	2400	71	SPIR

Thursday			
Date	Time	Temp.	Name (Print)
<u>6-13-24</u>	0300	71	SPIR
	0600	71	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	RIVE
	1800	71	RIVE
	2100	71	RIVE
	2400	71	SPIR

Friday			
Date	Time	Temp.	Name (Print)
<u>6-14-24</u>	0300	71	SPIR
	0600	71	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	RIVER
	1800	71	RIVER
	2100	71	RIVER
	2400	72	C. DeLoz

Saturday			
Date	Time	Temp.	Name (Print)
<u>6-15-24</u>	0300	72	C. DeLoz
	0600	72	V. Reyna
	0900	72	V. Reyna
	1200	72	V. Reyna
	1500	74	RAMIREZ
	1800	74	RAMIREZ
	2100	74	RAMIREZ
	2400	72	DeLoz

Notes			

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBBG Temp. Reading Location: 2nd A-SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	72	C. VASQUEZ	<u>6-18-24</u>	0300	70	C. DELA
	0600	71	F. RIVAS		0600	70	RIVAS
	0900	71	F. RIVAS		0900	71	RIVAS
	1200	71	F. RIVAS		1200	71	RIVAS
	1500	71	RIVAS		1500	71	RIVAS
	1800	71	RIVAS		1800	71	RIVAS
	2100	71	RIVAS		2100	71	RIVAS
	2400	70	C. DELA		2400	70	Delta
Wednesday							
<u>6-19-24</u>	0300	70	Delta	<u>6-20-24</u>	0300	70	J. VASQUEZ
	0600	70	RIVAS		0600	70	F. RIVAS
	0900	70	RIVAS		0900	70	F. RIVAS
	1200	70	RIVAS		1200	71	F. RIVAS
	1500	71	RIVAS		1500	71	RIVAS
	1800	71	RIVAS		1800	71	RIVAS
	2100	71	RIVAS		2100	71	RIVAS
	2400	70	J. VASQUEZ		2400	70	J. VASQUEZ
Friday							
<u>6-21-24</u>	0300	71	A. NASENT	<u>6-22-24</u>	0300	70	C. DELA
	0600	71	F. RIVAS		0600	71	F. RIVAS
	0900	71	F. RIVAS		0900	71	F. RIVAS
	1200	71	F. RIVAS		1200	75	RAMIREZ
	1500	71	RIVAS		1500	75	RAMIREZ
	1800	71	RIVAS		1800	75	RAMIREZ
	2100	71	RIVAS		2100	75	RAMIREZ
	2400	70	C. DELA		2400	72	Delta
Sunday							
<u>6-23-24</u>	0300	72	Delta	Notes			
	0600	72	F. RIVAS				
	0900	72	F. RIVAS				
	1200	72	F. RIVAS				
	1500	75	RAMIREZ				
	1800	75	RAMIREZ				
	2100	75	RAMIREZ				
	2400	74	Delta				

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBBL Temp. Reading Location: ZAD - A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	72	DELAO
	0600	72	F. RIVAS
	0900	72	F. RIVAS
	1200	72	F. RIVAS
	1500	72	R. RIVAS
	1800	72	R. RIVAS
	2100	72	R. RIVAS
	2400	70	DELAO

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	70	DELAO
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	R. RIVAS
	1800	71	R. RIVAS
	2100	71	R. RIVAS
	2400	70	DELAO

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	70	DELAO
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	R. RIVAS
	1800	71	R. RIVAS
	2100	71	R. RIVAS
	2400	71	SAR

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	70	SAR
	0600	70	RIVAS
	0900	71	RIVAS
	1200	71	RIVAS
	1500	71	R. RIVAS
	1800	71	R. RIVAS
	2100	71	R. RIVAS
	2400	71	SAR

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	71	SAR
	0600	71	RIVAS
	0900	71	RIVAS
	1200	71	RIVAS
	1500	71	R. RIVAS
	1800	71	R. RIVAS
	2100	71	R. RIVAS
	2400	70	DELAO

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	70	DELAO
	0600	70	RIVAS
	0900	71	RIVAS
	1200	71	RIVAS
	1500	76	RAMIREZ
	1800	76	RAMIREZ
	2100	76	RAMIREZ
	2400	76	DELAO

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	74	DELAO
	0600	74	F. RIVAS
	0900	74	F. RIVAS
	1200	74	F. RIVAS
	1500	74	RAMIREZ
	1800	75	RAMIREZ
	2100	75	RAMIREZ
	2400	74	K. GARNERS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB6 Temp. Reading Location: 2ND TIER B-SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	C Delso
	0600	70	Valdez
	0900	72	Valdez
	1200	73	Valdez
	1500	73	Ramirez
	1800	74	Ramirez
	2100	74	Ramirez
	2400	72	Delso

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	72	C Delso
	0600	70	C Rodriguez
	0900	72	C Rodriguez
	1200	73	C Rodriguez
	1500	73	Ramirez
	1800	73	Ramirez
	2100	73	Ramirez
	2400	72	C Delso

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LWSP Housing Unit: FBBG Temp. Reading Location: INP TIER-B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	70	C De La
	0600	70	F. Rivas
	0900	70	F. Rivas
	1200	70	F. Rivas
	1500	71	RIPPE
	1800	71	RIPPE
	2100	71	RIPPE
	2400	69	C De La

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	69	C De La
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	71	RIPPE
	1800	71	RIPPE
	2100	71	RIPPE
	2400	70	C De La

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	69	C De La
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	71	RIPPE
	1800	71	RIPPE
	2100	71	RIPPE
	2400	72	S. Delgadillo

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	72	S. Tucker
	0600	72	C. Tucker
	0900	70	C. Tucker
	1200	70	C. Tucker
	1500	71	RIPPE
	1800	71	RIPPE
	2100	71	RIPPE
	2400	72	S. Tucker

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	72	S. Delgadillo
	0600	72	Rivas
	0900	74	Rivas
	1200	75	Rivas
	1500	71	RIPPE
	1800	71	RIPPE
	2100	71	RIPPE
	2400	70	C De La

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	70	C De La
	0600	70	V. Rivas
	0900	72	V. Rivas
	1200	74	V. Rivas
	1500	75	Ramirez
	1800	75	Ramirez
	2100	75	Ramirez
	2400	73	C De La

Notes

Date	Time	Temp.	Name (Print)
6-9-24	0300	73	C De La
	0600	72	S. Delgadillo
	0900	72	S. Delgadillo
	1200	72	S. Delgadillo
	1500	75	Ramirez
	1800	75	Ramirez
	2100	75	Ramirez
	2400	74	C De La

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBBL Temp. Reading Location: 2nd Tier B-SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	74	Delos
	0600	74	Rivas
	0900	71	Rubio
	1200	74	Rubio
	1500	74	Rivas
	1800	71	Rivas
	2100	71	Rivas
	2400	76	DeLois

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	70	Delos
	0600	70	V. Reyna
	0900	70	V. Reyna
	1200	72	V. Reyna
	1500	72	Rivas
	1800	71	Rivas
	2100	71	Rivas
	2400	71	DeLois

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	71	DeLois
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	71	Rivas
	1800	71	Rivas
	2100	71	Rivas
	2400	71	Santos

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	71	Santos
	0600	71	F. Rivas
	0900	71	F. Rivas
	1200	71	F. Rivas
	1500	71	A. Rivas
	1800	71	A. Rivas
	2100	71	A. Rivas
	2400	71	Santos

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	71	Santos
	0600	71	F. Rivas
	0900	71	F. Rivas
	1200	71	F. Rivas
	1500	71	Rivas
	1800	71	Rivas
	2100	71	Rivas
	2400	70	DeLois

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	70	DeLois
	0600	70	V. Reyna
	0900	70	V. Reyna
	1200	71	V. Reyna
	1500	74	Ramirez
	1800	74	Ramirez
	2100	74	Ramirez
	2400	72	DeLois

Notes

Date	Time	Temp.	Name (Print)
6-16-24	0300	70	DeLois
	0600	70	V. DeLois
	0900	72	V. DeLois
	1200	72	V. DeLois
	1500	75	Ramirez
	1800	75	Ramirez
	2100	75	Ramirez
	2400	74	Z. MCGOVERN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: EBB6 Temp. Reading Location: 2nd tier IS-SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	69	C. VASQUEZ
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	R. DIAZ
	1800	71	R. DIAZ
	2100	71	R. DIAZ
	2400	68	D. DELA

Tuesday

Date	Time	Temp.	Name (Print)
<u>6-18-24</u>	0300	68	C. DELA
	0600	70	RIVAS
	0900	71	RIVAS
	1200	71	RIVAS
	1500	71	R. DIAZ
	1800	71	R. DIAZ
	2100	70	R. DIAZ
	2400	70	D. DELA

Wednesday

Date	Time	Temp.	Name (Print)
<u>6-19-24</u>	0300	70	D. DELA
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	R. DIAZ
	1800	71	R. DIAZ
	2100	71	R. DIAZ
	2400	70	J. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
<u>6-20-24</u>	0300	70	J. VASQUEZ
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	R. DIAZ
	1800	71	R. DIAZ
	2100	71	R. DIAZ
	2400	71	A. NASENT

Friday

Date	Time	Temp.	Name (Print)
<u>6-21-24</u>	0300	70	A. NASENT
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	71	F. RIVAS
	1500	71	R. DIAZ
	1800	71	R. DIAZ
	2100	71	R. DIAZ
	2400	68	C. DELA

Saturday

Date	Time	Temp.	Name (Print)
<u>6-22-24</u>	0300	68	A. C. DELA
	0600	69	F. RIVAS
	0900	69	F. RIVAS
	1200	75	RAMIREZ
	1500	75	RAMIREZ
	1800	75	RAMIREZ
	2100	75	RAMIREZ
	2400	72	D. DELA

Sunday

Date	Time	Temp.	Name (Print)
<u>6-23-24</u>	0300	72	C. DELA
	0600	72	F. RIVAS
	0900	72	F. RIVAS
	1200	72	F. RIVAS
	1500	75	RAMIREZ
	1800	75	RAMIREZ
	2100	75	RAMIREZ
	2400	74	C. DELA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LWSP Housing Unit: FBB6 Temp. Reading Location: 2ND - B - SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	70	Delta
	0600	70	F-RIVAS
	0900	70	F-RIVAS
	1200	70	F-RIVAS
	1500	71	RIDGE
	1800	71	CARL
	2100	71	CARL
	2400	70	Delta

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	70	Delta
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	RIDGE
	1800	71	ROD
	2100	71	ROD
	2400	71	Delta

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	70	Delta
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	RIDGE
	1800	71	RIDGE
	2100	71	RIDGE
	2400	71	SALV

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	70	SALV
	0600	71	RIVAS
	0900	71	RIVAS
	1200	71	RIVAS
	1500	71	RIDGE
	1800	71	RIDGE
	2100	71	RIDGE
	2400	71	SALV

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	71	SALV
	0600	71	RIVAS
	0900	71	RIVAS
	1200	71	RIVAS
	1500	71	RIDGE
	1800	71	RIDGE
	2100	71	RIDGE
	2400	70	Delta

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	70	Delta
	0600	70	F-RIVAS
	0900	71	RIVAS
	1200	71	RIVAS
	1500	76	RAMIREZ
	1800	76	RAMIREZ
	2100	76	RAMIREZ
	2400	76	Delta

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	74	Delta
	0600	74	F-RIVAS
	0900	74	F-RIVAS
	1200	74	F-RIVAS
	1500	74	RAMIREZ
	1800	75	RAMIREZ
	2100	75	RAMIREZ
	2400	74	KGARNES

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2

Temp. Reading Location: TIER 2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06-01-24	0300	70	A. RAMIREZ
	0600	71	A. RAMIREZ
	0900	70	M. GARCIA
	1200	72	M. GARCIA
	1500	74	M. GARCIA
	1800	76	R. SOTO
	2100	75	R. SOTO
	2400	73	A. RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
06-02-24	0300	71	A. RAMIREZ
	0600	70	alfonso
	0900	72	alfonso
	1200	73	alfonso
	1500	72	J. OROZCO
	1800	71	J. OROZCO
	2100	71	J. OROZCO
	2400	71	B. MARTIN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0300	71	B.MATA
	0600	72	J.BLACK
	0900	72	J.BLACK
	1200	72	J.BLACK
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	72	B.MATA

Tuesday

Date	Time	Temp.	Name (Print)
06-04-24	0300	71	B.MATA
	0600	71	O.Sheron
	0900	72	O.Sheron
	1200	72	O.Sheron
	1500	72	C.Nieto
	1800	72	C.Nieto
	2100	72	C.Nieto
	2400	71	B.MATA

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	71	B.MATA
	0600	72	M.GORDON
	0900	70	M.GORDON
	1200	71	M.GORDON
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	73	B.MATA

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	71	B.MATA
	0600	71	M.GORDON
	0900	71	M.GORDON
	1200	72	M.GORDON
	1500	74	C.Nieto
	1800	74	C.Nieto
	2100	74	C.Nieto
	2400	74	B.MATA

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0300	73	B.MATA
	0600	71	M.GORDON
	0900	71	M.GORDON
	1200	72	M.GORDON
	1500	74	C.Nieto
	1800	74	C.Nieto
	2100	74	C.Nieto
	2400	73	J.SANTANA

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0300	72	J.SANTANA
	0600	72	M.GORDON
	0900	72	M.GORDON
	1200	72	M.GORDON
	1500	74	B.MATA
	1800	74	B.MATA
	2100	74	B.MATA
	2400	73	J.SANTANA

Sunday

Date	Time	Temp.	Name (Print)
06-09-24	0300	72	J.SANTANA
	0600	72	J.BLACK
	0900	72	J.BLACK
	1200	72	J.BLACK
	1500	72	B.MATA
	1800	72	B.MATA
	2100	72	B.MATA
	2400	72	B.MATA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-10-24	0300	71	B. MATA
	0600	70	M. Montoya
	0900	72	M. Montoya
	1200	72	M. Montoya
	1500	72	C Nieto
	1800	72	C Nieto
	2100	72	C Nieto
	2400	71	B MATA

Tuesday

Date	Time	Temp.	Name (Print)
06-11-24	0300	70	B. MATA
	0600	70	D. Schum
	0900	71	D. Schum
	1200	71	D. Schum
	1500	73	C Nieto
	1800	73	C Nieto
	2100	73	C Nieto
	2400	72	J. NICKELL

Wednesday

Date	Time	Temp.	Name (Print)
06-12-24	0300	71	J. NICKELL
	0600	71	W. Gobler
	0900	71	W. Gobler
	1200	71	W. Gobler
	1500	73	C Nieto
	1800	73	C Nieto
	2100	73	C Nieto
	2400	71	S. MORENO

Thursday

Date	Time	Temp.	Name (Print)
06-13-24	0300	71	S. MORENO
	0600	71	M. Gobler
	0900	71	M. Gobler
	1200	73	M. Gobler
	1500	73	C Nieto
	1800	73	C Nieto
	2100	73	C Nieto
	2400	71	H. CERA

Friday

Date	Time	Temp.	Name (Print)
06-14-24	0300	71	H. CERA
	0600	71	M. Gobler
	0900	71	M. Gobler
	1200	71	M. Gobler
	1500	72	J. OROZCO
	1800	71	J. OROZCO
	2100	71	J. OROZCO
	2400	71	J. SANCHEZ

Saturday

Date	Time	Temp.	Name (Print)
06-15-24	0300	71	J. SANCHEZ
	0600	72	M. Gobler
	0900	71	M. Gobler
	1200	72	M. Gobler
	1500	72	J. OROZCO
	1800	72	J. OROZCO
	2100	71	J. OROZCO
	2400	71	J. SANCHEZ

Notes

Date	Time	Temp.	Name (Print)
06-16-24	0300	71	J. SANCHEZ
	0600	72	M. Gobler
	0900	72	M. Gobler
	1200	72	M. Gobler
	1500	71	J. OROZCO
	1800	71	J. OROZCO
	2100	71	J. OROZCO
	2400	71	B. MATA

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-17-24	0300	71	B.MATA
	0600	71	L.Dela-Torre
	0900	72	L.Dela-Torre
	1200	72	L.Dela-Torre
	1500	72	C.Nieto
	1800	72	C.Nieto
	2100	72	C.Nieto
	2400	71	B.MATA

Tuesday

Date	Time	Temp.	Name (Print)
06-18-24	0300	71	B.MATA
	0600	72	M.Chehert
	0900	73	M.Chehert
	1200	73	M.Chehert
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	72	B.MATA

Wednesday

Date	Time	Temp.	Name (Print)
06-19-24	0300	71	B.MATA
	0600	71	A.Gonzales
	0900	71	A.Gonzales
	1200	72	M.Chehert
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	72	B.MATA

Thursday

Date	Time	Temp.	Name (Print)
06-20-24	0300	71	B.MATA
	0600	71	M.Chehert
	0900	71	M.Chehert
	1200	72	M.Chehert
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	72	B.MATA

Friday

Date	Time	Temp.	Name (Print)
06-21-24	0300	71	B.MATA
	0600	71	M.Chehert
	0900	71	M.Chehert
	1200	72	M.Chehert
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	72	J.Sanchez

Saturday

Date	Time	Temp.	Name (Print)
06-22-24	0300	70	J.Sanchez
	0600	71	M.Chehert
	0900	72	M.Chehert
	1200	72	M.Chehert
	1500	74	C.Nieto
	1800	74	C.Nieto
	2100	74	C.Nieto
	2400	73	J.Sanchez

Sunday

Date	Time	Temp.	Name (Print)
06-23-24	0300	71	J.Sanchez
	0600	72	M.Chehert
	0900	73	M.Chehert
	1200	73	M.Chehert
	1500	74	J.Sanchez
	1800	74	J.Sanchez
	2100	74	J.Sanchez
	2400	75	B.MATA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-24-24	0300	72	B.MATA
	0600	72	L.Delatorre
	0900	72	L.Delatorre
	1200	73	L.Delatorre
	1500	74	C.Nieto
	1800	74	C.Nieto
	2100	74	C.Nieto
	2400	73	B.MATA

Tuesday

Date	Time	Temp.	Name (Print)
06-25-24	0300	72	B.MATA
	0600	72	O.Schwarz
	0900	73	O.Schwarz
	1200	74	O.Schwarz
	1500	75	C.Nieto
	1800	75	C.Nieto
	2100	75	C.Nieto
	2400	74	B.MATA

Wednesday

Date	Time	Temp.	Name (Print)
06-26-24	0300	72	B.MATA
	0600	72	M.Gonzales
	0900	72	M.Gonzales
	1200	72	M.Gonzales
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	73	B.MATA

Thursday

Date	Time	Temp.	Name (Print)
06-27-24	0300	72	B.MATA
	0600	72	M.Gonzales
	0900	72	M.Gonzales
	1200	72	M.Gonzales
	1500	73	C.Nieto
	1800	73	C.Nieto
	2100	73	C.Nieto
	2400	73	B.MATA

Friday

Date	Time	Temp.	Name (Print)
06-28-24	0300	72	B.MATA
	0600	72	M.Gonzales
	0900	72	M.Gonzales
	1200	72	M.Gonzales
	1500	73°	Pascual
	1800	73°	Pascual
	2100	73°	Pascual
	2400	72	J.Sanchez

Saturday

Date	Time	Temp.	Name (Print)
06-29-24	0300	71	J.Sanchez
	0600	72	M.Gonzales
	0900	72	M.Gonzales
	1200	73	M.Gonzales
	1500	74	L.CARRAWAY
	1800	74	L.CARRAWAY
	2100	74	L.CARRAWAY
	2400	73	J.Sanchez

Sunday

Date	Time	Temp.	Name (Print)
06-30-24	0300	71	J.Sanchez
	0600	72	M.Gonzales
	0900	72	M.Gonzales
	1200	72	M.Gonzales
	1500	74	L.CARRAWAY
	1800	74	L.CARRAWAY
	2100	74	L.CARRAWAY
	2400	72	B.MATA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	72	J. Many
	0600	72	J. Many
	0900	73	S. Seville
	1200	72	S. Seville
	1500	73	J. Lopes
	1800	74	J. Lopes
	2100	75	J. Lopes
	2400	73	J. Many

Sunday

Date	Time	Temp.	Name (Print)
06-02-24	0300	72	J. Many
	0600	72	J. Many
	0900	72	M. Oehlert
	1200	73	M. Oehlert
	1500	73	S. Seville
	1800	74	S. Seville
	2100	74	S. Seville
	2400	74	J. Many

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0300	72	J. Maw
	0600	72	J. Maw
	0900	72	L. Ramirez
	1200	72	L. Ramirez
	1500	73	J. Orozco
	1800	73	J. Orozco
	2100	72	J. Orozco
	2400	72	J. Maw

Tuesday

Date	Time	Temp.	Name (Print)
06-04-24	0300	72	J. Maw
	0600	70	J. Maw
	0900	70	L. Ramirez
	1200	71	L. Ramirez
	1500	72	J. Orozco
	1800	72	J. Orozco
	2100	72	J. Orozco
	2400	72	J. Maw

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	70	J. Maw
	0600	70	J. Maw
	0900	70	L. Ramirez
	1200	73	L. Ramirez
	1500	74	J. Lopes
	1800	75	J. Lopes
	2100	76	J. Lopes
	2400	75	J. Maw

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	74	J. Sanche
	0600	76	L. Ramirez
	0900	76	C. Ramirez
	1200	77	L. Ramirez
	1500	77	J. Lopes
	1800	78	J. Lopes
	2100	78	J. Lopes
	2400	78	J. Sanche

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0300	74	J. Sanche
	0600	74	L. Ramirez
	0900	75	L. Ramirez
	1200	76	L. Ramirez
	1500	76	J. Lopes
	1800	77	J. Lopes
	2100	78	J. Lopes
	2400	78	J. Maw

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0300	76	J. Maw
	0600	75	J. Maw
	0900	77	S. Ordiz
	1200	78	S. Ordiz
	1500	78	J. Lopes
	1800	79	J. Lopes
	2100	79	J. Lopes
	2400	76	J. Maw

Notes

Date	Time	Temp.	Name (Print)
06-09-24	0300	79	J. Maw
	0600	79	J. Maw
	0900	75	S. Ordiz
	1200	75	S. Ordiz
	1500	75	J. Lopes
	1800	76	J. Lopes
	2100	79	J. Lopes
	2400	75	J. Maw

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-10-24	0300	75	T. Manz
	0600	72	T. Manz
	0900	73	M. Oehlert
	1200	74	M. Oehlert
	1500	74	J. Orozco
	1800	73	J. Orozco
	2100	73	J. Orozco
	2400	72	T. Manz

Tuesday

Date	Time	Temp.	Name (Print)
06-11-24	0300	70	T. Manz
	0600	70	T. Manz
	0900	73	M. Oehlert
	1200	75	M. Oehlert
	1500	75	J. Orozco
	1800	74	J. Orozco
	2100	74	J. Orozco
	2400	74	T. Manz

Wednesday

Date	Time	Temp.	Name (Print)
06-12-24	0300	72	T. Manz
	0600	72	T. Manz
	0900	75	L. Ramirez
	1200	78	L. Ramirez
	1500	78	J. Lopes
	1800	79	J. Lopes
	2100	80	J. Lopes
	2400	75	J. Smith

Thursday

Date	Time	Temp.	Name (Print)
06-13-24	0300	74	J. Smith
	0600	74	L. Ramirez
	0900	74	L. Ramirez
	1200	75	L. Ramirez
	1500	75	J. Lopes
	1800	76	J. Lopes
	2100	77	J. Lopes
	2400	75	J. Smith

Friday

Date	Time	Temp.	Name (Print)
06-14-24	0300	73	J. Smith
	0600	73	L. Ramirez
	0900	73	L. Ramirez
	1200	73	L. Ramirez
	1500	73	J. Lopes
	1800	74	J. Lopes
	2100	75	J. Lopes
	2400	74	T. Manz

Saturday

Date	Time	Temp.	Name (Print)
06-15-24	0300	72	T. Manz
	0600	72	T. Manz
	0900	73	C. Ernest
	1200	73	C. Ernest
	1500	74	C. Ernest
	1800	75	J. Lopes
	2100	76	J. Lopes
	2400	74	T. Manz

Sunday

Date	Time	Temp.	Name (Print)
06-16-24	0300	72	T. Manz
	0600	72	T. Manz
	0900	73	C. Rodriguez
	1200	74	C. Rodriguez
	1500	75	J. Lopes
	1800	76	J. Lopes
	2100	77	J. Lopes
	2400	75	T. Manz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-17-24	0300	72	J. Mays
	0600	72	J. Mays
	0900	72	L. Ramirez
	1200	72	L. Ramirez
	1500	72	J. Orozco
	1800	72	J. Orozco
	2100	71	J. Orozco
	2400	70	J. Mays

Tuesday

Date	Time	Temp.	Name (Print)
06-18-24	0300	70	J. Mays
	0600	70	J. Mays
	0900	70	L. Ramirez
	1200	70	L. Ramirez
	1500	70	J. Orozco
	1800	70	J. Orozco
	2100	69	J. Orozco
	2400	69	C. Hill

Wednesday

Date	Time	Temp.	Name (Print)
06-19-24	0300	69	C. Hill
	0600	69	L. Ramirez
	0900	70	L. Ramirez
	1200	70	L. Ramirez
	1500	71	J. Lopes
	1800	71	J. Lopes
	2100	73	J. Lopes
	2400	75	M. Mays

Thursday

Date	Time	Temp.	Name (Print)
06-20-24	0300	70	M. Mays
	0600	70	L. Ramirez
	0900	70	L. Ramirez
	1200	70	L. Ramirez
	1500	71	J. Lopes
	1800	72	J. Lopes
	2100	73	J. Lopes
	2400	71	J. Sanchez

Friday

Date	Time	Temp.	Name (Print)
06-21-24	0300	78	J. Sanchez
	0600	76	L. Ramirez
	0900	70	L. Ramirez
	1200	71	L. Ramirez
	1500	72	J. Lopes
	1800	72	J. Lopes
	2100	73	J. Lopes
	2400	73	J. Nicewer

Saturday

Date	Time	Temp.	Name (Print)
06-22-24	0300	71	J. Nicewer
	0600	71	S. Ordaz
	0900	73	S. Ordaz
	1200	73	S. Ordaz
	1500	73	J. Lopes
	1800	71	J. Lopes
	2100	75	J. Lopes
	2400	74	J. Mays

Notes

Date	Time	Temp.	Name (Print)
06-23-24	0300	72	J. Mays
	0600	72	J. Mays
	0900	73	S. Ordaz
	1200	74	S. Ordaz
	1500	74	J. Lopes
	1800	75	J. Lopes
	2100	76	J. Lopes
	2400	73	H. Cera

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-24-24	0300	71	M.CEPA
	0600	72	M.Oehlert
	0900	73	M.Oehlert
	1200	74	M.Oehlert
	1500	78	L.CARRAWAY
	1800	76	L.CARRAWAY
	2100	76	L.CARRAWAY
	2400	72	L.Burnas

Tuesday

Date	Time	Temp.	Name (Print)
06-25-24	0300	72	K.GARRET
	0600	72	L.Ramirez
	0900	73	L.Ramirez
	1200	73	L.Ramirez
	1500	74	L.CARRAWAY
	1800	74	L.CARRAWAY
	2100	74	L.CARRAWAY
	2400	74	J.Manson

Wednesday

Date	Time	Temp.	Name (Print)
06-26-24	0300	72	J.Mans
	0600	72	J.Mans
	0900	72	L.Ramirez
	1200	72	L.Ramirez
	1500	72	J.Lopes
	1800	73	J.Lopes
	2100	74	J.Lopes
	2400	74	J.Sanchez

Thursday

Date	Time	Temp.	Name (Print)
06-27-24	0300	73	J.Sanchez
	0600	73	L.Ramirez
	0900	73	L.Ramirez
	1200	73	L.Ramirez
	1500	73	J.Lopes
	1800	74	J.Lopes
	2100	75	J.Lopes
	2400	73	J.Sanchez

Friday

Date	Time	Temp.	Name (Print)
06-28-24	0300	72	J.Sanchez
	0600	72	L.Ramirez
	0900	73	L.Ramirez
	1200	74	L.Ramirez
	1500	75	J.Lopes
	1800	75	J.Lopes
	2100	75	J.Lopes
	2400	74	J.Mans

Saturday

Date	Time	Temp.	Name (Print)
06-29-24	0300	72	J.Mans
	0600	72	J.Mans
	0900	73	S.Cordiz
	1200	73	S.Cordiz
	1500	74	M.Cloud
	1800	74	M.Cloud
	2100	73	M.Cloud
	2400	72	J.Mans

Sunday

Date	Time	Temp.	Name (Print)
06-30-24	0300	72	J.Mans
	0600	72	J.Mans
	0900	73	S.Cordiz
	1200	73	S.Cordiz
	1500	73	J.Lopes
	1800	74	J.Lopes
	2100	75	J.Lopes
	2400	74	J.Mans

Notes

OF CALIFORNIA
SIDE TEMPERATURE RECORD
OCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

(Note: Air-conditioned housing units will also be monitored.)
Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: HERE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
06-02-24	0300	70	J. DONGE
	0600	70°	MUNEZ
	0900	71°	MUNEZ
	1200	71°	MUNEZ
	1500	72	J. Martinez
	1800	75	J. Martinez
	2100	77	J. Martinez
	2400	76	J. Martinez

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06-01-24	0300	70	L. PONCE
	0600	72	A. Hermosillo
	0900	74	A. Hermosillo
	1200	76	A. Hermosillo
	1500	75	A. LOPEZ
	1800	75	A. LOPEZ
	2100	74	A. LOPEZ
	2400	70	L. PONCE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0300	72	J. Dunn
	0600	72	S. Ordiz
	0900	73	S. Ordiz
	1200	75	J. Martinez
	1500	75	J. Martinez
	1800	74	J. Martinez
	2100	74	J. Martinez
	2400	75	J. McCain

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	72	J. Sanchez
	0600	74	A. Hermosillo
	0900	77	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	J. Orozco
	1800	79	J. Orozco
	2100	79	J. Orozco
	2400	74	M. Pascual

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0300	72	A. Nasena
	0600	74	A. Hermosillo
	0900	77	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	J. Martinez
	1800	79	J. Martinez
	2100	79	J. Martinez
	2400	79	J. Martinez

Sunday

Date	Time	Temp.	Name (Print)
06-09-24	0300	74	B. Mata
	0600	74	A. Hermosillo
	0900	76	A. Hermosillo
	1200	78	A. Hermosillo
	1500	80	Z. Ruiz
	1800	79	Z. Ruiz
	2100	77	Z. Ruiz
	2400	76	E. Martinez

Tuesday

Date	Time	Temp.	Name (Print)
06-04-24	0300	73	J. McCain
	0600	72	S. Ordiz
	0900	75	S. Ordiz
	1200	77	S. Ordiz
	1500	74	J. Martinez
	1800	75	J. Martinez
	2100	75	J. Martinez
	2400	73	J. Santa

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	72	M. Pascual
	0600	74	A. Hermosillo
	0900	77	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	B. Mata
	1800	80	B. Mata
	2100	80	B. Mata
	2400	75	A. Najera

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0300	79	C. Hill
	0600	76	A. Hermosillo
	0900	78	A. Hermosillo
	1200	80	A. Hermosillo
	1500	79	A. Rodriguez
	1800	78	A. Rodriguez
	2100	79	A. Rodriguez
	2400	77	B. Mata

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
06-10-24	0300	73	E. Martinez	06-11-24	0300	73	J. McCain	06-12-24	0300	75	J. Martinez	06-13-24	0300	75	E. Martinez	06-14-24	0300	78	B. Garcia	06-15-24	0300	76	E. Martinez	06-16-24	0300	76	E. Martinez
	0600	74	E. Martinez		0600	72	S. Ortiz		0600	74	A. Hermosillo		0600	74	E. Martinez		0600	78	J. Martinez		0600	73	E. Martinez		0600	75	E. Martinez
	0900	75	S. Ortiz		0900	74	S. Ortiz		0900	77	A. Hermosillo		0900	77	A. Hermosillo		0900	79	J. Martinez		0900	75	E. Martinez		0900	76	E. Martinez
	1200	75	S. Ortiz		1200	77	Z. Renfro		1200	79	A. Hermosillo		1200	79	S. Moreno		1200	76	J. Martinez		1200	76	E. Martinez		1200	77	E. Martinez
	1500	74	J. Martinez		1500	78	J. Martinez		1500	79	S. Moreno		1500	79	S. Moreno		1500	78	J. Martinez		1500	78	J. Martinez		1500	78	J. Martinez
	1800	74	J. Martinez		1800	78	J. Martinez		1800	79	S. Moreno		1800	79	S. Moreno		1800	77	J. Martinez		1800	78	J. Martinez		1800	78	J. Martinez
	2100	73	J. Martinez		2100	77	J. Martinez		2100	77	S. Moreno		2100	77	S. Moreno		2100	76	J. Martinez		2100	76	J. Martinez		2100	76	J. Martinez
	2400	73	J. McCain		2400	76	J. Salter		2400	76	J. Salter		2400	78	B. Garcia		2400	73	E. Martinez		2400	76	E. Martinez		2400	76	E. Martinez
Notes																											

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: JNSP Housing Unit: FAB 3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	74	E. Martinez
	0600	74	S. Ortiz
	0900	75	S. Ortiz
	1200	75	S. Ortiz
	1500	75	J. Martinez
	1800	75	J. Martinez
	2100	73	J. Martinez
	2400	70	A. DUCUT

Tuesday

Date	Time	Temp.	Name (Print)
6-18-24	0300	69	A. DUCUT
	0600	71	S. Ortiz
	0900	70	S. Ortiz
	1200	70	S. Ortiz
	1500	72	J. Martinez
	1800	74	J. Martinez
	2100	71	J. Martinez
	2400	75	PAREDEC

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	75	PAREDEC
	0600	75	ZEPEDA
	0900	78	ZEPEDA
	1200	78	ZEPEDA
	1500	79	J. OROZCO
	1800	79	J. OROZCO
	2100	78	J. OROZCO
	2400	77	E. Martinez

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	75	E. Martinez
	0600	75	A. Hermosillo
	0900	77	A. Hermosillo
	1200	78	A. Hermosillo
	1500	79	O. ACELLO
	1800	79	O. ACELLO
	2100	78	O. ACELLO
	2400	77	E. Martinez

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	76	E. Martinez
	0600	76	A. Hermosillo
	0900	77	A. Hermosillo
	1200	78	A. Hermosillo
	1500	79	J. Martinez
	1800	79	J. Martinez
	2100	78	J. Martinez
	2400	76	E. Martinez

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	76	E. Martinez
	0600	75	A. Hermosillo
	0900	77	A. Hermosillo
	1200	78	A. Hermosillo
	1500	78	Ramis
	1800	79	Ramis
	2100	78	Ramis
	2400	74	E. Martinez

Notes

Date	Time	Temp.	Name (Print)
6-23-24	0300	77	E. Martinez
	0600	76	S. Ortiz
	0900	76	S. Ortiz
	1200	78	J. Day
	1500	80	J. Martinez
	1800	80	J. Martinez
	2100	80	J. Martinez
	2400	78	E. Martinez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-24-24	0300	77	E. Martinez
	0600	76	E. Martinez
	0900	76	S. Ordiz
	1200	77	S. Ordiz
	1500	80	J. Martinez
	1800	79	J. Martinez
	2100	79	J. Martinez
	2400	79	A. Acut

Wednesday Tuesday

Date	Time	Temp.	Name (Print)
06-25-24	0300	78	A. Acut
	0600	78	A. Acut
	0900	79	S. Ordiz
	1200	80	S. Ordiz
	1500	80	J. Martinez
	1800	79	J. Martinez
	2100	79	J. Martinez
	2400	78	C. Lumei

Friday

Date	Time	Temp.	Name (Print)
06-28-24	0300	77	E. Martinez
	0600	77	E. Martinez
	0900	77	A. Hermosillo
	1200	79	A. Hermosillo
	1500	78	R. Camer
	1800	79	R. Camer
	2100	79	R. Camer
	2400	78	E. Martinez

Sunday

Date	Time	Temp.	Name (Print)
06-30-24	0300	78	E. Martinez
	0600	78	E. Martinez
	0900	78	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	L. Goyen
	1800	80	L. Goyen
	2100	80	L. Goyen
	2400	79	E. Martinez

Wednesday Tuesday Wednesday

Date	Time	Temp.	Name (Print)
06-25-24	0300	78	C. Lumei
	0600	78	C. Lumei
	0900	78	A. Hermosillo
	1200	80	A. Hermosillo
	1500	78	L. Carraway
	1800	78	L. Carraway
	2100	78	L. Carraway
	2400	78	E. Martinez

Thursday

Date	Time	Temp.	Name (Print)
06-27-24	0300	78	E. Martinez
	0600	78	E. Martinez
	0900	78	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	J. Medina
	1800	78	J. Medina
	2100	78	J. Medina
	2400	78	E. Martinez

Saturday

Date	Time	Temp.	Name (Print)
06-29-24	0300	78	E. Martinez
	0600	78	E. Martinez
	0900	78	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	Z. Ruhn
	1800	80	Z. Ruhn
	2100	78	Z. Ruhn
	2400	78	E. Martinez

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06-01-24	0300	72	M. CLOUD
	0600	72	M. DeLaTorre
	0900	73	M. DeLaTorre
	1200	73	M. DeLaTorre
	1500	74	B. MATA
	1800	74	B. MATA
	2100	73	B. MATA
	2400	73	C. GILLETTI

Sunday

Date	Time	Temp.	Name (Print)
06-02-24	0300	72	C. GILLETT
	0600	72	C. GILLETT
	0900	73	B. MATA
	1200	73	B. MATA
	1500	74	B. MATA
	1800	71	J. AGUILAR
	2100	72	J. AGUILAR
	2400	72	L. Meccia

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0300	72	J. McLean
	0600	72	B. Mata
	0900	72	B. Mata
	1200	73	B. Mata
	1500	71	S. Aguilar
	1800	71	S. Aguilar
	2100	71	S. Aguilar
	2400	70	M. Cloud

Tuesday

Date	Time	Temp.	Name (Print)
06-04-24	0300	70	M. Cloud
	0600	72	M. Delatorre
	0900	72	M. Delatorre
	1200	73	M. Delatorre
	1500	71	S. Aguilar
	1800	71	S. Aguilar
	2100	71	S. Aguilar
	2400	70	M. Cloud

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	70	M. Cloud
	0600	71	S. Ordiz
	0900	72	S. Ordiz
	1200	73	S. Ordiz
	1500	71	J. Aguilar
	1800	71	J. Aguilar
	2100	71	S. Aguilar
	2400	71°	E. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	71	E. Gonzalez
	0600	71	Andrea
	0900	72	Andrea
	1200	74	Andrea
	1500	71	S. Aguilar
	1800	71	S. Aguilar
	2100	71	S. Aguilar
	2400	71	M. Cloud

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0300	70	M. Cloud
	0600	72	M. Delatorre
	0900	73	M. Delatorre
	1200	73	M. Delatorre
	1500	76	J. Orozco
	1800	78	J. Orozco
	2100	78	J. Orozco
	2400	75	M. Cloud

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0300	73	M. Cloud
	0600	73	M. Delatorre
	0900	74	M. Delatorre
	1200	74	M. Delatorre
	1500	76	J. Orozco
	1800	77	J. Orozco
	2100	77	J. Orozco
	2400	75	J. McLean

Notes

Date	Time	Temp.	Name (Print)
06-09-24	0300	75	J. McLean
	0600	70	M. Delatorre
	0900	74	M. Delatorre
	1200	78	M. Delatorre
	1500	78	B. Holland
	1800	78	B. Holland
	2100	76	B. Holland
	2400	76	J. McLean

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	75	J. McLean
	0600	75	M. DelaTorre
	0900	75	M. DelaTorre
	1200	76	M. DelaTorre
	1500	76	L. CARRAWAY
	1800	76	L. CARRAWAY
	2100	79	L. CARRAWAY
	2400	78	PAREOZ

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	75	PAREOZ
	0600	75	PAREOZ
	0900	76	M. DelaTorre
	1200	76	M. DelaTorre
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	78	H. CERA

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76	H. CERA
	0600	76	K. Rivera
	0900	76	K. Rivera
	1200	77	K. Rivera
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	77	J. NICKEL

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	76	J. NICKEL
	0600	76	L. Navarro
	0900	75	L. Navarro
	1200	76	L. Navarro
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	74	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	M. CLOUD
	0600	72	M. DelaTorre
	0900	72	M. DelaTorre
	1200	73	M. DelaTorre
	1500	75	S. Seville
	1800	76	S. Seville
	2100	76	S. Seville
	2400	74	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	M. CLOUD
	0600	72	M. DelaTorre
	0900	72	M. DelaTorre
	1200	73	M. DelaTorre
	1500	79	E. Bustos
	1800	74	E. Bustos
	2100	73	E. Bustos
	2400	73	C. INSOUER

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	73	C. INSOUER
	0600	73	M. DelaTorre
	0900	74	M. DelaTorre
	1200	74	M. DelaTorre
	1500	74	L. CARRAWAY
	1800	75	L. CARRAWAY
	2100	75	L. CARRAWAY
	2400	74	C. VASCONCELOS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	70	CAMARENA
	0600	74	CAMARENA
	0900	78	CAMARENA
	1200	80	CAMARENA
	1500	71	J. AGUILAR
	1800	73	J. AGUILAR
	2100	70	J. AGUILAR
	2400	70	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	70	M. CLOUD
	0600	70	S. ORTIZ
	0900	71	S. ORTIZ
	1200	71	S. ORTIZ
	1500	71	S. AGUILAR
	1800	71	S. AGUILAR
	2100	71	S. AGUILAR
	2400	70	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	70	M. CLOUD
	0600	72	M. Delatorre
	0900	73	M. Delatorre
	1200	73	M. Delatorre
	1500	76	J. OROZCO
	1800	77	J. OROZCO
	2100	77	J. OROZCO
	2400	79	M. CLOUD

Sunday

Date	Time	Temp.	Name (Print)
6-23-24	0300	71	Hernandez
	0600	71	M. Delatorre
	0900	73	M. Delatorre
	1200	75	M. Delatorre
	1500	71	S. AGUILAR
	1800	71	S. AGUILAR
	2100	71	S. AGUILAR
	2400	70	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
6-20-24	0300	70	M. CLOUD
	0600	70	M. Delatorre
	0900	71	M. Delatorre
	1200	72	M. Delatorre
	1500	71	S. AGUILAR
	1800	72	S. AGUILAR
	2100	72	S. AGUILAR
	2400	70	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	70	M. CLOUD
	0600	70	J. BALL
	0900	70	J. BALL
	1200	71	J. BALL
	1500	71	S. AGUILAR
	1800	71	S. AGUILAR
	2100	71	S. AGUILAR
	2400	70	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	73	M. CLOUD
	0600	73	M. Delatorre
	0900	74	M. Delatorre
	1200	75	M. Delatorre
	1500	78	J. OROZCO
	1800	79	J. OROZCO
	2100	78	J. OROZCO
	2400	75	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/29	0300	72	M. Cloud
6/1	0600	72	M. De La Torre
6/2	0900	74	M. De La Torre
6/3	1200	74	M. De La Torre
6/4	1500	71	S. AGUILAR
6/5	1800	71	S. AGUILAR
6/6	2100	71	S. AGUILAR
6/7	2400	70	M. Cloud

Tuesday

Date	Time	Temp.	Name (Print)
6/1	0300	70	M. Cloud
6/2	0600	73	M. Dehler
6/3	0900	73	M. Dehler
6/4	1200	74	M. Dehler
6/5	1500	76	S. AGUILAR
6/6	1800	73	S. AGUILAR
6/7	2100	70	S. AGUILAR
6/8	2400	70	M. Cloud

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	70	M. Cloud
6/27	0600	71	S. ORNELAS
6/28	0900	72	S. ORNELAS
6/29	1200	73	S. ORNELAS
6/30	1500	71	S. AGUILAR
7/1	1800	73	S. AGUILAR
7/2	2100	70	S. AGUILAR
7/3	2400	70	M. Cloud

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	70	M. Cloud
6/28	0600	70	Ardell
6/29	0900	72	Ardell
6/30	1200	74	Ardell
7/1	1500	75	S. AGUILAR
7/2	1800	71	S. AGUILAR
7/3	2100	70	S. AGUILAR
7/4	2400	70	M. Cloud

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	70	M. Cloud
6/29	0600	71	M. De La Torre
6/30	0900	73	M. De La Torre
7/1	1200	73	M. De La Torre
7/2	1500	76	J. ORTEGA
7/3	1800	77	J. ORTEGA
7/4	2100	77	J. ORTEGA
7/5	2400	75	M. Cloud

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	74	M. Cloud
6/30	0600	74	M. De La Torre
7/1	0900	74	M. De La Torre
7/2	1200	75	M. De La Torre
7/3	1500	77	J. ORTEGA
7/4	1800	78	J. ORTEGA
7/5	2100	78	J. ORTEGA
7/6	2400	76	M. Eason

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	72	M. Escobar
7/1	0600	73	M. De La Torre
7/2	0900	75	M. De La Torre
7/3	1200	76	M. De La Torre
7/4	1500	76	J. AGUILAR
7/5	1800	73	J. AGUILAR
7/6	2100	71	J. AGUILAR
7/7	2400	75	A. Duvall

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top-tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06-01-24	0300	72	M CLOUD
	0600	72	M. Delatorre
	0900	73	M. Delatorre
	1200	73	M. Delatorre
	1500	73	B. MATA
	1800	73	B. MATA
	2100	73	B. MATA
	2400	73	C. GILLET

Sunday

Date	Time	Temp.	Name (Print)
06-02-24	0300	72	C. GILLET
	0600	72	C. GILLET
	0900	73	B. MATA
	1200	73	B. MATA
	1500	74	B. MATA
	1800	71	J. AGUILAR
	2100	72	J. AGUILAR
	2400	72	J. AGUILAR

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0300	72	J. McCains
	0600	72	B. MATA
	0900	72	B. MATA
	1200	73	B. MATA
	1500	71	J. AGUILAR
	1800	71	J. AGUILAR
	2100	71	J. AGUILAR
	2400	70	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
06-04-24	0300	70	M. CLOUD
	0600	72	M. Delatorre
	0900	72	M. Delatorre
	1200	73	M. Delatorre
	1500	71	J. AGUILAR
	1800	71	J. AGUILAR
	2100	71	J. AGUILAR
	2400	70	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	70	M. CLOUD
	0600	71	S. ORTIZ
	0900	72	S. ORTIZ
	1200	73	S. ORTIZ
	1500	71	J. AGUILAR
	1800	71	J. AGUILAR
	2100	71	J. AGUILAR
	2400	71	E. GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	71	E. GONZALEZ
	0600	71	Andrea
	0900	73	Andrea
	1200	75	Andrea
	1500	71	J. AGUILAR
	1800	71	J. AGUILAR
	2100	71	J. AGUILAR
	2400	71	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0300	70	M. CLOUD
	0600	72	M. Delatorre
	0900	73	M. Delatorre
	1200	73	M. Delatorre
	1500	76	J. OROZCO
	1800	77	J. OROZCO
	2100	77	J. OROZCO
	2400	75	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0300	73	M. CLOUD
	0600	73	M. Delatorre
	0900	74	M. Delatorre
	1200	74	M. Delatorre
	1500	76	J. OROZCO
	1800	78	J. OROZCO
	2100	78	J. OROZCO
	2400	75	J. McCains

Notes

Date	Time	Temp.	Name (Print)
06-09-24	0300	77	J. McCains
	0600	76	M. Delatorre
	0900	76	M. Delatorre
	1200	78	M. Delatorre
	1500	78	B. Holland
	1800	78	B. Holland
	2100	77	B. Holland
	2400	76	J. McCains

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	75'	J. McCain
	0600	75	M. De La Torre
	0900	75	M. De La Torre
	1200	76	M. De La Torre
	1500	76	L. CARRAWAY
	1800	76	L. CARRAWAY
	2100	79	L. CARRAWAY
	2400	78	PAREDER

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	75	PAREDER
	0600	75	PAREDER
	0900	76	M. De La Torre
	1200	76	M. De La Torre
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	78	H. CERA

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	76	H. CERA
	0600	76	K. Rivera
	0900	76	K. Rivera
	1200	76	K. Rivera
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	77°	J. NICKEL

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	76	J. NICKEL
	0600	75	L. NAVARO
	0900	75	L. NAVARO
	1200	76	L. NAVARO
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400		M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300		M. CLOUD
	0600	72	M. De La Torre
	0900	72	M. De La Torre
	1200	73	M. De La Torre
	1500	75	S. SEMIC
	1800	76	S. SEMIC
	2100	76	S. SEMIC
	2400	74	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	72	M. CLOUD
	0600	72	M. De La Torre
	0900	72	M. De La Torre
	1200	73	M. De La Torre
	1500	73	M. De La Torre
	1800	73	M. De La Torre
	2100	73	B. BUSTOS
	2400	73	C. VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	73	C. VASQUEZ
	0600	73	M. De La Torre
	0900	74	M. De La Torre
	1200	74	M. De La Torre
	1500	79	L. CARRAWAY
	1800	75	L. CARRAWAY
	2100	75	L. CARRAWAY
	2400	75	L. CARRAWAY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: P1B4-Bside Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	75	J. Mcrain
	0600	75	M. Delatorre
	0900	75	M. Delatorre
	1200	76	M. Delatorre
	1500	76	L. CARRAWAY
	1800	76	L. CARRAWAY
	2100	79	L. CARRAWAY
	2400	78	PAREDEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	75	PAREDEZ
	0600	75	PAREDEZ
	0900	76	M. Delatorre
	1200	76	M. Delatorre
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	78	H. CERA

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	74	H. CERA
	0600	76	K. RIVERA
	0900	76	K. RIVERA
	1200	77	K. RIVERA
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	77	J. NICKELL

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	75	J. NICKELL
	0600	76	L. NAVARRO
	0900	75	L. NAVARRO
	1200	76	L. NAVARRO
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	74	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	M. CLOUD
	0600	72	M. De laTorre
	0900	72	M. De laTorre
	1200	73	M. De laTorre
	1500	75	S. Seville
	1800	74	S. Seville
	2100	76	S. Seville
	2400	74	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	M. CLOUD
	0600	72	M. De laTorre
	0900	72	M. De laTorre
	1200	73	M. De laTorre
	1500	74	E. BUSTOS
	1800	74	E. BUSTOS
	2100	73	E. BUSTOS
	2400	73	C. VASQUEZ

Notes

Date	Time	Temp.	Name (Print)
6/16/24	0300	73	C. VASQUEZ
	0600	73	M. De laTorre
	0900	74	M. De laTorre
	1200	74	M. De laTorre
	1500	74	L. CARRAWAY
	1800	75	L. CARRAWAY
	2100	75	L. CARRAWAY
	2400	74	C. VASQUEZ

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-17-24	0300	73	CAMARENA
	0600	73	CAMARENA
	0900	78	CAMARENA
	1200	80	CAMARENA
	1500	71	J.AGUILAR
	1800	73	J.AGUILAR
	2100	70	J.AGUILAR
	2400	70	M.CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	70	M.CLOUD
	0600	70	M.Delatorre
	0900	71	M.Delatorre
	1200	72	M.Delatorre
	1500	71	J.AGUZAR
	1800	72	J.AGUZAR
	2100	72	J.AGUZAR
	2400	70	M.CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
9-19-24	0300	70	M.CLOUD
	0600	70	S.ORTIZ
	0900	71	S.ORTIZ
	1200	71	S.ORTIZ
	1500	71	J.AGUZAR
	1800	71	J.AGUZAR
	2100	71	J.AGUZAR
	2400	70	M.CLOUD

Thursday

Date	Time	Temp.	Name (Print)
9-20-24	0300	70	M.CLOUD
	0600	70	J.BALL
	0900	70	J.BALL
	1200	71	J.BALL
	1500	71	J.AGUZAR
	1800	71	J.AGUZAR
	2100	71	J.AGUZAR
	2400	70	M.CLOUD

Friday

Date	Time	Temp.	Name (Print)
9-21-24	0300	70	M.CLOUD
	0600	72	M.Delatorre
	0900	73	M.Delatorre
	1200	73	M.Delatorre
	1500	76	J.OROZCO
	1800	77	J.OROZCO
	2100	77	J.OROZCO
	2400	75	M.CLOUD

Saturday

Date	Time	Temp.	Name (Print)
9-22-24	0300	73	M.CLOUD
	0600	73	M.Delatorre
	0900	74	M.Delatorre
	1200	75	M.Delatorre
	1500	78	J.OROZCO
	1800	79	J.OROZCO
	2100	77	J.OROZCO
	2400	75	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
9-23-24	0300	71	Hernandez
	0600	71	M.Delatorre
	0900	73	M.Delatorre
	1200	75	M.Delatorre
	1500	71	J.AGUZAR
	1800	71	J.AGUZAR
	2100	71	J.AGUZAR
	2400	70	M.CLOUD

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6 1 25 25 25	0300	72	M. CLOUD
	0600	72	M. Del Torre
	0900	74	M. Del Torre
	1200	74	M. Del Torre
	1500	71	J. AGUILAR
	1800	71	J. AGUILAR
	2100	71	J. AGUILAR
	2400	70	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
6 1 25 25 25	0300	70°	M. CLOUD
	0600	71	Moehleit
	0900	73	Moehleit
	1200	73	Moehleit
	1500	70	J. AGUILAR
	1800	73	J. AGUILAR
	2100	70	J. AGUILAR
	2400	70	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
6 1 26 24	0300	70	M. CLOUD
	0600	71	S. ORTIZ
	0900	72	S. ORTIZ
	1200	73	S. ORTIZ
	1500	71	J. AGUILAR
	1800	73	J. AGUILAR
	2100	70	J. AGUILAR
	2400	70	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
6 1 27 24	0300	70	M. CLOUD
	0600	71	Ardad
	0900	73	Ardad
	1200	75	Ardad
	1500	75	J. AGUILAR
	1800	71	J. AGUILAR
	2100	70	J. AGUILAR
	2400	70	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
6 1 28 24	0300	70	M. CLOUD
	0600	71	M. Del Torre
	0900	73	M. Del Torre
	1200	73	M. Del Torre
	1500	76	J. ORCOCO
	1800	77	J. ORCOCO
	2100	77	J. ORCOCO
	2400	74	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
6 1 29 24	0300	74	M. CLOUD
	0600	74	M. Del Torre
	0900	76	M. Del Torre
	1200	75	M. Del Torre
	1500	78	J. ORCOCO
	1800	78	J. ORCOCO
	2100	78	J. ORCOCO
	2400	76	Escobar

Sunday

Date	Time	Temp.	Name (Print)
6/29 24	0300	73	Escobar
	0600	73	M. Del Torre
	0900	75	M. Del Torre
	1200	76	M. Del Torre
	1500	76	J. AGUILAR
	1800	73	J. AGUILAR
	2100	71	J. AGUILAR
	2400	75	A. Duvet

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06-01-24	0300	74	J. McCain
	0600	75	A. Arevalo
	0900	76	A. Arevalo
	1200	77	A. Arevalo
	1500	78	A. Sanchez
	1800	78	A. Sanchez
	2100	78	A. Sanchez
	2400	78	A. Sanchez

Notes

Date	Time	Temp.	Name (Print)
06-02-24	0300	78	A. Marquez
	0600	78	L. Lopez
	0900	78	L. Lopez
	1200	78	L. Lopez
	1500	79	J. O'Rourke
	1800	79	J. O'Rourke
	2100	77	J. O'Rourke
	2400	78	A. Marquez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSTITUTIONAL TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0300	78	Mareess
	0600	79	M. Gehlert
	0900	80	M. Gehlert
	1200	81	M. Gehlert
	1500	82	J. ORCAGC
	1800	82	J. ORCAGC
	2100	80	J. ORCAGC
	2400	78	Mareess

Tuesday

Date	Time	Temp.	Name (Print)
06-04-24	0300	78	Mareess
	0600	78	Zepeda
	0900	78	Zepeda
	1200	78	Zepeda
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	79	R. SANCHEZ
	2400	78	R. SANCHEZ

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	78	A. Mareess
	0600	79	D. NUÑEZ
	0900	79	D. NUÑEZ
	1200	79	D. NUÑEZ
	1500	80	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	80	Mareess

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	79	Mareess
	0600	79	L. Zepeda
	0900	80	L. Zepeda
	1200	80	L. Zepeda
	1500	80	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	80	J. MULAIN

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0300	80	J. MULAIN
	0600	80	Barbar
	0900	80	Andrea
	1200	81	Andrea
	1500	81	R. SANCHEZ
	1800	81	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	78	J. MULAIN

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0300	78	J. MULAIN
	0600	78	F. ROJAS
	0900	78	F. ROJAS
	1200	79	F. ROJAS
	1500	80	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	78	Mareess

Notes

Date	Time	Temp.	Name (Print)
06-09-24	0300	78	Mareess
	0600	78	Zepeda
	0900	78	Zepeda
	1200	78	Zepeda
	1500	78	J. ORCAGC
	1800	79	J. ORCAGC
	2100	78	J. ORCAGC
	2400	78	Mareess

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-10-24	0300	78	J. Maness
	0600	78	B. Miller
	0900	79	B. Miller
	1200	79	B. Miller
	1500	78	A. Frustro
	1800	78	A. Frustro
	2100	80	A. Frustro
	2400	78	Maness

Tuesday

Date	Time	Temp.	Name (Print)
06-11-24	0300	78	Maness
	0600	78	B. Miller
	0900	78	B. Miller
	1200	78	B. Miller
	1500	80	R. Sanchez
	1800	80	R. Sanchez
	2100	80	R. Sanchez
	2400	78	Maness

Wednesday

Date	Time	Temp.	Name (Print)
06-12-24	0300	78	Maness
	0600	78	B. Miller
	0900	80	B. Miller
	1200	80	B. Miller
	1500	80	R. Sanchez
	1800	80	R. Sanchez
	2100	80	R. Sanchez
	2400	78	Maness

Thursday

Date	Time	Temp.	Name (Print)
06-13-24	0300	78	Maness
	0600	78	B. Miller
	0900	78	B. Miller
	1200	80	B. Miller
	1500	80	R. Sanchez
	1800	80	R. Sanchez
	2100	80	R. Sanchez
	2400	77	J. McCain

Friday

Date	Time	Temp.	Name (Print)
06-14-24	0300	77	J. McCain
	0600	78	E. Gonzalez
	0900	78	E. Gonzalez
	1200	80	E. Gonzalez
	1500	80	R. Sanchez
	1800	80	R. Sanchez
	2100	80	R. Sanchez
	2400	78	McCain

Saturday

Date	Time	Temp.	Name (Print)
06-15-24	0300	78	Maness
	0600	78	Miller
	0900	78	E. Gonzalez
	1200	80	E. Gonzalez
	1500	80	R. Sanchez
	1800	80	R. Sanchez
	2100	80	R. Sanchez
	2400	78	Maness

Notes

Date	Time	Temp.	Name (Print)
06-16-24	0300	78	J. Maness
	0600	78	B. Miller
	0900	78	B. Miller
	1200	78	B. Miller
	1500	79	J. O'Toole
	1800	77	J. O'Toole
	2100	77	J. O'Toole
	2400	78	Maness

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-17-24	0300	78	A. Mares
	0600	74	S. VERDUZCO
	0900	76	S. VERDUZCO
	1200	76	S. VERDUZCO
	1500	77	J. OROZCO
	1800	79	J. OROZCO
	2100	77	J. OROZCO
	2400	78	A. Mares

Tuesday

Date	Time	Temp.	Name (Print)
06-18-24	0300	78	A. Mares
	0600	75	S. VERDUZCO
	0900	76	S. VERDUZCO
	1200	77	S. VERDUZCO
	1500	79	R. SANCHEZ
	1800	79	R. SANCHEZ
	2100	79	R. SANCHEZ
	2400	78	A. Mares

Wednesday

Date	Time	Temp.	Name (Print)
06-19-24	0300	78	A. Mares
	0600	74	S. VERDUZCO
	0900	78	S. VERDUZCO
	1200	78	S. VERDUZCO
	1500	79	R. SANCHEZ
	1800	79	R. SANCHEZ
	2100	76	R. SANCHEZ
	2400	78	A. Mares

Thursday

Date	Time	Temp.	Name (Print)
06-20-24	0300	78	A. Mares
	0600	76	S. VERDUZCO
	0900	74	S. VERDUZCO
	1200	78	S. VERDUZCO
	1500	79	R. SANCHEZ
	1800	79	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	77	A. Cerv

Friday

Date	Time	Temp.	Name (Print)
06-21-24	0300	75	C. Cruz
	0600	75	A. Mares
	0900	76	A. Mares
	1200	77	A. Mares
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	77	M. ESCOBAR

Saturday

Date	Time	Temp.	Name (Print)
06-22-24	0300	77	M. Escobar
	0600	77	A. Mares
	0900	77	A. Mares
	1200	78	A. Mares
	1500	78	B. Gartner
	1800	78	B. Gartner
	2100	78	B. Gartner
	2400	78	A. Mares

Sunday

Date	Time	Temp.	Name (Print)
06-23-24	0300	78	A. Mares
	0600	76	A. Cruz
	0900	77	A. Cruz
	1200	78	A. Cruz
	1500	79	J. OROZCO
	1800	80	J. OROZCO
	2100	79	J. OROZCO
	2400	78	A. Mares

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-24-24	0300	78	A. Maness
	0600	74	S. Verdugo
	0900	76	S. Verdugo
	1200	76	S. Verdugo
	1500	78	J. OROZCO
	1800	78	J. OROZCO
	2100	79	J. OROZCO
	2400	78	A. Maness

Tuesday

Date	Time	Temp.	Name (Print)
06-25-24	0300	78	A. Maness
	0600	74	S. Verdugo
	0900	76	S. Verdugo
	1200	78	S. Verdugo
	1500	78	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	78	A. Maness

Wednesday

Date	Time	Temp.	Name (Print)
06-26-24	0300	78	N. MANESS
	0600	74	S. VERDUGO
	0900	76	S. VERDUGO
	1200	78	S. VERDUGO
	1500	79	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	78	N. MANESS

Thursday

Date	Time	Temp.	Name (Print)
06-27-24	0300	78	Maness
	0600	74	S. Verdugo
	0900	78	S. Verdugo
	1200	78	S. Verdugo
	1500	79	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	79	R. SANCHEZ
	2400	79	A. CRUZ

Friday

Date	Time	Temp.	Name (Print)
06-28-24	0300	77	A. CRUZ
	0600	77	A. CRUZ
	0900	78	A. CRUZ
	1200	79	A. CRUZ
	1500	80	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	80	J. VILLANUEVA

Saturday

Date	Time	Temp.	Name (Print)
06-29-24	0300	78	J. Villanueva
	0600	77	A. CRUZ
	0900	77	A. CRUZ
	1200	78	A. CRUZ
	1500	79	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	79	R. SANCHEZ
	2400	78	A. CRUZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C1-A Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	71	Dunne
	0600	70	Server
	0900	70	Server
	1200	70	Server
	1500	71	Dunne
	1800	73	Dunne
	2100	71	Dunne
	2400	70	Dunne

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	70	Dunne
	0600	70	BETAN COURT
	0900	72	BETAN COURT
	1200	73	BETAN COURT
	1500	70	A. FRAUSTO
	1800	72	A. FRAUSTO
	2100	72	A. FRAUSTO
	2400	71	M. Dunne

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	71	M. Dunn
	0600	71	D. BETAN COURT
	0900	71	D. BETAN COURT
	1200	74	D. BETAN COURT
	1500	74	R. Rice
	1800	74	R. Rice
	2100	73	R. Rice
	2400	73	R. Rice

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	72	R. Rice
	0600	72	D. BETAN COURT
	0900	73	D. BETAN COURT
	1200	74	D. BETAN COURT
	1500	74	H. AGUAND
	1800	75	H. AGUAND
	2100	74	H. AGUAND
	2400	72	R. Rice

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	72	R. Rice
	0600	72	D. JONES
	0900	74	D. JONES
	1200	74	D. JONES
	1500	74	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	79	F. Hernande

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	78	F. Hernande
	0600	75	MACIEL J.
	0900	70	MACIEL J.
	1200	78	MACIEL J.
	1500	78	L. CARRAWAY
	1800	78	L. CARRAWAY
	2100	78	L. CARRAWAY
	2400	78	F. Hernande

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	77	F. Hernande
	0600	74	D. BETAN COURT
	0900	74	D. BETAN COURT
	1200	75	D. BETAN COURT
	1500	75	Dunne
	1800	78	Dunne
	2100	76	Dunne
	2400	74	Dunne

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	72	Dunne
	0600	72	D. BETAN COURT
	0900	73	D. BETAN COURT
	1200	74	D. BETAN COURT
	1500	74	R. Rice
	1800	74	R. Rice
	2100	74	R. Rice
	2400	74	K. Smith

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	74	K. Smith
	0600	74	BETAN COURT
	0900	75	BETAN COURT
	1200	75	BETAN COURT
	1500	77	Dunne
	1800	77	Dunne
	2100	76	Dunne
	2400	74	Dunne

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1 H Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	71	M. Dunne
	0600	71	D. BETAN COURT
	0900	72	D. BETAN COURT
	1200	74	D. BETAN COURT
	1500	75	Rice
	1800	76	Rice
	2100	76	Rice
	2400	75	Rice

Wednesday

Date	Time	Temp.	Name (Print)
5/12/19	0300	73	Rice
	0600	73	O. NUNEZ
	0900	74	O. NUNEZ
	1200	75	O. NUNEZ
	1500	75	S. T. LOS
	1800	80	S. T. LOS
	2100	80	S. T. LOS
	2400	77	Hernandez

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	74	M. DUNNE
	0600	74	BETAN COURT
	0900	74	BETAN COURT
	1200	75	BETAN COURT
	1500	78	M. DUNNE
	1800	79	M. Dunne
	2100	78	M. Dunne
	2400	77	M. Dunne

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	74	Dunne
	0600	74	BETANCOURT
	0900	75	BETANCOURT
	1200	75	BETANCOURT
	1500	75	Rice
	1800	75	Rice
	2100	75	Rice
	2400	74	Dunne

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	74	Rice
	0600	74	BETANCOURT
	0900	75	BETANCOURT
	1200	75	Betancourt
	1500	76	Rice
	1800	76	Rice
	2100	76	Rice
	2400	75	Rice

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	76	Hernandez
	0600	74°	J. LUQUE
	0900	74°	J. LUQUE
	1200	76°	J. LUQUE
	1500	78	S. Rios
	1800	79	S. Rios
	2100	79	S. Rios
	2400	78	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	74	M. Dunne
	0600	74	BETAN COMET
	0900	74	BETAN COMET
	1200	75	BETAN COMET
	1500	79	Dunne
	1800	88	Dunne
	2100	79	Dunne
	2400	75	Dunne

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C-1 A Side Temp. Reading Location: Ind
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	72	M.Dunne
	0600	72	BETANCOLLET
	0900	72	BETANCOLLET
	1200	71	BETANCOLLET
	1500	71	R.Rice
	1800	71	R.Rice
	2100	71	Rice
	2400	70	Rice

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	69	M. Dunne
	0600	69	M. AMORE
	0900	70	M. AMORE
	1200	71	M. AMORE
	1500	72	F. HARVEY
	1800	72	F. HARVEY
	2100	72	F. HARVEY
	2400	73	Hornbeck

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	71	Hornant
	0600	71	BETAN COUET
	0900	71	BETAN COUET
	1200	72	BETAN COUET
	1500	73	M. Dunne
	1800	73	M. Dunne
	2100	72	M. Dunne
	2400	71	M. Dunne

Sunday

Date	Time	Temp.	Name (Print)
6-23-24	0300	71	Dunne
	0600	72	BETANCOURT
	0900	72	BETANCOURT
	1200	73	BETANCOURT
	1500	74	J. Corrs
	1800	75	J. Corrs
	2100	75	J. Corrs
	2400	76	Marianas

Tuesday

Date	Time	Temp.	Name (Print)
6-18-24	0300	70	Rice
	0600	70	DETAN COURT
	0900	70	DETAN COURT
	1200	71	DETAN COURT
	1500	71	Rice
	1800	71	Rice
	2100	71	Rice
	2400	70	Rice

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	73	Hernandez
	0600	70	M. AMORE
	0900	70	M. AMORE
	1200	70°	M. AMORE
	1500	71	F. HARVEY
	1800	71	F. HARVEY
	2100	71	F. HARVEY
	2400	71	F. HARVEY

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	70	M. Dunne
	0600	71	PETAN COURT
	0900	72	PETAN COURT
	1200	74	PETAN COURT
	1500	75	Dunne
	1800	76	Dunne
	2100	74	Dunne
	2400	71	Dunne

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-A SIDE Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	77	MAMAUG
	0600	74	BETANCOURT
	0900	75	BETANCOURT
	1200	76	BETANCOURT
	1500	77	R.Rice
	1800	78	R.Rice
	2100	77	R.Rice
	2400	77	R.Rice

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	75	R.Rice
	0600	75	BETANCOURT
	0900	76	BETANCOURT
	1200	78	BETANCOURT
	1500	78	R.Rice
	1800	78	R.Rice
	2100	76	R.Rice
	2400	75	R.Rice

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	75	R.Rice
	0600	74	G.Earnest
	0900	75	G.Earnest
	1200	75	G.Earnest
	1500	79	F.HARVEY
	1800	79	F.HARVEY
	2100	79	F.HARVEY
	2400	79	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	78	Hann
	0600	77	GANNON, S
	0900	78	GANNON, S
	1200	78	GANNON, S
	1500	78	F.HARVEY
	1800	78	F.HARVEY
	2100	77	F.HARVEY
	2400	76	Hernandez

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	75	Hernandez
	0600	74	BETANCOURT
	0900	75	BETANCOURT
	1200	76	BETANCOURT
	1500	79	Dunne
	1800	79	Dunne
	2100	78	Dunne
	2400	76	Dunne

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	75	Dunne
	0600	75	BETANCOURT
	0900	76	BETANCOURT
	1200	78	BETANCOURT
	1500	79	Dunne
	1800	78	Dunne
	2100	77	Dunne
	2400	75	Dunne

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	75	Dunne
	0600	76	BETANCOURT
	0900	76	BETANCOURT
	1200	78	BETANCOURT
	1500	78	R.Rice
	1800	76	R.Rice
	2100	75	R.Rice
	2400	74	C.Lomeli

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1 FLR 2B Temp. Reading Location: 7th
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300	72	K Smith
	0600	72	F. Cota
	0900	72	F. Cota
	1200	72	F. Cota
	1500	72	A. Gonzalez
	1800	72	A. Gonzalez
	2100	72	A. Gonzalez
	2400	72	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	72	K Smith
	0600	72	F. Cota
	0900	72	F. Cota
	1200	72	F. Cota
	1500	72	A. Gonzalez
	1800	72	A. Gonzalez
	2100	72	A. Gonzalez
	2400	72	K Smith

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	70	K Smith
	0600	70	F. Cota
	0900	70	F. Cota
	1200	72	F. Cota
	1500	72	A. Gonzalez
	1800	73	A. Gonzalez
	2100	73	A. Gonzalez
	2400	71	K Smith

Sunday

Date	Time	Temp.	Name (Print)
6/20 th	0300	70	K Smith
	0600	70	W. Scott
	0900	71	W. Scott
	1200	71	W. Scott
	1500	72	G. Jones
	1800	72	G. Jones
	2100	71	G. Jones
	2400	71	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	70	K Smith
	0600	70	F. Cota
	0900	71	F. Cota
	1200	71	F. Cota
	1500	71	A. Gonzalez
	1800	70	A. Gonzalez
	2100	70	A. Gonzalez
	2400	70	K Smith

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	72	K Smith
	0600	72	F. Cota
	0900	72	F. Cota
	1200	73	F. Cota
	1500	73	A. Gonzalez
	1800	73	A. Gonzalez
	2100	72	A. Gonzalez
	2400	72	K Smith

Saturday

Date	Time	Temp.	Name (Print)
6/1/21	0300	70	R. Montano
	0600	70	F. Cota
	0900	70	F. Cota
	1200	72	F. Cota
	1500	72	A. Gonzalez
	1800	71	A. Gonzalez
	2100	71	A. Gonzalez
	2400	70	K. ORTIZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RK Housing Unit: C1 F12 B Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	72	K Smith
6/3/18	0600	72	A. ATILANO
	0900	73	A. ATILANO
	1200	74	A. ATILANO
	1500	72	J. RAMIREZ
	1800	72	J. RAMIREZ
	2100	72	J. RAMIREZ
	2400	72	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
6/5/18	0300	72	K Smith
	0600	72°	F. GL
	0900	73°	F. GL
	1200	73°	F. GL
	1500	75	A. Gonzales
	1800	76	A. Gonzales
	2100	76	A. Gonzales
	2400	78	K Smith

Friday

Date	Time	Temp.	Name (Print)
6/7/18	0300	78	K Smith
	0600	76°	F. Cota
	0900	76°	F. Cota
	1200	76°	F. Cota
	1500	78°	A. Gonzales
	1800	78°	A. Gonzales
	2100	78	A. Gonzales
	2400	78	K Smith

Sunday

Date	Time	Temp.	Name (Print)
6/9/18	0300	74	F. ORTIZ
	0600	73	F. Cota
	0900	73	F. Cota
	1200	74	F. Cota
	1500	72	J. RAMIREZ
	1800	72	J. RAMIREZ
	2100	72	J. RAMIREZ
	2400	72	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
6/18/18	0300	72	K Smith
	0600	72	A. ATILANO
	0900	73	A. ATILANO
	1200	73	A. ATILANO
	1500	72	J. RAMIREZ
	1800	72	J. RAMIREZ
	2100	72	J. RAMIREZ
	2400	72	K Smith

Thursday

Date	Time	Temp.	Name (Print)
6/19/18	0300	78	K Smith
	0600	76°	F. GL
	0900	76°	F. GL
	1200	76°	F. GL
	1500	80°	J. RUVACABO
	1800	79°	J. RUVACABO
	2100	79°	J. RUVACABO
	2400	78	K Smith

Saturday

Date	Time	Temp.	Name (Print)
6/18/18	0300	74	F. ORTIZ
	0600	74°	F. Cota
	0900	74°	F. Cota
	1200	74°	F. Cota
	1500	74	A. Gonzales
	1800	75	A. Gonzales
	2100	75	A. Gonzales
	2400	75°	F. ORTIZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C1 F12 B Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	72	K Smith
6/10/19	0600	72	A. ATILAND
	0900	73	A. ATILAND
	1200	73	A. ATILAND
	1500	73	J. RAMIREZ
	1800	74	J. RAMIREZ
	2100	74	J. RAMIREZ
	2400	74	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
	0300	72	K Smith
6/12/19	0600	72°	Che
	0900	72°	Che
	1200	72°	Che
	1500	74	J. RAMIREZ
	1800	74	J. RAMIREZ
	2100	74	J. RAMIREZ
	2400	74	K Smith

Friday

Date	Time	Temp.	Name (Print)
6/14/19	0300	72	K Smith
	0600	72°	Che
	0900	72°	Che
	1200	72°	Che
	1500	73	Gonzales
	1800	73	Gonzales
	2100	72	Gonzales
	2400	72	K Smith

Sunday

Date	Time	Temp.	Name (Print)
6/16/19	0300	75	F. ORTIZ
	0600	73°	Che
	0900	73°	Che
	1200	73°	Che
	1500	73°	Medina
	1800	73°	Medina
	2100	72°	Medina
	2400	72°	A. MARTIN

Tuesday

Date	Time	Temp.	Name (Print)
6/11/19	0300	74	K Smith
	0600	74	A. ATILAND
	0900	74	A. ATILAND
	1200	74	A. ATILAND
	1500	74	J. RAMIREZ
	1800	74	J. RAMIREZ
	2100	74	J. RAMIREZ
	2400	74	K Smith

Thursday

Date	Time	Temp.	Name (Print)
6/13/19	0300	72	K Smith
	0600	72°	Che
	0900	72°	Che
	1200	72°	Che
	1500	73	J. RAMIREZ
	1800	73	J. RAMIREZ
	2100	73	J. RAMIREZ
	2400	74	K Smith

Saturday

Date	Time	Temp.	Name (Print)
6/15/19	0300	73	F. ORTIZ
	0600	73°	Che
	0900	73°	Che
	1200	73°	Che
	1500	73	A. GONZALES
	1800	73	A. GONZALES
	2100	73	A. GONZALES
	2400	77	F. ORTIZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C-1 FL 2B Temp. Reading Location: 1st TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	A MARTINEZ
	0600	70	A MARTINEZ
	0900	71	A ATILANO
	1200	72	A ATILANO
	1500	72	J RAMIREZ
	1800	72	J RAMIREZ
	2100	72	J RAMIREZ
	2400	72	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	K Smith
	0600	70°	Cota
	0900	70°	Cota
	1200	70°	Cota
	1500	72	J RAMIREZ
	1800	72	J RAMIREZ
	2100	72	J RAMIREZ
	2400	72	K Smith

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	K Smith
	0600	72	Cota
	0900	74	Cota
	1200	74	Cota
	1500	74	J RAMIREZ
	1800	74	J RAMIREZ
	2100	73	J RAMIREZ
	2400	73	K Smith

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	72	FORTIZ
	0600	72	Cota
	0900	72	Cota
	1200	72	Cota
	1500	72	J RAMIREZ
	1800	72	J RAMIREZ
	2100	72	J RAMIREZ
	2400	72	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	72	K Smith
	0600	72	A ATILANO
	0900	72	A ATILANO
	1200	73	A ATILANO
	1500	72	J RAMIREZ
	1800	72	J RAMIREZ
	2100	72	J RAMIREZ
	2400	72	K Smith

Thursday

Date	Time	Temp.	Name (Print)
6/24/24	0300	70	K Smith
	0600	70°	Cota
	0900	70°	Cota
	1200	70°	Cota
	1500	70	Marcia
	1800	70	Marcia
	2100	70	Marcia
	2400	72	K Smith

Saturday

Date	Time	Temp.	Name (Print)
6/24/24	0300	70	K Smith
	0600	71	Cota
	0900	71	Cota
	1200	72	Cota
	1500	72	Solano
	1800	72	Solano
	2100	72	J RAMIREZ
	2400	72	FORTIZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C1 F12 B Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/14	0300	72	R Smith
	0600	73	A ATILANO
	0900	74	A ATILANO
	1200	75	A ATILANO
	1500	72	J RAMIREZ
	1800	72	J RAMIREZ
	2100	72	J RAMIREZ
	2400	72	R Smith

Tuesday

Date	Time	Temp.	Name (Print)
6/25/14	0300	72	R Smith
	0600	72	A ATILANO
	0900	73	A ATILANO
	1200	73	A ATILANO
	1500	73	J RAMIREZ
	1800	73	J RAMIREZ
	2100	72	J RAMIREZ
	2400	72	R Smith

Wednesday

Date	Time	Temp.	Name (Print)
6/26/14	0300	72	R Smith
	0600	73	F. G
	0900	75°	F. G
	1200	75°	F. G
	1500	77°	J. RAMIREZ
	1800	75°	J. RAMIREZ
	2100	75°	J. RAMIREZ
	2400	72	R Smith

Thursday

Date	Time	Temp.	Name (Print)
6/27/14	0300	72	R Smith
	0600	73°	F. G
	0900	75°	F. G
	1200	75°	F. G
	1500	75	G TOMAS
	1800	75	G TOMAS
	2100	78	G TOMAS
	2400	75	F. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
6/28/14	0300	75	F. GONZALEZ
	0600	73	F. GONZALEZ
	0900	75°	F. G
	1200	75°	F. G
	1500	77	A. GONZALES
	1800	77	A. GONZALES
	2100	77	A. GONZALES
	2400	77	F. GONZALES

Saturday

Date	Time	Temp.	Name (Print)
6/29/14	0300	75	F. ORTIZ
	0600	75°	F. G
	0900	75°	F. G
	1200	75°	F. G
	1500	78	A. GONZALES
	1800	76	A. GONZALES
	2100	76	A. GONZALES
	2400	78	F. ORTIZ

Notes

Date	Time	Temp.	Name (Print)
6/30/14	0300	77	F. ORTIZ
	0600	75°	F. G
	0900	75°	F. G
	1200	75°	F. G
	1500	73°	J. RAMIREZ
	1800	73°	J. RAMIREZ
	2100	73°	J. RAMIREZ
	2400	72	R Smith

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C-2 A Temp. Reading Location: Z
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70	Henwood
	0600	72	J. D.
	0900	74	J. D.
	1200	74	J. D.
	1500	72	Dominique
	1800	72	Dominique
	2100	72	Dominique
	2400	71	Henwood

Sunday

Date	Time	Temp.	Name (Print)
	0300	71	Henwood
	0600	71	M. Rios
	0900	72	M. Rios
	1200	72	M. Rios
	1500	76	C. Lamey
	1800	76	C. Lamey
	2100	74	C. Lamey
	2400	74	E. Lozano

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C2-A Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/13/24	0300	70°	E. LOZANDO
	0600	79	R. LEE
	0900	71	R. LEE, JR
	1200	73	R. LEE, JR
	1500	73	Aguilar
	1800	72	Aguilar
	2100	72	Alvarado
	2400	71	E. LOZANDO

Wednesday

Date	Time	Temp.	Name (Print)
6/15/24	0300	71	T. Henwood
	0600	72	T. Henwood
	0900	73	R. LEE, JR
	1200	75	R. LEE, JR
	1500	75	Dominguez
	1800	80	Dominguez
	2100	79	Dominguez
	2400	78	T. Henwood

Friday

Date	Time	Temp.	Name (Print)
6/17/24	0300	80	T. Henwood
	0600	80	LEE
	0900	81	LEE
	1200	80	LEE
	1500	80	DOMINGUEZ
	1800	80	DOMINGUEZ
	2100	80	DOMINGUEZ
	2400	80	G. Montoya

Sunday

Date	Time	Temp.	Name (Print)
6/19/24	0300	79	T. Henwood
	0600	75	AGAYO
	0900	75	AGAYO
	1200	76	AGAYO
	1500	76	LUMELI
	1800	76	LUMELI
	2100	76	LUMELI
	2400	76°	E. LOZANDO

Tuesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	E. LOZANDO
	0600	68	R. LEE, JR
	0900	70	R. LEE, JR
	1200	71	R. LEE, JR
	1500	74	Dominguez
	1800	71	Dominguez
	2100	71	Dominguez
	2400	71	T. Henwood

Thursday

Date	Time	Temp.	Name (Print)
6/21/24	0300	77	T. Henwood
	0600	78	T. Henwood
	0900	79	R. LEE, JR
	1200	83	R. LEE, JR
	1500	80	Dominguez
	1800	80	Dominguez
	2100	80	Dominguez
	2400	80	G. Montoya

Saturday

Date	Time	Temp.	Name (Print)
6/23/24	0300	78	G. Montoya
	0600	78	O. NUNEZ
	0900	78	O. NUNEZ
	1200	80	O. NUNEZ
	1500	80	Dominguez
	1800	80	Dominguez
	2100	80	Dominguez
	2400	79	T. Henwood

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat-risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

- Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C2-A Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	80	E. LOZANO
	0600	85	LEE
	0900	84	LEE
	1200	80	LEE
	1500	80	LOMELI
	1800	84	LOMELI
	2100	80	LOMELI
	2400	80°	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
6/2/24	0300	79	Tidewood
	0600	78	R. RIVERA
	0900	78	R. RIVERA
	1200	79	R. RIVERA
	1500	80	Dominquez
	1800	80	Dominquez
	2100	80	Dominquez
	2400	79	Tidewood

Friday

Date	Time	Temp.	Name (Print)
7/23/13	0300	77	THenwood
	0600	78	LEE
	0900	78	LEE
	1200	78	LEE
	1500	79	Dominguez
	1800	79	Dominguez
	2100	79	Dominguez
	2400	78	THenwood

Sunday

Date	Time	Temp.	Name (Print)
4/18/24	0300	78	T. Denwood
	0600	74	M. D. Ios
	0900	74	M. D. Ios
	1200	74	M. D. Ios
	1500	75	C. Lameu
	1800	75	C. Lameu
	2100	75	C. Lameu
	2400	75	E. Lo Zara

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	77°	E. LOZANO
	0600	77°	S. BLACK
	0900	77°	J. BLACK
	1200	77°	J. BLACK
	1500	78°	A. FRAUSTO
	1800	79°	A. FRAUSTO
	2100	80°	A. FRAUSTO
	2400	79°	T. Henwood

Thursday

Date	Time	Temp.	Name (Print)
6/18/01	0300	79	THENWOOD
	0600	79	LEE
	0900	80	LEE
	1200	80	LEE
	1500	78	Dominquez
	1800	78	Dominquez
	2100	78	Dominquez
	2400	77	THENWOOD

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	77	Thenwood
	0600	77	Montoya
	0900	77	Montoya
	1200	80	Montoya
	1500	80	Dominguez
	1800	80	Dominguez
	2100	80	Dominguez
	2400	79	Thenwood

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C-2-A Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/14	0300	75°	E. LOZANO
	0600	75°	LEE
	0900	75°	LEE
	1200	75°	LEE
	1500	72	A. GONZALES
	1800	72	A. GONZALES
	2100	72	A. GONZALES
	2400	70°	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
6/19/14	0300	72	T. HENWOOD
	0600	73	R. LEE
	0900	74	R. LEE
	1200	75	R. LEE
	1500	75	D. DOMINGUEZ
	1800	72	D. DOMINGUEZ
	2100	72	D. DOMINGUEZ
	2400	71	T. HENWOOD

Friday

Date	Time	Temp.	Name (Print)
6/20/14	0300	72	T. HENWOOD
	0600	72	R. LEE
	0900	72	R. LEE
	1200	73	R. LEE
	1500	75	D. DOMINGUEZ
	1800	75	D. DOMINGUEZ
	2100	75	D. DOMINGUEZ
	2400	73	T. HENWOOD

Sunday

Date	Time	Temp.	Name (Print)
6/22/14	0300	76	T. HENWOOD
	0600	77	R. LEE
	0900	80	R. LEE
	1200	80	D. DOMINGUEZ
	1500	78	D. DOMINGUEZ
	1800	80	D. DOMINGUEZ
	2100	78	D. DOMINGUEZ
	2400	80	E. LOZANO

Tuesday

Date	Time	Temp.	Name (Print)
6/23/14	0300	70°	E. LOZANO
	0600	71	LEE
	0900	72	LEE
	1200	73	LEE
	1500	75	D. DOMINGUEZ
	1800	75	D. DOMINGUEZ
	2100	75	D. DOMINGUEZ
	2400	74	T. HENWOOD

Thursday

Date	Time	Temp.	Name (Print)
6/26/14	0300	70	T. HENWOOD
	0600	71	R. LEE
	0900	72	R. LEE
	1200	73	R. LEE
	1500	75	D. DOMINGUEZ
	1800	75	D. DOMINGUEZ
	2100	75	D. DOMINGUEZ
	2400	72	T. HENWOOD

Saturday

Date	Time	Temp.	Name (Print)
6/28/14	0300	73	T. HENWOOD
	0600	74	MARTINEZ
	0900	74	MARTINEZ
	1200	75	MARTINEZ
	1500	77	MARTINEZ
	1800	77	MARTINEZ
	2100	77	MARTINEZ
	2400	77	T. HENWOOD

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C-2-A Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday:

Date	Time	Temp.	Name (Print)
6/24/24	0300	80	E. LOZANO
	0600	80	R. LEE
	0900	81	R. LEE
	1200	82	R. LEE
	1500	80	A. GONZALES
	1800	80	A. GONZALES
	2100	80	A. GONZALES
	2400	80	E. LOZANO

Tuesday:

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	E. LOZANO
	0600	79	R. LEE
	0900	80	R. LEE
	1200	81	R. LEE
	1500	81	DOMINGUEZ
	1800	80	DOMINGUEZ
	2100	80	DOMINGUEZ
	2400	80	T. HENWOOD

Wednesday:

Date	Time	Temp.	Name (Print)
6/26/24	0300	78	T. HENWOOD
	0600	80	R. LEE
	0900	81	R. LEE
	1200	82	R. LEE
	1500	82	DOMINGUEZ
	1800	80	DOMINGUEZ
	2100	80	DOMINGUEZ
	2400	79	T. HENWOOD

Thursday:

Date	Time	Temp.	Name (Print)
6/27/24	0300	78	T. HENWOOD
	0600	79	R. LEE
	0900	80	R. LEE
	1200	81	R. LEE
	1500	82	DOMINGUEZ
	1800	80	DOMINGUEZ
	2100	80	DOMINGUEZ
	2400	65	T. HENWOOD

Friday:

Date	Time	Temp.	Name (Print)
6/28/24	0300	66	T. HENWOOD
	0600	78	R. LEE
	0900	80	R. LEE
	1200	80	R. LEE
	1500	82	I. DOMINGUEZ
	1800	80	I. DOMINGUEZ
	2100	80	I. DOMINGUEZ
	2400	80	HENWOOD

Saturday:

Date	Time	Temp.	Name (Print)
6/29/24	0300	78	T. HENWOOD
	0600	78	DAY
	0900	79	DAY
	1200	80	DAY
	1500	80	DAY
	1800	79	DAY
	2100	78	DAY
	2400	78	HENWOOD

Notes:

Date	Time	Temp.	Name (Print)
6/30/24	0300	77	HENWOOD
	0600	76	M. RIOS
	0900	76	M. RIOS
	1200	77	M. RIOS
	1500	78	M. RIOS
	1800	78	C. LUNELL
	2100	78	C. LUNELL
	2400	77	E. LOZANO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2 Temp. Reading Location: tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6021 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	75	Lozano
	0600	78	R-LEE
	0900	79	R-LEE
24	1200	80	R-LEE
	1500	82	Gonzales
	1800	82	Gonzales
24	2100	84	Gonzales
	2400	75	Henderson

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	75	Henderson
	0600	77	R-LEE
	0900	78	R-LEE
26	1200	79	R-LEE
	1500	80	I. Dominguez
	1800	81	I. Dominguez
26	2100	82	I. Dominguez
	2400	79	Henderson

Friday

Date	Time	Temp.	Name (Print)
6	0300	79	Henderson
	0600	80	R-LEE
	0900	81	R-LEE
24	1200	82	R-LEE
	1500	83	I. Dominguez
	1800	83	I. Dominguez
24	2100	85	I. Dominguez
	2400	70	Henderson

Sunday

Date	Time	Temp.	Name (Print)
6	0300	63	Henderson
	0600	77	Dix
	0900	79	Dix
24	1200	80	Dix
	1500	81	Lomeli
	1800	82	Lomeli
24	2100	83	Lomeli
	2400	80	Lopez

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	76	Lopez
	0600	77	R-LEE
	0900	78	R-LEE
25	1200	79	R-LEE
	1500	81	I. Dominguez
	1800	82	I. Dominguez
25	2100	83	I. Dominguez
	2400	75	Henderson

Thursday

Date	Time	Temp.	Name (Print)
6	0300	78	Henderson
	0600	79	R-LEE
	0900	80	R-LEE
27	1200	81	R-LEE
	1500	82	I. Dominguez
	1800	84	I. Dominguez
27	2100	84	I. Dominguez
	2400	79	Henderson

Saturday

Date	Time	Temp.	Name (Print)
6	0300	65	Henderson
	0600	70	Rios
	0900	69	Rios
24	1200	77	Rios
	1500	80	Dix
	1800	83	Dix
24	2100	82	Dix
	2400	80	Henderson

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-B Temp. Reading Location: 1st
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	71	VIGIL
	0600	71	VIGIL
	0900	73	EMICHA
	1200	74	SCARZA
	1500	76	MARIE
	1800	77	MAROS
	2100	74	MAROS
	2400	73	VIGIL

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	73	VIGIL
	0600	71	VIGIL
	0900	73	SCARZA
	1200	78	SCARZA
	1500	72	MAROS
	1800	74	MAROS
	2100	72	MAROS
	2400	72	OMAROS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSF Housing Unit: C2 B Temp. Reading Location: 1ST
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/1/14	0300	71	CAMPES
	0600	71	W. SANTOS
	0900	72	W. SANTOS
	1200	74	W. SANTOS
	1500	74	M. RIOS
	1800	74	M. RIOS
	2100	74	M. RIOS
	2400	73	E. MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/4/14	0300	70	E. MARTINEZ
	0600	71	E. MARTINEZ
	0900	71	HAGUANO
	1200	72	HAGUANO
	1500	75	GONZALEZ
	1800	77	GONZALEZ
	2100	75	GONZALEZ
	2400	73	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
6/5/14	0300	73	E. LOZANO
	0600	73	M. HERNANDEZ
	0900	77	M. HERNANDEZ
	1200	77	M. HERNANDEZ
	1500	78	M. HERNANDEZ
	1800	78	M. HERNANDEZ
	2100	76	M. HERNANDEZ
	2400	74	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
6/6/14	0300	72	E. LOZANO
	0600	75	M. HERNANDEZ
	0900	70	M. HERNANDEZ
	1200	80	M. HERNANDEZ
	1500	80	M. RIOS
	1800	79	M. RIOS
	2100	79	M. RIOS
	2400	75	J. VIGIL

Friday

Date	Time	Temp.	Name (Print)
6/7/14	0300	73	J. VIGIL
	0600	74	M. HERNANDEZ
	0900	75	M. HERNANDEZ
	1200	80	M. HERNANDEZ
	1500	79	M. RIOS
	1800	77	M. RIOS
	2100	75	M. RIOS
	2400	75	J. VIGIL

Saturday

Date	Time	Temp.	Name (Print)
6/8/14	0300	74	J. VIGIL
	0600	74	J. VIGIL
	0900	73	S. GARZA
	1200	74	S. GARZA
	1500	80	M. RIOS
	1800	80	M. RIOS
	2100	78	M. RIOS
	2400	77	J. VIGIL

Sunday

Date	Time	Temp.	Name (Print)
6/9/14	0300	76	J. VIGIL
	0600	75	J. VIGIL
	0900	76	S. GARZA
	1200	75	S. GARZA
	1500	79	H. AGUAYO
	1800	78	H. AGUAYO
	2100	77	H. AGUAYO
	2400	76	J. VIGIL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (0418)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: USPRC Housing Unit: C-2-B Temp. Reading Location: 1st TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/21	0300	76	J. VIGIL
	0600	76	J. VIGIL
	0900	73	M. AGUAW
	1200	75	M. AGUAW
	1500	78	M. AGUAW
	1800	78	M. AGUAW
	2100	78	M. AGUAW
	2400	77	J. VIGIL

Tuesday

Date	Time	Temp.	Name (Print)
6/11/21	0300	76	J. VIGIL
	0600	75	J. VIGIL
	0900	75	M. AGUAW
	1200	78	M. AGUAW
	1500	78	GONZALEZ
	1800	78	GONZALEZ
	2100	78	GONZALEZ
	2400	77	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
6/12/21	0300	77	E. LOZANO
	0600	77	M. FERNANDEZ
	0900	79	M. FERNANDEZ
	1200	79	M. FERNANDEZ
	1500	80	M. FERNANDEZ
	1800	81	M. FERNANDEZ
	2100	79	M. FERNANDEZ
	2400	77	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
6/13/21	0300	77	E. LOZANO
	0600	77	M. FERNANDEZ
	0900	80	M. FERNANDEZ
	1200	80	M. FERNANDEZ
	1500	80	M. RIOS
	1800	79	M. RIOS
	2100	79	M. RIOS
	2400	78	J. VIGIL

Friday

Date	Time	Temp.	Name (Print)
6/14/21	0300	77	J. VIGIL
	0600	76	J. VIGIL
	0900	78	M. GARCIA
	1200	78	M. GARCIA
	1500	78	M. RIOS
	1800	78	M. RIOS
	2100	78	M. RIOS
	2400	77	J. VIGIL

Saturday

Date	Time	Temp.	Name (Print)
6/15/21	0300	76	J. VIGIL
	0600	76	J. VIGIL
	0900	71	S. GARCIA
	1200	72	S. GARCIA
	1500	76	M. RIOS
	1800	76	M. RIOS
	2100	79	M. RIOS
	2400	75	J. VIGIL

Notes

Date	Time	Temp.	Name (Print)
6/16/21	0300	75	J. VIGIL
	0600	74	J. VIGIL
	0900	73	S. GARCIA
	1200	73	S. GARCIA
	1500	75	M. RIOS
	1800	74	M. RIOS
	2100	74	S. GARCIA
	2400	74	C. CAMP

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-B Temp. Reading Location: 1ST
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	CAMPOS
	0600	70	H.AGUADO
	0900	70	H.AGUADO
	1200	72	H.AGUADO
	1500	72	M.RIOS
	1800	72	M.RIOS
	2100	72	M.RIOS
	2400	72	CAMPOS

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	72	CAMPOS
	0600	72	H.AGUADO
	0900	72	H.AGUADO
	1200	72	H.AGUADO
	1500	72	A.Gonzales
	1800	72	A.Gonzales
	2100	72	A.Gonzales
	2400	70	E.LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	E.LOZANO
	0600	70	M.FERNANDEZ
	0900	70	M.FERNANDEZ
	1200	78	M.FERNANDEZ
	1500	78	M.FERNANDEZ
	1800	75	M.FERNANDEZ
	2100	71	M.FERNANDEZ
	2400	72	E.LOZANO

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	70	E.LOZANO
	0600	72	M.FERNANDEZ
	0900	72	M.FERNANDEZ
	1200	74	M.FERNANDEZ
	1500	74	M.RIOS
	1800	74	M.RIOS
	2100	74	M.RIOS
	2400	75	J.VIGIL

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	74	J.VIGIL
	0600	73	J.VIGIL
	0900	75	M.FERNANDEZ
	1200	75	M.FERNANDEZ
	1500	74	M.RIOS
	1800	74	M.RIOS
	2100	74	M.RIOS
	2400	75	J.VIGIL

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	74	J.VIGIL
	0600	73	J.VIGIL
	0900	79	S.GARCIA
	1200	79	S.GARCIA
	1500	76	M.RIOS
	1800	76	M.RIOS
	2100	75	M.RIOS
	2400	75	J.VIGIL

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	74	J.VIGIL
	0600	74	J.VIGIL
	0900	73	S.GARCIA
	1200	74	S.GARCIA
	1500	74	H.AGUADO
	1800	74	H.AGUADO
	2100	74	H.AGUADO
	2400	74	CAMPOS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2 B Temp. Reading Location: 1SF
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	72	CAMPUS
	0600	72	H.AGUNDO
	0900	74	H.AGUNDO
	1200	74	H.AGUNDO
	1500	74	HERNANDEZ
	1800	73	HERNANDEZ
	2100	73	HERNANDEZ
	2400	73	CAMPUS

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	72	CAMPUS
	0600	72	H.AGUNDO
	0900	74	H.AGUNDO
	1200	74	H.AGUNDO
	1500	79	A.GONZALES
	1800	79	A.GONZALES
	2100	79	A.GONZALES
	2400	80	E.LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	77	E.LOZANO
	0600	77	HERNANDEZ
	0900	78	HERNANDEZ
	1200	79	HERNANDEZ
	1500	80	HERNANDEZ
	1800	78	HERNANDEZ
	2100	77	HERNANDEZ
	2400	77	E.LOZANO

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	77	E.LOZANO
	0600	77	HERNANDEZ
	0900	77	HERNANDEZ
	1200	79	HERNANDEZ
	1500	79	MARIO'S
	1800	78	MARIO'S
	2100	78	MARIO'S
	2400	77	J.VIGIL

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	76	J.VIGIL
	0600	76	J.VIGIL
	0900	77	HERNANDEZ
	1200	78	HERNANDEZ
	1500	78	HERNANDEZ
	1800	78	MARIO'S
	2100	78	MARIO'S
	2400	77	J.VIGIL

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	76	J.VIGIL
	0600	76	J.VIGIL
	0900	76	SCARIA
	1200	77	SCARIA
	1500	78	MARIO'S
	1800	78	MARIO'S
	2100	78	MARIO'S
	2400	77	J.VIGIL

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	76	J.VIGIL
	0600	76	J.VIGIL
	0900	76	SCARIA
	1200	76	SCARIA
	1500	78	MARIO'S
	1800	78	MARIO'S
	2100	78	MARIO'S
	2400	76	CAMPUS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3 - A Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300				0300		
	0600				0600		
	0900				0900		
	1200				1200		
	1500				1500		
	1800				1800		
	2100				2100		
	2400				2400		

Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300				0300		
	0600				0600		
	0900				0900		
	1200				1200		
	1500				1500		
	1800				1800		
	2100				2100		
	2400				2400		

Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300				0300	70	L. AMARAL
	0600				0600	70	L. AMARAL
	0900				0900	72	S. RODRIGUEZ
	1200				1200	73	S. RODRIGUEZ
	1500				1500	75	B. BANFIELD
	1800				1800	75	B. BANFIELD
	2100				2100	74	B. BANFIELD
	2400				2400	73°	K. CETA

Sunday				Notes			
Date	Time	Temp.	Name (Print)				
6/24	0300	73°	K. CETA				
	0600	70	J. BROWN				
	0900	70	J. BROWN				
	1200	71	R. STAFFORD				
	1500	71	R. STAFFORD				
	1800	71	R. STAFFORD				
	2100	70	R. STAFFORD				
	2400	70	S. STAFFORD				

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3A Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-16	0300	70	S. Stafford
	0600	70	S. Balmer
	0900	74	S. Moreno
	1200	76	S. Moreno
	1500	71	B. Banks
	1800	71	B. Banks
	2100	71	B. Banks
	2400	70	A. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
5-17	0300	70	A. Gonzalez
	0600	70	S. Moreno
	0900	70	S. Moreno
	1200	70	S. Moreno
	1500	71	B. Banks
	1800	71	B. Banks
	2100	71	B. Banks
	2400	71	A. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
5-18	0300	70	S. Moreno
	0600	70	W. Sire
	0900	70	W. Sire
	1200	72	W. Sire
	1500	72	B. Banks
	1800	72	B. Banks
	2100	72	B. Banks
	2400	76	S. Moreno

Thursday

Date	Time	Temp.	Name (Print)
5-19	0300	75	S. Moreno
	0600	78	D. Rios
	0900	78	D. Rios
	1200	79	D. Rios
	1500	80	M. Hernandez
	1800	80	M. Hernandez
	2100	80	M. Hernandez
	2400	78	S. Moreno

Friday

Date	Time	Temp.	Name (Print)
5-20	0300	70	S. Hare
	0600	72	S. Hare
	0900	72	S. Hare
	1200	80	S. Hare
	1500	76	J. McCain
	1800	75°	J. McCain
	2100	75	J. McCain
	2400	74	S. Hare

Saturday

Date	Time	Temp.	Name (Print)
5-21	0300	70	...
	0600	73	...
	0900	75	...
	1200	80	...
	1500	75	C. Gillett
	1800	75	C. Gillett
	2100	74	C. Gillett
	2400	72	L. Ponce

Sunday

Date	Time	Temp.	Name (Print)
5-22	0300	72	L. Ponce
	0600	72	S. Moreno
	0900	74	S. Moreno
	1200	76	S. Moreno
	1500	72	B. Banks
	1800	72	B. Banks
	2100	72	B. Banks
	2400	72	M. Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3 (A-SIDE) Temp. Reading Location: 2ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	73	MAMAUG
	0600	72	STRONNAN
	0900	74	S. ROMAN
	1200	75	C. ROMAN
	1500	74	BONALDI //
	1800	74	BONALDI //
	2100	73	BONALDI //
	2400	73	MAMAUG

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	74	A. M. OCHOA
	0600	74	H. AGUAW
	0900	74	H. AGUAW
	1200	77	H. AGUAW
	1500	78	A. BONALDI //
	1800	78	A. BONALDI //
	2100	78	A. BONALDI //
	2400	77	A. M. OCHOA

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	S. HUE
	0600	72	S. HUE
	0900	72	S. ROMAN//
	1200	74	S. ROMAN//
	1500	75	S. GARZA
	1800	75	S. GARZA
	2100	73	S. GARZA
	2400	73	S. HUE

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	70	BONALDI //
	0600	70	S. ROMAN//
	0900	70	S. ROMAN//
	1200	72	C. ROMAN
	1500	72	BONALDI //
	1800	72	BONALDI //
	2100	72	BONALDI //
	2400	72	S. COBB

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	74	A. M. OCHOA
	0600	74	C. FARNEST
	0900	74	C. FARNEST
	1200	74	C. FARNEST
	1500	74	BONALDI //
	1800	74	BONALDI //
	2100	73	BONALDI //
	2400	76	A. M. OCHOA

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	78	F. HARVEY
	0600	76	F. HARVEY
	0900	73	Gadella
	1200	75	Gadella
	1500	70	M. HENRY
	1800	70	M. HENRY
	2100	75	M. HENRY
	2400	75	S. HUE

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	70	S. HUE
	0600	70	S. HUE
	0900	73	S. ROMAN//
	1200	75	S. ROMAN//
	1500	72	BONALDI //
	1800	72	BONALDI //
	2100	72	BONALDI //
	2400	72	BONALDI //

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3(A-Side) Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1/18	0300	75	D. COBB
	0600	70	S. NODDIN
	0900	75	J. WOODWARD
	1200	75	S. RONALD
	1500	72	B. BANHILL
	1800	72	B. BANHILL
	2100	70	B. BANHILL
	2400	70	D. COBB

Tuesday

Date	Time	Temp.	Name (Print)
5/1/18	0300	70	M. MARSH
	0600	70	S. RODRIGUEZ
	0900	71	S. RODRIGUEZ
	1200	71	S. RODRIGUEZ
	1500	72	B. BANHILL
	1800	72	B. BANHILL
	2100	70	B. BANHILL
	2400	70	MARSH

Wednesday

Date	Time	Temp.	Name (Print)
5/1/18	0300	70	MARSH
	0600	70	H. AGUADIA
	0900	70	H. AGUADIA
	1200	72	H. AGUADIA
	1500	72	M. VALENCIA
	1800	72	M. VALENCIA
	2100	72	M. VALENCIA
	2400	72	MARSH

Thursday

Date	Time	Temp.	Name (Print)
5/1/18	0300	70	G. FINE
	0600	70	G. FINE
	0900	71	G. FINE
	1200	71	G. FINE
	1500	72	M. HERNANDEZ
	1800	72	M. HERNANDEZ
	2100	72	M. HERNANDEZ
	2400	72	G. FINE

Friday

Date	Time	Temp.	Name (Print)
5/1/18	0300	70	S. LIO
	0600	70	S. LIO
	0900	77	S. LIO
	1200	75	S. LIO
	1500	75	S. LIO
	1800	75	S. LIO
	2100	73	S. LIO
	2400	72	S. LIO

Saturday

Date	Time	Temp.	Name (Print)
5/2/18	0300	70	S. LIO
	0600	70	S. LIO
	0900	73	S. LIO
	1200	77	S. LIO
	1500	77	A. ALVAREZ
	1800	78	A. ALVAREZ
	2100	78	A. ALVAREZ
	2400	78	E. ZELAYA

Sunday

Date	Time	Temp.	Name (Print)
5/2/18	0300	73	E. ZELAYA
	0600	72	B. BANHILL
	0900	73	B. BANHILL
	1200	74	B. BANHILL
	1500	80	J. AMADOR
	1800	80	J. AMADOR
	2100	80	J. AMADOR
	2400	79	L. CARRAVAY

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: WSP Housing Unit: 23-A/16 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	79	L.CARRAWAY
	0600	79	S.PoNDRAS
	0900	79	S.Rogers
	1200	78	S.Nichols
	1500	78	B.Banks
	1800	78	B.Banks
	2100	78	B.Banks
	2400	78	S.Seville

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	S.Seville
	0600	78	S.Seville
	0900	76	J.Rivas
	1200	77	J.Rivas
	1500	78	B.Banks
	1800	80	B.Banks
	2100	80	B.Banks
	2400	80	F.GONZALEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	80	F.GONZALEZ
	0600	76	H.Aguayo
	0900	76	H.Aguayo
	1200	76	H.Aguayo
	1500	78	B.Banks
	1800	78	B.Banks
	2100	78	B.Banks
	2400	78	Olegario

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	78	Chester
	0600	79	Rico
	0900	79	Rico
	1200	79	Rico
	1500	80	HERNANDEZ
	1800	79	HERNANDEZ
	2100	78	HERNANDEZ
	2400	78	S.Lee

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	75	S.Hill
	0600	75	S.Hill
	0900	75	S.Pommer
	1200	77	S.Pommer
	1500	78	S.Garcia
	1800	79	S.Garcia
	2100	75	S.Garcia
	2400	75	S.Garcia

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	72	S.Hill
	0600	72	S.Hill
	0900	70	S.Pommer
	1200	76	S.Pommer
	1500	76	B.Banks
	1800	76	B.Banks
	2100	76	B.Banks
	2400	76	S.Seville

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	75	S.Seville
	0600	75	S.Seville
	0900	75	A.Ridge
	1200	77	A.Ridge
	1500	76	B.Banks
	1800	76	B.Banks
	2100	76	B.Banks
	2400	76	B.Banks

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3B Temp. Reading Location: T2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	70	
	0600	71	
	0900	71	
	1200	71	
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/94	0300	73	L. Amador
	0600	73	L. Amador
	0900	73	L. Amador
	1200	73	L. Amador
	1500	73	S. Garza
	1800	71	S. Garza
	2100	70	S. Garza
	2400	70	L. Amador

Sunday

Date	Time	Temp.	Name (Print)
6/1/94	0300	70	L. Amador
	0600	70	L. Amador
	0900	71	F. Gonzalez
	1200	73	F. Gonzalez
	1500	73	S. Garza
	1800	71	S. Garza
	2100	70	S. Garza
	2400	71	S. Garza

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3 Temp. Reading Location: B pod TL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	70	S. Lune
	0600	69	S. Lune
	0900	70	C. Leon
	1200	71	C. Leon
	1500	72	Gadelia
	1800	72	Gadelia
	2100	72	Gadelia
	2400	70	G. Lemus

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	69	G. Lemus
	0600	70	G. Lemus
	0900	71	C. Leon
	1200	71	C. Leon
	1500	72	Gadelia
	1800	74	Gadelia
	2100	77	Gadelia
	2400	70	G. Lemus

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	70	G. Lemus
	0600	72	G. Lemus
	0900	71	C. Leon
	1200	74	C. Leon
	1500	76	Gadelia
	1800	77	Gadelia
	2100	80	Gadelia
	2400	74	G. Lemus

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	70	G. Lemus
	0600	71	C. Leon
	0900	73	C. Leon
	1200	79	C. Leon
	1500	80	Gadelia
	1800	80	Gadelia
	2100	80	Gadelia
	2400	80	G. Lemus

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	80	G. Lemus
	0600	80	D. Rios
	0900	81	D. Rios
	1200	81	D. Rios
	1500	81	Gadelia
	1800	80	Gadelia
	2100	78	Gadelia
	2400	80	G. Lemus

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	80	G. Lemus
	0600	80	D. Rios
	0900	80	D. Rios
	1200	80	D. Rios
	1500	78	S. Garza
	1800	76	S. Garza
	2100	75	S. Garza
	2400	72	S. Lune

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	70	S. Lune
	0600	70	S. Lune
	0900	71	C. Leon
	1200	75	C. Leon
	1500	75	S. Garza
	1800	74	S. Garza
	2100	73	S. Garza
	2400	72	S. Lune

Notes

NP

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND I

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3

Temp. Reading Location: B 12

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	70	S. Huie
	0600	70	S. Huie
	0900	74	C. Gour
	1200	75	C. Gour
	1500	78	Gredella
	1800	79	Gredella
	2100	80	Gredella
	2400	78	F. Martinez

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	76	F. Martinez
	0600	71	C. Gour
	0900	73	C. Gour
	1200	77	C. Gour
	1500	79	Gredella
	1800	80	Gredella
	2100	80	Gredella
	2400	78	F. Martinez

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	76	F. Martinez
	0600	72	F. Martinez
	0900	72	C. Gour
	1200	74	C. Gour
	1500	80°	J. Medina
	1800	80°	J. Medina
	2100	80°	J. Medina
	2400	78	F. Martinez

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	76	F. Martinez
	0600	74	F. Martinez
	0900	73	C. Gour
	1200	74	C. Gour
	1500	78	Gredella
	1800	78	Gredella
	2100	78	Gredella
	2400	76	F. Martinez

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	75	F. Martinez
	0600	74	F. Martinez
	0900	74	D. Rios
	1200	74	D. Rios
	1500	75	Gredella
	1800	76	Gredella
	2100	75	Gredella
	2400	75	Gredella

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	75	Gredella
	0600	75	Gredella
	0900	75	D. Rios
	1200	75	D. Rios
	1500	76	S. Garcia
	1800	76	S. Garcia
	2100	74	S. Garcia
	2400	75	S. Garcia

Sunday

Date	Time	Temp.	Name (Print)
6-16-24	0300	72	S. Huie
	0600	70	S. Huie
	0900	72	C. Gour
	1200	73	C. Gour
	1500	74	S. Garcia
	1800	75	S. Garcia
	2100	73	S. Garcia
	2400	70	S. Huie

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C 3 Temp. Reading Location: B dayroom T2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	70	S. Hsie
	0600	70	S. Hsie
	0900	70	C. Lam
	1200	73	C. Lam
	1500	75	Garcia, M.
	1800	75	Gadelia
	2100	75	Gadelia
	2400	70	Bailey

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	70	BAILEY
	0600	71	Gardon
	0900	73	Gardon
	1200	74	Gardon
	1500	74	Gardon
	1800	74	Gardon
	2100	74	Gardon
	2400	70	BAILEY

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	70	K. BAILEY
	0600	72	D. MEDINA
	0900	72	D. MEDINA
	1200	74	D. MEDINA
	1500	76	ACROBATIA
	1800	79	ACROBAT
	2100	79	ACROBAT
	2400	70	K. BAILEY

Sunday

Date	Time	Temp.	Name (Print)
6-23-24	0300	80	S. Hsie
	0600	80	S. Hsie
	0900	80	T. Rios
	1200	81	S. Garcia
	1500	81	S. Garcia
	1800	79	S. Garcia
	2100	80	J. Gandy
	2400	80	S. Hsie

Tuesday

Date	Time	Temp.	Name (Print)
6-24-24	0300	70	Bailey
	0600	70	Gardon
	0900	71	C. Lam
	1200	73	C. Lam
	1500	73	Gardon
	1800	74	Gardon
	2100	73	Gardon
	2400	70	Bailey

Thursday

Date	Time	Temp.	Name (Print)
6-25-24	0300	70	BAILEY
	0600	71	Gardon
	0900	72	C. Lam
	1200	74	C. Lam
	1500	74	Gardon
	1800	73	Gardon
	2100	72	Gardon
	2400	70	BAILEY

Saturday

Date	Time	Temp.	Name (Print)
6-25-24	0300	70	K. Bailey
	0600	72	D. Rios
	0900	73	D. Rios
	1200	74	D. Rios
	1500	79	S. Garcia
	1800	75	S. Garcia
	2100	77	S. Garcia
	2400	70	K. Bailey

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-B Temp. Reading Location: 2nd TIER
C3-B (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	80	S. Hine
6/24/18	0600	80	S. Hine
	0900	80	L. Martinez
	1200	82	L. Martinez
	1500	85	Gadelka
	1800	87	Gadelka
	2100	86	Gadelka
	2400	86	Gadelka

Wednesday

Date	Time	Temp.	Name (Print)
6/26/18	0300	86	Chavez
	0600	80	T. Pitts
	0900	80	T. Pitts
	1200	80	T. Pitts
	1500	80	Gadelka
	1800	85	Gadelka
	2100	85	Gadelka
	2400	85	Gadelka

Friday

Date	Time	Temp.	Name (Print)
6/28/18	0300	80	F. Martinez
	0600	80	F. Martinez
	0900	80	Rios
	1200	81	Rios
	1500	81	Garcia
	1800	82	Garcia
	2100	83	Garcia
	2400	82	F. Martinez

Sunday

Date	Time	Temp.	Name (Print)
6/30/18	0300	76	A. Frazel
	0600	77	S. OBA
	0900	81	S. OBA
	1200	82	S. OBA
	1500	82	L. Ponce
	1800	82	L. Ponce
	2100	82	L. Ponce
	2400	80	S. Hine

Tuesday

Date	Time	Temp.	Name (Print)
6/25/18	0300	86	Chavez
	0600	83	Chavez
	0900	83	Garcia
	1200	81	Garcia
	1500	83	Gadelka
	1800	86	Gadelka
	2100	88	Gadelka
	2400	88	Bragg

Thursday

Date	Time	Temp.	Name (Print)
6/27/18	0300	83	Gadelka
	0600	80	Gadelka
	0900	80	S. OBA
	1200	81	S. OBA
	1500	81	Gadelka
	1800	83	Gadelka
	2100	83	Gadelka
	2400	82	F. Martinez

Date	Time	Temp.	Name (Print)
6/29/18	0300	80	F. Martinez
	0600	80	F. Martinez
	0900	80	Rios
	1200	81	Rios
	1500	80	S. Garcia
	1800	80	S. Garcia
	2100	78	S. Garcia
	2400	78	A. Frazel

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-A Temp. Reading Location: TIER 2
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		✓
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
6/12/11	0300	66	D. WILLIAMS
	0600	67	ZENDEJAS
	0900	68	ZENDEJAS
	1200	70	ZENDJAS
	1500	72	JEFFORD
	1800	73	JEFFORD
	2100	72	JEFFORD
	2400	65	Fulay

Date	Time	Temp.	Name (Print)
6/22/14	0300	65	Foley
	0600	65	D. Picos
	0900	65	D. Picos
	1200	65	D. Picos
	1500	65	M. Garcia
	1800	65	M. Garcia
	2100	65	M. Garcia
	2400	65	Werners

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10081 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	65	WILLIAMS
	0600	67	REES
	0900	68	REES
	1200	68	REES
	1500	70	JEFFORD
	1800	71	JEFFORD
	2100	71	JEFFORD
	2400	70	WILLIAMS

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	70	WILLIAMS
	0600	70	ZENDEJAS
	0900	71	ZENDEJAS
	1200	72	ZENDEJAS
	1500	71	J. JEFFORD
	1800	73	J. JEFFORD
	2100	73	J. JEFFORD
	2400	72	J. QUINONEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	70	J. QUINONEZ
	0600	70	ZENDEJAS
	0900	71	ZENDEJAS
	1200	72	ZENDEJAS
	1500	72	Freak like BOYFRIEND
	1800	72	LO like BOYFRIEND
	2100	72	J. JEFFORD ✓
	2400	72	J. QUINONEZ

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	70	J. QUINONEZ
	0600	71	ZENDEJAS
	0900	71	ZENDEJAS
	1200	72	ZENDEJAS
	1500	73	Hernandez
	1800	72	Hernandez
	2100	73	Hernandez
	2400	73	WILLIAMS

Friday Thermostats might be broken

Date	Time	Temp.	Name (Print)
6/7/24	0300	73	WILLIAMS
	0600	73	D. ARROYO
	0900	73	D. ARROYO
	1200	73	D. ARROYO
	1500	73	Hernandez
	1800	73	Hernandez
	2100	73	Hernandez
	2400	70	WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	70	WILLIAMS
	0600	70	D. ARROYO
	0900	73	D. ARROYO
	1200	73	D. ARROYO
	1500	74	JEFFORD
	1800	75	JEFFORD
	2100	75	JEFFORD
	2400	73	WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	70	WILLIAMS
	0600	70	D. ARROYO
	0900	70	D. ARROYO
	1200	70	D. ARROYO
	1500	72	J. JEFFORD
	1800	74	J. JEFFORD
	2100	73	J. JEFFORD
	2400	70	F. HARVEY

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: T 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/10/24

Date	Time	Temp.	Name (Print)
<u>6/10/24</u>	0300	70	F. HARVEY
	0600	70	F. HARVEY
	0900	70	D. RIOS
	1200	70	D. RIOS
	1500	72	J. JEFFORD
	1800	73	J. JEFFORD
	2100	73	J. JEFFORD
	2400	73	F. HARVEY

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/12/24</u>	0300	70	J. QUINONEZ
	0600	71	J. ZENDEZA
	0900	72	J. ZENDEZA
	1200	72	J. ZENDEZA
	1500	72	Hernandez
	1800	72	Hernandez
	2100	72	Hernandez
	2400	72	THOMAS

Friday

Date	Time	Temp.	Name (Print)
<u>6/14/24</u>	0300	70	THOMAS
	0600	76	J. ZENDEZA
	0900	77	J. ZENDEZA
	1200	78	J. ZENDEZA
	1500	78	Hernandez
	1800	79	Hernandez
	2100	79	Hernandez
	2400	76	WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	76	K. SMITH
	0600	72	D. RIOS
	0900	72	D. RIOS
	1200	72	D. RIOS
	1500	72	J. JEFFORD
	1800	72	J. JEFFORD
	2100	72	J. JEFFORD
	2400	72	STAFFORD

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/11/24</u>	0300		
	0600	70	J. ZENDEZA
	0900	71	J. ZENDEZA
	1200	72	J. ZENDEZA
	1500	72	J. JEFFORD
	1800	75	J. JEFFORD
	2100	75	J. JEFFORD
	2400	72	J. QUINONEZ

Thursday

Date	Time	Temp.	Name (Print)
<u>6/13/24</u>	0300	75	THOMAS
	0600	75	J. ZENDEZA
	0900	74	J. ZENDEZA
	1200	74	J. ZENDEZA
	1500	76	Hernandez
	1800	77	Hernandez
	2100	77	Hernandez
	2400	74	WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
<u>6/15/24</u>	0300	76	WILLIAMS
	0600	76	J. ZENDEZA
	0900	77	J. ZENDEZA
	1200	78	J. ZENDEZA
	1500	78	J. JEFFORD
	1800	77	J. JEFFORD
	2100	77	J. JEFFORD
	2400	76	K. SMITH

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	68	J. STAFFORD
	0600	68	RICO
	0900	68	RICO
	1200	68	RICO
	1500	68	M. Valencia
	1800	68	M. Valencia
	2100	68	M. Valencia
	2400	67	J. STAFFORD

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	67	J. STAFFORD
	0600	70	J. ZENDEJAS
	0900	71	J. ZENDEJAS
	1200	72	J. ZENDEJAS
	1500	73	J. JEFFORD
	1800	73	J. JEFFORD
	2100	72	J. JEFFORD
	2400	69	J. QUINONEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	64	J. QUINONEZ
	0600	70	J. ZENDEJAS
	0900	71	J. ZENDEJAS
	1200	72	J. ZENDEJAS
	1500	71	HORNADAY
	1800	70	HORNADAY
	2100	70	HORNADAY
	2400	69	HORNADAY

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	69	HORNADAY
	0600	70	ZENDEJAS
	0900	71	ZENDEJAS
	1200	73	ZENDEJAS
	1500	77	HORNADAY
	1800	77	HORNADAY
	2100	76	HORNADAY
	2400	74	WILLIAMS

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	74	WILLIAMS
	0600	75	ZENDEJAS
	0900	76	ZENDEJAS
	1200	77	ZENDEJAS
	1500	78	HORNADAY
	1800	77	HORNADAY
	2100	77	HORNADAY
	2400	76	WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	74	WILLIAMS
	0600	79	ZENDEJAS
	0900	79	ZENDEJAS
	1200	80	ZENDEJAS
	1500	80	WILLIAMS
	1800	80	WILLIAMS
	2100	80	WILLIAMS
	2400	78	WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	78	WILLIAMS
	0600	79	RICO
	0900	79	RICO
	1200	80	RICO
	1500	82	JEFFORD
	1800	82	JEFFORD
	2100	82	JEFFORD
	2400	78	SENILE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-B-side Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	78	S. Sciville
	0600	78	S. Sciville
	0900	80	R. Rios
	1200	80	R. Rios
	1500	81	JEFFORD
	1800	81	JEFFORD
	2100	81	JEFFORD
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	72	J. Quiñonez
	0600	72	D. Cabrera
	0900	78	D. Cabrera
	1200	78	D. Cabrera
	1500	80	J. JEFFORD
	1800	81	J. JEFFORD
	2100	81	J. JEFFORD
	2400	76	J. Quiñonez

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	72	J. Quiñonez
	0600	72	ZENDERA
	0900	75	ZENDERA
	1200	75	ZENDERA
	1500	78	JEFFORD
	1800	76	JEFFORD
	2100	76	JEFFORD
	2400	74	J. Quiñonez

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	73	Williams
	0600	73	ZENDERA
	0900	76	ZENDERA
	1200	78	ZENDERA
	1500	78	Hernandez
	1800	76	Hernandez
	2100	77	Hernandez
	2400	70	Williams

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	76	Williams
	0600	77	ZENDERA
	0900	78	ZENDERA
	1200	77	ZENDERA
	1500	78	Hernandez
	1800	78	Hernandez
	2100	77	Hernandez
	2400	75	Williams

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	72	Williams
	0600	72	ZENDERA
	0900	74	ZENDERA
	1200	75	ZENDERA
	1500	79	JEFFORD
	1800	79	JEFFORD
	2100	79	JEFFORD
	2400	77	Guerrero

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	71	Guerrero
	0600	72	Rios
	0900	72	Rios
	1200	73	Rios
	1500	74	JEFFORD
	1800	74	JEFFORD
	2100	74	JEFFORD
	2400	72	Williams

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-F2B Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/25/2015	0300	70	K. Garcia
5/25/2015	0600	70	Gamer
5/25/2015	0900	71	Gamer
5/25/2015	1200	71	Gamer
5/25/2015	1500	71	Williams
5/25/2015	1800	71	Williams
5/25/2015	2100	70	Williams
5/25/2015	2400	70	K. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
5/26/2015	0300	68	Barron
5/26/2015	0600	70	Gamer
5/26/2015	0900	71	Gamer
5/26/2015	1200	73	Gamer
5/26/2015	1500	72	WILLIAMS
5/26/2015	1800	72	WILLIAMS
5/26/2015	2100	70	WILLIAMS
5/26/2015	2400	68	BARRON

Wednesday

Date	Time	Temp.	Name (Print)
5/27/2015	0300		
5/27/2015	0600		
5/27/2015	0900		
5/27/2015	1200		
5/27/2015	1500		
5/27/2015	1800		
5/27/2015	2100		
5/27/2015	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/28/2015	0300		
5/28/2015	0600		
5/28/2015	0900		
5/28/2015	1200		
5/28/2015	1500		
5/28/2015	1800		
5/28/2015	2100		
5/28/2015	2400		

Friday

Date	Time	Temp.	Name (Print)
5/29/2015	0300		
5/29/2015	0600		
5/29/2015	0900		
5/29/2015	1200		
5/29/2015	1500		
5/29/2015	1800		
5/29/2015	2100		
5/29/2015	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/30/2015	0300		
5/30/2015	0600		
5/30/2015	0900		
5/30/2015	1200		
5/30/2015	1500		
5/30/2015	1800		
5/30/2015	2100		
5/30/2015	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/31/2015	0300		
5/31/2015	0600		
5/31/2015	0900		
5/31/2015	1200		
5/31/2015	1500		
5/31/2015	1800		
5/31/2015	2100		
5/31/2015	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4 B SIDE Temp. Reading Location: T2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	69	BARTON
	0600	70	TANNAN
	0900	72	TANNAN
	1200	75	TANNAN
	1500	76	TANNAN
	1800	75	TANNAN
	2100	75	TANNAN
	2400	75	BARTON

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	71	BARTON
	0600	70	SALINAS
	0900	71	SALINAS
	1200	72	SALINAS
	1500	72	TANNAN
	1800	75	TANNAN
	2100	75	TANNAN
	2400	75	BARTON

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	72	BARTON
	0600	74	SALINAS
	0900	74	SALINAS
	1200	75	SALINAS
	1500	76	S. Moreno
	1800	75	S. Moreno
	2100	80	S. Moreno
	2400	79	TANNAN

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	79	TANNAN
	0600	78	SALINAS
	0900	78	SALINAS
	1200	78	SALINAS
	1500	79	Williams
	1800	79	Williams
	2100	78	Williams
	2400	79	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	78	J. Quinonez
	0600	78	Gomez
	0900	78	Gomez
	1200	78	Gomez
	1500	78	Gomez
	1800	78	Gomez
	2100	78	Gomez
	2400	77	BARTON

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	72	T.BARTON
	0600	72	Gomez
	0900	72	Gomez
	1200	75	Gomez
	1500	76	Williams
	1800	75	Williams
	2100	75	Williams
	2400	75	BARTON

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	71	BARTON
	0600	71	Gomez
	0900	73	Gomez
	1200	73	Gomez
	1500	74	Raley
	1800	74	Raley
	2100	74	Raley
	2400	73	BARTON

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4 FLR 2B Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	70	BARTON
	0600	70	TANNAN
	0900	71	TANNAN
	1200	74	TANNAN
	1500	77	TANNAN
	1800	74	TANNAN
	2100	73	TANNAN
	2400	73	BARTON

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	71	BARTON
	0600	70	T. PITTS
	0900	70	T. PITTS
	1200	74	T. PITTS
	1500	78	TANNAN
	1800	79	TANNAN
	2100	77	TANNAN
	2400	77	BARTON

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/18/24</u>	0300	72	BARTON
	0600	72	Solinas
	0900	74	Solinas
	1200	77	Solinas
	1500	75	TANNAN
	1800	74	TANNAN
	2100	72	TANNAN
	2400	77	J. Quinonez

Thursday

Date	Time	Temp.	Name (Print)
<u>6/19/24</u>	0300	76	J. Quinonez
	0600	76	Solinas
	0900	77	Solinas
	1200	78	Solinas
	1500	78	WILLIAMS
	1800	78	WILLIAMS
	2100	76	WILLIAMS
	2400	75	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
<u>6/20/24</u>	0300	74	J. Quinonez
	0600	74	Gamer
	0900	74	Gamer
	1200	75	Gamer
	1500	76	Gamer
	1800	76	Gamer
	2100	74	Gamer
	2400	74	BARTON

Saturday

Date	Time	Temp.	Name (Print)
<u>6/21/24</u>	0300	71	BARTON
	0600	71	Gamer
	0900	71	Gamer
	1200	71	Gamer
	1500	71	Alcaraz
	1800	74	Alcaraz
	2100	74	Alcaraz
	2400	74	BARTON

Sunday

Date	Time	Temp.	Name (Print)
<u>6/22/24</u>	0300	72	BARTON
	0600	72	Gamer
	0900	73	Gamer
	1200	74	Gamer
	1500	74	J. TORRES
	1800	76	J. TORRES
	2100	74	J. TORRES
	2400	73	BARTON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: CY B SIDE Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension Gov 1 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	68	BARTON
	0600	69	TANAHY
	0900	70	TANAHY
	1200	70	TANAHY
	1500	70	TANAHY
	1800	69	TANAHY
	2100	69	TANAHY
	2400	68	BARTON

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/18/24</u>	0300	68	BARTON
	0600	68	SALINAS, E.
	0900	69	SALINAS, E.
	1200	70	SALINAS, E.
	1500	69	TANAHY
	1800	69	TANAHY
	2100	68	TANAHY
	2400	68	BARTON

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/19/24</u>	0300	68	J. QUINONEZ
	0600	68	E. SALINAS
	0900	69	E. SALINAS
	1200	70	E. SALINAS
	1500	70	TANAHY
	1800	69	TANAHY
	2100	69	TANAHY
	2400	72	J. QUINONEZ

Thursday

Date	Time	Temp.	Name (Print)
<u>6/20/24</u>	0300	71°	J. QUINONEZ
	0600	71°	GAMM
	0900	71°	GAMM
	1200	72	WILLIAMS
	1500	72	WILLIAMS
	1800	72	WILLIAMS
	2100	70	WILLIAMS
	2400	70	J. QUINONEZ

Friday

Date	Time	Temp.	Name (Print)
<u>6/21/24</u>	0300	70	J. QUINONEZ
	0600	70°	GAMM
	0900	72°	GAMM
	1200	72°	GAMM
	1500	70°	GAMM
	1800	72°	GAMM
	2100	72°	GAMM
	2400	75	E. ZELAYA

Saturday

Date	Time	Temp.	Name (Print)
<u>6/22/24</u>	0300	79°	E. ZELAYA
	0600	73	D. MEDINA
	0900	75	D. MEDINA
	1200	75	D. MEDINA
	1500	79°	G. ZARAGOZA
	1800	80°	G. ZARAGOZA
	2100	80	G. ZARAGOZA
	2400	80	J. QUINONEZ

Sunday

Date	Time	Temp.	Name (Print)
<u>6/23/24</u>	0300	74	D. MEDINA
	0600	74	D. MEDINA
	0900	76	D. MEDINA
	1200	76	D. MEDINA
	1500	78°	M. VALENCIA
	1800	81	M. VALENCIA
	2100	81	M. VALENCIA
	2400	81	BARTON

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4 B-SIDE Temp. Reading Location: 2 TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/14/24	0300	71	BARTON
	0600	71	TANNAN
	0900	70	TANNAN
	1200	78	TANNAN
	1500	78	TANNAN
	1800	79	TANNAN
	2100	78	TANNAN
	2400	71	BARTON

Tuesday

Date	Time	Temp.	Name (Print)
6/15/24	0300	70	BARTON
	0600	78	Salinas, E.
	0900	79	Salinas, E.
	1200	79	Salinas, E.
	1500	71	THOMAS
	1800	77	THOMAS
	2100	78	TANNAN
	2400	78	BARTON

Wednesday

Date	Time	Temp.	Name (Print)
6/16/24	0300	75	BARTON
	0600	75	Salinas, E.
	0900	77	Salinas, E.
	1200	79	Salinas, E.
	1500	79	TANNAN
	1800	79	N. MORALES
	2100		N. MORALES
	2400	78	J. Quinonez

Thursday

Date	Time	Temp.	Name (Print)
6/17/24	0300	76	J. Quinonez
	0600	76	Gamer
	0900	76	Gamer
	1200	78	Gamer
	1500	78	WILLIAMS
	1800	78	WILLIAMS
	2100	76	WILLIAMS
	2400	76	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	76	J. Quinonez
	0600	76	Gamer
	0900	76	Gamer
	1200	76	Gamer
	1500	76	Gamer
	1800	76	Gamer
	2100	76	Gamer
	2400	76	BARTON

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	74	BARTON
	0600	74	Gamer
	0900	74	Gamer
	1200	74	Gamer
	1500	76	A. GARCIA
	1800	74	A. GARCIA
	2100	74	A. GARCIA
	2400	74	BARTON, R.

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	73	BARTON, R.
	0600	73	Gamer
	0900	73	Gamer
	1200	76	Gamer
	1500	78	WILLIAMS
	1800	78	WILLIAMS
	2100	78	WILLIAMS
	2400	74	BARTON, R.

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: M1 Temp. Reading Location: Dayroom (1st tier)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/84	0300	69	A. GONZALEZ
	0600	70	MENOR
	0900	70	MUNIZ
	1200	70	HUANCA
	1500	70	D. RODRIGUEZ
	1800	71	D. RODRIGUEZ
	2100	71	D. RODRIGUEZ
	2400	71	A. RODRIGUEZ

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	69	A. Rodriguez
	0600	70	D. Munoz
	0900	70	D. Munoz
	1200	71	D. Munoz
	1500	70	ortiz
	1800	70	ortiz
	2100	80	ortiz
	2400	79	B. Holland

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	68	B. Holland
	0600	66	B. Holland
	0900	69	D. Munoz
	1200	70	D. Munoz
	1500	76°	Orte
	1800	78°	Orte
	2100	80°	Orte
	2400	78°	Orte

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	78°	G. Ortiz
	0600	78°	G. Ortiz
	0900	70	D. Munoz
	1200	70	D. Munoz
	1500	78	T. Livingston
	1800	79	T. Livingston
	2100	79	T. Livingston
	2400	78	R. Boyd

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	78	L. Floyd
	0600	76°	S. Mejia
	0900	78°	S. Mejia
	1200	78°	S. Mejia
	1500	78	J. Chavarrion
	1800	78	J. Chavarrion
	2100	79	J. Chavarrion
	2400	80	L. Floyd

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	79	L. Floyd
	0600	80	S. Mejia
	0900	81°	S. Mejia
	1200	81	S. Mejia
	1500	81	A. Lopez
	1800	80	A. Lopez
	2100	80	A. Lopez
	2400	80	L. Floyd

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	80	L. Floyd
	0600	80	Munoz
	0900	80	Munoz
	1200	81	Munoz
	1500	81	Allobiai
	1800	80	Allobiai
	2100	80	Allobiai
	2400	78	A. Gonzales

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	78	A. Gonzales
	0600	78	Munoz
	0900	78	Munoz
	1200	80	Munoz
	1500	81	Bartlow
	1800	80	Bartlow
	2100	78	Bartlow
	2400	76	A. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	A. Rodriguez
	0600	72	Munoz
	0900	72	Munoz
	1200	72	Munoz
	1500	76°	Orte
	1800	78°	Orte
	2100	80°	Orte
	2400	76	A. Rodriguez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension (6001) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	70	A. RODRIGUEZ
	0600	71	MUNOZ
	0900	72	MUNOZ
	1200	72	MUNOZ
	1500	78	Ortiz
	1800	78°	Ortiz
	2100	78°	Ortiz
	2400	78°	Ortiz

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	78°	Ortiz
	0600	78	Ortiz
	0900	78	MUNOZ
	1200	78	MUNOZ
	1500	79	J. RUFFY
	1800	79	J. RUFFY
	2100	80	Z. RENFRO
	2400	80	L. CLYDE

Wednesday			
Date	Time	Temp.	Name (Print)
<u>6/18/24</u>	0300	80	L. CLYDE
	0600	81	S. MEJIA
	0900	82	S. MEJIA
	1200	82	S. MEJIA
	1500	82	J. RUFFY
	1800	82	J. RUFFY
	2100	82	J. RUFFY
	2400	80	L. CLYDE

Thursday			
Date	Time	Temp.	Name (Print)
<u>6/19/24</u>	0300	80	L. CLYDE
	0600	80	S. MEJIA
	0900	79°	S. MEJIA
	1200	80°	S. MEJIA
	1500	82	J. RUFFY
	1800	82	J. RUFFY
	2100	82	J. RUFFY
	2400	82	J. NICKEL

Friday			
Date	Time	Temp.	Name (Print)
<u>6/20/24</u>	0300	81	J. NICKEL
	0600	78	MUNOZ
	0900	78	MUNOZ
	1200	78	MUNOZ
	1500	80	ALROBIAI
	1800	80	ALROBIAI
	2100	79	ALROBIAI
	2400	78	L. CLYDE

Saturday			
Date	Time	Temp.	Name (Print)
<u>6/21/24</u>	0300	78	L. CLYDE
	0600	78	MUNOZ
	0900	78	MUNOZ
	1200	80	MUNOZ
	1500	82	JONES
	1800	80	JONES
	2100	80	JONES
	2400	77	A. RODRIGUEZ

Sunday			
Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	72	A. RODRIGUEZ
	0600	72	MUNOZ
	0900	72	MUNOZ
	1200	72	MUNOZ
	1500	78	Ortiz
	1800	78°	Ortiz
	2100	78	Ortiz
	2400	78	A. RODRIGUEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WS SP Housing Unit: M1 Temp. Reading Location: DAY Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6-17-24

Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	70	ORTIZ
	0600	72	MUNIZ
	0900	72	MUNIZ
	1200	72	MUNIZ
	1500	78	ORTIZ
	1800	78	ORTIZ
	2100	78	ORTIZ
	2400	78	ORTIZ

Tuesday

Date	Time	Temp.	Name (Print)
<u>6-18-24</u>	0300	78	ORTIZ
	0600	78	ORTIZ
	0900	70	MUNIZ
	1200	70	MUNIZ
	1500	75	J. RUFFY
	1800	75	J. RUFFY
	2100	78	J. RUFFY
	2400	70	J. RUFFY

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/19-24</u>	0300	70	R. Clegg
	0600	75	S. MEJIA
	0900	75	S. MEJIA
	1200	75	S. MEJIA
	1500	72	J. RUFFY
	1800	72	J. RUFFY
	2100	75	J. RUFFY
	2400	72	R. Clegg

Thursday

Date	Time	Temp.	Name (Print)
<u>6-20-24</u>	0300	72	R. Clegg
	0600	73	S. MEJIA
	0900	73	S. MEJIA
	1200	74	S. MEJIA
	1500	73	J. RUFFY
	1800	73	J. RUFFY
	2100	73	J. RUFFY
	2400	71	R. Clegg

Friday

Date	Time	Temp.	Name (Print)
<u>6/21-24</u>	0300	71	R. Clegg
	0600	72	MUNIZ
	0900	72	MUNIZ
	1200	74	MUNIZ
	1500	73	J. RUFFY
	1800	74	J. RUFFY
	2100	74	J. RUFFY
	2400	74	R. Clegg

Saturday

Date	Time	Temp.	Name (Print)
<u>6-22-24</u>	0300	73	R. Clegg
	0600	73	T. LINDNER
	0900	74	T. LINDNER
	1200	76	T. LINDNER
	1500	74	J. RUFFY
	1800	73	J. RUFFY
	2100	76	J. RUFFY
	2400	74	A. ROBERTSON

Sunday

Date	Time	Temp.	Name (Print)
<u>6/23-24</u>	0300	72	A. ROBERTSON
	0600	74	MUNIZ
	0900	74	MUNIZ
	1200	74	MUNIZ
	1500	70	ORTIZ
	1800	78	ORTIZ
	2100	80	ORTIZ
	2400	78	A. ROBERTSON

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/24/14</u>	0300	74-	A. ROOPURUZ
	0600	74	D. MUNIZ
	0900	74	D. MUNIZ
	1200	74	D. MUNIZ
	1500	82-	Ortiz
	1800	82	Ortiz
	2100	82	Ortiz
	2400	80	Ortiz

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/25/14</u>	0300	78	Ortiz
	0600	78	D. MUNIZ
	0900	78	D. MUNIZ
	1200	78	D. MUNIZ
	1500	78	G. ZAKAOSA
	1800	79	G. ZAKAOSA
	2100	80	G. ZAKAOSA
	2400	80	L. Cloyd

Wednesday

Date	Time	Temp.	Name (Print)
<u>6-26-14</u>	0300	80	L. Cloyd
	0600	80	S. MEJIA
	0900	80	S. MEJIA
	1200	82	S. MEJIA
	1500	82	S. RIOS
	1800	82	S. RIOS
	2100	82	S. RIOS
	2400	80	L. Cloyd

Thursday

Date	Time	Temp.	Name (Print)
<u>6-27-14</u>	0300	80	L. Cloyd
	0600	80	S. MEJIA
	0900	80	S. MEJIA
	1200	81	S. MEJIA
	1500	78	J. RUFFY
	1800	80	J. RUFFY
	2100	80	J. RUFFY
	2400	80	L. Cloyd

Friday

Date	Time	Temp.	Name (Print)
<u>6-28-14</u>	0300	80	L. Cloyd
	0600	80	H. LOPEZ
	0900	79	H. LOPEZ
	1200	78	H. LOPEZ
	1500	78	J. RUFFY
	1800	80	J. RUFFY
	2100	80	J. RUFFY
	2400	76	D. COBB

Saturday

Date	Time	Temp.	Name (Print)
<u>6-29-14</u>	0300	75°	D. COBB
	0600	78	J. CALIFORNIA
	0900	78	J. CALIFORNIA
	1200	78	J. CALIFORNIA
	1500	80	J. RUFFY
	1800	80	J. RUFFY
	2100	78	J. RUFFY
	2400	74	A. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
<u>6/30/14</u>	0300	72	A. ROOPURUZ
	0600	78	J. CALIFORNIA
	0900	76	J. CALIFORNIA
	1200	78	J. CALIFORNIA
	1500	82	Ortiz
	1800	82	C. Fife
	2100	78	A. RUFFY
	2400	72	A. RUFFY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: M-2 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	72	K. Faly
	0600	71	A. Leon
	0900	70	A. Leon
	1200	71	A. Leon
	1500	75	M. Cordova
	1800	75	M. Cordova
	2100	75	M. Cordova
	2400	72	J. Dunn

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	71	J. Dunn
	0600	70	A. Leon
	0900	71	A. Leon
	1200	71	A. Leon
	1500	75	M. Cordova
	1800	75	M. Cordova
	2100	75	M. Cordova
	2400	74	M. PANTOJA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M2

Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-24	0300	75	M. PANTOJA
	0600	75	M. PANTOJA
	0900	74	M. PANTOJA
	1200	73	M. PANTOJA
	1500	74	ZARGOZA
	1800	75	ZARGOZA
	2100	74	ZARGOZA
	2400	73	M. PANTOJA

Tuesday

Date	Time	Temp.	Name (Print)
9-25	0300	72	M. PANTOJA
	0600	73	L. Brown
	0900	74	L. Brown
	1200	74	L. Brown
	1500	70°	Ortiz
	1800	80°	Ortiz
	2100	82°	Ortiz
	2400	73	MAMAUAG

Wednesday

Date	Time	Temp.	Name (Print)
9-26	0300	73	MAMAUAG
	0600	74	C. CHAPPELL, C.
	0900	78	C. CHAPPELL, C.
	1200	81	C. CHAPPELL, C.
	1500	81	L. Chay
	1800	81	L. Chay
	2100	81	L. Chay
	2400	80	Gonzales

Thursday

Date	Time	Temp.	Name (Print)
9-27	0300	79	Gonzales
	0600	78	J. Rodriguez
	0900	78	J. Rodriguez
	1200	79	J. Rodriguez
	1500	80	M. Cordas
	1800	80	M. Cordas
	2100	80	M. Cordas
	2400	80	M. Pascual

Friday

Date	Time	Temp.	Name (Print)
9-28	0300	79	M. Pascual
	0600	74	Mur
	0900	78	Mur
	1200	79	Mur
	1500	80	M. Cordas
	1800	80	M. Cordas
	2100	79	M. Cordas
	2400	73	M. PANTOJA

Saturday

Date	Time	Temp.	Name (Print)
9-29	0300	72	M. PANTOJA
	0600	72	A. Leon
	0900	73	A. Leon
	1200	73	A. Leon
	1500	79	M. Cordas
	1800	79	M. Cordas
	2100	78	M. Cordas
	2400	78	A. T. LACAS

Sunday

Date	Time	Temp.	Name (Print)
9-30	0300	77	A. T. LACAS
	0600	73	A. Leon
	0900	78	A. Leon
	1200	78	A. Leon
	1500	80	M. Cordas
	1800	80	M. Cordas
	2100	80	M. Cordas
	2400	78	A. T. LACAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: 11.2

Temp. Reading Location: Day Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/10/18	0300	78	A. TACIAS
	0600	74	Mallora
	0900	76	Mallora
	1200	78	Mallora
	1500	80	M. Cardenas
	1800	80	M. Cardenas
	2100	80	M. Cardenas
	2400	79	A. TACIAS

Tuesday

Date	Time	Temp.	Name (Print)
4/11/18	0300	78	A. TACIAS
	0600	74	Mallora
	0900	76	Mallora
	1200	78	Mallora
	1500	80	A. Alvarado
	1800	79	A. Alvarado
	2100	78	A. Alvarado
	2400	78	F. HARVEY

Wednesday

Date	Time	Temp.	Name (Print)
4/12/18	0300	78	F. HARVEY
	0600	77	F. HARVEY
	0900	78	Mallora
	1200	79	Mallora
	1500	82	A. Leon
	1800	82	A. Leon
	2100	81	A. Leon
	2400	78	A. TACIAS

Thursday

Date	Time	Temp.	Name (Print)
4/13/18	0300	78	A. TACIAS
	0600	80	Mallora
	0900	80	Mallora
	1200	80	Mallora
	1500	80	M. Cardenas
	1800	80	M. Cardenas
	2100	80	M. Cardenas
	2400	79	M. Pascual

Friday

Date	Time	Temp.	Name (Print)
4/14/18	0300	77	M. Pascual
	0600	74	Mallora
	0900	76	Mallora
	1200	78	Mallora
	1500	80	M. Cardenas
	1800	80	M. Cardenas
	2100	80	M. Cardenas
	2400	78	M. Pascual

Saturday

Date	Time	Temp.	Name (Print)
4/15/18	0300	77	M. Pascual
	0600	76	A. Leon
	0900	77	A. Leon
	1200	79	A. Leon
	1500	80	M. Cardenas
	1800	80	M. Cardenas
	2100	80	M. Cardenas
	2400	78	A. TACIAS

Sunday

Date	Time	Temp.	Name (Print)
4/16/18	0300	77	A. TACIAS
	0600	77	A. Leon
	0900	77	A. Leon
	1200	77	A. Leon
	1500	80	M. Cardenas
	1800	80	M. Cardenas
	2100	80	M. Cardenas
	2400	79	M. Pascual

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M-2 Temp. Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	77	M. Pascual
	0600	72	Mallano
	0900	74	Mallano
	1200	74	Mallano
	1500	80	M. Cordova
	1800	80	M. Cordova
	2100	80	M. Cordova
	2400	77	A. Macias

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	77	A. Macias
	0600	70	Mallano
	0900	72	Mallano
	1200	72	Mallano
	1500	78°	Ortu
	1800	78°	Ortu
	2100	78°	Ortu
	2400	75	A. Macias

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	75	A. Macias
	0600	71	Mallano
	0900	71	Mallano
	1200	72	Mallano
	1500	73	L. Cloyd
	1800	75	L. Cloyd
	2100	75	L. Cloyd
	2400	75	A. Macias

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	75	A. Macias
	0600	71	Mallano
	0900	71	Mallano
	1200	72	Mallano
	1500	80	M. Cordova
	1800	80	M. Cordova
	2100	80	M. Cordova
	2400	75	E. T. LUNA

Friday

Date	Time	Temp.	Name (Print)
6/24	0300	72	E. T. LUNA
	0600	70	Mallano
	0900	71	Mallano
	1200	72	Mallano
	1500	80	M. Cordova
	1800	80	M. Cordova
	2100	80	M. Cordova
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300		
	0600	71	A. Leon
	0900	73	A. Leon
	1200	75	A. Leon
	1500	80	M. Cordova
	1800	80	M. Cordova
	2100	80	M. Cordova
	2400	80	C. Lomeli

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	80	C. Lomeli
	0600	75	Leon
	0900	75	Leon
	1200	75	Leon
	1500	85	M. Cordova
	1800	85	M. Cordova
	2100	85	M. Cordova
	2400	80	C. Lomeli

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M-2 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	80	C. Lomeu
24	0600	80	Mallano
	0900	81	Mallano
	1200	82	Mallano
	1500	85	m. Cordon
	1800	85	m. Cordon
	2100	85	m. Cordon
	2400	80	A. T. Acias

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	80	A. T. Acias
26	0600	80	Mallano
	0900	80	Mallano
	1200	80	Mallano
	1500	81	R. Lloyd
	1800	81	R. Lloyd
	2100	81	R. Lloyd
	2400	80	A. T. Acias

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	80	D. Cobb
28	0600	79	Leon
	0900	80	Leon
	1200	80	Leon
	1500	85	m. Cordon
	1800	85	m. Cordon
	2100	85	m. Cordon
	2400	83	F. GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	80	A. T. Acias
30	0600	80	A. Leon
	0900	80	A. Leon
	1200	80	A. Leon
	1500	85	m. Cordon
	1800	85	m. Cordon
	2100	85	m. Cordon
	2400	84	A. T. Acias

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	79	A. T. Acias
25	0600	80	Mallano
	0900	80	Mallano
	1200	80	Mallano
	1500	84	O. H. L.
	1800	86	O. H. L.
	2100	86	O. H. L.
	2400	82	A. T. Acias

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	79	A. T. Acias
27	0600	79	Mallano
	0900	80	Mallano
	1200	80	Mallano
	1500	82	m. Cordon
	1800	82	m. Cordon
	2100	82	m. Cordon
	2400	81	D. COBB

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	80	F. GONZALEZ
29	0600	79	Leon
	0900	80	Leon
	1200	80	Leon
	1500	85	m. Cordon
	1800	85	m. Cordon
	2100	85	m. Cordon
	2400	82	A. T. Acias

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70	C. Martinez
	0600	71°	Manning
	0900	71°	Manning
	1200	72°	Manning
	1500	73	Bostick
	1800	72	Bostick
	2100	72	Bostick
	2400	72	C. Martinez

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	72	C. Martinez
	0600	73	Bostick
	0900	73	Bostick
	1200	74	Bostick
	1500	73	Bostick
	1800	72	Bostick
	2100	72	Bostick
	2400	72	Marshall

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	72	CMartinez
	0600	72	Linares
	0900	72	Linares
	1200	72	Linares
	1500	72	G.CHACON
	1800	74	G.CHACON
	2100	74	G.CHACON
	2400	74	G.CHACON

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	72	G.CHACON
	0600	72	T.Kitchen
	0900	72	T.Kitchen
	1200	73	T.Kitchen
	1500	73	CLAUDIE
	1800	73	CLAUDIE
	2100	73	CLAUDIE
	2400	72	G.CHACON

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	72	G.CHACON
	0600	71	C.TUCKER
	0900	78	C.TUCKER
	1200	78	C.TUCKER
	1500	76	CLAUDIE
	1800	76	CLAUDIE
	2100	74	CLAUDIE
	2400	79	CMartinez

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	72	CMartinez
	0600	72	G.HENSON
	0900	79	G.HENSON
	1200	76	G.HENSON
	1500	78	MONTONY
	1800	78	MONTONY
	2100	79	MONTONY
	2400	79	B.Garcia

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	79	B.Garcia
	0600	79	G.HENSON
	0900	79	G.HENSON
	1200	79	G.HENSON
	1500	79	MONTONY
	1800	79	MONTONY
	2100	79	MONTONY
	2400	75	CMartinez

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	75	CMartinez
	0600	73	MANNING,T
	0900	74	MANNING,T
	1200	75	MANNING,T
	1500	75	Boston
	1800	74	Boston
	2100	74	Boston
	2400	72	CMartinez

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	CMartinez
	0600	73	Boston
	0900	74	Boston
	1200	74	Boston
	1500	75	Boston
	1800	74	Boston
	2100	73	Boston
	2400	73	CMartinez

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	73	Martinez
	0600	73	G. HENSON
	0900	73	G. HENSON
	1200	73	G. HENSON
	1500	74	Montoya
	1800	74	Montoya
	2100	74	Montoya
	2400	74	S. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	75	J. Henson
	0600	75	J. Henson
	0900	75	J. Henson
	1200	75	J. Henson
	1500	78	L. Zaragoza
	1800	78	L. Zaragoza
	2100	76	L. Zaragoza
	2400	73	Martinez

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	conantines
	0600	72	G. Henson
	0900	73	G. Henson
	1200	74	G. Henson
	1500	75	Montoya
	1800	75	Montoya
	2100	74	Montoya
	2400	74	J. Trujillo

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	71	Garrison
	0600	72	Bolton
	0900	73	Bolton
	1200	74	Bolton
	1500	74	Bolton
	1800	73	Bolton
	2100	72	Bolton
	2400	71	Bolton

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	74	B. GARCIA
	0600	74	C. HENSON
	0900	74	C. HENSON
	1200	74	C. HENSON
	1500	75	MONTGOMERY
	1800	75	MONTGOMERY
	2100	75	MONTGOMERY
	2400	75	C. HENSON

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	73	CMontree
	0600	73	G.Henson
	0900	74	G.Henson
	1200	74	G.Henson
	1500	75	MONTREE
	1800	70	MONTREE
	2100	75	MONTREE
	2400	72	CMontree

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	J. Puglisi
	0600	70	J. T. Hill
	0900	80	CAMARENA
	1200	83	C. MARENA
	1500	84	CAMARENA
	1800	72	BOSTON
	2100	71	BOSTON
	2400	71	AMARINOS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	71	CMORTNER
	0600	72	GELIAN
	0900	72	S.CHACON
	1200	72	GELIAN
	1500	73	MONTOLI
	1800	73	MONTOLI
	2100	73	MONTOLI
	2400	72	GELIAN

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	72	GELIAN
	0600	72	G.HENSON
	0900	74	G.HENSON
	1200	74	G.HENSON
	1500	74	MONTOLI
	1800	75	MONTOLI
	2100	74	MONTOLI
	2400	72	GELIAN

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	GELIAN
	0600	72	G.HENSON
	0900	74	G.HENSON
	1200	74	G.HENSON
	1500	75	S.RUPE
	1800	77	S.RUPE
	2100	77	S.RUPE
	2400	72	GELIAN

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	72	OMORTNER
	0600	72	G.HENSON
	0900	74	G.HENSON
	1200	74	G.HENSON
	1500	75	V.MORENO
	1800	74	V.MORENO
	2100	74	V.MORENO
	2400	72	CMORTNER

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	CMORTNER
	0600	72	G.HENSON
	0900	72	G.HENSON
	1200	74	G.HENSON
	1500	75	MONTOLI
	1800	75	MONTOLI
	2100	74	MONTOLI
	2400	72	CMORTNER

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	72	CMORTNER
	0600	72	F.FUENTES
	0900	75	F.FUENTES
	1200	75	F.FUENTES
	1500	75	G.TORRES
	1800	75	G.TORRES
	2100	75	G.TORRES
	2400	72	CMORTNER

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	72	CMORTNER
	0600	72	BOSTON
	0900	73	BOSTON
	1200	74	BOSTON
	1500	74	BOSTON
	1800	74	BOSTON
	2100	72	BOSTON
	2400	72	CMORTNER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	72	Chester
	0600	72	G. Henson
	0900	74	G. Henson
	1200	74	G. Henson
	1500	72	G. Chan
	1800	72	G. Chan
	2100	72	G. Chan
	2400	72	G. Chan

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	72	G. Chan
	0600	72	M. Cloud
	0900	73	M. Cloud
	1200	72	M. Cloud
	1500	75	Montoya
	1800	75	Montoya
	2100	75	Montoya
	2400	72	G. Chan

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	72	G. Chan
	0600	72	R. Rivera
	0900	72	R. Rivera
	1200	74	R. Rivera
	1500	76	Montoya
	1800	76	Montoya
	2100	76	Montoya
	2400	73	Montoya

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	73	Montoya
	0600	73	G. Henson
	0900	74	G. Henson
	1200	74	G. Henson
	1500	75	Montoya
	1800	76	Montoya
	2100	76	Montoya
	2400	74	Montoya

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	74	Montoya
	0600	74	G. Henson
	0900	74	G. Henson
	1200	74	G. Henson
	1500	76	Montoya
	1800	75	Montoya
	2100	75	Montoya
	2400	74	L. Hill

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	74	L. Hill
	0600	74°	Manning
	0900	74°	Manning
	1200	75°	Manning
	1500	75	Boston
	1800	74	Boston
	2100	73	Boston
	2400	73	Montoya

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	73	Montoya
	0600	73	Boston
	0900	74	Boston
	1200	75	Boston
	1500	75	Boston
	1800	74	Boston
	2100	73	Boston
	2400	72	Chester

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	72	Montague
	0600	72	Boston
	0900	73	Boston
	1200	73	Boston
	1500	74	Berrien
	1800	73	Berrien
	2100	72	Boston
	2400	72	Montague

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Thursday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70	C. Martinez
	0600	72°	MANNINGET
	0900	72°	MANNINGET
	1200	73°	MANNINGET
	1500	73	Bostick
	1800	72	Bostick
	2100	72	Bostick
	2400	72	C. Martinez

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	72	Chastine
	0600	72	Linares
	0900	72	Linares
	1200	72	Linares
	1500	72	G.CHAwn
	1800	74	G.CHAwn
	2100	74	G.CHAwn
	2400	72	G.CHAwn

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	72	G.CHAwn
	0600	72	T.Kitchen
	0900	72	T.Kitchen
	1200	73	T.Kitchen
	1500	74	GLAUNF
	1800	74	GLAUNF
	2100	74	GLAUNF
	2400	72	G.CHAwn

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	72	GCHAwn
	0600	71	C.Tucker
	0900	78	C.Tucker
	1200	78	C.Tucker
	1500	76	GLAUNF
	1800	76	GLAUNF
	2100	74	GLAUNF
	2400	79	C.Martinez

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	72	CHastine
	0600	72	G.HENSON
	0900	76	G.HENSON
	1200	76	G.HENSON
	1500	77	MONTONI
	1800	77	MONTONI
	2100	78	MONTONI
	2400	78	S.Garcia

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	78	B.Garcia
	0600	78	G.HENSON
	0900	78	G.HENSON
	1200	78	G.HENSON
	1500	78	MONTONI
	1800	78	MONTONI
	2100	78	MONTONI
	2400	75	CHastine

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	75	CHastine
	0600	73°	MANNINGIT
	0900	74°	MANNINGIT
	1200	75°	MANNINGIT
	1500	75	B.Garcia
	1800	75	B.Garcia
	2100	76	B.Garcia
	2400	72	CHastine

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	CHastine
	0600	73	B.Garcia
	0900	74	B.Garcia
	1200	74	B.Garcia
	1500	75	B.Garcia
	1800	74	B.Garcia
	2100	74	B.Garcia
	2400	73	CHastine

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	73	CHARTERER
	0600	73	G. HENSON
	0900	73	G. HENSON
	1200	74	G. HENSON
	1500	75	MONTONY
	1800	75	MONTONY
	2100	75	MONTONY
	2400	75	B. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	75	B. GARCIA
	0600	75	G. HENSON
	0900	75	G. HENSON
	1200	75	G. HENSON
	1500	76	MONTONY
	1800	76	MONTONY
	2100	76	MONTONY
	2400	76	C. HILL

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76	C. HILL
	0600	76	G. HENSON
	0900	76	G. HENSON
	1200	78	G. HENSON
	1500	78	G. ZARNOZA
	1800	78	G. ZARNOZA
	2100	78	G. ZARNOZA
	2400	78	C. MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	73	CHARTERER
	0600	73	G. HENSON
	0900	74	G. HENSON
	1200	75	G. HENSON
	1500	75	MONTONY
	1800	75	MONTONY
	2100	74	MONTONY
	2400	72	CHARTERER

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	CHARTERER
	0600	72	G. HENSON
	0900	74	G. HENSON
	1200	75	G. HENSON
	1500	76	MONTONY
	1800	76	MONTONY
	2100	75	MONTONY
	2400	74	T. YILIS

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	73	J. TRILLIO
	0600	73	J. TRILLIO
	0900	82	CAMARENA
	1200	89	CAMARENA
	1500	84	CAMARENA
	1800	72	B. RIVERA
	2100	72	B. RIVERA
	2400	72	CHARTERER

Notes

Date	Time	Temp.	Name (Print)
6/16/24	0300	72	CHARTERER
	0600	71	BOLTON
	0900	75	BOLTON
	1200	74	BOLTON
	1500	74	BOLTON
	1800	75	BOLTON
	2100	72	BOLTON
	2400	71	CHARTERER

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: 01 Temp. Reading Location: TIER 2/B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	C. MARTINEZ
	0600	72	G. HAGAN
	0900	72	G. HAGAN
	1200	72	G. HAGAN
	1500	73	MONTGOMERY
	1800	73	MONTGOMERY
	2100	72	MONTGOMERY
	2400	72	G. HAGAN

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	G. HAGAN
	0600	72	G. HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	70	S. RUIZ
	1800	77	S. RUIZ
	2100	75	S. RUIZ
	2400	72	G. HAGAN

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	G. HAGAN
	0600	72	G. HENSON
	0900	75	G. HENSON
	1200	75	G. HENSON
	1500	75	MONTGOMERY
	1800	75	MONTGOMERY
	2100	74	MONTGOMERY
	2400	72	G. HAGAN

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	72	G. HAGAN
	0600	72	E. FUENTES
	0900	73	E. FUENTES
	1200	74	E. FUENTES
	1500	74	E. FUENTES
	1800	73	E. FUENTES
	2100	72	E. FUENTES
	2400	72	G. HAGAN

Tuesday

Date	Time	Temp.	Name (Print)
6/24/24	0300	72	G. HAGAN
	0600	72	G. HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	75	MONTGOMERY
	1800	75	MONTGOMERY
	2100	74	MONTGOMERY
	2400	72	G. HAGAN

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	72	CHARTER
	0600	72	G. HENSON
	0900	76	G. HENSON
	1200	76	G. HENSON
	1500	75	V. MORENO
	1800	75	V. MORENO
	2100	76	V. MORENO
	2400	72	CHARTER

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	72	CHARTER
	0600	72	F. FUENTES
	0900	75	F. FUENTES
	1200	75	F. FUENTES
	1500	75	G. TORRES
	1800	75	G. TORRES
	2100	75	G. TORRES
	2400	72	CHARTER

Notes

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2/B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/24</u>	0300	72	<u>C. MARTINEZ</u>
	0600	72	<u>G. HENSON</u>
	0900	74	<u>G. HENSON</u>
	1200	75	<u>G. HENSON</u>
	1500	72	<u>G. CHAN</u>
	1800	72	<u>G. CHAN</u>
	2100	72	<u>G. CHAN</u>
	2400	72	<u>G. CHAN</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/25</u>	0300	72	<u>G. CHAN</u>
	0600	72	<u>M. CLOUD</u>
	0900	75	<u>M. CLOUD</u>
	1200	75	<u>M. CLOUD</u>
	1500	74	<u>MONTON</u>
	1800	74	<u>MONTON</u>
	2100	74	<u>MONTON</u>
	2400	77	<u>G. CHAN</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/26</u>	0300	72	<u>G. CHAN</u>
	0600	72	<u>R. RIVERA</u>
	0900	72	<u>R. RIVERA</u>
	1200	74	<u>R. RIVERA</u>
	1500	74	<u>MONTON</u>
	1800	74	<u>MONTON</u>
	2100	74	<u>MONTON</u>
	2400	73	<u>G. MARTINEZ</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>6/27</u>	0300	73	<u>C. MARTINEZ</u>
	0600	73	<u>G. HENSON</u>
	0900	74	<u>G. HENSON</u>
	1200	76	<u>G. HENSON</u>
	1500	74	<u>MONTON</u>
	1800	74	<u>MONTON</u>
	2100	74	<u>MONTON</u>
	2400	74	<u>G. MARTINEZ</u>

Friday

Date	Time	Temp.	Name (Print)
<u>6/28</u>	0300	74	<u>C. MARTINEZ</u>
	0600	74	<u>G. HENSON</u>
	0900	74	<u>G. HENSON</u>
	1200	76	<u>G. HENSON</u>
	1500	77	<u>MONTON</u>
	1800	76	<u>MONTON</u>
	2100	76	<u>MONTON</u>
	2400	74	<u>C. MARTINEZ</u>

Saturday

Date	Time	Temp.	Name (Print)
<u>6/29</u>	0300	74	<u>L. DILL</u>
	0600	74	<u>MANNING</u>
	0900	74	<u>MANNING</u>
	1200	75	<u>MANNING</u>
	1500	75	<u>BOSQUE</u>
	1800	74	<u>BOSQUE</u>
	2100	73	<u>BOSQUE</u>
	2400	73	<u>C. MARTINEZ</u>

Notes

Date	Time	Temp.	Name (Print)
<u>6/30</u>	0300	75	<u>C. MARTINEZ</u>
	0600	73	<u>BOSQUE</u>
	0900	74	<u>BOSQUE</u>
	1200	75	<u>BOSQUE</u>
	1500	75	<u>BOSQUE</u>
	1800	74	<u>BOSQUE</u>
	2100	73	<u>C. MARTINEZ</u>
	2400	72	<u>C. MARTINEZ</u>

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: FDB2 Temp. Reading Location: A-SIDE 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	70	GLAUNE
6/24	0600	70	Swenson
6/24	0900	72	Swenson
6/24	1200	72	Swenson
6/24	1500	73	Swenson
6/24	1800	73	Swenson
6/24	2100	70	Swenson
6/24	2400	73	9 CHAN

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	72	G-CHAN
6/24	0600	71°	P. MULLIGAN
6/24	0900	71°	P. MULLIGAN
6/24	1200	72°	P. MULLIGAN
6/24	1500	72°	P. MULLIGAN
6/24	1800	72	P. MULLIGAN
6/24	2100	72	P. MULLIGAN
6/24	2400	74	G-CHAN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution WIP-RC Housing Unit: FB-D2

Temp. Reading Location:

Inside 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	72	G.CHACON
	0600	72	S.WEISER
	0900	72	S.WEISER
	1200	72	S.WEISER
	1500	73	BOSTFUR
24	1800	72	BOSTFUR
	2100	72	BOSTFUR
	2400	70	GLAUDIE

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	70	GLAUDIE
	0600	73°	MANNING,T.
	0900	75°	MANNING,T.
	1200	76°	MANNING,T.
	1500	76°	MANNING,T.
24	1800	75°	MANNING,T.
	2100	72°	MANNING,T.
	2400	70	GLAUDIE

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	70	GLAUDIE
	0600	71	SWEISER
	0900	73	SWEISER
	1200	74	SWEISER
	1500	76	SWEISER
24	1800	77	SWEISER
	2100	74	SWEISER
	2400	74	GLAUDIE

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	72	GLAUDIE
	0600	74°	P.MULLIGAN
	0900	76°	P.MULLIGAN
	1200	77°	P.MULLIGAN
	1500	80°	P.MULLIGAN
24	1800	82°	P.MULLIGAN
	2100	82°	P.MULLIGAN
	2400	78	GLAUDIE

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	74	GLAUDIE
	0600	79	P.MULLIGAN
	0900	80	P.MULLIGAN
	1200	80	P.MULLIGAN
	1500	80°	P.MULLIGAN
24	1800	78°	P.MULLIGAN
	2100	77	P.MULLIGAN
	2400	76	GLAUDIE

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	74	GLAUDIE
	0600	76°	P.MULLIGAN
	0900	76°	P.MULLIGAN
	1200	78°	P.MULLIGAN
	1500	76°	G.CHACON
24	1800	74°	G.CHACON
	2100	73	G.CHACON
	2400	73	G.CHACON

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	72	G.CHACON
	0600	74	SWEISER
	0900	75	SWEISER
	1200	77	SWEISER
	1500	78	SWEISER
24	1800	78	SWEISER
	2100	78	SWEISER
	2400	76	GLAUDIE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment 11
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: FDB 2 Temp. Reading Location: A-SIDE 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	74	GLAUME
	0600	76°	MANNING,T
	0900	76°	MANNING,T
	1200	77°	MANNING,T
	1500	78	G. LEMUS
	1800	77	G. LEMUS
	2100	78	G. LEMUS
	2400	78	GLAUME

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76	GLAUME
	0600	77	SWESEN
	0900	78	SWESEN
	1200	78	SWESEN
	1500	77	SWESEN
	1800	76	SWESEN
	2100	76	SWESEN
	2400	76	GLAUME

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	74	GLAUME
	0600	74°	P. MULLIGAN
	0900	74°	P. MULLIGAN
	1200	74°	P. MULLIGAN
	1500	74°	P. MULLIGAN
	1800	74°	P. MULLIGAN
	2100	74°	P. MULLIGAN
	2400	72	GLAUME

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	72	G. CHAUW
	0600	72	C. PAMMEN
	0900	74	C. PAMMEN
	1200	77	C. PAMMEN
	1500	76	S. SWESEN
	1800	74	S. SWESEN
	2100	73	S. SWESEN
	2400	72	G. CHAUW

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	76	GLAUME
	0600	76°	MANNING,T
	0900	76°	MANNING,T
	1200	77°	MANNING,T
	1500	78°	MANNING,T
	1800	77°	MANNING,T
	2100	76°	MANNING,T
	2400	76	GLAUME

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	76	GLAUME
	0600	78°	P. MULLIGAN
	0900	78°	P. MULLIGAN
	1200	80°	P. MULLIGAN
	1500	78°	P. MULLIGAN
	1800	76°	P. MULLIGAN
	2100	77°	P. MULLIGAN
	2400	76	GLAUME

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	GLAUME
	0600	73	G. CHAUW
	0900	78	G. CHAUW
	1200	78	G. CHAUW
	1500	78°	P. MULLIGAN
	1800	72°	P. MULLIGAN
	2100	72°	P. MULLIGAN
	2400	72	G. CHAUW

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution WSP-RC Housing Unit FB-D2 Temp. Reading Location: 2nd Tier ASAC
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		<u>6/17/24</u>		Tuesday		<u>6/18/24</u>	
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300	72	G CLAUDE		0300	72	G CLAUDE
	0600	73°	MANNING, T.		0600	72°	MANNING, T.
	0900	74°	MANNING, T.		0900	73°	MANNING, T.
	1200	75°	MANNING, T.		1200	74°	MANNING, T.
	1500	76°	M CLAUD		1500	75°	MANNING, T.
	1800	74°	M CLAUD		1800	74°	MANNING, T.
	2100	73°	M CLAUD		2100	73°	MANNING, T.
	2400	72	G CLAUDE		2400	72	G CLAUDE
Wednesday		<u>6/19/24</u>		Thursday		<u>6/20/24</u>	
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300	72	G CLAUDE		0300	72	G CLAUDE
	0600	72	Swenson		0600	72°	P. MULLIGAN
	0900	74	Swenson		0900	74°	P. MULLIGAN
	1200	73	Swenson		1200	72°	P. MULLIGAN
	1500	73	Swenson		1500	72°	P. MULLIGAN
	1800	73	Swenson		1800	72°	P. MULLIGAN
	2100	73	Swenson		2100	72°	P. MULLIGAN
	2400	72	G CLAUDE		2400	72	G CLAUDE
Friday		<u>6/21/24</u>		Saturday		<u>6/22/24</u>	
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300	72	G CLAUDE		0300	72	G CLAUDE
	0600	72°	P. MULLIGAN		0600	72	Swenson
	0900	72°	P. MULLIGAN		0900	72	Swenson
	1200	72°	P. MULLIGAN		1200	73	Swenson
	1500	72°	P. MULLIGAN		1500	72	Swenson
	1800	72°	P. MULLIGAN		1800	72	Swenson
	2100	72°	P. MULLIGAN		2100	72	Swenson
	2400	72	G CLAUDE		2400	72	G CLAUDE
Sunday		<u>6/23/24</u>		Notes			
Date	Time	Temp.	Name (Print)				
	0300	72	Swenson, P. MULLIGAN				
	0600	73	P. MULLIGAN, G CLAUDE				
	0900	73	P. MULLIGAN, G CLAUDE				
	1200	73	P. MULLIGAN, G CLAUDE				
	1500	73°	G CLAUDE, P. MULLIGAN				
	1800	73°	G CLAUDE, P. MULLIGAN				
	2100	72	G CLAUDE, P. MULLIGAN				
	2400	72	G CLAUDE, P. MULLIGAN				

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2Temp. Reading Location: A SIDE(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	72°	C.CHACON
	0600	74°	MANNING ET
	0900	75°	MANNING ET
	1200	76°	MANNING ET
	1500	75	Betha
	1800	74	Betha
	2100	72	Gordon
	2400	72	CLAUDIE

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	72	CLAUDIE
	0600	72	Swenson
	0900	73	Swenson
	1200	73	Swenson
	1500	73	Swenson
	1800	72	Swenson
	2100	72	Swenson
	2400	72	CLAUDIE

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	74	CLAUDIE
	0600	74	Swenson
	0900	73	Swenson
	1200	73	Swenson
	1500	73	P.MULLIGAN
	1800	73	P.MULLIGAN
	2100	73	P.MULLIGAN
	2400	72	CLAUDIE

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	72	G CHACON
	0600	72°	P.MULLIGAN
	0900	72°	P.MULLIGAN
	1200	72°	P.MULLIGAN
	1500	72°	P.MULLIGAN
	1800	72°	P.MULLIGAN
	2100	72°	P.MULLIGAN
	2400	72	G CHACON

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	72	CLAUDIE
	0600	74°	MANNING ET
	0900	75°	MANNING ET
	1200	76°	MANNING ET
	1500	76°	MANNING ET
	1800	75°	MANNING ET
	2100	73°	MANNING ET
	2400	72	CLAUDIE

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	72	CLAUDIE
	0600	76°	P.MULLIGAN
	0900	75°	P.MULLIGAN
	1200	74°	P.MULLIGAN
	1500	76°	P.MULLIGAN
	1800	78°	P.MULLIGAN
	2100	78°	P.MULLIGAN
	2400	76	CLAUDIE

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	72	CLAUDIE
	0600	73	Swenson
	0900	74	Swenson
	1200	74	Swenson
	1500	75	Swenson
	1800	75	Swenson
	2100	75	Swenson
	2400	72	G CHACON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB2 Temp. Reading Location: B-SIDE 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6	0300	73	G.C. CHAM.
	0600	72°	P.MULLIGAN
	0900	72°	P.MULLIGAN
2	1200	73°	P.MULLIGAN
	1500	73°	P.MULLIGAN
	1800	73°	P.MULLIGAN
24	2100	73°	P.MULLIGAN
	2400	73	G.C. CHAM.

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6	0300	70	CLAUDE
	0600	70	Swenson
	0900	70	Swenson
1	1200	70	Swenson
	1500	72	Swenson
	1800	72	Swenson
24	2100	71	Swenson
	2400	73	G.C. CHAM.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-ore Housing Unit: FB-02 Temp. Reading Location: B Stair - 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	72	G. CHACON
	0600	72	S. WEAVER
	0900	72	S. WEAVER
	1200	72	S. WEAVER
	1500	73	BOSTICK
	1800	72	BOSTICK
	2100	72	BOSTICK
	2400	70	GLAUDIE

Wednesday

Date	Time	Temp.	Name (Print)
6/24	0300	72	GLAUDIE
	0600	73	SWENSON
	0900	74	SWENSON
	1200	73	SWENSON
	1500	78	SWENSON
	1800	76	SWENSON
	2100	74	SWENSON
	2400	74	GLAUDIE

Friday

Date	Time	Temp.	Name (Print)
6/24	0300	80	GLAUDIE
	0600	78	C. MULLIGAN
	0900	79	C. MULLIGAN
	1200	80	C. MULLIGAN
	1500	82°	P. MULLIGAN
	1800	80°	P. MULLIGAN
	2100	78°	P. MULLIGAN
	2400	78	GLAUDIE

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	72	G. CHACON
	0600	76	S. WEAVER
	0900	78	S. WEAVER
	1200	79	S. WEAVER
	1500	78	S. WEAVER
	1800	73	S. WEAVER
	2100	78	S. WEAVER
	2400	76	GLAUDIE

Tuesday

Date	Time	Temp.	Name (Print)
6/24	0300	70	GLAUDIE
	0600	75°	MANNING, T.
	0900	75°	MANNING, T.
	1200	75°	MANNING, T.
	1500	75°	MANNING, T.
	1800	74°	MANNING, T.
	2100	72°	MANNING, T.
	2400	72	GLAUDIE

Thursday

Date	Time	Temp.	Name (Print)
6/24	0300	74	GLAUDIE
	0600	76°	P. MULLIGAN
	0900	78°	P. MULLIGAN
	1200	80°	P. MULLIGAN
	1500	82°	P. MULLIGAN
	1800	84°	P. MULLIGAN
	2100	83°	P. MULLIGAN
	2400	80	GLAUDIE

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	76	GLAUDIE
	0600	79°	P. MULLIGAN
	0900	79°	P. MULLIGAN
	1200	81°	P. MULLIGAN
	1500	76	G. CHACON
	1800	74°	G. CHACON
	2100	73°	G. CHACON
	2400	73°	G. CHACON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB2 Temp. Reading Location: B-SIDE 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	74	CLAUDE
	0600	76°	MANNING,T.
	0900	76°	MANNING,T.
	1200	77°	MANNING,T.
	1500	78	G. LAMER
	1800	76	G. LAMER
	2100	78	G. LAMER
	2400	76	CLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76	CLAUDE
	0600	77	Swenson
	0900	77	Swenson
	1200	78	Swenson
	1500	77	Swenson
	1800	77	Swenson
	2100	76	Swenson
	2400	76	CLAUDE

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	74	CLAUDE
	0600	74°	P. MULLIGAN
	0900	75°	P. MULLIGAN
	1200	75°	P. MULLIGAN
	1500	75°	P. MULLIGAN
	1800	75°	P. MULLIGAN
	2100	73°	P. MULLIGAN
	2400	72	CLAUDE

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	72	G. CHAGW.
	0600	72	C. AMMISON
	0900	73	C. AMMISON
	1200	77	C. AMMISON
	1500	75	P. Swenson
	1800	74	P. Swenson
	2100	71	P. Swenson
	2400	72	G. CHAGW.

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	76	CLAUDE
	0600	76°	MANNING,T.
	0900	77°	MANNING,T.
	1200	77°	MANNING,T.
	1500	78°	MANNING,T.
	1800	77°	MANNING,T.
	2100	76°	MANNING,T.
	2400	76	CLAUDE

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	76	CLAUDE
	0600	77°	P. MULLIGAN
	0900	77°	P. MULLIGAN
	1200	79°	P. MULLIGAN
	1500	77°	P. MULLIGAN
	1800	75°	P. MULLIGAN
	2100	76°	P. MULLIGAN
	2400	74	CLAUDE

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	CLAUDE
	0600	73	PEREZ
	0900	78	PEREZ
	1200	78	PEREZ
	1500	78°	P. MULLIGAN
	1800	73°	P. MULLIGAN
	2100	73°	P. MULLIGAN
	2400	72	G. CHAGW.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution WSP-RC Housing Unit: FB-D2 Temp. Reading Location: 2nd TIER B 5 b.c.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		<u>6/17/24</u>	
Date	Time	Temp.	Name (Print)
	0300	72	G CHAN
	0600	72°	MANNING G.T.
	0900	73°	MANNING G.T.
	1200	74°	MANNING G.T.
	1500	75°	M. CLOUD
	1800	74°	M. CLOUD
	2100	73°	M. CLOUD
	2400	72	GLAUDR

Wednesday		<u>6/19/24</u>	
Date	Time	Temp.	Name (Print)
	0300	72	GLAUDR
	0600	73	Svensen
	0900	74	Svensen
	1200	73	Svensen
	1500	72	Svensen
	1800	72	Svensen
	2100	72	Svensen
	2400	72	GLAUDR

Friday		<u>6/21/24</u>	
Date	Time	Temp.	Name (Print)
	0300	70	GLAUDR
	0600	70	P. MULLIGAN
	0900	70°	P. MULLIGAN
	1200	70°	P. MULLIGAN
	1500	70°	P. MULLIGAN
	1800	70°	P. MULLIGAN
	2100	70°	P. MULLIGAN
	2400	70	GLAUDR

Sunday		<u>6/23/24</u>	
Date	Time	Temp.	Name (Print)
	0300	72	G CHAN
	0600	72°	P. MULLIGAN
	0900	72°	P. MULLIGAN
	1200	72°	P. MULLIGAN
	1500	72°	P. MULLIGAN
	1800	72°	P. MULLIGAN
	2100	70°	P. MULLIGAN
	2400	72	G CHAN

Tuesday		<u>6/18/24</u>	
Date	Time	Temp.	Name (Print)
	0300	72	GLAUDR
	0600	72°	MANNING G.T.
	0900	73°	MANNING G.T.
	1200	74°	MANNING G.T.
	1500	75°	MANNING G.T.
	1800	74°	MANNING G.T.
	2100	73°	MANNING G.T.
	2400	72	GLAUDR

Thursday		<u>6/20/24</u>	
Date	Time	Temp.	Name (Print)
	0300	72	GLAUDR
	0600	72°	P. MULLIGAN
	0900	74°	P. MULLIGAN
	1200	71	P. MULLIGAN
	1500	71°	P. MULLIGAN
	1800	71°	P. MULLIGAN
	2100	70°	P. MULLIGAN
	2400	70	GLAUDR

Saturday		<u>6/22/24</u>	
Date	Time	Temp.	Name (Print)
	0300	70	GLAUDR
	0600	71	Svensen
	0900	71	Svensen
	1200	72	Svensen
	1500	71	Svensen
	1800	71	Svensen
	2100	70	Svensen
	2400	72	GLAUDR

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: B SIDE 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/24/24</u>	0300	72°	C. CHACON
	0600	74°	MANNING, T.
	0900	75°	MANNING, T.
	1200	76°	MANNING, T.
	1500	75	Rebekah
	1800	74	Rebekah
	2100	72	Rebekah
	2400	72	CLAUDIE

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/25/24</u>	0300	72	CLAUDIE
	0600	74°	MANNING, T.
	0900	75°	MANNING, T.
	1200	76°	MANNING, T.
	1500	75°	MANNING, T.
	1800	74°	MANNING, T.
	2100	73°	MANNING, T.
	2400	72	CLAUDIE

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/26/24</u>	0300	72	CLAUDIE
	0600	72	Svensen
	0900	73	Svensen
	1200	73	Svensen
	1500	72	Svensen
	1800	72	Svensen
	2100	72	Svensen
	2400	72	CLAUDIE

Thursday

Date	Time	Temp.	Name (Print)
<u>6/27/24</u>	0300	72	CLAUDIE
	0600	74°	P. MULLIGAN
	0900	74°	P. MULLIGAN
	1200	73°	P. MULLIGAN
	1500	75°	P. MULLIGAN
	1800	76°	P. MULLIGAN
	2100	76°	P. MULLIGAN
	2400	74	CLAUDIE

Friday

Date	Time	Temp.	Name (Print)
<u>6/28/24</u>	0300	74	CLAUDIE
	0600	73	Svensen
	0900	73	Svensen
	1200	73	Svensen
	1500	73	P. MULLIGAN
	1800	73	P. MULLIGAN
	2100	73	P. MULLIGAN
	2400	72	CLAUDIE

Saturday

Date	Time	Temp.	Name (Print)
<u>6/29/24</u>	0300	72	CLAUDIE
	0600	73	Svensen
	0900	74	Svensen
	1200	74	Svensen
	1500	74	Svensen
	1800	73	Svensen
	2100	73	Svensen
	2400	72	G. CHAN

Sunday

Date	Time	Temp.	Name (Print)
<u>6/30/24</u>	0300	72	G. CHAN
	0600	72°	P. MULLIGAN
	0900	73°	P. MULLIGAN
	1200	73°	P. MULLIGAN
	1500	73°	P. MULLIGAN
	1800	73°	P. MULLIGAN
	2100	75	P. MULLIGAN
	2400	72	G. CHAN

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: 2nd tier A side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/14	0300	74	MONTANA
05/14	0600		Gonzalez
05/14	0900		Gonzalez
05/14	1200		Gonzalez
05/14	1500		
05/14	1800		
05/14	2100		
05/14	2400		

Tuesday

Date	Time	Temp.	Name (Print)
05/15	0300		
05/15	0600		
05/15	0900		
05/15	1200		
05/15	1500		
05/15	1800		
05/15	2100		
05/15	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/16	0300		
05/16	0600		
05/16	0900		
05/16	1200		
05/16	1500		
05/16	1800		
05/16	2100		
05/16	2400		

Thursday

Date	Time	Temp.	Name (Print)
05/17	0300		
05/17	0600		
05/17	0900		
05/17	1200		
05/17	1500		
05/17	1800		
05/17	2100		
05/17	2400		

Friday

Date	Time	Temp.	Name (Print)
05/18	0300		
05/18	0600		
05/18	0900		
05/18	1200		
05/18	1500		
05/18	1800		
05/18	2100		
05/18	2400		

Saturday

Date	Time	Temp.	Name (Print)
05/19	0300	70	N MUN TOYA
05/19	0600	71	Gonzalez
05/19	0900	71	Gonzalez
05/19	1200	71	Gonzalez
05/19	1500	73	GCHACON
05/19	1800	74	GCHACON
05/19	2100	75	GCHACON
05/19	2400	73	LHILL

Sunday

Date	Time	Temp.	Name (Print)
05/20	0300	73	LHILL
05/20	0600	71	Gonzalez
05/20	0900	71	Gonzalez
05/20	1200	71	Gonzalez
05/20	1500	71	Solis
05/20	1800	71	Solis
05/20	2100	70	Solis
05/20	2400	69	HILL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: 2nd A Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	69	H. CERA
6/3/24	0600	71	Gonzalez
6/3/24	0900	71	Gonzalez
6/3/24	1200	71	Gonzalez
6/3/24	1500	72	Solis
6/3/24	1800	72	Solis
6/3/24	2100	71	Solis
6/3/24	2400	71	H.CERA

Wednesday

Date	Time	Temp.	Name (Print)
6/15/24	0300	70	H.CERA
6/15/24	0600	70°	MANNING IT
6/15/24	0900	72°	MANNING IT
6/15/24	1200	76°	MANNING IT
6/15/24	1500	76	B.GARCIA
6/15/24	1800	76	B.GARCIA
6/15/24	2100	76	B.GARCIA
6/15/24	2400	74	H.CERA

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	77	J.HIRACHERA
6/21/24	0600	78	Gonzalez
6/21/24	0900	78	Gonzalez
6/21/24	1200	78	Gonzalez
6/21/24	1500	80	R.Alvarez
6/21/24	1800	80	R.Alvarez
6/21/24	2100	80	R.Alvarez
6/21/24	2400	79	MONTAGU

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	79	C.HILL
6/23/24	0600	79	Gonzalez
6/23/24	0900	79	Gonzalez
6/23/24	1200	79	Gonzalez
6/23/24	1500	80	Solis
6/23/24	1800	80	Solis
6/23/24	2100	80	Solis
6/23/24	2400	80	SEALEY

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	70	H.CERA
6/4/24	0600	71	Gonzalez
6/4/24	0900	71	Gonzalez
6/4/24	1200	71	Gonzalez
6/4/24	1500	71	Solis
6/4/24	1800	71	Solis
6/4/24	2100	79	Solis
6/4/24	2400	79	H.CERA

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	73	H.CERA
6/6/24	0600	74	I.SALAZAR
6/6/24	0900	76	I.SALAZAR
6/6/24	1200	78	I.SALAZAR
6/6/24	1500	78	J.HIRACHERA
6/6/24	1800	78	J.HIRACHERA
6/6/24	2100	78	J.HIRACHERA
6/6/24	2400	78	J.HIRACHERA

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	79	MONTAGU
6/8/24	0600	78	BARAJAS
6/8/24	0900	78	BARAJAS
6/8/24	1200	79	BARAJAS
6/8/24	1500	80	Solis
6/8/24	1800	80	Solis
6/8/24	2100	80	Solis
6/8/24	2400	80	C.HILL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: A SIDE (2nd)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 10 24	0300	71°	SCALES
	0600	73°	Gonzalez
	0900	73°	Gonzalez
	1200	73°	Gonzalez
	1500	75	Solis
	1800	76	Solis
	2100	75	Solis
	2400	75°	SCALES

Tuesday

Date	Time	Temp.	Name (Print)
06 11 24	0300	72°	SCALES
	0600	72°	Gonzalez
	0900	72°	Gonzalez
	1200	72°	Gonzalez
	1500	78	GARLINA
	1800	78	GARCIA
	2100	78	GARCIA
	2400	75	A.NAJENA

Wednesday

Date	Time	Temp.	Name (Print)
06 12 24	0300	73	A.NAJENA
	0600	73°	MANNING,T
	0900	73°	MANNING,T
	1200	74°	MANNING,T
	1500	74	B.Garcia
	1800	74	B.Garcia
	2100	74	B.Garcia
	2400	74	A.NAJENA

Thursday

Date	Time	Temp.	Name (Print)
06 13 24	0300	72	A.NAJENA
	0600	73°	R.Dhalua
	0900	75°	R.Dhalua
	1200	75	R.Dhalua
	1500	75	J.Perez,Jr
	1800	75	J.Perez,Jr
	2100	75	J.Perez,Jr
	2400	75	J.Perez,Jr

Friday

Date	Time	Temp.	Name (Print)
06 14 24	0300	75	J.Perez,Jr
	0600	75	C.VASQUEZ
	0900	75	C.VASQUEZ
	1200	75	C.VASQUEZ
	1500	75	R.Alan
	1800	75	R.Alan
	2100	75	R.Alan
	2400	75	H.CERA

Saturday

Date	Time	Temp.	Name (Print)
06 15 24	0300	73	H.CERA
	0600	74°	R.Dhalua
	0900	74°	R.Dhalua
	1200	75°	R.Dhalua
	1500	77	Solis
	1800	78	Solis
	2100	76	Solis
	2400	76	C.Hill

Sunday

Date	Time	Temp.	Name (Print)
06 16 24	0300	76	C.Hill
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	80	Solis
	1800	80	Solis
	2100	78	Solis
	2400	77	R.Garcia

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: D3 Temp. Reading Location: tier 2/B side
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 17 24	0300	75	D. SIEURA
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	78	Gonzalez
	1500	78	Solis
	1800	78	Solis
	2100	77	Solis
	2400	78	SCALES

R
R
D

Tuesday

Date	Time	Temp.	Name (Print)
06 18 24	0300	78	SCALES
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	78	M. Medina
	1800	78	Medredio
	2100	78	M. Medina
	2400	78.5	H. CERA

D
D
D
P

Wednesday

Date	Time	Temp.	Name (Print)
06 19 24	0300	75	H-CERA
	0600	75	Muz
	0900	76	Muz
	1200	77	Muz
	1500	77	Garcia
	1800	77	Garcia
	2100	77	Garcia
	2400	76	L-HII

D

Thursday

Date	Time	Temp.	Name (Print)
06 20 24	0300	76	L-HII
	0600	76	ZEPEDA, H
	0900	76	ZEPEDA, A
	1200	76	ZEPEDA, A
	1500	76	HIRACHETA
	1800	74	HIRACHETA
	2100	76	HIRACHETA
	2400	76	HIRACHETA

+

Friday

Date	Time	Temp.	Name (Print)
06 21 24	0300	75	HIRACHETA
	0600	75	Gonzalez
	0900	76	Gonzalez
	1200	76	Gonzalez
	1500	80°	R. Alcalde
	1800	80°	R. Alcalde
	2100	80°	R. Alcalde
	2400	79	FALCIA

Saturday

Date	Time	Temp.	Name (Print)
06 22 24	0300	79	GALICIA
	0600	79	Gonzalez
	0900	79	Gonzalez
	1200	79	Gonzalez
	1500	78	J. M.
	1800	78	J. M.
	2100	78	J. M.
	2400	79	L-HII

Notes

Date	Time	Temp.	Name (Print)
06 23 24	0300	77	L-HII
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	77	Solis
	1800	80	Solis
	2100	80	Solis
	2400	78	Solis

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP / RC Housing Unit: F0B3 Temp. Reading Location: ASIDE 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	68°	SCALES
	0600	70°	Gonzalez
	0900	70°	Gonzalez
	1200	78°	Borajosa
	1500	80°	Solis
	1800	78°	Solis
	2100	78°	Solis
	2400	79°	SCALES

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	70°	SCALES
	0600	77°	Gonzalez
	0900	77°	Gonzalez
	1200	77°	Gonzalez
	1500	78°	Solis
	1800	80°	Solis
	2100	80°	Solis
	2400	78°	Scales

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	78°	Scales
	0600	70°	MANNING, T.
	0900	71°	MANNING, T.
	1200	72°	MANNING, T.
	1500	72°	R. Garcia
	1800	72°	R. Garcia
	2100	72°	R. Garcia
	2400	71°	L. Hill

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	71°	L. Hill
	0600	71°	V. Velasquez
	0900	71°	V. Velasquez
	1200	71°	V. Velasquez
	1500	71°	H. Sanchez
	1800	71°	H. Sanchez
	2100	71°	H. Sanchez
	2400	71°	H. Sanchez

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	71°	Herneta
	0600	71°	Gonzalez
	0900	71°	Gonzalez
	1200	71°	Gonzalez
	1500	73°	R. Alcala
	1800	73°	R. Alcala
	2100	73°	R. Alcala
	2400	73°	Montoy

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	73°	Montoy
	0600	73°	Gonzalez
	0900	73°	Gonzalez
	1200	73°	Gonzalez
	1500	76°	Solis
	1800	78°	Solis
	2100	76°	Solis
	2400	71°	L. Hill

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	74°	L. Hill
	0600	74°	Gonzalez
	0900	74°	Gonzalez
	1200	74°	Gonzalez
	1500	76°	Solis
	1800	76°	Solis
	2100	75°	Solis
	2400	74°	CLAUDE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: 2nd Tier B Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1	0300	74	<u>Murphy</u>
10/1	0600		<u>Gonzalez</u>
10/1	0900		
10/1	1200		
10/1	1500		
10/1	1800		
10/1	2100		
10/1	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06/01	0300	70	M. Mon 70/A
01	0600	73	Gonzalez
24	0900	73	Gonzalez
24	1200	73	Gonzalez
24	1500	73	Gonzalez
24	1800	78	G. CHAN
24	2100	75	G. CHAN
24	2400	72	1444

Sunday

Date	Time	Temp.	Name (Print)
06/02	0300	72	L. T. L.
02	0600	73	Gonzalez
24	0900	73	Gonzalez
24	1200	73	Gonzalez
24	1500	72	Solis
24	1800	72	Solis
24	2100	70	Solis
24	2400	69	H. L.

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: ②3 Temp. Reading Location: Ind B Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/ 3/ 24	0300	69	H-CERA
	0600	73	Gonzalez
	0900	73	Gonzalez
	1200	73	Gonzalez
	1500	73	Solis
	1800	73	Solis
	2100	72	Solis
	2400	71	H-CERA

Tuesday

Date	Time	Temp.	Name (Print)
5/ 4/ 24	0300	71	H-CERA
	0600	72	Gonzalez
	0900	72	Gonzalez
	1200	72	Gonzalez
	1500	72	Solis
	1800	72	Solis
	2100	71	Solis
	2400	71	H-CERA

Wednesday

Date	Time	Temp.	Name (Print)
6/ 24	0300	71	H-CERA
	0600	72	MANNING,T
	0900	74	MANNING,T
	1200	75	MANNING,T
	1500	75	B.GARCIA
	1800	75	B.GARCIA
	2100	75	B.GARCIA
	2400	74	H-CERA

Thursday

Date	Time	Temp.	Name (Print)
6/ 24	0300	73	H-CERA
	0600	73	J.SALAZAR
	0900	76	J.SALAZAR
	1200	78	J.SALAZAR
	1500	78	J.HIRACUSMA
	1800	78	J.HIRACUSMA
	2100	78	J.HIRACUSMA
	2400	77	J.HIRACUSMA

Friday

Date	Time	Temp.	Name (Print)
6/ 24	0300	77	J.HIRACUSMA
	0600	79	Gonzalez
	0900	79	Gonzalez
	1200	79	Gonzalez
	1500	80	R.Alcal
	1800	80	R.Alcal
	2100	80	R.Alcal
	2400	79	MINTON

Saturday

Date	Time	Temp.	Name (Print)
6/ 24	0300	79	MINTON
	0600	80	Barajas
	0900	79	Barajas
	1200	80	Barajas
	1500	80	Solis
	1800	80	Solis
	2100	80	Solis
	2400	80	C.HIT

Sunday

Date	Time	Temp.	Name (Print)
6/ 24	0300	79	C.HIT
	0600	79	Gonzalez
	0900	79	Gonzalez
	1200	79	Gonzalez
	1500	80	Solis
	1800	80	Solis
	2100	80	Solis
	2400	80	SCALES

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: 03 Temp. Reading Location: B SIDE (2nd)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
04/10/24	0300	78	SCALES
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	78	Solis
	1800	78	Solis
	2100	77	Solis
	2400	77	SCALES

Tuesday

Date	Time	Temp.	Name (Print)
04/11/24	0300	78	SCALES
	0600	79	Gonzalez
	0900	79	Gonzalez
	1200	79	Gonzalez
	1500	78	GARCIA
	1800	78	GARCIA
	2100	79	GARCIA
	2400	76	A. NAJERA

Wednesday

Date	Time	Temp.	Name (Print)
04/12/24	0300	77	A. NAJERA
	0600	78°	MANNING, T
	0900	78°	MANNING, T
	1200	78°	MANNING, T
	1500	78	B. GARCIA
	1800	78	B. GARCIA
	2100	78	B. GARCIA
	2400	77	ANAJERA

Thursday

Date	Time	Temp.	Name (Print)
04/13/24	0300	75	A. NAJERA
	0600	77	R. Dhalwala
	0900	79°	R. Dhalwala
	1200	79°	R. Dhalwala
	1500	77	HIRACHANDA
	1800	77	HIRACHANDA
	2100	77	HIRACHANDA
	2400	77	HIRACHANDA

Friday

Date	Time	Temp.	Name (Print)
04/14/24	0300	77	HIRACHANDA
	0600	77	C. VASQUEZ
	0900	77	C. VASQUEZ
	1200	77	C. VASQUEZ
	1500	78	R. Alvarado
	1800	78	R. Alvarado
	2100	78	R. Alvarado
	2400	77	H. CERA

Saturday

Date	Time	Temp.	Name (Print)
04/15/24	0300	76	H. CERA
	0600	77°	R. Dhalwala
	0900	77	R. Dhalwala
	1200	78°	R. Dhalwala
	1500	78	Solis
	1800	78	Solis
	2100	76	Solis
	2400	76	C. HILL

Sunday

Date	Time	Temp.	Name (Print)
04/16/24	0300	76	C. HILL
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	80	Solis
	1800	80	Solis
	2100	78	Solis
	2400	77	Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: D3 Temp. Reading Location: tier 2/A side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06 17 24	0300	75	O. SECURA
	0600	73	Gonzalez
	0900	73	Gonzalez
	1200	73	Gonzalez
	1500	73	Solis
	1800	73	Solis
	2100	72	Solis
	2400	72°	SCALES

Tuesday

Date	Time	Temp.	Name (Print)
06 18 24	0300	70°	SCALES
	0600	72	Gonzalez
	0900	72	Gonzalez
	1200	72	Gonzalez
	1500	78°	U. Medina
	1800	78°	U. Medina
	2100	78°	U. Medina
	2400	74	H. CERA

Wednesday

Date	Time	Temp.	Name (Print)
06 19 24	0300	72	H. CERA
	0600	72	Hurz
	0900	72	Hurz
	1200	72	Hurz
	1500	73	3 Garcia
	1800	73	3 Garcia
	2100	73	3 Garcia
	2400	72	L. Hill

Thursday

Date	Time	Temp.	Name (Print)
06 20 24	0300	72	L. Hill
	0600	72	Zepeda
	0900	72	Zepeda
	1200	72	Zepeda
	1500	72	H. Garcia
	1800	72	H. Garcia
	2100	72	H. Garcia
	2400	71	H. Garcia

Friday

Date	Time	Temp.	Name (Print)
06 21 24	0300	72	H. Garcia
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	78	Gonzalez
	1500	75°	R. Alvarado
	1800	75°	R. Alvarado
	2100	75°	R. Alvarado
	2400	74	GALICIA

Saturday

Date	Time	Temp.	Name (Print)
06 22 24	0300	74	GALICIA
	0600	74	Gonzalez
	0900	74	Gonzalez
	1200	75°	Gonzalez
	1500	76	J. S.
	1800	77	J. S.
	2100	70	J. S.
	2400	70	L. Hill

Sunday

Date	Time	Temp.	Name (Print)
06 23 24	0300	70	L. Hill
	0600	71	Gonzalez
	0900	71	Gonzalez
	1200	71	Gonzalez
	1500	71	Solis
	1800	73	Solis
	2100	73	Solis
	2400	68°	SCALES

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-R/C Housing Unit: FDB3 Temp. Reading Location: B30E 2nd TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	78°	Scales
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Burgo
	1500	80	Solis
	1800	78	Solis
	2100	78	Solis
	2400	78°	Scales

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	Scales
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	78	Solis
	1800	80	Solis
	2100	80	Solis
	2400	78	Scales

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	78	Scales
	0600	77°	MANNING,T
	0900	77°	MANNING,T
	1200	78°	MANNING,T
	1500	78	B.GARCIA
	1800	78	B.GARCIA
	2100	78	B.GARCIA
	2400	77	L.H.II

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	77	L.H.II
	0600	77	V.VELASQUEZ
	0900	77	V.VELASQUEZ
	1200	77	V.VELASQUEZ
	1500	77	HIRACHETA
	1800	77	HIRACHETA
	2100	77	HIRACHETA
	2400	77	HIRACHETA

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	77	HIRACHETA
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	80°	R.Alcala
	1800	80°	R.Alcala
	2100	80°	R.Alcala
	2400	78	Montoya

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	77	Montoya
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	77	Solis
	1800	78	Solis
	2100	78	Solis
	2400	78	H.I.I

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	74	H.I.I
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	78	Solis
	1800	78	Solis
	2100	75	Solis
	2400	74	O-LAURA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: WSP Housing Unit: FD B4 Temp. Reading Location: TOP TIER A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1000 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		*

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	75	L. MASTRO
	0600	76	V. VELASQUEZ
	0900	75	V. VELASQUEZ
	1200	77	V. VELASQUEZ
	1500	78	L. MASTRO
	1800	78	L. MASTRO
	2100	77	L. MASTRO
	2400	76	J. HIRACHETA

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	76	J. HIRACHETA
	0600	78°	SHERWOOD
	0900	80°	SHERWOOD
	1200	80°	SHERWOOD
	1500	78	SWEATON
	1800	78	SWEATON
	2100	77	SWEATON
	2400	76°	RFGARZA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB 4 Temp. Reading Location: TOP TIER A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/3	0300	75°	RFGARZA
4/3	0600	75°	H.SHERWOOD
4/3	0900	77°	H.SHERWOOD
4/3	1200	79°	H.SHERWOOD
4/3	1500	77	C.PARRISON
4/3	1800	79	C.PARRISON
4/3	2100	77	C.PARRISON
4/3	2400	77	B.GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
4/4	0300	77	B.GARCIA
4/4	0600	76	S.RAMIREZ
4/4	0900	75	S.RAMIREZ
4/4	1200	77	S.RAMIREZ
4/4	1500	77	C.PARRISON
4/4	1800	78	C.PARRISON
4/4	2100	74	C.PARRISON
4/4	2400	74	A.MAJESTA

Wednesday

Date	Time	Temp.	Name (Print)
4/5	0300	75	A.MAJESTA
4/5	0600	78°	SHERWOOD
4/5	0900	80°	SHERWOOD
4/5	1200	81°	SHERWOOD
4/5	1500	81	PARRISON
4/5	1800	81	PARRISON
4/5	2100	80	PARRISON
4/5	2400	79°	RFGARZA

Thursday

Date	Time	Temp.	Name (Print)
4/6	0300	78°	RFGARZA
4/6	0600	78°	SHERWOOD
4/6	0900	82°	SHERWOOD
4/6	1200	82°	SHERWOOD
4/6	1500	83	PARRISON
4/6	1800	82	PARRISON
4/6	2100	80	PARRISON
4/6	2400	79°	RFGARZA

Friday

Date	Time	Temp.	Name (Print)
4/7	0300	79°	RFGARZA
4/7	0600	79°	I.SALAZAR
4/7	0900	80°	I.SALAZAR
4/7	1200	82°	I.SALAZAR
4/7	1500	80	B.MATA
4/7	1800	80	B.MATA
4/7	2100	79	B.MATA
4/7	2400	78	L.MASTRO

Saturday

Date	Time	Temp.	Name (Print)
4/8	0300	76	L.MASTRO
4/8	0600	76	I.SALAZAR
4/8	0900	78	I.SALAZAR
4/8	1200	79°	I.SALAZAR
4/8	1500	75	L.MASTRO
4/8	1800	75	L.MASTRO
4/8	2100	75	L.MASTRO
4/8	2400	74	OLAVIDE

Sunday

Date	Time	Temp.	Name (Print)
4/9	0300	74	OLAVIDE
4/9	0600	75	SHERWOOD
4/9	0900	74	SHERWOOD
4/9	1200	74	SHERWOOD
4/9	1500	76	K.GUMBES
4/9	1800	75	K.GUMBES
4/9	2100	75	K.GUMBES
4/9	2400	75°	RFGARZA

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB 4 Temp. Reading Location: TOP TIER A
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	74°	RF GARCIA
6/10/24	0600	75°	H.SHERWOOD
6/10/24	0900	77°	H.SHERWOOD
6/10/24	1200	78°	H.SHERWOOD
6/10/24	1500	79°	C.PARKERSON
6/10/24	1800	80°	C.PARKERSON
6/10/24	2100	79°	C.PARKERSON
6/10/24	2400	78°	RF GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76°	RF GARCIA
6/12/24	0600	76°	SHERWOOD
6/12/24	0900	75°	SHERWOOD
6/12/24	1200	76°	VILLAS
6/12/24	1500	78°	C.PARKERSON
6/12/24	1800	79°	C.PARKERSON
6/12/24	2100	76°	C.PARKERSON
6/12/24	2400	75°	RF GARCIA

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	75°	L.Lopez
6/14/24	0600	76°	Lopez BARBERS
6/14/24	0900	77°	Barbers A.
6/14/24	1200	78°	Barbers A.
6/14/24	1500	74°	L.MASTRO
6/14/24	1800	72°	L.MASTRO
6/14/24	2100	78°	L.MASTRO
6/14/24	2400	72°	RF GARCIA

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	72°	J.HIRANO
6/16/24	0600	72°	SHERWOOD
6/16/24	0900	75°	SHERWOOD
6/16/24	1200	77°	SHERWOOD
6/16/24	1500	78°	PARKERSON
6/16/24	1800	77°	PARKERSON
6/16/24	2100	76°	PARKERSON
6/16/24	2400	75°	RF GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	77°	RF GARCIA
6/11/24	0600	77°	SHERWOOD
6/11/24	0900	77°	SHERWOOD
6/11/24	1200	79°	C.PARKERSON
6/11/24	1500	79°	C.PARKERSON
6/11/24	1800	78°	C.PARKERSON
6/11/24	2100	78°	C.PARKERSON
6/11/24	2400	77°	RF GARCIA

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	74°	RF GARCIA
6/13/24	0600	74°	L.Lopez
6/13/24	0900	75°	L.Lopez
6/13/24	1200	75°	L.Lopez
6/13/24	1500	78°	C.PARKERSON
6/13/24	1800	77°	C.PARKERSON
6/13/24	2100	77°	C.PARKERSON
6/13/24	2400	76°	RF GARCIA

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	71°	RF GARCIA
6/15/24	0600	72°	L.NAVARRO
6/15/24	0900	72°	L.NAVARRO
6/15/24	1200	73°	L.NAVARRO
6/15/24	1500	73°	L.NAVARRO
6/15/24	1800	72°	S.MAGISTERIO
6/15/24	2100	72°	S.MAGISTERIO
6/15/24	2400	72°	J.HIRANO

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB4 Temp. Reading Location: TOP TIER A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/17	0300	74°	RF GARZA
	0600	74	Lepeda
	0900	74	Lepeda
	1200	74	Lepeda
	1500	74	C. Johnson
	1800	78	C. Johnson
	2100	75	C. Johnson
	2400	74°	RF GARZA

Tuesday

Date	Time	Temp.	Name (Print)
4/18	0300	73°	RF GARZA
	0600	73°	SHERWOOD
	0900	71	SHERWOOD
	1200	71	SHERWOOD
	1500	71	C. Johnson
	1800	70	C. Johnson
	2100	70	C. Johnson
	2400	69°	RF GARZA

Wednesday

Date	Time	Temp.	Name (Print)
4/19	0300	69°	RF GARZA
	0600	69	SHERWOOD
	0900	71	SHERWOOD
	1200	72	SHERWOOD
	1500	74	C. Johnson
	1800	73	C. Johnson
	2100	72	C. Johnson
	2400	71°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
4/20	0300	70°	RF GARZA
	0600	70°	SHERWOOD
	0900	71	SHERWOOD
	1200	72	SHERWOOD
	1500	73	S. Moreno
	1800	74	S. Moreno
	2100	72	S. Moreno
	2400	76	J. Salinas

Friday

Date	Time	Temp.	Name (Print)
4/21	0300	76	J. Salinas
	0600	72	Velasquez
	0900	72	Velasquez
	1200	72	Velasquez
	1500	70	J. Rodriguez
	1800	70	J. Rodriguez
	2100	70	J. Rodriguez
	2400	70	L. Mastro

Saturday

Date	Time	Temp.	Name (Print)
4/22	0300	70	L. Mastro
	0600	70	V. Velasquez
	0900	70	V. Velasquez
	1200	70	V. Velasquez
	1500	72	L. Mastro
	1800	72	L. Mastro
	2100	72	L. Mastro
	2400	72	J. Hiracheta

Sunday

Date	Time	Temp.	Name (Print)
4/23	0300	72	J. Hiracheta
	0600	69	SHERWOOD
	0900	70	SHERWOOD
	1200	72	SHERWOOD
	1500	72	S. Swenson
	1800	72	S. Swenson
	2100	71	S. Swenson
	2400	70	K. Quinn

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4 Temp. Reading Location: A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/14	0300	72	GRIMES
	0600	76	CAMARENA
	0900	78	CAMARENA
	1200	83	CAMARENA
	1500	83	C. DOMINICK
	1800	82	C. DOMINICK
	2100	81	C. DOMINICK
	2400	80	RF GARZA

Tuesday

Date	Time	Temp.	Name (Print)
6/25/14	0300	79°	RF GARZA
	0600	79°	SHERWOOD
	0900	79°	SHERWOOD
	1200	79	SHERWOOD
	1500	80	C. DOMINICK
	1800	81	C. DOMINICK
	2100	79	C. DOMINICK
	2400	78°	RF GARZA

Wednesday

Date	Time	Temp.	Name (Print)
6/26/14	0300	77°	RF GARZA
	0600	77	SHERWOOD
	0900	80	SHERWOOD
	1200	81	SHERWOOD
	1500	79	C. DOMINICK
	1800	79	C. DOMINICK
	2100	78	C. DOMINICK
	2400	78°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
6/27/14	0300	77°	RF GARZA
	0600	79°	ZARAGOZA JR.
	0900	80°	ZARAGOZA JR.
	1200	81°	ZARAGOZA JR.
	1500	81	Infante
	1800	80	Infante
	2100	78	Infante
	2400	78°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
6/28/14	0300	77°	RF GARZA
	0600	77	V. VELASQUEZ
	0900	77	V. VELASQUEZ
	1200	77	V. VELASQUEZ
	1500	77	R. RIOS
	1800	77	R. RIOS
	2100	77	R. RIOS
	2400	76°	RF GARZA

Saturday

Date	Time	Temp.	Name (Print)
6/29/14	0300	75°	RF GARZA
	0600	75	V. VELASQUEZ
	0900	75	V. VELASQUEZ
	1200	75	V. VELASQUEZ
	1500	73	L. MASTRO
	1800	73	L. MASTRO
	2100	73	L. MASTRO
	2400	73	L. MASTRO

Sunday

Date	Time	Temp.	Name (Print)
6/30/14	0300	72	L. MASTRO
	0600	72	SHERWOOD
	0900	72	SHERWOOD
	1200	74	SHERWOOD
	1500	74	S. VELASQUEZ
	1800	77	S. VELASQUEZ
	2100	77	S. VELASQUEZ
	2400	76°	RF GARZA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FP B4 Temp. Reading Location: TOS TIER B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	69	L. MASTRO
	0600	70	V. VELASQUEZ
	0900	72	V. VELASQUEZ
	1200	72	V. VELASQUEZ
	1500	72	L. MASTRO
	1800	72	L. MASTRO
	2100	71	L. MASTRO
	2400	72	J. HIRACHETA

Sunday

Date	Time	Temp.	Name (Print)
	0300	72	J. HIRACHETA
	0600	65°	SHERWOOD
	0900	66°	SHERWOOD
	1200	66°	SHERWOOD
	1500	66°	SHERWOOD
	1800	67	SHERWOOD
	2100	65	SHERWOOD
	2400	65°	R. GARCIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDBY Temp. Reading Location: TOP TIER B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6	0300	64°	RFGARZA	P	0300	69	B.GARCIA
	0600	65°	H.SHERWOOD	P	0600	70	STRAMER
3	0900	65°	H.SHERWOOD	P	0900	70	STRAMER
	1200	66°	H.SHERWOOD	P	1200	70	STRAMER
24	1500	68	C.PARRISON	P	1500	71	C.PARRISON
	1800	69	C.PARRISON	P	1800	72	C.PARRISON
	2100	67	C.PARRISON	P	2100	70	C.PARRISON
	2400	69	B.GARCIA	P	2400	72	A.NAJERA

Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
4	0300	67	A.NAJERA	P	0300	72	A.NAJERA
	0600	65°	SHERWOOD	P	0600	71°	H.SHERWOOD
5	0900	65°	SHERWOOD	P	0900	70°	H.SHERWOOD
	1200	66°	SHERWOOD	P	1200	71°	H.SHERWOOD
24	1500	68	C.PARRISON	P	1500	73	C.PARRISON
	1800	70	C.PARRISON	P	1800	74	C.PARRISON
	2100	70	C.PARRISON	P	2100	70	C.PARRISON
	2400	69°	RFGARZA	P	2400	69°	RFGARZA

Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6	0300	69°	RFGARZA	P	0300	74	L.MASTRO
	0600	79°	I.SALAZAR	P	0600	75	I.SALAZAR
7	0900	80	I.SALAZAR	P	0900	78	I.SALAZAR
	1200	80	I.SALAZAR	P	1200	80	I.SALAZAR
24	1500	80	B.MATA	P	1500	70	L.MASTRO
	1800	80	B.MATA	P	1800	70	L.MASTRO
	2100	78	B.MATA	P	2100	70	L.MASTRO
	2400	77	L.MASTRO	P	2400	70	O.LAVDEZ

Sunday				Notes			
Date	Time	Temp.	Name (Print)	Notes			
8	0300	70	GLAUME				
	0600	72	SHERWOOD				
9	0900	68	SHERWOOD				
	1200	65	SHERWOOD				
24	1500	68	K.GAMES				
	1800	68	K.GAMES				
	2100	68	K.GAMES				
	2400	67°	RFGARZA				

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB4 Temp. Reading Location: TOP TIER B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	67°	R.F.GARZA
/	0600	67°	S.HERWOOD
10	0900	67°	S.HERWOOD
/	1200	66°	S.HERWOOD
24	1500	66°	C.PARKER
	1800	65°	C.PARKER
	2100	65°	C.PARKER
	2400	64°	R.F.GARZA

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	64°	R.F.GARZA
/	0600	65°	S.HERWOOD
11	0900	65°	S.HERWOOD
/	1200	67°	C.PARKER
24	1500	68°	C.PARKER
	1800	67°	C.PARKER
	2100	67°	C.PARKER
	2400	66°	R.F.GARZA

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	66°	R.F.GARZA
/	0600	65°	S.HERWOOD
12	0900	66°	S.HERWOOD
/	1200	66°	V.Illigman
24	1500	68°	C.PARKER
	1800	68°	C.PARKER
	2100	67°	C.PARKER
	2400	66°	R.F.GARZA

Thursday

Date	Time	Temp.	Name (Print)
6	0300	65°	R.F.GARZA
/	0600	66°	L.Lopez
13	0900	65°	L.Lopez
/	1200	70°	L.Lopez
24	1500	71°	C.PARKER
	1800	70°	C.PARKER
	2100	69°	C.PARKER
	2400	68°	R.F.GARZA

Friday

Date	Time	Temp.	Name (Print)
6	0300	67°	R.F.GARZA
/	0600	68°	A.BARGAS
14	0900	70°	A.BARGAS
/	1200	72°	Bargas A.
24	1500	70°	L.MASTRO
	1800	69°	L.MASTRO
	2100	69°	L.MASTRO
	2400	68°	R.F.GARZA

Saturday

Date	Time	Temp.	Name (Print)
6	0300	67°	R.F.GARZA
/	0600	67°	L.NAVAMO
15	0900	67°	L.NAVAMO
/	1200	67°	L.NAVAMO
24	1500	67°	L.MASTRO
	1800	68°	S.MAGDULENO
	2100	69°	S.MAGDULENO
	2400	69°	J.HIRACONO

Sunday

Date	Time	Temp.	Name (Print)
6	0300	68°	J.HIRACONO
/	0600	68°	S.HERWOOD
16	0900	65°	S.HERWOOD
/	1200	63°	S.HERWOOD
24	1500	65°	C.PARKER
	1800	67°	C.PARKER
	2100	67°	C.PARKER
	2400	66°	R.F.GARZA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: F0B4 Temp. Reading Location: TOP TIER B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	65°	RF GARCIA
	0600	65	L. Repeach
	0900	65	L. Repeach
	1200	65	L. Repeach
	1500	66	C. Garrison
	1800	67	C. Garrison
6/24	2100	65	C. Garrison
	2400	64°	RF GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	63°	RF GARCIA
	0600	63	SHERWOOD
	0900	62	SHERWOOD
	1200	62	SHERWOOD
	1500	63	C. Garrison
	1800	63	C. Garrison
6/24	2100	62	C. Garrison
	2400	61°	RF GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	60°	RF GARCIA
	0600	60	SHERWOOD
	0900	62	SHERWOOD
	1200	63	SHERWOOD
	1500	62	C. Garrison
	1800	62	C. Garrison
6/24	2100	61	C. Garrison
	2400	60°	RF GARCIA

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	60°	RF GARCIA
	0600	61	SHERWOOD
	0900	61	SHERWOOD
	1200	61	SHERWOOD
	1500	68	S. Moreno
	1800	66	S. Moreno
6/24	2100	64	S. Moreno
	2400	74	J. HIRACHITA

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	74	J. HIRACHITA
	0600	66	Velasquez
	0900	66	Velasquez
	1200	66	Velasquez
	1500	67	M. Ravelo
	1800	67	M. Ravelo
6/24	2100	65	M. Ravelo
	2400	67	L. MASTRO

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	67	L. MASTRO
	0600	67	V. Velasquez
	0900	67	V. Velasquez
	1200	67	V. Velasquez
	1500	69	L. MASTRO
	1800	69	L. MASTRO
6/24	2100	69	L. MASTRO
	2400	69	J. HIRACHITA

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	69	J. HIRACHITA
	0600	65	SHERWOOD
	0900	67	SHERWOOD
	1200	64	SHERWOOD
	1500	67	Swenson
	1800	67	Swenson
6/24	2100	67	Swenson
	2400	67	K. OMES

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4 Temp. Reading Location: B SIDE Top tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/14	0300	67	GRIMES
	0600	76	CAMARENA
	0900	78	CAMARENA
	1200	83	CAMARENA
	1500	68	C.JOHNSON
	1800	68	C.JOHNSON
	2100	67	C.JOHNSON
	2400	67°	RF GARZA

R
J
D

Tuesday

Date	Time	Temp.	Name (Print)
6/25/14	0300	66°	RF GARZA
	0600	67°	SHERWOOD
	0900	66°	SHERWOOD
	1200	67	SHERWOOD
	1500	68	C.JOHNSON
	1800	69	C.JOHNSON
	2100	69	C.JOHNSON
	2400	68°	RF GARZA

R
P
D

Wednesday

Date	Time	Temp.	Name (Print)
6/26/14	0300	67°	RF GARZA
	0600	68	SHERWOOD
	0900	70	SHERWOOD
	1200	71	SHERWOOD
	1500	72	C.JOHNSON
	1800	75	C.JOHNSON
	2100	73	C.JOHNSON
	2400	72°	RF GARZA

R
P
D

Thursday

Date	Time	Temp.	Name (Print)
6/27/14	0300	71°	RF GARZA
	0600	79°	ZAMORA JR.
	0900	80°	ZAMORA JR.
	1200	81°	ZAMORA JR.
	1500	81	Infante
	1800	78	Infante
	2100	76	Infante
	2400	75°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
6/28/14	0300	74°	RF GARZA
	0600	74	V.VELASQUEZ
	0900	74	V.VELASQUEZ
	1200	74	V.VELASQUEZ
	1500	74	R.RIOS
	1800	74	R.RIOS
	2100	74	R.RIOS.
	2400	73°	RF GARZA

Date	Time	Temp.	Name (Print)
6/29/14	0300	72°	RF GARZA
	0600	72	V.VELASQUEZ
	0900	72	V.VELASQUEZ
	1200	72	V.VELASQUEZ
	1500	71	L.MASTRO
	1800	71	L.MASTRO
	2100	71	L.MASTRO
	2400	70	L.MASTRO

Sunday

Date	Time	Temp.	Name (Print)
6/30/14	0300	70	L.MASTRO
	0600	70	SHERWOOD
	0900	69	SHERWOOD
	1200	71	SHERWOOD
	1500	74	J.DICKINSON
	1800	74	J.DICKINSON
	2100	74	J.DICKINSON
	2400	75°	RF GARZA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP RL Housing Unit: FDBS A SIDE Temp. Reading Location: 2ND
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	K. GUANAS
	0600	70	P. MATA
	0900	70	P. MATA
	1200	72	P. MATA
	1500	72	R. GUNALAS
	1800	72	R. GUNALAS
	2100	72	R. GUNALAS
	2400	70	K. GUANAS

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	70	K. GUANAS
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	72	L. MASTRO
	1800	72	L. MASTRO
	2100	72	L. MASTRO
	2400	72	J. HIRAKAWA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: OS A side Temp. Reading Location: 2nd floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	72	J. HIRACHINA
	0600	72	I. SALAZAR
	0900	74	I. SALAZAR
	1200	75	I. SALAZAR
	1500	74	L. MASTRO
	1800	74	L. MASTRO
	2100	74	L. MASTRO
	2400	74	J. HIRACHINA

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	74	J. HIRACHINA
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K. GAMES
	1800	74	K. GAMES
	2100	73	K. GAMES
	2400	71	K. GAMES

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	74	K. GAMES
	0600	74	Abney
	0900	75	Abney
	1200	75	Abney
	1500	75	K. GAMES
	1800	75	K. GAMES
	2100	74	K. GAMES
	2400	72	K. GAMES

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	72	K. GAMES
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	75	M. CLOUD
	1800	77	M. CLOUD
	2100	77	M. CLOUD
	2400	77	K. GAMES

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	77	K. GAMES
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	75	K. GAMES
	1800	75	K. GAMES
	2100	75	K. GAMES
	2400	73	K. GAMES

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	73	K. GAMES
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K. GAMES
	1800	74	K. GAMES
	2100	73	K. GAMES
	2400	72	K. GAMES

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	K. GAMES
	0600	72	I. SALAZAR
	0900	73	I. SALAZAR
	1200	75	I. SALAZAR
	1500	73	L. MASTRO
	1800	73	L. MASTRO
	2100	73	L. MASTRO
	2400	73	J. HIRACHINA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: DS A side Temp. Reading Location: 2nd floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	73	J. HARRISON
	0600	73	JUAREZ
	0900	74	A. MARTINEZ
	1200	74	A. MARTINEZ
	1500	74	J. HARRISON
	1800	74	J. HARRISON
	2100	74	J. HARRISON
	2400	73	J. HARRISON

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76	Shamp
	0600	73	Abney
	0900	75	Abney
	1200	75	Abney
	1500	78	Shamp
	1800	78	Shamp
	2100	78	Shamp
	2400	75	K. GUNNIS

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	75	K. GUNNIS
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	76	K. GUNNIS
	1800	75	K. GUNNIS
	2100	74	K. GUNNIS
	2400	72	K. GUNNIS

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	72	K. GUNNIS
	0600	70	K. GUNNIS
	0900	70	K. GUNNIS
	1200	70	K. GUNNIS
	1500	71	L. MATAZO
	1800	71	L. MATAZO
	2100	70	L. MATAZO
	2400	70	J. HARRISON

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	73	J. HARRISON
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	76	Shamp
	1800	78	Shamp
	2100	78	Shamp
	2400	76	Shamp

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	75	K. GUNNIS
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	75	K. GUNNIS

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	K. GUNNIS
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	J. HARRISON
	1800	72	J. HARRISON
	2100	72	J. HARRISON
	2400	72	K. GUNNIS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LSP Housing Unit: D 5 A-SIDE Temp. Reading Location: 2nd floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/17/24</u>	0300	70	J. HIRACHETA
	0600	71	G. MONTAÑA
	0900	71	G. MONTAÑA
	1200	73	G. MONTAÑA
	1500	72	L. MASTRO
	1800	71	L. MASTRO
	2100	70	L. MASTRO
	2400	70	J. HIRACHETA

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/18/24</u>	0300	70	J. HIRACHETA
	0600	72	Abney
	0900	72	Abney
	1200	74	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	72	Shamp
	2400	72	Shamp

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/19/24</u>	0300	72	Shamp
	0600	72	Abney
	0900	72	Abney
	1200	74	Abney
	1500	72	Mur
	1800	72	Mur
	2100	72	Mur
	2400	70	K. GRIMES

Thursday

Date	Time	Temp.	Name (Print)
<u>6/20/24</u>	0300	70	K. GRIMES
	0600	72	Abney
	0900	72	Abney
	1200	74	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	72	Shamp
	2400	70	K. GRIMES

Friday

Date	Time	Temp.	Name (Print)
<u>6-21-24</u>	0300	70	K. GRIMES
	0600	72	Abney
	0900	72	Abney
	1200	74	Abney
	1500	74	K. GRIMES
	1800	73	K. GRIMES
	2100	72	K. GRIMES
	2400	70	K. GRIMES

Saturday

Date	Time	Temp.	Name (Print)
<u>6-22-24</u>	0300	70	K. GRIMES
	0600	72	Abney
	0900	72	Abney
	1200	74	Abney
	1500	75	K. GRIMES
	1800	75	K. GRIMES
	2100	74	K. GRIMES
	2400	72	K. GRIMES

Sunday

Date	Time	Temp.	Name (Print)
<u>6-23-24</u>	0300	72	K. GRIMES
	0600	72	V. VELASQUEZ
	0900	72	V. VELASQUEZ
	1200	72	V. VELASQUEZ
	1500	75	L. MASTRO
	1800	75	L. MASTRO
	2100	75	L. MASTRO
	2400	75	J. HIRACHETA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: A SIDE 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<i>6-24-24</i>	0300	73	J. HIRAGA
	0600	73	V. Velasquez
	0900	73	V. Velasquez
	1200	74	Linares
	1500	75	L. MASTRO
	1800	75	L. MASTRO
	2100	77	L. MASTRO
	2400	77	J. HIRAGA
Tuesday			
Date	Time	Temp.	Name (Print)
<i>6-25-24</i>	0300	77	J. HIRAGA
	0600	75	Abney
	0900	75	Abney
	1200	76	Abney
	1500	78	Shamp
	1800	78	Shamp
	2100	78	Shamp
	2400	76	Shamp
Wednesday			
Date	Time	Temp.	Name (Print)
<i>6-26-24</i>	0300	76	Shamp
	0600	76	Abney
	0900	76	Abney
	1200	76	Abney
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	75	K. GUMAS
Thursday			
Date	Time	Temp.	Name (Print)
<i>6-27-24</i>	0300	75	K. GUMAS
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	75	K. GUMAS
Friday			
Date	Time	Temp.	Name (Print)
<i>6-28-24</i>	0300	75	K. GUMAS
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	75	K. GUMAS
	1800	75	K. GUMAS
	2100	75	K. GUMAS
	2400	75	K. GUMAS
Saturday			
Date	Time	Temp.	Name (Print)
<i>6-29-24</i>	0300	75	K. GUMAS
	0600	74	A. CARLUCCIO
	0900	75	A. CARLUCCIO
	1200	76	A. CARLUCCIO
	1500	76	R. GARCIA
	1800	76	R. GARCIA
	2100	75	R. GARCIA
	2400	74	R. GARCIA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSI-RL Housing Unit: FPBS-BS102 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
Sept 4.	0300	70	K. LOMMAS
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	70	L. MASTRO
	1800	70	L. MASTRO
	2100	70	L. MASTRO
	2400	70	S. HIRACHITA

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	K. GLUMAC
	0600	70	B. MATTA
	0900	70	B. MATTA
	1200	72	B. MATTA
	1500	72	R. GONZALEZ
	1800	72	H. GONZALEZ
	2100	72	R. GONZALEZ
	2400	70	K. GLUMAC

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 B-SIDE Temp. Reading Location: ZND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/3/24</u>	0300	71	J. HIRACHET
	0600	71	I. SALAZAR
	0900	71	I. SALAZAR
	1200	72	I. SALAZAR
	1500	72	L. MASTRO
	1800	72	L. MASTRO
	2100	72	L. MASTRO
	2400	72	J. HIRACHET

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/4/24</u>	0300	72	J. HIRACHET
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K. GAMES
	1800	74	K. GAMES
	2100	73	K. GAMES
	2400	71	K. GAMES

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/5/24</u>	0300	71	K. GAMES
	0600	74	Abney
	0900	75	Abney
	1200	75	Abney
	1500	75	K. GAMES
	1800	75	K. GAMES
	2100	74	K. GAMES
	2400	72	K. GAMES

Thursday

Date	Time	Temp.	Name (Print)
<u>6/6/24</u>	0300	72	K. GAMES
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	75	M. CLOUD
	1800	75	M. CLOUD
	2100	75	M. CLOUD
	2400	77	K. GAMES

Friday

Date	Time	Temp.	Name (Print)
<u>6/7/24</u>	0300	77	K. GAMES
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	75	K. GAMES
	1800	72	K. GAMES
	2100	75	K. GAMES
	2400	75	K. GAMES

Saturday

Date	Time	Temp.	Name (Print)
<u>6/8/24</u>	0300	73	K. GAMES
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K. GAMES
	1800	74	K. GAMES
	2100	73	K. GAMES
	2400	72	K. GAMES

Sunday

Date	Time	Temp.	Name (Print)
<u>6/9/24</u>	0300	72	K. GAMES
	0600	72	I. SALAZAR
	0900	72	I. SALAZAR
	1200	75	I. SALAZAR
	1500	73	L. MASTRO
	1800	73	L. MASTRO
	2100	73	L. MASTRO
	2400	73	J. HIRACHET

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: DS B SIDE Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/11/24	0300	72	J. HIRACHERA	6/11/24	0300	73	J. HIRACHERA
	0600	73	JUAREZ		0600	74	A. GOMEZ
	0900	74	A. MARTINEZ		0900	74	A. MONTY
	1200	74	A. MARTINEZ		1200	74	A. MONTY
	1500	74	J. HIRACHERA		1500	74	SHAMP
	1800	74	H. MARTINEZ		1800	76	SHAMP
	2100	74	J. HIRACHERA		2100	76	SHAMP
	2400	73	J. HIRACHERA		2400	74	SHAMP

Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/12/24	0300	74	SHAMP	6/13/24	0300	75	K. GUARNAS
	0600	75	ABNEY		0600	75	ABNEY
	0900	75	ABNEY		0900	75	ABNEY
	1200	75	ABNEY		1200	75	ABNEY
	1500	76	SHAMP		1500	74	SHAMP
	1800	76	SHAMP		1800	74	SHAMP
	2100	76	SHAMP		2100	74	SHAMP
	2400	75	K. GUARNAS		2400	75	K. GUARNAS

Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/14/24	0300	74	K. GUARNAS	6/15/24	0300	72	K. GUARNAS
	0600	75	ABNEY		0600	74	ABNEY
	0900	75	ABNEY		0900	74	ABNEY
	1200	75	ABNEY		1200	74	ABNEY
	1500	76	K. GUARNAS		1500	74	K. GUARNAS
	1800	75	K. GUARNAS		1800	72	K. GUARNAS
	2100	74	K. GUARNAS		2100	72	K. GUARNAS
	2400	72	K. GUARNAS		2400	72	K. GUARNAS

Sunday				Notes			
Date	Time	Temp.	Name (Print)				
6/16/24	0300	72	K. GUARNAS				
	0600	70	K. GUARNAS				
	0900	70	K. GUARNAS				
	1200	70	K. GUARNAS				
	1500	70	L. MASTRO				
	1800	70	L. MASTRO				
	2100	70	L. MASTRO				
	2400	70	J. HIRACHERA				

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 B510E Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	J. HIRACHITA
	0600	72	G. MASTRO
	0900	72	G. MASTRO
	1200	73	G. MASTRO
	1500	72	L. MASTRO
	1800	72	L. MASTRO
	2100	71	L. MASTRO
	2400	71	J. HIRACHITA

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	Shamp
	0600	72	Abrey
	0900	72	Abrey
	1200	74	Abrey
	1500	72	Mur
	1800	72	Mur
	2100	72	Mur
	2400	74	Shamp

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	70	K. GUMAS
	0600	72	Abrey
	0900	72	Abrey
	1200	74	Abrey
	1500	74	K. GUMAS
	1800	73	K. GUMAS
	2100	72	K. GUMAS
	2400	70	K. GUMAS

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	72	K. GUMAS
	0600	72	V. VELASQUEZ
	0900	72	V. VELASQUEZ
	1200	72	V. VELASQUEZ
	1500	75	L. MASTRO
	1800	75	L. MASTRO
	2100	75	L. MASTRO
	2400	75	J. HIRACHITA

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	71	J. HIRACHITA
	0600	72	Abrey
	0900	72	Abrey
	1200	74	Abrey
	1500	72	Shamp
	1800	72	Shamp
	2100	70	Shamp
	2400	70	Shamp

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	72	Abrey
	0600	72	Abrey
	0900	72	Abrey
	1200	74	Abrey
	1500	74	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	70	6 GAMES

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	70	K. GUMAS
	0600	72	Abrey
	0900	72	Abrey
	1200	74	Abrey
	1500	75	R. GUNASCO
	1800	75	R. GUNASCO
	2100	74	R. GUNASCO
	2400	72	K. GUMAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6-24-24	0300	73	J. HIRACHETA	6-25-24	0300	77	J. HIRACHETA
	0600	73	V. VELASQUEZ		0600	77	A. BNEY
	0900	73	V. VELASQUEZ		0900	77	A. BNEY
	1200	73	L. MASTRO		1200	78	A. BNEY
	1500	75	L. MASTRO		1500	76	Shawn
	1800	75	L. MASTRO		1800	76	Shawn
	2100	77	L. MASTRO		2100	76	Shawn
	2400	77	J. HIRACHETA		2400	74	Shawn
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/26/24	0300	74	Shawn	6-27-24	0300	74	K. GUMAS
	0600	74	A. BNEY		0600	78	A. BNEY
	0900	74	A. BNEY		0900	78	A. BNEY
	1200	74	A. BNEY		1200	75	A. BNEY
	1500	74	Shawn		1500	74	Shawn
	1800	74	Shawn		1800	74	Shawn
	2100	74	Shawn		2100	74	Shawn
	2400	74	K. GUMAS		2400	77	K. GUMAS
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6-28-24	0300	74	K. GUMAS	6-29-24	0300	73	K. GUMAS
	0600	74	A. BNEY		0600	74	A. GONZALEZ
	0900	74	A. BNEY		0900	74	A. GONZALEZ
	1200	74	A. BNEY		1200	75	A. GONZALEZ
	1500	74	K. GUMAS		1500	76	K. GUMAS
	1800	74	K. GUMAS		1800	76	K. GUMAS
	2100	73	K. GUMAS		2100	75	K. GUMAS
	2400	73	K. GUMAS		2400	74	K. GUMAS
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
6-30-24	0300	74	K. GUMAS				
	0600	74	V. VELASQUEZ				
	0900	74	V. VELASQUEZ				
	1200	74	V. VELASQUEZ				
	1500	75	L. MASTRO				
	1800	75	L. MASTRO				
	2100	75	L. MASTRO				
	2400	75	L. MASTRO				

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB 4 Temp. Reading Location: A 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5-24	0300	70	KENT
	0600	68	E-CALVO
	0900	70	E-CALVO
	1200	70	E-CALVO
	1500	70	J-PAGE
	1800	72	J-KCC
	2100	70	J-PAGE
	2400	70	C-LONEU

Sunday

Date	Time	Temp.	Name (Print)
5-25	0300	68	C-LONEU
	0600	68	E-CALVO
	0900	70	E-CALVO
	1200	70	E-CALVO
	1500	70	J-PAGE
	1800	71	J-PAGE
	2100	70	J-PAGE
	2400	70	J-PAGE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB4

Temp. Reading Location: A 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	68	V. REYNOLDS
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	70	E. M. LEON
	1800	70	E. M. LEON
	2100	70	E. M. LEON
	2400	70	V. REYNOLDS

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	70	V. REYNOLDS
	0600	70	L. RICHARDSON
	0900	70	L. RICHARDSON
	1200	71	L. RICHARDSON
	1500	72	E. M. LEON
	1800	75	E. M. LEON
	2100	75	E. M. LEON
	2400	75	REDACTED

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	78	REDACTED
	0600	78	E. CALVO
	0900	78	E. CALVO
	1200	78	E. CALVO
	1500	79	E. M. LEON
	1800	78	E. M. LEON
	2100	78	E. M. LEON
	2400	75	V. REYNOLDS

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	75	V. REYNOLDS
	0600	75	D. NUÑEZ
	0900	75	D. NUÑEZ
	1200	75	D. NUÑEZ
	1500	75	A. S. REED
	1800	76	A. S. REED
	2100	76	A. S. REED
	2400	74	REDACTED

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	68	V. REYNOLDS
	0600	69	L. RICHARDSON
	0900	70	L. RICHARDSON
	1200	70	L. RICHARDSON
	1500	70	E. M. LEON
	1800	70	E. M. LEON
	2100	70	E. M. LEON
	2400	70	V. REYNOLDS

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	75	REDACTED
	0600	75	E. CALVO
	0900	75	E. CALVO
	1200	75	E. CALVO
	1500	75	E. M. LEON
	1800	80	E. M. LEON
	2100	78	E. M. LEON
	2400	78	REDACTED

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	75	V. REYNOLDS
	0600	75	V. REYNOLDS
	0900	75	V. REYNOLDS
	1200	75	V. REYNOLDS
	1500	75	A. S. REED
	1800	74	A. S. REED
	2100	76	A. S. REED
	2400	76	V. REYNOLDS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDBk Temp. Reading Location: B 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1000 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-12-19	0300	75	V. REYNA
	0600	75	V. REYNAL
	0900	75	V. REYNAL
	1200	77	V. REYNAL
	1500	78	E. CALVO
	1800	78	E. CALVO
	2100	75	E. CALVO
	2400	75	V. REYNA

Tuesday

Date	Time	Temp.	Name (Print)
6-13-19	0300	75	V. REYNA
	0600	75	L. RICCIERI
	0900	74	L. RICCIERI
	1200	74	L. RICCIERI
	1500	78	E. CALVO
	1800	78	E. CALVO
	2100	78	E. CALVO
	2400	78	V. REYNA

Wednesday

Date	Time	Temp.	Name (Print)
6-14-19	0300	75	V. REYNA
	0600	77	L. RICCIERI
	0900	79	L. RICCIERI
	1200	77	L. RICCIERI
	1500	80	E. CALVO
	1800	80	E. CALVO
	2100	76	E. CALVO
	2400	75	V. REYNA

Thursday

Date	Time	Temp.	Name (Print)
6-15-19	0300	75	W. OFFORD
	0600	73	E. CALVO
	0900	75	E. CALVO
	1200	75	E. CALVO
	1500	78	E. CALVO
	1800	78	E. CALVO
	2100	75	E. CALVO
	2400	75	E. OFFORD

Friday

Date	Time	Temp.	Name (Print)
6-16-19	0300	75	W. OFFORD
	0600	75	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	75	E. CALVO
	1800	75	E. CALVO
	2100	72	E. CALVO
	2400	72	V. REYNA

Saturday

Date	Time	Temp.	Name (Print)
6-15-19	0300	72	V. REYNA
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	70	A. VELLATO
	1800	70	A. VELLATO
	2100	70	A. VELLATO
	2400	70	V. REYNA

Sunday

Date	Time	Temp.	Name (Print)
6-16-19	0300	70	V. REYNA
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	74	S. SEVILLA
	1800	76	S. SEVILLA
	2100	76	S. SEVILLA
	2400	75	E. ZELAYA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSF Housing Unit: FDB6 Temp. Reading Location: A 3rd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(K)
Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	70	E. ZAYNA
	0600	70	E. CAVO
	0900	70	E. CAVO
	1200	70	E. CAVO
	1500	72	E. MELON
	1800	72	E. MELON
	2100	70	E. MELON
	2400	70	E. MELON

Tuesday

Date	Time	Temp.	Name (Print)
6-18-24	0300	78	V. REYNOLDS
	0600	78	L. RICHTER
	0900	72	L. RICHTER
	1200	72	L. RICHTER
	1500	72	E. MELON
	1800	72	E. MELON
	2100	78	E. MELON
	2400	78	V. REYNOLDS

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	68	V. REYNOLDS
	0600	70	C. HILL
	0900	72	C. HILL
	1200	72	C. HILL
	1500	72	E. MELON
	1800	72	E. MELON
	2100	70	E. MELON
	2400	70	W. HILL

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	70	W. HILL
	0600	70	E. CAVO
	0900	70	E. CAVO
	1200	70	E. CAVO
	1500	72	E. MELON
	1800	72	E. MELON
	2100	70	E. MELON
	2400	70	W. HILL

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	70	W. HILL
	0600	68	E. CAVO
	0900	71	E. CAVO
	1200	71	E. CAVO
	1500	71	S. KIDS
	1800	72	S. KIDS
	2100	70	S. KIDS
	2400	70	V. REYNOLDS

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	70	V. REYNOLDS
	0600	70	A. AGUILERA
	0900	70	A. AGUILERA
	1200	72	A. AGUILERA
	1500	73	A. AGUILERA
	1800	73	A. AGUILERA
	2100	73	A. AGUILERA
	2400	73	V. REYNOLDS

Sunday

Date	Time	Temp.	Name (Print)
6-23-24	0300	71	V. REYNOLDS
	0600	70	D. ADAMSQUEL
	0900	70	D. ADAMSQUEL
	1200	70	D. ADAMSQUEL
	1500	75	A. KOBIAI
	1800	75	A. KOBIAI
	2100	73	A. KOBIAI
	2400	72	V. REYNOLDS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB 4 Temp. Reading Location: A 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(A)
Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	71	V. ROYNE
	0600	73	E. CALVO
	0900	75	E. CALVO
	1200	75	E. CALVO
	1500	75	E. CALVO
	1800	78	E. CALVO
	2100	78	E. CALVO
	2400	75	V. ROYNE

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	72	V. ROYNE
	0600	72	L. CALVO
	0900	73	C. RODRIGUEZ
	1200	75	C. RODRIGUEZ
	1500	78	C. RODRIGUEZ
	1800	78	C. RODRIGUEZ
	2100	78	C. RODRIGUEZ
	2400	77	V. ROYNE

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	75	V. ROYNE
	0600	75	C. RODRIGUEZ
	0900	75	C. RODRIGUEZ
	1200	75	C. RODRIGUEZ
	1500	75	N. INFANTE
	1800	75	N. INFANTE
	2100	75	N. INFANTE
	2400	70	N. INFANTE

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	70	✓ off duty
	0600	72	E. CALVO
	0900	73	E. CALVO
	1200	75	E. CALVO
	1500	78	F. BUSTOS
	1800	78	F. BUSTOS
	2100	74	F. BUSTOS
	2400	74	✓ off duty

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	72	✓ off duty
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	75	E. CALVO
	1500	75	A. PRECIADO
	1800	75	A. PRECIADO
	2100	75	A. PRECIADO
	2400	75	K. FALY

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	73	K. FALY
	0600	72	J. PEREZ
	0900	73	J. PEREZ
	1200	75	J. PEREZ
	1500	75	A. PRECIADO
	1800	75	A. PRECIADO
	2100	75	A. PRECIADO
	2400	75	V. ROYNE

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	72	V. ROYNE
	0600	72	C. RODRIGUEZ
	0900	73	C. RODRIGUEZ
	1200	75	C. RODRIGUEZ
	1500	75	A. PRECIADO
	1800	75	A. PRECIADO
	2100	75	A. PRECIADO
	2400	75	V. ROYNE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FD B6

Temp. Reading Location: B - 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-2-24	0300	70	V. Reynal
	0600	65	E. CALVO
	0900	68	E. CALVO
	1200	68	E. CALVO
	1500	90	J. Perez
	1800	70	J. Perez
	2100	68	J. Perez
	2400	68	C. Lameau

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	65	C. Lameau
	0600	65	E. CALVO
	0900	68	E. CALVO
	1200	68	E. CALVO
	1500	68	J. Perez
	1800	70	J. Perez
	2100	68	J. Perez
	2400	70	V. Reynal

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NSP Housing Unit: FDB4 Temp. Reading Location: B 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1000 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	70	V. REYNOLDS
	0600	68	E. CALVO
	0900	70	E. CALVO
	1200	68	E. CALVO
	1500	70	E. CALVO
	1800	70	E. CALVO
	2100	70	E. CALVO
	2400	70	V. REYNOLDS

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	68	V. REYNOLDS
	0600	69	L. LIEUTENANT
	0900	70	L. LIEUTENANT
	1200	70	L. LIEUTENANT
	1500	70	E. CALVO
	1800	70	E. CALVO
	2100	70	E. CALVO
	2400	70	V. REYNOLDS

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	70	V. REYNOLDS
	0600	70	L. LIEUTENANT
	0900	70	L. LIEUTENANT
	1200	71	L. LIEUTENANT
	1500	72	E. CALVO
	1800	75	E. CALVO
	2100	75	E. CALVO
	2400	75	unfilled

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	70	unfilled
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	79	E. CALVO
	1800	80	E. CALVO
	2100	78	E. CALVO
	2400	70	unfilled

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	76	unfilled
	0600	75	E. CALVO
	0900	75	E. CALVO
	1200	75	E. CALVO
	1500	79	E. CALVO
	1800	78	E. CALVO
	2100	78	E. CALVO
	2400	75	V. REYNOLDS

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	75	V. REYNOLDS
	0600	75	V. REYNOLDS
	0900	75	V. REYNOLDS
	1200	75	V. REYNOLDS
	1500	75	A. REED
	1800	75	A. REED
	2100	75	A. REED
	2400	74	V. REYNOLDS

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	75	V. REYNOLDS
	0600	75	D. NUNEZ
	0900	75	D. NUNEZ
	1200	75	D. NUNEZ
	1500	75	A. REED
	1800	75	A. REED
	2100	75	A. REED
	2400	76	V. REYNOLDS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB4 Temp. Reading Location: A 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	75	V. REYNAR
	0600	75	V. REYNAR
	0900	75	V. REYNAR
	1200	75	V. REYNAR
	1500	78	EAN'LEON
	1800	78	EAN'LEON
	2100	75	EAN'LEON
	2400	75	V. REYNAR

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	75	V. REYNAR
	0600	75	EAN'LEON
	0900	74	EAN'LEON
	1200	74	EAN'LEON
	1500	78	EAN'LEON
	1800	78	EAN'LEON
	2100	78	EAN'LEON
	2400	79	V. REYNAR

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	75	V. REYNAR
	0600	77	EAN'LEON
	0900	78	EAN'LEON
	1200	77	EAN'LEON
	1500	80	EAN'LEON
	1800	80	EAN'LEON
	2100	76	EAN'LEON
	2400	75	notched

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	75	notched
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	78	EAN'LEON
	1800	78	EAN'LEON
	2100	75	EAN'LEON
	2400	75	notched

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	75	V. REYNAR
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	75	EAN'LEON
	1800	75	EAN'LEON
	2100	72	EAN'LEON
	2400	72	V. REYNAR

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	72	V. REYNAR
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	70	A. S. REEDER
	1800	70	A. S. REEDER
	2100	70	A. S. REEDER
	2400	70	V. REYNAR

Sunday

Date	Time	Temp.	Name (Print)
6-16-24	0300	70	V. REYNAR
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	74	S. SEVILLA
	1800	76	S. SEVILLA
	2100	76	S. SEVILLA
	2400	75	B. Zalaya

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDOR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FD36

Temp. Reading Location:

B 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(B)
Monday

Date	Time	Temp.	Name (Print)
<i>HC-81-3</i>	0300	70	E. CALVO
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	72	E. CALVO
	1800	72	E. CALVO
	2100	70	E. CALVO
	2400	70	V. REYNOLDS

Tuesday

Date	Time	Temp.	Name (Print)
<i>HC-81-3</i>	0300	68	V. REYNOLDS
	0600	68	L. REEDER
	0900	72	L. REEDER
	1200	72	L. REEDER
	1500	72	E. CALVO
	1800	72	E. CALVO
	2100	70	E. CALVO
	2400	70	V. REYNOLDS

Wednesday

Date	Time	Temp.	Name (Print)
<i>HC-81-3</i>	0300	68	V. REYNOLDS
	0600	69	L. REEDER
	0900	72	L. REEDER
	1200	72	L. REEDER
	1500	72	E. CALVO
	1800	72	E. CALVO
	2100	70	E. CALVO
	2400	70	<i>scribble</i>

Thursday

Date	Time	Temp.	Name (Print)
<i>HC-81-3</i>	0300	70	L. REEDER
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	72	E. CALVO
	1800	72	E. CALVO
	2100	70	E. CALVO
	2400	70	<i>waffled</i>

Friday

Date	Time	Temp.	Name (Print)
<i>HC-81-3</i>	0300	70	<i>scribble</i>
	0600	68	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	71	S. REEDER
	1800	72	S. REEDER
	2100	70	S. REEDER
	2400	70	V. REYNOLDS

Saturday

Date	Time	Temp.	Name (Print)
<i>HC-81-3</i>	0300	70	V. REYNOLDS
	0600	70	A. ABULFAD
	0900	70	A. ABULFAD
	1200	72	A. ABULFAD
	1500	73	A. ABULFAD
	1800	73	A. ABULFAD
	2100	73	A. ABULFAD
	2400	73	V. REYNOLDS

Sunday

Date	Time	Temp.	Name (Print)
<i>HC-81-3</i>	0300	71	<i>scribble</i>
	0600	70	D. ADAMOWICZ
	0900	70	D. ADAMOWICZ
	1200	70	D. ADAMOWICZ
	1500	75	A. ROBERT
	1800	75	A. ROBERT
	2100	73	A. ROBERT
	2400	72	V. REYNOLDS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FB 84

Temp. Reading Location: B 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	71	V. Reynal
	0600	73	E. CALVO
	0900	73	E. CALVO
	1200	73	E. CALVO
	1500	75	E. CALVO
	1800	78	E. CALVO
	2100	76	E. CALVO
	2400	75	V. Reynal

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	75	V. Reynal
	0600	75	G. Gutierrez
	0900	75	Gutierrez
	1200	75	Gutierrez
	1500	70	N. Infante
	1800	70	N. Infante
	2100	70	N. Infante
	2400	70	nofferd

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	76	gofferd
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	75	E. CALVO
	1500	75	A. Preciado
	1800	75	A. Preciado
	2100	75	A. Preciado
	2400	75	K. Fally

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	72	V. Reynal
	0600	72	A. Gutierrez
	0900	73	G. Gutierrez
	1200	75	G. Gutierrez
	1500	75	A. Preciado
	1800	75	A. Preciado
	2100	75	A. Preciado
	2400	75	V. Reynal

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	72	V. Reynal
	0600	72	G. Gutierrez
	0900	73	Gutierrez
	1200	75	Gutierrez
	1500	78	E. CALVO
	1800	79	E. CALVO
	2100	78	E. CALVO
	2400	77	V. Reynal

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	70	Gofferd
	0600	72	G. G. Gutierrez
	0900	73	G. Gutierrez
	1200	75	G. Gutierrez
	1500	78	E. BUSTOS
	1800	76	E. BUSTOS
	2100	76	E. BUSTOS
	2400	76	Gofferd

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	73	K. Fally
	0600	72	J. PEREZ
	0900	73	J. PEREZ
	1200	75	J. PEREZ
	1500	75	A. PRECIADO
	1800	75	A. PRECIADO
	2100	75	A. PRECIADO
	2400	75	V. Reynal

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees..

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-24	0300	70	Delgadillo
	0600	70	Rivas, L.
	0900	70	Rivas, L.
	1200	70	Rivas, L.
	1500	75	U. Medina
	1800	75	U. Medina
	2100	75	U. Medina
	2400	72	S. Delgadillo

Sunday

Date	Time	Temp.	Name (Print)
6-24	0300	70	M. Anderson
	0600	70	Reyna
	0900	70	Reyna
	1200	72	Reyna
	1500	74	D. Holguin
	1800	74	D. Holguin
	2100	72	D. Holguin
	2400	71	S. Delgadillo

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7

Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/3/24</u>	0300	70	S. Delgadillo ✓
	0600	70	G. Perez ✓
	0900	70	J. Perez ✓
	1200	73°	G. Perez ✓
	1500	77	F. Garcia ✓
	1800	77°	estra
	2100	77	omra
	2400	72	S. Delgadillo

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/5/24</u>	0300	74	S. Delgadillo
	0600	72°	G. Perez ✓
	0900	73	G. Perez ✓
	1200	78	G. Perez
	1500	80°	J. Gutierrez
	1800	80°	J. Gutierrez
	2100	80°	J. Gutierrez
	2400	80°	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
<u>6/7/24</u>	0300	78	J. Dominguez
	0600	73	J. Perez
	0900	77	J. Perez
	1200	77	J. Perez
	1500	80	J. Gutierrez
	1800	81°	J. Gutierrez
	2100	80°	J. Gutierrez
	2400	78	F. Garcia

Sunday

Date	Time	Temp.	Name (Print)
<u>6/9/24</u>	0300	72	F. Garcia
	0600	70	J. Perez
	0900	72	J. Perez
	1200	74	J. Perez
	1500	75	J. Castellanos
	1800	76	J. Castellanos
	2100	75	J. Castellanos
	2400	76	S. Delgadillo

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/9/24</u>	0300	70	S. Delgadillo
	0600	70	G. Perez
	0900	71°	G. Perez
	1200	72	J. Perez
	1500	73	C. Gillett
	1800	73	C. Gillett
	2100	73	C. Gillett
	2400	76	S. Delgadillo

Thursday

Date	Time	Temp.	Name (Print)
<u>6/11/24</u>	0300	78	J. Dominguez
	0600	76	J. Elias
	0900	78	J. Elias
	1200	80°	J. Elias
	1500	80°	J. Gutierrez
	1800	82°	J. Gutierrez
	2100	81°	J. Gutierrez
	2400	80	J. Dominguez

Saturday

Date	Time	Temp.	Name (Print)
<u>6/11/24</u>	0300	71	F. Garcia
	0600	72	J. Perez
	0900	74	J. Perez
	1200	77	J. Perez
	1500	78	J. Castellanos
	1800	78	J. Castellanos
	2100	79	J. Castellanos
	2400	75	F. Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7

Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	72	S. Delgadillo
	0600	72	J. Perez
	0900	73	J. Perez
	1200	73	J. Perez
	1500	77	J. Perez
	1800	78	J. Perez
	2100	78	J. Perez
	2400	75	S. Delgadillo

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	76°	S. Delgadillo
	0600	78	G. Perea
	0900	78	G. Perea
	1200	80	J. ELIAS
	1500	80°	A. MARTIN
	1800	80°	A. MARTIN
	2100	80°	A. MARTIN
	2400	80°	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	78	J. Dominguez
	0600	71	J. Perez
	0900	72	J. Perez
	1200	74	J. Perez
	1500	79	J. FRANCIS
	1800	79	J. Castellanos
	2100	78	J. Castellanos
	2400	73	A. Ortiz

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	74	S. Delgadillo
	0600	70	S. Delgadillo
	0900	72	S. Delgadillo
	1200	72	S. Delgadillo
	1500	74	J. Castellanos
	1800	76	J. Castellanos
	2100	78	J. Castellanos
	2400	73	A. Ortiz

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	73	S. Delgadillo
	0600	72	J. Perez
	0900	76	J. Perez
	1200	80	J. Perez
	1500	81	J. Castellanos
	1800	81	J. Castellanos
	2100	79	J. Castellanos
	2400	75	S. Delgadillo

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	78°	J. Dominguez
	0600	74	J. ELIAS
	0900	76	J. ELIAS
	1200	78	J. ELIAS
	1500	81	L. PONCE
	1800	80	A. LOPEZ
	2100	80	A. LOPEZ
	2400	80	J. Dominguez

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	79	A. Ortiz
	0600	79	A. Ortiz
	0900	73	J. Castellanos
	1200	74	J. Castellanos
	1500	75	J. Castellanos
	1800	75	J. Castellanos
	2100	74	J. Castellanos
	2400	74	S. Delgadillo

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the inside ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7

Temp. Reading Location: 1st Tier

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

(e.g., 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100)

6001 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	78	A. Ortiz
6/17/24	0600	77	A. Ortiz
6/17/24	0900	71	J. Perez
6/17/24	1200	74	S. Lopez
6/17/24	1500	77	F. Ortiz
6/17/24	1800	74	N. Infante
6/17/24	2100	74	N. Infante
6/17/24	2400	72	S. Delgadillo

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	S. Delgadillo
6/19/24	0600	71	G. Perez
6/19/24	0900	72	G. Perez
6/19/24	1200	73	G. Perez
6/19/24	1500	78	A. Lopez
6/19/24	1800	79	A. Lopez
6/19/24	2100	79	A. Lopez
6/19/24	2400	71	Rodriguez

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	71	Dominguez
6/21/24	0600	71	J. Perez
6/21/24	0900	72	J. Perez
6/21/24	1200	73	J. Perez
6/21/24	1500	76	J. Castellanos
6/21/24	1800	78	J. Castellanos
6/21/24	2100	78	J. Castellanos
6/21/24	2400	76	Rivas, L.

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	72	Rivas, L.
6/23/24	0600	72	Perez, J.
6/23/24	0900	75	Perez, J.
6/23/24	1200	79	Perez, J.
6/23/24	1500	80	A. Lopez
6/23/24	1800	79	A. Lopez
6/23/24	2100	79	A. Lopez
6/23/24	2400	78	D. Villanueva

Tuesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	S. Delgadillo
6/19/24	0600	70	J. Perez
6/19/24	0900	71	J. Perez
6/19/24	1200	71	J. Perez
6/19/24	1500	73	J. Castellanos
6/19/24	1800	74	J. Castellanos
6/19/24	2100	73	J. Castellanos
6/19/24	2400	72	S. Delgadillo

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	74	Rodriguez
6/20/24	0600	70	Rodriguez
6/20/24	0900	70	G. Perez
6/20/24	1200	71	G. Perez
6/20/24	1500	72°	A. Martinez
6/20/24	1800	73°	A. Martinez
6/20/24	2100	75°	A. Martinez
6/20/24	2400	74°	Dominguez

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	74	Rivas, L.
6/22/24	0600	74	Rivas, L.
6/22/24	0900	74	Rivas, L.
6/22/24	1200	74	Rivas, L.
6/22/24	1500	76	S. Espinosa
6/22/24	1800	76	S. Espinosa
6/22/24	2100	74	S. Espinosa
6/22/24	2400	74	Rivas, L.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7

Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	78	K. Garcia
	0600	73	J. Perez
	0900	75	J. Perez
	1200	80	J. Perez
	1500	80	F. Ortiz
	1800	81	F. Ortiz
	2100	81	F. Ortiz
	2400	80	J. Dominguez

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	78	D. Villagran
	0600	74	J. Elias
	0900	76	J. Elias
	1200	78	J. Elias
	1500	80	A. Lopez
	1800	80	A. Lopez
	2100	80	A. Lopez
	2400	80	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	74	J. Dominguez
	0600	74	J. Perez
	0900	76	J. Perez
	1200	79	J. Perez
	1500	80	A. Lopez
	1800	81	A. Lopez
	2100	81	A. Lopez
	2400	80	S. Delgadillo

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	72	S. Delgadillo
	0600	72	G. Rizel
	0900	74°	G. Rizel
	1200	80	G. Rizel
	1500	81	J. Castellanos
	1800	80	J. Castellanos
	2100	75	J. Castellanos
	2400	78	DELGADILLO

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	J. DOMINGUEZ
	0600	78	G. PEREZ
	0900	78°	C. GILL
	1200	80°	G. PEREZ
	1500	81	J. CASTELLANOS
	1800	81	J. CASTELLANOS
	2100	80	J. CASTELLANOS
	2400	80	D. VILLAGRAN

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	78	J. DOMINGUEZ
	0600	74	J. ELIAS
	0900	74	J. ELIAS
	1200	78	J. ELIAS
	1500	78°	A. MARTINEZ
	1800	80°	A. MARTINEZ
	2100	80°	A. MARTINEZ
	2400	80	J. DOMINGUEZ

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	75	S. Delgadillo
	0600	72	J. Perez
	0900	74	J. Perez
	1200	78	J. Perez
	1500	80	J. Castellanos
	1800	81	J. Castellanos
	2100	80	J. Castellanos
	2400	72	S. Delgadillo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP - R Housing Unit: A1 Temp. Reading Location: TIER 1 (DOORM)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/1/16	0300		
	0600		
	0900		
	1200	70	HEAT
	1500	75	HEAT
	1800		
	2100		
	2400	79	ABUSI

Wednesday

Date	Time	Temp.	Name (Print)
6/1/16	0300	79	ABUSI
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
6/1/16	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/1/16	0300	75	MUR
	0600	75	BUSDELL
	0900	76	BUSDELL
	1200	77	BUSDELL
	1500	77	ALROBIA
	1800	77	ALROBIA
	2100	77	ALROBIA
	2400	80	G. M.

6/1/16
SATURDAY

Tuesday

Date	Time	Temp.	Name (Print)
6/1/16	0300	79	ABUSI
	0600	78	SALINAS
	0900	78	SALINAS
	1200	79	SALINAS
	1500	79	SCVILLE
	1800	79	SCVILLE
	2100	79	SCVILLE
	2400	79	ATLISPO

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: JSP-BC Housing Unit: H1 Temp. Reading Location: Tier 1 (Dorm)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/3/24	0300	80	Mojica
	0600	80	Horn
	0900	78	Horn
	1200	78	Horn
	1500	78	Martinez
	1800	78	Nelson
	2100	78	G. Days
	2400	78	Fuentes

Wednesday			
Date	Time	Temp.	Name (Print)
6/5/24	0300	72	W.SANCHEZ
	0600	78	J.VASQUEZ
	0900	79	J.VASQUEZ
	1200	80	J.VASQUEZ
	1500	80	Flores
	1800	80	Flores
	2100	79	Flores
	2400	79	Mojica

Friday			
Date	Time	Temp.	Name (Print)
6/7/24	0300	81	A.BUSTAMANTE
	0600	81	Horn
	0900	82	Horn
	1200	81	Horn
	1500	81	Arc
	1800	80	Arc
	2100	80	Arc
	2400	80	W.SANCHEZ

Sunday			
Date	Time	Temp.	Name (Print)
6/9/24	0300	78	Fuentes
	0600	80	Soliz
	0900	82	Soliz
	1200	82	Soliz
	1500	80	Arc
	1800	80	Arc
	2100	80	Arc
	2400	80	L.Mojica

Tuesday			
Date	Time	Temp.	Name (Print)
6/4/24	0300	76	Fuentes
	0600	76	Morales
	0900	78	Morales
	1200	78	Morales
	1500	78	G. Days
	1800	78	G. Days
	2100	78	G. Days
	2400	72	W.SANCHEZ

Thursday			
Date	Time	Temp.	Name (Print)
6/6/24	0300	79	Mojica
	0600	80	Horn
	0900	80	Horn
	1200	81	Horn
	1500	81	Arc
	1800	81	Arc
	2100	80	Arc
	2400	81	A.BUSTAMANTE

Saturday			
Date	Time	Temp.	Name (Print)
6/8/24	0300	80	W.SANCHEZ
	0600	81	Salinas
	0900	81	Salinas
	1200	82	Salinas
	1500	80	L.Mojica
	1800	82	L.Mojica
	2100	78	L.Mojica
	2400	78	Fuentes

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDOR 2031 (8418)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: H1 Temp. Reading Location: Tier 1 (Dorm.)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	80	L. M. G.
	0600	78	M. C. A. S.
	0900	79	Iniguez
	1200	78	Iniguez
	1500	76	Mun
	1800	74	Martinez
	2100	78	Mun
	2400	78	R. R. T.

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	80	Fernandes
	0600	80	Horn
	0900	80	Horn
	1200	80	Horn
	1500	81	Horn
	1800	80	Horn
	2100	81	Horn
	2400	80	F. F.

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	78	F. F.
	0600	78	C. C. A. S.
	0900	78	C. C. A. S.
	1200	80	C. C. A. S.
	1500	80	C. C. A. S.
	1800	80	C. C. A. S.
	2100	80	C. C. A. S.
	2400	81	

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	80	F. F.
	0600	80	Oscar
	0900	81	Oscar
	1200	81	Oscar
	1500	81	Oscar
	1800	81	Oscar
	2100	80	Oscar
	2400	80	AUGUSTO

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	80	AUGUSTO
	0600	80	C. C. A. S.
	0900	80	Horn
	1200	80	C. C. A. S.
	1500	80	Aug
	1800	80	Aug
	2100	79	Aug
	2400	80	AUGUSTO

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	80	AUGUSTO
	0600	78	C. C. A. S.
	0900	78	C. C. A. S.
	1200	78	C. C. A. S.
	1500	78	Aug
	1800	79	Aug
	2100	79	Aug
	2400	80	AUGUSTO

Notes

Date	Time	Temp.	Name (Print)
6/16/24	0300	78	AUGUSTO
	0600	78	C. C. A. S.
	0900	78	C. C. A. S.
	1200	78	C. C. A. S.
	1500	78	Mun
	1800	78	Mun
	2100	79	Mun
	2400	79	L. M. G.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 1031 (06/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H 1 Temp. Reading Location: F
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1/1/11	0300	76	FUENTES
N	0600	73	CALZADA
	0900	78	CALZADA
	1200	72	CALZADA
	1500	73	Mor. -
	1800	78	Co. Reyes
	2100	78	Co. Reyes
	2400	76	FUENTES

Wednesday

Date	Time	Temp.	Name (Print)
6/19/93	0300	79	KBVG(1)
	0600	78	Carrizo
	0900	78	Carrizo
	1200	78	Carrizo
	1500	78	Ard
	1800	78	Ard
	2100	77	Ard
	2400	77	Melvin

Friday

Date	Time	Temp.	Name (Print)
6/21/14	0300	78	ABUSIV
	0600	79	JAN
	0900	78	LEAL
	1200	79	HARR
	1500	78	ROB
	1800	78	ROB
	2100	78	VAN
	2400	78	ABUSIV

Sunday

Date	Time	Temp.	Name (Print)
Wednesday	0300	78	ALUSTV
	0600	80	CARLSON
	0800	80	CARLSON
	1200	80	CARLSON
	1500	80	CARLSON
	1800	79	CARLSON
	2100	72	CARLSON
	2400	71	C. CARLSON

Tuesday

Dat	Time	Temp.	Name (Print)
26/18/21	0300	76	Fuentes
	0600	77	Hagan
	0900	78	Hagan
	1200	79	Hagan
	1500	79	G. Rogers
	1800	79	G. Rogers
	2100	79	G. Rogers
	2400	79	Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
6/20/84	0300	76	McGinn
	0600	76	Hart
	0900	77	Hart
	1200	77	Hart
	1500	78	Hart
	1800	78	Hart
	2100	77	Hart
	2400	78	Krusto

Saturday

Date	Time	Temp.	Name (Print)
6/22/21	0300	70	ABSTU
	0600	78	CALZAR
	0900	78	CALZAR
	1200	79	CALZAR
	1500	79	KAN
	1800	79	PAUL
	2100	79	KAN
	2400	79	ABSTU

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: BWSP Housing Unit: H Temp. Reading Location: ST
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/18	0300	80	Megan
	0600	80	CALZADA
	0900	80	CALZADA
	1200	80	CALZADA
	1500	80	L. Days
	1800	80	L. Days
	2100	80	L. Days
	2400	80	Megan

Tuesday

Date	Time	Temp.	Name (Print)
6/25/18	0300	80	Fuentes
	0600	80	CALZADA
	0900	80	CALZADA
	1200	80	CALZADA
	1500	81	PONCE
	1800	82	PONCE
	2100	81	PONCE
	2400	80	Fuentes

Wednesday

Date	Time	Temp.	Name (Print)
6/26/18	0300	79	Megan
	0600	79	CALZADA
	0900	80	CALZADA
	1200	80	CALZADA
	1500	80	PAL
	1800	80	PAL
	2100	79	PAL
	2400	79	Megan

Thursday

Date	Time	Temp.	Name (Print)
6/27/18	0300	79	Megan
	0600	80	Hart
	0900	80	Hart
	1200	80	Hart
	1500	80	Hart
	1800	80	Hart
	2100	80	Hart
	2400	80	Hart

Friday

Date	Time	Temp.	Name (Print)
6/28/18	0300	80	Hart
	0600	80	Hart
	0900	80	Hart
	1200	80	Hart
	1500	80	MEDINA
	1800	80	MEDINA
	2100	80	MEDINA
	2400	80	MEDINA

Saturday

Date	Time	Temp.	Name (Print)
6/29/18	0300	80	KOVSTO
	0600	78	CALZADA
	0900	79	CALZADA
	1200	79	CALZADA
	1500	79	FALY
	1800	80	FALY
	2100	80	FALY
	2400	80	Fuentes

Sunday

Date	Time	Temp.	Name (Print)
6/30/18	0300	80	Fuentes
	0600	80	CALZADA
	0900	80	CALZADA
	1200	80	CALZADA
	1500	80	Mahan
	1800	80	Mahan
	2100	80	Mahan
	2400	80	Mahan

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NSP-RC Housing Unit: H 2 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	75°	R. Morales
	0600	73	M. Yanez
	0900	75	M. Yanez
	1200	78	M. Yanez
	1500	79	J. Valencia
	1800	79	J. Valencia
	2100	79	J. Valencia
	2400	78	Ramirez

Sunday

Date	Time	Temp.	Name (Print)
	0300	77	RAMIREZ
	0600	76	M. YANEZ
	0900	77	M. YANEZ
	1200	79	M. YANEZ
	1500	80	J. Valencia
	1800	82	A. CERMENO
	2100	80	J. Valencia
	2400	77	R. Morales

Notes:

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: H2 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	74	M. Graham
	0600	73	BLASDEU
	0900	74	BLASDEU
	1200	76	BLASDEU
	1500	77	J. Valencia
	1800	81	J. Valencia
	2100	79	J. Valencia
	2400	77	M. Graham

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	78°	E. GONZALEZ
	0600	78	BLASDEU
	0900	79	BLASDEU
	1200	82	BLASDEU
	1500	82	J. Valencia
	1800	84	J. Valencia
	2100	84	J. Valencia
	2400	81°	M. Graham

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	78°	M. Graham
	0600	77	M. Graham
	0900	78	A. Yanez
	1200	80	A. Yanez
	1500	82	CERMENO A
	1800	81	CERMENO A
	2100	79	CERMENO A
	2400	75	C. MORALES

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	75°	R. Morales
	0600	73	M. Yanez
	0900	74	A. Yanez
	1200	75	M. Yanez
	1500	76	A. CERMENO
	1800	77	A. CERMENO
	2100	79	A. CERMENO
	2400	76	M. Graham

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	74	M. Graham
	0600	73	M. Yanez
	0900	75	J. Vasquez
	1200	79	J. Vasquez
	1500	79	J. Valencia
	1800	81	J. Valencia
	2100	81	J. Valencia
	2400	81°	E. GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	79°	M. Graham
	0600	79	BLASDEU
	0900	81	BLASDEU
	1200	81	BLASDEU
	1500	84	J. Valencia
	1800	84	J. Valencia
	2100	84	J. Valencia
	2400	81°	M. Graham

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	76	R. Morales
	0600	75	A. Yanez
	0900	75	M. Yanez
	1200	78	A. Yanez
	1500	79	CERMENO A
	1800	79	CERMENO A
	2100	79	CERMENO A
	2400	77°	R. Morales

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-R/C Housing Unit: H-2 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday				
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	
<i>6-10-18</i>	0300	72	<i>A. Graham</i>	<i>6-11-18</i>	0300	79	<i>M. Graham</i>	<i>6-12-18</i>	0300	80	<i>M. Graham</i>	<i>6-13-18</i>	0300	77	<i>Fuentes</i>	<i>6-14-18</i>	0300	74	<i>M. Graham</i>	<i>6-15-18</i>	0300	75°	<i>R. Morales</i>	<i>6-16-18</i>	0300	73°	<i>R. Morales</i>	
	0600	73	<i>BLASDELL</i>		0600	77	<i>BLASDELL</i>		0600	75	<i>M. Graham</i>		0600	75	<i>M. Graham</i>		0600	74	<i>M. Graham</i>		0600	74	<i>M. Graham</i>		0600	73	<i>R. Morales</i>	
	0900	75	<i>BLASDELL</i>		0900	77	<i>BLASDELL</i>		0900	75	<i>M. Graham</i>		0900	75	<i>M. Graham</i>		0900	74	<i>M. Graham</i>		0900	74	<i>M. Graham</i>		0900	73	<i>R. Morales</i>	
	1200	77	<i>M. Yanez</i>		1200	79	<i>BLASDELL</i>		1200	74	<i>M. Graham</i>		1200	74	<i>M. Graham</i>		1200	73	<i>M. Graham</i>		1200	73	<i>M. Graham</i>		1200	72	<i>R. Morales</i>	
	1500	77	<i>J. Valenck</i>		1500	71	<i>J. Valenck</i>		1500	71	<i>J. Valenck</i>		1500	81	<i>J. Valenck</i>		1500	81	<i>J. Valenck</i>		1500	79	<i>J. Valenck</i>		1500	78	<i>R. Morales</i>	
	1800	81	<i>J. Valenck</i>		1800	82	<i>J. Valenck</i>		1800	81	<i>J. Valenck</i>		1800	80	<i>R. Morales</i>													
	2100	81	<i>J. Valenck</i>		2100	82	<i>J. Valenck</i>		2100	81	<i>J. Valenck</i>		2100	80	<i>R. Morales</i>													
	2400	77	<i>M. Graham</i>		2400	77	<i>M. Graham</i>		2400	79	<i>M. Graham</i>		2400	79	<i>M. Graham</i>		2400	79	<i>M. Graham</i>		2400	78	<i>M. Graham</i>		2400	77	<i>R. Morales</i>	
Wednesday				Thursday				Friday				Saturday				Sunday				Notes								
<i>6-12-18</i>	0300	80	<i>M. Graham</i>	<i>6-13-18</i>	0300	77	<i>BLASDELL</i>	<i>6-14-18</i>	0300	74	<i>M. Graham</i>	<i>6-15-18</i>	0300	75°	<i>R. Morales</i>	<i>6-16-18</i>	0300	73°	<i>R. Morales</i>									
	0600	77	<i>BLASDELL</i>		0600	75	<i>BLASDELL</i>		0600	77	<i>M. Graham</i>		0600	75	<i>M. Graham</i>		0600	74	<i>M. Graham</i>		0600	73	<i>M. Graham</i>	0600	72	<i>R. Morales</i>		
	0900	74	<i>BLASDELL</i>		0900	77	<i>BLASDELL</i>		0900	74	<i>M. Graham</i>		0900	75	<i>M. Graham</i>		0900	74	<i>M. Graham</i>		0900	73	<i>M. Graham</i>	0900	72	<i>R. Morales</i>		
	1200	81	<i>BLASDELL</i>		1200	74	<i>BLASDELL</i>		1200	74	<i>M. Graham</i>		1200	75	<i>M. Graham</i>		1200	74	<i>M. Graham</i>		1200	73	<i>M. Graham</i>	1200	72	<i>R. Morales</i>		
	1500	84	<i>J. Valenck</i>		1500	81	<i>J. Valenck</i>		1500	80	<i>J. Valenck</i>	1500	79	<i>R. Morales</i>														
	1800	81	<i>J. Valenck</i>		1800	80	<i>J. Valenck</i>	1800	79	<i>R. Morales</i>																		
	2100	81	<i>J. Valenck</i>		2100	80	<i>J. Valenck</i>	2100	79	<i>R. Morales</i>																		
	2400	79	<i>M. Graham</i>		2400	78	<i>M. Graham</i>	2400	77	<i>R. Morales</i>																		

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDH-2 Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/17/14	0300	70	M. Graham
	0600	73	B. Blasell
	0900	75	B. Blasell
	1200	75	B. Blasell
	1500	75	Valencia
	1800	75	Valencia
	2100	75	Valencia
	2400	72	M. Graham

Tuesday

Date	Time	Temp.	Name (Print)
06/18/14	0300	70	M. Graham
	0600	72	J. Yanez
	0900	73	M. Yanez
	1200	75	M. Yanez
	1500	75	J. Valencia
	1800	75	J. Valencia
	2100	75	J. Valencia
	2400	72	M. Graham

Wednesday

Date	Time	Temp.	Name (Print)
06/19/14	0300	70	M. GRAHAM
	0600	73°	J. LUQUE
	0900	73°	J. LUQUE
	1200	75°	J. LUQUE
	1500	79	J. Valencie
	1800	79	J. Valencie
	2100	77	J. Valencie
	2400	72	M. GRAHAM

Thursday

Date	Time	Temp.	Name (Print)
06/20/14	0300	70	M. GRAHAM
	0600	73	F. RAMIREZ
	0900	73	F. RAMIREZ
	1200	75	F. RAMIREZ
	1500	77	J. Valencia
	1800	79	J. Valencia
	2100	77	J. Valencia
	2400	72	M. GRAHAM

Friday

Date	Time	Temp.	Name (Print)
06/21/14	0300	75°	M. GRAHAM
	0600	72	M. Yanez
	0900	73	M. Yanez
	1200	70	M. Yanez
	1500	77	A. CERMENO
	1800	79	A. CERMENO
	2100	79	A. CERMENO
	2400	72	A. NAJERA

Saturday

Date	Time	Temp.	Name (Print)
06/22/14	0300	73	A. NAJERA
	0600	73	J. Valencia
	0900	77	J. Valencia
	1200	79	J. Valencia
	1500	81	S. Seville
	1800	82	S. Seville
	2100	82	S. Seville
	2400	79	RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
06/23/14	0300	77	RAMIREZ
	0600	77	CERMENO A.
	0900	80	CERMENO A.
	1200	81	CERMENO A.
	1500	84	J. Valencia
	1800	84	J. Valencia
	2100	82	J. Valencia
	2400	79	M. Graham

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDH-2 Temp. Reading Location: 1ST TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/24/18	0300	79°	J. Valencie
	0600	77°	M. Vanz
	0900	77°	M. Vanz
	1200	82°	M. Vanz
	1500	85	J. Valencie
	1800	84	J. Valencie
	2100	84	J. Valencie
	2400	81	M. GRAHAM

Tuesday

Date	Time	Temp.	Name (Print)
06/25/18	0300	79	M. GRAHAM
	0600	77	J. Valencie
	0900	79	J. Valencie
	1200	81	J. Valencie
	1500	82	J. Valencie
	1800	82	J. Valencie
	2100	81	J. Valencie
	2400	79	M. GRAHAM

Wednesday

Date	Time	Temp.	Name (Print)
06/26/18	0300	79	M. GRAHAM
	0600	75	J. Valencie
	0900	78	J. Valencie
	1200	79	J. Valencie
	1500	79	J. Valencie
	1800	81	J. Valencie
	2100	82	J. Valencie
	2400	78	M. GRAHAM

Thursday

Date	Time	Temp.	Name (Print)
06/27/18	0300	77	M. GRAHAM
	0600	75	M. Vanz
	0900	76	
	1200	77	
	1500	79	J. Valencie
	1800	81	J. Valencie
	2100	81	J. Valencie
	2400	79	R. MORALES

Friday

Date	Time	Temp.	Name (Print)
06/28/18	0300	75	M. GRAHAM
	0600	74	M. Vanz
	0900	75	M. Vanz
	1200	77	M. Vanz
	1500	79	CARMEN A
	1800	81	CARMEN A
	2100	79	CARMEN A
	2400	79	R. TAPULIA

Saturday

Date	Time	Temp.	Name (Print)
06/29/18	0300	79	R. TAPULIA
	0600	75	D. MEDINA
	0900	75	D. MEDINA
	1200	77	D. MEDINA
	1500	77	A. CERMENDO
	1800	78	A. CERMENDO
	2100	78	A. CERMENDO
	2400	77	R. MORALES

Sunday

Date	Time	Temp.	Name (Print)
06/30/18	0300	75°	R. MORALES
	0600	77	A. CERMENDO
	0900	77	A. CERMENDO
	1200	78	A. CERMENDO
	1500	81	J. Valencie
	1800	82	J. Valencie
	2100	82	J. Valencie
	2400	81	RAMIREZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H3 Temp. Reading Location: Day Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300	74	E. Villalobos
	0600	76	Basrao
	0900	78	Basrao
	1200	78	Santana
	1500	79	M. Valencia
	1800	78	M. Valencia
	2100	79	M. Valencia
	2400	78	VILLALOBOS

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	77	E. Villalobos
	0600	75	J. Amador
	0900	78	J. Amador
	1200	78	J. Amador
	1500	78	S. River
	1800	78	S. River
	2100	78	S. River
	2400	78	S. River

Notes

6/1/18

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: Day Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<i>6/3/18</i>	0300	75	C. VILLALBES
	0600	76	Garcia
	0900	77	Garcia
	1200	77	Garcia
	1500	79	N. MOLARDO
	1800	78	N. MOLARDO
	2100	77	N. MOLARDO
	2400	78	S. BORREGO

Wednesday

Date	Time	Temp.	Name (Print)
<i>6/5/18</i>	0300	79	J. GALAVIZ
	0600	77	R. BAKER
	0900	77	R. BAKER
	1200	80	R. BAKER
	1500	81	R. MICHELSON
	1800	82	R. MICHELSON
	2100	82	R. MICHELSON
	2400	80	R. MICHELSON

Friday

Date	Time	Temp.	Name (Print)
<i>6/7/18</i>	0300	83	J. GALAVIZ
	0600	81	E. HURD
	0900	81	E. HURD
	1200	81	E. HURD
	1500	81	R. MICHELSON
	1800	81	R. MICHELSON
	2100	81	R. MICHELSON
	2400	80	J. GALAVIZ

Sunday

Date	Time	Temp.	Name (Print)
<i>6/10/18</i>	0300	78	S. RIVERA
	0600	78	Garcia
	0900	79	Garcia
	1200	80	Garcia
	1500	80	ALKOBATI
	1800	80	ALKOBATI
	2100	79	ALKOBATI
	2400	78	O. JALADEZ

Tuesday

Date	Time	Temp.	Name (Print)
<i>6/4/18</i>	0300	77	S. BORREGO
	0600	78	K. Bailey
	0900	78	K. Bailey
	1200	78	K. Bailey
	1500	74	J. GALAVIZ
	1800	73	J. GALAVIZ
	2100	78	J. GALAVIZ
	2400	78	J. GALAVIZ

Thursday

Date	Time	Temp.	Name (Print)
<i>6/6/18</i>	0300	80	S. BORREGO
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	82	R. MICHELSON
	1800	83	R. MICHELSON
	2100	83	R. MICHELSON
	2400	83	J. GALAVIZ

Saturday

Date	Time	Temp.	Name (Print)
<i>6/8/18</i>	0300	80	J. GALAVIZ
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	80	S. RIVERA
	1800	80	S. RIVERA
	2100	78	S. RIVERA
	2400	78	S. RIVERA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: D-P-4 Room
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6081 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/10/24	0300	78	P. VALADEZ
	0600	78	BATIRON
	0900	79	P. VALADEZ
	1200	79	P. VALADEZ
	1500	79	N. MOSAVERO
	1800	80	N. MOSAVERO
	2100	80	N. MOSAVERO
	2400	80	S. BORREGO

Wednesday

Date	Time	Temp.	Name (Print)
5/12/24	0300	79	S. BORREGO
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	81	R. MICHENER
	1800	81	R. MICHENER
	2100	81	R. MICHENER
	2400	80	S. BORREGO

Friday

Date	Time	Temp.	Name (Print)
5/14/24	0300	80	J. GALANIZ
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	80	D. VALADEZ ALCARAZ
	1800	80	D. VALADEZ ALCARAZ
	2100	83	ALCARAZ
	2400	80	D. VALADEZ

Sunday

Date	Time	Temp.	Name (Print)
5/16/24	0300	79	F. HARVEY
	0600	78	F. HARVEY
	0900	79	F. HARVEY
	1200	79	F. HARVEY
	1500	79	S. RIVERA
	1800	79	S. RIVERA
	2100	79	S. RIVERA
	2400	79	S. BORREGO

Tuesday

Date	Time	Temp.	Name (Print)
5/11/24	0300	79	S. BORREGO
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	81	R. MICHENER
	1800	81	R. MICHENER
	2100	81	R. MICHENER
	2400	80	S. BORREGO

Thursday

Date	Time	Temp.	Name (Print)
5/13/24	0300	80	S. BORREGO
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	80	J. GALANIZ
	1800	80	J. GALANIZ
	2100	80	J. GALANIZ
	2400	80	J. GALANIZ

Saturday

Date	Time	Temp.	Name (Print)
5/15/24	0300	80	P. VALADEZ
	0600	79	BATIRON
	0900	80	BATIRON
	1200	80	BATIRON
	1500	79	S. RIVERA
	1800	80	S. RIVERA
	2100	80	S. RIVERA
	2400	80	S. RIVERA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H3 Temp. Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	73	S. BOREA
	0600	75	Gannone
	0900	75	R. BOAKER
	1200	75	R. BOAKER
	1500	78	M. ENIGAN
	1800	78	M. ENIGAN
	2100	77	M. ENIGAN
	2400	75	S. BOREA

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	72	S. BOREA
	0600	75	E. HURD
	0900	75	E. HURD
	1200	75	E. HURD
	1500	76	S. SEVILL
	1800	76	S. SEVILL
	2100	75	S. SEVILL
	2400	75	S. BOREA

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	78	S. GALAVIZ
	0600	76	E. HURD
	0900	76	E. HURD
	1200	76	E. HURD
	1500	76	R. Michtson
	1800	77	R. Michtson
	2100	77	R. Michtson
	2400	75	S. GALAVIZ

Sunday

Date	Time	Temp.	Name (Print)
6-23-24	0300	79	S. RIVERA
	0600	80	S. MARTINEZ
	0900	80	BASILIO
	1200	80	BASILIO
	1500	80	S. RIVERA
	1800	80	S. RIVERA
	2100	80	S. RIVERA
	2400	78	S. BOREA

Tuesday

Date	Time	Temp.	Name (Print)
6-18-24	0300	72	S. BOREA
	0600	75	E. HURD
	0900	75	E. HURD
	1200	75	E. HURD
	1500	75	R. Michtson
	1800	75	R. Michtson
	2100	74	R. Michtson
	2400	73	S. BOREA

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	75	S. BOREA
	0600	75	E. HURD
	0900	75	E. HURD
	1200	75	E. HURD
	1500	76	R. Michtson
	1800	76	R. Michtson
	2100	75	R. Michtson
	2400	76	S. GALAVIZ

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	75	S. GALAVIZ
	0600	76	BASILIO
	0900	77	BASILIO
	1200	78	BASILIO
	1500	80	S. RIVERA
	1800	80	S. RIVERA
	2100	80	S. RIVERA
	2400	80	S. RIVERA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H3 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	79	S. BORREGO
	0600	79	Barrera
	0900	80	Barrera
	1200	80	Barrera
	1500	80	N. M. SAKAW
	1800	80	N. M. SAKAW
	2100	79	N. M. SAKAW
	2400	80	S. BORREGO

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	80	S. BORREGO
	0600	80	E. HURO
	0900	80	E. HURO
	1200	80	E. HURO
	1500	80	ENRIQUEW
	1800	81	ENRIQUEW
	2100	80	ENRIQUEW
	2400	80	S. BORREGO

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	80	S. BORREGO
	0600	80	R. BAKER
	0900	83	R. BAKER
	1200	90	R. BAKER
	1500	82	R. MICHELSON
	1800	82	R. MICHELSON
	2100	82	R. MICHELSON
	2400	81	S. BORREGO

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	80	S. BORREGO
	0600	80	J. LUDOLE
	0900	80	J. LUDOLE
	1200	80	J. LUDOLE
	1500	79	R. MICHELSON
	1800	79	R. MICHELSON
	2100	78	R. MICHELSON
	2400	80	J. GALANIZ

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	80	J. GALANIZ
	0600	80	E. HURO
	0900	80	E. HURO
	1200	80	E. HURO
	1500	79	R. MICHELSON
	1800	80	R. MICHELSON
	2100	80	R. MICHELSON
	2400	80	S. SMITH

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	80	S. SMITH
	0600	80	S. SMITH
	0900	80	E. HURO
	1200	80	E. HURO
	1500	80	S. RIVERA
	1800	80	S. RIVERA
	2100	80	S. RIVERA
	2400	79	S. RIVERA

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	79	S. RIVERA
	0600	79	Barrera
	0900	80	Barrera
	1200	80	Barrera
	1500	80	S. RIVERA
	1800	80	S. RIVERA
	2100	80	S. RIVERA
	2400	80	MAMANAC

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR-2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: 44 Temp. Reading Location: 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	78	C. Villalobos
	0600	78	J. Ramirez
	0900	80	J. Ramirez
	1200	80	J. Ramirez
	1500	81	R. Michtelson
	1800	82	R. Michtelson
	2100	82	R. Michtelson
	2400	82	C. Villalobos

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	80	C. Villalobos
	0600	78	J. Ramirez
	0900	76	J. Ramirez
	1200	78	J. Ramirez
	1500	80	I. Alcalde
	1800	81	I. Alcalde
	2100	82	I. Alcalde
	2400	80	J. Ramirez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP RC Housing Unit: 44 Temp. Reading Location: /57
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-1-24	0300	80	F GALICIA
	0600	78	J. RAMIREZ
	0900	78	J. RAMIREZ
	1200	79	J. RAMIREZ
	1500	80	A. MOCOZA
	1800	80	A.M. OCOCZA
	2100	80	A.M. OCOCZA
	2400	80	I. HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	80	I. HERNANDEZ
	0600	80	I. HERNANDEZ
	0900	80	B. ORTEGA
	1200	80	B. ORTEGA
	1500	80	A. MOCOZA
	1800	80	A. MOCOZA
	2100	80	A. MOCOZA
	2400	80	N. MOSARDO

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	0300	80	N. MOSARDO
	0600	80	F. MELGOZA
	0900	80	F. MELGOZA
	1200	80	F. MELGOZA
	1500	81	B. ORTEGA
	1800	83	B. ORTEGA
	2100	80	B. ORTEGA
	2400	80	N. MOSARDO

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	0300	80	N. MOSARDO
	0600	79	J. RAMIREZ
	0900	79	J. RAMIREZ
	1200	80	J. RAMIREZ
	1500	81	B. ORTEGA
	1800	83	B. ORTEGA
	2100	80	B. ORTEGA
	2400	80	N. MOSARDO

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	0300	80	N. MOSARDO
	0600	78	J. RAMIREZ
	0900	78	J. RAMIREZ
	1200	79	J. RAMIREZ
	1500	80	J. AMADOR
	1800	80	J. AMADOR
	2100	80	J. AMADOR
	2400	78	K. CESNA

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	0300	78	K. CEJA
	0600	79	F. GALICIA
	0900	80	F. GALICIA
	1200	81	F. GALICIA
	1500	76	R. MICHELSON
	1800	78	R. MICHELSON
	2100	76	R. MICHELSON
	2400	76	C. VILLALOBOS

Notes

Date	Time	Temp.	Name (Print)
6/9/2024	0300	74	C. VILLALOBOS
	0600	72	F. GALICIA
	0900	76	F. GALICIA
	1200	78	F. GALICIA
	1500	78	L. Alcalde
	1800	78	L. Alcalde
	2100	78	L. Alcalde
	2400	78	K. CESNA

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H4 Temp. Reading Location: T1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6000 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	75°	K. CESA
	0600	79	I. HERNANDEZ
	0900	72	B. LELAYA
	1200	73	B. LELAYA
	1500	73	S. Rios
	1800	78	S. Rios
	2100	78	S. Rios
	2400	78	N. MOSARDO

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	75	N. MOSARDO
	0600	74	I. HERNANDEZ
	0900	75	I. HERNANDEZ
	1200	75	I. HERNANDEZ
	1500	78	S. Rios
	1800	80	S. Rios
	2100	80	S. Rios
	2400	80	N. MOSARDO

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	79	N. MOSARDO
	0600	79	I. HERNANDEZ
	0900	79	B. Ortega
	1200	81	B. Ortega
	1500	82	B. Ortega
	1800	82	B. Ortega
	2100	80	B. Ortega
	2400	80	N. MOSARDO

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	78	N. MOSARDO
	0600	78	MACIEL, J.
	0900	78	MACIEL, J.
	1200	78	MACIEL, J.
	1500	79	B. Ortega
	1800	79	B. Ortega
	2100	79	B. Ortega
	2400	79	N. MOSARDO

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	77	N. MOSARDO
	0600	73	MACIEL, J.
	0900	73	MACIEL, J.
	1200	75	MACIEL, J.
	1500	74	Ortega, B.
	1800	78	Ortega, B.
	2100	78	Ortega, B.
	2400	75	S. Rivero

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	74	S. Rivero
	0600	73	MACIEL, J.
	0900	73	MACIEL, J.
	1200	74	MACIEL, J.
	1500	73	L. Medina
	1800	73	L. Medina
	2100	72	L. Medina
	2400	76	M. Pascual

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	72	M. Pascual
	0600	72	MACIEL, J.
	0900	72	MACIEL, J.
	1200	73	MACIEL, J.
	1500	75	L. Alcala
	1800	75	L. Alcala
	2100	74	L. Alcala
	2400	77	M. Pascual

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H4 Temp. Reading Location: T
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	74	M. ANTONIA
	0600	74	I. HERNANDEZ
	0900	75	I. HERNANDEZ
	1200	75	I. HERNANDEZ
	1500	75	F. HARVEY
	1800	72	F. HARVEY
	2100	72	F. HARVEY
	2400	72	I. HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	70	I. HERNANDEZ
	0600	70	J. LUQUE
	0900	70	J. LUQUE
	1200	70	J. LUQUE
	1500	70	F. HARVEY
	1800	72	F. HARVEY
	2100	72	F. HARVEY
	2400	70	M. PANTDIA

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	71	M. PANTDIA
	0600	71	F. MELGOZA
	0900	71	I. HERNANDEZ
	1200	79	F. MELGOZA
	1500	75	I. Alcala
	1800	75	I. Alcala
	2100	75	I. Alcala
	2400	72	S. MORENO

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	72	S. MORENO
	0600	70	E. GONZALEZ
	0900	71	E. GONZALEZ
	1200	71	E. GONZALEZ
	1500	73	I. Alcala
	1800	73	I. Alcala
	2100	73	I. Alcala
	2400	72	L. PEREZCHICA

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	L. PEREZCHICA
	0600	71	E. GONZALEZ
	0900	71	E. GONZALEZ
	1200	72	E. GONZALEZ
	1500	74	B. O'NEAL
	1800	74	B. O'NEAL
	2100	72	B. O'NEAL
	2400	72	M. SONES

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	73	D. GIBB
	0600	77	E. GONZALEZ
	0900	71	E. GONZALEZ
	1200	72	E. GONZALEZ
	1500	78	R. MICHAELSON
	1800	78	R. M. MICHAELSON
	2100	78	R. M. MICHAELSON
	2400	78	E. GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	76	E. GONZALEZ
	0600	79	E. GONZALEZ
	0900	78	E. GONZALEZ
	1200	78	E. GONZALEZ
	1500	80	F. HARVEY
	1800	80	F. HARVEY
	2100	79	F. HARVEY
	2400	75	N. JONES

Notes

INSIDE TEMPERATURE RECORD
CDGR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H4 Temp. Reading Location: T1
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/21/18	0300	75	G. Montoya
	0600	75	J. Ramirez
	0900	79	J. Ramirez
	1200	74	J. Ramirez
	1500	79	A.M. OCTOAN
	1800	80	A.M. OCTOAN
	2100	80	A.M. OCTOAN
	2400	80	N. Mojando

Tuesday

Date	Time	Temp.	Name (Print)
6/21/18	0300	78	N. MOJANDO
24	0600	75	J. RAMIREZ
	0900	79	J. RAMIREZ
	1200	79	J. RAMIREZ
	1500	80	A.M. OCTOAN
	1800	80	A.M. OCTOAN
	2100	80	K.M. OCTOAN
	2400	80	N. MOJANDO

Wednesday

Date	Time	Temp.	Name (Print)
6/22/18	0300	80	N. MOJANDO
24	0600	80	J. RAMIREZ
	0900	80	J. RAMIREZ
	1200	80	J. RAMIREZ
	1500	80	B. ORTEGA
	1800	81	B. ORTEGA
	2100	79	B. ORTEGA
	2400	79	N. MOJANDO

Thursday

Date	Time	Temp.	Name (Print)
6/21/18	0300	79	N. MOSALES
24	0600	70	J. RAMIREZ
	0900	75	J. RAMIREZ
	1200	76	J. RAMIREZ
	1500	78	B. ORTEGA
	1800	79	B. ORTEGA
	2100	74	B. ORTEGA
	2400	78	S. SERVILLE

Friday

Date	Time	Temp.	Name (Print)
6/24/18	0300	78	S. SERVILLE
	0600	78	S. SERVILLE
	0900	79	S. SERVILLE
	1200	79	S. SERVILLE
	1500	79	B. ORTEGA
	1800	79	B. ORTEGA
	2100	78	B. ORTEGA
	2400	78	G. MONTAÑA H4

Saturday

Date	Time	Temp.	Name (Print)
6/29/18	0300	77	G. MONTAÑA H4
	0600	74	J. RAMIREZ
	0900	74	J. RAMIREZ
	1200	74	J. RAMIREZ
	1500	76	R. MICHELSON
	1800	78	R. MICHELSON
	2100	78	R. MICHELSON
	2400	76	J. RAMIREZ

Notes

Date	Time	Temp.	Name (Print)
6/30/18	0300	75	J. RAMIREZ
	0600	75	J. RAMIREZ
	0900	75	J. RAMIREZ
	1200	76	J. RAMIREZ
	1500	80	F. HARVEY
	1800	80	F. HARVEY
	2100	79	F. HARVEY
	2400	79	F. HARVEY