

Monthly Summary Report

Institution: VSP

Memorandum

Date: November 1, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - October 2024

The following is a summary of the heat related activity for the month of October 2024,
at VSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 9

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?:Yes

5. Number of patients with heat related illness.0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

OBrian Bailey

Warden Name

DocuSigned by:



C98F99DD0FB04D2...

Warden Signature

Raul Recarey

Chief Executive Officer Name

DocuSigned by:



8D98149428E6442...

Chief Executive Officer Signature

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: USP Housing Unit: A1- 313 Temp. Reading Location: Cop Shop
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-1-24 | 0300 | 67 | J. Saldívar |
| | 0600 | 67 | T. GAETA |
| | 0900 | 69 | T. GAETA |
| | 1200 | 72 | T. GAETA |
| | 1500 | 75 | K. HALL |
| | 1800 | 74 | K. HALL |
| | 2100 | 73 | K. HALL |
| | 2400 | 70 | J. Saldívar |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-2-24 | 0300 | 69 | J. Saldívar |
| | 0600 | 68 | G. SOY |
| | 0900 | 70 | T. GAETA |
| | 1200 | 73 | T. GAETA |
| | 1500 | 75 | K. HALL |
| | 1800 | 76 | K. HALL |
| | 2100 | 74 | K. HALL |
| | 2400 | 71 | J. Saldívar |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-3-24 | 0300 | 66° | B. Cox |
| | 0600 | 69 | G. SOY |
| | 0900 | 71 | T. GAETA |
| | 1200 | 74 | T. GAETA |
| | 1500 | 75 | K. HALL |
| | 1800 | 75 | K. HALL |
| | 2100 | 73 | K. HALL |
| | 2400 | 69° | B. Cox |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-4-24 | 0300 | 67 | B. Cox |
| | 0600 | 69 | G. SOY |
| | 0900 | 71 | K. CHAVHAN |
| | 1200 | 73 | K. CHAVHAN |
| | 1500 | 75 | K. HALL |
| | 1800 | 74 | K. HALL |
| | 2100 | 73 | K. HALL |
| | 2400 | 69° | B. Cox |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-5-24 | 0300 | 69 | J. Saldívar |
| | 0600 | 70 | G. SOY |
| | 0900 | 71 | J. PRESTON |
| | 1200 | 74 | J. PRESTON |
| | 1500 | 75 | K. CHAVHAN |
| | 1800 | 75 | K. CHAVHAN |
| | 2100 | 74 | K. CHAVHAN |
| | 2400 | 70 | J. Saldívar |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-6-24 | 0300 | 69 | J. Saldívar |
| | 0600 | 71 | T. GAETA |
| | 0900 | 71 | T. GAETA |
| | 1200 | 73 | T. GAETA |
| | 1500 | 75 | E. RAMIREZ |
| | 1800 | 76 | E. RAMIREZ |
| | 2100 | 74 | E. RAMIREZ |
| | 2400 | 72 | J. Saldívar |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A2 Temp. Reading Location: Cop Shop
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10.1.24 | 0300 | 67 | A. PASCUAL |
| | 0600 | 68 | A. RODRIGUEZ |
| | 0900 | 70 | A. RODRIGUEZ |
| | 1200 | 72 | A. RODRIGUEZ |
| | 1500 | 74 | P. MANZO |
| | 1800 | 75 | P. MANZO |
| | 2100 | 74 | P. MANZO |
| | 2400 | 70 | A. PASCUAL |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10.2.24 | 0300 | 70 | D. PASCUAL |
| | 0600 | 70 | Wheath |
| | 0900 | 71 | Wheath |
| | 1200 | 73 | Wheath |
| | 1500 | 76 | P. MANZO |
| | 1800 | 77 | P. MANZO |
| | 2100 | 75 | P. MANZO |
| | 2400 | 72 | D. PASCUAL |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------|
| 10.3.24 | 0300 | 70 | D. PASCUAL |
| | 0600 | 66 | K. SALDANA |
| | 0900 | 70 | A. Delafuente |
| | 1200 | 71 | A. Delafuente |
| | 1500 | 76 | C. Aynder |
| | 1800 | 76 | C. Aynder |
| | 2100 | 74 | C. Aynder |
| | 2400 | 72 | D. PASCUAL |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10.4.24 | 0300 | 71 | D. PASCUAL |
| | 0600 | 68 | K. SALDANA |
| | 0900 | 71 | K. HALL |
| | 1200 | 72 | K. Saldana |
| | 1500 | 75 | Thru |
| | 1800 | 75 | Thru |
| | 2100 | 73 | Thru |
| | 2400 | 72 | D. PASCUAL |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10.5.24 | 0300 | 70 | D. PASCUAL |
| | 0600 | 70 | Wheathly |
| | 0900 | 71 | Wheathly |
| | 1200 | 74 | Wheathly |
| | 1500 | 75 | C. Aynder |
| | 1800 | 76 | C. Aynder |
| | 2100 | 75 | C. Aynder |
| | 2400 | 71 | D. PASCUAL |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10.6.24 | 0300 | 71 | D. PASCUAL |
| | 0600 | 70 | Wheathly |
| | 0900 | 72 | Wheathly |
| | 1200 | 75 | Wheathly |
| | 1500 | 75 | K. CHAPMAN |
| | 1800 | 76 | K. CHAPMAN |
| | 2100 | 76 | K. CHAPMAN |
| | 2400 | 73 | D. PASCUAL |

Notes

10-2-24 Stage I Heat Alert 1325
10-6-24 Stage II Heat Alert @ 1330

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A3

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

CPR

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 65 | FOLIVARDO |
| | 0600 | 63 | Rodriguez |
| | 0900 | 70 | Rodriguez |
| | 1200 | 72 | Rodriguez |
| | 1500 | 75 | SMITH |
| | 1800 | 75 | SMITH |
| | 2100 | 72 | SMITH |
| | 2400 | 70 | FOLIVARDO |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-2-24 | 0300 | 66 | FOLIVARDO |
| | 0600 | 67 | Rodriguez |
| | 0900 | 72 | Rodriguez |
| | 1200 | 75 | Rodriguez |
| | 1500 | 74 | SMITH |
| | 1800 | 75 | SMITH |
| | 2100 | 73 | SMITH |
| | 2400 | 70 | FOLIVARDO |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-3-24 | 0300 | 67 | FOLIVARDO |
| 1 | 0600 | 69 | Rodriguez |
| 2 | 0900 | 74 | Rodriguez |
| 3 | 1200 | 78 | Rodriguez |
| | 1500 | 77 | SMITH |
| | 1800 | 76 | SMITH |
| | 2100 | 74 | SMITH |
| | 2400 | 70 | FOLIVARDO |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-4-24 | 0300 | 68 | FOLIVARDO |
| | 0600 | 70 | Rodriguez |
| | 0900 | 72 | Rodriguez |
| | 1200 | 74 | Rodriguez |
| | 1500 | 76 | SMITH |
| | 1800 | 75 | SMITH |
| | 2100 | 74 | SMITH |
| | 2400 | 71 | FOLIVARDO |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-5-24 | 0300 | 68 | SMITH |
| | 0600 | 69 | Castellon |
| | 0900 | 71 | Castellon |
| | 1200 | 73 | Castellon |
| | 1500 | 74 | SMITH |
| | 1800 | 75 | SMITH |
| | 2100 | 74 | SMITH |
| | 2400 | 71 | SMITH |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-6-24 | 0300 | 69 | S.Rodriguez |
| | 0600 | 68 | A.Garcia |
| | 0900 | 70 | A.Garcia |
| | 1200 | 73 | A.Garcia |
| | 1500 | 76 | B.Veloz |
| | 1800 | 75 | B.Veloz |
| | 2100 | 74 | B.Veloz |
| | 2400 | 65 | S.Rodriguez |

Notes

| |
|----------------------|
| 10-2-24 STAGE 1 1325 |
| 10-3-24 STAGE 1 1230 |
| |
| |
| |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A-4 Temp. Reading Location: control booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

| Tuesday | | | |
|---------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-2-18 | 0300 | 67 | A. Shaco |
| | 0600 | 66 | A. Samoco |
| | 0900 | 65 | Watch |
| | 1200 | 70 | Watch |
| | 1500 | 70 | S. HATKOV |
| | 1800 | 71 | S. Chaver |
| | 2100 | 70 | S. Chaver |
| | 2400 | 70 | D. Gutiérrez |

| Wednesday | | | |
|-----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-2-18 | 0300 | 68 | D. Gutiérrez |
| | 0600 | 66 | |
| | 0900 | 69 | |
| | 1200 | 71 | |
| | 1500 | 73 | |
| | 1800 | 73 | |
| | 2100 | 71 | |
| | 2400 | 70 | D. Gutiérrez |

| Thursday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-3-18 | 0300 | 68 | D. Gutiérrez |
| | 0600 | 66 | |
| | 0900 | 70 | |
| | 1200 | 73 | |
| | 1500 | 74 | |
| | 1800 | 73 | |
| | 2100 | 70 | |
| | 2400 | 70 | D. Gutiérrez |

| Friday | | | |
|---------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-4-18 | 0300 | 70 | D. Gutiérrez |
| | 0600 | 70 | M. Sanchez |
| | 0900 | 70 | M. Sanchez |
| | 1200 | 72 | M. Sanchez |
| | 1500 | 72 | B. Velez-Har |
| | 1800 | 71 | B. Velez-Har |
| | 2100 | 71 | B. Velez-Har |
| | 2400 | 70 | D. Gutiérrez |

| Saturday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-5-18 | 0300 | 70 | D. Gutiérrez |
| | 0600 | 69 | Sanchez |
| | 0900 | 70 | Sanchez |
| | 1200 | 71 | Sánchez |
| | 1500 | 72 | B. Velez-Har |
| | 1800 | 72 | B. Velez-Har |
| | 2100 | 71 | B. Velez-Har |
| | 2400 | 70 | D. Gutiérrez |

| Sunday | | | |
|---------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-6-18 | 0300 | 70 | D. Gutiérrez |
| | 0600 | 69 | |
| | 0900 | 70 | |
| | 1200 | 72 | |
| | 1500 | 72 | S. (htk) |
| | 1800 | 73 | S. (htk) |
| | 2100 | 73 | S. (htk) |
| | 2400 | 75 | S. (htk) |

Notes

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A1 Temp. Reading Location: officers station
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | | Tuesday | | | |
|-----------|------|-------|--------------|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| 10-7-24 | 0300 | 70 | J. Saldinor | 10-8-24 | 0300 | 76 | J. Saldinor |
| | 0600 | 70 | J. Frates | | 0600 | 70 | C. Cox |
| | 0900 | 72 | T. Gaeta | | 0900 | 71 | T. Gaeta |
| | 1200 | 74 | T. Gaeta | | 1200 | 73 | T. Gaeta |
| | 1500 | 75 | K. Hall | | 1500 | 74 | K. Hall |
| | 1800 | 74 | K. Hall | | 1800 | 75 | K. Hall |
| | 2100 | 74 | K. Hall | | 2100 | 73 | K. Hall |
| | 2400 | 73 | J. Saldinor | | 2400 | 72 | J. Saldinor |
| Wednesday | | | | Thursday | | | |
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| 10-9-24 | 0300 | 69 | J. Saldinor | 10-10-24 | 0300 | 68° | B. Cox |
| | 0600 | 70 | C. Cox | | 0600 | 69 | C. Cox |
| | 0900 | 72 | K. Hall | | 0900 | 71 | T. Gaeta |
| | 1200 | 73 | K. Hall | | 1200 | 72 | K. Hall |
| | 1500 | 74 | K. Hall | | 1500 | 72 | K. Chauhan |
| | 1800 | 73 | K. Hall | | 1800 | 72 | K. Chauhan |
| | 2100 | 71 | K. Hall | | 2100 | 71 | K. Chauhan |
| | 2400 | 72 | J. Saldinor | | 2400 | 67° | B. Cox |
| Friday | | | | Saturday | | | |
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| 10/11/24 | 0300 | 69 | J. Struffert | 10/12/24 | 0300 | 69 | J. Saldinor |
| | 0600 | 68 | K. Chauhan | | 0600 | 69 | C. Cox |
| | 0900 | 69 | K. Chauhan | | 0900 | 70 | J. Frates |
| | 1200 | 71 | K. Chauhan | | 1200 | 72 | C. Cox |
| | 1500 | 74 | K. Chauhan | | 1500 | 73 | K. Chauhan |
| | 1800 | 76 | K. Chauhan | | 1800 | 74 | K. Chauhan |
| | 2100 | 73 | K. Chauhan | | 2100 | 71 | K. Chauhan |
| | 2400 | 69 | J. Struffert | | 2400 | 69 | J. Saldinor |
| Sunday | | | | Notes | | | |
| Date | Time | Temp. | Name (Print) | | | | |
| 10/13/24 | 0300 | 68 | F. Lopez | | | | |
| | 0600 | 68 | J. Frates | | | | |
| | 0900 | 69 | T. Gaeta | | | | |
| | 1200 | 72 | T. Gaeta | | | | |
| | 1500 | 72 | C. Green | | | | |
| | 1800 | 75 | C. Green | | | | |
| | 2100 | 72 | C. Green | | | | |
| | 2400 | 70 | F. Lopez | | | | |

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A-2 Temp. Reading Location: ABC D Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-1-24 | 0300 | 71 | C. Lopez |
| | 0600 | 70 | J. Anderson |
| | 0900 | 71 | J. Anderson |
| | 1200 | 75 | J. Anderson |
| | 1500 | 75 | A. Turel |
| | 1800 | 74 | A. Turel |
| | 2100 | 72 | A. Turel |
| | 2400 | 69 | C. Lopez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-2-24 | 0300 | 71 | P. Manzo |
| | 0600 | 70 | A. Lopez |
| | 0900 | 75 | A. Lopez |
| | 1200 | 75 | A. Lopez |
| | 1500 | 75 | C. Anderson |
| | 1800 | 75 | C. Anderson |
| | 2100 | 73 | C. Anderson |
| | 2400 | 73 | P. Manzo |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-3-24 | 0300 | 67 | B. Cox |
| | 0600 | 69 | G. Lucas |
| | 0900 | 71 | G. Lucas |
| | 1200 | 71 | G. Lucas |
| | 1500 | 73 | C. Anderson |
| | 1800 | 72 | C. Anderson |
| | 2100 | 72 | C. Anderson |
| | 2400 | 68° | B. Cox |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-4-24 | 0300 | 71 | B. PASCUAL |
| | 0600 | 71 | J. Anderson |
| | 0900 | 71 | J. Anderson |
| | 1200 | 72 | J. Anderson |
| | 1500 | 72 | C. Anderson |
| | 1800 | 73 | C. Anderson |
| | 2100 | 71 | C. Anderson |
| | 2400 | 72 | D. PASCUAL |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-11-24 | 0300 | 70 | B. PASCUAL |
| | 0600 | 72 | A. Lopez |
| | 0900 | 72 | A. Lopez |
| | 1200 | 72 | A. Lopez |
| | 1500 | 73 | P. Manzo |
| | 1800 | 73 | P. Manzo |
| | 2100 | 71 | P. Manzo |
| | 2400 | 70 | D. PASCUAL |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-12-24 | 0300 | 71 | D. PASCUAL |
| | 0600 | 70 | Wheaty |
| | 0900 | 71 | Wheaty |
| | 1200 | 72 | Wheaty |
| | 1500 | 69 | J. Prado |
| | 1800 | 70 | J. Prado |
| | 2100 | 71 | J. Prado |
| | 2400 | 71 | D. PASCUAL |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-13-24 | 0300 | 71 | D. PASCUAL |
| | 0600 | 71 | Wheaty |
| | 0900 | 70 | Wheaty |
| | 1200 | 71 | Wheaty |
| | 1500 | 72 | STRUFFERT |
| | 1800 | 74 | STRUFFERT |
| | 2100 | 72 | STRUFFERT |
| | 2400 | 71 | D. PASCUAL |

Notes

1250 hrs stage 10/7/24

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 16P Housing Unit: A3 Temp. Reading Location: C A/B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-1-24 | 0300 | 70 | F. OLIVARES |
| | 0600 | 70 | P. Rodriguez |
| | 0900 | 72 | P. Rodriguez |
| | 1200 | 74 | P. Rodriguez |
| | 1500 | 74 | T. Hernandez |
| | 1800 | 73 | T. Hernandez |
| | 2100 | 72 | T. Hernandez |
| | 2400 | 73 | F. OLIVARES |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 78 | F. OLIVARES |
| | 0600 | 70 | P. Rodriguez |
| | 0900 | 72 | P. Rodriguez |
| | 1200 | 74 | P. Rodriguez |
| | 1500 | 75 | CLARK |
| | 1800 | 70 | NAVALANTE |
| | 2100 | 72 | NAVALANTE |
| | 2400 | 71 | F. OLIVARES |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-9-24 | 0300 | 70 | F. OLIVARES |
| | 0600 | 70 | P. Rodriguez |
| | 0900 | 72 | P. Rodriguez |
| | 1200 | 74 | P. Rodriguez |
| | 1500 | 75 | S. MINT |
| | 1800 | 73 | S. MINT |
| | 2100 | 72 | S. MINT |
| | 2400 | 70 | F. OLIVARES |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-10-24 | 0300 | 78 | F. OLIVARES |
| | 0600 | 69 | P. Rodriguez |
| | 0900 | 70 | P. Rodriguez |
| | 1200 | 72 | P. Rodriguez |
| | 1500 | 73 | S. MINT |
| | 1800 | 74 | S. MINT |
| | 2100 | 73 | S. MINT |
| | 2400 | 70 | F. OLIVARES |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-11-24 | 0300 | 70 | F. OLIVARES |
| | 0600 | 70 | P. Rodriguez |
| | 0900 | 71 | P. Rodriguez |
| | 1200 | 73 | P. Rodriguez |
| | 1500 | 75 | S. MINT |
| | 1800 | 72 | S. MINT |
| | 2100 | 71 | S. MINT |
| | 2400 | 67 | F. OLIVARES |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-12-24 | 0300 | 65 | G. Contreras |
| | 0600 | 66 | J. GUTIERREZ |
| | 0900 | 70 | J. GUTIERREZ |
| | 1200 | 73 | J. GUTIERREZ |
| | 1500 | 74 | G. Contreras |
| | 1800 | 73 | G. Contreras |
| | 2100 | 70 | G. Contreras |
| | 2400 | 65 | G. Contreras |

Notes

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-13-24 | 0300 | 69 | S. Rodriguez |
| | 0600 | 68 | C. Gutierrez |
| | 0900 | 69 | C. Gutierrez |
| | 1200 | 71 | C. Gutierrez |
| | 1500 | 70 | T. Hernandez |
| | 1800 | 70 | T. Hernandez |
| | 2100 | 69 | T. Hernandez |
| | 2400 | 68 | S. Rodriguez |

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VIP Housing Unit: A-4 Temp. Reading Location: Control booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-10-24 | 0300 | 71 | J. Hill |
| | 0600 | 69 | J. Hill |
| | 0900 | 71 | M. Estrada |
| | 1200 | 72 | M. Estrada |
| | 1500 | 73 | M. Estrada |
| | 1800 | 72 | Schwarz |
| | 2100 | 72 | Schwarz |
| | 2400 | 72 | A. Samaco |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-10-24 | 0300 | 71 | A. Samaco |
| | 0600 | 69 | A. Samaco |
| | 0900 | 71 | M. Molina |
| | 1200 | 72 | M. Molina |
| | 1500 | 73 | S. Chavis |
| | 1800 | 72 | S. Chavis |
| | 2100 | 71 | S. Chavis |
| | 2400 | 70 | A. Samaco |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-11-24 | 0300 | 71 | N. Jimenez |
| | 0600 | 72 | N. Jimenez |
| | 0900 | 72 | |
| | 1200 | 72 | |
| | 1500 | 71 | Schwarz |
| | 1800 | 71 | Schwarz |
| | 2100 | 70 | Schwarz |
| | 2400 | 70 | D. Gutierrez |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-10-24 | 0300 | 69 | D. Gutierrez |
| | 0600 | 68 | D. Gutierrez |
| | 0900 | 70 | |
| | 1200 | 71 | |
| | 1500 | 72 | |
| | 1800 | 71 | |
| | 2100 | 70 | |
| | 2400 | 69 | D. Gutierrez |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-11-24 | 0300 | 68 | D. Gutierrez |
| | 0600 | 68 | M. Sanchez |
| | 0900 | 68 | M. Sanchez |
| | 1200 | 70 | M. Sanchez |
| | 1500 | 71 | Thru |
| | 1800 | 70 | Thru |
| | 2100 | 70 | Thru |
| | 2400 | 69 | D. Gutierrez |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-12-24 | 0300 | 68 | D. Gutierrez |
| | 0600 | 68 | Sanchez |
| | 0900 | 68 | Sanchez |
| | 1200 | 69 | J. Lopez |
| | 1500 | 70 | J. Lopez |
| | 1800 | 71 | J. Lopez |
| | 2100 | 70 | J. Lopez |
| | 2400 | 70 | D. Gutierrez |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-13-24 | 0300 | 68 | D. Gutierrez |
| | 0600 | 69 | L. Hill |
| | 0900 | 70 | L. Hill |
| | 1200 | 71 | L. Hill |
| | 1500 | 70 | S. Chavis |
| | 1800 | 70 | S. Chavis |
| | 2100 | 70 | S. Chavis |
| | 2400 | 69 | S. Chavis |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A1 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-14-24 | 0300 | 67 | Villalobos |
| | 0600 | 69 | J. Freitas |
| | 0900 | 70 | K. Hall |
| | 1200 | 72 | T. Gaeta |
| | 1500 | 75 | K. Hall |
| | 1800 | 73 | K. Hall |
| | 2100 | 72 | K. Hall |
| | 2400 | 70 | Villalobos |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10-15-24 | 0300 | 66 | R. Villalobos |
| | 0600 | 68 | R. Villalobos |
| | 0900 | 70 | M. Renteria |
| | 1200 | 72 | T. Gaeta |
| | 1500 | 75 | K. Hall |
| | 1800 | 74 | K. Hall |
| | 2100 | 73 | K. Hall |
| | 2400 | 70 | Villalobos |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-16-24 | 0300 | 69 | Villalobos |
| | 0600 | 69 | T. Gaeta |
| | 0900 | 71 | T. Gaeta |
| | 1200 | 71 | T. Gaeta |
| | 1500 | 72 | K. Hall |
| | 1800 | 71 | K. Hall |
| | 2100 | 69 | K. Hall |
| | 2400 | | Villalobos |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-17-24 | 0300 | 66 | T. Garcia |
| | 0600 | 68 | T. Garcia |
| | 0900 | 68 | T. Garcia |
| | 1200 | 72 | T. Garcia |
| | 1500 | 71 | K. Chauhan |
| | 1800 | 71 | K. Chauhan |
| | 2100 | 69 | K. Chauhan |
| | 2400 | 66 | T. Garcia |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-18-24 | 0300 | 67 | STRUFFERT |
| | 0600 | 68 | K. Chauhan |
| | 0900 | 68 | K. Chauhan |
| | 1200 | 70 | K. Chauhan |
| | 1500 | 72 | K. Chauhan |
| | 1800 | 71 | K. Chauhan |
| | 2100 | 68 | K. Chauhan |
| | 2400 | 68 | STRUFFERT |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10-19-24 | 0300 | 68 | R. Villalobos |
| | 0600 | 67 | R. Villalobos |
| | 0900 | 68 | K. Hall |
| | 1200 | 71 | J. Freitas |
| | 1500 | 70 | A. Cheever |
| | 1800 | 69 | A. Cheever |
| | 2100 | 68 | R. Villalobos |
| | 2400 | 67 | R. Villalobos |

Notes

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10-20-24 | 0300 | 68 | R. Villalobos |
| | 0600 | 68 | J. Freitas |
| | 0900 | 69 | O. Cashill |
| | 1200 | 69 | O. Cashill |
| | 1500 | 70 | A. Cheever |
| | 1800 | 70 | A. Cheever |
| | 2100 | 69 | A. Cheever |
| | 2400 | 70 | Villalobos |

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A-2 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | | Tuesday | | | |
|-----------|------|-------|----------------|----------|------|-------|----------------------|
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| 10-14-24 | 0300 | 70 | STRUFFERT ✓ | 10/15/24 | 0300 | 70 | P. manzo ✓ |
| | 0600 | 71 | A. Acree ✓ | | 0600 | 72 | A. Acree, P. manzo ✓ |
| | 0900 | 71 | Figueroa ✓ | | 0900 | 69 | V. Logan ✓ |
| | 1200 | 71 | Figueroa ✓ | | 1200 | 70 | V. Logan ✓ |
| | 1500 | 75 | C. Green ✓ | | 1500 | 72 | C. Acree ✓ |
| | 1800 | 74 | C. Green ✓ | | 1800 | 73 | C. Acree ✓ |
| | 2100 | 72 | C. Green ✓ | | 2100 | 72 | C. Acree ✓ |
| | 2400 | 70 | STRUFFERT ✓ | | 2400 | 71 | P. manzo ✓ |
| Wednesday | | | | Thursday | | | |
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| 10/16/24 | 0300 | 71 | F. COLDENOW ✓ | 10/17/24 | 0300 | 71 | D. PASCUAL ✓ |
| | 0600 | 71 | A. Rodriguez ✓ | | 0600 | 70 | J. Anderson ✓ |
| | 0900 | 71 | A. Rodriguez ✓ | | 0900 | 67 | V. Logan ✓ |
| | 1200 | 71 | Wheatley ✓ | | 1200 | 70 | J. Anderson ✓ |
| | 1500 | 72 | P. manzo ✓ | | 1500 | 71 | P. manzo ✓ |
| | 1800 | 70 | P. manzo ✓ | | 1800 | 70 | P. manzo ✓ |
| | 2100 | 70 | P. manzo ✓ | | 2100 | 70 | P. manzo ✓ |
| | 2400 | 70 | F. COLDENOW ✓ | | 2400 | 71 | D. PASCUAL ✓ |
| Friday | | | | Saturday | | | |
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| 10/18/24 | 0300 | 69 | D. PASCUAL ✓ | 10/19/24 | 0300 | 69 | D. PASCUAL ✓ |
| | 0600 | 69 | J. Duenas ✓ | | 0600 | 69 | A. Acree ✓ |
| | 0900 | 65 | V. Logan ✓ | | 0900 | 70 | A. Acree ✓ |
| | 1200 | 70 | A. Acree ✓ | | 1200 | 70 | A. Acree ✓ |
| | 1500 | 70 | P. manzo ✓ | | 1500 | 71 | C. Acree ✓ |
| | 1800 | 70 | P. manzo ✓ | | 1800 | 70 | C. Acree ✓ |
| | 2100 | 71 | P. manzo ✓ | | 2100 | 64 | D. PASCUAL ✓ |
| | 2400 | 70 | D. PASCUAL ✓ | | 2400 | 69 | D. PASCUAL ✓ |
| Sunday | | | | Notes | | | |
| Date | Time | Temp. | Name (Print) | | | | |
| 10.20.24 | 0300 | 69 | D. PASCUAL ✓ | | | | |
| | 0600 | 67 | A. Acree ✓ | | | | |
| | 0900 | 70 | A. Acree ✓ | | | | |
| | 1200 | 71 | A. Acree ✓ | | | | |
| | 1500 | 74 | STRUFFERT ✓ | | | | |
| | 1800 | 72 | STRUFFERT ✓ | | | | |
| | 2100 | 69 | STRUFFERT ✓ | | | | |
| | 2400 | 70 | D. PASCUAL ✓ | | | | |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A3 Temp. Reading Location: CAB
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------------|
| 1 | 0300 | 66 | FOLIWAES <u>WT</u> |
| 2 | 0600 | 65 | Borriquet |
| 3 | 0900 | 70 | Borriquet |
| 4 | 1200 | 73 | Borriquet |
| 5 | 1500 | 71 | |
| 6 | 1800 | 70 | |
| 7 | 2100 | 68 | |
| 8 | 2400 | 69 | FOLIWAES <u>WT</u> |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------------|
| 1 | 0300 | 66 | FOLIWAES <u>WT</u> |
| 2 | 0600 | 65 | Borriquet |
| 3 | 0900 | 67 | Borriquet |
| 4 | 1200 | 72 | Borriquet |
| 5 | 1500 | 73 | Smart |
| 6 | 1800 | 71 | Smart |
| 7 | 2100 | 70 | Smart |
| 8 | 2400 | 68 | FOLIWAES <u>WT</u> |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------------|
| 1 | 0300 | 60 | FOLIWAES <u>WT</u> |
| 2 | 0600 | 65 | Borriquet |
| 3 | 0900 | 68 | Borriquet |
| 4 | 1200 | 72 | Borriquet |
| 5 | 1500 | 71 | Smart |
| 6 | 1800 | 71 | Smart |
| 7 | 2100 | 70 | Smart |
| 8 | 2400 | 67 | FOLIWAES <u>WT</u> |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------------|
| 1 | 0300 | 66 | FOLIWAES <u>WT</u> |
| 2 | 0600 | 65 | Borriquet |
| 3 | 0900 | 69 | Borriquet |
| 4 | 1200 | 70 | Borriquet |
| 5 | 1500 | 70 | Smart |
| 6 | 1800 | 69 | Smart |
| 7 | 2100 | 68 | Smart |
| 8 | 2400 | 66 | FOLIWAES <u>WT</u> |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------------|
| 1 | 0300 | 66 | FOLIWAES <u>WT</u> |
| 2 | 0600 | 65 | Borriquet |
| 3 | 0900 | 66 | Borriquet |
| 4 | 1200 | 68 | Borriquet |
| 5 | 1500 | 71 | Smart |
| 6 | 1800 | 71 | Smart |
| 7 | 2100 | 70 | Smart |
| 8 | 2400 | 66 | FOLIWAES <u>WT</u> |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 1 | 0300 | 66 | Smart |
| 2 | 0600 | 67 | Curtis |
| 3 | 0900 | 68 | Curtis |
| 4 | 1200 | 69 | Curtis |
| 5 | 1500 | 70 | Smart |
| 6 | 1800 | 69 | Smart |
| 7 | 2100 | 68 | Smart |
| 8 | 2400 | 66 | Smart |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 1 | 0300 | 69 | S. Rodriguez |
| 2 | 0600 | 69 | Curtis |
| 3 | 0900 | 70 | Curtis |
| 4 | 1200 | 71 | Curtis |
| 5 | 1500 | 70 | Thao |
| 6 | 1800 | 69 | Thao |
| 7 | 2100 | 68 | Thao |
| 8 | 2400 | 69 | S. Rodriguez |

Notes

10-19-24

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A-4 Temp. Reading Location: 5323 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-14-24 | 0300 | 68 | S. Chave |
| | 0600 | 67 | S. Chave |
| | 0900 | 69 | S. Chave |
| | 1200 | 70 | S. Chave |
| | 1500 | 71 | S. Chave |
| | 1800 | 71 | S. Chave |
| | 2100 | 70 | S. Chave |
| | 2400 | 70 | A. Samaco |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-15-24 | 0300 | 68 | A. Samaco |
| | 0600 | 67 | A. Samaco |
| | 0900 | 69 | A. Samaco |
| | 1200 | 70 | A. Samaco |
| | 1500 | 71 | A. Samaco |
| | 1800 | 70 | A. Samaco |
| | 2100 | 70 | A. Samaco |
| | 2400 | 68 | D. Guzman |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-16-24 | 0300 | 68 | D. Guzman |
| | 0600 | 68 | D. Guzman |
| | 0900 | 69 | D. Guzman |
| | 1200 | 70 | D. Guzman |
| | 1500 | 70 | D. Guzman |
| | 1800 | 69 | D. Guzman |
| | 2100 | 69 | D. Guzman |
| | 2400 | 68 | D. Guzman |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-17-24 | 0300 | 67 | D. Guzman |
| | 0600 | 68 | D. Guzman |
| | 0900 | 68 | D. Guzman |
| | 1200 | 69 | D. Guzman |
| | 1500 | 69 | D. Guzman |
| | 1800 | 69 | D. Guzman |
| | 2100 | 68 | D. Guzman |
| | 2400 | 68 | D. Guzman |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-18-24 | 0300 | 68 | D. Guzman |
| | 0600 | 67 | D. Guzman |
| | 0900 | 67 | D. Guzman |
| | 1200 | 68 | D. Guzman |
| | 1500 | 70 | D. Guzman |
| | 1800 | 70 | D. Guzman |
| | 2100 | 70 | D. Guzman |
| | 2400 | 69 | D. Guzman |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-19-24 | 0300 | 68 | EARL |
| | 0600 | 68 | Sanchez, M |
| | 0900 | 69 | Sanchez, M |
| | 1200 | 69 | Sanchez, M |
| | 1500 | 69 | Sanchez, M |
| | 1800 | 69 | Sanchez, M |
| | 2100 | 68 | Sanchez, M |
| | 2400 | 68 | Sanchez, M |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-20-24 | 0300 | 69 | EARL |
| | 0600 | 68 | J. Gonzalez |
| | 0900 | 69 | J. Gonzalez |
| | 1200 | 70 | J. Gonzalez |
| | 1500 | 71 | J. Gonzalez |
| | 1800 | 70 | J. Gonzalez |
| | 2100 | 70 | J. Gonzalez |
| | 2400 | 70 | J. Gonzalez |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A1-313 Temp. Reading Location: Cup Shop
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5723 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10/22/23 | 0300 | 67 | R. Villalobos |
| 10/22/23 | 0600 | 67 | T. GARCIA |
| 10/22/23 | 0900 | 66 | T. GARCIA |
| 10/22/23 | 1200 | 70 | T. GARCIA |
| 10/22/23 | 1500 | 72 | K. Hause |
| 10/22/23 | 1800 | 71 | K. Hause |
| 10/22/23 | 2100 | 69 | K. Hause |
| 10/22/23 | 2400 | 68 | R. Villalobos |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10/23/23 | 0300 | 68 | R. Villalobos |
| 10/23/23 | 0600 | 68 | G. SOK |
| 10/23/23 | 0900 | 68 | M. Renteria |
| 10/23/23 | 1200 | 73 | M. Renteria |
| 10/23/23 | 1500 | 74 | K. Hause |
| 10/23/23 | 1800 | 74 | K. Hause |
| 10/23/23 | 2100 | 71 | K. Hause |
| 10/23/23 | 2400 | 70 | R. Villalobos |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10/23/23 | 0300 | 69 | R. Villalobos |
| 10/23/23 | 0600 | 69 | G. SOK |
| 10/23/23 | 0900 | 69 | T. GARCIA |
| 10/23/23 | 1200 | 72 | T. GARCIA |
| 10/23/23 | 1500 | 73 | K. Hause |
| 10/23/23 | 1800 | 73 | K. Hause |
| 10/23/23 | 2100 | 71 | K. Hause |
| 10/23/23 | 2400 | 70 | J. Guerena |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/24/23 | 0300 | 68 | J. Guerena |
| 10/24/23 | 0600 | 68 | G. SOK |
| 10/24/23 | 0900 | 69 | T. GARCIA |
| 10/24/23 | 1200 | 71 | T. GARCIA |
| 10/24/23 | 1500 | 74 | J. Guerena |
| 10/24/23 | 1800 | 73 | J. Guerena |
| 10/24/23 | 2100 | 71 | J. Guerena |
| 10/24/23 | 2400 | 70 | F. OVALARES |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/25/23 | 0300 | 68 | S. STRUFFERT |
| 10/25/23 | 0600 | 68 | G. SOK |
| 10/25/23 | 0900 | 69 | G. SOK |
| 10/25/23 | 1200 | 70 | K. CHAUTIAN |
| 10/25/23 | 1500 | 79 | J. Guerena |
| 10/25/23 | 1800 | 71 | J. Guerena |
| 10/25/23 | 2100 | 72 | J. Guerena |
| 10/25/23 | 2400 | 69 | S. STRUFFERT |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/26/23 | 0300 | 69 | G. CANACHTO |
| 10/26/23 | 0600 | 68 | G. SOK |
| 10/26/23 | 0900 | 67 | J. FREITAS |
| 10/26/23 | 1200 | 72 | J. FREITAS |
| 10/26/23 | 1500 | 72 | A. Cheever |
| 10/26/23 | 1800 | 71 | A. Cheever |
| 10/26/23 | 2100 | 71 | A. Cheever |
| 10/26/23 | 2400 | 70 | G. CANACHTO |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/27/23 | 0300 | 69 | S. Rodriguez |
| 10/27/23 | 0600 | 69 | T. GARCIA |
| 10/27/23 | 0900 | 69 | T. GARCIA |
| 10/27/23 | 1200 | 72 | J. FREITAS |
| 10/27/23 | 1500 | 72 | B. Salazar |
| 10/27/23 | 1800 | 72 | B. Salazar |
| 10/27/23 | 2100 | 72 | A. Cheever |
| 10/27/23 | 2400 | 70 | S. Rodriguez |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A-2 Temp. Reading Location: Cop Shop
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-21/24 | 0300 | 70 | STRUFFERT ✓ |
| | 0600 | 70 | Arcero ✓ |
| | 0900 | 70 | Arcero ✓ |
| | 1200 | 70 | Arcero ✓ |
| | 1500 | 70 | Thos ✓ |
| | 1800 | 70 | Thos ✓ |
| | 2100 | 70 | Thos ✓ |
| | 2400 | 70 | STRUFFERT ✓ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10/22/24 | 0300 | 70 | F. COLDSNOW ✓ |
| | 0600 | 70 | J. Prado ✓ |
| | 0900 | 68 | V. LOGAN ✓ |
| | 1200 | 72 | V. LOGAN ✓ |
| | 1500 | 74 | D. Corte ✓ |
| | 1800 | 72 | D. Corte ✓ |
| | 2100 | 71 | D. Corte ✓ |
| | 2400 | 70 | F. COLDSNOW ✓ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10. 23. 24 | 0300 | 71 | D. PASCUAL ✓ |
| | 0600 | 71 | J. Prado ✓ |
| | 0900 | 74 | Arcero ✓ |
| | 1200 | 74 | Arcero ✓ |
| | 1500 | 72 | P. MANZO ✓ |
| | 1800 | 73 | P. MANZO ✓ |
| | 2100 | 73 | P. MANZO ✓ |
| | 2400 | 72 | D. PASCUAL ✓ |

Thursday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10. 24. 24 | 0300 | 71 | D. PASCUAL ✓ |
| | 0600 | 70 | J. Prado ✓ |
| | 0900 | 66 | V. LOGAN ✓ |
| | 1200 | 69 | J. Prado ✓ |
| | 1500 | 72 | P. MANZO ✓ |
| | 1800 | 72 | P. MANZO ✓ |
| | 2100 | 73 | P. MANZO ✓ |
| | 2400 | 72 | D. PASCUAL ✓ |

Friday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10. 25. 24 | 0300 | 70 | D. PASCUAL ✓ |
| | 0600 | 70 | J. Prado ✓ |
| | 0900 | 71 | J. Prado ✓ |
| | 1200 | 74 | J. Prado ✓ |
| | 1500 | 73 | P. MANZO ✓ |
| | 1800 | 71 | P. MANZO ✓ |
| | 2100 | 73 | P. MANZO ✓ |
| | 2400 | 71 | D. PASCUAL ✓ |

Saturday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10. 26. 24 | 0300 | 71 | D. PASCUAL ✓ |
| | 0600 | 70 | Thos ✓ |
| | 0900 | 67 | Thos ✓ |
| | 1200 | 70 | Thos ✓ |
| | 1500 | 70 | Thos ✓ |
| | 1800 | 70 | Thos ✓ |
| | 2100 | 71 | Thos ✓ |
| | 2400 | 72 | D. PASCUAL ✓ |

Sunday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|---------------|
| 10. 27. 24 | 0300 | 71 | D. PASCUAL ✓ |
| | 0600 | 71 | R. Escobedo ✓ |
| | 0900 | 68 | R. Escobedo ✓ |
| | 1200 | 71 | Arcero ✓ |
| | 1500 | 72 | Arcero ✓ |
| | 1800 | 77 | Arcero ✓ |
| | 2100 | 77 | Arcero ✓ |
| | 2400 | 71 | D. PASCUAL ✓ |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSIHousing Unit: A3

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)CATB

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-21-24 | 0300 | 65 | F. OLIVANES |
| | 0600 | 64 | Bulgireet |
| | 0900 | 72 | Bulgireet |
| | 1200 | 73 | Bulgireet |
| | 1500 | 77 | MANSFIELD |
| | 1800 | 73 | MANSFIELD |
| | 2100 | 70 | MANSFIELD |
| | 2400 | 68 | F. OLIVANES |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-21-24 | 0300 | 65 | F. OLIVANES |
| | 0600 | 65 | Bulgireet |
| | 0900 | 70 | Bulgireet |
| | 1200 | 73 | Bulgireet |
| | 1500 | 77 | Smart |
| | 1800 | 74 | Smart |
| | 2100 | 71 | Smart |
| | 2400 | 67 | F. OLIVANES |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-22-24 | 0300 | 64 | F. OLIVANES |
| | 0600 | 63 | Bulgireet |
| | 0900 | 69 | Bulgireet |
| | 1200 | 72 | Bulgireet |
| | 1500 | 76 | Smart |
| | 1800 | 72 | Smart |
| | 2100 | 70 | Smart |
| | 2400 | 66 | F. OLIVANES |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-21-24 | 0300 | 64 | F. OLIVANES |
| | 0600 | 63 | Bulgireet |
| | 0900 | 67 | Bulgireet |
| | 1200 | 73 | Bulgireet |
| | 1500 | 72 | Smart |
| | 1800 | 71 | Smart |
| | 2100 | 70 | Smart |
| | 2400 | 68 | F. OLIVANES |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-25-24 | 0300 | 65 | F. OLIVANES |
| | 0600 | 64 | Bulgireet |
| | 0900 | 69 | Bulgireet |
| | 1200 | 71 | Bulgireet |
| | 1500 | 74 | Smart |
| | 1800 | 71 | Smart |
| | 2100 | 70 | Smart |
| | 2400 | 66 | F. OLIVANES |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 65 | G. Camacho |
| | 0600 | 63 | G. Camacho |
| | 0900 | 63 | G. Camacho |
| | 1200 | 70 | G. Camacho |
| | 1500 | 75 | G. Camacho |
| | 1800 | 77 | G. Camacho |
| | 2100 | 71 | G. Camacho |
| | 2400 | 66 | G. Camacho |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-22-24 | 0300 | 69 | S. Rodriguez |
| | 0600 | 69 | Casellino |
| | 0900 | 70 | Casellino |
| | 1200 | 70 | Casellino |
| | 1500 | 74 | B. Velez |
| | 1800 | 71 | B. Velez |
| | 2100 | 70 | B. Velez |
| | 2400 | 69 | S. Rodriguez |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A-4 Temp. Reading Location: control booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-------|------|----------------|--------------|
| 10/21 | 0300 | 66 | B-Dwyer |
| | 0600 | 67 | |
| | 0900 | 68 | |
| | 1200 | 68 | |
| | 1500 | 71 | Schwarz |
| | 1800 | 71 | Schwarz |
| | 2100 | 69 | Schwarz |
| | 2400 | 65, 64, 66, 68 | B-Dwyer |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/22 | 0300 | 66 | A.Sanchez |
| | 0600 | 67 | A.Sanchez |
| | 0900 | 68 | |
| | 1200 | 72 | |
| | 1500 | 72 | Feliciano |
| | 1800 | 71 | Feliciano |
| | 2100 | 69 | Feliciano |
| | 2400 | 69 | D.Gutierrez |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-23-24 | 0300 | 69 | D.Gutierrez |
| | 0600 | 68 | |
| | 0900 | 70 | |
| | 1200 | 72 | |
| | 1500 | 71 | Schwarz |
| | 1800 | 71 | Schwarz |
| | 2100 | 69 | Schwarz |
| | 2400 | 68 | D.Gutierrez |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-24-24 | 0300 | 68 | D.Gutierrez |
| | 0600 | 69 | |
| | 0900 | 69 | |
| | 1200 | 71 | |
| | 1500 | 71 | Schwarz |
| | 1800 | 71 | Schwarz |
| | 2100 | 70 | Schwarz |
| | 2400 | 68 | D.Gutierrez |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-25-24 | 0300 | 68 | D.Gutierrez |
| | 0600 | 69 | M-Sanchez |
| | 0900 | 70 | M-Sanchez |
| | 1200 | 72 | M-Sanchez |
| | 1500 | 72 | B.Vazquez |
| | 1800 | 70 | B.Vazquez |
| | 2100 | 67 | B.Vazquez |
| | 2400 | 68 | D.Gutierrez |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-26-24 | 0300 | 68 | D.Gutierrez |
| | 0600 | 69 | Sanchez, M |
| | 0900 | 70 | Sanchez, M |
| | 1200 | 71 | Sanchez, M |
| | 1500 | 71 | B.Vazquez |
| | 1800 | 69 | B.Vazquez |
| | 2100 | 67 | B.Vazquez |
| | 2400 | 68 | D.Gutierrez |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-27-24 | 0300 | 68 | D.Gutierrez |
| | 0600 | 69 | |
| | 0900 | 68 | |
| | 1200 | 71 | |
| | 1500 | 71 | Schwarz |
| | 1800 | 70 | Schwarz |
| | 2100 | 70 | Schwarz |
| | 2400 | 69 | D.Gutierrez |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A1 - 313 Temp. Reading Location: Cop Shop
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10-28-24 | 0300 | 69 | R. Villalobos |
| | 0600 | 69 | T. GAETA |
| | 0900 | 69 | T. GAETA |
| | 1200 | 70 | T. GAETA |
| | 1500 | 71 | K. HAN |
| | 1800 | 72 | K. HAN |
| | 2100 | 71 | K. HAN |
| | 2400 | 69 | R. Villalobos |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10-29-24 | 0300 | 68 | R. Villalobos |
| | 0600 | 68 | G. SOK |
| | 0900 | 69 | T. GAETA |
| | 1200 | 69 | T. GAETA |
| | 1500 | 71 | K. HAN |
| | 1800 | 70 | K. HAN |
| | 2100 | 69 | K. HAN |
| | 2400 | 68 | R. Villalobos |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10-30-24 | 0300 | 68 | R. Villalobos |
| | 0600 | 69 | G. SOK |
| | 0900 | 69 | G. SOK |
| | 1200 | 69 | G. SOK |
| | 1500 | 70 | K. HAN |
| | 1800 | 70 | K. HAN |
| | 2100 | 69 | F. MORALES |
| | 2400 | 68 | R. Villalobos |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-31-24 | 0300 | 69 | F. COLDSNOW |
| | 0600 | 68 | G. SOK |
| | 0900 | 68 | G. SOK |
| | 1200 | 69 | G. SOK |
| | 1500 | 69 | A. LINDNER |
| | 1800 | 70 | K. SALDANA |
| | 2100 | 70 | K. SALDANA |
| | 2400 | 68 | F. COLDSNOW |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | 68 | G. SOK |
| | 0900 | 68 | K. CHANIAN |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A-2 Temp. Reading Location: COP Shop
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-28-24 | 0300 | 72 | STRUFFERT |
| | 0600 | 70 | Arred |
| | 0900 | 71 | Anderson |
| | 1200 | 72 | Anderson |
| | 1500 | 72 | J. Guzman |
| | 1800 | 73 | J. Guzman |
| | 2100 | 72 | J. Guzman |
| | 2400 | 72 | STRUFFERT |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-29-24 | 0300 | 70 | P. MANZO |
| | 0600 | 69 | Acree, D |
| | 0900 | 70 | A. Rodriguez |
| | 1200 | 70 | Arred |
| | 1500 | 71 | Guad |
| | 1800 | 72 | Guad |
| | 2100 | 72 | Guad |
| | 2400 | 72 | P. MANZO |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-30-24 | 0300 | 70 | D. PASCUAL |
| | 0600 | 69 | Arred |
| | 0900 | 70 | Guad |
| | 1200 | 70 | Huip |
| | 1500 | 72 | P. MANZO |
| | 1800 | 73 | P. manzo |
| | 2100 | 72 | P. manzo |
| | 2400 | 71 | D. PASCUAL |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-31-24 | 0300 | 70 | D. PASCUAL |
| | 0600 | 70 | A. montano |
| | 0900 | 70 | Aliso, D |
| | 1200 | 72 | Guad |
| | 1500 | 71 | P. manzo |
| | 1800 | 72 | P. manzo |
| | 2100 | 71 | P. manzo |
| | 2400 | 71 | D. PASCUAL |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: JSP Housing Unit: A3

Temp. Reading Location:

CAB

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-28-24 | 0300 | 67 | FOLWANES INT |
| | 0600 | 66 | Rodriguez |
| | 0900 | 67 | Daliguet |
| | 1200 | 69 | Rodriguez |
| | 1500 | 70 | MANGFELD W |
| | 1800 | 70 | MANGFELD W |
| | 2100 | 69 | MANGFELD W |
| | 2400 | 68 | FOLWANES INT |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-29-24 | 0300 | 65 | FOLWANES INT |
| | 0600 | 65 | Rodriguez |
| | 0900 | 67 | Daliguet |
| | 1200 | 68 | Daliguet |
| | 1500 | 68 | A. Castillo |
| | 1800 | 67 | A. CASTI. NO |
| | 2100 | 65 | A. CASTI. NO |
| | 2400 | 69 | FOLWANES INT |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-30-24 | 0300 | 61 | FOLWANES INT |
| | 0600 | 66 | Daliguet |
| | 0900 | 68 | Daliguet |
| | 1200 | 67 | Daliguet |
| | 1500 | 69 | Stramp |
| | 1800 | 70 | Stramp |
| | 2100 | 69 | Stramp |
| | 2400 | 63 | FOLWANES INT |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-31-24 | 0300 | 67 | FOLWANES INT |
| | 0600 | 65 | Daliguet |
| | 0900 | 66 | Daliguet |
| | 1200 | 68 | Daliguet |
| | 1500 | 69 | Borekko |
| | 1800 | 70 | Borekko |
| | 2100 | 69 | Borekko |
| | 2400 | 64 | FOLWANES INT |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A-4 Temp. Reading Location: control booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-28-24 | 0300 | 68 | I. Moreno |
| | 0600 | 67 | Guilford |
| | 0900 | 69 | Guiseppe |
| | 1200 | 70 | Lilley |
| | 1500 | 70 | Schultz |
| | 1800 | 70 | Schultz |
| | 2100 | 69 | Schultz |
| | 2400 | 68 | I. Moreno |

| Tuesday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-29-24 | 0300 | 68 | A. SAMACO |
| | 0600 | 68 | Guiseppe |
| | 0900 | 69 | Guiseppe |
| | 1200 | 71 | Lilley |
| | 1500 | 69 | Schultz |
| | 1800 | 68 | Schultz |
| | 2100 | 69 | Schultz |
| | 2400 | 68 | A. SAMACO |

| Wednesday | | | |
|-----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-30-24 | 0300 | 68 | Guiseppe |
| | 0600 | 68 | Guiseppe |
| | 0900 | 68 | Guiseppe |
| | 1200 | 69 | Lilley |
| | 1500 | 69 | Chavez |
| | 1800 | 71 | Chavez |
| | 2100 | 70 | Chavez |
| | 2400 | 68 | Guiseppe |

| Thursday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-31-24 | 0300 | 68 | D. Guiseppe |
| | 0600 | 68 | D. Guiseppe |
| | 0900 | 69 | D. Guiseppe |
| | 1200 | 69 | Lilley |
| | 1500 | 69 | Leban |
| | 1800 | 70 | Leban |
| | 2100 | 70 | Leban |
| | 2400 | 68 | D. Guiseppe |

| Friday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

| Saturday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

| Sunday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B-1 (HHD) Temp. Reading Location: A,B,C,D - DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 67 | |
| | 0600 | 68 | |
| | 0900 | 70 | B-Vany |
| | 1200 | 70 | A-Anz |
| | 1500 | 73 | M-Muel |
| | 1800 | 74 | M-Muler |
| | 2100 | 71 | M-Muler |
| | 2400 | 72 | Zaraz |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/2 | 0300 | 69 | Duran |
| | 0600 | 70 | B-Vany |
| | 0900 | 70 | B-Vany |
| | 1200 | 75 | G-Angie |
| | 1500 | 76 | J-Sanchez II |
| | 1800 | 76 | J-Sanchez II |
| | 2100 | 76 | J-Sanchez II |
| | 2400 | 75 | E-Durazo |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/3 | 0300 | 75 | E-Durazo |
| | 0600 | 69 | M-Rios |
| | 0900 | 72 | M-Rios |
| | 1200 | 73 | M-Rios |
| | 1500 | 74 | J-Sanchez II |
| | 1800 | 76 | J-Sanchez II |
| | 2100 | 75 | J-Sanchez II |
| | 2400 | 75 | E-Durazo |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/4 | 0300 | 70 | Terrino |
| | 0600 | 71 | M-Rios |
| | 0900 | 72 | M-Rios |
| | 1200 | 74 | M-Rios |
| | 1500 | 76 | J-Sanchez II |
| | 1800 | 76 | J-Sanchez II |
| | 2100 | 75 | J-Sanchez II |
| | 2400 | 73 | Terrino |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/5 | 0300 | 75 | J-Canno |
| | 0600 | 69 | M-Rios |
| | 0900 | 69 | M-Rios |
| | 1200 | 72 | M-Rios |
| | 1500 | 75 | J-Sanchez II |
| | 1800 | 77 | J-Sanchez II |
| | 2100 | 75 | J-Sanchez II |
| | 2400 | 75 | J-Canno |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/6 | 0300 | 70 | E-DeThao |
| | 0600 | 71 | A-Rios |
| | 0900 | 73 | M-Rios |
| | 1200 | 74 | M-Rios |
| | 1500 | 76 | A-Rosch |
| | 1800 | 75 | A-Rosch |
| | 2100 | 74 | A-Rosch |
| | 2400 | 73 | E-DeThao |

Notes

10/2-24 Stage I Heat Alert 1325
10/3-24 Stage I Heat Alert 1240
10/4-24 Stage I activated @ 1250 hrs
10/5-24 Stage I HA activated @ 1255 hrs
10/5-24 Stage I Heat Alert Deactivated
10/6-24 Stage I Heat Alert @ 1330 hrs

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B2 Temp. Reading Location: COP Shop
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

| Tuesday | | | |
|---------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/1/24 | 0300 | 68 | S. Ocasio |
| | 0600 | 69 | C. Gallegos |
| | 0900 | 69 | G. Gallegos |
| | 1200 | 72 | G. Gallegos |
| | 1500 | 75 | J. Lee |
| | 1800 | 76 | J. Lee |
| | 2100 | 76 | J. Lee |
| | 2400 | 72 | S. Ocasio |

| Wednesday | | | |
|-----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/02/24 | 0300 | 70 | V. Lo |
| | 0600 | 70 | M. Murphy |
| | 0900 | 71 | C. Gallegos |
| | 1200 | 75 | G. Gallegos |
| | 1500 | 77 | J. Lee |
| | 1800 | 76 | J. Lee |
| | 2100 | 76 | J. Lee |
| | 2400 | 72 | V. Lo |

| Thursday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/03/24 | 0300 | 71 | V. Lo |
| | 0600 | 69 | S. Ocasio |
| | 0900 | 69 | L. Chaverz |
| | 1200 | 74 | L. Chaverz |
| | 1500 | 76 | J. Lee |
| | 1800 | 77 | J. Lee |
| | 2100 | 77 | J. Lee |
| | 2400 | 72 | V. Lo |

| Friday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/04/24 | 0300 | 70 | V. Lo |
| | 0600 | 70 | L. Chaverz |
| | 0900 | 70 | L. Chaverz |
| | 1200 | 74 | L. Chaverz |
| | 1500 | 76 | K. Chauhan |
| | 1800 | 76 | K. Chauhan |
| | 2100 | 75 | K. Chauhan |
| | 2400 | 73 | V. Lo |

| Saturday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/05/24 | 0300 | 69 | V. Lo |
| | 0600 | 69 | R. Gallegos |
| | 0900 | 70 | R. Gallegos |
| | 1200 | 73 | R. Gallegos |
| | 1500 | 76 | P. Williams |
| | 1800 | 76 | P. Williams |
| | 2100 | 75 | P. Williams |
| | 2400 | 72 | V. Lo |

| Sunday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/06/24 | 0300 | 71 | R. Williams |
| | 0600 | 71 | R. Gallegos |
| | 0900 | 72 | R. Gallegos |
| | 1200 | 74 | R. Gallegos |
| | 1500 | 76 | R. Williams |
| | 1800 | 77 | N. Ervin |
| | 2100 | 77 | R. Williams |
| | 2400 | 73 | N. Ervin |

Notes

10/3/24 1240 HRS Stage 1 Heat Alert.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B3 Temp. Reading Location: Cop Shop
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/1/24 | 0300 | 72 | ERVIN |
| 10/1/24 | 0600 | 73 | J. TORRES |
| 10/1/24 | 0900 | 75 | J. TORRES |
| 10/1/24 | 1200 | 77 | J. TORRES |
| 10/1/24 | 1500 | 75 | J. TAPIA |
| 10/1/24 | 1800 | 76 | R. TAPIA |
| 10/1/24 | 2100 | 75 | R. TAPIA |
| 10/1/24 | 2400 | 74 | ERVIN |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-2-24 | 0300 | 71 | J. LEE |
| 10-2-24 | 0600 | 70 | J. TORRES |
| 10-2-24 | 0900 | 73 | J. TORRES |
| 10-2-24 | 1200 | 75 | J. TORRES |
| 10-2-24 | 1500 | 76 | R. TAPIA |
| 10-2-24 | 1800 | 78 | R. TAPIA |
| 10-2-24 | 2100 | 76 | R. TAPIA |
| 10-2-24 | 2400 | 73 | J. LEE |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-3-24 | 0300 | 70 | J. LEE |
| 10-3-24 | 0600 | 69 | A. ROCHA |
| 10-3-24 | 0900 | 69 | A. ROCHA |
| 10-3-24 | 1200 | 73 | A. ROCHA |
| 10-3-24 | 1500 | 76 | G. LEE |
| 10-3-24 | 1800 | 77 | R. TAPIA |
| 10-3-24 | 2100 | 75 | G. LEE |
| 10-3-24 | 2400 | 72 | J. LEE |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-4-24 | 0300 | 71 | MARY TORRES |
| 10-4-24 | 0600 | 70 | A. ROCHA |
| 10-4-24 | 0900 | 72 | A. ROCHA |
| 10-4-24 | 1200 | 75 | A. ROCHA |
| 10-4-24 | 1500 | 76 | R. TAPIA |
| 10-4-24 | 1800 | 75 | R. TAPIA |
| 10-4-24 | 2100 | 74 | R. TAPIA |
| 10-4-24 | 2400 | 73 | MARY TORRES |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-5-24 | 0300 | 69 | MARY TORRES |
| 10-5-24 | 0600 | 67 | V. LO |
| 10-5-24 | 0900 | 72 | V. LO |
| 10-5-24 | 1200 | 73 | V. LO |
| 10-5-24 | 1500 | 75 | C. NUNEZ |
| 10-5-24 | 1800 | 75 | C. NUNEZ |
| 10-5-24 | 2100 | 75 | C. NUNEZ |
| 10-5-24 | 2400 | 72 | MARY TORRES |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-6-24 | 0300 | 72 | N. ERVIN |
| 10-6-24 | 0600 | 70 | A. ROCHA |
| 10-6-24 | 0900 | 71 | A. ROCHA |
| 10-6-24 | 1200 | 74 | A. ROCHA |
| 10-6-24 | 1500 | 75 | N. ERVIN |
| 10-6-24 | 1800 | 73 | O. NUNEZ |
| 10-6-24 | 2100 | 72 | O. NUNEZ |
| 10-6-24 | 2400 | 74 | N. ERVIN |

Notes

10/4/24 STAGE 1 12.50

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B-4 (CM) Temp. Reading Location: A, B, C, D & DA
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 65 | |
| | 0600 | 67° | L-Garcia |
| | 0900 | 69° | P.Garcia |
| | 1200 | 70 | J-Trado |
| | 1500 | 71 | S.Trado |
| | 1800 | 73 | J-Trado |
| | 2100 | 74 | J-Trado |
| | 2400 | 68 | M.Garcia |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/2 | 0300 | 68 | A-Garcia |
| | 0600 | 68 | A-Garcia |
| | 0900 | 71° | P.Garcia |
| | 1200 | 71° | P.Garcia |
| | 1500 | 75 | L-Chavez |
| | 1800 | 74 | G.Andrade |
| | 2100 | 70 | S.Meneses |
| | 2400 | 71 | M.Garcia |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/3 | 0300 | 69 | Boswell |
| | 0600 | 69 | P.Garcia |
| | 0900 | 71° | P.Garcia |
| | 1200 | 74° | P.Garcia |
| | 1500 | 75 | L-Chavez |
| | 1800 | 76 | L-Chavez |
| | 2100 | 75 | L-Chavez |
| | 2400 | 73 | Boswell |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/4 | 0300 | 70 | Boswell |
| | 0600 | 69° | P.Garcia |
| | 0900 | 72° | P.Garcia |
| | 1200 | 74° | P.Garcia |
| | 1500 | 74 | L-Chavez |
| | 1800 | 75 | L-Chavez |
| | 2100 | 75 | L-Chavez |
| | 2400 | 72 | Boswell |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/5 | 0300 | 68° | B.Cox |
| | 0600 | 68 | P.Garcia |
| | 0900 | 69° | P.Garcia |
| | 1200 | 71° | P.Garcia |
| | 1500 | 75 | E.Villagod |
| | 1800 | 73 | L-Chavez |
| | 2100 | 75 | L-Chavez |
| | 2400 | 69° | B.Cox |

Notes

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/6 | 0300 | 72 | M.Martinez |
| | 0600 | 70 | M.Martinez |
| | 0900 | 72 | M.Martinez |
| | 1200 | 74 | M.Martinez |
| | 1500 | 75 | O.London |
| | 1800 | 72 | O.London |
| | 2100 | 76 | O.London |
| | 2400 | 72 | V.Sanchez |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B-1 (HD) Temp. Reading Location: A, B, C, D & DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/17 | 0300 | 69 | DURAZO |
| | 0600 | 69 | J. Gonzalez |
| | 0900 | 71 | J. Gonzalez |
| | 1200 | 75 | J. Gonzalez |
| | 1500 | 75 | J. Young |
| | 1800 | 76 | J. West |
| | 2100 | 78 | J. West |
| | 2400 | 77 | J. West |

| Tuesday | | | |
|---------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/18 | 0300 | 73 | DURAZO |
| | 0600 | 73 | G. Andrade |
| | 0900 | 74 | G. Andrade |
| | 1200 | 75 | G. Andrade |
| | 1500 | 75 | S. Vredo |
| | 1800 | 74 | J. LERMA |
| | 2100 | 74 | J. LERMA |
| | 2400 | 73 | E. DURAZO |

| Wednesday | | | |
|-----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/19 | 0300 | 73 | E. DURAZO |
| | 0600 | 69 | G. Andrade |
| | 0900 | 71 | A. Andrade |
| | 1200 | 72 | A. Andrade |
| | 1500 | 73 | J. LERMA |
| | 1800 | 73 | J. LERMA |
| | 2100 | 73 | J. LERMA |
| | 2400 | 74 | E. DURAZO |

| Thursday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/10 | 0300 | 69 | E. DURAZO |
| | 0600 | 68 | M. Rios |
| | 0900 | 68 | M. Rios |
| | 1200 | 71 | M. Rios |
| | 1500 | 72 | J. Sanchez |
| | 1800 | 72 | J. Sanchez |
| | 2100 | 71 | J. Sanchez |
| | 2400 | 70 | E. DURAZO |

| Friday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/11 | 0300 | 69 | E. DURAZO |
| | 0600 | 70 | M. Rios |
| | 0900 | 70 | M. Rios |
| | 1200 | 71 | M. Rios |
| | 1500 | 71 | J. LERMA |
| | 1800 | 73 | J. LERMA |
| | 2100 | 72 | J. LERMA |
| | 2400 | 70 | E. DURAZO |

| Saturday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/12 | 0300 | 70 | J. Ocampo |
| | 0600 | 69 | M. Rios |
| | 0900 | 70 | M. Rios |
| | 1200 | 71 | M. Rios |
| | 1500 | 72 | J. LERMA |
| | 1800 | 72 | J. LERMA |
| | 2100 | 71 | J. LERMA |
| | 2400 | 70 | J. Ocampo |

| Sunday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/13 | 0300 | 69 | W. BENSON |
| | 0600 | 70 | M. Rios |
| | 0900 | 70 | M. Rios |
| | 1200 | 72 | M. Rios |
| | 1500 | 72 | A. Villegas |
| | 1800 | 72 | A. Villegas |
| | 2100 | 72 | A. Villegas |
| | 2400 | 70 | W. BENSON |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B2 Temp. Reading Location: Cop Shop
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/01/24 | 0300 | 70 | E-Lopez |
| | 0600 | 70 | Marcos |
| | 0900 | 71 | Gallardo |
| | 1200 | 71 | Gallardo |
| | 1500 | 76 | J WADDLE |
| | 1800 | 76 | J WADDLE |
| | 2100 | 75 | J WADDLE |
| | 2400 | 73 | E-Lopez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/02/24 | 0300 | 70 | J. Lopez |
| | 0600 | 70 | Gallardo |
| | 0900 | 70 | Gallardo |
| | 1200 | 73 | Marcos |
| | 1500 | 75 | Jee |
| | 1800 | 75 | Jee |
| | 2100 | 74 | Jee |
| | 2400 | 73 | J. Lopez |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/03/24 | 0300 | 70 | V.Lo |
| | 0600 | 69 | J. Lo |
| | 0900 | 70 | Gallardo |
| | 1200 | 71 | Gallardo |
| | 1500 | 73 | JLee |
| | 1800 | 73 | JLee |
| | 2100 | 72 | JLee |
| | 2400 | 72 | V.Lo |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/04/24 | 0300 | 68 | V.Lo |
| | 0600 | 67 | L.Chavez |
| | 0900 | 70 | L.Chavez |
| | 1200 | 71 | L.Chavez |
| | 1500 | 73 | JLee |
| | 1800 | 73 | JLee |
| | 2100 | 72 | JLee |
| | 2400 | 70 | V.Lo |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/05/24 | 0300 | 69 | V.Lo |
| | 0600 | 68 | L.Chavez |
| | 0900 | 69 | L.Chavez |
| | 1200 | 74 | L.Chavez |
| | 1500 | 73 | R.Gallego |
| | 1800 | 79 | R.Gallego |
| | 2100 | 76 | R.Gallego |
| | 2400 | 69 | V.Lo |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/06/24 | 0300 | 71 | V.Lo |
| | 0600 | 70 | R.Gallego |
| | 0900 | 70 | R.Gallego |
| | 1200 | 70 | R.Gallego |
| | 1500 | 70 | Rocha |
| | 1800 | 71 | Rocha |
| | 2100 | 75 | Rocha |
| | 2400 | 73 | V.Lo |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/07/24 | 0300 | 71 | R.Gutierrez |
| | 0600 | 70 | R.Gallego |
| | 0900 | 71 | R.Gallego |
| | 1200 | 73 | R.Gallego |
| | 1500 | 77 | Sanchez |
| | 1800 | 78 | Perez |
| | 2100 | 76 | Gutierrez |
| | 2400 | 73 | R.Gutierrez |

Notes

10/4/24 stage one heat @ 1546

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B3 Temp. Reading Location: Cop Shop
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-7-24 | 0300 | 70 | J GARCIA |
| | 0600 | 71 | D Waddel |
| | 0900 | 73 | D Waddel |
| | 1200 | 74 | D Waddel |
| | 1500 | 76 | R-TAPIA |
| | 1800 | 77 | R-TAPIA |
| | 2100 | 76 | R-TAPIA |
| | 2400 | 72 | J GARCIA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-8-24 | 0300 | 69 | J GARCIA |
| | 0600 | 70 | D Waddel |
| | 0900 | 72 | D Waddel |
| | 1200 | 74 | D Waddel |
| | 1500 | 75 | R-TAPIA |
| | 1800 | 76 | R-TAPIA |
| | 2100 | 74 | R-TAPIA |
| | 2400 | 71 | J GARCIA |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/9/24 | 0300 | 68 | J GARCIA |
| | 0600 | 70 | Waddel |
| | 0900 | 72 | Waddel |
| | 1200 | 73 | Waddel |
| | 1500 | 73 | R-TAPIA |
| | 1800 | 73 | R-TAPIA |
| | 2100 | 72 | R-TAPIA |
| | 2400 | 69 | J GARCIA |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-10-24 | 0300 | 66 | J GARCIA |
| | 0600 | 68 | A Rocha |
| | 0900 | 68 | A Rocha |
| | 1200 | 69 | A Rocha |
| | 1500 | 72 | J Waddel |
| | 1800 | 72 | R-TAPIA |
| | 2100 | 72 | R-TAPIA |
| | 2400 | 67 | J GARCIA |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/11/24 | 0300 | 69 | MAYTOROONA |
| | 0600 | 70 | A Rocha |
| | 0900 | 71 | A Rocha |
| | 1200 | 71 | A Rocha |
| | 1500 | 71 | J WADDEL |
| | 1800 | 73 | J WADDEL |
| | 2100 | 71 | J WADDEL |
| | 2400 | 69 | MAYTOROONA |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/12/24 | 0300 | 70 | MAYTOROONA |
| | 0600 | 70 | Rochia |
| | 0900 | 67 | Rochia |
| | 1200 | 71 | Rochia |
| | 1500 | 72 | J Waddel |
| | 1800 | 73 | J Waddel |
| | 2100 | 72 | J Waddel |
| | 2400 | 70 | MAYTOROONA |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/13/24 | 0300 | 68 | I Moreno |
| | 0600 | 70 | D Waddel |
| | 0900 | 71 | D Waddel |
| | 1200 | 71 | D Waddel |
| | 1500 | 72 | J Waddel |
| | 1800 | 74 | D Waddel |
| | 2100 | 73 | ANUNEZ |
| | 2400 | 69 | I Moreno |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: V.S.P Housing Unit: 34 Temp. Reading Location: A, B, C, D, DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/17/24 | 0300 | 70 | Boswell |
| | 0600 | 70 | M-Rios |
| | 0900 | 70 | M-Rios |
| | 1200 | 73 | M-Rios |
| | 1500 | 75 | S-Pardo |
| | 1800 | 75 | S-Pardo |
| | 2100 | 74 | S-Pardo |
| | 2400 | 74 | Boswell |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/18/24 | 0300 | 71° | Mangorodona |
| | 0600 | 69° | P-Garcia |
| | 0900 | 70° | P-Garcia |
| | 1200 | 72° | P-Garcia |
| | 1500 | 74° | S-Murphy |
| | 1800 | 75° | S-Gallegos |
| | 2100 | 73° | S-Balbuena |
| | 2400 | 73° | Mangorodona |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/19/24 | 0300 | 69° | J-Ocampo |
| | 0600 | 69° | P-Garcia |
| | 0900 | 67° | S-Pardo |
| | 1200 | 72° | P-Garcia |
| | 1500 | 73° | Gonzalez |
| | 1800 | 72° | O-Nunez |
| | 2100 | 72° | O-Nunez |
| | 2400 | 73° | J-Ocampo |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/20/24 | 0300 | 69° | P-Metz |
| | 0600 | 67° | P-Garcia |
| | 0900 | 68° | P-Garcia |
| | 1200 | 71° | P-Garcia |
| | 1500 | 73° | L-Chavez |
| | 1800 | 71° | L-Chavez |
| | 2100 | 71° | L-Chavez |
| | 2400 | 70° | Boswell II |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/21/24 | 0300 | 70° | Boswell |
| | 0600 | 70° | P-Garcia |
| | 0900 | 70° | P-Garcia |
| | 1200 | 71° | P-Garcia |
| | 1500 | 73° | L-Chavez |
| | 1800 | 73° | L-Chavez |
| | 2100 | 71° | L-Chavez |
| | 2400 | 69° | Boswell |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/22/24 | 0300 | 69° | Boswell |
| | 0600 | 70° | P-Garcia |
| | 0900 | 70° | P-Garcia |
| | 1200 | 71° | P-Garcia |
| | 1500 | 73° | O-Corona |
| | 1800 | 72° | O-Corona |
| | 2100 | 76° | O-Corona |
| | 2400 | 70° | Boswell |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/23/24 | 0300 | 70° | Boswell |
| | 0600 | 70° | S-Larson |
| | 0900 | 70° | S-Larson |
| | 1200 | 71° | S-Larson |
| | 1500 | 73° | O-Corona |
| | 1800 | 72° | O-Corona |
| | 2100 | 71° | O-Corona |
| | 2400 | 70° | Boswell |

Notes

10/17 - H.A. activated @ 1250 hrs

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B-1 (HD) Temp. Reading Location: A, B, C, D & DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|--------------|------|-----------|-------------------|
| Date | Time | Temp. | Name (Print) |
| <u>10/14</u> | 0300 | <u>70</u> | <u>C. Lopez</u> |
| | 0600 | <u>71</u> | <u>C. Lopez</u> |
| | 0900 | <u>71</u> | <u>B. Lang</u> |
| | 1200 | <u>71</u> | <u>B. Lang</u> |
| | 1500 | <u>71</u> | <u>G. Andrade</u> |
| | 1800 | <u>74</u> | <u>G. Andrade</u> |
| | 2100 | <u>75</u> | <u>G. Andrade</u> |
| | 2400 | <u>70</u> | <u>C. Lopez</u> |

| Tuesday | | | |
|--------------|------|-----------|-------------------|
| Date | Time | Temp. | Name (Print) |
| <u>10/15</u> | 0300 | <u>70</u> | <u>E. Durazo</u> |
| | 0600 | <u>69</u> | <u>G. Andrade</u> |
| | 0900 | <u>71</u> | <u>G. Andrade</u> |
| | 1200 | <u>72</u> | <u>A. Andrade</u> |
| | 1500 | <u>72</u> | <u>J. Loomis</u> |
| | 1800 | <u>72</u> | <u>J. Loomis</u> |
| | 2100 | <u>72</u> | <u>J. Loomis</u> |
| | 2400 | <u>70</u> | <u>E. Durazo</u> |

| Wednesday | | | |
|--------------|------|-----------|-------------------|
| Date | Time | Temp. | Name (Print) |
| <u>10/16</u> | 0300 | <u>70</u> | <u>E. Durazo</u> |
| | 0600 | <u>71</u> | <u>B. Lang</u> |
| | 0900 | <u>71</u> | <u>B. Lang</u> |
| | 1200 | <u>71</u> | <u>B. Lang</u> |
| | 1500 | <u>72</u> | <u>J. Sanchez</u> |
| | 1800 | <u>69</u> | <u>J. Sanchez</u> |
| | 2100 | <u>69</u> | <u>J. Sanchez</u> |
| | 2400 | <u>70</u> | <u>E. Durazo</u> |

| Thursday | | | |
|--------------|------|-----------|-------------------|
| Date | Time | Temp. | Name (Print) |
| <u>10/17</u> | 0300 | <u>69</u> | <u>E. Durazo</u> |
| | 0600 | <u>69</u> | <u>M. Rios</u> |
| | 0900 | <u>70</u> | <u>M. Rios</u> |
| | 1200 | <u>70</u> | <u>M. Rios</u> |
| | 1500 | <u>69</u> | <u>J. Sanchez</u> |
| | 1800 | <u>69</u> | <u>J. Sanchez</u> |
| | 2100 | <u>70</u> | <u>J. Sanchez</u> |
| | 2400 | <u>69</u> | <u>E. Durazo</u> |

| Friday | | | |
|--------------|------|-----------|-------------------|
| Date | Time | Temp. | Name (Print) |
| <u>10/18</u> | 0300 | <u>70</u> | <u>E. Durazo</u> |
| | 0600 | <u>68</u> | <u>M. Rios</u> |
| | 0900 | <u>69</u> | <u>J. Sanchez</u> |
| | 1200 | <u>70</u> | <u>J. Sanchez</u> |
| | 1500 | <u>70</u> | <u>J. Loomis</u> |
| | 1800 | <u>70</u> | <u>J. Loomis</u> |
| | 2100 | <u>69</u> | <u>J. Loomis</u> |
| | 2400 | <u>69</u> | <u>E. Durazo</u> |

| Saturday | | | |
|--------------|------|-----------|------------------|
| Date | Time | Temp. | Name (Print) |
| <u>10/19</u> | 0300 | <u>64</u> | <u>S. Ocampo</u> |
| | 0600 | <u>67</u> | <u>M. Rios</u> |
| | 0900 | <u>69</u> | <u>M. Rios</u> |
| | 1200 | <u>71</u> | <u>M. Rios</u> |
| | 1500 | <u>69</u> | <u>J. Loomis</u> |
| | 1800 | <u>69</u> | <u>J. Loomis</u> |
| | 2100 | <u>69</u> | <u>J. Loomis</u> |
| | 2400 | <u>70</u> | <u>S. Ocampo</u> |

| Sunday | | | |
|--------------|------|-----------|------------------|
| Date | Time | Temp. | Name (Print) |
| <u>10/20</u> | 0300 | <u>64</u> | <u>S. Ocampo</u> |
| | 0600 | <u>66</u> | <u>M. Rios</u> |
| | 0900 | <u>67</u> | <u>M. Rios</u> |
| | 1200 | <u>69</u> | <u>M. Rios</u> |
| | 1500 | <u>71</u> | <u>A. Vuel</u> |
| | 1800 | <u>71</u> | <u>A. Vuel</u> |
| | 2100 | <u>70</u> | <u>A. Vuel</u> |
| | 2400 | <u>70</u> | <u>S. Ocampo</u> |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B2 Temp. Reading Location: A, B, C, D + DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/15/24 | 0300 | 72 | W.BENSON |
| | 0600 | 71 | Mares |
| | 0900 | 71 | Mares |
| | 1200 | 72 | Mares |
| | 1500 | 79 | NERVIN |
| | 1800 | 79 | NERVIN |
| | 2100 | 77 | J.Wade |
| | 2400 | 74 | W.BENSON |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/15/24 | 0300 | 69 | J.CAMPOS |
| | 0600 | 71 | Mares |
| | 0900 | 74 | Mares |
| | 1200 | 77 | Mares |
| | 1500 | 75 | J.LEE |
| | 1800 | 75 | J.LEE |
| | 2100 | 73 | J.LEE |
| | 2400 | 73 | J.CAMPOS |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/16/24 | 0300 | 70 | V-LO |
| | 0600 | 70 | Gallup |
| | 0900 | 71 | Gallup |
| | 1200 | 72 | Gallup |
| | 1500 | 72 | J.LEE |
| | 1800 | 71 | J.LEE |
| | 2100 | 70 | J.LEE |
| | 2400 | 71 | V-LO |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/17/24 | 0300 | 69 | V-LO |
| | 0600 | 70 | Mares |
| | 0900 | 70 | Mares |
| | 1200 | 70 | Mares |
| | 1500 | 71 | J.LEE |
| | 1800 | 71 | J.LEE |
| | 2100 | 69 | J.LEE |
| | 2400 | 69 | V-LO |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/18/24 | 0300 | 69 | V-LO |
| | 0600 | 69 | L.Chavez |
| | 0900 | 69 | L.Chavez |
| | 1200 | 70 | L.Chavez |
| | 1500 | 70 | J.Sandoval |
| | 1800 | 71 | R.Gallup |
| | 2100 | 70 | R.Gallup |
| | 2400 | 69 | V-LO |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/19/24 | 0300 | 69 | V-LO |
| | 0600 | 68 | G.LEE |
| | 0900 | 69 | R.Gallup |
| | 1200 | 70 | R.Gallup |
| | 1500 | 70 | J.Sandoval |
| | 1800 | 70 | Sanchez |
| | 2100 | 70 | Sanchez |
| | 2400 | 69 | V-LO |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/20/24 | 0300 | 69 | V-LO |
| | 0600 | 69 | R.Gallup |
| | 0900 | 70 | R.Gallup |
| | 1200 | 70 | R.Gallup |
| | 1500 | 70 | R.Gallup |
| | 1800 | 70 | R.Gallup |
| | 2100 | 69 | R.Gallup |
| | 2400 | 69 | V-LO |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B3 Temp. Reading Location: A, B, C, D + DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/14/01 | 0300 | | |
| | 0600 | 70 | D.Waddel |
| | 0900 | 71 | D.Waddel |
| | 1200 | 73 | D.Waddel |
| | 1500 | 74 | 7.2Y |
| | 1800 | 73 | Andreaire |
| | 2100 | 72 | ANDREAIRE |
| | 2400 | 71 | ANDREAIRE |

Wednesday 10 - 10 - 2024

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/14 | 0300 | 69 | JEE |
| | 0600 | 70 | J. TORRES |
| | 0900 | 71 | J. TORRES |
| | 1200 | 72 | J. TORRES |
| | 1500 | 70 | Andalucia |
| | 1800 | 71 | P. TAPA |
| | 2100 | 71 | P. TAPA |
| | 2400 | 71 | XEE |

Friday 10-18-2024

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/18 | 0300 | 69 | MARY TORRENS |
| | 0600 | 65 | FOR HA |
| | 0900 | 68 | RADIA |
| | 1200 | 70 | BACHA |
| | 1500 | 70 | R-TAPIA |
| | 1800 | 71 | R-TAPIA |
| | 2100 | 69 | J WADDELL |
| | 2400 | 70 | MARY TORRENS |

Sunday 10-20-2024

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/20 | 0300 | 68 | N. ERVIN |
| | 0600 | 65 | J. DENAS |
| | 0900 | 70 | J. Weddel |
| | 1200 | 70 | J. Weddel |
| | 1500 | 71 | J. Weddel |
| | 1800 | 70 | J. Weddel |
| | 2100 | 70 | J. Weddel |
| | 2400 | 69 | N. ERVIN |

Tuesday 10-15-2024

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/15 | 0300 | 69 | N. ERVIN |
| | 0600 | 70 | D. Wedder |
| | 0900 | 71 | D. Wedder |
| | 1200 | 72 | D. Wedder |
| | 1500 | 74 | MONTANA |
| | 1800 | 74 | MONTANA |
| | 2100 | 73 | MONTANA |
| | 2400 | 71 | N. ERVIN |

Thursday 10-17-2024

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 1/6/17 | 0300 | 70 | J LEE |
| | 0600 | 64 | A BOATH |
| | 0900 | 71 | A BOATH |
| | 1200 | 72 | A BOATH |
| | 1500 | 70 | J WADDEI |
| | 1800 | 70 | J VELDEI |
| | 2100 | 70 | R TABA |
| | 2400 | 70 | J LEE |

Saturday 10-19-2024

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/19 | 0300 | 68 | MARY ROSEN |
| | 0600 | 68 | ROCHA |
| | 0900 | 70 | ROCHA |
| | 1200 | 70 | ROCHA |
| | 1500 | 70 | J. Waddell |
| | 1800 | 70 | J. Waddell |
| | 2100 | 70 | J. Waddell |
| | 2400 | 70 | MARY ROSEN |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: V.S.P Housing Unit: B4 Temp. Reading Location: A,B,C,D,DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------------|------|-------|--------------|
| <u>10/14/24</u> | 0300 | 70 | Boswell |
| | 0600 | 70 | M. Rios |
| | 0900 | 71 | M. Rios |
| | 1200 | 72 | M. Rios |
| | 1500 | 74 | J. Rodriguez |
| | 1800 | 72 | J. Rodriguez |
| | 2100 | 71 | J. Rodriguez |
| | 2400 | 70 | Boswell |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------------|------|-------|--------------|
| <u>10/15/24</u> | 0300 | 68 | M. Rios |
| | 0600 | 68 | P. Garcia |
| | 0900 | 69 | P. Garcia |
| | 1200 | 72 | P. Garcia |
| | 1500 | 73 | J. Sanderson |
| | 1800 | 73 | J. Sanderson |
| | 2100 | 72 | C. Lopez |
| | 2400 | 71 | M. Rios |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------------|------|-------|--------------|
| <u>10/16/24</u> | 0300 | 70 | A. Sanchez |
| | 0600 | 70 | P. Garcia |
| | 0900 | 71 | P. Garcia |
| | 1200 | 72 | L. Chavez |
| | 1500 | 72 | G. Anthony |
| | 1800 | 71 | G. Anthony |
| | 2100 | 69 | E. Martinez |
| | 2400 | 69 | A. Sanchez |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------------|------|-------|--------------|
| <u>10/17/24</u> | 0300 | 70 | Boswell |
| | 0600 | 68 | P. Garcia |
| | 0900 | 69 | P. Garcia |
| | 1200 | 71 | P. Garcia |
| | 1500 | 71 | L. Chavez |
| | 1800 | 70 | L. Chavez |
| | 2100 | 69 | L. Chavez |
| | 2400 | 69 | Boswell |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------------|------|-------|--------------|
| <u>10/18/24</u> | 0300 | 68 | Boswell |
| | 0600 | 68 | P. Garcia |
| | 0900 | 69 | P. Garcia |
| | 1200 | 69 | P. Garcia |
| | 1500 | 71 | L. Chavez |
| | 1800 | 71 | L. Chavez |
| | 2100 | 70 | E. Martinez |
| | 2400 | 70 | Boswell |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------------|------|-------|--------------|
| <u>10/19/24</u> | 0300 | 68 | Boswell |
| | 0600 | 68 | K. Ivy |
| | 0900 | 68 | K. Ivy |
| | 1200 | 69 | K. Ivy |
| | 1500 | 71 | J. Freeman |
| | 1800 | 70 | J. Freeman |
| | 2100 | 69 | J. Freeman |
| | 2400 | 69 | Boswell |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------------|------|-------|--------------|
| <u>10/20/24</u> | 0300 | 68 | Boswell |
| | 0600 | 65 | Martinez |
| | 0900 | 65 | Martinez |
| | 1200 | 69 | Martinez |
| | 1500 | 70 | O. Wright |
| | 1800 | 70 | O. Wright |
| | 2100 | 68 | O. Wright |
| | 2400 | 69 | Boswell |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B-1 (HD) Temp. Reading Location: A,B,C,D & DOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5343 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | | Tuesday | | | |
|--------------|------|-------|--------------|--------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| <u>10/21</u> | 0300 | 70 | E.DURAZO | <u>10/22</u> | 0300 | 70 | E.DURAZO |
| | 0600 | 69 | B.Vany | | 0600 | 70 | B.Vany |
| | 0900 | 70 | B.Vany | | 0900 | 71 | B.Vany |
| | 1200 | 71 | B.Vany | | 1200 | 71 | B.Vany |
| | 1500 | 71 | D.Costa | | 1500 | 70 | J.LERMA |
| | 1800 | 71 | D.Costa | | 1800 | 70 | J.LERMA |
| | 2100 | 64 | D.Costa | | 2100 | 68 | J.LERMA |
| | 2400 | 70 | E.DURAZO | | 2400 | 70 | E.DURAZO |
| Wednesday | | | | Thursday | | | |
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| <u>10/23</u> | 0300 | 71 | E.DURAZO | <u>10/24</u> | 0300 | 71 | E.DURAZO |
| | 0600 | 71 | B.Vany | | 0600 | 69 | M.Rios |
| | 0900 | 71 | B.Vany | | 0900 | 70 | M.Rios |
| | 1200 | 72 | B.Vany | | 1200 | 72 | M.Rios |
| | 1500 | 72 | E.Villegas | | 1500 | 69 | J.LERMA |
| | 1800 | 73 | E.Villegas | | 1800 | 69 | J.LERMA |
| | 2100 | 72 | E.Villegas | | 2100 | 69 | J.LERMA |
| | 2400 | 72 | E.DURAZO | | 2400 | 71 | E.DURAZO |
| Friday | | | | Saturday | | | |
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| <u>10/25</u> | 0300 | 71 | E.DURAZO | <u>10/26</u> | 0300 | 67 | J.Arzua |
| | 0600 | 69 | M.Rios | | 0600 | 66 | M.Rios |
| | 0900 | 69 | M.Rios | | 0900 | 69 | M.Rios |
| | 1200 | 71 | M.Rios | | 1200 | 69 | M.Rios |
| | 1500 | 69 | J.LERMA | | 1500 | 69 | J.LERMA |
| | 1800 | 69 | J.LERMA | | 1800 | 70 | J.LERMA |
| | 2100 | 69 | J.LERMA | | 2100 | 69 | J.LERMA |
| | 2400 | 71 | E.DURAZO | | 2400 | 71 | J.Arzua |
| Sunday | | | | Notes | | | |
| Date | Time | Temp. | Name (Print) | | | | |
| <u>10/27</u> | 0300 | 67 | J.Arzua | | | | |
| | 0600 | 69 | M.Rios | | | | |
| | 0900 | 70 | M.Rios | | | | |
| | 1200 | 72 | M.Rios | | | | |
| | 1500 | 74 | J.Arriazu | | | | |
| | 1800 | 72 | J.Arriazu | | | | |
| | 2100 | 72 | J.Arriazu | | | | |
| | 2400 | 71 | J.Campos | | | | |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B2 Temp. Reading Location: ABCD Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-21-21 | 0300 | 69 | C. Hayes |
| | 0600 | 69 | C. Hayes |
| | 0900 | 70 | Gallardo |
| | 1200 | 71 | Gallardo |
| | 1500 | 72 | Waddell |
| | 1800 | 71 | Waddell |
| | 2100 | 69 | N. Ervin |
| | 2400 | 69 | C. Hayes |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-22-21 | 0300 | 69 | S. Ocampo |
| | 0600 | 69 | Mares |
| | 0900 | 70 | Gallardo |
| | 1200 | 73 | Gallardo |
| | 1500 | 73 | JLEE |
| | 1800 | 72 | JLEE |
| | 2100 | 71 | JLEE |
| | 2400 | 70 | S. Ocampo |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-23-21 | 0300 | 70 | V. LO |
| | 0600 | 69 | Gallardo |
| | 0900 | 70 | Gallardo |
| | 1200 | 72 | Gallardo |
| | 1500 | 73 | JLEE |
| | 1800 | 72 | JLEE |
| | 2100 | 72 | JLEE |
| | 2400 | 71 | V. LO |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-24-21 | 0300 | 70 | V. LO |
| | 0600 | 69 | L. Chavez |
| | 0900 | 71 | Mares |
| | 1200 | 71 | Mares |
| | 1500 | 72 | JLEE |
| | 1800 | 72 | JLEE |
| | 2100 | 71 | JLEE |
| | 2400 | 72 | V. LO |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-25-21 | 0300 | 70 | V. LO |
| | 0600 | 69 | L. Chavez |
| | 0900 | 69 | GLEE |
| | 1200 | 72 | L. Chavez |
| | 1500 | 72 | R. Gallegos |
| | 1800 | 71 | R. Gallegos |
| | 2100 | 71 | R. Gallegos |
| | 2400 | 71 | V. LO |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-26-21 | 0300 | 69 | C. Hayes |
| | 0600 | 69 | C. Hayes |
| | 0900 | 69 | R. Gallegos |
| | 1200 | 71 | R. Gallegos |
| | 1500 | 73 | R. Gallegos |
| | 1800 | 72 | R. Gallegos |
| | 2100 | 71 | R. Gallegos |
| | 2400 | 71 | C. Hayes |

Notes

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-27-21 | 0300 | 71 | R. Gallegos |
| | 0600 | 71 | R. Gallegos |
| | 0900 | 71 | Gallardo |
| | 1200 | 72 | R. Gallegos |
| | 1500 | 73 | N. Ervin |
| | 1800 | 72 | N. Ervin |
| | 2100 | 71 | R. Gallegos |
| | 2400 | 71 | R. Gallegos |

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B3 Temp. Reading Location: Cup Shop
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-21-2024

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 69 | N. ERVIN |
| | 0600 | 68 | J. Weddel |
| | 0900 | 70 | J. Weddel |
| | 1200 | 70 | J. Weddel |
| | 1500 | 71 | R. TAPIA |
| | 1800 | 70 | R. TAPIA |
| | 2100 | 70 | R. TAPIA |
| | 2400 | 70 | N. ERVIN |

Tuesday 10-22-2024

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 70 | N. ERVIN |
| | 0600 | 68 | O. CORONA |
| | 0900 | 70 | O. CORONA |
| | 1200 | 71 | O. CORONA |
| | 1500 | 72 | R. TAPIA |
| | 1800 | 72 | R. TAPIA |
| | 2100 | 72 | R. TAPIA |
| | 2400 | 70 | N. ERVIN |

Wednesday 10-23-2024

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 71 | J. LEE |
| | 0600 | 70 | J. LEE |
| | 0900 | 70 | J. LEE |
| | 1200 | 70 | J. LEE |
| | 1500 | 71 | J. Saldivar |
| | 1800 | 72 | J. Saldivar |
| | 2100 | 71 | J. Saldivar |
| | 2400 | 72 | J. LEE |

Thursday 10-24-2024

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 70 | J. LEE |
| | 0600 | 70 | A. Roach |
| | 0900 | 70 | A. Roach |
| | 1200 | 72 | A. Roach |
| | 1500 | 71 | J. Weddel |
| | 1800 | 72 | J. Weddel |
| | 2100 | 72 | J. Weddel |
| | 2400 | 70 | J. LEE |

Friday 10-25-2024

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 69 | MAYTORRES |
| | 0600 | 69 | Z. ROCHA |
| | 0900 | 70 | Z. ROCHA |
| | 1200 | 70 | Z. ROCHA |
| | 1500 | 71 | J. Saldivar |
| | 1800 | 72 | J. Weddel |
| | 2100 | 70 | J. Saldivar |
| | 2400 | 70 | MAYTORRES |

Saturday 10-26-2024

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 69 | MAYTORRES |
| | 0600 | 69 | J. Weddel |
| | 0900 | 69 | J. Weddel |
| | 1200 | 70 | J. Weddel |
| | 1500 | 71 | J. Weddel |
| | 1800 | 73 | O. NUNEZ |
| | 2100 | 72 | O. NUNEZ |
| | 2400 | 70 | MAYTORRES |

Sunday 10-27-2024

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 71 | N. ERVIN |
| | 0600 | 71 | D. Weddel |
| | 0900 | 72 | D. Weddel |
| | 1200 | 73 | D. Weddel |
| | 1500 | 72 | O. NUNEZ |
| | 1800 | 71 | J. Weddel |
| | 2100 | 71 | J. Weddel |
| | 2400 | 72 | N. ERVIN |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: V.S.P Housing Unit: 34 Temp. Reading Location: A,B,C,D,DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | | Tuesday | | | |
|-----------|------|-------|--------------|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| 10/21/24 | 0300 | 69 | Boswell | 10/22/24 | 0300 | 69 | MARTORENA |
| | 0600 | 69 | M. RIOS | | 0600 | 69 | P. MUNIZ |
| | 0900 | 68 | M. RIOS | | 0900 | 70 | P. GARCIA |
| | 1200 | 70 | M. RIOS | | 1200 | 71 | P. GARCIA |
| | 1500 | 70 | J. SANDAD | | 1500 | 71 | J. RIOS |
| | 1800 | 70 | J. SANDAD | | 1800 | 71 | L. ALVAREZ |
| | 2100 | 71 | J. SANDAD | | 2100 | 71 | L. ALVAREZ |
| | 2400 | 69 | Boswell | | 2400 | 70 | MARTORENA |
| Wednesday | | | | Thursday | | | |
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| 10/23/24 | 0300 | 69 | P. GARCIA | 10/24/24 | 0300 | 70 | Boswell |
| | 0600 | 69 | P. GARCIA | | 0600 | 69 | P. GARCIA |
| | 0900 | 69 | P. GARCIA | | 0900 | 69 | P. GARCIA |
| | 1200 | 72 | P. GARCIA | | 1200 | 72 | P. GARCIA |
| | 1500 | 72 | M. RIOS | | 1500 | 72 | L. ALVAREZ |
| | 1800 | 72 | M. RIOS | | 1800 | 72 | L. ALVAREZ |
| | 2100 | 72 | M. RIOS | | 2100 | 72 | L. ALVAREZ |
| | 2400 | 70 | J. ORLANDO | | 2400 | 71 | Boswell |
| Friday | | | | Saturday | | | |
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| 10/25/24 | 0300 | 69 | Boswell | 10/26/24 | 0300 | 70 | Boswell |
| | 0600 | 69 | P. GARCIA | | 0600 | 69 | P. GARCIA |
| | 0900 | 69 | P. GARCIA | | 0900 | 69 | P. GARCIA |
| | 1200 | 70 | P. GARCIA | | 1200 | 71 | P. GARCIA |
| | 1500 | 73 | L. GARCIA | | 1500 | 72 | L. GARCIA |
| | 1800 | 72 | L. GARCIA | | 1800 | 73 | L. GARCIA |
| | 2100 | 72 | L. GARCIA | | 2100 | 72 | L. GARCIA |
| | 2400 | 71 | Boswell | | 2400 | 71 | Boswell |
| Sunday | | | | Notes | | | |
| Date | Time | Temp. | Name (Print) | | | | |
| 10/27/24 | 0300 | 71 | Boswell | | | | |
| | 0600 | 69 | MARTINEZ | | | | |
| | 0900 | 69 | MARTINEZ | | | | |
| | 1200 | 72 | MARTINEZ | | | | |
| | 1500 | 71 | O. CORONA | | | | |
| | 1800 | 71 | O. CORONA | | | | |
| | 2100 | 71 | O. CORONA | | | | |
| | 2400 | 71 | Boswell | | | | |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B1 (HD) Temp. Reading Location: AB.CD.+DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5343 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/28 | 0300 | 72 | E.DURAZO |
| | 0600 | 71 | B.Vany |
| | 0900 | 71 | B.Vany |
| | 1200 | 71 | B.Vany |
| | 1500 | 72 | T.YANG |
| | 1800 | 71 | T.YANG |
| | 2100 | 70 | T.YANG |
| | 2400 | 71 | E.DURAZO |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/29 | 0300 | 70 | E.DURAZO |
| | 0600 | 70 | B.Vany |
| | 0900 | 69 | B.Vany |
| | 1200 | 71 | E.Vany |
| | 1500 | 72 | J.Leoma |
| | 1800 | 69 | J.Leoma |
| | 2100 | 68 | J.Leoma |
| | 2400 | 71 | E.DURAZO |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/30 | 0300 | 68 | E.DURAZO |
| | 0600 | 68 | B.Vany |
| | 0900 | 68 | B.Vany |
| | 1200 | 68 | G.Vany |
| | 1500 | 72 | J.Sanchez |
| | 1800 | 72 | J.Sanchez |
| | 2100 | 71 | J.Sanchez |
| | 2400 | 69 | E.DURAZO |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/31 | 0300 | 69 | E.DURAZO |
| | 0600 | 69 | M.Rios |
| | 0900 | 69 | M.Rios |
| | 1200 | 68 | M.Rios |
| | 1500 | 71 | J.Sanchez |
| | 1800 | 72 | J.Sanchez |
| | 2100 | 71 | J.Sanchez |
| | 2400 | 69 | E.DURAZO |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B2 Temp. Reading Location: COP shop
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | | Tuesday | | | |
|-----------|------|-------|--------------|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| 6/28/18 | 0300 | 70 | S. Camino | 6/28/18 | 0300 | 69 | S. Camino |
| | 0600 | 71 | S. Camino | | 0600 | 69 | S. Camino |
| | 0900 | 70 | S. Camino | | 0900 | 69 | M. Mares |
| | 1200 | 70 | S. Camino | | 1200 | 69 | M. Mares |
| | 1500 | 71 | N. Ervin | | 1500 | 71 | J. Lee |
| | 1800 | 71 | N. Ervin | | 1800 | 71 | J. Lee |
| | 2100 | 71 | N. Ervin | | 2100 | 71 | J. Lee |
| | 2400 | 72 | S. Camino | | 2400 | 71 | S. Camino |
| Wednesday | | | | Thursday | | | |
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| 10.30.18 | 0300 | 64° | B. Cox | 10.31.18 | 0300 | 68 | V. Lo |
| | 0600 | 67 | S. Mares | | 0600 | 68 | S. Mares |
| | 0900 | 66 | S. Camino | | 0900 | 69 | L. Chavez |
| | 1200 | 66 | S. Camino | | 1200 | 67 | L. Chavez |
| | 1500 | 71 | J. Lee | | 1500 | 70 | J. Lee |
| | 1800 | 72 | J. Lee | | 1800 | 70 | J. Lee |
| | 2100 | 71 | J. Lee | | 2100 | 70 | J. Lee |
| | 2400 | 65° | B. Cox | | 2400 | 69 | V. Lo |
| Friday | | | | Saturday | | | |
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| 10.31.18 | 0300 | 68 | V. Lo | | 0300 | | |
| | 0600 | | | | 0600 | | |
| | 0900 | | | | 0900 | | |
| | 1200 | | | | 1200 | | |
| | 1500 | | | | 1500 | | |
| | 1800 | | | | 1800 | | |
| | 2100 | | | | 2100 | | |
| | 2400 | 69 | V. Lo | | 2400 | | |
| Sunday | | | | Notes | | | |
| Date | Time | Temp. | Name (Print) | | | | |
| | 0300 | | | | | | |
| | 0600 | | | | | | |
| | 0900 | | | | | | |
| | 1200 | | | | | | |
| | 1500 | | | | | | |
| | 1800 | | | | | | |
| | 2100 | | | | | | |
| | 2400 | | | | | | |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B3 Temp. Reading Location: COP Shop
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-28-2024

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 71 | N. ERVIN |
| | 0600 | 71 | D. Waddel |
| | 0900 | 71 | D. Waddel |
| | 1200 | 71 | D. Waddel |
| | 1500 | 72 | R. TAPIA |
| | 1800 | 71 | R. TAPIA |
| | 2100 | 72 | R. TAPIA |
| | 2400 | 72 | N. ERVIN |

Tuesday 10-29-2024

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 70 | E. Lopez |
| | 0600 | 70 | E. Lopez |
| | 0900 | 70 | D. Waddel |
| | 1200 | 70 | D. Waddel |
| | 1500 | 72 | R. TAPIA |
| | 1800 | 72 | R. TAPIA |
| | 2100 | 71 | R. TAPIA |
| | 2400 | 70 | E. Lopez |

Wednesday 10-30-2024

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 67 | J. Lee |
| | 0600 | 68 | D. Waddel |
| | 0900 | 69 | D. Waddel |
| | 1200 | 71 | D. Waddel |
| | 1500 | 71 | O. Nunez |
| | 1800 | 72 | O. Nunez |
| | 2100 | 70 | O. Nunez |
| | 2400 | 70 | J. Lee |

Thursday 10-31-2024

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 68 | J. Lee |
| | 0600 | 71 | A. Roche |
| | 0900 | 70 | A. Roche |
| | 1200 | 71 | A. Roche |
| | 1500 | 72 | R. TAPIA |
| | 1800 | 71 | R. TAPIA |
| | 2100 | 71 | R. TAPIA |
| | 2400 | 70 | J. Lee |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 11/01/24 | 0300 | | MAY 2024 |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | 70 | MAY 2024 |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 11/02/24 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 11/03/24 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: V.S.P Housing Unit: 84 Temp. Reading Location: A,B,C,D,J,R
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/28/2011 | 0300 | 71 | Boswell |
| | 0600 | 71 | M. Rios |
| | 0900 | 71 | M. Rios |
| | 1200 | 70 | M. Rios |
| | 1500 | 71 | B. Thao |
| | 1800 | 71 | B. Thao |
| | 2100 | 72 | B. Thao |
| | 2400 | 72 | Boswell |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/29/2011 | 0300 | 69 | MAY TERRASSA |
| | 0600 | 69 | F. GARCIA |
| | 0900 | 69 | F. GARCIA |
| | 1200 | 69 | F. GARCIA |
| | 1500 | 70 | C. LIMA |
| | 1800 | 70 | C. LIMA |
| | 2100 | 70 | C. LIMA |
| | 2400 | 71 | MAY TERRASSA |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/30/2011 | 0300 | 68 | F. COLDENOW |
| | 0600 | 67 | P. GARCIA |
| | 0900 | 69 | P. GARCIA |
| | 1200 | 69 | P. GARCIA |
| | 1500 | 71 | L. CHAVEZ |
| | 1800 | 71 | L. CHAVEZ |
| | 2100 | 70 | L. CHAVEZ |
| | 2400 | 66 | J. CRAMER |

Thursday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/31/2011 | 0300 | 68 | Boswell |
| | 0600 | 68 | P. GARCIA |
| | 0900 | 69 | P. GARCIA |
| | 1200 | 69 | P. GARCIA |
| | 1500 | 70 | C. LIMA |
| | 1800 | 70 | C. LIMA |
| | 2100 | 70 | C. LIMA |
| | 2400 | 69 | Boswell |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 65° | B. Cox |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C1 Temp. Reading Location: A, B, C, D, DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| <u>Monday Tuesday</u> | | | |
|-----------------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-01-24 | 0300 | 67 | T. Viss |
| | 0600 | 67 | T. Viss |
| | 0900 | 68 | M. Lawing |
| | 1200 | 72 | M. Lawing |
| | 1500 | 79 | A. Avicat |
| | 1800 | 76 | E. Lozario |
| | 2100 | 74 | A. Avicat |
| | 2400 | 70 | T. Viss |

| <u>Wednesday</u> | | | |
|------------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-02-24 | 0300 | 70 | J. Magdaleno |
| | 0600 | 69 | J. Magdaleno |
| | 0900 | 70 | M. Lawing |
| | 1200 | 74 | M. Lawing |
| | 1500 | 76 | D. Coyle |
| | 1800 | 73 | D. Coyle |
| | 2100 | 75 | D. Coyle |
| | 2400 | 72 | J. Magdaleno |

| <u>Friday</u> | | | |
|---------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-04-24 | 0300 | 70 | J. Magdaleno |
| | 0600 | 69 | J. Magdaleno |
| | 0900 | 71 | R. Trevino |
| | 1200 | 74 | R. Trevino |
| | 1500 | 75 | Green |
| | 1800 | 75 | Green |
| | 2100 | 73 | Green |
| | 2400 | 72 | J. Magdaleno |

| <u>Sunday</u> | | | |
|---------------|------|-------|---------------|
| Date | Time | Temp. | Name (Print) |
| 10-06-24 | 0300 | 71 | J. Laurent |
| | 0600 | 70 | J. Laurent |
| | 0900 | 72 | A. Delafuente |
| | 1200 | 73 | A. Delafuente |
| | 1500 | 76 | Green |
| | 1800 | 77 | Green |
| | 2100 | 76 | Green |
| | 2400 | 72 | J. Laurent |

Notes

10/2/24 - 1325 Stage 1

10/4/24 - 1250 Stage 2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C2 Temp. Reading Location: A, B, C, D, DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-2-24 | 0300 | 68 | J. Goren |
| | 0600 | 69 | J. Goren |
| | 0900 | 70 | F. Martinez |
| | 1200 | 73 | F. Martinez |
| | 1500 | 71 | E. Ramirez |
| | 1800 | 77 | E. Ramirez |
| | 2100 | 75 | E. Ramirez |
| | 2400 | 70 | J. Goren |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|----------------|
| 10-4-24 | 0300 | 68 | D. Covarrubias |
| | 0600 | 68 | B. Gaamble |
| | 0900 | 69 | B. Gaamble |
| | 1200 | 68 | B. Gaamble |
| | 1500 | 72 | B. Gaamble |
| | 1800 | 73 | B. Gaamble |
| | 2100 | 77 | B. Gaamble |
| | 2400 | 70 | D. Covarrubias |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|----------------|
| 10-6-24 | 0300 | 69 | D. Covarrubias |
| | 0600 | 71 | O. Schott |
| | 0900 | 73 | O. Schott |
| | 1200 | 74 | O. Schott |
| | 1500 | 76 | C. mohatt |
| | 1800 | 78 | C. mohatt |
| | 2100 | 74 | C. mohatt |
| | 2400 | 71 | D. Covarrubias |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|----------------|
| 10-1-24 | 0300 | 68 | D. Covarrubias |
| | 0600 | 67 | F. Martinez |
| | 0900 | 70 | F. Martinez |
| | 1200 | 71 | F. Martinez |
| | 1500 | 75 | A. Rodriguez |
| | 1800 | 75 | A. Rodriguez |
| | 2100 | 72 | A. Rodriguez |
| | 2400 | 70 | J. Goren |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|----------------|
| 10-3-24 | 0300 | 67 | D. Covarrubias |
| | 0600 | 67 | F. Martinez |
| | 0900 | 70 | F. Martinez |
| | 1200 | 74 | F. Martinez |
| | 1500 | 72 | B. Swetley |
| | 1800 | 74 | B. Swetley |
| | 2100 | 73 | B. Swetley |
| | 2400 | 70 | D. Covarrubias |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|----------------|
| 10-5-24 | 0300 | 67 | D. Covarrubias |
| | 0600 | 66 | B. Cox |
| | 0900 | 69 | B. Cox |
| | 1200 | 73 | Green |
| | 1500 | 75 | B. Cox |
| | 1800 | 75 | B. Cox |
| | 2100 | 75 | B. Cox |
| | 2400 | 69 | D. Covarrubias |

Notes

10-6-24 1330 Stage 1 Heat Alert Activated

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution VSP Housing Unit: C 3 Temp. Reading Location: A B C D DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 69 | C-Leyva |
| | 0600 | 70 | |
| | 0900 | 71 | |
| | 1200 | 74 | |
| | 1500 | 76 | MWKS |
| | 1800 | 74 | MWKS |
| | 2100 | 76 | MWKS |
| | 2400 | 74 | C-Leyva |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/2 | 0300 | 70 | A-Corona |
| | 0600 | 66 | Reed |
| | 0900 | 71 | Reed |
| | 1200 | 72 | Reed |
| | 1500 | 77 | A-Reed |
| | 1800 | 78 | A-Reed |
| | 2100 | 76 | A-Reed |
| | 2400 | 74 | A-Corona |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 10/4/2019 | 0300 | 72 | O-Schott |
| | 0600 | 72 | A-Linney |
| | 0900 | 73 | A-Linney |
| | 1200 | 73 | A-Linney |
| | 1500 | 77 | O-Schott |
| | 1800 | 77 | O-Schott |
| | 2100 | 75 | O-Schott |
| | 2400 | 71 | A-Linney |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 10/6/2019 | 0300 | 73 | M-Detruos |
| | 0600 | 72 | A-Linney |
| | 0900 | 74 | Finance |
| | 1200 | 75 | Finance |
| | 1500 | 77 | D-Cantu |
| | 1800 | 78 | D-Cantu |
| | 2100 | 77 | D-Cantu |
| | 2400 | 74 | M-Detruos |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 10/1/2019 | 0300 | 71 | A-Corona |
| | 0600 | 68 | Corona |
| | 0900 | 71 | Corona |
| | 1200 | 73 | M-McCoy |
| | 1500 | 79 | M-McCoy |
| | 1800 | 77 | M-McCoy |
| | 2100 | 71 | M-McCoy |
| | 2400 | 74 | A-Corona |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 10/3/2019 | 0300 | 71 | M-Detruos |
| | 0600 | 70 | Reed |
| | 0900 | 72 | Reed |
| | 1200 | 76 | Reed |
| | 1500 | 79 | Conrad |
| | 1800 | 77 | Conrad |
| | 2100 | 76 | Conrad |
| | 2400 | 74 | M-Detruos |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 10/5/2019 | 0300 | 72 | M-Detruos |
| | 0600 | 70 | A-Linney |
| | 0900 | 72 | A-Linney |
| | 1200 | 75 | A-Linney |
| | 1500 | 74 | Lopez |
| | 1800 | 76 | Lopez |
| | 2100 | 75 | Lopez |
| | 2400 | 73 | M-Detruos |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: V.S.P. Housing Unit: C4 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 9-30-14 | 0300 | 67 | Talavera |
| | 0600 | 68 | Talavera |
| | 0900 | 70 | A. Vee |
| | 1200 | 72 | Vee |
| | 1500 | 76 | C. Xiong |
| | 1800 | 76 | Xiong |
| | 2100 | 74 | Xiong |
| | 2400 | 68 | TALAVERA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-1-14 | 0300 | 67 | Talavera |
| | 0600 | 70 | Talavera |
| | 0900 | 72 | C. Xiong |
| | 1200 | 74 | Xiong |
| | 1500 | 76 | J. Jimenez |
| | 1800 | 76 | Jimenez |
| | 2100 | 76 | Jimenez |
| | 2400 | 64 | Talavera |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-2-14 | 0300 | 69 | Talavera |
| | 0600 | 70 | Talavera |
| | 0900 | 70 | A. Rodriguez |
| | 1200 | 75 | Rodriguez |
| | 1500 | 76 | J. Jimenez |
| | 1800 | 76 | Jimenez |
| | 2100 | 75 | Jimenez |
| | 2400 | 68 | Talavera |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-3-14 | 0300 | 70 | Talavera |
| | 0600 | 72 | Talavera |
| | 0900 | 72 | Castro |
| | 1200 | 73 | Castro |
| | 1500 | 76 | Bernster |
| | 1800 | 77 | Bernster |
| | 2100 | 75 | Bernster |
| | 2400 | 70 | Talavera |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-4-14 | 0300 | 68 | Talavera |
| | 0600 | 70 | Talavera |
| | 0900 | 72 | A. Rodriguez |
| | 1200 | 74 | A. Rodriguez |
| | 1500 | 76 | J. Jimenez |
| | 1800 | 76 | Jimenez |
| | 2100 | 75 | Jimenez |
| | 2400 | 73 | C. Leyva |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-5-14 | 0300 | 71 | C. Leyva |
| | 0600 | 71 | Odean |
| | 0900 | 71 | Odean |
| | 1200 | 74 | Odean |
| | 1500 | 69 | CASTRO |
| | 1800 | 71 | CASTRO |
| | 2100 | 72 | CASTRO |
| | 2400 | 73 | C. Leyva |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-6-14 | 0300 | 73 | C. Leyva |
| | 0600 | 72 | C. Xiong |
| | 0900 | 74 | C. Xiong |
| | 1200 | 75 | C. Xiong |
| | 1500 | 74 | C. Xiong |
| | 1800 | 74 | C. Xiong |
| | 2100 | 76 | C. Xiong |
| | 2400 | 74 | C. Leyva |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C1 Temp. Reading Location: A, B, C, D, DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/07/2024 | 0300 | 73 | F. COLDSNOW |
| | 0600 | 70 | M. Loring |
| | 0900 | 70 | M. Loring |
| | 1200 | 73 | M. Loring |
| | 1500 | 75 | D. Carter |
| | 1800 | 72 | D. Carter |
| | 2100 | 75 | A. Ayala |
| | 2400 | 74 | F. COLDSNOW |

| Tuesday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/08/2024 | 0300 | 71 | F. COLDSNOW |
| | 0600 | 70 | M. Loring |
| | 0900 | 70 | M. Loring |
| | 1200 | 74 | M. Loring |
| | 1500 | 75 | C. Geron |
| | 1800 | 76 | A. Ayala |
| | 2100 | 74 | E. Lozano |
| | 2400 | 73 | F. COLDSNOW |

| Wednesday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/09/2024 | 0300 | 69 | F. COLDSNOW |
| | 0600 | 69 | M. Loring |
| | 0900 | 69 | M. Loring |
| | 1200 | 71 | M. Loring |
| | 1500 | 73 | M. Loring |
| | 1800 | 72 | M. Loring |
| | 2100 | 70 | M. Loring |
| | 2400 | 72 | F. COLDSNOW |

| Thursday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/10/2024 | 0300 | 68 | C. Leyva |
| | 0600 | 67 | C. Leyva |
| | 0900 | 69 | R. Trevino |
| | 1200 | 71 | R. Trevino |
| | 1500 | 72 | R. Sloan |
| | 1800 | 72 | R. Sloan |
| | 2100 | 71 | R. Sloan |
| | 2400 | 69 | C. Leyva |

| Friday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/11/2024 | 0300 | 67 | C. Leyva |
| | 0600 | 68 | C. Leyva |
| | 0900 | 67 | R. Trevino |
| | 1200 | 70 | Schmitt |
| | 1500 | 71 | A. Ayala |
| | 1800 | 72 | A. Ayala |
| | 2100 | 70 | A. Ayala |
| | 2400 | 68 | C. Leyva |

| Saturday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/12/2024 | 0300 | 67 | A. Corona |
| | 0600 | 68 | A. Corona |
| | 0900 | 67 | A. Corona |
| | 1200 | 71 | A. Corona |
| | 1500 | 71 | A. Ayala |
| | 1800 | 71 | A. Ayala |
| | 2100 | 71 | A. Ayala |
| | 2400 | 67 | A. Corona |

| Sunday | | | |
|------------|------|-------|---------------|
| Date | Time | Temp. | Name (Print) |
| 10/13/2024 | 0300 | 68 | J. Green |
| | 0600 | 68 | J. Green |
| | 0900 | 69 | A. Delafuente |
| | 1200 | 70 | A. Delafuente |
| | 1500 | 72 | B. Sacaizas |
| | 1800 | 73 | O. Schott |
| | 2100 | 72 | O. Schott |
| | 2400 | 69 | J. Green |

| Notes | | | |
|-----------------------------|--|--|--|
| 10/7/24 @ 1250 Stage 1 Heat | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONAL REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VIP Housing Unit: C-2 Temp. Reading Location: A, B, C, D, E
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/2/24 | 0300 | 73 | J. Waddell |
| | 0600 | 71 | J. Waddell |
| | 0900 | 71 | F. Martinez |
| | 1200 | 71 | F. Martinez |
| | 1500 | 72 | F. Martinez |
| | 1800 | 73 | Powell |
| | 2100 | 74 | Powell |
| | 2400 | 73 | J. Waddell |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/2/24 | 0300 | 69 | J. Green |
| | 0600 | 68 | F. Martinez |
| | 0900 | 69 | F. Martinez |
| | 1200 | 71 | F. Martinez |
| | 1500 | 72 | A. Rodriguez |
| | 1800 | 74 | A. Rodriguez |
| | 2100 | 73 | A. Rodriguez |
| | 2400 | 69 | J. Green |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/4/24 | 0300 | 65 | D. Contreras |
| | 0600 | 64 | T. Ly |
| | 0900 | 68 | T. Ly |
| | 1200 | 69 | T. Ly |
| | 1500 | 73 | E. Ro |
| | 1800 | 73 | E. Ro |
| | 2100 | 71 | C. Ro |
| | 2400 | 67 | D. Contreras |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/13/24 | 0300 | 70 | J. Waddel |
| | 0600 | 68 | O. Schott |
| | 0900 | 71 | O. Schott |
| | 1200 | 71 | O. Schott |
| | 1500 | 71 | Powell |
| | 1800 | 73 | Powell |
| | 2100 | 73 | Powell |
| | 2400 | 71 | J. Waddel |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/3/24 | 0300 | 72 | J. Warren |
| | 0600 | 72 | J. Warren |
| | 0900 | 69 | F. Martinez |
| | 1200 | 75 | F. Martinez |
| | 1500 | 76 | A. Rodriguez |
| | 1800 | 75 | A. Rodriguez |
| | 2100 | 74 | A. Rodriguez |
| | 2400 | 73 | J. Warren |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10/10/24 | 0300 | 66 | J. Warren |
| | 0600 | 71 | A. Delafuente |
| | 0900 | 69 | A. Delafuente |
| | 1200 | 71 | A. Delafuente |
| | 1500 | 73 | C. Green |
| | 1800 | 73 | C. Green |
| | 2100 | 72 | C. Green |
| | 2400 | 67 | J. Warren |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/12/24 | 0300 | 64 | D. Contreras |
| | 0600 | 67 | A. Avila |
| | 0900 | 70 | A. Avila |
| | 1200 | 72 | A. Avila |
| | 1500 | 72 | J. Caro |
| | 1800 | 73 | J. Caro |
| | 2100 | 72 | J. Caro |
| | 2400 | 65 | D. Contreras |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: U13 Temp. Reading Location: A/P, N/D (1) 1/2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/7/24 | 0300 | 73 | M. DeAruos ✓ |
| | 0600 | 72 | A. Laram ✓ |
| | 0900 | 72 | A. Laram ✓ |
| | 1200 | 76 | A. Laram ✓ |
| | 1500 | 77 | A. Laram ✓ |
| | 1800 | 78 | A. Laram ✓ |
| | 2100 | 76 | A. Laram ✓ |
| | 2400 | 75 | M. DeAruos ✓ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------|
| 10/8/24 | 0300 | 73 | P. Anguiano ✓ |
| | 0600 | 72 | P. Anguiano ✓ |
| | 0900 | 71 | P. Anguiano ✓ |
| | 1200 | 74 | P. Anguiano ✓ |
| | 1500 | 77 | P. Anguiano ✓ |
| | 1800 | 76 | P. Anguiano ✓ |
| | 2100 | 76 | P. Anguiano ✓ |
| | 2400 | 74 | P. Anguiano ✓ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|-----------------|
| 10/9/24 | 0300 | 72 | J. C. CARRERA ✓ |
| | 0600 | 71 | J. C. CARRERA ✓ |
| | 0900 | 70 | J. RECALVO ✓ |
| | 1200 | 76 | J. RECALVO ✓ |
| | 1500 | 71 | M. MUNIZ ✓ |
| | 1800 | 71 | M. MUNIZ ✓ |
| | 2100 | 72 | M. MUNIZ ✓ |
| | 2400 | 73 | J. C. CARRERA ✓ |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-10-24 | 0300 | 68 | Martinez ✓ |
| | 0600 | 67 | Martinez ✓ |
| | 0900 | 71 | Martinez ✓ |
| | 1200 | 68 | Martinez ✓ |
| | 1500 | 71 | Martinez ✓ |
| | 1800 | 71 | Martinez ✓ |
| | 2100 | 73 | Martinez ✓ |
| | 2400 | 70 | Martinez ✓ |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/11/24 | 0300 | 78 | M. DeAruos ✓ |
| | 0600 | 69 | A. Laram ✓ |
| | 0900 | 71 | A. Laram ✓ |
| | 1200 | 76 | A. Laram ✓ |
| | 1500 | 81 | S. Lopez ✓ |
| | 1800 | 82 | S. Lopez ✓ |
| | 2100 | 79 | S. Lopez ✓ |
| | 2400 | 70 | M. DeAruos ✓ |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10/12/24 | 0300 | 72 | M. DeAruos ✓ |
| | 0600 | 71 | D. Anguiano ✓ |
| | 0900 | 72 | D. Anguiano ✓ |
| | 1200 | 75 | D. Anguiano ✓ |
| | 1500 | 79 | J. Lopez ✓ |
| | 1800 | 77 | J. Lopez ✓ |
| | 2100 | 77 | J. Lopez ✓ |
| | 2400 | 75 | M. DeAruos ✓ |

Notes

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/13/24 | 0300 | 73 | M. DeAruos ✓ |
| | 0600 | 72 | A. Laram ✓ |
| | 0900 | 73 | A. Laram ✓ |
| | 1200 | 76 | A. Laram ✓ |
| | 1500 | 79 | B. Bonsuor ✓ |
| | 1800 | 81 | B. Bonsuor ✓ |
| | 2100 | 78 | B. Bonsuor ✓ |
| | 2400 | 75 | M. DeAruos ✓ |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C4 Temp. Reading Location: A, B, C, D, + DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 80 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/7/24 | 0300 | 71 | J. Talavera |
| | 0600 | 72 | J. Talavera |
| | 0900 | 73 | J. Chambers |
| | 1200 | 75 | J. Chambers |
| | 1500 | 75 | A. Ulterras |
| | 1800 | 76 | A. Ulterras |
| | 2100 | 77 | A. Ulterras |
| | 2400 | 70 | J. Talavera |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/8/24 | 0300 | 70 | J. Talavera |
| | 0600 | 72 | J. Talavera |
| | 0900 | 71 | J. Chambers |
| | 1200 | 75 | J. Chambers |
| | 1500 | 75 | E. Villegas |
| | 1800 | 75 | E. Villegas |
| | 2100 | 75 | E. Villegas |
| | 2400 | 70 | J. Talavera |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/9/24 | 0300 | 71 | J. Magdaleno |
| | 0600 | 69 | J. Magdaleno |
| | 0900 | 72 | C. Castro |
| | 1200 | 74 | C. Castro |
| | 1500 | 73 | E. Villegas |
| | 1800 | 74 | E. Villegas |
| | 2100 | 74 | E. Villegas |
| | 2400 | 73 | J. Magdaleno |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/10/24 | 0300 | 68 | J. Talavera |
| | 0600 | 69 | J. Talavera |
| | 0900 | 69 | C. Castro |
| | 1200 | | F. Andrade |
| | 1500 | 75 | F. Andrade |
| | 1800 | 73 | F. Andrade |
| | 2100 | 72 | F. Andrade |
| | 2400 | 68 | J. Talavera |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/11/24 | 0300 | 67 | E. Villegas |
| | 0600 | 66 | E. Villegas |
| | 0900 | 71 | E. Villegas |
| | 1200 | 68 | E. Villegas |
| | 1500 | 71 | Andrade |
| | 1800 | 71 | Andrade |
| | 2100 | 77 | Andrade |
| | 2400 | 68 | E. Villegas |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/12/24 | 0300 | 68 | P. Anguiano |
| | 0600 | 69 | P. Anguiano |
| | 0900 | 70 | C. Castro |
| | 1200 | 71 | C. Castro |
| | 1500 | 72 | E. Villegas |
| | 1800 | 72 | E. Villegas |
| | 2100 | 72 | E. Villegas |
| | 2400 | 69 | P. Anguiano |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/13/24 | 0300 | 68 | J. Talavera |
| | 0600 | 68 | J. Talavera |
| | 0900 | 69 | CHARFAUROS |
| | 1200 | 72 | CHARFAUROS |
| | 1500 | 73 | CHARFAUROS |
| | 1800 | 73 | E. Villegas |
| | 2100 | 71 | E. Villegas |
| | 2400 | 64 | J. Talavera |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C1 Temp. Reading Location: A, B, C, D, DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-14-24 | 0300 | 68 | T. VISS |
| | 0600 | 69 | T. VISS |
| | 0900 | 70 | M. LAING |
| | 1200 | 71 | M. LAING |
| | 1500 | 73 | ELOZANO |
| | 1800 | 74 | ELOZANO |
| | 2100 | 72 | A. AVILA |
| | 2400 | 69 | T. VISS |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-15-24 | 0300 | 68 | T. VISS |
| | 0600 | 68 | T. VISS |
| | 0900 | 69 | M. LAING |
| | 1200 | 72 | M. LAING |
| | 1500 | 73 | ELOZANO |
| | 1800 | 74 | ELOZANO |
| | 2100 | 72 | ELOZANO |
| | 2400 | 70 | T. VISS |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-16-24 | 0300 | 68 | T. VISS |
| | 0600 | 68 | T. VISS |
| | 0900 | 70 | M. LAING |
| | 1200 | 71 | M. LAING |
| | 1500 | 71 | ELOZANO |
| | 1800 | 71 | ELOZANO |
| | 2100 | 70 | ELOZANO |
| | 2400 | 69 | T. VISS |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-17-24 | 0300 | 68 | T. VISS |
| | 0600 | 68 | T. VISS |
| | 0900 | 68 | ELOZANO |
| | 1200 | 68 | ELOZANO |
| | 1500 | 68 | ELOZANO |
| | 1800 | 68 | ELOZANO |
| | 2100 | 66 | ELOZANO |
| | 2400 | 68 | T. VISS |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-18-24 | 0300 | 68 | T. VISS |
| | 0600 | 66 | T. VISS |
| | 0900 | 67 | O. SCHOTT |
| | 1200 | 69 | O. SCHOTT |
| | 1500 | 67 | O. SCHOTT |
| | 1800 | 69 | O. SCHOTT |
| | 2100 | 68 | O. SCHOTT |
| | 2400 | 68 | T. VISS |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-19-24 | 0300 | 67 | J. AREZENO |
| | 0600 | 67 | J. AREZENO |
| | 0900 | 62 | A. YADONB |
| | 1200 | 67 | A. YADONB |
| | 1500 | 68 | D. ARAYLANDO |
| | 1800 | 68 | A. BEN |
| | 2100 | 68 | A. BEN |
| | 2400 | 67 | J. AREZENO |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-20-24 | 0300 | 67 | J. AREZENO |
| | 0600 | 67 | J. AREZENO |
| | 0900 | 67 | J. AREZENO |
| | 1200 | 62 | J. AREZENO |
| | 1500 | 68 | O. SCHOTT |
| | 1800 | 68 | J. BEN |
| | 2100 | 67 | O. SCHOTT |
| | 2400 | 67 | J. AREZENO |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution VSP Housing Unit: C-2 Temp. Reading Location: P.R.C.D. AR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-14-24 | 0300 | 71 | J. CABRERA |
| | 0600 | 71 | J. CABRERA |
| | 0900 | 69 | F. MARTINEZ |
| | 1200 | 70 | F. MARTINEZ |
| | 1500 | 73 | P. ODELL |
| | 1800 | 73 | P. ODELL |
| | 2100 | 72 | P. ODELL |
| | 2400 | 72 | J. CABRERA |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/16/24 | 0300 | 66 | J. GARCIA |
| | 0600 | 69 | J. GARCIA |
| | 0900 | 71 | A. RODRIGUEZ |
| | 1200 | 72 | A. RODRIGUEZ |
| | 1500 | 71 | A. RODRIGUEZ |
| | 1800 | 72 | A. RODRIGUEZ |
| | 2100 | 72 | A. RODRIGUEZ |
| | 2400 | 66 | J. GARCIA |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|----------------|
| 10-16-24 | 0300 | 65 | D. COVARRUBIAS |
| | 0600 | 66 | D. COVARRUBIAS |
| | 0900 | 67 | D. COVARRUBIAS |
| | 1200 | 67 | D. COVARRUBIAS |
| | 1500 | 70 | D. COVARRUBIAS |
| | 1800 | 70 | D. COVARRUBIAS |
| | 2100 | 70 | D. COVARRUBIAS |
| | 2400 | 66 | D. COVARRUBIAS |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-20-24 | 0300 | 68 | C. LEYVA |
| | 0600 | 67 | O. SCHOTT |
| | 0900 | 68 | O. SCHOTT |
| | 1200 | 69 | O. SCHOTT |
| | 1500 | 69 | P. ODELL |
| | 1800 | 69 | P. ODELL |
| | 2100 | 70 | P. ODELL |
| | 2400 | 69 | C. LEYVA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-15-24 | 0300 | 72 | J. CABRERA |
| | 0600 | 71 | J. CABRERA |
| | 0900 | 69 | F. MARTINEZ |
| | 1200 | 70 | F. MARTINEZ |
| | 1500 | 76 | A. RODRIGUEZ |
| | 1800 | 77 | A. RODRIGUEZ |
| | 2100 | 72 | A. RODRIGUEZ |
| | 2400 | 72 | J. CABRERA |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|----------------|
| 10-17-24 | 0300 | 66 | J. CABRERA |
| | 0600 | 68 | O. SCHOTT |
| | 0900 | 67 | O. SCHOTT |
| | 1200 | 71 | O. SCHOTT |
| | 1500 | 70 | A. RODRIGUEZ |
| | 1800 | 70 | A. RODRIGUEZ |
| | 2100 | 70 | D. COVARRUBIAS |
| | 2400 | 65 | D. COVARRUBIAS |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|----------------|
| 10-19-24 | 0300 | 64 | D. COVARRUBIAS |
| | 0600 | 67 | O. SCHOTT |
| | 0900 | 69 | O. SCHOTT |
| | 1200 | 68 | O. SCHOTT |
| | 1500 | 69 | CARO |
| | 1800 | 69 | CARO |
| | 2100 | 69 | CARO |
| | 2400 | 67 | D. COVARRUBIAS |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REVENGE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C103

Temp. Reading Location: A,B,C,D,E,F
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/14/24 | 0300 | 72 | M.Debrys |
| | 0600 | 72 | J. Deacon |
| | 0900 | 73 | A. Luevny |
| | 1200 | 78 | N. M. R. |
| | 1500 | 81 | A. Brozal |
| | 1800 | 80 | A. Brozal |
| | 2100 | 78 | A. Brozal |
| | 2400 | 71 | M.Debrys |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/16/24 | 0300 | 70 | A. Correa |
| | 0600 | 72 | N. M. R. |
| | 0900 | 72 | N. M. R. |
| | 1200 | 78 | N. M. R. |
| | 1500 | 79 | A. Brozal |
| | 1800 | 78 | A. Brozal |
| | 2100 | 76 | A. Brozal |
| | 2400 | 70 | A. Correa |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/18/24 | 0300 | 79 | M.Debrys |
| | 0600 | 78 | A. Luevny |
| | 0900 | 79 | A. Luevny |
| | 1200 | 71 | A. Luevny |
| | 1500 | 73 | N. M. R. |
| | 1800 | 73 | N. M. R. |
| | 2100 | 73 | M. Debras |
| | 2400 | 71 | M. Debras |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/20/24 | 0300 | 77 | M.Debrys |
| | 0600 | 76 | A. Luevny |
| | 0900 | 77 | A. Luevny |
| | 1200 | 73 | A. Luevny |
| | 1500 | 79 | S. S. S. |
| | 1800 | 78 | S. S. S. |
| | 2100 | 78 | B. B. B. |
| | 2400 | 78 | M. Debras |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/15/24 | 0300 | 74 | P. Anvilano |
| | 0600 | 73 | P. Anvilano |
| | 0900 | 75 | N. M. R. |
| | 1200 | 81 | A. Brozal |
| | 1500 | 82 | A. Brozal |
| | 1800 | 83 | A. Brozal |
| | 2100 | 79 | A. Brozal |
| | 2400 | 70 | P. Anvilano |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/17/24 | 0300 | 71 | M.Debrys |
| | 0600 | 69 | A. Luevny |
| | 0900 | 76 | N. M. R. |
| | 1200 | 74 | A. Luevny |
| | 1500 | 76 | M. Debras |
| | 1800 | 76 | M. Debras |
| | 2100 | 74 | M. Debras |
| | 2400 | 73 | M. Debras |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/19/24 | 0300 | 68 | M.Debrys |
| | 0600 | 66 | A. Luevny |
| | 0900 | 68 | A. Luevny |
| | 1200 | 71 | A. Luevny |
| | 1500 | 73 | G. G. G. |
| | 1800 | 73 | G. G. G. |
| | 2100 | 72 | G. G. G. |
| | 2400 | 71 | M. Debras |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C4 Temp. Reading Location: A, B, C, D + DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|----------------|
| 10/11/24 | 0300 | 69 | Talavera ✓✓ |
| | 0600 | 69 | Talavera ✓✓ |
| | 0900 | 71 | Chamberlain ✓✓ |
| | 1200 | 73 | Chamberlain ✓✓ |
| | 1500 | 73 | Caro ✓✓ |
| | 1800 | 74 | Caro ✓✓ |
| | 2100 | 73 | Caro ✓✓ |
| | 2400 | 68 | Talavera ✓✓ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10/12/24 | 0300 | 67 | Talavera ✓✓ |
| | 0600 | 69 | Talavera ✓✓ |
| | 0900 | 70 | R. Green ✓✓ |
| | 1200 | 70 | R. Green ✓✓ |
| | 1500 | 74 | J. Jimenez ✓✓ |
| | 1800 | 71 | Jimenez ✓✓ |
| | 2100 | 71 | Jimenez ✓✓ |
| | 2400 | 67 | Talavera ✓✓ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10/16/24 | 0300 | 67 | Talavera ✓✓ |
| | 0600 | 66 | Talavera ✓✓ |
| | 0900 | 71 | J. Jimenez ✓✓ |
| | 1200 | 73 | Jimenez ✓✓ |
| | 1500 | 73 | Jimenez ✓✓ |
| | 1800 | 74 | Jimenez ✓✓ |
| | 2100 | 73 | Jimenez ✓✓ |
| | 2400 | 68 | Talavera ✓✓ |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10/17/24 | 0300 | 69 | Talavera ✓✓ |
| | 0600 | 70 | Talavera ✓✓ |
| | 0900 | 71 | Castro ✓✓ |
| | 1200 | 70 | Castro ✓✓ |
| | 1500 | 70 | J. Jimenez ✓✓ |
| | 1800 | 72 | Jimenez ✓✓ |
| | 2100 | 70 | Jimenez ✓✓ |
| | 2400 | 68 | Talavera ✓✓ |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/18/24 | 0300 | 67 | EARL ✓✓ |
| | 0600 | 69 | EARL ✓✓ |
| | 0900 | 67 | CASTRO ✓✓ |
| | 1200 | 69 | Castro ✓✓ |
| | 1500 | 69 | Castro ✓✓ |
| | 1800 | 68 | Castro ✓✓ |
| | 2100 | 68 | Castro ✓✓ |
| | 2400 | 63 | EARL ✓✓ |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|-----------------|
| 10/19/24 | 0300 | 67 | P. Arredondo ✓✓ |
| | 0600 | 67 | CASTRO ✓✓ |
| | 0900 | 71 | CASTRO ✓✓ |
| | 1200 | 71 | Castro ✓✓ |
| | 1500 | 68 | J. Jimenez ✓✓ |
| | 1800 | 68 | Jimenez ✓✓ |
| | 2100 | 68 | Jimenez ✓✓ |
| | 2400 | 64 | P. Arredondo ✓✓ |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/20/24 | 0300 | 69 | Talavera ✓✓ |
| | 0600 | 67 | Talavera ✓✓ |
| | 0900 | 68 | Talavera ✓✓ |
| | 1200 | 68 | C. Xiong ✓✓ |
| | 1500 | 70 | C. Xiong ✓✓ |
| | 1800 | 70 | C. Xiong ✓✓ |
| | 2100 | 69 | C. Xiong ✓✓ |
| | 2400 | 68 | Talavera ✓✓ |

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 | 04/18

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every there (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C1 Temp. Reading Location: A, B, C, D, DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5320 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday A/B/C/D/DR

| Date | Time | Temp | Name (Print) |
|----------|------|------|--------------|
| 10-21-24 | 0300 | 68 | T. VISS |
| | 0600 | 68 | T. VISS |
| | 0900 | 68 | M. LAM |
| | 1200 | 68 | M. LAM |
| | 1500 | 69 | ELOZANO |
| | 1800 | 68 | A. AVILA |
| | 2100 | 67 | A. AVILA |
| | 2400 | 68 | T. VISS |

Wednesday A/B/C/D/DR

| Date | Time | Temp | Name (Print) |
|----------|------|------|--------------|
| 10-23-24 | 0300 | 68 | T. VISS |
| | 0600 | 69 | T. VISS |
| | 0900 | 68 | M. LAM |
| | 1200 | 71 | M. LAM |
| | 1500 | 72 | ELOZANO |
| | 1800 | 73 | A. BON |
| | 2100 | 71 | ELOZANO |
| | 2400 | 68 | T. VISS |

Friday A/B/C/D/DR

| Date | Time | Temp | Name (Print) |
|----------|------|------|--------------|
| 10-25-24 | 0300 | 69 | T. VISS |
| | 0600 | 69 | T. VISS |
| | 0900 | 68 | O. Schott |
| | 1200 | 70 | O. Schott |
| | 1500 | 71 | A. BON |
| | 1800 | 71 | A. BON |
| | 2100 | 70 | T. VISS |
| | 2400 | 70 | T. VISS |

Sunday A/B/C/D/DR

| Date | Time | Temp | Name (Print) |
|----------|------|------|--------------|
| 10-27-24 | 0300 | 70 | E. Lopez |
| | 0600 | 70 | E. Lopez |
| | 0900 | 70 | E. Lopez |
| | 1200 | 71 | E. Lopez |
| | 1500 | 72 | O. Schott |
| | 1800 | 71 | O. Schott |
| | 2100 | 71 | O. Schott |
| | 2400 | 70 | E. Lopez |

Tuesday A/B/C/D/DR

| Date | Time | Temp | Name (Print) |
|----------|------|------|--------------|
| 10-22-24 | 0300 | 68 | T. VISS |
| | 0600 | 69 | T. VISS |
| | 0900 | 69 | M. LAM |
| | 1200 | 73 | M. LAM |
| | 1500 | 71 | ELOZANO |
| | 1800 | 72 | A. AVILA |
| | 2100 | 71 | ELOZANO |
| | 2400 | 68 | T. VISS |

Thursday A/B/C/D/DB

| Date | Time | Temp | Name (Print) |
|----------|------|------|--------------|
| 10-24-24 | 0300 | 70 | T. VISS |
| | 0600 | 69 | T. VISS |
| | 0900 | 68 | ELOZANO |
| | 1200 | 69 | ELOZANO |
| | 1500 | 73 | A. BON |
| | 1800 | 73 | A. BON |
| | 2100 | 70 | ELOZANO |
| | 2400 | 71 | T. VISS |

Saturday A/B/C/D/DR

| Date | Time | Temp | Name (Print) |
|----------|------|------|--------------|
| 10-26-24 | 0300 | 70 | E. Lopez |
| | 0600 | 69 | E. Lopez |
| | 0900 | 68 | A. YACOB |
| | 1200 | 70 | A. YACOB |
| | 1500 | 71 | A. BON |
| | 1800 | 71 | O. Schott |
| | 2100 | 71 | O. Schott |
| | 2400 | 70 | E. Lopez |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C-2 Temp. Reading Location: A, B, C, D, N
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/21/21 | 0300 | 68 | J. CABRERA |
| | 0600 | 69 | J. CABRERA |
| | 0900 | 64 | F. MARTINEZ |
| | 1200 | 65 | F. MARTINEZ |
| | 1500 | 70 | P. THAO |
| | 1800 | 69 | D. THAO |
| | 2100 | 69 | D. THAO |
| | 2400 | 68 | J. CABRERA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/21/21 | 0300 | 69 | J. CABRERA |
| | 0600 | 69 | J. CABRERA |
| | 0900 | 68 | F. MARTINEZ |
| | 1200 | 69 | F. MARTINEZ |
| | 1500 | 73 | J. RODRIGUEZ |
| | 1800 | 73 | J. RODRIGUEZ |
| | 2100 | 72 | A. RODRIGUEZ |
| | 2400 | 69 | J. CABRERA |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/21/21 | 0300 | 67 | J. CARR |
| | 0600 | 67 | J. CARR |
| | 0900 | 68 | F. MARTINEZ |
| | 1200 | 70 | F. MARTINEZ |
| | 1500 | 74 | A. RODRIGUEZ |
| | 1800 | 74 | A. RODRIGUEZ |
| | 2100 | 70 | |
| | 2400 | 68 | J. CARR |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/21/21 | 0300 | 67 | J. LOVINSKI |
| | 0600 | 70 | M. MILES |
| | 0900 | 72 | M. MILES |
| | 1200 | 74 | M. MILES |
| | 1500 | 71 | J. SOLIVAR |
| | 1800 | 74 | B. COYLE |
| | 2100 | 72 | B. COYLE |
| | 2400 | 68 | J. LOVINSKI |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/21/21 | 0300 | 67 | D. LOVINSKI |
| | 0600 | 69 | O. SCHIFF |
| | 0900 | 69 | O. SCHIFF |
| | 1200 | 72 | O. SCHIFF |
| | 1500 | 68 | K. SINGH |
| | 1800 | 69 | K. SINGH |
| | 2100 | 70 | |
| | 2400 | 68 | D. LOVINSKI |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/21/21 | 0300 | 67 | D. LOVINSKI |
| | 0600 | 69 | O. SCHIFF |
| | 0900 | 69 | O. SCHIFF |
| | 1200 | 72 | O. SCHIFF |
| | 1500 | 73 | J. CARO |
| | 1800 | 72 | J. CARO |
| | 2100 | 72 | J. CARO |
| | 2400 | 68 | D. LOVINSKI |

Notes

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/21/21 | 0300 | 71 | P. SOLIS |
| | 0600 | 71 | P. SOLIS |
| | 0900 | 70 | A. ANDRADE |
| | 1200 | 71 | A. ANDRADE |
| | 1500 | 74 | A. ANDRADE |
| | 1800 | 73 | A. ANDRADE |
| | 2100 | 72 | A. ANDRADE |
| | 2400 | 71 | A. ANDRADE |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: C103 Temp. Reading Location: A,B,L,D,P,R
(e.g., 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 9323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/21/24 | 0300 | 69 | M.Detrios |
| | 0600 | 71 | Liliana |
| | 0900 | 74 | Liliana |
| | 1200 | 77 | A.Irving |
| | 1500 | 78 | A.Irving |
| | 1800 | 78 | A.Irving |
| | 2100 | 76 | A.Irving |
| | 2400 | 71 | M.Detrios |

| Wednesday | | | |
|-----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/23/24 | 0300 | 70 | F.ColdSnow |
| | 0600 | 67 | D.Anguiano |
| | 0900 | 70 | Santillan |
| | 1200 | 74 | Santillan |
| | 1500 | 79 | A.Irving |
| | 1800 | 78 | A.Irving |
| | 2100 | 76 | A.Irving |
| | 2400 | 72 | F.ColdSnow |

| Friday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/25/24 | 0300 | 69 | M.Detrios |
| | 0600 | 68 | A.Irving |
| | 0900 | 68 | A.Irving |
| | 1200 | 74 | A.Irving |
| | 1500 | 74 | J.Cole |
| | 1800 | 75 | J.Cole |
| | 2100 | 73 | J.Cole |
| | 2400 | 71 | M.Detrios |

| Sunday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/27/24 | 0300 | 70 | M.Detrios |
| | 0600 | 70 | Liliana |
| | 0900 | 71 | Liliana |
| | 1200 | 74 | Liliana |
| | 1500 | 77 | J.Cole |
| | 1800 | 73 | J.Cole |
| | 2100 | 72 | J.Cole |
| | 2400 | 71 | M.Detrios |

| Tuesday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/22/24 | 0300 | 68 | P.Anguiano |
| | 0600 | 68 | M.Irvin |
| | 0900 | 73 | Liliana |
| | 1200 | 76 | M.Irvin |
| | 1500 | 77 | A.Irving |
| | 1800 | 79 | A.Irving |
| | 2100 | 76 | A.Irving |
| | 2400 | 72 | P.Anguiano |

| Thursday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/24/24 | 0300 | 69 | M.Detrios |
| | 0600 | 68 | Saldana |
| | 0900 | 72 | Saldana |
| | 1200 | 74 | Saldana |
| | 1500 | 75 | Green |
| | 1800 | 76 | Green |
| | 2100 | 73 | Green |
| | 2400 | 71 | M.Detrios |

| Saturday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/26/24 | 0300 | 69 | M.Detrios |
| | 0600 | 68 | Liliana |
| | 0900 | 68 | Liliana |
| | 1200 | 72 | Liliana |
| | 1500 | 74 | J.Cole |
| | 1800 | 75 | J.Cole |
| | 2100 | 73 | J.Cole |
| | 2400 | 71 | M.Detrios |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C-4 Temp. Reading Location: A, B, C, D + DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 80 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|-------------------|
| 10-21-24 | 0300 | 64 | Talavera <i>M</i> |
| | 0600 | 64 | Talavera <i>M</i> |
| | 0900 | 65 | P. Chen <i>M</i> |
| | 1200 | 67 | P. Chen <i>M</i> |
| | 1500 | 70 | C. XIONG <i>M</i> |
| | 1800 | 69 | C. XIONG <i>M</i> |
| | 2100 | 69 | C. XIONG <i>M</i> |
| | 2400 | 65 | Talavera <i>M</i> |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|----------------------|
| 10-22-24 | 0300 | 68 | Talavera <i>M</i> |
| | 0600 | 68 | A. Lopez <i>M</i> |
| | 0900 | 68 | A. Lopez <i>M</i> |
| | 1200 | 71 | J. Campbell <i>M</i> |
| | 1500 | 73 | C. XIONG <i>M</i> |
| | 1800 | 71 | C. XIONG <i>M</i> |
| | 2100 | 71 | C. XIONG <i>M</i> |
| | 2400 | 68 | Talavera <i>M</i> |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|-------------------|
| 10-23-24 | 0300 | 68 | Talavera <i>M</i> |
| | 0600 | 69 | Talavera <i>M</i> |
| | 0900 | 69 | Castro <i>M</i> |
| | 1200 | 72 | Castro <i>M</i> |
| | 1500 | 73 | C. XIONG <i>M</i> |
| | 1800 | 72 | C. XIONG <i>M</i> |
| | 2100 | 72 | C. XIONG <i>M</i> |
| | 2400 | 67 | Talavera <i>M</i> |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|----------------------|
| 10-24-24 | 0300 | 68 | J. Talavera <i>M</i> |
| | 0600 | 68 | J. Talavera <i>M</i> |
| | 0900 | 70 | Castro <i>M</i> |
| | 1200 | 71 | Castro <i>M</i> |
| | 1500 | 73 | J. Jimenez <i>M</i> |
| | 1800 | 72 | Jimenez <i>M</i> |
| | 2100 | 72 | Jimenez <i>M</i> |
| | 2400 | 69 | J. Talavera <i>M</i> |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------------|
| 10-25-24 | 0300 | 70 | Cox <i>M</i> |
| | 0600 | 69 | Cox <i>M</i> |
| | 0900 | 69 | Castro <i>M</i> |
| | 1200 | 70 | Castro <i>M</i> |
| | 1500 | 72 | J. Jimenez <i>M</i> |
| | 1800 | 72 | Jimenez <i>M</i> |
| | 2100 | 70 | Jimenez <i>M</i> |
| | 2400 | 670 | B. Cox <i>M</i> |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------------|
| 10-26-24 | 0300 | 69 | P. Arevalo <i>M</i> |
| | 0600 | 70 | Castro <i>M</i> |
| | 0900 | 71 | Castro <i>M</i> |
| | 1200 | 71 | Castro <i>M</i> |
| | 1500 | 73 | Castro <i>M</i> |
| | 1800 | 71 | Castro <i>M</i> |
| | 2100 | 72 | Castro <i>M</i> |
| | 2400 | 70 | P. Arevalo <i>M</i> |

Notes

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|-------------------|
| 10-27-24 | 0300 | 69 | C. Leyva <i>M</i> |
| | 0600 | 70 | C. Leyva <i>M</i> |
| | 0900 | 69 | Utreros <i>M</i> |
| | 1200 | 72 | Utreros <i>M</i> |
| | 1500 | 73 | C. XIONG <i>M</i> |
| | 1800 | 73 | C. XIONG <i>M</i> |
| | 2100 | 72 | C. XIONG <i>M</i> |
| | 2400 | 70 | C. Leyva <i>M</i> |

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C1 Temp. Reading Location: A, B, C, D, DAYROOM
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | | Tuesday | | | | Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | | Sunday | | | |
|------------------|------|-------|--------------|-----------------|------|-------|--------------|-----------------|------|-------|--------------|-----------------|------|-------|--------------|-----------------|------|-------|--------------|-----------------|------|-------|--------------|-----------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| <i>10/28/24</i> | 0300 | 69 | T. VISS | <i>10/29/24</i> | 0300 | 68 | T. VISS | <i>10/29/24</i> | 0300 | 67 | M. LAING | <i>10/31/24</i> | 0300 | 67 | T. VISS | <i>10/31/24</i> | 0300 | 67 | T. VISS | <i>10/31/24</i> | 0300 | 67 | T. VISS | <i>10/31/24</i> | 0300 | 68 | T. VISS |
| | 0600 | 68 | T. VISS | | 0600 | 68 | T. VISS | | 0600 | 68 | M. LAING | | 0600 | 67 | T. VISS | | 0600 | 67 | T. VISS | | 0600 | 67 | T. VISS | | 0600 | 68 | T. VISS |
| | 0900 | 67 | M. LAING | | 0900 | 69 | M. LAING | | 0900 | 68 | M. LAING | | 0900 | 68 | R. TREVINO |
| | 1200 | 67 | M. LAING | | 1200 | 65 | M. LAING | | 1200 | 67 | ELOZANO |
| | 1500 | 71 | A. AVILA | | 1500 | 69 | A. AVILA | | 1500 | 69 | A. AVILA | | 1500 | 69 | ELOZANO |
| | 1800 | 71 | E. LOZANO | | 1800 | 69 | E. LOZANO | | 1800 | 69 | E. LOZANO | | 1800 | 69 | ELOZANO |
| | 2100 | 69 | A. AVILA | | 2100 | 69 | A. AVILA | | 2100 | 69 | ELOZANO |
| | 2400 | 70 | T. VISS | | 2400 | 69 | T. VISS |
| Wednesday | | | | Thursday | | | | Saturday | | | | Sunday | | | | Notes | | | | | | | | | | | |
| <i>10/30/24</i> | 0300 | 67 | T. VISS | <i>10/31/24</i> | 0300 | 67 | T. VISS | <i>10/31/24</i> | 0300 | 67 | ELOZANO | <i>10/31/24</i> | 0300 | 68 | T. VISS |
| | 0600 | 66 | T. VISS | | 0600 | 66 | T. VISS | | 0600 | 67 | M. LAING |
| | 0900 | 65 | M. LAING | | 0900 | 69 | M. LAING | | 0900 | 68 | M. LAING | | 0900 | 68 | R. TREVINO |
| | 1200 | 66 | M. LAING | | 1200 | 66 | M. LAING | | 1200 | 67 | ELOZANO |
| | 1500 | 70 | ELOZANO | | 1500 | 69 | ELOZANO |
| | 1800 | 71 | ELOZANO | | 1800 | 69 | ELOZANO |
| | 2100 | 70 | ELOZANO | | 2100 | 69 | ELOZANO |
| | 2400 | 68 | T. VISS | | 2400 | 68 | T. VISS | | 2400 | 68 | T. VISS | | 2400 | 68 | T. VISS | | 2400 | 68 | T. VISS | | 2400 | 68 | T. VISS | | 2400 | 68 | T. VISS |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C-2 Temp. Reading Location: A, B, C, D, DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6323, when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-28-21 | 0300 | 70 | J. AREZENA |
| | 0600 | 69 | J. AREZENA |
| | 0900 | 70 | A. ARICA |
| | 1200 | 71 | A. ARICA |
| | 1500 | 71 | P. ODEM |
| | 1800 | 70 | P. ODEM |
| | 2100 | 71 | P. ODEM |
| | 2400 | 71 | J. AREZENA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-29-21 | 0300 | 69 | J. AREZENA |
| | 0600 | 69 | J. AREZENA |
| | 0900 | 66 | K. SINGH |
| | 1200 | 67 | K. SINGH |
| | 1500 | 70 | A. RODRIGUEZ |
| | 1800 | 71 | A. RODRIGUEZ |
| | 2100 | 70 | A. RODRIGUEZ |
| | 2400 | 70 | J. AREZENA |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-30-21 | 0300 | 65 | D. GOMBERG |
| | 0600 | 67 | A. RODRIGUEZ |
| | 0900 | 67 | A. RODRIGUEZ |
| | 1200 | 68 | A. RODRIGUEZ |
| | 1500 | 71 | D. GOMBERG |
| | 1800 | 72 | D. GOMBERG |
| | 2100 | 71 | D. GOMBERG |
| | 2400 | 66 | D. GOMBERG |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-31-21 | 0300 | 66 | D. GOMBERG |
| | 0600 | 68 | A. MCGOWAN |
| | 0900 | 67 | A. MCGOWAN |
| | 1200 | 69 | A. MCGOWAN |
| | 1500 | 67 | D. GOMBERG |
| | 1800 | 67 | D. GOMBERG |
| | 2100 | 67 | D. GOMBERG |
| | 2400 | 67 | D. GOMBERG |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C3 Temp. Reading Location: Dayroom
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/30/24 | 0300 | 71 | A. Linares |
| | 0600 | 67 | A. Linares |
| | 0900 | 70 | A. Linares |
| | 1200 | 72 | A. Linares |
| | 1500 | 73 | A. Prasad |
| | 1800 | 72 | A. Prasad |
| | 2100 | 70 | A. Prasad |
| | 2400 | 73 | A. Prasad |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/30/24 | 0300 | 67 | P. Anuviamo |
| | 0600 | 67 | P. Anuviamo |
| | 0900 | 67 | P. Anuviamo |
| | 1200 | 68 | P. Anuviamo |
| | 1500 | 69 | J. CECIL |
| | 1800 | 71 | A. Prasad |
| | 2100 | 70 | A. Prasad |
| | 2400 | 69 | P. Anuviamo |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/30/24 | 0300 | 64 | J. CARREERA |
| | 0600 | 65 | J. CARREERA |
| | 0900 | 65 | J. CARREERA |
| | 1200 | 70 | J. CARREERA |
| | 1500 | 71 | A. Prasad |
| | 1800 | 72 | A. Prasad |
| | 2100 | 70 | A. Prasad |
| | 2400 | 66 | J. CARREERA |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/31/24 | 0300 | 69 | M. DeJesus |
| | 0600 | 67 | M. DeJesus |
| | 0900 | 68 | M. DeJesus |
| | 1200 | 69 | M. DeJesus |
| | 1500 | 69 | M. DeJesus |
| | 1800 | 70 | M. DeJesus |
| | 2100 | 69 | M. DeJesus |
| | 2400 | 69 | M. DeJesus |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: V.S.P. Housing Unit: C4

Temp. Reading Location: A, B, C, D, + Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/28/24 | 0300 | 69 | Talavera |
| | 0600 | 69 | Talavera |
| | 0900 | 68 | SACREVEN |
| | 1200 | 68 | SACREVEN |
| | 1500 | 71 | C. XIONG |
| | 1800 | 71 | C. XIONG |
| | 2100 | 71 | C. XIONG |
| | 2400 | 68 | Talavera |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/29/24 | 0300 | 69 | Talavera |
| | 0600 | 69 | Talavera |
| | 0900 | 68 | I. Chambers |
| | 1200 | 69 | I. Chambers |
| | 1500 | 70 | C. XIONG |
| | 1800 | 70 | C. XIONG |
| | 2100 | 70 | C. XIONG |
| | 2400 | 69 | Talavera |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/30/24 | 0300 | 69 | Talavera |
| | 0600 | 69 | Talavera |
| | 0900 | 65 | castro |
| | 1200 | 67 | castro |
| | 1500 | 70 | C. XIONG |
| | 1800 | 71 | C. XIONG |
| | 2100 | 71 | C. XIONG |
| | 2400 | 68 | Talavera |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/31/24 | 0300 | 68 | Talavera |
| | 0600 | 69 | Talavera |
| | 0900 | 68 | castro |
| | 1200 | 71 | castro |
| | 1500 | 71 | CASTRO |
| | 1800 | 70 | CASTRO |
| | 2100 | 70 | castro |
| | 2400 | 68 | Talavera |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 11/1/24 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 11/2/24 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 11/3/24 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D1 Temp. Reading Location: ABCD DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/2 | 0300 | 71 | J. Melendrez |
| | 0600 | 69 | ORDAZ |
| | 0900 | 71 | ORDAZ |
| | 1200 | 79 | MARTINEZ |
| | 1500 | 76 | Martinez |
| | 1800 | 78 | Martinez |
| | 2100 | 78 | Martinez |
| | 2400 | 72 | J. Melendrez |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/4 | 0300 | 70 | J. Melendrez |
| | 0600 | 67 | ORDAZ |
| | 0900 | 67 | ORDAZ |
| | 1200 | 75 | MARTINEZ |
| | 1500 | 76 | Martinez |
| | 1800 | 76 | Martinez |
| | 2100 | 75 | Martinez |
| | 2400 | 73 | J. Melendrez |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/6 | 0300 | 70 | J. Melendrez |
| | 0600 | 67 | ORDAZ |
| | 0900 | 70 | ORDAZ |
| | 1200 | 72 | ORDAZ |
| | 1500 | 74 | SWEZLEY |
| | 1800 | 77 | E. CARPENTER |
| | 2100 | 76 | E. CARPENTER |
| | 2400 | 72 | J. Melendrez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/1 | 0300 | 78 | J. Melendrez |
| | 0600 | 67 | ORDAZ |
| | 0900 | 71 | ORDAZ |
| | 1200 | 71 | PL |
| | 1500 | 75 | Martinez |
| | 1800 | 76 | Martinez |
| | 2100 | 75 | Martinez |
| | 2400 | 71 | J. Melendrez |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/3 | 0300 | 71 | J. Melendrez |
| | 0600 | 68 | ORDAZ |
| | 0900 | 68 | ORDAZ |
| | 1200 | 74 | MARTINEZ |
| | 1500 | 76 | MARTINEZ |
| | 1800 | 78 | Martinez |
| | 2100 | 77 | Martinez |
| | 2400 | 72 | J. Melendrez |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/5 | 0300 | 68 | ORDAZ |
| | 0600 | 65 | ORDAZ |
| | 0900 | 69 | ORDAZ |
| | 1200 | 69 | ORDAZ |
| | 1500 | 75 | Martinez |
| | 1800 | 76 | Martinez |
| | 2100 | 75 | Martinez |
| | 2400 | 71 | J. Melendrez |

Notes

Stg 1 HA Detent @ 1908 10/5/24

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D2

Temp. Reading Location: A, B, C, D, D2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/1/24 | 0300 | 77 | 68° B. Cox ✓ |
| 10/1/24 | 0600 | 68 | TAYLOR ✓ |
| 10/1/24 | 0900 | 72 | TAYLOR ✓ |
| 10/1/24 | 1200 | 74 | R. Hall ✓ |
| 10/1/24 | 1500 | 76 | A. Corona ✓ |
| 10/1/24 | 1800 | 77 | A. Corona ✓ |
| 10/1/24 | 2100 | 75 | A. Corona ✓ |
| 10/1/24 | 2400 | 72 | 70° B. Cox ✓ |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|-----------------|
| 10/4/24 | 0300 | 68 | J. GARCIA ✓ |
| 10/4/24 | 0600 | 69 | A. Delafuente ✓ |
| 10/4/24 | 0900 | 71 | A. Delafuente ✓ |
| 10/4/24 | 1200 | 74 | V. VELASCO ✓ |
| 10/4/24 | 1500 | 74 | B. THOMAS ✓ |
| 10/4/24 | 1800 | 75 | R. HALL ✓ |
| 10/4/24 | 2100 | 73 | B. THOMAS ✓ |
| 10/4/24 | 2400 | 70 | J. GARCIA ✓ |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/6/24 | 0300 | 68/68 | J. GARCIA ✓ |
| 10/6/24 | 0600 | 70 | D. Atwell ✓ |
| 10/6/24 | 0900 | 71 | D. Atwell ✓ |
| 10/6/24 | 1200 | 77 | M. McLean ✓ |
| 10/6/24 | 1500 | 75 | R. RAYNS ✓ |
| 10/6/24 | 1800 | 74 | J. GARCIA ✓ |
| 10/6/24 | 2100 | 74 | J. GARCIA ✓ |
| 10/6/24 | 2400 | 70 | J. GARCIA ✓ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/1/24 | 0300 | 65 | E. OLONOG ✓ |
| 10/1/24 | 0600 | 64 | V. VELASCO ✓ |
| 10/1/24 | 0900 | 68 | ORDAZ ✓ |
| 10/1/24 | 1200 | 71 | ORDAZ ✓ |
| 10/1/24 | 1500 | 76 | A. CORONA ✓ |
| 10/1/24 | 1800 | 76 | A. CORONA ✓ |
| 10/1/24 | 2100 | 74 | A. CORONA ✓ |
| 10/1/24 | 2400 | 65 | E. OLONOG ✓ |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/4/24 | 0300 | 68 | J. GARCIA ✓ |
| 10/4/24 | 0600 | 68 | V. VELASCO ✓ |
| 10/4/24 | 0900 | 74 | M. McLean ✓ |
| 10/4/24 | 1200 | 74 | M. McLean ✓ |
| 10/4/24 | 1500 | 76 | A. CORONA ✓ |
| 10/4/24 | 1800 | 77 | A. CORONA ✓ |
| 10/4/24 | 2100 | 74 | A. CORONA ✓ |
| 10/4/24 | 2400 | 70 | J. GARCIA ✓ |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------|
| 10/5/24 | 0300 | 67 | J. GARCIA ✓ |
| 10/5/24 | 0600 | 67 | V. VELASCO ✓ |
| 10/5/24 | 0900 | 71 | K. KLOUGH ✓ |
| 10/5/24 | 1200 | 73 | K. KLOUGH ✓ |
| 10/5/24 | 1500 | 74 | S. AGUILERA ✓ |
| 10/5/24 | 1800 | 75 | S. AGUILERA ✓ |
| 10/5/24 | 2100 | 75 | S. AGUILERA ✓ |
| 10/5/24 | 2400 | 69 | J. GARCIA ✓ |

Notes

10-1 STAGE 1 HEAT ACTIVATED 6/1430
10-2 STAGE 1 HEAT ALERT @ 1325 hrs
10-4 Discharged 10:00

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: 03

Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 53223 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/2/24 | 0300 | 70 | Dayroom |
| 10/2/24 | 0600 | 70 | C.Sanchez |
| 10/2/24 | 0900 | 78 | C.Sanchez |
| 10/2/24 | 1200 | 74 | C.Sanchez |
| 10/2/24 | 1500 | 74 | E.Xiong |
| 10/2/24 | 1800 | 74 | E.Xiong |
| 10/2/24 | 2100 | 73 | E.Xiong |
| 10/2/24 | 2400 | 73 | Dayroom |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/4/24 | 0300 | 68 | N.Fergus |
| 10/4/24 | 0600 | 70 | Taylor |
| 10/4/24 | 0900 | 73 | Taylor |
| 10/4/24 | 1200 | 74 | Taylor |
| 10/4/24 | 1500 | 75 | E.Xiong |
| 10/4/24 | 1800 | 75 | E.Xiong |
| 10/4/24 | 2100 | 73 | E.Xiong |
| 10/4/24 | 2400 | 71 | N.Fergus |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/6/24 | 0300 | 70 | F.ColdSnow |
| 10/6/24 | 0600 | 70 | Taylor |
| 10/6/24 | 0900 | 72 | Taylor |
| 10/6/24 | 1200 | 74 | Taylor |
| 10/6/24 | 1500 | 74 | B.Thao |
| 10/6/24 | 1800 | 76 | B.Thao |
| 10/6/24 | 2100 | 74 | B.Thao |
| 10/6/24 | 2400 | 72 | F.ColdSnow |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/1/24 | 0300 | 70 | F.ColdSnow |
| 10/1/24 | 0600 | 70 | C.Sanchez |
| 10/1/24 | 0900 | 73 | C.Sanchez |
| 10/1/24 | 1200 | 77 | C.Sanchez |
| 10/1/24 | 1500 | 69 | C.Sanchez |
| 10/1/24 | 1800 | 78 | E.Xiong |
| 10/1/24 | 2100 | 77 | E.Xiong |
| 10/1/24 | 2400 | 74 | N.Fergus |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/3/24 | 0300 | 67 | N.Fergus |
| 10/3/24 | 0600 | 69 | C.Sanchez |
| 10/3/24 | 0900 | 70 | C.Sanchez |
| 10/3/24 | 1200 | 75 | Taylor |
| 10/3/24 | 1500 | 76 | L.Corbett |
| 10/3/24 | 1800 | 71 | L.Corbett |
| 10/3/24 | 2100 | 77 | L.Corbett |
| 10/3/24 | 2400 | 77 | N.Fergus |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/5/24 | 0300 | 68 | N.Fergus |
| 10/5/24 | 0600 | 68 | J.Madalen |
| 10/5/24 | 0900 | 70 | A.Delafuente |
| 10/5/24 | 1200 | 73 | A.Delafuente |
| 10/5/24 | 1500 | 75 | B.Thao |
| 10/5/24 | 1800 | 76 | B.Thao |
| 10/5/24 | 2100 | 76 | R.Thao |
| 10/5/24 | 2400 | 68 | N.Fergus |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution VSP Housing Unit: D4 Temp. Reading Location: A B C D DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/1/24 | 0300 | 68 | Moreno ✓ |
| | 0600 | 69 | J. Macias ✓ |
| | 0900 | 71 | J. Macias ✓ |
| | 1200 | 71 | J. Macias ✓ |
| | 1500 | 74 | R. TORRES ✓ |
| | 1800 | 75 | R. TORRES ✓ |
| | 2100 | 73 | R. TORRES ✓ |
| | 2400 | 70 | E. Tizm ✓ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/2/24 | 0300 | 70 | E. Tizm ✓ |
| | 0600 | 69 | J. Macias ✓ |
| | 0900 | 69 | J. Macias ✓ |
| | 1200 | 72 | J. Macias ✓ |
| | 1500 | 76 | R. TORRES ✓ |
| | 1800 | 77 | R. TORRES ✓ |
| | 2100 | 75 | R. TORRES ✓ |
| | 2400 | 71 | E. Tizm ✓ |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/3/24 | 0300 | 69 | Figueroa ✓ |
| | 0600 | 69 | Figueroa ✓ |
| | 0900 | 69 | L. Jimenez ✓ |
| | 1200 | 74 | L. Jimenez ✓ |
| | 1500 | 75 | Figueroa ✓ |
| | 1800 | 75 | Figueroa ✓ |
| | 2100 | 75 | Figueroa ✓ |
| | 2400 | 71 | Figueroa ✓ |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/4/24 | 0300 | 71 | B. Salazar ✓ |
| | 0600 | 70 | B. Salazar ✓ |
| | 0900 | 71 | L. Jimenez ✓ |
| | 1200 | 73 | L. Jimenez ✓ |
| | 1500 | 74 | K. LOENEN ✓ |
| | 1800 | 73 | K. LOENEN ✓ |
| | 2100 | 72 | K. LOENEN ✓ |
| | 2400 | 73 | B. Salazar ✓ |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/5/24 | 0300 | 69 | S. Salazar ✓ |
| | 0600 | 69 | J. Macias ✓ |
| | 0900 | 69 | J. Macias ✓ |
| | 1200 | 73 | J. Macias ✓ |
| | 1500 | 75 | R. TORRES ✓ |
| | 1800 | 76 | R. TORRES ✓ |
| | 2100 | 75 | R. TORRES ✓ |
| | 2400 | 70 | S. Salazar ✓ |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|----------------|
| 10/6/24 | 0300 | 70 | J. Magdaleno ✓ |
| | 0600 | 69 | J. Magdaleno ✓ |
| | 0900 | 71 | S. Salazar ✓ |
| | 1200 | 73 | S. Salazar ✓ |
| | 1500 | 75 | R. TORRES ✓ |
| | 1800 | 77 | R. TORRES ✓ |
| | 2100 | 76 | R. TORRES ✓ |
| | 2400 | 73 | J. Magdaleno ✓ |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D-1

Temp. Reading Location: A B C D DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|-----------------|------|-----------|---------------------|
| Date | Time | Temp. | Name (Print) |
| <u>10/7/21</u> | 0300 | <u>72</u> | <u>J. Melendez</u> |
| | 0600 | <u>67</u> | <u>K. Salazar</u> |
| | 0900 | <u>70</u> | <u>R. Guzman</u> |
| | 1200 | <u>74</u> | <u>M. Lopez</u> |
| | 1500 | <u>77</u> | <u>C. Carrillo</u> |
| | 1800 | <u>76</u> | <u>C. Carrillo</u> |
| | 2100 | <u>76</u> | <u>C. Carrillo</u> |
| | 2400 | <u>74</u> | <u>J. Melendez</u> |
| Tuesday | | | |
| Date | Time | Temp. | Name (Print) |
| <u>10/8/21</u> | 0300 | <u>70</u> | <u>J. Melendez</u> |
| | 0600 | <u>70</u> | <u>A. Alvarado</u> |
| | 0900 | <u>71</u> | <u>R. Guzman</u> |
| | 1200 | <u>72</u> | <u>B. Rodriguez</u> |
| | 1500 | <u>72</u> | <u>M. Lopez</u> |
| | 1800 | <u>76</u> | <u>Martinez</u> |
| | 2100 | <u>75</u> | <u>Martinez</u> |
| | 2400 | <u>72</u> | <u>J. Melendez</u> |
| Wednesday | | | |
| Date | Time | Temp. | Name (Print) |
| <u>10/9/21</u> | 0300 | <u>69</u> | <u>J. Melendez</u> |
| | 0600 | <u>65</u> | <u>A. Alvarado</u> |
| | 0900 | <u>67</u> | <u>R. Guzman</u> |
| | 1200 | <u>71</u> | <u>B. Rodriguez</u> |
| | 1500 | <u>73</u> | <u>M. Lopez</u> |
| | 1800 | <u>74</u> | <u>Martinez</u> |
| | 2100 | <u>75</u> | <u>Martinez</u> |
| | 2400 | <u>71</u> | <u>J. Melendez</u> |
| Thursday | | | |
| Date | Time | Temp. | Name (Print) |
| <u>10/10/21</u> | 0300 | <u>69</u> | <u>J. Melendez</u> |
| | 0600 | <u>65</u> | <u>A. Alvarado</u> |
| | 0900 | <u>69</u> | <u>R. Guzman</u> |
| | 1200 | <u>71</u> | <u>B. Rodriguez</u> |
| | 1500 | <u>73</u> | <u>C. Carrillo</u> |
| | 1800 | <u>72</u> | <u>Martinez</u> |
| | 2100 | <u>72</u> | <u>Martinez</u> |
| | 2400 | <u>70</u> | <u>J. Melendez</u> |
| Friday | | | |
| Date | Time | Temp. | Name (Print) |
| <u>10/11/21</u> | 0300 | <u>68</u> | <u>J. Melendez</u> |
| | 0600 | <u>63</u> | <u>A. Alvarado</u> |
| | 0900 | <u>61</u> | <u>R. Guzman</u> |
| | 1200 | <u>67</u> | <u>B. Rodriguez</u> |
| | 1500 | <u>72</u> | <u>Martinez</u> |
| | 1800 | <u>73</u> | <u>Martinez</u> |
| | 2100 | <u>73</u> | <u>Martinez</u> |
| | 2400 | <u>68</u> | <u>J. Melendez</u> |
| Saturday | | | |
| Date | Time | Temp. | Name (Print) |
| <u>10/12/21</u> | 0300 | <u>68</u> | <u>A. Alvarado</u> |
| | 0600 | <u>65</u> | <u>R. Guzman</u> |
| | 0900 | <u>65</u> | <u>B. Rodriguez</u> |
| | 1200 | <u>67</u> | <u>C. Carrillo</u> |
| | 1500 | <u>71</u> | <u>Lomeli</u> |
| | 1800 | <u>73</u> | <u>Lomeli</u> |
| | 2100 | <u>71</u> | <u>Lomeli</u> |
| | 2400 | <u>70</u> | <u>A. Rodriguez</u> |
| Notes | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NSP Housing Unit: D-2 Temp. Reading Location: A B C D D-R
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------------|------|-------|---------------|
| <u>10-7-24</u> | 0300 | 71 | B. Oñatega ✓ |
| | 0600 | 70 | VELASCO ✓ |
| | 0900 | 71 | VELASCO ✓ |
| | 1200 | 74 | VELASCO ✓ |
| | 1500 | 74 | S. Aguilera ✓ |
| | 1800 | 74 | S. Aguilera ✓ |
| | 2100 | 73 | S. Aguilera ✓ |
| | 2400 | 74 | B. Oñatega ✓ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------------|------|-------|--------------|
| <u>10-8-24</u> | 0300 | 70 | E. Olano ✓ |
| | 0600 | 74 | A. Cimino ✓ |
| | 0900 | 74 | A. Cimino ✓ |
| | 1200 | 74 | A. Cimino ✓ |
| | 1500 | 75 | A. Cimino ✓ |
| | 1800 | 76 | A. Cimino ✓ |
| | 2100 | 73 | A. Cimino ✓ |
| | 2400 | 70 | E. Olano ✓ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------------|------|-------|--------------|
| <u>10-9-24</u> | 0300 | 68 | B. ANAYA ✓ |
| | 0600 | 68 | TAYLOR ✓ |
| | 0900 | 71 | TAYLOR ✓ |
| | 1200 | 71 | TAYLOR ✓ |
| | 1500 | 73 | A. Cimino ✓ |
| | 1800 | 73 | A. Cimino ✓ |
| | 2100 | 73 | A. Cimino ✓ |
| | 2400 | 68 | B. ANAYA ✓ |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------------|------|-------|--------------|
| <u>10-10-24</u> | 0300 | 68 | ANAYA ✓ |
| | 0600 | 68 | A. López ✓ |
| | 0900 | 69 | A. López ✓ |
| | 1200 | 71 | A. López ✓ |
| | 1500 | 72 | A. Cimino ✓ |
| | 1800 | 72 | A. Cimino ✓ |
| | 2100 | 71 | A. Cimino ✓ |
| | 2400 | 68 | ANAYA ✓ |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------------|------|-------|---------------|
| <u>10-11-24</u> | 0300 | 67 | ANAYA ✓ |
| | 0600 | 67 | L. Williams ✓ |
| | 0900 | 68 | R. Mata ✓ |
| | 1200 | 70 | R. Mata ✓ |
| | 1500 | 72 | A. Cimino ✓ |
| | 1800 | 73 | A. Cimino ✓ |
| | 2100 | 70 | A. Cimino ✓ |
| | 2400 | 67 | ANAYA ✓ |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------------|------|-------|------------------|
| <u>10-12-24</u> | 0300 | 68 | ANAYA ✓ |
| | 0600 | 67 | VELASCO ✓ |
| | 0900 | 69 | VELASCO ✓ |
| | 1200 | 71 | J. C. Williams ✓ |
| | 1500 | 71 | J. C. Williams ✓ |
| | 1800 | 72 | J. C. Williams ✓ |
| | 2100 | 70 | J. C. Williams ✓ |
| | 2400 | 67 | B. Anaya ✓ |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------------|------|-------|--------------|
| <u>10-13-24</u> | 0300 | 67 | B. ANAYA ✓ |
| | 0600 | 67 | VELASCO ✓ |
| | 0900 | 69 | VELASCO ✓ |
| | 1200 | 70 | VELASCO ✓ |
| | 1500 | 72 | Morgan ✓ |
| | 1800 | 73 | Morgan ✓ |
| | 2100 | 70 | Morgan ✓ |
| | 2400 | 67 | B. ANAYA ✓ |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D3 Temp. Reading Location: A B C D D.R.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-17-24 | 0300 | 71 | D. THAO |
| | 0600 | 71 | C. Sanchez |
| | 0900 | 71 | C. Sanchez |
| | 1200 | 74 | C. Sanchez |
| | 1500 | 75 | S. S. STEVEN |
| | 1800 | 75 | E. XIONG |
| | 2100 | 74 | S. S. STEVEN |
| | 2400 | 74 | D. THAO |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-08-24 | 0300 | 73 | S. Aguilera |
| | 0600 | 70 | C. Sanchez |
| | 0900 | 73 | C. Sanchez |
| | 1200 | 74 | C. Sanchez |
| | 1500 | 75 | D. Atwal |
| | 1800 | 76 | E. XIONG |
| | 2100 | 74 | E. XIONG |
| | 2400 | 74 | S. Aguilera |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-09-24 | 0300 | 69 | B. ORTEGA |
| | 0600 | 69 | C. Sanchez |
| | 0900 | 73 | C. Sanchez |
| | 1200 | 76 | C. Sanchez |
| | 1500 | 71 | B. DEIBUS |
| | 1800 | 72 | R. DEIBUS |
| | 2100 | 73 | E. XIONG |
| | 2400 | 72 | B. ORTEGA |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-10-24 | 0300 | 69 | C. Sanchez |
| | 0600 | 68 | C. Sanchez |
| | 0900 | 69 | TAYLOR |
| | 1200 | 71 | C. Sanchez |
| | 1500 | 72 | E. XIONG |
| | 1800 | 71 | E. XIONG |
| | 2100 | 70 | E. XIONG |
| | 2400 | 74 | C. HACON |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-11-24 | 0300 | 67 | D. THAO |
| | 0600 | 67 | TAYLOR |
| | 0900 | 69 | C. Sanchez |
| | 1200 | 70 | TAYLOR |
| | 1500 | 71 | XIONG |
| | 1800 | 72 | XIONG |
| | 2100 | 71 | XIONG |
| | 2400 | 68 | D. THAO |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-12-24 | 0300 | 67 | D. THAO |
| | 0600 | 67 | TAYLOR |
| | 0900 | 68 | TAYLOR |
| | 1200 | 71 | TAYLOR |
| | 1500 | 71 | B. ORTEGA |
| | 1800 | 71 | B. ORTEGA |
| | 2100 | 71 | D. ORTEGA |
| | 2400 | 68 | D. THAO |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-13-24 | 0300 | 67 | D. THAO |
| | 0600 | 67 | F. VALARRO |
| | 0900 | 68 | TAYLOR |
| | 1200 | 70 | TAYLOR |
| | 1500 | 71 | B. ORTEGA |
| | 1800 | 73 | B. ORTEGA |
| | 2100 | 72 | B. ORTEGA |
| | 2400 | 68 | D. THAO |

Notes

10-17-24 activated 1250

DH

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution VSP Housing Unit: D4 Temp. Reading Location: A, B, C, D + DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|--------------|
| <u>10/24</u> | 0300 | 71 | B. Salazar ✓ |
| | 0600 | 70 | J. Macias ✓ |
| | 0900 | 72 | J. Macias ✓ |
| | 1200 | 74 | J. Macias ✓ |
| | 1500 | 76 | R. TORRES ✓ |
| | 1800 | 76 | R. TORRES ✓ |
| | 2100 | 74 | R. TORRES ✓ |
| | 2400 | 74 | B. Salazar ✓ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|--------------|
| <u>10/24</u> | 0300 | 68 | E. TRAHN ✓ |
| | 0600 | 69 | J. Macias ✓ |
| | 0900 | 71 | J. Macias ✓ |
| | 1200 | 73 | J. Macias ✓ |
| | 1500 | 73 | R. TORRES ✓ |
| | 1800 | 74 | R. TORRES ✓ |
| | 2100 | 72 | R. TORRES ✓ |
| | 2400 | 70 | E. TRAHN ✓ |

Friday

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|----------------|
| <u>10/24</u> | 0300 | 69 | M. Hernandez ✓ |
| | 0600 | 69 | J. Macias ✓ |
| | 0900 | 70 | J. Macias ✓ |
| | 1200 | 71 | J. Macias ✓ |
| | 1500 | 71 | J. LOMBARDO ✓ |
| | 1800 | 72 | J. LOMBARDO ✓ |
| | 2100 | 70 | D. Cuadra ✓ |
| | 2400 | 71 | D. Cuadra ✓ |

Sunday

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|--------------|
| <u>10/24</u> | 0300 | 69 | B. Salazar ✓ |
| | 0600 | 70 | P. Oden ✓ |
| | 0900 | 69 | P. Oden ✓ |
| | 1200 | 71 | P. Oden ✓ |
| | 1500 | 71 | R. TORRES ✓ |
| | 1800 | 72 | R. TORRES ✓ |
| | 2100 | 72 | R. TORRES ✓ |
| | 2400 | 70 | B. Salazar ✓ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|--------------|
| <u>10/24</u> | 0300 | 71 | B. Salazar ✓ |
| | 0600 | 70 | J. Macias ✓ |
| | 0900 | 71 | J. Macias ✓ |
| | 1200 | 73 | J. Macias ✓ |
| | 1500 | 75 | R. TORRES ✓ |
| | 1800 | 76 | R. TORRES ✓ |
| | 2100 | 72 | R. TORRES ✓ |
| | 2400 | 73 | B. Salazar ✓ |

Thursday

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|--------------|
| <u>10/24</u> | 0300 | 66 | Figueroa ✓ |
| | 0600 | 69 | Figueroa ✓ |
| | 0900 | 70 | L. Jimenez ✓ |
| | 1200 | 70 | L. Jimenez ✓ |
| | 1500 | 72 | Figueroa ✓ |
| | 1800 | 73 | Figueroa ✓ |
| | 2100 | 71 | Figueroa ✓ |
| | 2400 | 69 | M. Morales ✓ |

Saturday

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|--------------|
| <u>10/24</u> | 0300 | 68 | B. Salazar ✓ |
| | 0600 | 69 | J. Macias ✓ |
| | 0900 | 69 | J. Macias ✓ |
| | 1200 | 71 | J. Macias ✓ |
| | 1500 | 72 | R. TORRES ✓ |
| | 1800 | 72 | R. TORRES ✓ |
| | 2100 | 71 | R. TORRES ✓ |
| | 2400 | 69 | B. Salazar ✓ |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D1 Temp. Reading Location: A Hall B Hall C Hall D Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/14/24 | 0300 | 68 | Melendez |
| | 0600 | 68 | A-Lopez |
| | 0900 | 70 | Lopez |
| | 1200 | 72 | Lopez |
| | 1500 | 73 | Lomeli |
| | 1800 | 74 | Lomeli |
| | 2100 | 72 | Lomeli |
| | 2400 | 70 | J. Melendez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/15/24 | 0300 | 69 | J. Melendez |
| | 0600 | 68 | NAVARRO |
| | 0900 | 70 | NAVARRO |
| | 1200 | 72 | NAVARRO |
| | 1500 | 74 | Martinez |
| | 1800 | 73 | Martinez |
| | 2100 | 72 | Martinez |
| | 2400 | 71 | J. Melendez |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/16/24 | 0300 | 65 | Alvarez |
| | 0600 | 68 | NAVARRO |
| | 0900 | 69 | NAVARRO |
| | 1200 | 71 | NAVARRO |
| | 1500 | 71 | Martinez |
| | 1800 | 72 | Martinez |
| | 2100 | 71 | Martinez |
| | 2400 | 69 | Alvarez |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/17/24 | 0300 | 66 | J. Melendez |
| | 0600 | 68 | NAVARRO |
| | 0900 | 69 | NAVARRO |
| | 1200 | 71 | NAVARRO |
| | 1500 | 69 | Martinez |
| | 1800 | 71 | Martinez |
| | 2100 | 70 | Martinez |
| | 2400 | 67 | J. Melendez |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/18/24 | 0300 | 67 | Melendez |
| | 0600 | 68 | NAVARRO |
| | 0900 | 67 | NAVARRO |
| | 1200 | 69 | Perez |
| | 1500 | 69 | Perez |
| | 1800 | 68 | Martinez |
| | 2100 | 67 | Martinez |
| | 2400 | 67 | Melendez |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/19/24 | 0300 | 66 | A-Costa |
| | 0600 | 66 | NAVARRO |
| | 0900 | 67 | NAVARRO |
| | 1200 | 68 | Martinez |
| | 1500 | 68 | Martinez |
| | 1800 | 70 | Martinez |
| | 2100 | 70 | Martinez |
| | 2400 | 66 | A-Costa |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/20/24 | 0300 | 63 | Cisneros |
| | 0600 | 65 | Flores |
| | 0900 | 70 | Flores |
| | 1200 | 70 | Flores |
| | 1500 | 67 | Lomeli |
| | 1800 | 69 | Lomeli |
| | 2100 | 67 | Lomeli |
| | 2400 | 64 | Lomeli |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D - 2 Temp. Reading Location: A B C D D2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10/14/18 | 0300 | 68 | B. ORTEGA ✓ |
| | 0600 | 67 | VELASCO ✓ |
| | 0900 | 70 | VELASCO ✓ |
| | 1200 | 72 | VELASCO ✓ |
| | 1500 | 72 | FRENTAS ✓ |
| | 1800 | 72 | S. AGUILERA ✓ |
| | 2100 | 74 | S. AGUILERA ✓ |
| | 2400 | 70 | B. ORTEGA ✓ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10/15/18 | 0300 | 70 | E. OLENO ✓ |
| | 0600 | 70 | E. OLENO ✓ |
| | 0900 | 70 | F. GONZALEZ ✓ |
| | 1200 | 71 | P. GONZALEZ ✓ |
| | 1500 | 73 | A. CYRUS ✓ |
| | 1800 | 73 | A. CYRUS ✓ |
| | 2100 | 72 | A. CYRUS ✓ |
| | 2400 | 70 | E. OLENO ✓ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/16/18 | 0300 | 68 | B. ANAYA ✓ |
| | 0600 | 68 | TAYLOR ✓ |
| | 0900 | 70 | R. HARRIS ✓ |
| | 1200 | 72 | R. HARRIS ✓ |
| | 1500 | 71 | B. ORTEGA ✓ |
| | 1800 | 71 | B. ORTEGA ✓ |
| | 2100 | 69 | B. ORTEGA ✓ |
| | 2400 | 70 | B. ANAYA ✓ |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/17/18 | 0300 | 67 | B. ANAYA ✓ |
| | 0600 | 67 | A. LOPEZ ✓ |
| | 0900 | 68 | A. LOPEZ ✓ |
| | 1200 | 68 | A. LOPEZ ✓ |
| | 1500 | 68 | A. CORONA ✓ |
| | 1800 | 68 | A. CORONA ✓ |
| | 2100 | 67 | A. CORONA ✓ |
| | 2400 | 67 | A. CORONA ✓ |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/18/18 | 0300 | 66 | B. ANAYA ✓ |
| | 0600 | 64 | VELASCO ✓ |
| | 0900 | 67 | R. HARRIS ✓ |
| | 1200 | 66 | R. HARRIS ✓ |
| | 1500 | 67 | A. CORONA ✓ |
| | 1800 | 67 | A. CORONA ✓ |
| | 2100 | 68 | A. CORONA ✓ |
| | 2400 | 66 | ANAYA ✓ |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/19/18 | 0300 | 66 | ANAYA ✓ |
| | 0600 | 64 | VELASCO ✓ |
| | 0900 | 67 | VELASCO ✓ |
| | 1200 | 69 | VELASCO ✓ |
| | 1500 | 69 | J. ORTEGA ✓ |
| | 1800 | 66 | J. ORTEGA ✓ |
| | 2100 | 66 | J. ORTEGA ✓ |
| | 2400 | 66 | ANAYA ✓ |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/20/18 | 0300 | 66 | ANAYA ✓ |
| | 0600 | 66 | R. HARRIS ✓ |
| | 0900 | 66 | A. ANDRADE ✓ |
| | 1200 | 65 | R. HARRIS ✓ |
| | 1500 | 69 | B. ORTEGA ✓ |
| | 1800 | 69 | B. ORTEGA ✓ |
| | 2100 | 66 | B. ORTEGA ✓ |
| | 2400 | 66 | ANAYA ✓ |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 6731 Housing Unit: D3 Temp. Reading Location: A,B,C,D + DR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/14/24 | 0300 | 67 | C.Sanchez ✓ |
| | 0600 | 67 | C.Sanchez ✓ |
| | 0900 | 70 | C.Sanchez ✓ |
| | 1200 | 71 | C.Sanchez ✓ |
| | 1500 | 73 | E.XIONG ✓ |
| | 1800 | 74 | E.XIONG ✓ |
| | 2100 | 72 | E.XIONG ✓ |
| | 2400 | 71 | E.XIONG ✓ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/15/24 | 0300 | 68 | S.Aguilar ✓ |
| | 0600 | 68 | C.Sanchez ✓ |
| | 0900 | 68 | C.Sanchez ✓ |
| | 1200 | 70 | C.Sanchez ✓ |
| | 1500 | 73 | R.GARRE ✓ |
| | 1800 | 74 | R.GARRE ✓ |
| | 2100 | 72 | R.GARRE ✓ |
| | 2400 | 70 | S.Aguilar ✓ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/16/24 | 0300 | 65 | S.Aguilar ✓ |
| | 0600 | 61 | C.Sanchez ✓ |
| | 0900 | 69 | C.Sanchez ✓ |
| | 1200 | 71 | C.Sanchez ✓ |
| | 1500 | 72 | Taylor ✓ |
| | 1800 | 74 | + Taylor ✓ |
| | 2100 | 71 | + Taylor ✓ |
| | 2400 | 69 | S.Aguilar ✓ |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/17/24 | 0300 | 63 | N.FERGUS ✓ |
| | 0600 | 66 | TAYLOR ✓ |
| | 0900 | 67 | C.Sanchez ✓ |
| | 1200 | 69 | TAYLOR ✓ |
| | 1500 | 68 | XIONG ✓ |
| | 1800 | 68 | XIONG ✓ |
| | 2100 | 67 | XIONG ✓ |
| | 2400 | 65 | N.FERGUS ✓ |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/18/24 | 0300 | 62 | N.FERGUS ✓ |
| | 0600 | 60 | C.Sanchez ✓ |
| | 0900 | 62 | C.Sanchez ✓ |
| | 1200 | 69 | C.Sanchez ✓ |
| | 1500 | 68 | E.XIONG ✓ |
| | 1800 | 69 | E.XIONG ✓ |
| | 2100 | 67 | E.XIONG ✓ |
| | 2400 | 64 | N.FERGUS ✓ |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/19/24 | 0300 | 62 | N.FERGUS ✓ |
| | 0600 | 66 | TAYLOR ✓ |
| | 0900 | 65 | TAYLOR ✓ |
| | 1200 | 67 | TAYLOR ✓ |
| | 1500 | 68 | ROBERT M. ✓ |
| | 1800 | 67 | BATISTA ✓ |
| | 2100 | 65 | BATISTA ✓ |
| | 2400 | 64 | N.FERGUS ✓ |

Notes

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/20/24 | 0300 | 61 | N.FERGUS ✓ |
| | 0600 | 61 | TAYLOR ✓ |
| | 0900 | 66 | TAYLOR ✓ |
| | 1200 | 67 | TAYLOR ✓ |
| | 1500 | 68 | MOSLEH ✓ |
| | 1800 | 67 | MOSLEH ✓ |
| | 2100 | 67 | MOSLEH ✓ |
| | 2400 | 62 | N.FERGUS ✓ |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D4

Temp. Reading Location: A B C D Dk
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5383 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/14/24 | 0300 | 70 | B. Salazar |
| | 0600 | 70 | J. Macias |
| | 0900 | 70 | J. Macias |
| | 1200 | 70 | J. Macias |
| | 1500 | 72 | J. Cerna |
| | 1800 | 74 | R. TORRES |
| | 2100 | 74 | R. TORRES |
| | 2400 | 70 | B. Salazar |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/15/24 | 0300 | 72 | B. Salazar |
| | 0600 | 71 | J. Macias |
| | 0900 | 72 | J. Macias |
| | 1200 | 72 | J. Macias |
| | 1500 | 80 | R. TORRES |
| | 1800 | 74 | R. TORRES |
| | 2100 | 76 | R. TORRES |
| | 2400 | 72 | B. Salazar |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/16/24 | 0300 | 70 | E. TRAU |
| | 0600 | 70 | J. Macias |
| | 0900 | 76 | J. Macias |
| | 1200 | 76 | J. Macias |
| | 1500 | 77 | R. TORRES |
| | 1800 | 76 | R. TORRES |
| | 2100 | 73 | R. TORRES |
| | 2400 | 74 | E. TRAU |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/17/24 | 0300 | 66 | Figueroa |
| | 0600 | 70 | Figueroa |
| | 0900 | 71 | L. Jimenez |
| | 1200 | 72 | L. Jimenez |
| | 1500 | 75 | Figueroa |
| | 1800 | 75 | Figueroa |
| | 2100 | 66 | Figueroa |
| | 2400 | 66 | Figueroa |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/18/24 | 0300 | 67 | B. Salazar |
| | 0600 | 67 | L. Jimenez |
| | 0900 | 69 | L. Jimenez |
| | 1200 | 69 | L. Jimenez |
| | 1500 | 67 | Figueroa |
| | 1800 | 73 | Figueroa |
| | 2100 | 73 | Figueroa |
| | 2400 | 67 | B. Salazar |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/19/24 | 0300 | 69 | B. Salazar |
| | 0600 | 68 | B. Salazar |
| | 0900 | 68 | B. Salazar |
| | 1200 | 72 | B. Salazar |
| | 1500 | 75 | J. Rodriguez |
| | 1800 | 75 | J. Rodriguez |
| | 2100 | 71 | J. Rodriguez |
| | 2400 | 69 | B. Salazar |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/20/24 | 0300 | 69 | B. Salazar |
| | 0600 | 69 | A. COZAD |
| | 0900 | 70 | L. COBLEN |
| | 1200 | 73 | L. COBLEN |
| | 1500 | 73 | J. Rodriguez |
| | 1800 | 77 | J. Rodriguez |
| | 2100 | 72 | J. Rodriguez |
| | 2400 | 70 | B. Salazar |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSL Housing Unit: D1 Temp. Reading Location: A, B, C, D + OR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5322 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10-21-24 | 0300 | 67 | Melendrez ✓ |
| | 0600 | 68 | A-Lopez ✓ |
| | 0900 | 73 | B-Garcia ✓ |
| | 1200 | 71 | B-Garcia ✓ |
| | 1500 | 70 | Lomeli ✓ |
| | 1800 | 69 | Lomeli ✓ |
| | 2100 | 63 | Lomeli ✓ |
| | 2400 | 65 | J-Melendrez ✓ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-22-24 | 0300 | 67 | Melendrez ✓ |
| | 0600 | 67 | M-Angulo ✓ |
| | 0900 | 64 | M-Angulo ✓ |
| | 1200 | 72 | M-Angulo ✓ |
| | 1500 | 73 | Martinez ✓ |
| | 1800 | 73 | Martinez ✓ |
| | 2100 | 72 | Martinez ✓ |
| | 2400 | 67 | Melendrez ✓ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-23-24 | 0300 | 67 | Abrams ✓ |
| | 0600 | 70 | M-Angulo ✓ |
| | 0900 | 69 | B-Huizar ✓ |
| | 1200 | 71 | M-Angulo ✓ |
| | 1500 | 69 | M-Angulo ✓ |
| | 1800 | 68 | M-Angulo ✓ |
| | 2100 | 72 | Martinez ✓ |
| | 2400 | 68 | Abrams ✓ |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-24-24 | 0300 | 70 | O.Schott ✓ |
| | 0600 | 70 | O.Schott ✓ |
| | 0900 | 70 | M-Angulo ✓ |
| | 1200 | 76 | M-Angulo ✓ |
| | 1500 | 72 | C-Conejo ✓ |
| | 1800 | 73 | E-Calle ✓ |
| | 2100 | 71 | E-Calle ✓ |
| | 2400 | 70 | O.Schott ✓ |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10-25-24 | 0300 | 70 | Melendrez ✓ |
| | 0600 | 69 | D-Rodas ✓ |
| | 0900 | 70 | M-Angulo ✓ |
| | 1200 | 70 | M-Angulo ✓ |
| | 1500 | 70 | Figueroa ✓ |
| | 1800 | 72 | Figueroa ✓ |
| | 2100 | 72 | M-Angulo ✓ |
| | 2400 | 70 | J-Melendrez ✓ |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-26-24 | 0300 | 69 | Abrams ✓ |
| | 0600 | 68 | M-Angulo ✓ |
| | 0900 | 69 | M-Angulo ✓ |
| | 1200 | 73 | M-Angulo ✓ |
| | 1500 | 72 | Lomeli ✓ |
| | 1800 | 70 | Lomeli ✓ |
| | 2100 | 70 | Lomeli ✓ |
| | 2400 | 69 | Alvarez ✓ |

Notes

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-27-24 | 0300 | 69 | E-Olivero ✓ |
| | 0600 | 67 | A-Vazquez ✓ |
| | 0900 | 71 | B-Garcia ✓ |
| | 1200 | 72 | A-Vazquez ✓ |
| | 1500 | 72 | Lomeli ✓ |
| | 1800 | 72 | Lomeli ✓ |
| | 2100 | 72 | Lomeli ✓ |
| | 2400 | 70 | E-Olivero ✓ |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D-2 Temp. Reading Location: A B C D D.R.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|--------------|
| 10 - 21 - 24 | 0300 | 66 | B. ORTEGA |
| | 0600 | 66 | VELASCO |
| | 0900 | 67 | VELASCO |
| | 1200 | 69 | VELASCO |
| | 1500 | 67 | S. AGUILERA |
| | 1800 | 66 | S. AGUILERA |
| | 2100 | 65 | S. AGUILERA |
| | 2400 | 66 | B. ORTEGA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-22-24 | 0300 | 66 | B. ORTEGA |
| | 0600 | 66 | VELASCO |
| | 0900 | 67 | VELASCO |
| | 1200 | 73 | VELASCO |
| | 1500 | 72 | B. ORTEGA |
| | 1800 | 72 | B. ORTEGA |
| | 2100 | 72 | B. ORTEGA |
| | 2400 | 68 | B. ORTEGA |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-23-24 | 0300 | 62 | R. MARTINEZ |
| | 0600 | 62 | R. MARTINEZ |
| | 0900 | 70 | R. MARTINEZ |
| | 1200 | 72 | R. MARTINEZ |
| | 1500 | 72 | R. LUCAS |
| | 1800 | 69 | R. LUCAS |
| | 2100 | 69 | R. LUCAS |
| | 2400 | 71 | R. MARTINEZ |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-24-24 | 0300 | 69 | ANAYA |
| | 0600 | 68 | A. LOPEZ |
| | 0900 | 68 | R. LUCAS |
| | 1200 | 70 | R. LUCAS |
| | 1500 | 70 | R. LUCAS |
| | 1800 | 70 | R. LUCAS |
| | 2100 | 69 | R. LUCAS |
| | 2400 | 70 | ANAYA |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-25-24 | 0300 | 68 | ANAYA |
| | 0600 | 68 | VELASCO |
| | 0900 | 68 | VELASCO |
| | 1200 | 72 | VELASCO |
| | 1500 | 70 | R. LUCAS |
| | 1800 | 70 | R. LUCAS |
| | 2100 | 69 | R. LUCAS |
| | 2400 | 69 | ANAYA |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-26-24 | 0300 | 68 | ANAYA |
| | 0600 | 68 | VELASCO |
| | 0900 | 68 | VELASCO |
| | 1200 | 71 | VELASCO |
| | 1500 | 70 | R. LUCAS |
| | 1800 | 69 | R. LUCAS |
| | 2100 | 69 | R. LUCAS |
| | 2400 | 68 | ANAYA |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-27-24 | 0300 | 70 | ANAYA |
| | 0600 | 69 | R. LUCAS |
| | 0900 | 69 | R. LUCAS |
| | 1200 | 71 | A. VELASCO |
| | 1500 | 72 | A. VELASCO |
| | 1800 | 71 | A. VELASCO |
| | 2100 | 71 | A. VELASCO |
| | 2400 | 70 | ANAYA |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/21/01 | 0300 | 62 | N. Fergus |
| | 0600 | 63 | C. Sanchez |
| | 0900 | 67 | C. Sanchez |
| | 1200 | 69 | C. Sanchez |
| | 1500 | 67 | S. Figueroa |
| | 1800 | 69 | B. Ortega |
| | 2100 | 67 | B. Ortega |
| | 2400 | 63 | N. Fergus |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/22/01 | 0300 | 65 | S. Aguilera |
| | 0600 | 66 | C. Sanchez |
| | 0900 | 67 | C. Sanchez |
| | 1200 | 72 | C. Sanchez |
| | 1500 | 71 | Figueroa |
| | 1800 | 72 | Figueroa |
| | 2100 | 71 | Figueroa |
| | 2400 | 67 | S. Aguilera |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/23/01 | 0300 | 67 | S. Aguilera |
| | 0600 | 63 | C. Sanchez |
| | 0900 | 68 | C. Sanchez |
| | 1200 | 73 | C. Sanchez |
| | 1500 | 74 | E. Xiong |
| | 1800 | 71 | E. Xiong |
| | 2100 | 71 | E. Xiong |
| | 2400 | 68 | S. Aguilera |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/24/01 | 0300 | 66 | N. Fergus |
| | 0600 | 68 | Taylor |
| | 0900 | 69 | Taylor |
| | 1200 | 71 | C. Sanchez |
| | 1500 | 71 | K. Chauhan |
| | 1800 | 72 | K. Chauhan |
| | 2100 | 71 | K. Chauhan |
| | 2400 | 67 | N. Fergus |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/25/01 | 0300 | 67 | N. Fergus |
| | 0600 | 68 | Taylor |
| | 0900 | 69 | M. Ferguson |
| | 1200 | 72 | Taylor |
| | 1500 | 72 | C. Camin |
| | 1800 | 78 | C. Camin |
| | 2100 | 69 | C. Camin |
| | 2400 | 67 | N. Fergus |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/26/01 | 0300 | 67 | N. Fergus |
| | 0600 | 68 | A. Cozad |
| | 0900 | 68 | Taylor |
| | 1200 | 71 | A. Cozad |
| | 1500 | 72 | J. Rodriguez |
| | 1800 | 71 | J. Taylor |
| | 2100 | 70 | J. Taylor |
| | 2400 | 67 | N. Fergus |

Notes

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/27/01 | 0300 | 67 | N. Fergus |
| | 0600 | 68 | Taylor |
| | 0900 | 68 | Taylor |
| | 1200 | 71 | Taylor |
| | 1500 | 73 | L. Rogers |
| | 1800 | 72 | L. Rogers |
| | 2100 | 71 | L. Rogers |
| | 2400 | 69 | N. Fergus |

D4
 STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D4 Temp. Reading Location: A B C D + DR
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/21 | 0300 | 70 | J Macias ✓ |
| 10/21 | 0600 | 70 | J Macias ✓ |
| 10/21 | 0900 | 71 | J Macias ✓ |
| 10/21 | 1200 | 73 | J Macias ✓ |
| 10/21 | 1500 | 77 | R. TORRES ✓ |
| 10/21 | 1800 | 76 | R. TORRES ✓ |
| 10/21 | 2100 | 73 | R. TORRES ✓ |
| 10/21 | 2400 | 70 | J Macias ✓ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/22 | 0300 | 70 | B. Salazar ✓ |
| 10/22 | 0600 | 70 | J. Macias ✓ |
| 10/22 | 0900 | 69 | J. Macias ✓ |
| 10/22 | 1200 | 73 | J. Macias ✓ |
| 10/22 | 1500 | 77 | R. TORRES ✓ |
| 10/22 | 1800 | 78 | R. TORRES ✓ |
| 10/22 | 2100 | 75 | R. TORRES ✓ |
| 10/22 | 2400 | 71 | B. Salazar ✓ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/23 | 0300 | 70 | E. MAN ✓ |
| 10/23 | 0600 | 69 | J. Macias ✓ |
| 10/23 | 0900 | 69 | J. Macias ✓ |
| 10/23 | 1200 | 71 | J. Macias ✓ |
| 10/23 | 1500 | 77 | R. TORRES ✓ |
| 10/23 | 1800 | 77 | R. TORRES ✓ |
| 10/23 | 2100 | 77 | R. TORRES ✓ |
| 10/23 | 2400 | 71 | E. MAN ✓ |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/24 | 0300 | 68 | Figueroa ✓ |
| 10/24 | 0600 | 68 | Figueroa ✓ |
| 10/24 | 0900 | 69 | Mendoza ✓ |
| 10/24 | 1200 | 69 | Mendoza ✓ |
| 10/24 | 1500 | 71 | J. Garza ✓ |
| 10/24 | 1800 | 75 | B. Thao ✓ |
| 10/24 | 2100 | 71 | J. Garza ✓ |
| 10/24 | 2400 | 70 | J. Garza ✓ |

Friday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/25 | 0300 | 69 | J. Guerato ✓ |
| 10/25 | 0600 | 70 | L. Jimenez ✓ |
| 10/25 | 0900 | 71 | L. Jimenez ✓ |
| 10/25 | 1200 | 73 | L. Jimenez ✓ |
| 10/25 | 1500 | 76 | R. Torres ✓ |
| 10/25 | 1800 | 76 | R. Torres ✓ |
| 10/25 | 2100 | 71 | R. Torres ✓ |
| 10/25 | 2400 | 70 | J. Guerato ✓ |

Saturday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/26 | 0300 | 70 | B. Salazar ✓ |
| 10/26 | 0600 | 69 | J. Macias ✓ |
| 10/26 | 0900 | 69 | J. Macias ✓ |
| 10/26 | 1200 | 70 | J. Macias ✓ |
| 10/26 | 1500 | 75 | R. Torres ✓ |
| 10/26 | 1800 | 75 | R. Torres ✓ |
| 10/26 | 2100 | 73 | R. Torres ✓ |
| 10/26 | 2400 | 71 | B. Salazar ✓ |

Sunday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/27 | 0300 | 71 | B. Salazar ✓ |
| 10/27 | 0600 | 70 | DOMINGUEZ ✓ |
| 10/27 | 0900 | 71 | DOMINGUEZ ✓ |
| 10/27 | 1200 | 73 | DOMINGUEZ ✓ |
| 10/27 | 1500 | 75 | R. TORRES ✓ |
| 10/27 | 1800 | 76 | R. TORRES ✓ |
| 10/27 | 2100 | 74 | R. TORRES ✓ |
| 10/27 | 2400 | 70 | B. Salazar ✓ |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D1

Temp. Reading Location: Dayroom A,B,C,D
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/28/24 | 0300 | 73 | A. Lopez |
| | 0600 | 71 | A. Lopez |
| | 0900 | 71 | A. Lopez |
| | 1200 | 71 | B. Garcia |
| | 1500 | 73 | Corneli |
| | 1800 | 73 | Corneli |
| | 2100 | 72 | Corneli |
| | 2400 | 71 | Corneli |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/29/24 | 0300 | 68 | E. Odone |
| | 0600 | 68 | Martinez |
| | 0900 | 68 | Martinez |
| | 1200 | 70 | Martinez |
| | 1500 | 68 | Martinez |
| | 1800 | 71 | Martinez |
| | 2100 | 70 | Martinez |
| | 2400 | 68 | E. Odone |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/30/24 | 0300 | 68 | J. Melendre |
| | 0600 | 68 | V. Valdivino |
| | 0900 | 68 | V. Valdivino |
| | 1200 | 68 | V. Valdivino |
| | 1500 | 72 | Martinez |
| | 1800 | 73 | Martinez |
| | 2100 | 68 | Martinez |
| | 2400 | 68 | J. Melendre |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/31/24 | 0300 | 68 | J. Melendre |
| | 0600 | 68 | M. Diaz |
| | 0900 | 68 | M. Diaz |
| | 1200 | 70 | M. Diaz |
| | 1500 | 71 | Martinez |
| | 1800 | 71 | Martinez |
| | 2100 | 72 | Martinez |
| | 2400 | 68 | J. Melendre |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 68 | Milner |
| | 0600 | 65 | Orozco |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | 68 | Milner |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D-2 Temp. Reading Location: ABCD D.R.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/28/24 | 0300 | 70 | B. ORTEGA |
| | 0600 | 67 | OPAZ |
| | 0900 | 67 | OPAZ |
| | 1200 | 68 | OPAZ |
| | 1500 | 71 | S. AGUILERA |
| | 1800 | 71 | S. AGUILERA |
| | 2100 | 71 | S. AGUILERA |
| | 2400 | 70 | B. ORTEGA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/29/24 | 0300 | 68 | B. ORTEGA |
| | 0600 | 68 | VELASCO |
| | 0900 | 68 | VELASCO |
| | 1200 | 68 | VELASCO |
| | 1500 | 71 | A. CUNA |
| | 1800 | 71 | A. CUNA |
| | 2100 | 69 | A. CUNA |
| | 2400 | 70 | B. ORTEGA |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/30/24 | 0300 | 68 | ANAYA |
| | 0600 | 69 | TAYLOR |
| | 0900 | 68 | TAYLOR |
| | 1200 | 69 | MATA |
| | 1500 | 71 | B. ORTEGA |
| | 1800 | 72 | B. ORTEGA |
| | 2100 | 69 | B. ORTEGA |
| | 2400 | 68 | ANAYA |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/31/24 | 0300 | 68 | ANAYA |
| | 0600 | 69 | A. LOPEZ |
| | 0900 | 69 | A. LOPEZ |
| | 1200 | 70 | A. LOPEZ |
| | 1500 | 71 | D. COYLE |
| | 1800 | 71 | D. COYLE |
| | 2100 | 67 | D. COYLE |
| | 2400 | 69 | ANAYA |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D3 Temp. Reading Location: Dayroom A B C D+
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/28/24 | 0300 | 68 | N.Fergus |
| | 0600 | 68 | M.Taylor |
| | 0900 | 68 | M.Taylor |
| | 1200 | 69 | M.Taylor |
| | 1500 | 70 | T.Baldo |
| | 1800 | 69 | T.Baldo |
| | 2100 | 68 | T.Baldo |
| | 2400 | 69 | N.Fergus |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/30/24 | 0300 | 67 | S.Aguilar |
| | 0600 | 68 | C.Sanchez |
| | 0900 | 68 | C.Sanchez |
| | 1200 | 69 | C.Sanchez |
| | 1500 | 71 | J.Saldivar |
| | 1800 | 71 | J.Saldivar |
| | 2100 | 70 | J.Saldivar |
| | 2400 | 68 | S.Aguilar |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/29/24 | 0300 | 68 | S.Aguilar |
| | 0600 | 68 | C.Sanchez |
| | 0900 | 68 | C.Sanchez |
| | 1200 | 69 | F.Navarro |
| | 1500 | 70 | Figueroa |
| | 1800 | 70 | Xiong |
| | 2100 | 69 | Xiong |
| | 2400 | 67 | S.Aguilar |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/31/24 | 0300 | 66 | N.Fergus |
| | 0600 | 67 | C.Sanchez |
| | 0900 | 68 | Taylor |
| | 1200 | 69 | Sanchez |
| | 1500 | 70 | Green |
| | 1800 | 69 | Green |
| | 2100 | 68 | Green |
| | 2400 | 67 | N.Fergus |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: DY

Temp. Reading Location: A B C D F G H
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/28/24 | 0300 | 71 | B. Salazar |
| | 0600 | 71 | J. Macias |
| | 0900 | 71 | J. Macias |
| | 1200 | 71 | J. Macias |
| | 1500 | 72 | R. TORRES |
| | 1800 | 72 | R. TORRES |
| | 2100 | 71 | R. TORRES |
| | 2400 | 72 | B. Salazar |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------------|------|-------|--------------|
| 10 30 24 | 0300 | 67 | E. TAH |
| | 0600 | 68 | J. Macias |
| | 0900 | 69 | J. Macias |
| | 1200 | 70 | J. Macias |
| | 1500 | 71 | R. Lucero |
| | 1800 | 70 | R. Lucero |
| | 2100 | 71 | R. Lucero |
| | 2400 | 68 | E. TAH |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/29/81 | 0300 | 69 | E. Salazar |
| | 0600 | 64 | J. Macias |
| | 0900 | 68 | J. Muñoz |
| | 1200 | 61 | J. Macias |
| | 1500 | 70 | J. Garza |
| | 1800 | 71 | J. Garza |
| | 2100 | 71 | J. Garza |
| | 2400 | 70 | B. Salazar |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|----------------|
| 10/31/24 | 0300 | 68 | J. Rodriguez G |
| | 0600 | 66 | L. Jimenez M |
| | 0900 | 66 | L. Jimenez M |
| | 1200 | 71 | L. Jimenez M |
| | 1500 | 71 | A. Lopez P |
| | 1800 | 71 | A. Lopez P |
| | 2100 | 70 | A. Lopez |
| | 2400 | 70 | J. Rodriguez G |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: Infirmary OHU Temp. Reading Location: FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

| Tuesday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-01-2024 | 0300 | 70 | E. LEYVA |
| | 0600 | 70 | S. MACIAS |
| | 0900 | 71 | S. MACIAS |
| | 1200 | 71 | S. MACIAS |
| | 1500 | 71 | J. Ocampo |
| | 1800 | 71 | J. Ocampo |
| | 2100 | 71 | J. Ocampo |
| | 2400 | 70 | E. LEYVA |

| Wednesday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-02-2024 | 0300 | 70 | S. NOVAK |
| | 0600 | 70 | S. NOVAK |
| | 0900 | 71 | B. GOMEZ |
| | 1200 | 71 | B. GOMEZ |
| | 1500 | 71 | B. GOMEZ |
| | 1800 | 71 | S. MACIAS |
| | 2100 | 71 | S. MACIAS |
| | 2400 | 70 | S. NOVAK |

| Thursday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-03-2024 | 0300 | 70 | S. NOVAK |
| | 0600 | 71 | S. NOVAK |
| | 0900 | 71 | B. GOMEZ |
| | 1200 | 71 | B. GOMEZ |
| | 1500 | 72 | S. MACIAS |
| | 1800 | 72 | S. MACIAS |
| | 2100 | 72 | S. MACIAS |
| | 2400 | 70 | S. NOVAK |

| Friday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-04-2024 | 0300 | 71 | LEYVA |
| | 0600 | 72 | S. MACIAS |
| | 0900 | 72 | S. MACIAS |
| | 1200 | 73 | S. MACIAS |
| | 1500 | 72 | S. MACIAS |
| | 1800 | 72 | S. MACIAS |
| | 2100 | 71 | S. MACIAS |
| | 2400 | 71 | S. NOVAK |

| Saturday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-05-2024 | 0300 | 70 | S. NOVAK |
| | 0600 | 71 | E.A. MACIEL |
| | 0900 | 71 | B. GOMEZ |
| | 1200 | 71 | E.A. MACIEL |
| | 1500 | 71 | E.A. MACIEL |
| | 1800 | 71 | E.A. MACIEL |
| | 2100 | 71 | E.A. MACIEL |
| | 2400 | 71 | S. NOVAK |

| Sunday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-06-2024 | 0300 | 70 | M. Lapez |
| | 0600 | 70 | E.A. MACIEL |
| | 0900 | 70 | E.A. MACIEL |
| | 1200 | 71 | E.A. MACIEL |
| | 1500 | 71 | E.A. MACIEL |
| | 1800 | 71 | E.A. MACIEL |
| | 2100 | 70 | E.A. MACIEL |
| | 2400 | 70 | M. Lapez |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: Infirmary OHU Temp. Reading Location: FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10-07-2024 | 0300 | 70 | E. TRAN |
| | 0600 | 70 | E.A. MACIEL |
| | 0900 | 71 | E.A. MACIEL |
| | 1200 | 71 | E.A. MACIEL |
| | 1500 | 71 | J. Ocampo |
| | 1800 | 71 | J. Ocampo |
| | 2100 | 71 | J. Ocampo |
| | 2400 | 70 | E. TRAN |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10-08-2024 | 0300 | 71 | E. TRAN |
| | 0600 | 71 | E.A. MACIEL |
| | 0900 | 71 | E.A. MACIEL |
| | 1200 | 71 | E.A. MACIEL |
| | 1500 | 71 | J. Ocampo |
| | 1800 | 71 | J. Ocampo |
| | 2100 | 71 | J. Ocampo |
| | 2400 | 70 | E. TRAN |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10-09-2024 | 0300 | 71 | E.A. MACIEL |
| | 0600 | 71 | J. MARTINEZ |
| | 0900 | 71 | J. MARTINEZ |
| | 1200 | 71 | J. MARTINEZ |
| | 1500 | 72 | S. Macias |
| | 1800 | 71 | S. Macias |
| | 2100 | 71 | S. Macias |
| | 2400 | 71 | E.A. MACIEL |

Thursday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10-10-2024 | 0300 | 71 | S. NOVAK |
| | 0600 | 71 | J. MARTINEZ |
| | 0900 | 71 | J. MARTINEZ |
| | 1200 | 72 | P. GOMEZ |
| | 1500 | 72 | P. GOMEZ |
| | 1800 | 72 | J. Macias |
| | 2100 | 71 | S. Macias |
| | 2400 | 71 | S. NOVAK |

Friday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10-11-2024 | 0300 | 71 | S. NOVAK |
| | 0600 | 71 | S. Macias |
| | 0900 | 72 | S. Macias |
| | 1200 | 72 | P. GOMEZ |
| | 1500 | 72 | S. Macias |
| | 1800 | 72 | S. Macias |
| | 2100 | 72 | S. Macias |
| | 2400 | 71 | S. NOVAK |

Saturday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10-12-2024 | 0300 | 72 | Herradot |
| | 0600 | 72 | C. Conover |
| | 0900 | 72 | D. Conover |
| | 1200 | 72 | E.A. MACIEL |
| | 1500 | 72 | E.A. MACIEL |
| | 1800 | 72 | E.A. MACIEL |
| | 2100 | 72 | E.A. MACIEL |
| | 2400 | 72 | Herradot |

Sunday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10-13-2024 | 0300 | 72 | Herradot |
| | 0600 | 72 | E.A. MACIEL |
| | 0900 | 72 | E.A. MACIEL |
| | 1200 | 72 | E.A. MACIEL |
| | 1500 | 72 | S. Macias |
| | 1800 | 72 | S. Macias |
| | 2100 | 72 | S. Macias |
| | 2400 | 72 | J. MARTINEZ |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: Infirmary OHU Temp. Reading Location: FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10-14-2024 | 0300 | 78 | E. TRAN |
| | 0600 | 77 | E.A. MACIAS |
| | 0900 | 77 | E.A. MACIAS |
| | 1200 | 72 | E.A. MACIAS |
| | 1500 | 72 | J. CRAMER |
| | 1800 | 72 | J. CRAMER |
| | 2100 | 72 | J. CRAMER |
| | 2400 | 72 | E. TRAN |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10-15-2024 | 0300 | 72 | E. TRAN |
| | 0600 | 72 | S. MACIAS |
| | 0900 | 72 | S. MACIAS |
| | 1200 | 72 | S. MACIAS |
| | 1500 | 73 | A. ARELLAN |
| | 1800 | 73 | A. ARELLAN |
| | 2100 | 73 | A. ARELLAN |
| | 2400 | 72 | E. TRAN |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10-16-2024 | 0300 | 72 | S. NOVAK |
| | 0600 | 72 | MARTINEZ |
| | 0900 | 72 | MARTINEZ |
| | 1200 | 72 | MARTINEZ |
| | 1500 | 72 | S. MACIAS |
| | 1800 | 72 | S. MACIAS |
| | 2100 | 72 | S. MACIAS |
| | 2400 | 72 | S. NOVAK |

Thursday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10-17-2024 | 0300 | 71 | S. NOVAK |
| | 0600 | 71 | MARTINEZ |
| | 0900 | 71 | P. GOMEZ |
| | 1200 | 72 | MARTINEZ |
| | 1500 | 72 | S. MACIAS |
| | 1800 | 72 | S. MACIAS |
| | 2100 | 72 | S. MACIAS |
| | 2400 | 71 | S. NOVAK |

Friday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10-18-2024 | 0300 | 71 | S. NOVAK |
| | 0600 | 71 | S. MACIAS |
| | 0900 | 71 | S. MACIAS |
| | 1200 | 71 | S. MACIAS |
| | 1500 | 72 | S. MACIAS |
| | 1800 | 72 | S. MACIAS |
| | 2100 | 72 | S. MACIAS |
| | 2400 | 71 | S. NOVAK |

Saturday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10-19-2024 | 0300 | 71 | J. MAGDALENO |
| | 0600 | 70 | E.A. MACIEL |
| | 0900 | 71 | E.A. MACIEL |
| | 1200 | 71 | E.A. MACIEL |
| | 1500 | 71 | P. GOMEZ |
| | 1800 | 71 | S. MACIAS |
| | 2100 | 71 | S. MACIAS |
| | 2400 | 72 | J. MAGDALENO |

Notes

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10-20-2024 | 0300 | 71 | J. MARTINEZ |
| | 0600 | 70 | E.A. MACIEL |
| | 0900 | 70 | E.A. MACIEL |
| | 1200 | 71 | E.A. MACIEL |
| | 1500 | 71 | E.A. MACIEL |
| | 1800 | 71 | E.A. MACIEL |
| | 2100 | 71 | E.A. MACIEL |
| | 2400 | 71 | J. MARTINEZ |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: Infirmary OHU Temp. Reading Location: FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-21-2024 | 0300 | 71 | E. TRAIN |
| | 0600 | 70 | E.A. MACIEL |
| | 0900 | 71 | E.A. MACIEL |
| | 1200 | 72 | E.A. MACIEL |
| | 1500 | 72 | D.CHEMIAULT |
| | 1800 | 72 | D.CHEMIAULT |
| | 2100 | 72 | D.CHEMIAULT |
| | 2400 | 71 | E. TRAIN |

| Tuesday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-22-2024 | 0300 | 72 | E. TRAIN |
| | 0600 | 71 | D. GRENNAULT |
| | 0900 | 71 | D. GRENNAULT |
| | 1200 | 72 | D. GRENNAULT |
| | 1500 | 73 | J. REEDSALO |
| | 1800 | 72 | J. REEDSALO |
| | 2100 | 72 | J. REEDSALO |
| | 2400 | 72 | E. TRAIN |

| Wednesday | | | |
|------------|------|-------|-------------------------|
| Date | Time | Temp. | Name (Print) |
| 10-23-2024 | 0300 | 71 | S. NOVAK |
| | 0600 | 72 | D. CHEMIAULT J. MARTINZ |
| | 0900 | 71 | D. CHEMIAULT J. MARTINZ |
| | 1200 | 72 | D. CHEMIAULT P. GOMEZ |
| | 1500 | 73 | P. GOMEZ |
| | 1800 | 72 | E. GILL |
| | 2100 | 72 | E. GILL |
| | 2400 | 71 | S. NOVAK |

| Thursday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-24-2024 | 0300 | 72 | B. OLVERA |
| | 0600 | 71 | J. MARTINZ |
| | 0900 | 72 | P. GOMEZ |
| | 1200 | 73 | P. GOMEZ |
| | 1500 | 73 | P. GOMEZ |
| | 1800 | 73 | S. MACIAS |
| | 2100 | 73 | S. MACIAS |
| | 2400 | 72 | B. OLVERA |

| Friday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-25-2024 | 0300 | 72 | S. NOVAK |
| | 0600 | 72 | S. MACIAS |
| | 0900 | 72 | P. GOMEZ |
| | 1200 | 73 | P. GOMEZ |
| | 1500 | 73 | S. MACIAS |
| | 1800 | 73 | P. GOMEZ |
| | 2100 | 73 | P. GOMEZ |
| | 2400 | 72 | S. NOVAK |

| Saturday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-26-2024 | 0300 | 72 | S. NOVAK |
| | 0600 | 72 | E. ESCALDO |
| | 0900 | 71 | P. GOMEZ |
| | 1200 | 73 | P. GOMEZ |
| | 1500 | 73 | E.A. MACIEL |
| | 1800 | 73 | E.A. MACIEL |
| | 2100 | 73 | E.A. MACIEL |
| | 2400 | 72 | S. NOVAK |

| Sunday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-27-2024 | 0300 | 72 | J. MARTINZ |
| | 0600 | 72 | E.A. MACIEL |
| | 0900 | 72 | E.A. MACIEL |
| | 1200 | 73 | E.A. MACIEL |
| | 1500 | 73 | E.A. MACIEL |
| | 1800 | 73 | E.A. MACIEL |
| | 2100 | 73 | E.A. MACIEL |
| | 2400 | 73 | J. MARTINZ |

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: INFIRMARY OHU Temp. Reading Location: FLOOR
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/28/2024 | 0300 | 73 | E. TRAHN |
| | 0600 | 73 | EA. MACIEL |
| | 0900 | 73 | EA. MACIEL |
| | 1200 | 73 | EA. MACIEL |
| | 1500 | 73 | E. REY |
| | 1800 | 73 | Hill |
| | 2100 | 73 | Hill |
| | 2400 | 73 | E. TRAHN |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/29/2024 | 0300 | 72 | E. TRAHN |
| | 0600 | 72 | EA. MACIEL |
| | 0900 | 71 | EA. MACIEL |
| | 1200 | 72 | EA. MACIEL |
| | 1500 | 73 | N. Williams |
| | 1800 | 72 | N. Williams |
| | 2100 | 72 | N. Williams |
| | 2400 | 73 | E. TRAHN |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/30/2024 | 0300 | 70 | S. NOVOTNA |
| | 0600 | 70 | J. MARTINEZ |
| | 0900 | 70 | J. MARTINEZ |
| | 1200 | 71 | J. MARTINEZ |
| | 1500 | 72 | S. BARBOZA |
| | 1800 | 72 | S. BARBOZA |
| | 2100 | 72 | S. BARBOZA |
| | 2400 | 71 | S. NOVOTNA |

Thursday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/31/2024 | 0300 | 70 | S. NOVOTNA |
| | 0600 | 70 | S. NOVOTNA |
| | 0900 | 72 | S. NOVOTNA |
| | 1200 | 72 | S. NOVOTNA |
| | 1500 | 71 | R. TREVINO |
| | 1800 | 70 | R. TREVINO |
| | 2100 | 70 | R. TREVINO |
| | 2400 | 72 | S. NOVOTNA |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: VSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Control control

Immediately notify the Watch Commander at extension 5327 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 67 | Soria |
| | 0200 | 66 | Soria |
| | 0300 | 65 | Soria |
| | 0400 | 64 | Soria |
| | 0500 | 63 | Soria |
| | 0600 | 58 | CHARFAURUS |
| 21 | 0700 | 59 | CHARFAURUS |
| 30 | 0800 | 61 | CHARFAURUS |
| 01 | 0900 | 67 | CHARFAURUS |
| 02 | 1000 | 72 | CHARFAURUS |
| 03 | 1100 | 77 | CHARFAURUS |
| 04 | 1200 | 83 | CHARFAURUS |
| | 1300 | 80 | CHARFAURUS |
| | 1400 | 87 | CHARFAURUS |
| | 1500 | 89 | R. MEZA |
| | 1600 | 92 | R. MEZA |
| | 1700 | 91 | R. MEZA |
| | 1800 | 89 | R. MEZA |
| | 1900 | 78 | R. MEZA |
| | 2000 | 75 | R. MEZA |
| | 2100 | 71 | R. MEZA |
| | 2200 | 75 | S. Soria |
| | 2300 | 70 | S. Soria |
| | 2400 | 68 | S. Soria |

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 67 | S. Soria |
| | 0200 | 66 | S. Soria |
| | 0300 | 64 | S. Soria |
| | 0400 | 62 | S. Soria |
| | 0500 | 62 | S. Soria |
| | 0600 | 61 | m medina |
| 11 | 0700 | 64 | medina |
| 12 | 0800 | 66 | medina |
| 13 | 0900 | 70 | medina |
| 14 | 1000 | 73 | medina |
| 15 | 1100 | 79 | m medina |
| 16 | 1200 | 84 | m medina |
| 17 | 1300 | 87 | m medina |
| 18 | 1400 | 89 | VASQUEZ |
| 19 | 1500 | 92 | R. MEZA |
| 20 | 1600 | 94 | R. MEZA |
| 21 | 1700 | 95 | R. MEZA |
| 22 | 1800 | 93 | R. MEZA |
| 23 | 1900 | 84 | R. MEZA |
| 24 | 2000 | 80 | R. MEZA |
| 25 | 2100 | 77 | R. MEZA |
| 26 | 2200 | 75 | T. Botello |
| 27 | 2300 | 70 | T. Botello |
| 28 | 2400 | 68 | T. Botello |

Stage I activated @ 1545
Deactivated @ 1900

Stage I activated @ 1430
deactivated @ 1930

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: VSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Control

Immediately notify the Watch Commander at extension 5327 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 10/2/24 | 0100 | 67 | F. Botello |
| | 0200 | 66 | F. Botello |
| | 0300 | 65 | F. Botello |
| | 0400 | 65 | F. Botello |
| | 0500 | 63 | F. Botello |
| | 0600 | 64 | Gutierrez |
| | 0700 | 64 | VASSUEZ |
| | 0800 | 68 | Gutierrez |
| | 0900 | 72 | Gutierrez |
| | 1000 | 76 | Gutierrez |
| | 1100 | 80 | Gutierrez |
| | 1200 | 84 | Gutierrez |
| | 1300 | 89 | Gutierrez |
| | 1400 | 92 | R. NEZA |
| | 1500 | 92 | R. NEZA |
| | 1600 | 92 | R. NEZA |
| | 1700 | 94 | R. NEZA |
| | 1800 | 94 | R. NEZA |
| | 1900 | 86 | R. NEZA |
| | 2000 | 84 | R. NEZA |
| | 2100 | 82 | R. NEZA |
| | 2200 | 78 | R. NEZA |
| | 2300 | 70 | J. Ramos |
| | 2400 | 69 | J. Ramos |

| Date | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 10/3/24 | 0100 | 67 | J. Ramos |
| | 0200 | 67 | J. Ramos |
| | 0300 | 65 | J. Ramos |
| | 0400 | 65 | J. Ramos |
| | 0500 | 64 | J. Ramos |
| | 0600 | 64 | H. Gutierrez |
| | 0700 | 66 | VASSUEZ |
| | 0800 | 68 | Gutierrez |
| | 0900 | 71 | VASSUEZ |
| | 1000 | 76 | Gutierrez |
| | 1100 | 82 | Gutierrez |
| | 1200 | 88 | Gutierrez |
| | 1300 | 92 | Gutierrez |
| | 1400 | 92 | Gutierrez |
| | 1500 | 97 | R. NEZA |
| | 1600 | 100 | R. NEZA |
| | 1700 | 100 | R. NEZA |
| | 1800 | 93 | R. NEZA |
| | 1900 | 84 | R. NEZA |
| | 2000 | 80 | R. NEZA |
| | 2100 | 78 | R. NEZA |
| | 2200 | 76 | K. Saito |
| | 2300 | 73 | K. Saito |
| | 2400 | 70 | K. Saito |

1325 Stage 1 heat activated
 2000 DEACTIVATED

104.5 - 80°
 90° Stage 1 Activated 1230

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: VSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 10/4/24 | 0100 | 67 | K. Sastren |
| | 0200 | 64 | K. Sastren |
| | 0300 | 63 | K. Sastren |
| | 0400 | 67 | K. Sastren |
| | 0500 | 65 | K. Sastren |
| | 0600 | 67 | Gutierrez |
| | 0700 | 67 | Gutierrez |
| | 0800 | 70 | Gutierrez |
| | 0900 | 75 | Gutierrez |
| | 1000 | 80 | Gutierrez |
| | 1100 | 85 | VASQUEZ |
| | 1200 | 89 | Gutierrez |
| | 1300 | 91 | Gutierrez |
| | 1400 | 91 | R. MEZA |
| | 1500 | 95 | R. MEZA |
| | 1600 | 98 | R. MEZA |
| | 1700 | 98 | R. MEZA |
| | 1800 | 94 | R. MEZA |
| | 1900 | 91 | R. MEZA |
| | 2000 | 81 | R. MEZA |
| | 2100 | 79 | R. MEZA |
| | 2200 | 79 | R. MEZA |
| | 2300 | 78 | J. Ogle |
| | 2400 | 77 | J. Ogle |

90° Stage 1 heat activated 1250

Deactivated at 2015

| Date | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 10/5/24 | 0100 | 76 | J. Ogle |
| | 0200 | 75 | J. Ogle |
| | 0300 | 75 | J. Ogle |
| | 0400 | 73 | J. Ogle |
| | 0500 | 65 | J. Ogle |
| | 0600 | 63 | VASQUEZ |
| | 0700 | 65 | R. MEZA |
| | 0800 | 67 | R. MEZA |
| | 0900 | 73 | R. MEZA |
| | 1000 | 85 | R. MEZA |
| | 1100 | 81 | VASQUEZ |
| | 1200 | 85 | R. MEZA |
| | 1300 | 89 | R. MEZA |
| | 1400 | 93 | J. Ogle |
| | 1500 | 96 | A. Montano |
| | 1600 | 95 | A. Montano |
| | 1700 | 92 | A. Montano |
| | 1800 | 88 | A. Montano |
| | 1900 | 86 | A. Montano |
| | 2000 | 82 | J. Ogle |
| | 2100 | 79 | A. Montano |
| | 2200 | 77 | J. Ogle |
| | 2300 | 77 | J. Ogle |
| | 2400 | 74 | J. Ogle |

Stage 1 heat activated 1255

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

VSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

Central Control

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 10-6-24 | 0100 | 73 | Otega |
| | 0200 | 69 | Otega |
| | 0300 | 68 | Otega |
| | 0400 | 67 | Otega |
| | 0500 | 66 | Otega |
| | 0600 | 64 | R. P. Rios |
| | 0700 | 65 | R. P. Rios |
| | 0800 | 68 | R. P. Rios |
| | 0900 | 71 | R. P. Rios |
| | 1000 | 75 | R. P. Rios |
| | 1100 | 82 | R. P. Rios |
| | 1200 | 85 | R. P. Rios |
| | 1300 | 87 | R. P. Rios |
| | 1400 | 91 | A. Montano |
| | 1500 | 91 | A. Montano |
| | 1600 | 90 | A. Montano |
| | 1700 | 94 | A. Montano |
| | 1800 | 94 | A. Montano |
| | 1900 | 88 | A. Montano |
| | 2000 | 84 | A. Montano |
| | 2100 | 81 | A. Montano |
| | 2200 | 81 | S. Soria |
| | 2300 | 74 | S. Soria |
| | 2400 | 71 | S. Soria |

| Date | Time | Temp. | Printed Name |
|---------|------|-------|--------------------|
| 10-7-24 | 0100 | 73 | Soria |
| | 0200 | 71 | Soria |
| | 0300 | 69 | Soria |
| | 0400 | 68 | Soria |
| | 0500 | 67 | Soria |
| | 0600 | 68 | CHARFAUROS |
| | 0700 | 69 | CHARFAUROS |
| | 0800 | 70 | CHARFAUROS |
| | 0900 | 73 | CHARFAUROS |
| | 1000 | 76 | CHARFAUROS |
| | 1100 | 80 | CHARFAUROS |
| | 1200 | 86 | CHARFAUROS |
| | 1300 | 90 | CHARFAUROS |
| | 1400 | 91 | CHARFAUROS |
| | 1500 | 92 | R. MEZA |
| | 1600 | 94 | R. MEZA |
| | 1700 | 95 | R. MEZA |
| | 1800 | 90 | R. MEZA |
| | 1900 | 83 | R. MEZA |
| | 2000 | 77 | R. MEZA |
| | 2100 | 75 | R. MEZA |
| | 2200 | 78 | S. Soria |
| | 2300 | 74 | S. Soria |
| | 2400 | 73 | S. Soria |

*40° heat
L 72 = 90°*

10-7-24 STAGE 1 HEAT ALERT @ 1250 HRS

DEACTIVATED @ 1900

1900 deactvated

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: VSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: central control

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 71 | Soria |
| | 0200 | 70 | Soria |
| | 0300 | 69 | Soria |
| | 0400 | 68 | Soria |
| | 0500 | 67 | Soria |
| | 0600 | 65 | VASSUEZ |
| | 0700 | 65 | VASSUEZ |
| | 0800 | 68 | medina |
| | 0900 | 72 | medina |
| | 1000 | 76 | medina |
| | 1100 | 81 | medina |
| | 1200 | 84 | VASSUEZ |
| | 1300 | 87 | medina |
| | 1400 | 88 | VASSUEZ |
| | 1500 | 91 | R. MEZA |
| | 1600 | 92 | R. MEZA |
| | 1700 | 92 | R. MEZA |
| | 1800 | 87 | R. MEZA |
| | 1900 | 82 | R. MEZA |
| | 2000 | 80 | R. MEZA |
| | 2100 | 74 | R. MEZA |
| | 2200 | 74 | R. MEZA |
| | 2300 | 74 | R. MEZA |
| | 2400 | 73 | R. MEZA |

STAGE I heat alert @ 1445
 Deactivated @ 1900

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 68 | R. MEZA |
| | 0200 | 68 | R. MEZA |
| | 0300 | 69 | R. MEZA |
| | 0400 | 66 | R. MEZA |
| | 0500 | 65 | R. MEZA |
| | 0600 | 64 | Gutierrez |
| | 0700 | 62 | Gutierrez |
| | 0800 | 64 | Gutierrez |
| | 0900 | 70 | Gutierrez |
| | 1000 | 74 | VASSUEZ |
| | 1100 | 80 | VASSUEZ |
| | 1200 | 82 | Gutierrez |
| | 1300 | 85 | Gutierrez |
| | 1400 | 89 | R. MEZA |
| | 1500 | 89 | R. MEZA |
| | 1600 | 91 | R. MEZA |
| | 1700 | 83 | R. MEZA |
| | 1800 | 82 | R. MEZA |
| | 1900 | 80 | R. MEZA |
| | 2000 | 78 | R. MEZA |
| | 2100 | 74 | R. MEZA |
| | 2200 | 73 | Gutierrez |
| | 2300 | 71 | Gutierrez |
| | 2400 | 68 | Gutierrez |

STAGE I HEAT ALERT @ 1545
 Deactivated @ 1900

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CCCR 2030 (4/6/86)

California Department of Corrections and Rehabilitation

INSTITUTION: Y/SC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the outside ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

10/10/24

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 65 | Gutierrez |
| | 0200 | 64 | Gutierrez |
| | 0300 | 63 | Gutierrez |
| | 0400 | 62 | Gutierrez |
| | 0500 | 63 | Gutierrez |
| | 0600 | 64 | Gutierrez |
| | 0700 | 62 | Gutierrez |
| | 0800 | 62 | Gutierrez |
| | 0900 | 67 | Gutierrez |
| | 1000 | 72 | Gutierrez |
| | 1100 | 70 | Gutierrez |
| | 1200 | 80 | Gutierrez |
| | 1300 | | Gutierrez |
| | 1400 | 81 | R. NEZIA |
| | 1500 | 85 | R. NEZIA |
| | 1600 | 83 | R. NEZIA |
| | 1700 | 81 | R. NEZIA |
| | 1800 | 80 | R. NEZIA |
| | 1900 | 77 | R. NEZIA |
| | 2000 | 74 | R. NEZIA |
| | 2100 | 71 | R. NEZIA |
| | 2200 | 70 | K. Senterre |
| | 2300 | 67 | K. Senterre |
| | 2400 | 63 | K. Senterre |

10/11/24

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 61 | K. Senterre |
| | 0200 | 63 | K. Senterre |
| | 0300 | 64 | K. Senterre |
| | 0400 | 61 | K. Senterre |
| | 0500 | 59 | K. Senterre |
| | 0600 | 59 | JASPER |
| | 0700 | 61 | Gutierrez |
| | 0800 | 59 | Gutierrez |
| | 0900 | 65 | Gutierrez |
| | 1000 | 68 | Gutierrez |
| | 1100 | 72 | Gutierrez |
| | 1200 | 72 | Gutierrez |
| | 1300 | 70 | Gutierrez |
| | 1400 | 70 | R. NEZIA |
| | 1500 | 84 | R. NEZIA |
| | 1600 | 83 | R. NEZIA |
| | 1700 | 84 | R. NEZIA |
| | 1800 | 82 | R. NEZIA |
| | 1900 | 80 | R. NEZIA |
| | 2000 | 77 | R. NEZIA |
| | 2100 | 72 | R. NEZIA |
| | 2200 | 70 | K. Senterre |
| | 2300 | 69 | K. Senterre |
| | 2400 | | K. Senterre |

DISTRIBUTION: Original Institution Heat Plan Coordinator.

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: VSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name | Date | Time | Temp. | Printed Name |
|------------|------|-------|----------------|------------|------|-------|--------------|
| 10/12/2014 | 0100 | 64 | I.C. Sartorius | 10/13/2014 | 0100 | 64 | C. Leyva |
| | 0200 | 62 | I.C. Sartorius | | 0200 | 63 | C. Leyva |
| | 0300 | 60 | I.C. Sartorius | | 0300 | 63 | C. Leyva |
| | 0400 | 60 | I.C. Sartorius | | 0400 | 62 | C. Leyva |
| | 0500 | 61 | I.C. Sartorius | | 0500 | 61 | C. Leyva |
| | 0600 | 60 | Gutierrez | | 0600 | 61 | Gutierrez |
| | 0700 | 60 | Gutierrez | | 0700 | 62 | Gutierrez |
| | 0800 | 60 | Gutierrez | | 0800 | 63 | Gutierrez |
| | 0900 | 63 | Gutierrez | | 0900 | 64 | Gutierrez |
| | 1000 | 68 | Gutierrez | | 1000 | 65 | Gutierrez |
| | 1100 | 72 | Gutierrez | | 1100 | 69 | Gutierrez |
| | 1200 | 75 | VASSUEZ | | 1200 | 70 | Gutierrez |
| | 1300 | 78 | VASSUEZ | | 1300 | 73 | Gutierrez |
| | 1400 | 78 | A. MONTANO | | 1400 | 75 | A. MONTANO |
| | 1500 | 82 | A. MONTANO | | 1500 | 76 | A. MONTANO |
| | 1600 | 79 | A. MONTANO | | 1600 | 80 | A. MONTANO |
| | 1700 | 79 | A. MONTANO | | 1700 | 78 | A. MONTANO |
| | 1800 | 77 | A. MONTANO | | 1800 | 77 | A. MONTANO |
| | 1900 | 75 | A. MONTANO | | 1900 | 75 | A. MONTANO |
| | 2000 | 71 | A. MONTANO | | 2000 | 72 | A. MONTANO |
| | 2100 | 71 | A. MONTANO | | 2100 | 71 | A. MONTANO |
| | 2200 | 69 | C. Leyva | | 2200 | 70 | V. GONZALES |
| | 2300 | 68 | C. Leyva | | 2300 | 69 | V. GONZALES |
| | 2400 | 66 | C. Leyva | | 2400 | 68 | V. GONZALES |

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: V. S. P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|----------|------|-------|--------------|
| 10-14-24 | 0100 | 67 | V GONZALES |
| | 0200 | 66 | V GONZALES |
| | 0300 | 64 | V GONZALES |
| | 0400 | 62 | V GONZALES |
| | 0500 | 60 | V GONZALES |
| | 0600 | 60 | V GONZALES |
| | 0700 | 60 | CHARFAIROS |
| | 0800 | 61 | CHARFAIROS |
| | 0900 | 63 | CHARFAIROS |
| | 1000 | 68 | CHARFAIROS |
| | 1100 | 72 | CHARFAIROS |
| | 1200 | 73 | CHARFAIROS |
| | 1300 | 77 | CHARFAIROS |
| | 1400 | 81 | CHARFAIROS |
| | 1500 | 81 | R. MEZA |
| | 1600 | 80 | R. MEZA |
| | 1700 | 79 | R. MEZA |
| | 1800 | 77 | R. MEZA |
| | 1900 | 75 | R. MEZA |
| | 2000 | 72 | R. MEZA |
| | 2100 | 70 | R. MEZA |
| | 2200 | 70 | V GONZALES |
| | 2300 | 79 | V GONZALES |
| | 2400 | 78 | V GONZALES |

| Date | Time | Temp. | Printed Name |
|----------|------|-------|--------------|
| 10-15-24 | 0100 | 74 | V GONZALES |
| | 0200 | 70 | V GONZALES |
| | 0300 | 66 | V GONZALES |
| | 0400 | 62 | V GONZALES |
| | 0500 | 60 | V GONZALES |
| | 0600 | 61 | VASSUEZ |
| | 0700 | 62 | VASSUEZ |
| | 0800 | 63 | VASSUEZ |
| | 0900 | 69 | Maldonado |
| | 1000 | 70 | Maldonado |
| | 1100 | 75 | Maldonado |
| | 1200 | 78 | Maldonado |
| | 1300 | 76 | Maldonado |
| | 1400 | 78 | R. MEZA |
| | 1500 | 83 | R. MEZA |
| | 1600 | 82 | R. MEZA |
| | 1700 | 84 | R. MEZA |
| | 1800 | 81 | R. MEZA |
| | 1900 | 78 | R. MEZA |
| | 2000 | 74 | R. MEZA |
| | 2100 | 69 | R. MEZA |
| | 2200 | 68 | R. MEZA |
| | 2300 | 67 | J. Magdaleno |
| | 2400 | 69 | J. Magdaleno |

INSTITUTION:

V.S.P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

Central Control

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------------|------|-------|--------------|
| 05-15-2024 | 0100 | 69 | J. MCGOWAN |
| | 0200 | 60 | J. MCGOWAN |
| | 0300 | 60 | J. MCGOWAN |
| | 0400 | 59 | J. MCGOWAN |
| | 0500 | 59 | J. MCGOWAN |
| | 0600 | 61 | VASSUEZ |
| | 0700 | 62 | VASSUEZ |
| | 0800 | 62 | VASSUEZ |
| | 0900 | 65 | VASSUEZ |
| | 1000 | 69 | VASSUEZ |
| | 1100 | 73 | Vass |
| | 1200 | 76 | VASSUEZ |
| | 1300 | 75 | VASSUEZ |
| | 1400 | 74 | VASSUEZ |
| | 1500 | 74 | R. MEZA |
| | 1600 | 74 | R. MEZA |
| | 1700 | 72 | R. MEZA |
| | 1800 | 71 | R. MEZA |
| | 1900 | 69 | R. MEZA |
| | 2000 | 68 | R. MEZA |
| | 2100 | 66 | R. MEZA |
| | 2200 | 64 | K. SEXTON |
| | 2300 | 62 | K. SEXTON |
| | 2400 | 60 | K. SEXTON |

| Date | Time | Temp. | Printed Name |
|------------|------|-------|--------------|
| 10-17-2024 | 0100 | 58 | K. SEXTON |
| | 0200 | 57 | K. SEXTON |
| | 0300 | 58 | K. SEXTON |
| | 0400 | 58 | K. SEXTON |
| | 0500 | 59 | K. SEXTON |
| | 0600 | 58 | VASSUEZ |
| | 0700 | 57 | VASSUEZ |
| | 0800 | 60 | VASSUEZ |
| | 0900 | 61 | VASSUEZ |
| | 1000 | 64 | VASSUEZ |
| | 1100 | 67 | VASSUEZ |
| | 1200 | 70 | VASSUEZ |
| | 1300 | 72 | VASSUEZ |
| | 1400 | 73 | VASSUEZ |
| | 1500 | 73 | R. MEZA |
| | 1600 | 73 | R. MEZA |
| | 1700 | 73 | R. MEZA |
| | 1800 | 71 | R. MEZA |
| | 1900 | 69 | R. MEZA |
| | 2000 | 67 | R. MEZA |
| | 2100 | 65 | R. MEZA |
| | 2200 | 64 | K. SEXTON |
| | 2300 | 62 | K. SEXTON |
| | 2400 | 60 | K. SEXTON |

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
COCR 2030 (3416)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: V.S.P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 5-14-12 | 0100 | 53 | K. Saito |
| 5-14-12 | 0200 | 57 | K. Saito |
| 5-14-12 | 0300 | 58 | K. Saito |
| 5-14-12 | 0400 | 54 | K. Saito |
| 5-14-12 | 0500 | 59 | K. Saito |
| 5-14-12 | 0600 | 57 | VASSILEV |
| 5-14-12 | 0700 | 57 | VASSILEV |
| 5-14-12 | 0800 | 57 | VASSILEV |
| 5-14-12 | 0900 | 56 | VASSILEV |
| 5-14-12 | 1000 | 58 | VASSILEV |
| 5-14-12 | 1100 | 60 | VASSILEV |
| 5-14-12 | 1200 | 62 | VASSILEV |
| 5-14-12 | 1300 | 65 | VASSILEV |
| 5-14-12 | 1400 | 68 | VASSILEV |
| 5-14-12 | 1500 | 66 | Gonzalez |
| 5-14-12 | 1600 | 65 | Gonzalez |
| 5-14-12 | 1700 | 64 | Gonzalez |
| 5-14-12 | 1800 | 66 | Gonzalez |
| 5-14-12 | 1900 | 65 | Gonzalez |
| 5-14-12 | 2000 | 64 | Gonzalez |
| 5-14-12 | 2100 | 62 | Gonzalez |
| 5-14-12 | 2200 | 56 | K. Saito |
| 5-14-12 | 2300 | 55 | K. Saito |
| 5-14-12 | 2400 | 53 | K. Saito |

| Date | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 5-14-12 | 0100 | 53 | K. Saito |
| 5-14-12 | 0200 | 57 | K. Saito |
| 5-14-12 | 0300 | 58 | K. Saito |
| 5-14-12 | 0400 | 57 | K. Saito |
| 5-14-12 | 0500 | 57 | K. Saito |
| 5-14-12 | 0600 | 56 | VASSILEV |
| 5-14-12 | 0700 | 49 | VASSILEV |
| 5-14-12 | 0800 | 52 | VASSILEV |
| 5-14-12 | 0900 | 57 | VASSILEV |
| 5-14-12 | 1000 | 62 | VASSILEV |
| 5-14-12 | 1100 | 65 | VASSILEV |
| 5-14-12 | 1200 | 67 | VASSILEV |
| 5-14-12 | 1300 | 69 | VASSILEV |
| 5-14-12 | 1400 | 73 | VASSILEV |
| 5-14-12 | 1500 | 73 | Gonzalez |
| 5-14-12 | 1600 | 73 | Gonzalez |
| 5-14-12 | 1700 | 74 | Gonzalez |
| 5-14-12 | 1800 | 77 | Gonzalez |
| 5-14-12 | 1900 | 64 | Gonzalez |
| 5-14-12 | 2000 | 62 | Gonzalez |
| 5-14-12 | 2100 | 57 | VASSILEV |
| 5-14-12 | 2200 | 57 | VASSILEV |
| 5-14-12 | 2300 | 55 | K. Saito |
| 5-14-12 | 2400 | 54 | K. Saito |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
COCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REVENGE (DCR), CA

INSTITUTION: KSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|-----------|------|-------|--------------|
| | 0100 | 53 | C. Saito |
| | 0200 | 57 | C. Saito |
| | 0300 | 58 | C. Saito |
| | 0400 | 53 | C. Saito |
| | 0500 | 53 | C. Saito |
| | 0600 | 53 | N. Yam |
| 6/24/2014 | 0700 | 53 | N. Yam |
| | 0800 | 53 | N. Yam |
| | 0900 | 54 | N. Yam |
| | 1000 | 59 | A. Rodriguez |
| | 1100 | 69 | A. Rodriguez |
| | 1200 | 72 | A. Rodriguez |
| | 1300 | 75 | A. Rodriguez |
| | 1400 | 77 | A. Rodriguez |
| | 1500 | 77 | A. Rodriguez |
| | 1600 | 74 | A. Rodriguez |
| | 1700 | 71 | A. Rodriguez |
| | 1800 | 75 | A. Rodriguez |
| | 1900 | 75 | A. Rodriguez |
| | 2000 | 62 | A. Rodriguez |
| | 2100 | 62 | A. Rodriguez |
| | 2200 | 62 | S. Soria |
| | 2300 | 58 | S. Soria |
| | 2400 | 57 | S. Soria |

| Date | Time | Temp. | Printed Name |
|-----------|------|-------|--------------|
| | 0100 | 56 | S. Soria |
| | 0200 | 55 | S. Soria |
| | 0300 | 55 | S. Soria |
| | 0400 | 56 | S. Soria |
| | 0500 | 55 | S. Soria |
| | 0600 | 56 | S. Soria |
| 6/24/2014 | 0700 | 51 | S. Soria |
| | 0800 | 57 | S. Soria |
| | 0900 | 53 | S. Soria |
| | 1000 | 61 | S. Soria |
| | 1100 | 71 | S. Soria |
| | 1200 | 72 | S. Soria |
| | 1300 | 76 | S. Soria |
| | 1400 | 79 | R. Mendoza |
| | 1500 | 80 | R. Mendoza |
| | 1600 | 81 | R. Mendoza |
| | 1700 | 81 | R. Mendoza |
| | 1800 | 74 | R. Mendoza |
| | 1900 | 67 | R. Mendoza |
| | 2000 | 67 | R. Mendoza |
| | 2100 | 66 | R. Mendoza |
| | 2200 | 64 | S. Soria |
| | 2300 | 61 | S. Soria |
| | 2400 | 59 | S. Soria |

INSTITUTION: VSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer (located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week).

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|-------------------------|------|-------|--------------|
| | 0100 | 60 | Soria |
| | 0200 | 59 | Soria |
| | 0300 | 58 | Soria |
| | 0400 | 56 | Soria |
| | 0500 | 55 | Soria |
| | 0600 | 50 | VASSQUEZ |
| 2 V N N 10/ | 0700 | 49 | VASSQUEZ |
| | 0800 | 52 | VASSQUEZ |
| | 0900 | 56 | medina |
| | 1000 | 62 | m medina |
| | 1100 | 67 | VASSQUEZ |
| | 1200 | 70 | VASSQUEZ |
| | 1300 | 73 | VASSQUEZ |
| | 1400 | 75 | R. NEZTA |
| | 1500 | 77 | R. NEZTA |
| | 1600 | 76 | R. NEZTA |
| | 1700 | 75 | R. NEZTA |
| | 1800 | 76 | R. NEZTA |
| | 1900 | 73 | R. NEZTA |
| | 2000 | 70 | R. NEZTA |
| | 2100 | 65 | R. NEZTA |
| | 2200 | 64 | B. Cox |
| | 2300 | 59 | B. Cox |
| | 2400 | 61 | B. Cox |

| Date | Time | Temp. | Printed Name |
|-------------------------|------|-------|--------------|
| | 0100 | 57° | B. Cox |
| | 0200 | 55° | B. Cox |
| | 0300 | 57° | B. Cox |
| | 0400 | 55° | B. Cox |
| | 0500 | 58° | B. Cox |
| | 0600 | 50 | VASSQUEZ |
| 2 V N N 10/ | 0700 | 49 | VASSQUEZ |
| | 0800 | 52 | VASSQUEZ |
| | 0900 | 59 | VASSQUEZ |
| | 1000 | 64 | Soria |
| | 1100 | 69 | VASSQUEZ |
| | 1200 | 71 | VASSQUEZ |
| | 1300 | 74 | VASSQUEZ |
| | 1400 | 75 | R. NEZTA |
| | 1500 | 75 | R. NEZTA |
| | 1600 | 80 | R. NEZTA |
| | 1700 | 79 | R. NEZTA |
| | 1800 | 74 | R. NEZTA |
| | 1900 | 70 | R. NEZTA |
| | 2000 | 67 | R. NEZTA |
| | 2100 | 64 | R. NEZTA |
| | 2200 | 60 | M. Lopez |
| | 2300 | 59 | M. Lopez |
| | 2400 | 58 | M. Lopez |

INSTITUTION: 100-241-2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control Room

Immediately notify the Watch Commander at extension 5313 when the air temperature reaches 80 degrees.

| Date | Time | Temp. | Printed Name |
|------------|------|-------|--------------|
| 10-24-2024 | 0100 | 57 | M. Lopez |
| | 0200 | 54 | M. Lopez |
| | 0300 | 55 | M. Lopez |
| | 0400 | 55 | M. Lopez |
| | 0500 | 54 | M. Lopez |
| | 0600 | 54 | VASSUEZ |
| | 0700 | 52 | VASSUEZ |
| | 0800 | 54 | VASSUEZ |
| | 0900 | 59 | JANICKA |
| | 1000 | 62 | JANICKA |
| | 1100 | 63 | VASSUEZ |
| | 1200 | 64 | VASSUEZ |
| | 1300 | 68 | VASSUEZ |
| | 1400 | 70 | R. NEZIA |
| | 1500 | 70 | R. NEZIA |
| | 1600 | 75 | R. NEZIA |
| | 1700 | 71 | R. NEZIA |
| | 1800 | 70 | R. NEZIA |
| | 1900 | 67 | R. NEZIA |
| | 2000 | 63 | R. NEZIA |
| | 2100 | 61 | R. NEZIA |
| | 2200 | 59 | K. Saito |
| | 2300 | 57 | K. Saito |
| | 2400 | 55 | K. Saito |

| Date | Time | Temp. | Printed Name |
|------------|------|-------|--------------|
| 10-25-2024 | 0100 | 53 | K. Saito |
| | 0200 | 53 | K. Saito |
| | 0300 | 51 | K. Saito |
| | 0400 | 51 | K. Saito |
| | 0500 | 52 | K. Saito |
| | 0600 | 50 | VASSUEZ |
| | 0700 | 51 | VASSUEZ |
| | 0800 | 52 | VASSUEZ |
| | 0900 | 50 | Sanchez |
| | 1000 | 65 | Yee |
| | 1100 | 64 | Sanchez |
| | 1200 | 68 | Sanchez |
| | 1300 | 71 | VASSUEZ |
| | 1400 | 73 | R. NEZIA |
| | 1500 | 76 | R. NEZIA |
| | 1600 | 76 | R. NEZIA |
| | 1700 | 74 | R. NEZIA |
| | 1800 | 72 | R. NEZIA |
| | 1900 | 71 | R. NEZIA |
| | 2000 | 66 | R. NEZIA |
| | 2100 | 61 | R. NEZIA |
| | 2200 | 58 | K. Saito |
| | 2300 | 57 | K. Saito |
| | 2400 | 56 | K. Saito |

INSTITUTION:

VSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|----------|------|-------|--------------|
| 10/26/24 | 0100 | 54 | K Sauter - |
| | 0200 | 53 | K Sauter |
| | 0300 | 52 | K Sauter |
| | 0400 | 50 | K Sauter |
| | 0500 | 49 | K Sauter |
| | 0600 | 49 | VASSUEZ |
| | 0700 | 47 | VASSUEZ |
| | 0800 | 48 | VASSUEZ |
| | 0900 | 54 | VASSUEZ |
| | 1000 | 58 | VASSUEZ |
| | 1100 | 62 | VASSUEZ |
| | 1200 | 65 | VASSUEZ |
| | 1300 | 71 | VASSUEZ |
| | 1400 | 73 | MONTANO |
| | 1500 | 74 | MONTANO |
| | 1600 | 75 | MONTANO |
| | 1700 | 73 | MONTANO |
| | 1800 | 71 | MONTANO |
| | 1900 | 68 | MONTANO |
| | 2000 | 67 | MONTANO |
| | 2100 | 65 | MONTANO |
| | 2200 | 65 | J. magdaleno |
| | 2300 | 60 | J. magdaleno |
| | 2400 | 60 | J. magdaleno |

| Date | Time | Temp. | Printed Name |
|----------|------|-------|--------------|
| 10/27/24 | 0100 | 52 | J. magdaleno |
| | 0200 | 54 | J. magdaleno |
| | 0300 | 59 | J. magdaleno |
| | 0400 | 60 | J. magdaleno |
| | 0500 | 60 | J. magdaleno |
| | 0600 | 58 | Vas |
| | 0700 | 60 | Vas |
| | 0800 | 60 | Vas |
| | 0900 | 62 | Vas |
| | 1000 | 64 | Vas |
| | 1100 | 66 | Vas |
| | 1200 | 68 | Vas |
| | 1300 | 70 | Vas |
| | 1400 | 70 | MONTANO |
| | 1500 | 72 | MONTANO |
| | 1600 | 72 | MONTANO |
| | 1700 | 75 | MONTANO |
| | 1800 | 72 | MONTANO |
| | 1900 | 69 | MONTANO |
| | 2000 | 68 | MONTANO |
| | 2100 | 67 | MONTANO |
| | 2200 | 65 | C. Leyva |
| | 2300 | 65 | C. Leyva |
| | 2400 | 64 | C. Leyva |

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: V.S.P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------------|------|-------|--------------|
| 10-28-2024 | 0100 | 63 | C. legua |
| | 0200 | 62 | C. legua |
| | 0300 | 62 | C. legua |
| | 0400 | 61 | C. legua |
| | 0500 | 61 | C. legua |
| | 0600 | 60 | CHARFAUROS |
| | 0700 | 59 | CHARFAUROS |
| | 0800 | 59 | CHARFAUROS |
| | 0900 | 59 | CHARFAUROS |
| | 1000 | 60 | CHARFAUROS |
| | 1100 | 63 | CHARFAUROS |
| | 1200 | 64 | CHARFAUROS |
| | 1300 | 65 | MILLS |
| | 1400 | 64 | R. MEZA |
| | 1500 | 69 | R. MEZA |
| | 1600 | 68 | R. MEZA |
| | 1700 | 67 | R. MEZA |
| | 1800 | 64 | R. MEZA |
| | 1900 | 62 | R. MEZA |
| | 2000 | 61 | R. MEZA |
| | 2100 | 60 | R. MEZA |
| | 2200 | 59 | *GOMEZ |
| | 2300 | 59 | *GOMEZ |
| | 2400 | 56 | J. Espinosa |

| Date | Time | Temp. | Printed Name |
|------------|------|-------|--------------|
| 10-29-2024 | 0100 | 51 | J. Espinosa |
| | 0200 | 51 | J. Espinosa |
| | 0300 | 52 | J. Espinosa |
| | 0400 | 53 | J. Espinosa |
| | 0500 | 51 | J. Espinosa |
| | 0600 | 51 | VASSUEZ |
| | 0700 | 50 | VASSUEZ |
| | 0800 | 52 | VASSUEZ |
| | 0900 | 53 | VASSUEZ |
| | 1000 | 55 | VASSUEZ |
| | 1100 | 59 | VASSUEZ |
| | 1200 | 60 | VASSUEZ |
| | 1300 | 63 | VASSUEZ |
| | 1400 | 63 | *GOMEZ |
| | 1500 | 66 | R. MEZA |
| | 1600 | 67 | R. MEZA |
| | 1700 | 65 | R. MEZA |
| | 1800 | 63 | R. MEZA |
| | 1900 | 57 | R. MEZA |
| | 2000 | 54 | R. MEZA |
| | 2100 | 53 | R. MEZA |
| | 2200 | 51 | *GOMEZ |
| | 2300 | 51 | P. SOLIS |
| | 2400 | 50 | P. SOLIS |

INSTITUTION:

V. S. P

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------------|------|-------|--------------|
| 10-30-2024 | 0100 | 48 | P. SOLIS |
| | 0200 | 47 | P. SOLIS |
| | 0300 | 45 | P. SOLIS |
| | 0400 | 46 | P. SOLIS |
| | 0500 | 47 | P. SOLIS |
| | 0600 | 46 | VASSQUEZ |
| | 0700 | 45 | VASSQUEZ |
| | 0800 | 48 | VASSQUEZ |
| | 0900 | 53 | VASSQUEZ |
| | 1000 | 57 | VASSQUEZ |
| | 1100 | 60 | VASSQUEZ |
| | 1200 | 62 | VASSQUEZ |
| | 1300 | 64 | VASSQUEZ |
| | 1400 | 64 | HORNAL |
| | 1500 | 63 | HORNAL |
| | 1600 | 61 | HORNAL |
| | 1700 | 60 | HORNAL |
| | 1800 | 57 | HORNAL |
| | 1900 | 56 | HORNAL |
| | 2000 | 56 | HORNAL |
| | 2100 | 56 | HORNAL |
| | 2200 | 54 | K. Saito |
| | 2300 | 52 | K. Saito |
| | 2400 | 50 | K. Saito |

| Date | Time | Temp. | Printed Name |
|------------|------|-------|--------------|
| 10-31-2024 | 0100 | 50 | K. Saito |
| | 0200 | 49 | K. Saito |
| | 0300 | 48 | 12. Saito |
| | 0400 | 49 | K. Saito |
| | 0500 | 50 | K. Saito |
| | 0600 | 52 | VASSQUEZ |
| | 0700 | 55 | VASSQUEZ |
| | 0800 | 56 | VASSQUEZ |
| | 0900 | 57 | VASSQUEZ |
| | 1000 | 59 | VASSQUEZ |
| | 1100 | 61 | VASSQUEZ |
| | 1200 | 63 | VASSQUEZ |
| | 1300 | 64 | VASSQUEZ |
| | 1400 | 66 | VASSQUEZ |
| | 1500 | 67 | M. Hernandez |
| | 1600 | 64 | M. Hernandez |
| | 1700 | 63 | M. Hernandez |
| | 1800 | 60 | M. Hernandez |
| | 1900 | 59 | M. Hernandez |
| | 2000 | 59 | M. Hernandez |
| | 2100 | 57 | M. Hernandez |
| | 2200 | 56 | T. LY |
| | 2300 | 50 | T. LY |
| | 2400 | 50 | T. LY |