

**Monthly Summary Report**

Institution: ASP

**Memorandum**

Date: 09/03/2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - ASP for August 2024

The following is a summary of the heat related activity for the month of August 2024,  
at ASP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 27 days

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes

Number of days Stage II Alert initiated: 8 days

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0 (zero) days

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

M. GAMBOA

Warden Name

@william

Warden Signature

J. NASH

Chief Executive Officer Name

DocuSigned by:

Nash Jaron

0250232AAE78484

Chief Executive Officer Signature

UHT LOG - August 2024

**CDCR Form 2030**

**Outside Temperature Record**

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX II

Immediately notify the Watch Commander at extension 6034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-1-24	0100	77.2	A. RAMIREZ
	0200	75.5	A. RAMIREZ
	0300	73.1	A. RAMIREZ
	0400	72.9	A. RAMIREZ
	0500	73.2	A. RAMIREZ
	0600	73.9	NUCKLES
	0700	75.2	J. DAVES
	0800	78.9	J. DAVES
	0900	84.9	J. DAVES
	1000	90.0	J. DAVES
	1100	94.6	J. DAVES
	1200	93.9	J. DAVES
	1300	97.9	J. DAVES
	1400	99.4	A. RAMIREZ
	1500	101.7	A. RAMIREZ
	1600	102.7	A. RAMIREZ
	1700	102.2	A. RAMIREZ
	1800	101.8	A. RAMIREZ
	1900	100	D. Thacker
	2000	94.6	A. RAMIREZ
	2100	93.7	A. RAMIREZ
	2200	91.9	A. RAMIREZ
	2300	86.7	A. RAMIREZ
	2400	85.4	A. RAMIREZ

Date	Time	Temp.	Printed Name
8-2-24	0100	83.2	A. RAMIREZ
	0200	80.1	A. RAMIREZ
	0300	79.4	A. RAMIREZ
	0400	78.9	A. RAMIREZ
	0500	78.6	A. RAMIREZ
	0600	78.8	N. VEGA
	0700	79.0	N. VEGA
	0800	81.7	N. VEGA
	0900	85.1	N. VEGA
	1000	89.3	N. VEGA
	1100	91.6	N. VEGA
	1200	93.0	N. VEGA
	1300	92.1	N. VEGA
	1400	93.9	L. Ramirez
	1500	91.6	L. Ramirez
	1600	91.5	L. Ramirez
	1700	90.7	L. Ramirez
	1800	91.0	L. Ramirez
	1900	90.7	L. Ramirez
	2000	86.9	L. Ramirez
	2100	83.1	L. Ramirez
	2200	83.8	A. Solorzano
	2300	79.3	A. Solorzano
	2400	79.5	A. Solorzano

STATE OF CALIFORNIA  
 OUTSIDE TEMPERATURE RECORD  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Complex II

Immediately notify the Watch Commander at extension 6034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-23-24	0100	78.7	A.Solorzano
	0200	79.5	A.Solorzano
	0300	75.7	A.Solorzano
	0400	77.5	A.Solorzano
	0500	79.0	A.Solorzano
	0600	79.3	A.Solorzano
	0700	84.2	NUCKLES
	0800	85.7	Nuckles
	0900	90.1	A.Solorzano
	1000	91.2	A.Solorzano
	1100	92.8	A.Solorzano
	1200	96.3	NUCKLES
	1300	98.8	A.Solorzano
	1400	100.4	J.TREVINO
	1500	101.3	J.TREVINO
	1600	101.7	J.TREVINO
	1700	101.5	J.TREVINO
	1800	102.6	J.TREVINO
	1900	100.0	J.TREVINO
	2000	96.6	J.TREVINO
	2100	93.6	J.TREVINO
	2200	92.3	A.Solorzano
	2300	88.3	A.Solorzano
	2400	88.1	A.Solorzano

Date	Time	Temp.	Printed Name
8-24-24	0100	84.6	Solorzano
	0200	84.2	Solorzano
	0300	80.4	Solorzano
	0400	80.1	Solorzano
	0500	74.3	Solorzano
	0600	78.1	Ramirez
	0700	80.4	L.Ramirez
	0800	86.7	L.Ramirez
	0900	89.2	L.Ramirez
	1000	93.4	L.Ramirez
	1100	97.5	L.Ramirez
	1200	99.3	L.Ramirez
	1300	101.5	L.Ramirez
	1400	104.7	J.TREVINO
	1500	104.7	J.TREVINO
	1600	105.6	J.TREVINO
	1700	104.2	J.TREVINO
	1800	103.8	J.TREVINO
	1900	102.2	J.TREVINO
	2000	96.6	J.TREVINO
	2100	96.6	J.TREVINO
	2200	92.3	M.KUDLA
	2300	89.1	M.KUDLA
	2400	87.4	M.KUDLA

STAGE 1  
 UHT  
 8915thess

STATE OF CALIFORNIA  
 OUTSIDE TEMPERATURE RECORD  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX II

Immediately notify the Watch Commander at extension 6034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
Stage 1 UHT at 0455 hrs	0100	85.8	M. KUDLA
	0200	84.4	M. KUDLA
	0300	82.9	M. KUDLA
	0400	76.8	M. KUDLA
	0500	75.6	M. KUDLA
	0600	75.0	L. RAMIREZ
	0700	78.4	L. RAMIREZ
	0800	81.0	L. RAMIREZ
	0900	85.8	L. RAMIREZ
	1000	91.8	L. RAMIREZ
	1100	95.5	L. RAMIREZ
	1200	97.3	L. RAMIREZ
	1300	101.3	L. RAMIREZ
	1400	100.8	J. TREVINO
	1500	103.3	J. TREVINO
	1600	104.0	J. TREVINO
	1700	102.6	J. TREVINO
	1800	101.3	J. TREVINO
	1900	99.5	J. TREVINO
	2000	95.5	J. TREVINO
	2100	93.6	J. TREVINO
	2200	89.2	A. RAMIREZ
	2300	88.1	A. RAMIREZ
	2400	86.2	A. RAMIREZ

Date	Time	Temp.	Printed Name
8-6-2024	0100	83.1	A. RAMIREZ
	0200	80.4	A. RAMIREZ
	0300	78.6	A. RAMIREZ
	0400	77.9	A. RAMIREZ
	0500	75.6	A. RAMIREZ
	0600	75.0	D. GUZMAN
	0700	77.4	D. GUZMAN
	0800	83.1	D. GUZMAN
	0900	85.7	D. GUZMAN
	1000	93.0	D. GUZMAN
	1100	97.5	D. GUZMAN
	1200	97.5	D. GUZMAN
	1300	101.8	D. GUZMAN
	1400	105.6	J. TREVINO
	1500	105.8	J. TREVINO
	1600	106.0	J. TREVINO
	1700	105.5	D. THACKER
	1800	104.7	D. THACKER
	1900	101.5	J. TREVINO
	2000	99.5	J. TREVINO
	2100	95.7	J. TREVINO
	2200	90.9	A. RAMIREZ
	2300	90.1	A. RAMIREZ
	2400	90.0	A. RAMIREZ

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX II

Immediately notify the Watch Commander at extension 6034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	89.4	A PLores
	0200	82.9	A PLores
	0300	82.0	A PLores
	0400	81.2	A PLores
	0500	80.0	A PLores
	0600	75.7	NUCKLES
	0700	79.2	NUCKLES
	0800	88.0	Guzman
	0900	93.4	Guzman
	1000	97.3	Guzman
	1100	101.3	Guzman
	1200	103.6	Guzman
	1300	106.2	J. Gomez
	1400	109.2	J. Trevino
	1500	108.3	J. Trevino
	1600	112.8	J. Trevino
	1700	111.7	J. Trevino
	1800	109.6	J. Trevino
	1900	107.1	J. Trevino
	2000	98.7	J. Trevino
	2100	93.7	J. Trevino
	2200	89.9	A. RAMIREZ
	2300	89.1	A. RAMIREZ
	2400	88.0	A. RAMIREZ

5-24-18

Date	Time	Temp.	Printed Name
	0100	86.4	A. RAMIREZ
	0200	84.6	A. RAMIREZ
	0300	81.5	A. RAMIREZ
	0400	76.9	A. RAMIREZ
	0500	76.1	A. RAMIREZ
	0600	75.7	D. Guzman
	0700	75.6	D. Guzman
	0800	81.3	NUCKLES
	0900	88.0	D. Guzman
	1000	90.1	D. Guzman
	1100	95.5	D. Guzman
	1200	98.8	D. Guzman
	1300	106.0	D. Guzman
	1400	103.1	A. RAMIREZ
	1500	101.7	A. RAMIREZ
	1600	101.9	A. RAMIREZ
	1700	102.4	A. RAMIREZ
	1800	100.5	A. RAMIREZ
	1900	97.7	A. RAMIREZ
	2000	94.1	A. RAMIREZ
	2100	91.5	A. RAMIREZ
	2200	89.6	A. RAMIREZ
	2300	85.4	A. RAMIREZ
	2400	82.1	A. RAMIREZ

5-24-18

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Complex II

Immediately notify the Watch Commander at extension (6034) when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-24-18	0100	79.0	A.Ramirez
	0200	78.4	A.Ramirez
	0300	76.1	A.Ramirez
	0400	76.0	A.Ramirez
	0500	75.7	A.Ramirez
	0600	72.9	Guzman
	0700	73.6	Guzman
	0800	84.2	Guzman
	0900	90.0	Guzman
	1000	91.6	Nuckles
	1100	95.5	Guzman
	1200	99.5	Guzman
	1300	100.8	Guzman
	1400	104.9	Guzman
	1500	101.7	GUERRERO
	1600	101.7	GUERRERO
	1700	102.2	GUERRERO
	1800	101.7	GUERRERO
	1900	101.8	GUERRERO
	2000	93.6	GUERRERO
	2100	92.3	GUERRERO
	2200	91.6	Solorzano
	2300	89.1	Solorzano
	2400	86.4	Solorzano

Date	Time	Temp.	Printed Name
8-24-18	0100	85.1	Solorzano
	0200	82.4	Solorzano
	0300	82.0	Solorzano
	0400	78.1	Solorzano
	0500	76.8	Solorzano
	0600	76.0	MINTAKI
	0700	76.9	MINTAKI
	0800	85.4	MINTAKI
	0900	84.1	MINTAKI
	1000	91.2	MINTAKI
	1100	90.4	MINTAKI
	1200	97.8	MINTAKI
	1300	100.2	MINTAKI
	1400	101.5	MINTAKI
	1500	103.1	A.Barrera
	1600	105.3	A.Barrera
	1700	102.4	A.Barrera
	1800	100.6	A.Barrera
	1900	100.1	A.Barrera
	2000	91.1	A.Ramirez
	2100	91.8	A.Barrera
	2200	88.0	A.Solorzano
	2300	83.8	A.Solorzano
	2400	82.1	A.Solorzano

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Complex II

Immediately notify the Watch Commander at extension 6034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-11-24	0100	81.3	A. Solozano
	0200	76.6	A. Solozano
	0300	77.0	A. Solozano
	0400	77.5	A. Solozano
	0500	78.1	A. Solozano
	0600	80.2	R. George
	0700	83.1	R. George
	0800	86.4	R. George
	0900	91.0	R. George
	1000	91.9	R. George
	1100	95.8	R. George
	1200	96.4	R. George
	1300	100.8	R. George
	1400	102.4	M. KUDLA
	1500	102.0	M. KUDLA
	1600	102.2	M. KUDLA
	1700	101.8	M. KUDLA
	1800	100.2	M. KUDLA
	1900	98.1	M. KUDLA
	2000	95.4	M. KUDLA
	2100	91.3	M. KUDLA
	2200	90.3	M. KUDLA
	2300	86.9	M. KUDLA
	2400	84.7	M. KUDLA

Date	Time	Temp.	Printed Name
8-12-24	0100	79.7	M. KUDLA
	0200	77.1	M. KUDLA
	0300	78.1	M. KUDLA
	0400	72.5	M. KUDLA
	0500	71.8	M. KUDLA
	0600	70.3	L. Ramirez
	0700	74.5	L. Ramirez
	0800	78.8	L. Ramirez
	0900	80.0	L. Ramirez
	1000	88.5	L. Ramirez
	1100	90.1	L. Ramirez
	1200	90.3	L. Ramirez
	1300	93.7	L. Ramirez
	1400	94.2	KING
	1500	94.8	KING
	1600	95.3	KING
	1700	95.7	KING
	1800	96.0	KING
	1900	95.5	KING
	2000	92.9	KING
	2100	90.1	KING
	2200	82.9	ARAMIKEZ
	2300	81.2	A RAMIKEZ
	2400	79.4	A RAMIKEZ

UFT  
STAFF  
@ 1028 hrs

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX II

Immediately notify the Watch Commander at extension 6034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	78.8	A. RAMIREZ
	0200	74.4	A. RAMIREZ
	0300	70.9	A. RAMIREZ
	0400	68.2	A. RAMIREZ
	0500	67.5	A. RAMIREZ
	0600	69.2	D. GUZMAN
	0700	74.5	D. GUZMAN
	0800	80.2	D. GUZMAN
	0900	82.4	J. GOMEZ
	1000	83.1	J. GOMEZ
	1100	87.6	D. GUZMAN
	1200	91.2	D. GUZMAN
	1300	92.7	D. GUZMAN
	1400	94.3	J. TREVINO
	1500	96.3	J. TREVINO
	1600	95.5	J. TREVINO
	1700	94.6	J. TREVINO
	1800	94.3	J. TREVINO
	1900	92.3	J. TREVINO
	2000	90.1	D. THACKER
	2100	86.9	J. TREVINO
	2200	82.2	A. RAMIREZ
	2300	80.2	A. RAMIREZ
	2400	79.5	A. RAMIREZ

8-13-21

Date	Time	Temp.	Printed Name
	0100	79.0	A. RAMIREZ
	0200	76.1	A. RAMIREZ
	0300	71.5	A. RAMIREZ
	0400	69.4	A. RAMIREZ
	0500	69.1	A. RAMIREZ
	0600	69.5	D. GUZMAN
	0700	72.4	D. GUZMAN
	0800	78.8	D. GUZMAN
	0900	80.9	D. GUZMAN
	1000	84.7	D. GUZMAN
	1100	88.4	D. GUZMAN
	1200	90.0	D. GUZMAN
	1300	94.8	D. GUZMAN
	1400	93.0	J. TREVINO
	1500	93.1	J. TREVINO
	1600	95.7	J. TREVINO
	1700	96.1	J. TREVINO
	1800	93.6	J. TREVINO
	1900	89.8	J. TREVINO
	2000	86.3	J. TREVINO
	2100	85.6	J. TREVINO
	2200	81.9	A. RAMIREZ
	2300	78.7	A. RAMIREZ
	2400	76.4	A. RAMIREZ

DISTRIBUTION: Original; Institution ADA Coordinator

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX II

Immediately notify the Watch Commander at extension 6034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-15-24	0100	74.5	A RAMIREZ
	0200	72.4	A RAMIREZ
	0300	70.9	A RAMIREZ
	0400	70.7	A RAMIREZ
	0500	66.4	A RAMIREZ
	0600	69.6	Languerand
	0700	71.6	Languerand
	0800	73.8	Languerand
	0900	70.9	Languerand
	1000	63.5	Languerand
	1100	66.5	Languerand
	1200	63.9	Languerand
	1300	91.0	Languerand
	1400	92.5	A RAMIREZ
	1500	95.7	A RAMIREZ
	1600	96.4	A RAMIREZ
	1700	96.1	A RAMIREZ
	1800	95.6	A RAMIREZ
	1900	94.5	A RAMIREZ
	2000	91.1	A RAMIREZ
	2100	87.4	A RAMIREZ
	2200	82.2	A RAMIREZ
	2300	81.4	A RAMIREZ
	2400	79.3	A RAMIREZ

Date	Time	Temp.	Printed Name
8-16-24	0100	76.2	A RAMIREZ
	0200	72.4	A RAMIREZ
	0300	71.6	A RAMIREZ
	0400	69.9	A RAMIREZ
	0500	69.3	A RAMIREZ
	0600	68.5	D. GUZMAN
	0700	72.1	D. Guzman
	0800	74.8	D. Guzman
	0900	78.5	D. Guzman
	1000	80.3	D. Guzman
	1100	86.5	D. Guzman
	1200	90.9	D. Guzman
	1300	93.4	D. Guzman
	1400	96.3	M. KUDLA
	1500	97.2	M. KUDLA
	1600	96.4	M. KUDLA
	1700	95.6	M. KUDLA
	1800	94.8	M. KUDLA
	1900	93.2	M. KUDLA
	2000	89.2	M. KUDLA
	2100	86.0	M. KUDLA
	2200	84.2	D. CHRISTENSEN
	2300	82.6	D. Christensen
	2400	81.6	D. Christensen

STATE OF CALIFORNIA:  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX F

Immediately notify the Watch Commander at extension 6034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-17-24	0100	80.6	LUTHERSON
	0200	75.3	LUTHERSON
	0300	74.2	LUTHERSON
	0400	73.2	LUTHERSON
	0500	70.7	LUTHERSON
	0600	69.8	NUCKLES
	0700	70.3	SOLARANO
	0800	76.5	SOLARANO
	0900	82.9	SOLARANO
	1000	83.5	SOLARANO
	1100	85.3	SOLARANO
	1200	88.7	SOLARANO
	1300	89.7	SOLARANO
	1400	91.0	GAMMO
	1500	92.5	OGALINDO
	1600	91.8	OGALINDO
	1700	89.9	OGALINDO
	1800	88.4	OGALINDO
	1900	85.5	OGALINDO
	2000	84.4	OGALINDO
	2100	81.7	OGAMMO
	2200	81.1	OGALINDO
	2300	77.4	A. BANIKS
	2400	76.1	A. BANIKS

Date	Time	Temp.	Printed Name
8-18-24	0100	73.4	A. BANIKS
	0200	70.4	A. BANIKS
	0300	78.7	A. BANIKS
	0400	77.4	A. BANIKS
	0500	70.1	A. BANIKS
	0600	68.0	CERVANTES
	0700	68.0	CERVANTES
	0800	69.0	CERVANTES
	0900	72.0	CERVANTES
	1000	75.0	CERVANTES
	1100	73.4	CERVANTES
	1200	82.3	CERVANTES
	1300	84.9	CERVANTES
	1400	87.1	TREVINO
	1500	87.6	TREVINO
	1600	89.6	TREVINO
	1700	89.9	TREVINO
	1800	89.8	TREVINO
	1900	88.0	TREVINO
	2000	84.6	TREVINO
	2100	81.9	TREVINO
	2200	80.1	KUDLA
	2300	78.6	KUDLA
	2400	76.3	KUDLA

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX II

Immediately notify the Watch Commander at extension 6034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-19-24	0100	73.8	KUDLA
	0200	72.4	KUDLA
	0300	70.3	KUDLA
	0400	70.2	KUDLA
	0500	68.5	KUDLA
	0600	68.1	MATA
	0700	67.3	MATA
	0800	68.7	MATA
	0900	74.3	MATA
	1000	77.7	MATA
	1100	82.7	MATA
	1200	85.8	MATA
	1300	87.1	MATA
	1400	90.3	R. George
	1500	94.8	S. Andrade
	1600	92.3	S. Andrade
	1700	91.9	S. Andrade
	1800	92.1	S. Andrade
	1900	90.3	S. Andrade
	2000	88.9	S. Andrade
	2100	84.9	S. Andrade
	2200	81.2	A RAMIREZ
	2300	79.5	A RAMIREZ
	2400	77.4	A RAMIREZ

Date	Time	Temp.	Printed Name
8-20-24	0100	75.2	A RAMIREZ
	0200	74.8	A RAMIREZ
	0300	71.2	A RAMIREZ
	0400	68.4	A RAMIREZ
	0500	67.1	A RAMIREZ
	0600	66.4	A.Sobrano
	0700	68.5	A.Sobrano
	0800	73.8	A.Sobrano
	0900	77.5	A.Sobrano
	1000	81.7	A.Sobrano
	1100	88.5	A.Sobrano
	1200	92.5	A.Sobrano
	1300	92.9	A.Sobrano
	1400	95.4	A.Barnets
	1500	93.6	A.Barnets
	1600	93.2	A.Barnets
	1700	94.4	A.Barnets
	1800	94.5	A.Barnets
	1900	92.5	A.Barnets
	2000	89.1	A.Barnets
	2100	83.3	A.Barnets
	2200	82.8	A RAMIREZ
	2300	80.5	A RAMIREZ
	2400	79.1	A RAMIREZ

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX II

Immediately notify the Watch Commander at extension 6034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
J A S - 2 - 1 -	0100	78.8	A. RAMIREZ
	0200	74.7	A. RAMIREZ
	0300	72.4	A. RAMIREZ
	0400	71.5	A. RAMIREZ
	0500	70.9	A. RAMIREZ
	0600	68.9	A. OUES
	0700	73.0	A. OUES
	0800	76.8	A. OUES
	0900	79.7	A. OUES
	1000	83.1	A. OUES
	1100	86.8	A. OUES
	1200	84.9	A. OUES
	1300	88.7	A. OUES
	1400	92.4	D. Thacker
	1500	93.6	D. Thacker
	1600	93.2	D. Thacker
	1700	92.7	D. Thacker
	1800	92.1	D. Thacker
	1900	90.7	D. Thacker
	2000	87.4	D. Thacker
	2100	83.7	D. Thacker
	2200	82.8	A. RAMIREZ
	2300	80.7	A. RAMIREZ
	2400	78.4	A. RAMIREZ

Date	Time	Temp.	Printed Name
J A S - 2 - 2 -	0100	77.7	A. RAMIREZ
	0200	74.2	A. RAMIREZ
	0300	70.5	A. RAMIREZ
	0400	67.7	A. RAMIREZ
	0500	66.6	A. RAMIREZ
	0600	64.4	J. Llerero
	0700	65.2	J. Llerero
	0800	71.1	Nuckles
	0900	76.3	J. Llerero
	1000	79.2	Nuckles
	1100	82.9	Nuckles
	1200	83.0	J. Llerero
	1300	83.7	J. Llerero
	1400	89.0	J. Llerero
	1500	89.9	A. RAMIREZ
	1600	94.5	A. RAMIREZ
	1700	89.2	A. RAMIREZ
	1800	87.7	D. Thacker
	1900	84.3	D. Thacker
	2000	81.3	A. RAMIREZ
	2100	79.8	A. RAMIREZ
	2200	78.4	A. RAMIREZ
	2300	74.1	A. RAMIREZ
	2400	70.2	A. RAMIREZ

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX II

Immediately notify the Watch Commander at extension 6034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/23/24	0100	67.5	A. RAMIREZ
	0200	63.4	A. RAMIREZ
	0300	60.5	A. RAMIREZ
	0400	59.2	A. RAMIREZ
	0500	59.9	A. RAMIREZ
	0600	56.3	O.GALINDO
	0700	58.4	O.GALINDO
	0800	63.0	O.GALINDO
	0900	64.1	O.GALINDO
	1000	68.4	O.GALINDO
	1100	71.5	O.GALINDO
	1200	72.3	O.GALINDO
	1300	74.3	O.GALINDO
	1400	77.2	L.RAMIREZ
	1500	78.4	L.RAMIREZ
	1600	80.1	L.RAMIREZ
	1700	78.0	L.RAMIREZ
	1800	76.6	L.RAMIREZ
	1900	76.3	L.RAMIREZ
	2000	77.9	L.RAMIREZ
	2100	70.5	L.RAMIREZ
	2200	68.5	A.MATA
	2300	67.2	A.MATA
	2400	66.7	A.MATA

Date	Time	Temp.	Printed Name
8/24/24	0100	65.9	A.MATA
	0200	64.4	A.MATA
	0300	64.6	A.MATA
	0400	64.8	A.MATA
	0500	65.1	A.MATA
	0600	65.5	J.TREVINO
	0700	64.4	J.TREVINO
	0800	65.7	J.TREVINO
	0900	68.3	J.TREVINO
	1000	70.4	J.TREVINO
	1100	72.6	J.TREVINO
	1200	75.2	J.TREVINO
	1300	78.4	J.TREVINO
	1400	78.7	CARDOZA
	1500	79.06	CARDOZA
	1600	80.2	CARDOZA
	1700	79.0	CARDOZA
	1800	77.5	CARDOZA
	1900	76.0	CARDOZA
	2000	74.9	CARDOZA
	2100	74.0	CARDOZA
	2200	73.0	CARDOZA
	2300	73.0	CARDOZA
	2400	73.0	CARDOZA

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR-2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/25/24	0100	66.4	MATA
	0200	65.9	MATA
	0300	65.5	MATA
	0400	65.7	MATA
	0500	59.1	MATA
	0600	59.5	A.Solozano
	0700	63.2	A.Solozano
	0800	71.4	A.Solozano
	0900	73.0	A.Solozano
	1000	72.9	A.Solozano
	1100	78.1	A.Solozano
	1200	77.0	A.Solozano
	1300	77.7	A.Solozano
	1400	79.2	M. KUDLA
	1500	81.7	M. KUDLA
	1600	82.9	M. KUDLA
	1700	82.6	M. KUDLA
	1800	82.8	M. KUDLA
	1900	82.6	M. KUDLA
	2000	77.6	M. KUDLA
	2100	74.3	M. KUDLA
	2200	69.1	M. KUDLA
	2300	68.2	M. KUDLA
	2400	67.6	M. KUDLA

Date	Time	Temp.	Printed Name
8/26/24	0100	64.4	M. KUDLA
	0200	63.9	M. KUDLA
	0300	66.6	M. KUDLA
	0400	63.5	M. KUDLA
	0500	60.6	M. KUDLA
	0600	62.5	L.Ramirez
	0700	61.5	L.Ramirez
	0800	65.7	L.Ramirez
	0900	78.3	L.Ramirez
	1000	81.9	L.Ramirez
	1100	83.3	L.Ramirez
	1200	86.2	L.Ramirez
	1300	89.0	L.Ramirez
	1400	90.1	M. KUDLA
	1500	89.6	M. KUDLA
	1600	91.8	M. KUDLA
	1700	93.9	M. KUDLA
	1800	90.9	M. KUDLA
	1900	89.4	M. KUDLA
	2000	84.2	D.Thakur
	2100	82.9	M. KUDLA
	2200	81.5	M. KUDLA
	2300	78.2	M. KUDLA
	2400	73.4	M. KUDLA

STAGE 1  
4HTC  
1315 HPS

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 4034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/27/24	0100	73.9	M. KUDLA
	0200	73.4	M. KUDLA
	0300	70.9	M. KUDLA
	0400	69.1	M. KUDLA
	0500	68.9	M. KUDLA
	0600	69.5	D. Guzman
	0700	70.5	D. Guzman
	0800	78.1	D. Guzman
	0900	83.5	D. Guzman
	1000	87.6	D. Guzman
	1100	88.9	D. Guzman
	1200	90.0	D. Guzman
	1300	92.1	D. Guzman
	1400	98.4	A. RAMIREZ
	1500	97.0	A. RAMIREZ
	1600	99.3	A. RAMIREZ
	1700	100.4	A. RAMIREZ
	1800	94.5	A. RAMIREZ
	1900	91.8	A. RAMIREZ
	2000	88.2	A. RAMIREZ
	2100	81.9	A. RAMIREZ
	2200	78.8	A. RAMIREZ
	2300	82.6	pphored
	2400	80.5	A. RAMIREZ

Date	Time	Temp.	Printed Name
8/28/24	0100	79.3	A. RAMIREZ
	0200	75.6	A. RAMIREZ
	0300	74.1	A. RAMIREZ
	0400	67.8	A. RAMIREZ
	0500	68.5	A. RAMIREZ
	0600	70.3	D. Guzman
	0700	74.5	D. Guzman
	0800	79.2	D. Guzman
	0900	84.3	D. Guzman
	1000	88.7	D. Guzman
	1100	95.0	D. Guzman
	1200	94.5	D. Guzman
	1300	98.1	D. Guzman
	1400	99.8	D. Thaeke
	1500	101.7	D. Thaeke
	1600	102.2	D. Thaeke
	1700	101.5	D. Thaeke
	1800	96.3	A. RAMIREZ
	1900	94.7	D. Thaeke
	2000	89.8	D. Thaeke
	2100	85.1	A. RAMIREZ
	2200	83.5	A. RAMIREZ
	2300	81.2	A. RAMIREZ
	2400	80.4	A. RAMIREZ

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX II

Immediately notify the Watch Commander at extension 6034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	78.5	A RAMIREZ
	0200	76.6	A RAMIREZ
	0300	73.4	A RAMIREZ
	0400	71.2	A RAMIREZ
	0500	69.4	A RAMIREZ
	0600	69.1	D GUZMAN
	0700	71.6	D. GUZMAN
	0800	81.1	D. GUZMAN
	0900	84.5	D. GUZMAN
	1000	87.3	D. GUZMAN
	1100	90.0	D. GUZMAN
	1200	93.9	D. GUZMAN
	1300	95.5	D. GUZMAN
	1400	96.3	J. GONZALEZ
	1500	97.5	J. GONZALEZ
	1600	98.4	J. GONZALEZ
	1700	98.1	J. GONZALEZ
	1800	96.4	J. GONZALEZ
	1900	93.0	J. GONZALEZ
	2000	89.6	J. GONZALEZ
	2100	86.4	J. GONZALEZ
	2200	84.2	A. RAMIREZ
	2300	80.4	A KAMIKEZ
	2400	78.3	A RAMIREZ

8-29-24

Date	Time	Temp.	Printed Name
	0100	75.6	A KAMIKEZ
	0200	72.7	A RAMIREZ
	0300	71.4	A KAMIKEZ
	0400	70.9	A RAMIREZ
	0500	70.5	A RAMICEZ
	0600	64.8	D GUZMAN
	0700	69.0	D. GUZMAN
	0800	76.1	D. GUZMAN
	0900	81.1	D. GUZMAN
	1000	88.0	D. GUZMAN
	1100	89.1	D. GUZMAN
	1200	90.7	D. GUZMAN
	1300	96.6	D. GUZMAN
	1400	97.9	L. RAMIREZ
	1500	99.5	L. RAMIREZ
	1600	97.8	S. Andrade
	1700	96.2	S. Andrade
	1800	95.4	S. Andrade
	1900	92.7	S. Andrade
	2000	89.4	S. Andrade
	2100	87.1	S. Andrade
	2200	85.3	J. TREVINO
	2300	83.5	J. TREVINO
	2400	79.9	J. TREVINO

9-30-24

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ASP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX E

Immediately notify the Watch Commander at extension 6034 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/3	0100	78.3	J.TREVINO
	0200	76.6	J.TREVINO
	0300	75.3	J.TREVINO
	0400	72.7	J.TREVINO
	0500	71	J.TREVINO
	0600	72.3	D.Guzman
	0700	74.5	D.Guzman
	0800	77.7	D.Guzman
	0900	81.2	J.Gomez
	1000	84.6	J.Gomez
	1100	88.2	J.Gomez
	1200	92.3	J.Gomez
	1300	97 <sup>1</sup>	J.Gomez
	1400	97	J.Thao
	1500	97	J.Thao
	1600	99.4	OCAALINDO
	1700	98.2	OCAALINDO
	1800	95 <sup>2</sup>	OCAALINDO
	1900	94 <sup>3</sup>	OCAALINDO
	2000	90.1	OCAALINDO
	2100	87.3	OCAALINDO
	2200	81.5	Carpenter
	2300	80.9	Carpenter
	2400	80.6	Carpenter

Date	Time	Temp.	Printed Name
9/1	0100	79.1	Carpenter
	0200	78.6	Carpenter
	0300	76.1	Carpenter
	0400	75.9	Carpenter
	0500	69.3	Carpenter
	0600	70.3	KUDLA
	0700	70.5	KUDLA
	0800	77.4	KUDLA
	0900	81.3	KUDLA
	1000	85.9	KUDLA
	1100	89.1	KUDLA
	1200	94.1	KUDLA
	1300	95.2	KUDLA
	1400	97.3	KUDLA
	1500	99.5	KUDLA
	1600	101.1	KUDLA
	1700	100.2	KUDLA
	1800	98.4	KUDLA
	1900	97.0	KUDLA
	2000	92.1	KUDLA
	2100	86.8	KUDLA
	2200	84.7	TREVINO
	2300	83.1	TREVINO
	2400	80.5	TREVINO

# **CDCR Form 2031**

## **Inside Temperature Record**

Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: OTU 3C10 Temp. Reading Location: officers area  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	03	67	J. Gibson
	06	68	S. Colmenares
	09	68	S. Colmenares
	12	68	S. Colmenares
	15	68	J. Gibson
	18	68	J. Gibson
	21	68	J. Gibson
	24	69	D. Andrade

Wednesday

Date	Time	Temp.	Name (Print)
	03	71	D. Andrade
	06	72	D. Andrade
	09	72	J. Alvarez Jr
	12	69	J. Alvarez Jr
	15	71	Aceves
	18	71	Aceves
	21	71	Aceves
	24	71	E. Gonzalez

Friday

Date	Time	Temp.	Name (Print)
	03	69°	Rodriguez R
	06	69°	Mario M
	09	69°	Guzman J
	12	69°	Mario M
	15	69°	J. Gibson
	18	69°	J. Gibson
	21	69°	J. Gibson
	24	70°	D. Andrade

Sunday

Date	Time	Temp.	Name (Print)
	03	67	T. Hernandez
	06	67	S. Colmenares
	09	67	S. Colmenares
	12	68	S. Colmenares
	15	69	J. Gibson
	18	69	J. Gibson
	21	69	J. Gibson
	24	68	J. Gibson

Tuesday

Date	Time	Temp.	Name (Print)
	0300	70	D. Andrade
	0600	70	D. Andrade
	0900	70	unrec
	1200	70	unrec
	1500	68	D. Andrade
	1800	69	D. Andrade
	2100	70	D. Andrade
	2400	71	D. Andrade

Thursday

Date	Time	Temp.	Name (Print)
	0300	69°	E. Gonzalez
	0600	68°	J. Alvarez Jr
	0900	69°	J. Alvarez Jr.
	1200	69°	J. Alvarez Jr.
	1500	69	Aceves
	1800	71	Aceves
	2100	70	Aceves
	2400	70°	Rodriguez R

Saturday

Date	Time	Temp.	Name (Print)
	0300	71	D. Andrade
	0600	71	D. Andrade
	0900	69	C. Willis
	1200	66	C. Willis
	1500	69	J. Gibson
	1800	69	J. Gibson
	2100	69	J. Gibson
	2400	68°	T. Hernandez

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 110 Temp. Reading Location: 1<sup>ST</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	78	M. ENRIQUEZ
	0600	77.5	P. JAVAR
	0900	78	D. Gonzales
	1200	79	D. Gonzales
	1500	81	M. GONZALES
	1800	81.9	M. Gonzalez
	2100	81.9	C. CARNELL
	2400	80.6	R. Ledesma

Wednesday

Date	Time	Temp.	Name (Print)
01. 31. 2024	0300	80.2	Quitoriano
	0600	79	D. Gonzales
	0900	79	D. Gonzales
	1200	81	D. Gonzales
	1500	82	J. Munoz
	1800	81	C. Carnell
	2100	82	J. Munoz
	2400	81.3	E. McCOTTRILL

Friday

Date	Time	Temp.	Name (Print)
08. 02. 2024	0300	83.3	McCOTTRILL
	0600	81.7	Dyer
	0900	81.5	Dyer
	1200	82	Gonzales
	1500	82	Solano
	1800	82	Solano
	2100	82.5	Solano
	2400	82.0	L. Yang

Sunday

Date	Time	Temp.	Name (Print)
08. 04. 2024	0300	83	L. Yang
	0600	82.4	Z. Dyer
	0900	82	D. Gonzales
	1200	84	D. Carnell
	1500	84	S. VANG
	1800	85	M. Gonzalez
	2100	85	M. Gonzalez
	2400	83	C. Carnell

Tuesday

Date	Time	Temp.	Name (Print)
01. 30. 2024	0300	80.2	Ledesma
	0600	79	D. Gonzales
	0900	78	D. Gonzales
	1200	80	D. Gonzales
	1500	81.3	C. Carnell
	1800	82	M. Gonzalez
	2100	82	M. Gonzalez
	2400	81.3	E. McCOTTRILL

Thursday

Date	Time	Temp.	Name (Print)
08. 01. 2024	0300	80.8	E. McCOTTRILL
	0600	80	Gonzales
	0900	80	C. Gonzales
	1200	81	Gonzales
	1500	80	Davis
	1800	83	Davis
	2100	83	Davis
	2400	83	Quitoriano

Saturday

Date	Time	Temp.	Name (Print)
08. 03. 2024	0300	82.0	L. Yang
	0600	80	D. Gonzales
	0900	81	D. Gonzales
	1200	82	D. Gonzales
	1500	84	S. VANG
	1800	84	S. VANG
	2100	84	S. VANG
	2400	83	L. Yang

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 120 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/21	0300	84	Ledesma
	0600	80	S.TASTER
	0900	82	S.TASTER
	1200	83	S.TASTER
	1500	85	S.TASTER
	1800	85	S.TASTER
	2100	86	S.TASTER
	2400	85	I.Mendoza

**Wednesday**

Date	Time	Temp.	Name (Print)
7/21	0300	83	I.Mendoza
	0600	81	J.GOMEZ
	0900	82	S.TASTER
	1200	84	S.TASTER
	1500	86°	A.HUIZAR
	1800	87°	A.HUIZAR
	2100	87°	A.HUIZAR
	2400	82°	A.SOLANO

**Friday**

Date	Time	Temp.	Name (Print)
8/1	0300	83°	A.SOLANO
	0600	84	J.Olivares
	0900	86	FLORES
	1200	86	FLORES
	1500	86°	A.HUIZAR
	1800	86	M.XIONG
	2100	86	M.XIONG
	2400	84°	J.Olivares

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	84	K.Anderson
	0600	84	J.DUVAL
	0900	87°	Gonzales
	1200	89°	Gonzales
	1500	90°	J.DUVAL
	1800	90°	J.DUVAL
	2100	90°	J.DUVAL
	2400	89	K.Anderson

**Tuesday**

Date	Time	Temp.	Name (Print)
8/1	0300	80°	I.Mendoza
	0600	80°	S.STATER
	0900	82°	S.STATER
	1200	85	S.STATER
	1500	85°	S.STATER
	1800	86°	S.STATER
	2100	86	S.STATER
	2400	85	I.Mendoza

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	81°	A.SOLANO
	0600	81	FLORES
	0900	82	FLORES
	1200	82	M.XIONG
	1500	86°	A.HUIZAR
	1800	86°	A.HUIZAR
	2100	86	M.XIONG
	2400	84°	A.SOLANO

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	82°	J.Olivares
	0600	84°	Gonzales
	0900	86°	Gonzales
	1200	88	S.LAO
	1500	88	M.XIONG
	1800	88	M.XIONG
	2100	88	M.XIONG
	2400	87	K.Anderson

**Notes**

8/1/24 UHT I @ 0905  
 8/2/24 UHT I @ 1021  
 8/4/24 UHT II @ 1300

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 130 Temp. Reading Location: TIER 1  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7	0300	71	A.Cm
29	0600	70	S.Palmer
29	0900	72	M.Gonzalez
24	1200	74	M.Gonzalez
24	1500	77°	S.Palmer
24	1800	77°	S.Palmer
24	2100	77°	S.Palmer
24	2400	70	A.Cm

Tuesday

Date	Time	Temp.	Name (Print)
7	0300	74	A.Cm
30	0600	72	Colin
30	0900	73	Colin
24	1200	75°	S.Palmer
24	1500	77°	S.Palmer
24	1800	78°	S.Palmer
24	2100	78°	S.Palmer
24	2400	77	A.Cm

Wednesday

Date	Time	Temp.	Name (Print)
7	0300	75	A.Cm
31	0600	74	E.SANCHEZ
31	0900	75°	E.SANCHEZ
24	1200	77°	J.BALLEW
24	1500	79°	E.SANCHEZ
24	1800	79°	E.SANCHEZ
24	2100	78°	E.SANCHEZ
24	2400	76°	C.Jam

Thursday

Date	Time	Temp.	Name (Print)
8	0300	76°	C.Jam
1	0600	77°	C.Jam
1	0900	75°	J.BALLEW
24	1200	77°	J.BALLEW
24	1500	77	Colin
24	1800	79	Colin
24	2100	78	Colin
24	2400	78	J.Daw

Friday

Date	Time	Temp.	Name (Print)
8	0300	78	W.Daw
2	0600	78	Colin
2	0900	77°	J.BALLEW
24	1200	77°	J.BALLEW
24	1500	76	D.Velasquez
24	1800	77	D.Velasquez
24	2100	78°	D.Velasquez
24	2400	76	M.ENRIQUEZ

Saturday

Date	Time	Temp.	Name (Print)
8	0300	74	M.ENRIQUEZ
3	0600	74°	A.HUIZAR
3	0900	76°	A.HUIZAR
24	1200	79°	J.BALLEW
24	1500	80	M.ENRIQUEZ
24	1800	80	M.ENRIQUEZ
24	2100	80	HERNANDEZ
24	2400	79	A.Cm

Notes

Date	Time	Temp.	Name (Print)
8	0300	77°	R.Lopez
4	0600	77°	J.BALLEW
4	0900	77°	J.BALLEW
24	1200	79°	J.BALLEW
24	1500	80	HERNANDEZ
24	1800	81	HERNANDEZ
24	2100	80	HERNANDEZ
24	2400	79	A.Cm

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SP Housing Unit: 140

Temp. Reading Location: 2ND TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6024 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300	74°	J. Banks
	0600	74°	A. MUNIN
	0900	76°	A. MUNIN
	1200	80°	A. MUNIN
	1500	80°	A. MUNIN
	1800	81°	A. MUNIN
	2100	80°	A. MUNIN
	2400	77°	J. Banks

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	76°	L. M
	0600	75°	R. Nop
	0900	78°	R. Nop
	1200	79°	R. Nop
	1500	80°	R. Torres
	1800	80°	R. Torres
	2100	79°	R. Torres
	2400	79°	A. Barraga

Friday

Date	Time	Temp.	Name (Print)
8-1-24	0300	79°	J. Diaz
	0600	78°	C. Vazquez
	0900	79°	C. Vazquez
	1200	80°	C. Vazquez
	1500	81°	R. Rodriguez
	1800	80°	R. Rodriguez
	2100	80°	R. Rodriguez
	2400	80°	J. Diaz

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	80°	J. Barraga
	0600	78°	A. MUNIN
	0900	80°	A. MUNIN
	1200	81°	A. MUNIN
	1500	81°	CERVANTES, A.
	1800	82°	CERVANTES, A.
	2100	82°	CERVANTES, A.
	2400	80°	A. MUNIN

Tuesday

Date	Time	Temp.	Name (Print)
7-30-24	0300	78°	J. Banks
	0600	78°	J. Banks
	0900	76°	A. MUNIN
	1200	80°	A. MUNIN
	1500	80°	R. Torres
	1800	80°	R. Torres
	2100	79°	R. Torres
	2400	77°	carr

Thursday

Date	Time	Temp.	Name (Print)
8-01-24	0300	79°	A. Barraga
	0600	76°	R. Nop
	0900	77°	R. Nop
	1200	79°	R. Nop
	1500	80°	R. Torres
	1800	82°	R. Torres
	2100	82°	R. Torres
	2400	79°	J. Barraga

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	79°	J. Barraga
	0600	77°	A. MUNIN
	0900	80°	A. MUNIN
	1200	81°	A. MUNIN
	1500	81°	Y. Yang
	1800	80°	Y. Yang
	2100	80°	Y. Yang
	2400	80°	J. Barraga

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 210 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 3069 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	74	Cook
	0600	72	R. Higuera
	0900	75	J. Vargas
	1200	78	J. Vargas
	1500	80	J. Torres
	1800	80	A. Bonilla
	2100	80	A. Bonilla
	2400	78	Cook

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	77	Cook
	0600	75	Sangha
	0900	76	J. Vargas
	1200	78	Sangha
	1500	80	A. Bonilla
	1800	81	J. Torres
	2100	80	A. Bonilla
	2400	79	Cook

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	77	Cook
	0600	77	Mora
	0900	78	J. Roberts
	1200	80	J. Mora
	1500	81	A. Bonilla
	1800	82	K. Vargas
	2100	81	A. Bonilla
	2400	79	Cook

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	78	Cook
	0600	77	Mora
	0900	78	J. Mora
	1200	81	J. Mora
	1500	82	A. Bonilla
	1800	83	A. Bonilla
	2100	83	A. Bonilla
	2400	82	E. Ruiz

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	81	E. Ruiz
	0600	79	M. Martinez
	0900	80	J. Mora
	1200	81	J. Mora
	1500	82	M. Martinez
	1800	82	M. Martinez
	2100	81	M. Martinez
	2400	80	E. Ruiz

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	71	E. Ruiz
	0600	78	V. Martinez
	0900	79	V. Martinez
	1200	82	Roberson
	1500	83	Roberson
	1800	84	Roberson
	2100	84	Roberson
	2400	82	K. Vargas

Notes

Date	Time	Temp.	Name (Print)
8/4	0300	81°	J. Mendola
	0600	80	V. Martinez
	0900	81	Robertson
	1200	83	Robertson
	1500	85°	K. Vargas
	1800	85°	A. Bonilla
	2100	85°	K. Vargas
	2400	84	Cook

INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 230 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
7/29	0300	77	J. Gomez
	0600	77	ARREGUIM
	0900	79	ARREGUIM
	1200	79	ARREGUIM
	1500	80	J. GOMES
	1800	81	Loredo
	2100	81	J. Gomez
	2400	79	J. Gomez

## Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	79°	CARMONA
	0600	78°	J. CARLTON
	0900	79°	J. Cervantes
	1200	80°	J. Cervantes
	1500	81°	D. VERDUZCO
	1800	82°	D. VERDUZCO
	2100	82°	D. VERDUZCO
	2400	80°	S. ARENIVAS

## Friday

Date	Time	Temp.	Name (Print)
8/2	0300	82°	S. ARENIVAS
	0600	81°	J. Torres
	0900	81°	ARREGUIM
	1200	82°	ARREGUIM
	1500	82°	D. VERDUZCO
	1800	82°	Sanchez
	2100	82°	D. VERDUZCO
	2400	81°	S. ARENIVAS

## Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	82°	S. VALLE
	0600	81°	J. Quintanilla
	0900	82°	J. Quintanilla
	1200	83°	J. Quintanilla
	1500	85	L. Yang
	1800	85	L. Yang
	2100	85	L. Yang
	2400	84	J. Gomez

N. VEGA  
1650

## Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	79	J. Gomez
	0600	77	ARREGUIM
	0900	77	ARREGUIM
	1200	78	J. CARLTON
	1500	81	SANCHEZ
	1800	81	SANCHEZ
	2100	81	SANCHEZ
	2400	80°	S. ARENIVAS

## Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	79°	S. ARENIVAS
	0600	79°	J. Cervantes
	0900	79°	J. CARLTON
	1200	81°	J. Cervantes
	1500	82°	D. VERDUZCO
	1800	83°	SANCHEZ
	2100	83°	D. VERDUZCO
	2400	82°	SANCHEZ

Date	Time	Temp.	Name (Print)
8/3	0300	80°	S. VALLE
	0600	80	S. DREHER
	0900	80	ARREGUIM
	1200	82	S. DREHER
	1500	83	L. Yang
	1800	84	L. Yang
	2100	84	L. Yang
	2400	83°	S. VALLE

## Notes

---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 250 Temp. Reading Location: 1st Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300	76	Z. Orosco
	0600	75	Rivalcarba
	0900	76	Rivalcarba
	1200	78	Rivalcarba
	1500	79	Rivalcarba
	1800	80	Rivalcarba
	2100	80	Rivalcarba
	2400	79	Z. Orosco

N.Y.C.P.  
09:00

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	78	Z. Orosco
	0600	78	R. BORCHARD
	0900	78	R. BORCHARD
	1200	80	R. BORCHARD
	1500	81	J. Mora
	1800	81	A. Alomar
	2100	81	J. Mora
	2400	81	D. JERDUZCO

A

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	82	R. Tamayo
	0600	82	R. BORCHARD
	0900	82	R. BORCHARD
	1200	82	R. BORCHARD
	1500	82	T. Perez
	1800	82	T. Perez
	2100	82	T. Perez
	2400	81	E. Ceballos

B

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	82	A. Rivera
	0600	81	Rivalcarba
	0900	81	Rivalcarba
	1200	83	S. Diaz
	1500	84	Rivalcarba
	1800	84	Rivalcarba
	2100	85	Rivalcarba
	2400	84	Z. Orosco

N.Y.C.P.  
11:00

Tuesday

Date	Time	Temp.	Name (Print)
7-30-24	0300	78	Z. Orosco
	0600	77	R. BORCHARD
	0900	77	R. BORCHARD
	1200	79	R. BORCHARD
	1500	80	H. Arellano
	1800	81	A. Fernandez
	2100	81	A. Fernandez
	2400	80	Z. Orosco

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	79	R. Tamayo
	0600	79	R. BORCHARD
	0900	79	A. Alomar
	1200	81	R. BORCHARD
	1500	82	M. ENRIGUE
	1800	82	D. MAGARIO
	2100	83	A. Alomar
	2400	82	R. Tamayo

N.Y.C.P.  
1630

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	80	D. Topete
	0600	80	R. BORCHARD
	0900	81	R. BORCHARD
	1200	82	Rivalcarba
	1500	83	T. Perez
	1800	83	T. Perez
	2100	84	R. Garcia
	2400	83	A. RIVERA

Notes

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 310 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>7-29-24</u>	0300	82	J. DELC	<u>7-30-24</u>	0300	83	J. LUNIANU
	0600	81	D. Brechner		0600	82	P. ACEVEDO
	0900	82	ESCARCEGA		0900	82	P. ACEVEDO
	1200	82	ESCARCEGA		1200	83	P. ACEVEDO
	1500	83	Moon		1500	84	J. Roberts
	1800	84	Moon		1800	84	J. Roberts
	2100	84	Moon		2100	84	J. Roberts
	2400	84	A. DELC		2400	84	A. DELC
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>7-31-24</u>	0300	83	J. LUNIANU	<u>7-31-24</u>	0300	83	Moon
	0600	83	A. Moon		0600	83	C. Pacheco
	0900	83	G. Roe		0900	84	C. Pacheco
	1200	84	G. Roe		1200	85	C. Pacheco
	1500	85	Moon		1500	85	BACHARA
	1800	85	Moon		1800	85	BACHARA
	2100	85	Moon		2100	86	BACHARA
	2400	84	Moon		2400	86	M. Tomanek
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>8-1-24</u>	0300	86	M. Tomanek	<u>8-1-24</u>	0300	84	J. LUNIANU
	0600	85	L. LEVAL		0600	84	C. Pacheco
	0900	85	L. LEVAL		0900	84	C. Pacheco
	1200	84	C. Pacheco		1200	85	C. Pacheco
	1500	86	S. LAO		1500	86	S. LAO
	1800	86	S. LAO		1800	87	S. LAO
	2100	86	S. LAO		2100	87	S. LAO
	2400	85	J. LUNIANU		2400	86	J. LUNIANU
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
<u>8-4-24</u>	0300	86	J. LUNIANU				
	0600	85	L. LEVAL				
	0900	86	C. Pacheco				
	1200	86	C. Pacheco				
	1500	88	S. LAO				
	1800	88	S. LAO				
	2100	88	S. LAO				
	2400	88	M. Tomanek				

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 330 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29/24	0300	80°	J. James
	0600	81°	J. Tamboury
	0900	81°	J. Tamboury
	1200	82°	R. Gauvin
	1500	83°	A. Garcia
	1800	84°	A. Garcia
	2100	84°	A. Padilla
	2400	83°	J. James

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30/24	0300	82°	J. James
	0600	81°	R. Gauvin
	0900	81°	R. Gauvin
	1200	83°	R. Gauvin
	1500	83°	L. Cardoza
	1800	84°	L. Cardoza
	2100	84°	A. Padilla
	2400	83°	D. Martinez

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31/24	0300	82°	D. Martinez
	0600	81°	R. Gauvin
	0900	83°	R. Gauvin
	1200	83°	R. Gauvin
	1500	84°	C. Gonzalez
	1800	85°	L. Cardoza
	2100	84°	L. Cardoza
	2400	84°	D. Martinez

**Thursday**

Date	Time	Temp.	Name (Print)
8/1/24	0300	83°	D. Martinez
	0600	83°	R. Gauvin
	0900	83°	R. Gauvin
	1200	84°	R. Gauvin
	1500	84°	E. Ruiz
	1800	85°	E. Ruiz
	2100	85°	E. Ruiz
	2400	85°	J. James

**Friday**

Date	Time	Temp.	Name (Print)
8/2/24	0300	85°	J. James
	0600	84°	R. Gauvin
	0900	84°	R. Gauvin
	1200	85°	R. Gauvin
	1500	85°	E. Ruiz
	1800	85°	E. Ruiz
	2100	85°	E. Ruiz
	2400	85°	D. Martinez

**Saturday**

Date	Time	Temp.	Name (Print)
8/3/24	0300	83°	J. James
	0600	83°	Flores
	0900	84°	Flores
	1200	84°	Flores
	1500	86°	K. Sangha
	1800	88°	J. Lee
	2100	87°	K. Sangha
	2400	85°	J. James

**Sunday**

Date	Time	Temp.	Name (Print)
8/4/24	0300	84°	Gonzalez
	0600	84°	Flores
	0900	85°	T. Bradley
	1200	85°	Flores
	1500	86°	R. Higgs
	1800	87°	R. Higgs
	2100	87°	A. Garcia
	2400	86°	Gonzalez

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 350 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
July 29 2024	0300	78	N. Correa
	0600	77	SC
	0900	78	S. F.
	1200	80	A. Amador
	1500	82	Scott
	1800	82	Scott
	2100	82	Scott
	2400	81	A. Guzman

**Tuesday**

Date	Time	Temp.	Name (Print)
July 30 2024	0300	80°	L. Keeling
	0600	79°	A. AMBRIZ
	0900	79°	A. AMBRIZ
	1200	81°	A. AMBRIZ
	1500	82°	M. Lee
	1800	83°	M. Lee
	2100	83°	Scott
	2400	82	A. Guzman

**Wednesday**

Date	Time	Temp.	Name (Print)
July 31 2024	0300	81	M. Melgoza
	0600	80	S. F.
	0900	80	S. F.
	1200	82	SC
	1500	83	M. Lee
	1800	84	Scott
	2100	83	Scott
	2400	82°	M. Lee

**Thursday**

Date	Time	Temp.	Name (Print)
Aug 1 2024	0300	81°	A. Guzman
	0600	80°	O. Cervantes
	0900	81°	O. Cervantes
	1200	82°	O. Cervantes
	1500	84°	M. Lee
	1800	85°	C. GoFornt
	2100	85°	M. Lee
	2400	85°	J. Narvaez

**Friday**

Date	Time	Temp.	Name (Print)
Aug 2 2024	0300	83	J. Narvaez
	0600	82	J. Narvaez
	0900	82	J. Narvaez
	1200	84	J. Narvaez
	1500	84	C. GoFornt
	1800	84	C. GoFornt
	2100	83	K. Soto
	2400	82	K. Soto

**Saturday**

Date	Time	Temp.	Name (Print)
Aug 3 2024	0300	81	K. Soto
	0600	81	SC
	0900	82	S. F.
	1200	83	S. F.
	1500	84	Scott
	1800	85	Scott
	2100	85°	GoFornt
	2400	85°	GoFornt

**Sunday**

Date	Time	Temp.	Name (Print)
Aug 4 2024	0300	84°	L. Keeling
	0600	83	M. Gonzalez
	0900	83	M. Gonzalez
	1200	85	M. Gonzalez
	1500	86	Scott
	1800	86	N. Correa
	2100	86	N. Correa
	2400	86	N. Correa

**Notes**

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASR Housing Unit: 410 Temp. Reading Location: Tier 2<sup>nd</sup>  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
5/29/18	0300	83	A. Padilla
5/29/18	0600	81	S. Welsh
5/29/18	0900	83	S. Welsh
5/29/18	1200	84	S. Welsh
5/29/18	1500	85	B. Galvez
5/29/18	1800	85	D. Mendoza
5/29/18	2100	85	D. Mendoza
5/29/18	2400	84	A. Padilla

## Wednesday

Date	Time	Temp.	Name (Print)
5/31/18	0300	84	N. Dunlavy
5/31/18	0600	83	A. Gravitt
5/31/18	0900	84	A. Gravitt
5/31/18	1200	85	A. Gravitt
5/31/18	1500	85	D. Mendoza
5/31/18	1800	87	D. Mendoza
5/31/18	2100	86	B. Galvez
5/31/18	2400	85	N. Dunlavy

## Friday

Date	Time	Temp.	Name (Print)
6/2/18	0300	86	J. Pinon
6/2/18	0600	85	T. Vang
6/2/18	0900	85	T. Vang
6/2/18	1200	86	B. Resa
6/2/18	1500	87	H. Lam
6/2/18	1800	87	H. Lam
6/2/18	2100	87	H. Lam
6/2/18	2400	87	N. Dunlavy

## Sunday

Date	Time	Temp.	Name (Print)
6/4/18	0300	87	J. Pinon
6/4/18	0600	86	A. Rocha
6/4/18	0900	86	A. Rocha
6/4/18	1200	88	A. Rocha
6/4/18	1500	88	Gonzalez
6/4/18	1800	89	M. Royo
6/4/18	2100	89	A. Gravitt
6/4/18	2400	89	J. Pinon

## Tuesday

Date	Time	Temp.	Name (Print)
5/29/18	0300	83	A. Padilla
5/29/18	0600	82	S. Welsh
5/29/18	0900	83	S. Welsh
5/29/18	1200	84	S. Welsh
5/29/18	1500	85	D. Mendoza
5/29/18	1800	86	B. Galvez
5/29/18	2100	86	B. Galvez
5/29/18	2400	85	A. Padilla

## Thursday

Date	Time	Temp.	Name (Print)
5/31/18	0300	84	N. Dunlavy
5/31/18	0600	84	J. Pinon
5/31/18	0900	84	B. Resa
5/31/18	1200	86	B. Resa
5/31/18	1500	87	H. Lam
5/31/18	1800	88	L. Reitzel
5/31/18	2100	88	H. Lam
5/31/18	2400	87	J. Pinon

## Saturday

Date	Time	Temp.	Name (Print)
6/2/18	0300	84	N. Dunlavy
6/2/18	0600	84	R. Solizado
6/2/18	0900	85	K. Marchando
6/2/18	1200	86	K. Marchando
6/2/18	1500	87	H. Lam
6/2/18	1800	88	H. Lam
6/2/18	2100	88	H. Lam
6/2/18	2400	87	J. Pinon

## Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 336EA19F-5622-49DD-B210-292BF99E688F0  
 STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 430 Temp. Reading Location: 2nd

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	83°	J. Hernandez
	0600	81°	C. Montalvo
	0900	81°	C. Montalvo
	1200	80°	C. Montalvo
	1500	82°	T. Tovar
	1800	81°	A. Munoz
	2100	82°	J. Johnson
	2400	81°	V. Villanueva

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	81°	J. Hernandez
	0600	81°	J. Flores
	0900	81°	J. Flores
	1200	81°	J. Flores
	1500	82°	M. Alvarez
	1800	84°	M. Alvarez
	2100	84°	M. Alvarez
	2400	80°	V. Villanueva

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	80°	V. Villanueva
	0600	80°	J. Canales
	0900	81°	J. Canales
	1200	84°	J. Canales
	1500	85°	S. De La Torre
	1800	84°	S. De La Torre
	2100	86°	S. De La Torre
	2400	80°	V. Villanueva

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	80°	V. Villanueva
	0600	80°	J. Canales
	0900	82°	J. Canales
	1200	85°	J. Canales
	1500	80°	J. Canales
	1800	86°	G. Ramirez
	2100	85°	G. Ramirez
	2400	83°	D. Bass

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	83°	D. Bass
	0600	87°	K. Lopez
	0900	87°	J. Canales
	1200	89°	J. Canales
	1500	89°	J. Canales
	1800	88°	J. Canales
	2100	88°	J. Canales
	2400	88°	D. Bass

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	87°	D. Bass
	0600	88°	D. Bass
	0900	88°	J. Canales
	1200	89°	J. Canales
	1500	89°	J. Canales
	1800	87°	T. Lopez
	2100	88°	T. Lopez
	2400	88°	D. Bass

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	87°	J. Canales
	0600	87°	C. Martinez
	0900	88°	C. Martinez
	1200	88°	C. Martinez
	1500	89°	A. Rojas
	1800	89°	J. Tovar
	2100	89°	A. Rojas
	2400	89°	A. Banuelos

Notes

Avalos  
07/27

Ortiz  
07/27

DISTRIBUTION: Original: Institution Fleet Plan Coordinator

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 450 Temp. Reading Location: 1st Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	77	J. Rohrig
	0800	78	D. FLAGG
	0900	78	A. ROCHA
	1200	79	A. ROCHA
	1500	81	J. Rohrig
	1800	81	J. Rohrig
	2100	81	J. Rohrig
	2400	80	Topeke

## Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	80	S. CAMBROS
	0600	79	J. RAMOS
	0900	80	J. RAMOS
	1200	81	J. RAMOS
	1500	83	J. RAMOS
	1800	83	J. RAMOS
	2100	81	J. RAMOS
	2400	80	S. CAMBROS

## Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	82	J. CANO
	0600	81	J. SERRATO
	0900	82	J. SERRATO
	1200	83	J. SERRATO
	1500	83	T. VANG
	1800	83	T. VANG
	2100	82	T. VANG
	2400	81	MARTINEZ

## Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	80	M. MARTINEZ
	0600	80	A. BRACAMONTES
	0900	81	A. BRACAMONTES
	1200	83	Rosario
	1500	85	Rohrig
	1800	86	Rohrig
	2100	85	Rohrig
	2400	83	MARTINEZ

## Tuesday

Date	Time	Temp.	Name (Print)
8/5/24	0300	79	Topeke
	0600	78	D. FLAGG
	0900	79	D. FLAGG
	1200	80	D. FLAGG
	1500	81	J. Rohrig
	1800	82	J. Rohrig
	2100	81	J. Rohrig
	2400	81	S. CAMBROS

## Thursday

Date	Time	Temp.	Name (Print)
8/6/24	0300	80	S. CAMBROS
	0600	79	J. SERRATO
	0900	80	J. SERRATO
	1200	81	J. SERRATO
	1500	83	J. SERRATO
	1800	84	S. CAMBROS
	2100	84	S. CAMBROS
	2400	82	T. VANG

## Saturday

Date	Time	Temp.	Name (Print)
8/7/24	0300		
	0600	80	A. BRACAMONTES
	0900	81	A. BRACAMONTES
	1200	83	A. BRACAMONTES
	1500	84	T. VANG
	1800	85	T. VANG
	2100	84	T. VANG
	2400	83	F. MARTINEZ

## Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 510 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/24/24	0300	78	J. DAVIS
	0600	77	O. HERRERA
	0900	78°	J. REYES
	1200	80°	J. REYES
	1500	82°	C. CONTRERAS
	1800	84	O. IMOS
	2100	82°	C. CONTRERAS
	2400	82	J. DAVIS

**Tuesday**

Date	Time	Temp.	Name (Print)
7/24/24	0300	80	J. DAVIS
	0600	80°	J. REYES
	0900	80°	J. REYES
	1200	81°	J. REYES
	1500	82°	C. CONTRERAS
	1800	82°	C. CONTRERAS
	2100	82°	C. CONTRERAS
	2400	81	J. DAVIS

**Wednesday**

Date	Time	Temp.	Name (Print)
7/24/24	0300	79	J. DAVIS
	0600	78°	E. ARCELO
	0900	79°	E. ARCELO
	1200	81°	E. LARA
	1500	82°	C. CONTRERAS
	1800	83°	C. CONTRERAS
	2100	81	M. FLORES
	2400	81	J. DAVIS

**Thursday**

Date	Time	Temp.	Name (Print)
8/1/24	0300	79	J. DAVIS
	0600	78°	E. ARCELO
	0900	80°	E. LARA
	1200	81°	E. LARA
	1500	83°	D. GIBBS
	1800	84°	D. GIBBS
	2100	83°	D. GIBBS
	2400	83°	J. DAVIS

**Friday**

Date	Time	Temp.	Name (Print)
8/2/24	0300	82	J. DAVIS
	0600	80°	E. ARCELO
	0900	81	J. REYES
	1200	83°	E. ARCELO
	1500	82°	D. GIBBS
	1800	82°	D. GIBBS
	2100	81°	D. GIBBS
	2400	80°	E. MONTAÑA

**Saturday**

Date	Time	Temp.	Name (Print)
8/3/24	0300	79°	E. MONTAÑA
	0600	79°	J. TOVAR
	0900	80°	J. REYES
	1200	82°	J. REYES
	1500	83°	D. GIBBS
	1800	84°	D. GIBBS
	2100	83°	D. GIBBS
	2400	82°	E. CEBALLOS

**Notes**

Date	Time	Temp.	Name (Print)
8/4/24	0300	81	E. CEBALLOS
	0600	80°	J. REYES
	0900	82°	J. REYES
	1200	84°	J. REYES
	1500	85°	D. GIBBS
	1800	85°	D. GIBBS
	2100	85°	M. FLORES
	2400	84°	M. FLORES

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 520 Temp. Reading Location: 1<sup>ST</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29/24	0300	76°	P. ROMERO
	0600	72	D. LARIO'S
	0900	74	D. LARIO'S
	1200	75	D. LARIO'S
	1500	77	R. GONZALEZ
	1800	78	R. GONZALEZ
	2100	78	R. GONZALEZ
	2400	77	M. SELVANIA

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30/24	0300	76°	M. SELVANIA
	0600	74°	J. STOWE
	0900	75	D. LARIO'S
	1200	76	D. LARIO'S
	1500	77	R. GONZALEZ
	1800	78	R. GONZALEZ
	2100	78	R. GONZALEZ
	2400	77	J. MCCRAY

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31/24	0300	76	J. MCCRAY
	0600	75	D. LARIO'S
	0900	76	D. LARIO'S
	1200	77	D. LARIO'S
	1500	78	R. GONZALEZ
	1800	79	R. GONZALEZ
	2100	79	R. GONZALEZ
	2400	75	J. MCCRAY

**Thursday**

Date	Time	Temp.	Name (Print)
8/1/24	0300	75	J. YAY
	0600	75	C. CONTRERAS
	0900	76	C. CONTRERAS
	1200	77	C. CONTRERAS
	1500	79	R. GONZALEZ
	1800	80	R. GONZALEZ
	2100	80	R. GONZALEZ
	2400	79	M. SELVANIA

**Friday**

Date	Time	Temp.	Name (Print)
8/2/24	0300	77	M. SELVANIA
	0600	77	O. HERRERA
	0900	77	O. HERRERA
	1200	78	O. HERRERA
	1500	79	R. GONZALEZ
	1800	79	R. GONZALEZ
	2100	79	R. GONZALEZ
	2400	77	K. LY

**Saturday**

Date	Time	Temp.	Name (Print)
8/3/24	0300	78	P. ROMERO
	0600	76	D. LARIO'S
	0900	77	O. HERRERA
	1200	78	D. LARIO'S
	1500	80	J. LARA
	1800	81	J. LARA
	2100	81	J. LARA
	2400	80	K. LY

**Notes**

Date	Time	Temp.	Name (Print)
8/4/24	0300	76	K. LY
	0600	78	D. LARIO'S
	0900	78	D. LARIO'S
	1200	79	D. LARIO'S
	1500	81	J. LARA
	1800	82	J. LARA
	2100	82	J. LARA
	2400	77	K. LY

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 530 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300	79°	J. Espanza
	0600	78	Olmos
	0900	78	Olmos
	1200	78	Villanueva
	1500	82	G.IOR
	1800	83	G.IOR
	2100	82	G.IOR
	2400	81	J. Espanza

Tuesday

Date	Time	Temp.	Name (Print)
7-30-24	0300	80	J. Espanza
	0600	79	M. Flores
	0900	79	M. Flores
	1200	81	M. Flores
	1500	83	F. DeLeon
	1800	83°	F. DeLeon
	2100	83°	F. DeLeon
	2400	82	J. Espanza

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	80	J. Espanza
	0600	80	M. Flores
	0900	80	M. Flores
	1200	82	M. Flores
	1500	83°	F. DeLeon
	1800	84°	F. DeLeon
	2100	83°	F. DeLeon
	2400	82°	J. Espanza

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	80°	J. Espanza
	0600	80°	J. Espanza
	0900	80	TREJO
	1200	80	TREJO
	1500	84°	E. Diaz
	1800	85	N. Guillen
	2100	85	N. Guillen
	2400	85	R. Garcia

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	83	J. Espanza
	0600	83	TREJO
	0900	83	TREJO
	1200	84	Sangha
	1500	85	K.LY
	1800	85	K.LY
	2100	84	K.LY
	2400	83°	J. Espanza

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	82°	J. Espanza
	0600	82	A. Rodriguez
	0900	82	Olmos
	1200	83	Olmos
	1500	84	K.LY
	1800	84	K.LY
	2100	86	K.LY
	2400	85	J. Espanza

Notes

Date	Time	Temp.	Name (Print)
8-4-24	0300	84°	J. Espanza
	0600	83	Olmos
	0900	84	Olmos
	1200	85	Olmos
	1500	86	G.IOR
	1800	87	G.IOR
	2100	87	G.IOR
	2400	86°	J. Espanza

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment G

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 550 Temp. Reading Location: 2<sup>nd</sup> TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/2/24	0300	83	K. XIONG
	0600	81	C. CONTRERAS
	0900	81	C. CONTRERAS
	1200	83	C. CONTRERAS
	1500	85	N. GUERRERO
	1800	85	N. GUERRERO
	2100	85	N. GUERRERO
	2400	84	R. Xiong

Tuesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	83	K. Xiong
	0600	82	M. Campos
	0900	82	Elenor
	1200	85	Elenor
	1500	85	S. Alvarado
	1800	85	S. Alvarado
	2100	85	S. Alvarado
	2400	85	S. Tepahan

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	83	G. VELASCO
	0600	83	Romero
	0900	84	Romero
	1200	85	Romero
	1500	85	J. Tepahan
	1800	85	J. Tepahan
	2100	85	J. Tepahan
	2400	85	C. Alvarado

Thursday

Date	Time	Temp.	Name (Print)
7/3/24	0300	84	C. Alvarado
	0600	82	S. Martinez
	0900	83	J. Tepahan
	1200	85	J. Tepahan
	1500	87	C. Tepahan
	1800	87	S. Alvarado
	2100	87	S. Alvarado
	2400	87	E. Sebastian

Friday

Date	Time	Temp.	Name (Print)
7/3/24	0300	86	N. GUTIERREZ
	0600	85	C. ALVARADO
	0900	85	C. ALVARADO
	1200	86	C. ALVARADO
	1500	86	C. Vargas
	1800	86	C. Vargas
	2100	85	C. Vargas
	2400	85	C. Vargas

Saturday

Date	Time	Temp.	Name (Print)
7/3/24	0300	84	C. Vargas
	0600	84	C. ALVARADO
	0900	85	C. ALVARADO
	1200	86	C. ALVARADO
	1500	87	C. Vargas
	1800	87	C. Vargas
	2100	88	C. Vargas
	2400	88	K. Xiong

Notes

Date	Time	Temp.	Name (Print)
7/4/24	0300	87	K. Xiong
	0600	85	R. Vargas
	0900	86	C. Chen
	1200	87	B. Williams
	1500	88	K. Xiong
	1800	89	K. Xiong
	2100	89	K. Xiong
	2400	88	K. Xiong

DISTRIBUTION: Original Institution Heat Plan Coordinator

SEARCHED  
0905

INDEXED

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 610 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	51°	PANDUZO
	0600	81°	Montoya
	0900	82°	Montoya
	1200	82°	Montoya
	1500	85°	MATILDE
	1800	81	LL. Caja
	2100	81	LL Caja
	2400	81°	Panduza

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	81°	Pendue
	0600	81°	E. Montoya
	0900	82°	E. Montoya
	1200	82°	E. Montoya
	1500	81°	J. ESTRELLA
	1800	82°	J. ESTRELLA
	2100	82°	J. Bernal
	2400	82°	J. Garcia

## Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	82°	A. AYALA
	0600	81	L. HUNTER
	0900	81	L. HUNTER
	1200	81	K. Bernal
	1500	82	K. Bernal
	1800	82	K. Bernal
	2100	83	R. LEONCZAK
	2400	82°	J. NAVARRO

Thursday

Date	Time	Temp.	Name (Print)
8/11/24	0300	82°	J. NAVARRO
	0600	80°	H. FERRER
	0900	82°	H. FERRER
	1200	82°	H. FERRER
	1500	82	R. BARAJAS
	1800	83	R. BARAJAS
	2100	84	R. BARAJAS
	2400	84°	A. AYALA

**Friday**

Date	Time	Temp.	Name (Print)
8/12/24	0300	84°	A. Ayala
	0600	83°	M. Chapa
	0900	83°	M. Chapa
	1200	83°	M. Chapa
	1500	84	R. Barajas
	1800	85	M. Williams
	2100	84	M. Williams
	2400	83°	A. Ayala

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	83°	Garcia
	0600	78	TREJO
	0900	72	TREJO
	1200	83	TREJO
	1500	83	REITZEL
	1800	83	REITZEL
	2100	87	REITZEL
	2400	85°	REITZEL

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	83°	Eduardo
	0600	84	TREJO
	0900	84	TREJO
	1200	84	TREJO
	1500	85	E. JARQUIN
	1800	84	E. JARQUIN
	2100	84	E. JARQUIN
	2400	86°	Panduro

## Notes

---

---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 630 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/21/18	0300	82	C. L. CERCA
	0600	79°	S. BLOOM
	0900	80.7°	L. Del Cerda
	1200	81.9°	L. Del Cerda
	1500	83°	C. M. MENESES
	1800	83°	C. M. MENESES
	2100	83°	D. Breckendale
	2400	83°	A. ENTRALIZZI

**Tuesday**

Date	Time	Temp.	Name (Print)
5/22/18	0300	80°	A. MENESES
	0600	80.6°	L. DELACERDA
	0900	81.5°	L. DELACERDA
	1200	82.0°	L. DELACERDA
	1500	83°	D. Breckendale
	1800	84°	D. Breckendale
	2100	84°	D. Breckendale
	2400	85°	Thompson

**Wednesday**

Date	Time	Temp.	Name (Print)
5/23/18	0300	81	J. Hernandez
	0600	81	M. MENESES
	0900	82	M. MENESES
	1200	83	M. MENESES
	1500	84°	D. Breckendale
	1800	84°	C. M. MENESES
	2100	84°	C. M. MENESES
	2400	83	A. Jimenez

**Thursday**

Date	Time	Temp.	Name (Print)
5/24/18	0300	82	A. Jimenez
	0600	81	M. MENESES
	0900	82	M. MENESES
	1200	83	M. MENESES
	1500	85°	D. Breckendale
	1800	85°	J. Mercadado
	2100	85°	D. Breckendale
	2400	85°	A. Jimenez

**Friday**

Date	Time	Temp.	Name (Print)
5/25/18	0300	84	A. Jimenez
	0600	83	A. Herrera
	0900	83	C. Jones
	1200	84	A. Herrera
	1500	85	M. L. LEADS
	1800	85	A. Granito
	2100	84	A. Granito
	2400	84.1	A. Moura

**Saturday**

Date	Time	Temp.	Name (Print)
5/26/18	0300	82	A. Moura
	0600	83	Barker
	0900	83.5	Barker
	1200	88.0	J. Zendejas
	1500	85-	J. Zendejas
	1800	86.5	J. Zendejas
	2100	86.5	A. Moura
	2400	86°	A. Moura

**Sunday**

Date	Time	Temp.	Name (Print)
5/27/18	0300	85°	A. Moura
	0600	84°	A. Moura
	0900	85	Salazar
	1200	85	Salazar
	1500	86	M. CAMPOS
	1800	87	M. CAMPOS
	2100	87	M. CAMPOS
	2400	87	RECORIO

**Notes**

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 650 Temp. Reading Location: 2<sup>nd</sup>  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29/24	0300	77°	J. OLIVARES <i>OLIV</i>
	0600	76°	C. SORONDO <i>SORON</i>
	0900	76°	G. SORONDO <i>SORON</i>
	1200	79.7	V. PINON <i>PINON</i>
	1500	80°	M. CASTRO <i>CASTRO</i>
	1800	81.4	M. CASTRO <i>CASTRO</i>
	2100	81.4	M. CASTRO <i>CASTRO</i>
	2400	81°	J. MIGNEZ <i>MIGNEZ</i>

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30/24	0300	78°	J. manor <i>MANOR</i>
	0600	78°	A. Herrera <i>HERRERA</i>
	0900	79°	A. Herrera <i>HERRERA</i>
	1200	80°	G. SORONDO <i>SORONDO</i>
	1500	81°	F. Avila <i>AVILA</i>
	1800	81°	M. CASTRO <i>CASTRO</i>
	2100	81°	M. CASTRO <i>CASTRO</i>
	2400	80°	V. MORALES <i>MORALES</i>

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31/24	0300	79°	J. MANDZ <i>MANDZ</i>
	0600	78°	L. Bustamante <i>BUSTAMANTE</i>
	0900	79°	L. Bustamante <i>BUSTAMANTE</i>
	1200	81°	L. Bustamante <i>BUSTAMANTE</i>
	1500	82°	M. CASTRO <i>CASTRO</i>
	1800	82°	M. CASTRO <i>CASTRO</i>
	2100	82°	M. CASTRO <i>CASTRO</i>
	2400	81°	V. MORALES <i>MORALES</i>

**Thursday**

Date	Time	Temp.	Name (Print)
8/1/24	0300	79°	V. MORALES <i>MORALES</i>
	0600	79°	L. Bustamante <i>BUSTAMANTE</i>
	0900	80°	L. Bustamante <i>BUSTAMANTE</i>
	1200	81°	L. Bustamante <i>BUSTAMANTE</i>
	1500	83°	M. JUNIOR <i>JUNIOR</i>
	1800	84°	F. AVILA <i>AVILA</i>
	2100	84°	M. JUNIOR <i>JUNIOR</i>
	2400	83°	R. BARAJAS <i>BARAJAS</i>

**Friday**

Date	Time	Temp.	Name (Print)
8/2/24	0300	82°	R. BARAJAS <i>BARAJAS</i>
	0600	81°	L. Bustamante <i>BUSTAMANTE</i>
	0900	81°	L. Bustamante <i>BUSTAMANTE</i>
	1200	81°	L. Bustamante <i>BUSTAMANTE</i>
	1500	83°	L. YANG <i>YANG</i>
	1800	83°	L. YANG <i>YANG</i>
	2100	82°	L. YANG <i>YANG</i>
	2400	81°	J. LARDO <i>LARDO</i>

**Saturday**

Date	Time	Temp.	Name (Print)
8/3/24	0300	80°	J. LARDO <i>LARDO</i>
	0600	80°	F. Yang <i>YANG</i>
	0900	81°	F. Yang <i>YANG</i>
	1200	82°	F. Yang <i>YANG</i>
	1500	84°	E. SAROWIN <i>SAROWIN</i>
	1800	85°	S. LARDO <i>LARDO</i>
	2100	84°	S. LARDO <i>LARDO</i>
	2400	83.5°	S. LARDO <i>LARDO</i>

**Sunday**

Date	Time	Temp.	Name (Print)
8/4/24	0300	82°	J. LARDO <i>LARDO</i>
	0600	81°	V. MORALES <i>MORALES</i>
	0900	81.5°	G. SORONDO <i>SORONDO</i>
	1200	84.7°	G. SORONDO <i>SORONDO</i>
	1500	85.7°	J. PINON <i>PINON</i>
	1800	86°	J. PINON <i>PINON</i>
	2100	86°	G. SORONDO <i>SORONDO</i>
	2400	85.4°	J. LARDO <i>LARDO</i>

**Notes**

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASB Housing Unit: OTU 390 Temp. Reading Location: officers area  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees or more at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/5	0300	68	J. Johnson
	0600	68	S. Colmenares
	0900	69	S. Colmenares
	1200	69	S. Colmenares
	1500	69	D. Mora
	1800	69	D. Mora
	2100	69	D. Mora
	2400	69	D. Mora

## Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	69	D. Andrade
	0600	69	D. Andrade
	0900	70	J. Muriel
	1200	70	C. Lozano
	1500	70	D. Andrade
	1800	70	D. Andrade
	2100	71	D. Andrade
	2400	71	D. Andrade

## Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	71	D. Andrade
	0600	71	D. Andrade
	0900	70	J. Alvarez Jr.
	1200	70	J. Alvarez Jr.
	1500	71	Aceves
	1800	72	Aceves
	2100	74	Aceves
	2400	71	Rodriguez R.

## Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	71	R. Rodriguez
	0600	70	J. Alvarez Jr.
	0900	70	J. Alvarez Jr.
	1200	70	J. Alvarez Jr.
	1500	70	J. Aceves
	1800	71	J. Aceves
	2100	70	J. Aceves
	2400	69	Rodriguez R.

## Friday

Date	Time	Temp.	Name (Print)
8/9	0300	68	Rodriguez R.
	0600	69	M. Acain
	0900	70	J. Alvarez Jr.
	1200	70	J. Alvarez Jr.
	1500	70	T. Montoya
	1800	71	T. Montoya
	2100	71	T. Montoya
	2400	70	T. Hernandez

## Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	68	T. Hernandez
	0600	69	V. Cortez
	0900	68	V. Cortez
	1200	68	V. Cortez
	1500	69	Aceves
	1800	69	Aceves
	2100	71	Aceves
	2400	72	D. Andrade

## Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	72	D. Andrade
	0600	72	D. Andrade
	0900	72	S. Colmenares
	1200	72	S. Colmenares
	1500	73	B. Phelps
	1800	73	B. Phelps
	2100	73	B. Phelps
	2400	73	J. Wilson

## Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 110 Temp. Reading Location: 1<sup>st</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/8	0300	81	Loredo
	0600	83.1	B. JANAR
	0900	82.9	B. JANAR
	1200	84	D. Gonzales
	1500	85	M. Gonzalez
	1800	86	CANTU
	2100	86	CANTU
	2400	84.50	Loredo

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	83.0	Loredo
	0600	82.9	B. JANAR
	0900	82.6	B. JANAR
	1200	84	D. Gonzales
	1500	84	M. Gonzalez
	1800	86	M. Gonzalez
	2100	85	M. Gonzalez
	2400	80	T. Hernandez

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	80	T. Hernandez
	0600	82	C. CARRAN
	0900	83	D. Gonzales
	1200	85	C. CARRAN
	1500	85	M. Gonzalez
	1800	86	M. Gonzalez
	2100	86	M. Gonzalez
	2400	85.2	MCCOTTRILL

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	82.3	MCCOTTRILL
	0600	82	Gonzales
	0900	83	Gonzales
	1200	83	Gonzales
	1500	84	Gonzales
	1800	85	Solano
	2100	84	Solano
	2400	84.4	MCCOTTRILL

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	83.3	MCCOTTRILL
	0600	82	Gonzales
	0900	83	Gonzales
	1200	84	Gonzales
	1500	84	Solano
	1800	84	Solano
	2100	86	Solano
	2400	84	L Yang

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	82	L Yang
	0600	82	D. Gonzales
	0900	81	D. Gonzales
	1200	82	D. Gonzales
	1500	83	Gonzales
	1800	83	S. UATE
	2100	82	S. UATE
	2400	83	L Yang

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	81	L Yang
	0600	81.3	Z. Dyer
	0900	82.0	Z. Dyer
	1200	83.0	M. LAMON
	1500	84	M. Gonzalez
	1800	84	M. Gonzalez
	2100	84	S. UATE
	2400	82	Ward

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 120 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	86°	M. Anderson
	0600	85°	S. STATTER
	0900	87°	S. STATTER
	1200	89°	S. STATTER
	1500	90°	S. STATTER
	1800	90°	S. STATTER
	2100	90°	S. STATTER
	2400	89°	M. Anderson

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	89°	C. Ray
	0600	87°	C. Ray
	0900	89°	J. Gomez
	1200	91°	J. Gomez
	1500	91°	J. Gomez
	1800	91°	J. Gomez
	2100	91°	J. Gomez
	2400	91°	R. Salinas

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	85°	Solano
	0600	85°	Flores
	0900	85°	Flores
	1200	86°	M. XIONG
	1500	86°	M. XIONG
	1800	86°	A. HUIZAR
	2100	86°	A. HUIZAR
	2400	84°	J. Olivares

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	87°	G. Ceballos
	0600	86°	J. DUVALL
	0900	88°	J. DUVALL
	1200	90°	Gonzales
	1500	90°	J. DUVALL
	1800	90°	J. DUVALL
	2100	90°	J. DUVALL
	2400	88°	M. Anderson

Tuesday

Date	Time	Temp.	Name (Print)
8/10	0300	87°	M. Anderson
	0600	88°	J. Gomez
	0900	88°	S. STATTER
	1200	89°	J. Gomez
	1500	90°	S. STATTER
	1800	90°	S. STATTER
	2100	91°	S. STATTER
	2400	92°	B. Stewart

Thursday

Date	Time	Temp.	Name (Print)
8/12	0300	89°	R. SALINAS
	0600	85°	M. XIONG
	0900	89°	M. XIONG
	1200	90°	S. FLORES
	1500	90°	A. HUIZAR
	1800	90°	A. HUIZAR
	2100	90°	A. HUIZAR
	2400	90°	Solano

Saturday

Date	Time	Temp.	Name (Print)
8/13	0300	84°	Solano
	0600	86°	J. DUVALL
	0900	87°	J. DUVALL
	1200	90°	Gonzales
	1500	90°	A. HUIZAR
	1800	90°	A. HUIZAR
	2100	90°	A. HUIZAR
	2400	89°	G. Ceballos

Notes

- 8/5/24 - UHT STAGE II - ACTIVATED @ 1258hrs.  
(90° INSIDE)
- 8/6/24 - UHT STAGE II - ACTIVATED @ 1247hrs.  
(90° INSIDE)
- 8/7/24 UHT Stage II activated 1221
- 8/8/24 UHT I @ 0935
- 8/8/24 UHT II @ 0944
- 8/10/24 UHT II @ 1130
- 8/11/24 UHT II @ 1150

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 130 Temp. Reading Location: Tier 1  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/05	0300	77	A.CM
8/05	0600	77	S.PAUMER
8/05	0900	78	S.PAUMER
8/05	1200	80	S.PAUMER
8/05	1500	81	S.PAUMER
8/05	1800	82	S.PAUMER
8/05	2100	81	S.PAUMER
8/05	2400	79	A.Barrera

Wednesday

Date	Time	Temp.	Name (Print)
8/08	0300	79°	A.Barrera
8/08	0600	79°	E.SANCHEZ
8/08	0900	79°	E.SANCHEZ
8/08	1200	80°	J.BALLEW
8/08	1500	80°	E.SANCHEZ
8/08	1800	81°	E.SANCHEZ
8/08	2100	80°	E.SANCHEZ
8/08	2400	80	A.Barrera

Friday

Date	Time	Temp.	Name (Print)
8/08	0300	76°	A.CM
8/08	0600	74°	E.SANCHEZ
8/08	0900	80°	E.SANCHEZ
8/08	1200	79°	E.SANCHEZ
8/08	1500	79°	J.DUVALL
8/08	1800	80°	J.DUVALL
8/08	2100	79°	J.DUVALL
8/08	2400	78	A.CM

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	76	A.Barrera
8/11	0600	80°	J.BALLEW
8/11	0900	80°	J.BALLEW
8/11	1200	80°	S.MURRIER
8/11	1500	80	M.Limon
8/11	1800	79°	J.BANKSTON
8/11	2100	79°	J.BANKSTON
8/11	2400	79	A.Barrera

Tuesday

Date	Time	Temp.	Name (Print)
8/06	0300	77	A.Barrera
8/06	0600	77°	S.PAUMER
8/06	0900	76°	S.PAUMER
8/06	1200	77°	S.PAUMER
8/06	1500	80°	S.PAUMER
8/06	1800	81°	S.PAUMER
8/06	2100	81°	S.PAUMER
8/06	2400	80	A.Barrera

Thursday

Date	Time	Temp.	Name (Print)
8/08	0300	78	A.Barrera
8/08	0600	75°	E.SANCHEZ
8/08	0900	76°	E.SANCHEZ
8/08	1200	81°	J.BALLEW
8/08	1500	79°	O.MENDOZA
8/08	1800	79°	O.MENDOZA
8/08	2100	79°	O.MENDOZA
8/08	2400	78	A.CM

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	76	A.CM
8/10	0600	74	E.SANCHEZ
8/10	0900	76°	E.SANCHEZ
8/10	1200	78°	E.SANCHEZ
8/10	1500	76°	E.Ceballos
8/10	1800	80°	E.Ceballos
8/10	2100	79°	E.Ceballos
8/10	2400	79	A.Barrera

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2001 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ADP Housing Unit: 140

Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 1034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-24	0300	80°	AMATO
8-24	0600	79°	AMATO
8-24	0900	80°	A. MATHIN
8-24	1200	82°	A. MATHIN
8-24	1500	82°	A. MATHIN
8-24	1800	84°	A. MATHIN
8-24	2100	82°	A. MATHIN
8-24	2400	81°	AMATO

Wednesday

Date	Time	Temp.	Name (Print)
8-25	0300	82	PHILLIPS
8-25	0600	79	R. MOY
8-25	0900	82	R. MOY
8-25	1200	82	R. MOY
8-25	1500	82	R. MOY
8-25	1800	84	R. VIRUEL
8-25	2100	82	R. VIRUEL
8-25	2400	81	A. Cm

Friday

Date	Time	Temp.	Name (Print)
8-29	0300	77°	BACA
8-29	0600	78°	BACA
8-29	0900	79°	VAN
8-29	1200	80°	VAN
8-29	1500	82°	R. Torres
8-29	1800	82°	R. Torres
8-29	2100	82°	R. Torres
8-29	2400	80	J. BURG

Sunday

Date	Time	Temp.	Name (Print)
8-24	0300	80°	J. BURG
8-24	0600	78°	A. MATHIN
8-24	0900	82°	A. MATHIN
8-24	1200	82°	A. MATHIN
8-24	1500	82°	A. MATHIN
8-24	1800	82°	A. MATHIN
8-24	2100	81°	A. MATHIN
8-24	2400	80	AMATO

Tuesday

Date	Time	Temp.	Name (Print)
8	0300	79°	AMATO
8	0600	79°	AMATO
8	0900	80°	A. MATHIN
8	1200	81°	A. MATHIN
8	1500	84°	S. DRAKE
8	1800	82°	S. DRAKE
8	2100	80°	S. DRAKE
8	2400	85°	Philips

Thursday

Date	Time	Temp.	Name (Print)
8	0300	79	A. Cm
8	0600	78	R. INOP
8	0900	80	R. INOP
8	1200	81°	R. INOP
8	1500	83°	R. TORRES
8	1800	84°	R. TORRES
8	2100	82°	R. TORRES
8	2400	79°	DRAKE

Saturday

Date	Time	Temp.	Name (Print)
8-24	0300	80	J. BURG
8-24	0600	79	A. MATHIN
8-24	0900	80	A. MATHIN
8-24	1200	81°	A. MATHIN
8-24	1500	82°	Robinson
8-24	1800	82°	Robinson
8-24	2100	80°	Robinson
8-24	2400	80°	J. BURG

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 210 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/5	0300	82	Cook
	0600	80	VARGAS
	0900	81	DeLaTorre
	1200	83	DeLaTorre
	1500	84	J.Torres
	1800	86	J.Torres
	2100	84	A. VARGAS
	2400	83	A. VARGAS

Tuesday			
Date	Time	Temp.	Name (Print)
8/6	0300	82	Cook
	0600	80	DeLaTorre
	0900	81	J.Vargas
	1200	83	DeLaTorre
	1500	85	J.Torres
	1800	85	J.Torres
	2100	85	J.Torres
	2400	84	Cook

Wednesday			
Date	Time	Temp.	Name (Print)
8/7	0300	82	Cook
	0600	82	J.Vargas
	0900	83	J.Vargas
	1200	83	J.Vargas
	1500	86	J.Yung
	1800	87	J.Yung
	2100	85	J.Yung
	2400	83	Cook

Thursday			
Date	Time	Temp.	Name (Print)
8/8	0300	81	Cook
	0600	81	Vargas
	0900	80°	Reynolds
	1200	84°	J.Vargas
	1500	84°	K.VARGAS
	1800	81	A.Bonilla
	2100	83	A.Bonilla
	2400	81	A.Bonilla

Friday			
Date	Time	Temp.	Name (Print)
8/9	0300	80	Reynolds
	0600	80	R.VARGAS
	0900	80	J.Vargas
	1200	83	J.Vargas
	1500	84	J.Vargas
	1800	87	J.Vargas
	2100	83	J.Vargas
	2400	82	E.RVC

Saturday			
Date	Time	Temp.	Name (Print)
8/10/24	0300	79°	E.RVC
	0600	79°	B.Reyes
	0900	81°	J.Vargas
	1200	82°	J.Vargas
	1500	84°	K.VARGAS
	1800	84°	K.VARGAS
	2100	83°	K.VARGAS
	2400	81	Cook

Sunday			
Date	Time	Temp.	Name (Print)
8/11	0300	80	Cook
	0600	79°	R.Mercles
	0900	80°	R.NOP
	1200	83	R.NOP
	1500	84°	K.VARGAS
	1800	84	A.Bonilla
	2100	83	A.Bonilla
	2400	81	A.Cook

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 230 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	83	J. GOMEZ
	0600	82	A. CERVANTES
	0900	82	A. CERVANTES
	1200	83	A. CERVANTES
	1500	85	J. GOMEZ
	1800	86	J. GOMEZ
	2100	85	J. GOMEZ
	2400	84	J. GOMEZ

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	83°	J. Lee
	0600	81	J. CARLTON
	0900	81	J. TONG
	1200	83	J. CARLTON
	1500	85	SANCHEZ
	1800	84	SANCHEZ
	2100	85	SANCHEZ
	2400	85	J. GOMEZ

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	84	S. ARENIVAS
	0600	82	J. Cervantes
	0900	83	J. Cervantes
	1200	84	J. Carlton
	1500	86	D. VERDULCO
	1800	87	D. VERDULCO
	2100	86	D. VERDULCO
	2400	84	CARMONA

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	83	CARMONA
	0600	82	J. Cervantes
	0900	82	J. Cervantes
	1200	83	J. Cervantes
	1500	84	D. VERDULCO
	1800	85	D. VERDULCO
	2100	85	D. VERDULCO
	2400	84	L. DAVIS

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	83	L. DAVIS
	0600	82	S. DREAGER
	0900	82	S. DREAGER
	1200	83	A. ARENAL
	1500	85°	E. DELON
	1800	85°	E. DELON
	2100	84	J. MARTINEZ
	2400	84°	S. VALLE

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	83°	S. VALLE
	0600	82	S. DREAGER
	0900	81°	ARENAL
	1200	82°	ARENAL
	1500	84	L. Yang
	1800	85	L. Yang
	2100	84	L. Yang
	2400	83	S. VALLE

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	82	S. VALLE
	0600	81	J. CARLTON
	0900	82	D. SANCHEZ
	1200	83	J. CARLTON
	1500	84	L. Yang
	1800	85	L. Yang
	2100	84	L. Yang
	2400	83	J. GOMEZ

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 250 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8/5/24</u>	0300	84	Z. Orosco
	0600	82	J. Torres
	0900	82	J. Torres
	1200	84	Rivalcalza
	1500	85	Rivalcalza
	1800	85	Rivalcalza
	2100	85	OPRIANTES
	2400	84	Z. Orosco

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/6/24</u>	0300	83	Z. Orosco
	0600	83	R. BORCHARD
	0900	82	S. DREHER
	1200	83	R. BORCHARD
	1500	85	R. Garcia
	1800	85	R. Garcia
	2100	85	J. Tovar
	2400	84	Z. Orosco

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/7/24</u>	0300	84	Z. Orosco
	0600	82	A. Alonso
	0900	83	R. BORCHARD
	1200	85	R. BORCHARD
	1500	85	A. Alonso
	1800	87	A. Alonso
	2100	86	A. Alonso
	2400	84	E. DELTAU

Thursday

Date	Time	Temp.	Name (Print)
<u>8/8/24</u>	0300	84°	E. DELEON
	0600	83	R. BORCHARD
	0900	83	R. BORCHARD
	1200	83	A. Alonso
	1500	85	A. Alonso
	1800	85	A. Alonso
	2100	84	A. Alonso
	2400	84	D. VERDULDO

Friday

Date	Time	Temp.	Name (Print)
<u>8/9/24</u>	0300	83	D. VERDULDO
	0600	86	R. BORCHARD
	0900	86	R. BORCHARD
	1200	86	R. BORCHARD
	1500	84	R. CUEVAZ
	1800	85	A. MOUA
	2100	84	A. MOUA
	2400	84	THAO, P.

Saturday

Date	Time	Temp.	Name (Print)
<u>8/10/24</u>	0300	83	THAO, P.
	0600	86	R. BORCHARD
	0900	86	R. BORCHARD
	1200	86	R. BORCHARD
	1500	84	J. TIGUAZ
	1800	85	J. PERALDO
	2100	84	J. Lee
	2400	83	A. LIVERA

Sunday

Date	Time	Temp.	Name (Print)
<u>8/11/24</u>	0300	81	A. RIEGA
	0600	85°	Rivalcalza
	0900	85°	OPRIANTES, A.
	1200	85°	Rivalcalza
	1500	86	CERVANTES
	1800	85°	CERVANTES
	2100	84°	CERVANTES
	2400	84	R. Ledesma

Notes

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 310 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8-5-2024	0300	82°	J. Rouse
	0600	86°	J. Rommel
	0900	86°	J. Zene
	1200	87°	J. Zene
	1500	88°	J. Cuthbert
	1800	89°	J. Cuthbert
	2100	89°	Other
	2400	88°	J. Luwiano

## Tuesday

Date	Time	Temp.	Name (Print)
8-6-2024	0300	87°	J. Luwiano
	0600	86°	P. Acevedo
	0900	87°	J. Zene
	1200	87°	P. Acevedo
	1500	88°	F. Rescalvo
	1800	89°	F. Rescalvo
	2100	89°	F. Rescalvo
	2400	88°	L. Ardoza

## Wednesday

Date	Time	Temp.	Name (Print)
8-7-2024	0300	88°	R. Esquivel
	0600	87°	A. Marquez
	0900	87°	S. Hernandez
	1200	88°	M. Stilson
	1500	88°	C. Olson
	1800	89°	C. Olson
	2100	89°	Other
	2400	88°	J. Navarro

## Thursday

Date	Time	Temp.	Name (Print)
8-8-2024	0300	87°	C. Marquez
	0600	86°	C. Pacheco
	0900	86°	C. Pacheco
	1200	87°	C. Pacheco
	1500	87°	B. Bachman
	1800	88°	B. Bachman
	2100	88°	C. Olson
	2400	88°	P. Ledesma

## Friday

Date	Time	Temp.	Name (Print)
8-9-2024	0300	87°	K. Ledesma
	0600	86°	Other
	0900	86°	L. Vane
	1200	86°	M. Tolosa
	1500	87°	M. Tobias
	1800	88°	S. Lao
	2100	88°	S. Lao
	2400	88°	M. Tolosa

## Saturday

Date	Time	Temp.	Name (Print)
8-10-2024	0300	87°	J. Luwiano
	0600	86°	J. Tovar
	0900	86°	C. Pacheco
	1200	88°	J. Tovar
	1500	87°	J. Roberts
	1800	86°	J. Friedman
	2100	86°	J. Friedman
	2400	87°	J. Luwiano

## Sunday

Date	Time	Temp.	Name (Print)
8-11-2024	0300	86°	J. Luwiano
	0600	86°	L. Vane
	0900	86°	C. Pacheco
	1200	86°	C. Pacheco
	1500	87°	J. Zene
	1800	88°	J. Zene
	2100	88°	J. Zene
	2400	87°	M. Tolosa

## Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 330 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5 2024	0300	85	J. Batres
	0600	85	R. Batres
	0900	85	A. Rocha
	1200	86	A. Rocha
	1500	87	A. Garcia
	1800	88	R. Prado
	2100	89	A. Garcia
	2400	87	S. Batres

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6 2024	0300	87	Batres
	0600	84	ESCARCEGA
	0900	85	BERMUDER
	1200	86	ESCARCEGA
	1500	87	L. Calzada
	1800	89	L. Calzada
	2100	86	L. Calzada
	2400	87	D. TIRITAN

**Wednesday**

Date	Time	Temp.	Name (Print)
8/8 24	0300	85	D. TIRITAN
	0600	85	R. Pires
	0900	85	C. Gonzalez
	1200	87	C. Gonzalez
	1500	89	E. Ruiz
	1800	91	L. Calzada
	2100	91	G. Faro
	2400	87	D. TIRITAN

**Thursday**

Date	Time	Temp.	Name (Print)
8/8 24	0300	85	D. TIRITAN
	0600	85	R. Pires
	0900	85	C. Gonzalez
	1200	85	C. Gonzalez
	1500	86	E. Ruiz
	1800	87	E. Ruiz
	2100	87	E. Ruiz
	2400	87	J. Noriega

**Friday**

Date	Time	Temp.	Name (Print)
8/9 24	0300	84	J. Noriega
	0600	83	R. Pires
	0900	84	R. Pires
	1200	85	R. Pires
	1500	85	E. Ruiz
	1800	87	Y. Yang
	2100	87	E. Ruiz
	2400	85	M. Melgoza

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/24	0300	85	M. Melgoza
	0600	84	R. Pires
	0900	84	J. Flores
	1200	85	J. Flores
	1500	85	Y. Yang
	1800	87	E. Ruiz
	2100	88	E. Ruiz
	2400	85	T. Diaz

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/24	0300	84	T. Diaz
	0600	84	A. Herrera
	0900	84	A. Herrera
	1200	85	J. Flores
	1500	85	J. Zambrano
	1800	85	J. Zambrano
	2100	87	J. Zambrano
	2400	86	Batres

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 350 Temp. Reading Location: 2ND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
AUG 5 2024	0300	85	N. Correa
	0600	84	S. Flores
	0900	84	S. Flores
	1200	85	S. Flores
	1500	87	Scott
	1800	87	M. Lee
	2100	87	Scott
	2400	86	A. Guzman

**Tuesday**

Date	Time	Temp.	Name (Print)
AUG 6 2024	0300	85	L. Keeling
	0600	83	S. Flores
	0900	83	AMBERIZ
	1200	85	SCOTT
	1500	87	M. Lee
	1800	87	M. Melgoza
	2100	87	M. Lee
	2400	86	A. Guzman

**Wednesday**

Date	Time	Temp.	Name (Print)
AUG 7 2024	0300	85	A. Guzman
	0600	84	S. Flores
	0900	84	S. Flores
	1200	82	S. Flores
	1500	87	M. Lee
	1800	88	N. Correa
	2100	87	M. Lee
	2400	86	M. Lee

**Thursday**

Date	Time	Temp.	Name (Print)
AUG 8 2024	0300	85	A. Guzman
	0600	83	A. AMBERIZ
	0900	84	A. AMBERIZ
	1200	85	A. AMBERIZ
	1500	88	M. Lee
	1800	89	M. Lee
	2100	87	M. Lee
	2400	85	A. Guzman

**Friday**

Date	Time	Temp.	Name (Print)
AUG 9 2024	0300	84	A. Guzman
	0600	83	J. Flores
	0900	84	A. Herrera
	1200	85	J. Flores
	1500	88	N. Correa
	1800	89	N. Correa
	2100	88	C. Goforth
	2400	85	R. Soto

**Saturday**

Date	Time	Temp.	Name (Print)
AUG 10 2024	0300	85	N. Correa
	0600	83	S. Flores
	0900	83	A. Herrera
	1200	84	S. Flores
	1500	86	Scott
	1800	86	Scott
	2100	85	Scott
	2400	84	L. Keeling

**Sunday**

Date	Time	Temp.	Name (Print)
AUG 11 2024	0300	83	L. Keeling
	0600	82	M. Gonzalez
	0900	83	M. Gonzalez
	1200	84	M. Gonzalez
	1500	87	N. Correa
	1800	86	Scott
	2100	86	Scott
	2400	85	A. Guzman

**Notes**

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: AJP Housing Unit: 410 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	88	J. Pinon
	0600	87	S. Welsh
	0900	87	S. Welsh
	1200	88	S. Welsh
	1500	85	A. BANUELOS
	1800	90	A. BANUELOS
	2100	90	A. BANUELOS
	2400	88	A. Padilla

## Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	87	M. Padilla
	0600	86	S. Welsh
	0900	86	S. Welsh
	1200	88	S. Welsh
	1500	89	B. Resa
	1800	90	B. Resa
	2100	90	B. Resa
	2400	89	A. Padilla

## Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	88	N. Dunlay
	0600	87	S. Lao
	0900	88	S. Lao
	1200	89	B. Resa
	1500	90	D. Jimirean
	1800	91	D. Jimirean
	2100	90	D. Jimirean
	2400	89	N. Dunlay

## Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	88	N. Dunlay
	0600	86	S. Lao
	0900	87	B. Resa
	1200	88	B. Resa
	1500	89	H. Lam
	1800	90	H. Lam
	2100	89	H. Lam
	2400	88	N. Dunlay

## Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	87	J. Pinon
	0600	86	T. Vangs
	0900	87	T. Vangs
	1200	88	B. Resa
	1500	89	H. Lam
	1800	90	H. Lam
	2100	89	H. Lam
	2400	88	N. Dunlay

## Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	87	N. Dunlay
	0600	86	R. Serrato
	0900	87	R. Machinado
	1200	88	R. Serrato
	1500	89	H. Lam
	1800	90	H. Lam
	2100	89	H. Lam
	2400	88	H. Lam

## Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	87	H. Lam
	0600	86	H. Lam
	0900	86	H. Lam
	1200	87	R. Serrato
	1500	89	A. Arriola
	1800	90	A. Arroyo
	2100	89	Gonzalez
	2400	88	A. Padilla

## Notes

Avalos 08/05/24 UHT Phase 2 1654  
0856

ACRUZ  
1541

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDGR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 4ASP Housing Unit: 430 Temp. Reading Location: 2nd

Immediately notify the Watch Commander at extension 6034 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 08/05/24

Date	Time	Temp.	Name (Print)
0300	89	A. BANUELOS	
0600	88	J. Flores	
0900	88	J. Flores	
1200	89	J. FLORES	
1500	89	A. ROCHEA	
1800	92	J. JOHNSON	
2100	91	A. ROCHEA	
2400	90	V. VILLALBA	

Wednesday 8-7-24

Date	Time	Temp.	Name (Print)
0300	89	V. VILLALBA	
0600	88	C. Perez	
0900	88	J. CATAVIA	
1200	90	J. CATAVIA	
1500	90	S. Perkins	
1800	91	S. Pach	
2100	90	S. Lao	
2400	90	J. Garcia	

Friday 8-9-24

Date	Time	Temp.	Name (Print)
0300	89	J. Garcia	
0600	88	J. CATAVIA	
0900	88	J. CATAVIA	
1200	89	J. CATAVIA	
1500	92	J. Johnson	
1800	92	S. Pach	
2100	92	S. Pach	
2400	90	A. BANUELOS	

Sunday 8-11-24

Date	Time	Temp.	Name (Print)
0300	88	J. CATAVIA	
0600	88	J. CATAVIA	
0900	88	J. CATAVIA	
1200	88	J. CATAVIA	
1500	89	A. ROCHEA	
1800	90	A. ROCHEA	
2100	89	A. ROCHEA	
2400	88	A. BANUELOS	

Tuesday 8-6-24

Date	Time	Temp.	Name (Print)
0300	90	J. Garcia	
0600	85	J. Flores	
0900	85	J. Flores	
1200	88	J. Flores	
1500	90°	M. ALVAREZ	
1800	90°	M. ALVAREZ	
2100	90°	M. ALVAREZ	
2400	90	V. VILLALBA	

Thursday 8-8-24

Date	Time	Temp.	Name (Print)
0300	90°	J. Garcia	
0600	87	J. Juan	
0900	86	J. Juan	
1200	89	J. CATAVIA	
1500	89	RUIZ	
1800	91	S. Lao	
2100	89	S. Lao	
2400	89	R. ESCUEDA	

Friday 8-10-24

Date	Time	Temp.	Name (Print)
0300	89	A. BANUELOS	
0600	87	C. Perez	
0900	88	J. CATAVIA	
1200	88	J. CATAVIA	
1500	89	S. Perkins	
1800	89	J. Johnson	
2100	89	S. Pach	
2400	88	J. Hernandez	

## Notes

UHT PHASE 2 @ 1550 HRS 8-5-24

UHT PHASE 2 @ 1405 HRS 8/6/2024

UHT PHASE 2 @ 1320 HRS 8-7-2024

UHT PHASE 2 @ 1500 HRS 8-9-24

UHT PHASE 2 @ 1710 HRS 8/11/24

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 450 Temp. Reading Location: 1st  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5/24	0300	77	Rohrig
	0600	82	FLAGG
	0900	82	FLAGG
	1200	85	FLAGG
	1500	86	J. ROMERO
	1800	85	J. ROMERO
	2100	85	J. ROMERO
	2400	84	MARTINEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6/24	0300	77	MARTINEZ
	0600	82	FLAGG
	0900	83	FLAGG
	1200	85	FLAGG
	1500	86	J. ROMERO
	1800	86	J. ROMERO
	2100	86	J. ROMERO
	2400	85	CALMONT

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7/24	0300	84	S. GAMBINO
	0600	82	J. FLAGG
	0900	83	J. ROMERO
	1200	84	J. ROMERO
	1500	86	J. ROMERO
	1800	87	J. Rohrig
	2100	86	J. ROMERO
	2400	84	J. ROMERO

**Thursday**

Date	Time	Temp.	Name (Print)
8/8/24	0300	81	VALLE
	0600	82	J. FLAGG
	0900	83	J. FLAGG
	1200	84	IL SERRANO
	1500	85	T. VANG
	1800	85	T. VANG
	2100	85	S. GAMBINO
	2400	84	S. GAMBINO

**Friday**

Date	Time	Temp.	Name (Print)
8/9/24	0300	83	S. GAMBINO
	0600	82	R. SERRANO
	0900	82	R. SERRANO
	1200	84	IL SERRANO
	1500	85	TREJO
	1800	85	T. VANG
	2100	84	TREJO
	2400	83	LCANO

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/24	0300	83	LCANO
	0600	81	T. VANG
	0900	82	J. CRUZ
	1200	84	J. CRUZ
	1500	85	I. MONTOYA
	1800	85	I. MONTOYA
	2100	84	I. MONTOYA
	2400	84	MONTAÑA

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/24	0300	82	E. MARTIN
	0600	82	A. ROCHA
	0900	83	D. FLAGG
	1200	84	A. ROCHA
	1500	85	J. Rohrig
	1800	86	J. Rohrig
	2100	84	J. Rohrig
	2400	84	J. Rohrig

**Notes**

R. CRUZ  
8/9/24  
R. CRUZ  
8/10/24  
J. CRUZ  
8/10/24  
I. MONTOYA  
8/10/24  
I. MONTOYA  
8/10/24  
MONTAÑA  
8/10/24  
E. MARTIN  
8/11/24  
A. ROCHA  
8/11/24  
D. FLAGG  
8/11/24  
A. ROCHA  
8/11/24  
J. Rohrig  
8/11/24  
J. Rohrig  
8/11/24  
J. Rohrig  
8/11/24

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 510 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
<u>8/5/2024</u>	0300	81°	M. FLORES
	0600	82°	J. REYES
	0900	82°	O. Herrera
	1200	83°	J. REYES
	1500	85°	C. CONTRERAS
	1800	86°	M. FLORES
	2100	85°	M. FLORES
	2400	84°	M. FLORES

#### Tuesday

Date	Time	Temp.	Name (Print)
<u>8/6/2024</u>	0300	81°	M. FLORES
	0600	81°	J. REYES
	0900	82°	J. REYES
	1200	84°	S. ARCEA
	1500	85°	C. CONTRERAS
	1800	86°	J. DAVIS
	2100	85°	C. CONTRERAS
	2400	84°	J. DAVIS

#### Wednesday

Date	Time	Temp.	Name (Print)
<u>8/7/2024</u>	0300	83°	J. DAVIS
	0600	81°	S. ARCEA
	0900	83°	E. LARA
	1200	85°	E. LARA
	1500	86°	J. DAVIS
	1800	86°	C. CONTRERAS
	2100	85°	J. DAVIS
	2400	84°	J. DAVIS

#### Thursday

Date	Time	Temp.	Name (Print)
<u>8/8/2024</u>	0300	82°	J. DAVIS
	0600	81°	S. ARCEA
	0900	82°	E. LARA
	1200	85°	E. LARA
	1500	85°	J. GIBBS
	1800	85°	J. GIBBS
	2100	84°	J. GIBBS
	2400	83°	J. DAVIS

#### Friday

Date	Time	Temp.	Name (Print)
<u>8/9/2024</u>	0300	82°	J. DAVIS
	0600	80°	S. ARCEA
	0900	81°	J. REYES
	1200	83°	S. ARCEA
	1500	85°	D. GIBBS
	1800	85°	D. GIBBS
	2100	84°	D. GIBBS
	2400	81°	R. BARAJAS

#### Saturday

Date	Time	Temp.	Name (Print)
<u>8/10/2024</u>	0300	80°	R. BARAJAS
	0600	80°	S. ARCEA
	0900	81°	J. REYES
	1200	83°	J. REYES
	1500	84°	C. ALVARADO
	1800	85°	C. ALVARADO
	2100	83°	C. ALVARADO
	2400	82°	C. ALVARADO

#### Sunday

Date	Time	Temp.	Name (Print)
<u>8/11/2024</u>	0300	81°	CAMPUS, M
	0600	80°	O. Herrera
	0900	81°	O. Herrera
	1200	83°	O. Herrera
	1500	84°	D. GIBBS
	1800	85°	D. GIBBS
	2100	84°	D. GIBBS
	2400	83°	T. Hernandez

#### Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ADP Housing Unit: 520 Temp. Reading Location: 1st Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5/18	0300	71	K.W.
	0600	80	M. GONZALES
	0900	79	D. LARROS
	1200	80	D. LARROS
	1500	82	R. GONZALEZ
	1800	82	R. GONZALEZ
	2100	82	R. GONZALEZ
	2400	81°	M. SELVANIA

**Wednesday**

Date	Time	Temp.	Name (Print)
8/17/18	0300	78°	J. MURRAY
	0600	79	D. LARROS
	0900	79	D. LARROS
	1200	80	D. LARROS
	1500	81	R. GONZALEZ
	1800	82	R. GONZALEZ
	2100	82	R. GONZALEZ
	2400	81°	M. SELVANIA

**Friday**

Date	Time	Temp.	Name (Print)
8/10/18	0300	77	K.W.
	0600	76°	O. HERRERA
	0900	76°	O. HERRERA
	1200	79°	O. HERRERA
	1500	79	R. GONZALEZ
	1800	80	R. GONZALEZ
	2100	80	R. GONZALEZ
	2400	79	K.W.

**Sunday**

Date	Time	Temp.	Name (Print)
8/18/18	0300	77	F. ELHUEVARA
	0600	76	M. GONZALES
	0900	77	M. GONZALES
	1200	79	C. CONTRERAS
	1500	80	J. LARA
	1800	80	J. LARA
	2100	80	J. LARA
	2400	79	M. ENRIQUEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6/18	0300	80°	M. SELVANIA
	0600	79	D. LARROS
	0900	79	D. LARROS
	1200	80	D. LARROS
	1500	81	R. GONZALEZ
	1800	82	R. GONZALEZ
	2100	81	R. GONZALEZ
	2400	81°	J. MURRAY

**Thursday**

Date	Time	Temp.	Name (Print)
8/8/18	0300	80°	M. SELVANIA
	0600	79	M. GONZALES
	0900	79	M. GONZALES
	1200	79	C. CONTRERAS
	1500	80	R. GONZALEZ
	1800	81	R. GONZALEZ
	2100	80	R. GONZALEZ
	2400	79	K.W.

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/18	0300	77	G. COBA
	0600	76	D. LARROS
	0900	77	D. LARROS
	1200	78°	O. HERRERA
	1500	79	J. LARA
	1800	80	J. LARA
	2100	79	J. LARA
	2400	76	F. ELHUEVARA

**Notes**

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 530 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 10034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8-5-24	0300	86	J. Esperanza
	0600	84	Olmos
	0900	89	Olmos
	1200	86	Olmos
	1500	87	A. Ayala
	1800	87	S. Torre
	2100	87	A. Ruiz
	2400	86	P. Ayuna

#### Tuesday

Date	Time	Temp.	Name (Print)
8-6-24	0300	86	P. Ayuna
	0600	84	Olmos
	0900	84	Olmos
	1200	86	Olmos
	1500	87	Topete
	1800	87	Topete
	2100	87	Topete
	2400	86	J. Esperanza

#### Wednesday

Date	Time	Temp.	Name (Print)
8-7-24	0300	86	J. Esperanza
	0600	85	Olmos
	0900	86	Olmos
	1200	87	Olmos
	1500	88°	A. Ayala
	1800	88°	R. Trejo I
	2100	87°	R. Trejo I
	2400	86	P. Ayuna

#### Thursday

Date	Time	Temp.	Name (Print)
8-8-24	0300	86	R. Trejo I
	0600	85	R. Trejo I
	0900	86	J. Ruiz
	1200	87	J. Ruiz
	1500	86	R. Trejo I
	1800	87	R. Trejo I
	2100	86	Gonzales
	2400	86	P. Ayuna

#### Friday

Date	Time	Temp.	Name (Print)
8-9-24	0300	84°	P. Ayuna
	0600	83	J. Yang
	0900	84	T. Trejo
	1200	85	J. Ruiz
	1500	86°	R. Trejo I
	1800	87°	R. Trejo I
	2100	86°	R. Trejo I
	2400	86	J. Esperanza

#### Saturday

Date	Time	Temp.	Name (Print)
8-10-24	0300	84	J. Esperanza
	0600	83	R. Trejo
	0900	84	Olmos
	1200	85	Olmos
	1500	86	R. Trejo
	1800	87°	R. Trejo
	2100	86	A. Ruiz
	2400	86	M. Yang

#### Notes

---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
8-11-24	0300	83	M. Yang
	0600	83	Olmos
	0900	84	Olmos
	1200	85	Olmos
	1500	86	S. Torre
	1800	87	S. Torre
	2100	86	S. Torre
	2400	86	J. Esperanza

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment G

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 550 Temp. Reading Location: 2<sup>nd</sup> TIER

Immediately notify the Watch Commander at extension 60034 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-5-24	0300	88	K. XIONG
	0600	86	J. Flores
	0900	86	J. Flores
	1200	87	J. Flores
	1500	89	N. GONZALEZ
	1800	89	K. XIONG
	2100	89	N. GONZALEZ
	2400	88	K. XIONG

Wednesday

Date	Time	Temp.	Name (Print)
8-7-24	0300	87	N. GONZALEZ
	0600	87	Eleges
	0900	86	Eleges
	1200	89	Eleges
	1500	90	Eleges
	1800	90	Japonian
	2100	90	Japonian
	2400	88	N. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
8-9-24	0300	87	N. GONZALEZ
	0600	86	C. ALVARADO
	0900	86	C. ALVARADO
	1200	89	C. ALVARADO
	1500	89	C. ALVARADO
	1800	89	C. ALVARADO
	2100	89	C. Vargas
	2400	88	C. Vargas

Sunday

Date	Time	Temp.	Name (Print)
8-11-24	0300	87	C. Vargas
	0600	85	C. ALVARADO
	0900	86	C. Alvarado
	1200	87	C. Alvarado
	1500	88	C. Vargas
	1800	89	K. XIONG
	2100	88	M. FARIOLIEZ
	2400	87	K. XIONG

Tuesday

Date	Time	Temp.	Name (Print)
8-6-24	0300	87	K. XIONG
	0600	87	J. Flores
	0900	87	Gavilanes
	1200	88	Gavilanes
	1500	88	J. Topilap
	1800	89	J. Topilap
	2100	90	J. Topilap
	2400	89	N. GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
8-8-24	0300	87	N. GONZALEZ
	0600	87	J. Flores
	0900	87	R. GARCIA
	1200	88	R. GARCIA
	1500	88	F. DELCER
	1800	88	F. DELCER
	2100	89	F. DELCER
	2400	88	F. DELCER

Saturday

Date	Time	Temp.	Name (Print)
8-10-24	0300	87	C. VARGAS
	0600	85	C. ALVARADO
	0900	86	C. ALVARADO
	1200	87	C. ALVARADO
	1500	88	C. Vargas
	1800	88	C. Vargas
	2100	88	C. Vargas
	2400	88	K. XIONG

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 610 Temp. Reading Location: 2<sup>nd</sup>  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5/24	0300	88°	D. MARZO
	0600	84°	L. HUizar
	0900	84°	L. HUizar
	1200	84°	L. HUizar
	1500	86°	H. Ceja
	1800	87°	H. Ceja
	2100	87°	H. Ceja
	2400	87°	Pondro

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6/24	0300	86°	Pondro
	0600	86°	VALDEZ
	0900	89°	VALDEZ
	1200	86°	VALDEZ
	1500	86°	GARIBAC
	1800	87°	GARIBAC
	2100	87°	X. Bernal
	2400	87°	A. AYALA

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7/24	0300	86°	A. AYALA
	0600	86°	L. HUizar
	0900	84°	L. HUizar
	1200	84°	L. HUizar
	1500	87°	X. Bernal
	1800	87°	X. Bernal
	2100	87°	X. Bernal
	2400	87°	D. Marzo

**Thursday**

Date	Time	Temp.	Name (Print)
8/8/24	0300	87°	A. AYALA
	0600	86°	L. HUizar
	0900	84°	L. HUizar
	1200	84°	L. HUizar
	1500	86°	R. BARAJAS
	1800	87°	R. BARAJAS
	2100	87°	X. Bernal
	2400	87°	A. AYALA

**Friday**

Date	Time	Temp.	Name (Print)
8/9/24	0300	86°	A. AYALA
	0600	85°	L. HUizar
	0900	85°	M. Chapa
	1200	85°	M. Chapa
	1500	86°	R. BARAJAS
	1800	86°	T. Xiong
	2100	86°	R. BARAJAS
	2400	86°	T. Xiong

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/24	0300	85°	T. Xiong
	0600	85°	TREJO
	0900	85°	TREJO
	1200	85°	TREJO
	1500	86°	R. BARAJAS
	1800	86°	R. BARAJAS
	2100	86°	R. BARAJAS
	2400	86°	MENICKE

**Notes**

Date	Time	Temp.	Name (Print)
8/11/24	0300	86°	MENICKE
	0600	85°	TREJO
	0900	86°	TREJO
	1200	85°	MATA JR
	1500	86°	JARQUIN
	1800	86°	JARQUIN
	2100	86°	JARQUIN
	2400	86°	JARQUIN

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 630 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
<u>8/5/24</u>	0300	86	<u>B. GATE</u>
	0600	86	<u>B. GATE</u>
	0900	85.5	<u>L. DELACERDA</u>
	1200	86.6	<u>S. BRAVO</u>
	1500	87.8	<u>C. CANTUAR</u>
	1800	88.4	<u>D. Brechinridge</u>
	2100	88.1	<u>D. Brechinridge</u>
	2400	87	<u>R. Montoya</u>

## Tuesday

Date	Time	Temp.	Name (Print)
<u>8/6/24</u>	0300	86	<u>A. GARCIA</u>
	0600	85.1	<u>L. DELACERDA</u>
	0900	85.6	<u>L. DELACERDA</u>
	1200	86.9	<u>L. DELACERDA</u>
	1500	87.8	<u>D. Brechinridge</u>
	1800	88.7	<u>D. Brechinridge</u>
	2100	88.4	<u>D. Brechinridge</u>
	2400	88.1	<u>R. Montoya</u>

## Wednesday

Date	Time	Temp.	Name (Print)
<u>8/7/24</u>	0300	86	<u>R. Montoya</u>
	0600	85	<u>M. MENESSES</u>
	0900	86	<u>M. MENESSES</u>
	1200	87	<u>M. MENESSES</u>
	1500	88.5	<u>D. Brechinridge</u>
	1800	89.3	<u>D. Brechinridge</u>
	2100	88.8	<u>D. Brechinridge</u>
	2400	87.2	<u>A. Jimenez</u>

## Thursday

Date	Time	Temp.	Name (Print)
<u>8/8/24</u>	0300	85.5	<u>F. Jimenez</u>
	0600	85.5	<u>M. MENESSES</u>
	0900	86.4	<u>M. MENESSES</u>
	1200	87	<u>M. MENESSES</u>
	1500	88.1	<u>E. LARA</u>
	1800	87.3	<u>J. Yang</u>
	2100	88.6	<u>R. Montijo</u>
	2400	87	<u>A. Jimenez</u>

## Friday

Date	Time	Temp.	Name (Print)
<u>8/9/24</u>	0300	85	<u>A. Jimenez</u>
	0600	82	<u>Bauwens</u>
	0900	84	<u>Bauwens</u>
	1200	86	<u>Bauwens</u>
	1500	87.1	<u>M. Campos</u>
	1800	87.6	<u>M. Campos</u>
	2100	87.8	<u>M. Campos</u>
	2400	86.10°	<u>A. Moua</u>

## Saturday

Date	Time	Temp.	Name (Print)
<u>8/10/24</u>	0300	85°	<u>A. Moua</u>
	0600	84°	<u>A. Moua</u>
	0900	85.1	<u>L. Delacorda</u>
	1200	85.9	<u>L. Delacorda</u>
	1500	87.2	<u>M. ENRIQUEZ</u>
	1800	87.7	<u>O. Cervantes</u>
	2100	86.9	<u>O. Cervantes</u>
	2400	86°	<u>A. Moua</u>

## Notes

85°  
100°  
100°  
Avalos 0255

## Sunday

Date	Time	Temp.	Name (Print)
<u>8/11/24</u>	0300	84°	<u>A. Moua</u>
	0600	84.2°	<u>L. DELACERDA</u>
	0900	85°	<u>Jane</u>
	1200	86°	<u>Jane</u>
	1500	87	<u>Topete</u>
	1800	87	<u>Topete</u>
	2100	87	<u>Topete</u>
	2400	87	<u>A. Moua</u>

Avalos 0255  
100°  
100°  
Avalos 0255

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 650 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
08/05/2024	0300	83.6	J. LARA
	0600	82.4	VALLADARES
	0900	82	G. SORONDO
	1200	84.7	VALLADARES
	1500	87	Z. Orosco
	1800	86	A. Jimenez
	2100	86	Z. Orosco
	2400	85	J. Manzor

Tuesday			
Date	Time	Temp.	Name (Print)
08/06/2024	0300	84	J. Manzor
	0600	82	G. Soraonido
	0900	83	G. Soraonido
	1200	84	G. Soraonido
	1500	86	F. Avila
	1800	86	F. Avila
	2100	86	F. Avila
	2400	85	J. Manzor

Wednesday			
Date	Time	Temp.	Name (Print)
08/07/2024	0300	82	J. Manzor
	0600	82	G. Soraonido
	0900	84	G. Soraonido
	1200	85	G. Soraonido
	1500	88	F. Avila
	1800	86.9	M. Castro
	2100	86.9	M. Castro
	2400	84.4	F. Avila

Thursday			
Date	Time	Temp.	Name (Print)
08/08/2024	0300	84	V. Morales
	0600	82	L. Bustamante
	0900	82	S. Lao
	1200	85	S. Lao
	1500	85	N. Dunaway
	1800	86	N. Dunaway
	2100	85	F. Avila
	2400	84	V. Morales

Friday			
Date	Time	Temp.	Name (Print)
08/09/2024	0300	83	R. Barajas
	0600	81	L. Bustamante
	0900	82	L. Bustamante
	1200	83	L. Bustamante
	1500	85	L. Lang
	1800	85	L. Lang
	2100	85	L. Lang
	2400	84.2	J. LARA

Saturday			
Date	Time	Temp.	Name (Print)
08/10/2024	0300	83.2	E. Jarquin
	0600	81.8	M. Limon
	0900	83.0	T. Lang
	1200	84.0	M. Limon
	1500	85	T. Thao, Jr.
	1800	86	E. Jarquin
	2100	84	T. Thao, Jr.
	2400	83	E. Jarquin

Sunday			
Date	Time	Temp.	Name (Print)
08/11/2024	0300	82	J. LARA
	0600	81	Valladares
	0900	82	Valladares
	1200	84	Valladares
	1500	85	THAO, JR.
	1800	85	THAO, JR.
	2100	84	THAO, JR.
	2400	84	V. Morales

Notes

1305 ✓  
1400 ✓  
1424 ✓  
1430 ✓  
1435 ✓  
1440 ✓  
1445 ✓  
1450 ✓  
1455 ✓  
1500 ✓  
1505 ✓  
1510 ✓  
1515 ✓  
1520 ✓  
1525 ✓  
1530 ✓  
1535 ✓  
1540 ✓  
1545 ✓  
1550 ✓  
1555 ✓  
1600 ✓  
1605 ✓  
1610 ✓  
1615 ✓  
1620 ✓  
1625 ✓  
1630 ✓  
1635 ✓  
1640 ✓  
1645 ✓  
1650 ✓  
1655 ✓  
1700 ✓  
1705 ✓  
1710 ✓  
1715 ✓  
1720 ✓  
1725 ✓  
1730 ✓  
1735 ✓  
1740 ✓  
1745 ✓  
1750 ✓  
1755 ✓  
1800 ✓  
1805 ✓  
1810 ✓  
1815 ✓  
1820 ✓  
1825 ✓  
1830 ✓  
1835 ✓  
1840 ✓  
1845 ✓  
1850 ✓  
1855 ✓  
1900 ✓  
1905 ✓  
1910 ✓  
1915 ✓  
1920 ✓  
1925 ✓  
1930 ✓  
1935 ✓  
1940 ✓  
1945 ✓  
1950 ✓  
1955 ✓  
2000 ✓  
2005 ✓  
2010 ✓  
2015 ✓  
2020 ✓  
2025 ✓  
2030 ✓  
2035 ✓  
2040 ✓  
2045 ✓  
2050 ✓  
2055 ✓  
2100 ✓  
2105 ✓  
2110 ✓  
2115 ✓  
2120 ✓  
2125 ✓  
2130 ✓  
2135 ✓  
2140 ✓  
2145 ✓  
2150 ✓  
2155 ✓  
2200 ✓  
2205 ✓  
2210 ✓  
2215 ✓  
2220 ✓  
2225 ✓  
2230 ✓  
2235 ✓  
2240 ✓  
2245 ✓  
2250 ✓  
2255 ✓  
2300 ✓  
2305 ✓  
2310 ✓  
2315 ✓  
2320 ✓  
2325 ✓  
2330 ✓  
2335 ✓  
2340 ✓  
2345 ✓  
2350 ✓  
2355 ✓  
2400 ✓  
2405 ✓  
2410 ✓  
2415 ✓  
2420 ✓  
2425 ✓  
2430 ✓  
2435 ✓  
2440 ✓  
2445 ✓  
2450 ✓  
2455 ✓  
2500 ✓  
2505 ✓  
2510 ✓  
2515 ✓  
2520 ✓  
2525 ✓  
2530 ✓  
2535 ✓  
2540 ✓  
2545 ✓  
2550 ✓  
2555 ✓  
2600 ✓  
2605 ✓  
2610 ✓  
2615 ✓  
2620 ✓  
2625 ✓  
2630 ✓  
2635 ✓  
2640 ✓  
2645 ✓  
2650 ✓  
2655 ✓  
2700 ✓  
2705 ✓  
2710 ✓  
2715 ✓  
2720 ✓  
2725 ✓  
2730 ✓  
2735 ✓  
2740 ✓  
2745 ✓  
2750 ✓  
2755 ✓  
2800 ✓  
2805 ✓  
2810 ✓  
2815 ✓  
2820 ✓  
2825 ✓  
2830 ✓  
2835 ✓  
2840 ✓  
2845 ✓  
2850 ✓  
2855 ✓  
2860 ✓  
2865 ✓  
2870 ✓  
2875 ✓  
2880 ✓  
2885 ✓  
2890 ✓  
2895 ✓  
2900 ✓  
2905 ✓  
2910 ✓  
2915 ✓  
2920 ✓  
2925 ✓  
2930 ✓  
2935 ✓  
2940 ✓  
2945 ✓  
2950 ✓  
2955 ✓  
2960 ✓  
2965 ✓  
2970 ✓  
2975 ✓  
2980 ✓  
2985 ✓  
2990 ✓  
2995 ✓  
3000 ✓  
3005 ✓  
3010 ✓  
3015 ✓  
3020 ✓  
3025 ✓  
3030 ✓  
3035 ✓  
3040 ✓  
3045 ✓  
3050 ✓  
3055 ✓  
3060 ✓  
3065 ✓  
3070 ✓  
3075 ✓  
3080 ✓  
3085 ✓  
3090 ✓  
3095 ✓  
3100 ✓  
3105 ✓  
3110 ✓  
3115 ✓  
3120 ✓  
3125 ✓  
3130 ✓  
3135 ✓  
3140 ✓  
3145 ✓  
3150 ✓  
3155 ✓  
3160 ✓  
3165 ✓  
3170 ✓  
3175 ✓  
3180 ✓  
3185 ✓  
3190 ✓  
3195 ✓  
3200 ✓  
3205 ✓  
3210 ✓  
3215 ✓  
3220 ✓  
3225 ✓  
3230 ✓  
3235 ✓  
3240 ✓  
3245 ✓  
3250 ✓  
3255 ✓  
3260 ✓  
3265 ✓  
3270 ✓  
3275 ✓  
3280 ✓  
3285 ✓  
3290 ✓  
3295 ✓  
3300 ✓  
3305 ✓  
3310 ✓  
3315 ✓  
3320 ✓  
3325 ✓  
3330 ✓  
3335 ✓  
3340 ✓  
3345 ✓  
3350 ✓  
3355 ✓  
3360 ✓  
3365 ✓  
3370 ✓  
3375 ✓  
3380 ✓  
3385 ✓  
3390 ✓  
3395 ✓  
3400 ✓  
3405 ✓  
3410 ✓  
3415 ✓  
3420 ✓  
3425 ✓  
3430 ✓  
3435 ✓  
3440 ✓  
3445 ✓  
3450 ✓  
3455 ✓  
3460 ✓  
3465 ✓  
3470 ✓  
3475 ✓  
3480 ✓  
3485 ✓  
3490 ✓  
3495 ✓  
3500 ✓  
3505 ✓  
3510 ✓  
3515 ✓  
3520 ✓  
3525 ✓  
3530 ✓  
3535 ✓  
3540 ✓  
3545 ✓  
3550 ✓  
3555 ✓  
3560 ✓  
3565 ✓  
3570 ✓  
3575 ✓  
3580 ✓  
3585 ✓  
3590 ✓  
3595 ✓  
3600 ✓  
3605 ✓  
3610 ✓  
3615 ✓  
3620 ✓  
3625 ✓  
3630 ✓  
3635 ✓  
3640 ✓  
3645 ✓  
3650 ✓  
3655 ✓  
3660 ✓  
3665 ✓  
3670 ✓  
3675 ✓  
3680 ✓  
3685 ✓  
3690 ✓  
3695 ✓  
3700 ✓  
3705 ✓  
3710 ✓  
3715 ✓  
3720 ✓  
3725 ✓  
3730 ✓  
3735 ✓  
3740 ✓  
3745 ✓  
3750 ✓  
3755 ✓  
3760 ✓  
3765 ✓  
3770 ✓  
3775 ✓  
3780 ✓  
3785 ✓  
3790 ✓  
3795 ✓  
3800 ✓  
3805 ✓  
3810 ✓  
3815 ✓  
3820 ✓  
3825 ✓  
3830 ✓  
3835 ✓  
3840 ✓  
3845 ✓  
3850 ✓  
3855 ✓  
3860 ✓  
3865 ✓  
3870 ✓  
3875 ✓  
3880 ✓  
3885 ✓  
3890 ✓  
3895 ✓  
3900 ✓  
3905 ✓  
3910 ✓  
3915 ✓  
3920 ✓  
3925 ✓  
3930 ✓  
3935 ✓  
3940 ✓  
3945 ✓  
3950 ✓  
3955 ✓  
3960 ✓  
3965 ✓  
3970 ✓  
3975 ✓  
3980 ✓  
3985 ✓  
3990 ✓  
3995 ✓  
4000 ✓  
4005 ✓  
4010 ✓  
4015 ✓  
4020 ✓  
4025 ✓  
4030 ✓  
4035 ✓  
4040 ✓  
4045 ✓  
4050 ✓  
4055 ✓  
4060 ✓  
4065 ✓  
4070 ✓  
4075 ✓  
4080 ✓  
4085 ✓  
4090 ✓  
4095 ✓  
4100 ✓  
4105 ✓  
4110 ✓  
4115 ✓  
4120 ✓  
4125 ✓  
4130 ✓  
4135 ✓  
4140 ✓  
4145 ✓  
4150 ✓  
4155 ✓  
4160 ✓  
4165 ✓  
4170 ✓  
4175 ✓  
4180 ✓  
4185 ✓  
4190 ✓  
4195 ✓  
4200 ✓  
4205 ✓  
4210 ✓  
4215 ✓  
4220 ✓  
4225 ✓  
4230 ✓  
4235 ✓  
4240 ✓  
4245 ✓  
4250 ✓  
4255 ✓  
4260 ✓  
4265 ✓  
4270 ✓  
4275 ✓  
4280 ✓  
4285 ✓  
4290 ✓  
4295 ✓  
4300 ✓  
4305 ✓  
4310 ✓  
4315 ✓  
4320 ✓  
4325 ✓  
4330 ✓  
4335 ✓  
4340 ✓  
4345 ✓  
4350 ✓  
4355 ✓  
4360 ✓  
4365 ✓  
4370 ✓  
4375 ✓  
4380 ✓  
4385 ✓  
4390 ✓  
4395 ✓  
4400 ✓  
4405 ✓  
4410 ✓  
4415 ✓  
4420 ✓  
4425 ✓  
4430 ✓  
4435 ✓  
4440 ✓  
4445 ✓  
4450 ✓  
4455 ✓  
4460 ✓  
4465 ✓  
4470 ✓  
4475 ✓  
4480 ✓  
4485 ✓  
4490 ✓  
4495 ✓  
4500 ✓  
4505 ✓  
4510 ✓  
4515 ✓  
4520 ✓  
4525 ✓  
4530 ✓  
4535 ✓  
4540 ✓  
4545 ✓  
4550 ✓  
4555 ✓  
4560 ✓  
4565 ✓  
4570 ✓  
4575 ✓  
4580 ✓  
4585 ✓  
4590 ✓  
4595 ✓  
4600 ✓  
4605 ✓  
4610 ✓  
4615 ✓  
4620 ✓  
4625 ✓  
4630 ✓  
4635 ✓  
4640 ✓  
4645 ✓  
4650 ✓  
4655 ✓  
4660 ✓  
4665 ✓  
4670 ✓  
4675 ✓  
4680 ✓  
4685 ✓  
4690 ✓  
4695 ✓  
4700 ✓  
4705 ✓  
4710 ✓  
4715 ✓  
4720 ✓  
4725 ✓  
4730 ✓  
4735 ✓  
4740 ✓  
4745 ✓  
4750 ✓  
4755 ✓  
4760 ✓  
4765 ✓  
4770 ✓  
4775 ✓  
4780 ✓  
4785 ✓  
4790 ✓  
4795 ✓  
4800 ✓  
4805 ✓  
4810 ✓  
4815 ✓  
4820 ✓  
4825 ✓  
4830 ✓  
4835 ✓  
4840 ✓  
4845 ✓  
4850 ✓  
4855 ✓  
4860 ✓  
4865 ✓  
4870 ✓  
4875 ✓  
4880 ✓  
4885 ✓  
4890 ✓  
4895 ✓  
4900 ✓  
4905 ✓  
4910 ✓  
4915 ✓  
4920 ✓  
4925 ✓  
4930 ✓  
4935 ✓  
4940 ✓  
4945 ✓  
4950 ✓  
4955 ✓  
4960 ✓  
4965 ✓  
4970 ✓  
4975 ✓  
4980 ✓  
4985 ✓  
4990 ✓  
4995 ✓  
5000 ✓  
5005 ✓  
5010 ✓  
5015 ✓  
5020 ✓  
5025 ✓  
5030 ✓  
5035 ✓  
5040 ✓  
5045 ✓  
5050 ✓  
5055 ✓  
5060 ✓  
5065 ✓  
5070 ✓  
5075 ✓  
5080 ✓  
5085 ✓  
5090 ✓  
5095 ✓  
5100 ✓  
5105 ✓  
5110 ✓  
5115 ✓  
5120 ✓  
5125 ✓  
5130 ✓  
5135 ✓  
5140 ✓  
5145 ✓  
5150 ✓  
5155 ✓  
5160 ✓  
5165 ✓  
5170 ✓  
5175 ✓  
5180 ✓  
5185 ✓  
5190 ✓  
5195 ✓  
5200 ✓  
5205 ✓  
5210 ✓  
5215 ✓  
5220 ✓  
5225 ✓  
5230 ✓  
5235 ✓  
5240 ✓  
5245 ✓  
5250 ✓  
5255 ✓  
5260 ✓  
5265 ✓  
5270 ✓  
5275 ✓  
5280 ✓  
5285 ✓  
5290 ✓  
5295 ✓  
5300 ✓  
5305 ✓  
5310 ✓  
5315 ✓  
5320 ✓  
5325 ✓  
5330 ✓  
5335 ✓  
5340 ✓  
5345 ✓  
5350 ✓  
5355 ✓  
5360 ✓  
5365 ✓  
5370 ✓  
5375 ✓  
5380 ✓  
5385 ✓  
5390 ✓  
5395 ✓  
5400 ✓  
5405 ✓  
5410 ✓  
5415 ✓  
5420 ✓  
5425 ✓  
5430 ✓  
5435 ✓  
5440 ✓  
5445 ✓  
5450 ✓  
5455 ✓  
5460 ✓  
5465 ✓  
5470 ✓  
5475 ✓  
5480 ✓  
5485 ✓  
5490 ✓  
5495 ✓  
5500 ✓  
5505 ✓  
5510 ✓  
5515 ✓  
5520 ✓  
5525 ✓  
5530 ✓  
5535 ✓  
5540 ✓  
5545 ✓  
5550 ✓  
5555 ✓  
5560 ✓  
5565 ✓  
5570 ✓  
5575 ✓  
5580 ✓  
5585 ✓  
5590 ✓  
5595 ✓  
5600 ✓  
5605 ✓  
5610 ✓  
5615 ✓  
5620 ✓  
5625 ✓  
5630 ✓  
5635 ✓  
5640 ✓  
5645 ✓  
5650 ✓  
5655 ✓  
5660 ✓  
5665 ✓  
5670 ✓  
5675 ✓  
5680 ✓  
5685 ✓  
5690 ✓  
5695 ✓  
5700 ✓  
5705 ✓  
5710 ✓  
5715 ✓  
5720 ✓  
5725 ✓  
5730 ✓  
5735 ✓  
5740 ✓  
5745 ✓  
5750 ✓  
5755 ✓  
5760 ✓  
5765 ✓  
5770 ✓  
5775 ✓  
5780 ✓  
5785 ✓  
5790 ✓  
5795 ✓  
5800 ✓  
5805 ✓  
5810 ✓  
5815 ✓  
5820 ✓  
5825 ✓  
5830 ✓  
5835 ✓  
5840 ✓  
5845 ✓  
5850 ✓  
5855 ✓  
5860 ✓  
5865 ✓  
5870 ✓  
5875 ✓  
5880 ✓  
58

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASB Housing Unit: 084 390 Temp. Reading Location: Officers area  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	73	Gibson
	0600	73	Gibson
	0900	73	Gibson
	1200	72	Mirillo
	1500	73	Gibson
	1800	73	Gibson
	2100	73	Gibson
	2400	73	D. Andrade

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	72	D. Andrade
	0600	73	D. Andrade
	0900	72	J. Alvarez Jr
	1200	73	J. Alvarez Jr
	1500	72	D. Andrade
	1800	73	D. Andrade
	2100	71	D. Andrade
	2400	73	D. Andrade

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	72	D. Andrade
	0600	72	D. Andrade
	0900	70	J. Alvarez Jr
	1200	71	J. Alvarez Jr.
	1500	73	J. Aceves
	1800	73	J. Aceves
	2100	73	J. Aceves
	2400	73	E. Gonzalez

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	71	E. Gonzalez
	0600	73	E. Gonzalez
	0900	70	J. Alvarez Jr.
	1200	72	J. Alvarez Jr.
	1500	72	J. Aceves
	1800	74	J. Aceves
	2100	74	J. Aceves
	2400	72	R. Rodriguez

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	71	Rodriguez R
	0600	73	M. Martin
	0900	70	J. Alvarez Jr.
	1200	72	J. Alvarez Jr.
	1500	74	J. Gibson
	1800	74	J. Gibson
	2100	74	J. Gibson
	2400	72	A. Delache

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	70	A. Delache
	0600	70	D. Esquivel
	0900	71	D. Esquivel
	1200	72	D. Esquivel
	1500	72	J. Gibson
	1800	72	J. Gibson
	2100	72	J. Gibson
	2400	73	R. Esquivel

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	72	R. Esquivel
	0600	72	S. Colmenares
	0900	72	S. Colmenares
	1200	71	S. Colmenares
	1500	73	J. Gibson
	1800	73	J. Gibson
	2100	73	J. Gibson
	2400	73	J. Gibson

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 116 Temp. Reading Location: 2<sup>nd</sup> floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	82.0	L.Yang
	0600	81.5	D.Gonzales
	0900	81	D.Gonzales
	1200	82.8	T.Durr
	1500	83	M.Gonzales
	1800	84	M.Gonzales
	2100	83	M.Gonzales
	2400	82	L.Yang

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	82	L.Yang
	0600	80.2	B.Javar
	0900	80.4	B.Javar
	1200	81	D.Gonzales
	1500	82	M.Gonzales
	1800	83	Carrera
	2100	82	M.Gonzales
	2400	81.5	MCCOTTRELL

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	80.2	MCCOTTRELL
	0600	78	D.Gonzales
	0900	79	D.Gonzales
	1200	80	D.Gonzales
	1500	81	Carrera
	1800	82	Gonzales
	2100	82	Gonzales
	2400	80.6	MCCOTTRELL

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	79.3	MCCOTTRELL
	0600	78	A.Garcia
	0900	79	A.Garcia
	1200	80	A.Garcia
	1500	81	A.Garcia
	1800	81	A.Garcia
	2100	82	A.Garcia
	2400	81	Quiroziano

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	80	Quiroziano
	0600	79	Gonzales
	0900	79	Gonzales
	1200	80	Gonzales
	1500	81	Xiao
	1800	82	Solano
	2100	81	Solano
	2400	81	L.Yang

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	80	L.Yang
	0600	79	D.Gonzales
	0900	79	D.Gonzales
	1200	80	D.Gonzales
	1500	81	Gonzales
	1800	82.2	E.Ceballos
	2100	81.5	E.Ceballos
	2400	81	L.Yang

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	80	L.Yang
	0600	79	D.Gonzales
	0900	79	D.Gonzales
	1200	80	D.Gonzales
	1500	81	D.Bass
	1800	81	S.Utub
	2100	81	S.Utub
	2400	80	Fernandez

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 120

Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 60034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	83	K. Anderson
	0600	83	A. CERLANTES
	0900	86	S. STATTER
	1200	81	S. STATTER
	1500	89	S. STATTER
	1800	80	S. STATTER
	2100	89	S. STATTER
	2400	83	K. Anderson

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	80	K. Anderson
	0600	81	S. STATTER
	0900	83	M. XIONG
	1200	83	S. STATTER
	1500	84°	A. HUIZAR
	1800	84°	A. HUIZAR
	2100	84°	A. HUIZAR
	2400	84	B. SAMAN

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	84	Solano
	0600	82	J. Gomez
	0900	82	Flores
	1200	84	Gonzales
	1500	84	J. Gomez
	1800	84	J. Gomez
	2100	84	J. Gomez
	2400	84	K. Anderson

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	80	K. Anderson
	0600	82	J. DUVALL
	0900	83	J. DUVALL
	1200	85	J. DUVALL
	1500	85	M. ENRIQUEZ
	1800	84	M. ENRIQUEZ
	2100	81	K. Anderson

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	81	K. Anderson
	0600	82	S. STATTER
	0900	84	S. STATTER
	1200	86	S. STATTER
	1500	87	S. STATTER
	1800	88	S. STATTER
	2100	88	S. STATTER
	2400	89	K. Anderson

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	83	B. SAMAN
	0600	83	J. Gomez
	0900	83	J. Gomez
	1200	83	J. Gomez
	1500	84	J. Gomez
	1800	84°	A. HUIZAR
	2100	84°	J. Gomez
	2400	86	R. Ferrer

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	82	Solano
	0600	83	Gonzales
	0900	84	J. DUVALL
	1200	86	Gonzales
	1500	87	Gonzales
	1800	87	Gonzales
	2100	82	Gonzales
	2400	81	K. Anderson

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 130

Temp. Reading Location: Tier 1

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8	0300	75	A. Barraga
12	0600	74	S. Palmer
24	0900	75°	S. Palmer
	1200	77	S. Palmer
	1500	79°	S. Palmer
	1800	80°	S. Palmer
	2100	79°	S. Palmer
	2400	79	A. Barraga

**Tuesday**

Date	Time	Temp.	Name (Print)
8	0300	74	A. Barraga
12	0600	73°	S. Palmer
24	0900	74°	S. Palmer
	1200	75°	S. Palmer
	1500	77°	S. Palmer
	1800	78°	S. Palmer
	2100	77°	S. Palmer
	2400	75	A. Barraga

**Wednesday**

Date	Time	Temp.	Name (Print)
8	0300	72	A. Barraga
12	0600	72	E. SANCHEZ
24	0900	72°	J. BALLEW
	1200	75°	E. SANCHEZ
	1500	70	B. TAYKE
	1800	77°	E. SANCHEZ
	2100	77°	E. SANCHEZ
	2400	78	A. Barraga

**Thursday**

Date	Time	Temp.	Name (Print)
8	0300	73	A. Barraga
12	0600	72	E. SANCHEZ
24	0900	74	E. SANCHEZ
	1200	74	D. Colin
	1500	74	D. Colin
	1800	74	D. Colin
	2100	74	D. Colin
	2400	75	A. Cnn

**Friday**

Date	Time	Temp.	Name (Print)
8	0300	73	A. Cnn
12	0600	72°	J. BALLEW
24	0900	74°	J. BALLEW
	1200	75	J. car
	1500	77	J. DUVAU
	1800	78	J. car
	2100	79°	J. DUVAU
	2400	78	A. Cnn

**Saturday**

Date	Time	Temp.	Name (Print)
8	0300	74	A. Cnn
12	0600	73°	D. MENDOZA
24	0900	74°	D. MENDOZA
	1200	76°	J. BALLEW
	1500	77	HERNANDEZ
	1800	78	HERNANDEZ
	2100	78	HERNANDEZ
	2400	75	A. Barraga

**Notes**

Date	Time	Temp.	Name (Print)
8	0300	74	A. Barraga
12	0600	73	HERNANDEZ
24	0900	73	HERNANDEZ
	1200	74	HERNANDEZ
	1500	77	HERNANDEZ
	1800	79	HERNANDEZ
	2100	77	HERNANDEZ
	2400	73	A. Barraga

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: AEP Housing Unit: 140

Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6074 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	80°	Amato
	0600	81°	Amato
	0900	79°	Amquin
	1200	80°	Amquin
	1500	81°	Amquin
	1800	82°	Amquin
	2100	80°	Amquin
	2400	80°	Amato

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	77	Carrasco
	0600	75	NOP
	0900	76	NOP
	1200	79	NOP
	1500	80	Viruel
	1800	80	Viruel
	2100	79	Viruel
	2400	79	Carrasco

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	79°	J. Baca
	0600	74°	C. Vargas
	0900	79°	C. Vargas
	1200	80°	R. Torres
	1500	80°	R. Torres
	1800	80°	R. Torres
	2100	79°	R. Torres
	2400	80°	J. Baca

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	79°	J. Baca
	0600	74°	A. Mauin
	0900	76°	A. Mauin
	1200	78°	A. Mauin
	1500	79°	C. Vargas
	1800	79°	C. Vargas
	2100	75°	C. Vargas
	2400	74°	Amato

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	79°	Amato
	0600	80°	Amato
	0900	78°	A. Mauin
	1200	79°	A. Mauin
	1500	80°	R. Torres
	1800	80°	R. Torres
	2100	80°	R. Torres
	2400	79°	Carrasco

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	76°	A. Carrasco
	0600	75°	R. NOP
	0900	76°	R. NOP
	1200	79°	R. NOP
	1500	80°	J. Carrasco
	1800	80°	J. Carrasco
	2100	80°	J. Carrasco
	2400	80°	J. Carrasco

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	79°	J. Baca
	0600	76°	A. Mauin
	0900	78°	A. Mauin
	1200	78°	A. Mauin
	1500	80°	R. Baca
	1800	80°	R. Baca
	2100	79°	R. Baca
	2400	80°	J. Baca

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 21D Temp. Reading Location: 6034 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	80	Cook
	0600	79	J. Vargas
	0900	80	Delatorre
	1200	82	Delatorre
	1500	83	A. Bonilla
	1800	83	A. Bonilla
	2100	83	A. Bonilla
	2400	81	J. Roberts

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	79	J. Roberts
	0600	78	J. Roberts
	0900	79	Delatorre
	1200	80	Delatorre
	1500	82	J. Torres
	1800	81	A. Bonilla
	2100	81	J. Torres
	2400	79	Cook

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	77	Cook
	0600	78	J. Vargas
	0900	79	J. Vargas
	1200	80	J. Vargas
	1500	81°	K. VARGAS
	1800	81	A. Bonilla
	2100	81°	K. VARGAS
	2400	79	Cook

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	77	Cook
	0600	77	Vargas
	0900	77	Vargas
	1200	78	Vargas
	1500	80°	K. VARGAS
	1800	80°	K. VARGAS
	2100	80°	K. VARGAS
	2400	79	M. MULRY

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	77	Muthar
	0600	77	Muthar
	0900	77	Varga
	1200	80°	Muthar
	1500	81°	K. VARGAS
	1800	81°	K. VARGAS
	2100	81°	K. VARGAS
	2400	79	M. MULRY

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	78	Muthar
	0600	78	Muthar
	0900	78	Muthar
	1200	80°	Muthar
	1500	80°	W. Perez
	1800	80°	W. Perez
	2100	79°	W. Perez
	2400	78	Cook

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	76	Cook
	0600	76	NOP
	0900	78	NOP
	1200	78	NOP
	1500	79	J. ZAMBRANO
	1800	80	A. Bonilla
	2100	80	A. Bonilla
	2400	78	Cook

Notes

SP  
S  
J  
Mulgallow  
0020

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 230 Temp. Reading Location: 2 ND Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
05/12	0300	82	J. GOMEZ
	0600	80	R. Tamayo
	0900	81	R. Tamayo
	1200	85	J. ROMERO
	1500	83	J. GOMEZ
	1800	83	J. GOMEZ
	2100	83	J. GOMEZ
	2400	81	J. GOMEZ

#### Tuesday

Date	Time	Temp.	Name (Print)
05/13	0300	80°	T. Lee
	0600	78°	A. MATA
	0900	79°	A. MATA JR
	1200	81°	A. MATA DR
	1500	82	J. GOMEZ
	1800	82	J. GOMEZ
	2100	82	J. GOMEZ
	2400	80°	S. ARENIAS

#### Wednesday

Date	Time	Temp.	Name (Print)
05/14	0300	79°	S. ARENIAS
	0600	78°	S. ARENIAS
	0900	78°	J. Cervantes
	1200	80°	J. Cervantes
	1500	81°	SANCHEZ
	1800	81°	J. RIVERA
	2100	81°	SANCHEZ
	2400	80°	SANCHEZ

#### Thursday

Date	Time	Temp.	Name (Print)
05/15	0300	78°	S. ARENIAS
	0600	77°	J. Cervantes
	0900	78°	R. Tamayo
	1200	79°	R. Tamayo
	1500	81°	SANCHEZ
	1800	81°	SANCHEZ
	2100	81°	SANCHEZ
	2400	80°	SANCHEZ

#### Friday

Date	Time	Temp.	Name (Print)
05/16	0300	78°	S. ARENIAS
	0600	80°	R. Torres
	0900	81°	J. TORRES
	1200	81°	R. TORRES
	1500	81°	D. VERDUZCO
	1800	81°	D. VERDUZCO
	2100	81°	D. VERDUZCO
	2400	80°	S. VALLE

#### Saturday

Date	Time	Temp.	Name (Print)
05/17	0300	79°	S. VALLE
	0600	78°	E. Reyes
	0900	79°	E. Reyes
	1200	79°	E. REYES
	1500	81°	L. Yang
	1800	81°	L. Yang
	2100	81°	J. TOWAR
	2400	79°	S. VALLE

#### Sunday

Date	Time	Temp.	Name (Print)
05/18	0300	78°	S. VALLE
	0600	77°	J. CARLTON
	0900	78°	J. CARLTON
	1200	81°	J. TORRES
	1500	81°	MACIAS
	1800	80°	MACIAS
	2100	80°	MACIAS
	2400	74°	S. VALLE

#### Notes

SP SP AME 0020

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 250 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 60034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	82°	R. Tamayo
	0600	81	J. Torres
	0900	81	J. Torres
	1200	82	J. Torres
	1500	85	C. Xiong
	1800	83	C. Xiong
	2100	83	C. Xiong
	2400	82.5	R. Ledesma

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	80	R. Tamayo
	0600	84	R. Borchard
	0900	84	R. Borchard
	1200	84	R. Borchard
	1500	82	A. Alomar
	1800	82	A. Alomar
	2100	82	D. Bass
	2400	81	R. Ledesma

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	79°	R. Tamayo
	0600	78°	A. Alomar
	0900	78°	A. Alomar
	1200	79	R. Borchard
	1500	80	J. Yung
	1800	80	A. Alomar
	2100	81	A. Alomar
	2400	79°	R. Tamayo

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	78	R. Tamayo
	0600	76°	A. Alomar
	0900	77	R. Borchard
	1200	78	R. Borchard
	1500	79	A. Alomar
	1800	80	J. Yung
	2100	80	A. Alomar
	2400	79°	R. Tamayo

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	79°	R. Tamayo
	0600	80	R. Borchard
	0900	78°	J. Yung
	1200	80	R. Borchard
	1500	79°	J. Yung
	1800	80	J. Yung
	2100	80	R. Cuarez
	2400	74	D. Ledesma

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	78	D. Verdugo
	0600	80	R. Borchard
	0900	80	R. Borchard
	1200	80	R. Borchard
	1500	80	M. Vasquez
	1800	80	T. Yung
	2100	79	T. Yung
	2400	78	D. Verdugo

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	77	R. Ledesma
	0600	80	R. Ledesma
	0900	79°	R. Ledesma
	1200	76°	R. Ledesma
	1500	78°	R. Ledesma
	1800	78°	R. Ledesma
	2100	79°	R. Ledesma
	2400	78	R. Tamayo

Notes

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 310 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8-12-24	0300	81°	M. Toliver
	0600	86°	J. same
	0900	85°	J. same
	1200	86°	J. same
	1500	87°	C. Moon
	1800	87°	K. Loring
	2100	86°	K. Loring
	2400	86°	J. Luviano

Apolut

1140 am

8-13-24

Tuesday			
Date	Time	Temp.	Name (Print)
8-13-24	0300	80°	J. Luviano
	0600	84°	J. same
	0900	84°	M. Salvatore
	1200	87°	J. same
	1500	85°	J. Luviano
	1800	86°	C. Moon
	2100	86°	J. Luviano
	2400	86°	L. Cardona

125°  
1130 pm

Wednesday			
Date	Time	Temp.	Name (Print)
8-14-24	0300	85°	J. T.
	0600	85°	P. Montes
	0900	84°	P. Montes
	1200	86°	P. Montes
	1500	84°	K. Loring
	1800	86°	M. Moon
	2100	86°	M. Moon
	2400	85°	M. Moon

10  
14  
1  
K

Thursday			
Date	Time	Temp.	Name (Print)
8-15-24	0300	85°	M. Moon
	0600	84°	P. Montes
	0900	84°	E. Hernandez
	1200	84°	E. Hernandez
	1500	85°	B. Chahra
	1800	86°	B. Chahra
	2100	85°	B. Chahra
	2400	85°	M. Tolosa Vaz

0930 PM  
K  
J

Friday			
Date	Time	Temp.	Name (Print)
8-16-24	0300	83°	M. Tolosa Vaz
	0600	83°	C. Acevedo
	0900	83°	C. Acevedo
	1200	84°	C. Acevedo
	1500	80°	J. Montes
	1800	85°	M. Ingram
	2100	85°	M. Ingram
	2400	85°	J. same

K  
88  
K

Saturday			
Date	Time	Temp.	Name (Print)
8-17-24	0300	84°	J. same
	0600	83°	J. same
	0900	83°	J. same
	1200	83°	C. Acevedo
	1500	84°	G. Gómez
	1800	84°	T. Tang
	2100	81°	J. Tang
	2400	84°	J. Luviano

0830 PM  
1145 Q  
1625 Q  
DANES  
0012

Sunday			
Date	Time	Temp.	Name (Print)
8-18-24	0300	83°	J. Luviano
	0600	82°	P. Acevedo
	0900	82°	P. Acevedo
	1200	83°	P. Acevedo
	1500	84°	J. Luviano
	1800	84°	J. Luviano
	2100	84°	J. Luviano
	2400	84°	M. Salvatore

1050 AM  
Magdal  
on 8/18/19  
0045 Q

Notes			

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 330 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12 2024	0300	84	Batres
	0600	84	A. Herrera
	0900	84	A. Barraga
	1200	85	A. Barraga
	1500	85	A. MIREN
	1800	85	A. GARCIA
	2100	85	A. GARCIA
	2400	84	GONZALEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13 2024	0300	83	GONZALEZ
	0600	83	A. Barraga
	0900	83	A. Barraga
	1200	83	A. Barraga
	1500	84	L. Cordero
	1800	85	L. Cordero
	2100	85	L. Cordero
	2400	83	CARMEN

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14 2024	0300	83	CARMEN
	0600	81	RGAUCIN
	0900	82	RGAUCIN
	1200	82	RGAUCIN
	1500	83	A. SANCHEZ
	1800	84	L. Cordero
	2100	84	A. SANCHEZ
	2400	83	D. OROZCO

**Thursday**

Date	Time	Temp.	Name (Print)
8/15 2024	0300	82	J. PINEDA
	0600	80	A. Barraga
	0900	80	A. Barraga
	1200	82	A. Barraga
	1500	83	E. RUIZ
	1800	84	Y. YAN
	2100	84	Y. YAN
	2400	84	T. BRADLEY

**Friday**

Date	Time	Temp.	Name (Print)
8/16 24	0300	81	D. OROZCO
	0600	82	R. PINES
	0900	80	R. HIGGS
	1200	83	R. HIGGS
	1500	83	E. RUIZ
	1800	81	Y. YAN
	2100	84	E. RUIZ
	2400	84	T. BRADLEY

**Saturday**

Date	Time	Temp.	Name (Print)
8/17 24	0300	81	D. OROZCO
	0600	81	ESCARCEGA
	0900	83	ESCARCEGA
	1200	85	ESCARCEGA
	1500	83	M. ENRIQUEZ
	1800	84	Y. YAN
	2100	83	M. ENRIQUEZ
	2400	83	T. BRADLEY

**Sunday**

Date	Time	Temp.	Name (Print)
8/18 24	0300	81	GONZALEZ
	0600	80	A. Herrera
	0900	80	m. melgoza
	1200	81	A. Herrera
	1500	82	L. WILLIS
	1800	84	L. WILLIS
	2100	83	L. WILLIS
	2400	85	H. FERNANDEZ

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 350 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
AUG 12 2024	0300	83°	C LEON
	0600	82	A. ROCHA
	0900	83	A. ROCHA
	1200	84	A. ROCHA
	1500	85	Scott
	1800	85	M. Lee
	2100	85	Scott
	2400	83	A.Guzman

**Tuesday**

Date	Time	Temp.	Name (Print)
AUG 13 2024	0300	82	A.Guzman
	0600	81	A.AMBALIZ
	0900	81	R.GUZMAN
	1200	82	B.Guzman
	1500	83	M.Melgoza
	1800	84	X.Lee
	2100	84	X.Lee
	2400	82	M.melgoza

**Wednesday**

Date	Time	Temp.	Name (Print)
AUG 14 2024	0300	80	M.melgoza
	0600	79	A.AMBALIZ
	0900	80	C.Gonzalez
	1200	81	C.Gonzalez
	1500	81	X.Lee
	1800	82	X.Lee
	2100	83	X.Lee
	2400	82	M.lee

**Thursday**

Date	Time	Temp.	Name (Print)
AUG 15 2024	0300	82°	M.lee
	0600	79	A.Herrera
	0900	79	A.Herrera
	1200	82	A.Herrera
	1500	83	M.lee
	1800	83	M.lee
	2100	83	M.lee
	2400	82	J.Navaro

**Friday**

Date	Time	Temp.	Name (Print)
AUG 16 2024	0300	81	J.Navaro
	0600	80	J.Flores
	0900	80	A.Herrera
	1200	81	A.Herrera
	1500	82°	C.Gonzalez
	1800	83	N.Comea
	2100	83	N.Comea
	2400	82	J.Navaro

**Saturday**

Date	Time	Temp.	Name (Print)
AUG 17 2024	0300	80	J.Navaro
	0600	79	S.Flores
	0900	80	A.Herrera
	1200	81	S.Flores
	1500	83	Scott
	1800	83	Scott
	2100	82	Scott
	2400	81	L.Keeling

**Sunday**

Date	Time	Temp.	Name (Print)
AUG 18 2024	0300	80	L.Keeling
	0600	80	J.Flores
	0900	80	E.Scarcega
	1200	80	S.Flores
	1500	82	Scott
	1800	82	N.Comea
	2100	82	Scott
	2400	81	A.Guzman

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASL Housing Unit: 410 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/14	0300	87	S. PINEN
8/14	0600	86	S. WELSH
8/14	0900	87	S. WELSH
8/14	1200	86	S. WELSH
8/14	1500	88	A. BANUELOS
8/14	1800	89	A. BANUELOS
8/14	2100	88	A. BANUELOS
8/14	2400	87	A. AMYI

**Tuesday**

Date	Time	Temp.	Name (Print)
8/15	0300	85	WELSH
8/15	0600	85	WELSH
8/15	0900	85	WELSH
8/15	1200	86	WELSH
8/15	1500	87	D. MULIAN
8/15	1800	86	D. MULIAN
8/15	2100	87	D. MULIAN
8/15	2400	86	BATROS

**Wednesday**

Date	Time	Temp.	Name (Print)
8/16	0300	84	BATROS
8/16	0600	84	RESA
8/16	0900	84	PHILLIPS
8/16	1200	85	RESA
8/16	1500	87	B. GOMEZ
8/16	1800	87	D. MULIAN
8/16	2100	87	B. GOMEZ
8/16	2400	85	M. DUNLAP

**Thursday**

Date	Time	Temp.	Name (Print)
8/17	0300	85	N. DUNLAP
8/17	0600	84°	T. VANG
8/17	0900	84°	B. RESA
8/17	1200	85	T. VANG
8/17	1500	86	H. LAM
8/17	1800	87	B. GOMEZ
8/17	2100	86	H. LAM
8/17	2400	85	N. DUNLAP

**Friday**

Date	Time	Temp.	Name (Print)
8/18	0300	85	N. DUNLAP
8/18	0600	84	ESCARCEGA
8/18	0900	83	MARCHIANDO
8/18	1200	84	ESCARCEGA
8/18	1500	86	H. LAM
8/18	1800	87	TAN
8/18	2100	86	TAN
8/18	2400	86	J. ZAVALEN

**Saturday**

Date	Time	Temp.	Name (Print)
8/19	0300	85	J. ZAVALEN
8/19	0600	84	K. MARCHIANDO
8/19	0900	84	K. MARCHIANDO
8/19	1200	85	K. MARCHIANDO
8/19	1500	86	H. LAM
8/19	1800	87	H. LAM
8/19	2100	86	H. LAM
8/19	2400	85	J. NAVARRO

**Sunday**

Date	Time	Temp.	Name (Print)
	0300	84	J. NAVARRO
	0600	83	MARCHIANDO
	0900	84	MARCHIANDO
	1200	84	MARCHIANDO
	1500	85	MARINO
	1800	86	PRIETO
	2100	86	GONZALEZ
	2400	84	A. PADILLA

**Notes**

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 430 Temp. Reading Location: 2nd

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-12-2024

Date	Time	Temp.	Name (Print)
	0300	84	J. Hernandez
	0600	84°	J. Fierros
	0900	85°	J. Fierros
	1200	84°	J. Fierros
	1500	88	A. Rocha
	1800	89	A. Rocha
	2100	88	M. Vasquez
	2400	88	J. Hernandez

8-12

*Adenos  
0943*  
*1 Adenos  
2025*

Tuesday 8-13-2024

Date	Time	Temp.	Name (Print)
	0300	88	J. Hernandez
	0600	84	ESCARCEGA
	0900	84	ESCARCEGA
	1200	85	ESCARCEGA
	1500	88	J. Hernandez
	1800	88	J. Hernandez
	2100	88	X. Lee
	2400	88	S. Perez

*PATROS  
2020*Wednesday 8-14-2024

Date	Time	Temp.	Name (Print)
	0300	85	J. Hernandez
	0600	85	J. CARRASCO
	0900	85	M. Escudero
	1200	85	M. Escudero
	1500	85	S. Perez
	1800	88	S. Lao
	2100	88	S. Lao
	2400	85	S. Perez

8-14-2024*Adenos  
0508*Thursday 8-15-2024

Date	Time	Temp.	Name (Print)
	0300	82	S. Perez
	0600	82	J. CARRASCO
	0900	83	J. CARRASCO
	1200	84	J. CARRASCO
	1500	85	X. Lee
	1800	85	X. Lee
	2100	85	S. Perez
	2400	84	J. Roberts

*Adenos  
0503**US  
PENOS  
0508*Friday 8-16-2024

Date	Time	Temp.	Name (Print)
	0300	80	J. Roberts
	0600	80	J. Roberts
	0900	83	M. Escudero
	1200	83	J. Carrasco
	1500	85	J. Johnson
	1800	86	J. Johnson
	2100	85	S. Perez
	2400	83	A. BANUELOS

8-16-24*Adenos  
0445**1015 magno*Saturday 8-17-2024

Date	Time	Temp.	Name (Print)
	0300	80	A. BANUELOS
	0600	82	J. Carrasco
	0900	82	J. Carrasco
	1200	85	J. Carrasco
	1500	86	J. Johnson
	1800	86	S. Perez
	2100	86	S. Perez
	2400	83	S. Perez

*C. Bottom  
0050**magdalena  
ad @IU10*Sunday 8-18-2024

Date	Time	Temp.	Name (Print)
	0300	81	S. Perez
	0600	80	D. Smith
	0900	81	A. Rocha
	1200	84	A. Rocha
	1500	85	A. Rocha
	1800	85	A. Rocha
	2100	85	A. Rocha
	2400	82	J. Olivares

8-18-24*Bottom  
0145**1050  
DAMES*

DISTRIBUTION: Original: Institution Fleet Plan Coordinator

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 150 Temp. Reading Location: \_\_\_\_\_ (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/12	0300	77	MARTINEZ
	0600	79	FLAGG
	0900	82	FLAGG
	1200	83	FLAGG
	1500	85	Rohrig
	1800	84	Rohrig
	2100	84	Rohrig
	2400	83	S.CAMBIROS

Avalos  
0937

## Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	79	MARTINEZ
	0600	79	FLAGG
	0900	80	FLAGG
	1200	81	FLAGG
	1500	81	Rohrig
	1800	82	Rohrig
	2100	82	Rohrig
	2400	80	S.CAMBIROS

## Friday

Date	Time	Temp.	Name (Print)
8/16	0300	79	S.CAMBIROS
	0600	78	R.SONNARD
	0900	79	R.SONNARD
	1200	80	R.SONNARD
	1500	82	T.VANG
	1800	82	T.VANG
	2100	82	T.VANG
	2400	81	MARTINEZ

APane  
0444  
Ramos  
0851

1030  
May 1st day

## Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	80	MARTINEZ
	0600	79	H.LHM
	0900	79	R.GARcia
	1200	80	D.FLAGG
	1500	84	A.MOYA
	1800	85	A.MOYA
	2100	83	A.MOYA
	2400	82	J.Rohrig

0152  
Postponed  
DINERS  
1985

## Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	81	S.CAMBIROS
	0600	80	R.GARCIA
	0900	80	D.FLAGG
	1200	82	D.FLAGG
	1500	83	J.Rohrig
	1800	82	J.Rohrig
	2100	82	J.Rohrig
	2400	82	MARTINEZ

## Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	79	S.CAMBIROS
	0600	78	D.FLAGG
	0900	79	J.DIAZ
	1200	81	S.LAO
	1500	82	T.VANG
	1800	82	T.VANG
	2100	82	T.VANG
	2400	81	S.CAMBIROS

APane  
0445

1030

## Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	86	MARTINEZ
	0600	79	Denham
	0900	80	Denham
	1200	82	Denham
	1600	82	A.ROCHA
	1800	82	A.ROCHA
	2100	82	S.CAMBIROS
	2400	80	MARTINEZ

0115  
Borrasen  
RE

Magdalena  
AP 1025

## Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 510 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12/24	0300	81°	T. Hernandez
	0600	80°	J. REYES
	0900	81°	O. Herrera
	1200	82°	J. REYES
	1500	83°	C. CONTRERAS
	1800	84°	M. Flores
	2100	83°	C. CONTRERAS
	2400	82°	J. DAVIS

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13/24	0300	79°	J. DAVIS
	0600	78°	J. REYES
	0900	79°	J. REYES
	1200	81°	J. REYES
	1500	82°	C. CONTRERAS
	1800	83°	J. DAVIS
	2100	81°	C. CONTRERAS
	2400	81°	J. DAVIS

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14/24	0300	77°	J. DAVIS
	0600	77°	A. Arevalo
	0900	77°	R. Arevalo
	1200	80°	S. Arevalo
	1500	82°	O. Herrera
	1800	82°	E. DeLeon
	2100	81°	E. DeLeon
	2400	80°	J. DAVIS

**Thursday**

Date	Time	Temp.	Name (Print)
8/15/24	0300	77°	J. DAVIS
	0600	76°	S. Arevalo
	0900	76°	S. Arevalo
	1200	79°	E. MARIA
	1500	81°	A. JIMENEZ
	1800	82°	A. JIMENEZ
	2100	80°	J. Munoz
	2400	79°	J. DAVIS

**Friday**

Date	Time	Temp.	Name (Print)
8/16/24	0300	77°	J. DAVIS
	0600	76°	R. Arevalo
	0900	78°	J. REYES
	1200	79°	J. REYES
	1500	81°	O. Herrera
	1800	81°	A. Munoz
	2100	79°	O. Herrera
	2400	79°	R. BARAJAS

**Saturday**

Date	Time	Temp.	Name (Print)
8/17/24	0300	78°	R. BARAJAS
	0600	77°	J. REYES
	0900	78°	A. HUIZAR
	1200	79°	J. REYES
	1500	81°	D. GIBBS
	1800	81°	D. GIBBS
	2100	80°	R. Garcia
	2400	79°	L. RETZEL

**Sunday**

Date	Time	Temp.	Name (Print)
8/18/24	0300	78°	L. RETZEL
	0600	77°	O. Herrera
	0900	77°	J. REYES
	1200	78°	O. Herrera
	1500	79°	D. GIBBS
	1800	80°	D. GIBBS
	2100	80°	D. GIBBS
	2400	78°	M. ALVAREZ

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 520 Temp. Reading Location: 1<sup>ST</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday							
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)				
8/12/24	0300	78	M. ENRIQUEZ	8/13	0300	78	M. S. GOMEZ	8/14	0300	73	J. MURRAY	8/15	0300	75	M. S. GOMEZ	8/16	0300	76	M. S. GOMEZ	8/17	0300	76	M. S. GOMEZ	8/18	0300	76	M. S. GOMEZ				
	0600	77	G. ROE		0600	75	G. ROE		0600	74	G. ROE		0600	74	C. CONTRERAS		0600	74	C. CONTRERAS		0600	74	C. CONTRERAS		0600	74	C. CONTRERAS				
	0900	77	G. ROE		0900	77	G. ROE		0900	74	G. ROE		0900	74	C. CONTRERAS		0900	74	C. CONTRERAS		0900	74	C. CONTRERAS		0900	74	C. CONTRERAS				
	1200	78	G. ROE		1200	77	G. ROE		1200	75	G. ROE		1200	75	C. CONTRERAS		1200	75	C. CONTRERAS		1200	75	C. CONTRERAS		1200	75	C. CONTRERAS				
	1500	79	J. MONROE		1500	78	J. MONROE		1500	78	R. GONZALEZ		1500	77	R. GONZALEZ		1500	77	R. GONZALEZ		1500	77	R. GONZALEZ		1500	77	R. GONZALEZ				
	1800	80	R. GONZALEZ		1800	79	R. GONZALEZ		1800	79	R. GONZALEZ		1800	79	R. GONZALEZ		1800	79	R. GONZALEZ		1800	79	R. GONZALEZ		1800	79	R. GONZALEZ				
	2100	80	R. GONZALEZ		2100	79	R. GONZALEZ		2100	79	R. GONZALEZ		2100	79	R. GONZALEZ		2100	79	R. GONZALEZ		2100	79	R. GONZALEZ		2100	79	R. GONZALEZ				
	2400	79	M. S. GOMEZ		2400	75	J. MURRAY		2400	75	J. MURRAY		2400	75	J. MURRAY		2400	75	J. MURRAY		2400	75	J. MURRAY		2400	75	J. MURRAY				
Wednesday				Thursday				Friday				Saturday				Sunday				Notes											
8/14	0300	73	J. MURRAY		0300	75	M. S. GOMEZ		0300	75	M. S. GOMEZ		0300	76	M. S. GOMEZ		0300	76	M. S. GOMEZ		0300	76	M. S. GOMEZ		0300	76	M. S. GOMEZ		0300	76	M. S. GOMEZ
	0600	74	G. ROE		0600	74	G. ROE		0600	74	G. ROE		0600	74	C. CONTRERAS		0600	74	C. CONTRERAS		0600	74	C. CONTRERAS		0600	74	C. CONTRERAS		0600	74	C. CONTRERAS
	0900	75	G. ROE		0900	74	G. ROE		0900	74	G. ROE		0900	74	C. CONTRERAS		0900	74	C. CONTRERAS		0900	74	C. CONTRERAS		0900	74	C. CONTRERAS		0900	74	C. CONTRERAS
	1200	76	G. ROE		1200	75	G. ROE		1200	75	G. ROE		1200	75	C. CONTRERAS		1200	75	C. CONTRERAS		1200	75	C. CONTRERAS		1200	75	C. CONTRERAS		1200	75	C. CONTRERAS
	1500	77	R. GONZALEZ		1500	78	R. GONZALEZ		1500	78	R. GONZALEZ		1500	77	R. GONZALEZ		1500	77	R. GONZALEZ		1500	77	R. GONZALEZ		1500	77	R. GONZALEZ		1500	77	R. GONZALEZ
	1800	78	R. GONZALEZ		1800	78	R. GONZALEZ		1800	78	R. GONZALEZ		1800	78	R. GONZALEZ		1800	78	R. GONZALEZ		1800	78	R. GONZALEZ		1800	78	R. GONZALEZ		1800	78	R. GONZALEZ
	2100	78	R. GONZALEZ		2100	78	R. GONZALEZ		2100	78	R. GONZALEZ		2100	78	R. GONZALEZ		2100	78	R. GONZALEZ		2100	78	R. GONZALEZ		2100	78	R. GONZALEZ		2100	78	R. GONZALEZ
	2400	76	E. DELGON		2400	76	E. DELGON		2400	76	E. DELGON		2400	76	E. DELGON		2400	76	E. DELGON		2400	76	E. DELGON		2400	76	E. DELGON		2400	76	E. DELGON
Friday				Saturday				Sunday																							
8/16/24	0300	76	M. S. GOMEZ		0300	76	M. S. GOMEZ		0300	76	M. S. GOMEZ		0300	76	M. S. GOMEZ		0300	76	M. S. GOMEZ		0300	76	M. S. GOMEZ		0300	76	M. S. GOMEZ		0300	76	M. S. GOMEZ
	0600	77	O. HENRY		0600	77	O. HENRY		0600	77	O. HENRY		0600	77	C. CONTRERAS		0600	77	C. CONTRERAS		0600	77	C. CONTRERAS		0600	77	C. CONTRERAS		0600	77	C. CONTRERAS
	0900	74	O. HENRY		0900	74	O. HENRY		0900	74	O. HENRY		0900	74	C. CONTRERAS		0900	74	C. CONTRERAS		0900	74	C. CONTRERAS		0900	74	C. CONTRERAS		0900	74	C. CONTRERAS
	1200	76	O. HENRY		1200	76	O. HENRY		1200	76	O. HENRY		1200	76	C. CONTRERAS		1200	76	C. CONTRERAS		1200	76	C. CONTRERAS		1200	76	C. CONTRERAS		1200	76	C. CONTRERAS
	1500	78	R. GONZALEZ		1500	79	R. GONZALEZ		1500	79	R. GONZALEZ		1500	79	R. GONZALEZ		1500	79	R. GONZALEZ		1500	79	R. GONZALEZ		1500	79	R. GONZALEZ		1500	79	R. GONZALEZ
	1800	79	R. GONZALEZ		1800	79	R. GONZALEZ		1800	79	R. GONZALEZ		1800	79	R. GONZALEZ		1800	79	R. GONZALEZ		1800	79	R. GONZALEZ		1800	79	R. GONZALEZ		1800	79	R. GONZALEZ
	2100	78	R. GONZALEZ		2100	78	R. GONZALEZ		2100	78	R. GONZALEZ		2100	78	R. GONZALEZ		2100	78	R. GONZALEZ		2100	78	R. GONZALEZ		2100	78	R. GONZALEZ		2100	78	R. GONZALEZ
	2400	79	M. S. GOMEZ		2400	79	M. S. GOMEZ		2400	79	M. S. GOMEZ		2400	79	M. S. GOMEZ		2400	79	M. S. GOMEZ		2400	79	M. S. GOMEZ		2400	79	M. S. GOMEZ		2400	79	M. S. GOMEZ
Sunday																															
8/18/24	0300	76	YANB		0300	76	YANB		0300	76	YANB		0300	76	YANB		0300	76	YANB		0300	76	YANB		0300	76	YANB		0300	76	YANB
	0600	74	G. ROE		0600	74	G. ROE		0600	74	G. ROE		0600	74	G. ROE		0600	74	G. ROE		0600	74	G. ROE		0600	74	G. ROE		0600	74	G. ROE
	0900	76	G. ROE		0900	76	G. ROE		0900	76	G. ROE		0900	76	G. ROE		0900	76	G. ROE		0900	76	G. ROE		0900	76	G. ROE		0900	76	G. ROE
	1200	78	G. ROE		1200	78	G. ROE		1200	78	G. ROE		1200	78	G. ROE		1200	78	G. ROE		1200	78	G. ROE		1200	78	G. ROE		1200	78	G. ROE
	1500	79	J. LARA		1500	79	J. LARA		1500	79	J. LARA		1500	79	J. LARA		1500	79	J. LARA		1500	79	J. LARA		1500	79	J. LARA		1500	79	J. LARA
	1800	79	J. LARA		1800	79	J. LARA		1800	79	J. LARA		1800	79	J. LARA		1800	79	J. LARA		1800	79	J. LARA		1800	79	J. LARA		1800	79	J. LARA
	2100	79	J. LARA		2100	79	J. LARA		2100	79	J. LARA		2100	79	J. LARA		2100	79	J. LARA		2100	79	J. LARA		2100	79	J. LARA		2100	79	J. LARA
	2400	78	YANB		2400	78	YANB		2400	78	YANB		2400	78	YANB		2400	78	YANB		2400	78	YANB		2400	78	YANB		2400	78	YANB

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 530 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-2024	0300	84°	J. Esperanza
	0600	84°	Olmos
	0900	83°	Olmos
	1200	85°	Olmos
	1500	85°	Yan
	1800	85°	Yan
	2100	86°	Yan
	2400	84°	J. Esperanza

Tuesday

Date	Time	Temp.	Name (Print)
8-13-2024	0300	83°	J. Esperanza
	0600	81°	Olmos
	0900	82°	Olmos
	1200	83°	Yan
	1500	84°	C. Vang
	1800	86°	Ritchie I
	2100	86°	Ritchie I
	2400	84°	J. Esperanza

Wednesday

Date	Time	Temp.	Name (Print)
8-14-2024	0300	80°	J. Esperanza
	0600	80°	Olmos
	0900	81°	Olmos
	1200	82°	Olmos
	1500	84°	Ritchie I
	1800	84°	Ritchie I
	2100	84°	Ritchie I
	2400	82°	P. Avina

Thursday

Date	Time	Temp.	Name (Print)
8-15-2024	0300	80°	R. IBARRA
	0600	80°	J. MCNAUL
	0900	81°	J. MONTEJO
	1200	82°	J. MONTEJO
	1500	83°	Ritchie I
	1800	84°	Ritchie I
	2100	84°	N. GUERRERO
	2400	82°	P. Avina

Friday

Date	Time	Temp.	Name (Print)
8-16-2024	0300	81°	P. Avina
	0600	80°	J. Yan
	0900	80°	J. REJO
	1200	81°	J. Yan
	1500	83°	A. Piz
	1800	84°	A. Piz
	2100	84°	Ritchie I
	2400	82°	P. Avina

Saturday

Date	Time	Temp.	Name (Print)
8-17-2024	0300	81°	P. Avina
	0600	80°	R. ROBINSON
	0900	81°	Olmos
	1200	82°	Olmos
	1500	84°	Ritchie I
	1800	84°	Ritchie I
	2100	84°	R. Avila
	2400	82°	J. Esperanza

Sunday

Date	Time	Temp.	Name (Print)
8-18-2024	0300	81°	J. Esperanza
	0600	81°	R. Robinson
	0900	80°	Olmos
	1200	82°	R. Robinson
	1500	83°	G. Lin
	1800	84°	C. Vang
	2100	84°	G. Lin
	2400	81°	J. Esperanza

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment G

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 550 Temp. Reading Location: 2nd TIER

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	86	K. Xiong
	0600	85	Gavilanes
	0900	86	Gavilanes
	1200	87	E. Flores
	1500	88	K. Xiong
	1800	85	GUERRERO
	2100	85	GUERRERO
	2400	86	K. Xiong

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	84	K. Xiong
	0600	83	Elores
	0900	84	Elores
	1200	82	Elores
	1500	87	Toplans
	1800	87	Toplans
	2100	87	Toplans
	2400	86	Elores

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	82°	E. Delzon
	0600	82	Elores
	0900	84	Elores
	1200	84	Elores
	1500	85	Toplans
	1800	86	Toplans
	2100	85	Toplans
	2400	85	Toplans

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	83	GUERRERO
	0600	82	LIMON
	0900	83	MUNION
	1200	84	M LIMON
	1500	85	S. Alvarado
	1800	86	S. Alvarado
	2100	85	S. Alvarado
	2400	84	K. Caguena

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	83	R. Caguena
	0600	82	C. ALVARADO
	0900	83	C. ALVARADO
	1200	84	C. ALVARADO
	1500	84	J. Berry
	1800	84	C. Vargas
	2100	84	C. Vargas
	2400	84	C. Vargas

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	83	C. Vargas
	0600	83	C. ALVARADO
	0900	83	C. ALVARADO
	1200	84	C. ALVARADO
	1500	85	C. Vargas
	1800	88	C. Vargas
	2100	85	C. Vargas
	2400	83	K. Xiong

Notes

Date	Time	Temp.	Name (Print)
8-18-24	0300	82	K. Xiong
	0600	82	K. Xiong
	0900	83	K. Xiong
	1200	83	G. Ira
	1500	84	C. Vargas
	1800	85	C. Vargas
	2100	84	K. Xiong
	2400	84	K. Xiong

DISTRIBUTION: Original Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 610 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12/24	0300	86.2	S. BRAVO
	0600	85.2	R. Perez
	0900	85.2	V. VALDEZ
	1200	85.4	V. VALDEZ
	1500	88°	T. Hernandez
	1800	89°	A. MATA
	2100	89°	T. Hernandez
	2400	84	D. VANG

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13/24	0300	83	D. VANG
	0600	84.5	V. VALDEZ
	0900	83	V. VALDEZ
	1200	84	V. VALDEZ
	1500	84	T. Bernal
	1800	85	T. Bernal
	2100	85	T. Bernal
	2400	85	A. AYALA

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14/24	0300	84	A. AYALA
	0600	83	R. Perez
	0900	82	T. Bernal
	1200	82	T. Bernal
	1500	83	T. Bernal
	1800	83	R. CERVANTES
	2100	84	T. Bernal
	2400	84°	A. AYALA

**Thursday**

Date	Time	Temp.	Name (Print)
8/15/24	0300	83°	A. AYALA
	0600	82	S. ROMERO
	0900	82	S. ROMERO
	1200	82	I. ROMERO
	1500	82	M. Negrete
	1800	83	R. BARAJAS
	2100	83	M. Negrete
	2400	83°	A. AYALA

**Friday**

Date	Time	Temp.	Name (Print)
8/16/24	0300	82°	A. AYALA
	0600	82	A. CERVANTES
	0900	82	A. CERVANTES
	1200	82	A. CERVANTES
	1500	82	R. BARAJAS
	1800	82	R. BARAJAS
	2100	83	R. BARAJAS
	2400	82	G. CEBALLOS

**Saturday**

Date	Time	Temp.	Name (Print)
8/17/24	0300	82°	A. AYALA
	0600	81	T. TREJO
	0900	82	T. TREJO
	1200	82	D. DOUGLAS
	1500	82°	T. X. Song
	1800	82.7°	T. X. Song
	2100	83.	T. X. Song
	2400	82	E. Ceballos

**Sunday**

Date	Time	Temp.	Name (Print)
8/18/24	0300	82°	E. Ceballos
	0600	81	T. TREJO
	0900	83	S. SANCHEZ
	1200	83	S. SANCHEZ
	1500	81	E. JARQUIN
	1800	82.4	E. JARQUIN
	2100	82	E. JARQUIN
	2400	82°	S. VANG

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**Attachment E**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISI Housing Unit: 630 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6039 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/1/18	0300	85	ENRIQUEZ
	0600	84	TREJO
	0900	85	TREJO
	1200	85.6	L. DELACERDA
	1500	86.0	CARMELO
	1800	87.4	O. MARTINEZ
	2100	86.6	D. BRECHENBREY
	2400	84.6	Hernandez

**Tuesday**

Date	Time	Temp.	Name (Print)
8/1/18	0300	81.5	Hernandez
	0600	82.2	A. MORALES
	0900	83.4	P. RODA
	1200	84.1	L. DELACERDA
	1500	85.3	CARMELO
	1800	85.8	D. BRECHENBREY
	2100	85.4	D. BRECHENBREY
	2400	84.2	F. AVILA

**Wednesday**

Date	Time	Temp.	Name (Print)
8/1/18	0300	82	F. AVILA
	0600	81	M. MENESSES
	0900	82	M. MENESSES
	1200	83	M. MENESSES
	1500	84.3	D. BRECHENBREY
	1800	84.7	D. BRECHENBREY
	2100	85.1	D. BRECHENBREY
	2400	84	A. J. MENEZ

**Thursday**

Date	Time	Temp.	Name (Print)
8/1/18	0300	81	A. J. MENEZ
	0600	81	M. MENESSES
	0900	81	M. MENESSES
	1200	82	MENESSES
	1500	83	E. LATA
	1800	84	Xiomara
	2100	83	E. LATA
	2400	83	A. J. MENEZ

**Friday**

Date	Time	Temp.	Name (Print)
8/1/18	0300	81	A. MORALES
	0600	78	T. VAS
	0900	80	T. VAS
	1200	81	T. VAS
	1500	83.4	M. CALIBRE
	1800	83.8	M. CALIBRE
	2100	83.5	M. CALIBRE
	2400	82	A. MORALES

**Saturday**

Date	Time	Temp.	Name (Print)
8/1/18	0300	83	A. MORALES
	0600	80	A. MORALES
	0900	80.8	L. DELACERDA
	1200	81.5	L. DELACERDA
	1500	82.8	O. MARTINEZ
	1800	83.7	O. MARTINEZ
	2100	82.4	O. MARTINEZ
	2400	82	A. MORALES

**Sunday**

Date	Time	Temp.	Name (Print)
8/1/18	0300	81	A. MORALES
	0600	80	A. MORALES
	0900	80.3	L. DELACERDA
	1200	81	Jaime
	1500	82	O. MARTINEZ
	1800	82	Jesus
	2100	82	Rosario
	2400	81	A. MORALES

**Notes**

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 650 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
08/12/2024	0300	81	J. LARA
	0600	81.4	R. Ledesma
	0900	82.1	R. Ledesma
	1200	83.3	R. Ledesma
	1500	84.4	A. Saldana
	1800	84.6	M. CASTRO
	2100	84.0	A. DelChay
	2400	82	J. MANOR

  

Tuesday			
Date	Time	Temp.	Name (Print)
08/13/2024	0300	81	J-MANOR
	0600	79	J. Beary
	0900	80	G. Soriano
	1200	82	G. Soriano
	1500	82.3	F. Aula
	1800	82	F. Aula
	2100	82.4	F. Aula
	2400	81	J-MANOR

  

Wednesday			
Date	Time	Temp.	Name (Print)
08/14/2024	0300	79	J-MANOR
	0600	78	J. Lee
	0900	79	G. Soriano
	1200	81	G. Soriano
	1500	82.4	M. CASTRO
	1800	82.4	M. CASTRO
	2100	79	F. Aula
	2400	78	F. Aula

  

Thursday			
Date	Time	Temp.	Name (Print)
08/15/2024	0300	78	F. Aula
	0600	79	G. Soriano
	0900	79	G. Soriano
	1200	81	G. Soriano
	1500	82	N. Dunaway
	1800	82	B. Aula
	2100	82	N. Dunaway
	2400	80	M. Xiong

  

Friday			
Date	Time	Temp.	Name (Print)
08/16/2024	0300	79	R. BARAJAS
	0600	77	L. Bustamante
	0900	79	L. Bustamante
	1200	81	L. Bustamante
	1500	81	L. Lang
	1800	82	L. Lang
	2100	81	L. Lang
	2400	80	E. JARQUIN

  

Saturday			
Date	Time	Temp.	Name (Print)
08/17/2024	0300	79	E. JARQUIN
	0600	78	L. Bustamante
	0900	79	L. Bustamante
	1200	80.6	L. Bustamante
	1500	81	E. JARQUIN
	1800	82	E. JARQUIN
	2100	81	E. JARQUIN
	2400	80	E. JARQUIN

  

Sunday			
Date	Time	Temp.	Name (Print)
08/18/2024	0300	79.6	J. LARA
	0600	80.0	O. MARTINEZ
	0900	80	O. MARTINEZ
	1200	80	O. MARTINEZ
	1500	81	J. Pinon
	1800	81	J. Pinon
	2100	80	J. Pinon
	2400	80	J. LARA

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: OHU 390 Temp. Reading Location: officers area  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	73	J. Gibson
	0600	70	E. Colmenares
	0900	71	S. Colmenares
	1200	72	S. Colmenares
	1500	72	J. Gibson
	1800	72	J. Gibson
	2100	72	J. Gibson
	2400	71	D. Andrade

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	72	D. Andrade
	0600	72	D. Andrade
	0900	70	J. Alvarez Jr.
	1200	71	J. Alvarez Jr.
	1500	71	D. Andrade
	1800	73	D. Andrade
	2100	73	D. Andrade
	2400	73	D. Andrade

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	73	D. Andrade
	0600	73	D. Andrade
	0900	70	J. Alvarez Jr.
	1200	71	J. Alvarez Jr.
	1500	72	Aceves
	1800	73	Aceves
	2100	72	Aceves
	2400	71	C. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	71	G. Gonzalez
	0600	71	G. Gonzalez
	0900	70	J. Alvarez Jr.
	1200	70	J. Alvarez Jr.
	1500	72	Aceves
	1800	73	Aceves
	2100	73	Aceves
	2400	70	R. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	70	Rodriguez P.
	0600	72	M. Vasquez M.
	0900	70	J. Alvarez Jr.
	1200	70	J. Alvarez Jr.
	1500	70	J. Gibson
	1800	70	J. Gibson
	2100	70	J. Gibson
	2400	70	D. Andrade

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	70	D. Andrade
	0600	70	D. Andrade
	0900	70	J. Rosas
	1200	70	J. Rosas
	1500	70	M. Vasquez
	1800	70	M. Vasquez
	2100	70	M. Vasquez
	2400	68	M. Vasquez

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	69	M. Vasquez
	0600	68	J. Munillo
	0900	69	E. Colmenares
	1200	68	J. Munillo
	1500	68	J. Gibson
	1800	68	J. Gibson
	2100	68	J. Gibson
	2400	68	D. Andrade

Notes

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HSP Housing Unit: 110 Temp. Reading Location: 1<sup>st</sup> TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>8/19/2024</u>	0300	79.3	ENRIQUEZ
	0600	78	D. Gonzalez
	0900	79.4	B. JAVAR
	1200	79	D. Gonzalez
	1500	80°	H. ARCIGA
	1800	81	M. Gonzalez
	2100	81°	H. ARCIGA
	2400	81°	E. Ruiz

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>08/21/2024</u>	0300	78.4	MCCOTTRILL
	0600	77	D. Gonzalez
	0900	78	D. Gonzalez
	1200	78	A. Gavino
	1500	80	M. Gonzalez
	1800	80°	H. ARCIGA
	2100	80°	H. ARCIGA
	2400	79°	Quintanilla

**Friday**

Date	Time	Temp.	Name (Print)
<u>08/23/2024</u>	0300	76.8	MCCOTTRILL
	0600	78.0	J. Torres
	0900	75.2	Z. Dyer
	1200	76.5	J. Torres
	1500	77.2	H. ARCIGA
	1800	77.5	H. ARCIGA
	2100	76.8	H. ARCIGA
	2400	75.7	L. Yang

**Sunday**

Date	Time	Temp.	Name (Print)
<u>08/25/2024</u>	0300	74	L. Yang
	0600	73	D. Gonzalez
	0900	73.8	Z. Dyer
	1200	75	D. Gonzalez
	1500	75	M. Gonzalez
	1800	76	M. Gonzalez
	2100	75	M. Gonzalez
	2400	74.7°	E. Reyes

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>08/21/2024</u>	0300	78.8	E. Ruiz
	0600	77.7	B. JAVAR
	0900	77.7	B. JAVAR
	1200	78.8	B. JAVAR
	1500	80.2	C. Yang
	1800	80.1	M. Gonzalez
	2100	80.2	M. Gonzalez
	2400	80.0	MCCOTTRILL

**Thursday**

Date	Time	Temp.	Name (Print)
<u>08/22/2024</u>	0300	78.3	MCCOTTRILL
	0600	77.7	BENTON
	0900	77.5	BENTON
	1200	77.5	BENTON
	1500	79.5	H. ARCIGA
	1800	80.1	H. ARCIGA
	2100	79.5	H. ARCIGA
	2400	78.3	E. MCCOTTRILL

**Saturday**

Date	Time	Temp.	Name (Print)
<u>08/24/2024</u>	0300	74.7	L. Yang
	0600	73	D. Gonzalez
	0900	74	D. Gonzalez
	1200	75	D. Gonzalez
	1500	76	VANG
	1800	75	VANG
	2100	76	SOTO
	2400	75	Z. Yang

**Notes**

C  
AM  
MS  
C  
AM  
MS

44  
WT

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 120 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	80°	K. Anderson
	0600	81°	S. STATION
	0900	82°	S. STATION
	1200	82°	S. STATION
	1500	83°	S. STATION
	1800	83°	S. STATION
	2100	84°	S. STATION
	2400	83°	B. SAVINAS

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	81°	M. Anderson
	0600	81°	S. STATION
	0900	82°	S. STATION
	1200	83°	S. STATION
	1500	84°	S. STATION
	1800	84°	S. STATION
	2100	85°	S. STATION
	2400	83°	B. SAVINAS

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	80°	K. Anderson
	0600	81°	S. STATION
	0900	82°	S. STATION
	1200	83°	S. STATION
	1500	83°	A. HUIZAR
	1800	84°	A. HUIZAR
	2100	83°	A. HUIZAR
	2400	82°	B. SAVINAS

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	82°	B. SAVINAS
	0600	82°	FLORES
	0900	82°	M. XIONG
	1200	84°	FLORES
	1500	83°	A. HUIZAR
	1800	83°	A. HUIZAR
	2100	83°	M. XIONG
	2400	83°	SOLANO

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	80°	B. SAVINAS
	0600	80°	M. XIONG
	0900	80°	M. XIONG
	1200	80°	M. XIONG
	1500	80°	A. HUIZAR
	1800	80°	A. HUIZAR
	2100	79°	A. HUIZAR
	2400	79°	K. Anderson

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	77°	K. Anderson
	0600	77°	R. Garcia
	0900	79°	J. DIVALL
	1200	79°	R. Garcia
	1500	79°	M. XIONG
	1800	79°	A. HUIZAR
	2100	78°	A. HUIZAR
	2400	78°	K. Anderson

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	77°	K. Anderson
	0600	78°	J. DIVALL
	0900	80°	J. DIVALL
	1200	80°	J. DIVALL
	1500	82°	J. DIVALL
	1800	83°	J. DIVALL
	2100	82°	J. DIVALL
	2400	78°	K. Anderson

Notes

A. Huizar

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 130 Temp. Reading Location: Tier #1  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8	0300	72°	A. Barraga
	0600	72°	S.Palmer
19	0900	73°	S.Palmer
	1200	75°	Gunderson
24	1500	77°	S.Palmer
	1800	77°	S.Palmer
	2100	76°	S.Palmer
	2400	74°	F. Elizurria

8  
19  
24  
2000  
DMS

Tuesday

Date	Time	Temp.	Name (Print)
8	0300	72°	F. Elizurria
	0600	71°	S.Palmer
20	0900	72°	S.Palmer
	1200	74°	S.Palmer
24	1500	76°	S.Palmer
	1800	77°	S.Palmer
	2100	75°	S.Palmer
	2400	73°	A. Barraga

8  
20  
24

Wednesday

Date	Time	Temp.	Name (Print)
8	0300	72	A. Barraga
	0600	71°	E. SANCHEZ
21	0900	78°	J. BAILEY
	1200	78°	J. PRAEGER
24	1500	75°	E. SANCHEZ
	1800	76°	E. SANCHEZ
	2100	76°	E. SANCHEZ
	2400	75°	F. Elizurria

W  
B  
M

Thursday

Date	Time	Temp.	Name (Print)
8	0300	71°	F. Elizurria
	0600	71°	J. BAILEY
22	0900	72°	E. SANCHEZ
	1200	73°	E. SANCHEZ
24	1500	74°	Colin
	1800	74°	Colin
	2100	74°	Colin
	2400	73°	A. Carr

W  
B  
M

Friday

Date	Time	Temp.	Name (Print)
8	0300	71°	D.Carr
	0600	70°	J. BAILEY
23	0900	69°	E. SANCHEZ
	1200	72°	J. BAILEY
24	1500	73°	J. DIAZ
	1800	73°	J. DIAZ
	2100	73°	J. DIAZ
	2400	70	A. Carr

W  
B  
M

Saturday

Date	Time	Temp.	Name (Print)
8	0300	70°	F. Elizurria
	0600	69°	E. SANCHEZ
24	0900	69°	J. BAILEY
	1200	70°	J. BAILEY
24	1500	73	HERNANDEZ
	1800	74°	J. DIAZ
	2100	72°	J. DIAZ
	2400	71	A. Barraga

W  
B  
M

Sunday

Date	Time	Temp.	Name (Print)
8	0300	69	A. Barraga
	0600	69	J. BAILEY
25	0900	70	HERNANDEZ
	1200	71°	HERNANDEZ
24	1500	72°	S.Palmer
	1800	73°	S.Palmer
	2100	72°	S.Palmer
	2400	70	A. Barraga

Aker

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDOR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASR Housing Unit: 140 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6024 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	77	A. MANN
	0600	74	A. MANN
	0900	75	A. MANN
	1200	78	A. MANN
	1500	80	A. MANN
	1800	79	A. MANN
	2100	78	A. MANN
	2400	79	A. MANN

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	77	A. MANN
	0600	76	A. MANN
	0900	75	A. MANN
	1200	78	A. MANN
	1500	78	M. Niggle
	1800	78	M. Niggle
	2100	79	M. Niggle
	2400	78	C. COLE

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	77	L. LOPEZ
	0600	74	R. NOR
	0900	75	R. NOR
	1200	77	R. NOR
	1500	80	T. Xiong
	1800	79	T. Xiong
	2100	79	T. Xiong
	2400	77	A. C. MANN

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	75	A. MANN
	0600	76	D. GARCIA
	0900	79	D. GARCIA
	1200	79	D. GARCIA
	1500	78	D. GARCIA
	1800	78	B. DAVIS
	2100	79	B. DAVIS
	2400	79	V. VILLENA

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	71	V. VILLENA
	0600	71	C. VILLENA
	0900	72	C. VILLENA
	1200	74	C. VILLENA
	1500	78	R. Salazar
	1800	77	R. Salazar
	2100	79	R. Salazar
	2400	79	S. O. RAM

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	78	J. BAGWELL
	0600	71	A. MANN
	0900	71	A. MANN
	1200	73	A. MANN
	1500	74	E. Salazar
	1800	79	E. Salazar
	2100	79	E. Salazar
	2400	74	J. MONTGOMERY

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	79	J. MONTGOMERY
	0600	71	E. Flores
	0900	71	E. Flores
	1200	71	E. Flores
	1500	75	J. Quintanilla
	1800	74	J. Quintanilla
	2100	73	J. Quintanilla
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 210 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	74	COOK
	0600	75	DelaTorre
	0900	75	DelaTorre
	1200	78	DelaTorre
	1500	79	J. Torres
	1800	79	J. Torres
	2100	80	A. Bonilla
	2400	77	COOK

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	74	COOK
	0600	75	DelaTorre
	0900	75	DelaTorre
	1200	77	S. ROMERO
	1500	79	A. Bonilla
	1800	80	A. Bonilla
	2100	79	A. Bonilla
	2400	78	COOK

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	74	COOK
	0600	76	J. Vargas
	0900	77	J. Vargas
	1200	78	R. Morales
	1500	80	A. Bonilla
	1800	80	A. Bonilla
	2100	79	A. Bonilla
	2400	77	COOK

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	76	COOK
	0600	79	J. Vargas
	0900	78	R. Morales
	1200	79	J. Vargas
	1500	79	A. Dennis
	1800	79	A. Dennis
	2100	77	A. Bonilla
	2400	74	A. Bonilla

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	73	M. MUNIZ
	0600	72	M. MUNIZ
	0900	79	J. Vargas
	1200	78	J. Vargas
	1500	75	M. MUNIZ
	1800	76	M. MUNIZ
	2100	74	M. MUNIZ
	2400	72	M. MUNIZ

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	71	ESCARCEGA
	0600	71	ESCARCEGA
	0900	70	ESCARCEGA
	1200	73	ESCARCEGA
	1500	74	W. PANO
	1800	74	K. VARGAS
	2100	74	K. VARGAS
	2400	72	COOK

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	71	COOK
	0600	76	R. Morales
	0900	72	R. Morales
	1200	73	O. CERVANTES
	1500	74	A. CERVANTES
	1800	74	A. CERVANTES
	2100	74	A. CERVANTES
	2400	72	E. RUIZ

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 230 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
<u>8/19/24</u>	0300	78°	S. VALLE
	0600	77°	J. CARLTON
	0900	79°	J. CARLTON
	1200	80°	J. CARLTON
	1500	80°	J. GOMEZ
	1800	80°	J. GOMEZ
	2100	80°	J. GOMEZ
	2400	78°	T. LEE

#### Tuesday

Date	Time	Temp.	Name (Print)
<u>8/20/24</u>	0300	77°	T. LEE
	0600	76°	J. CARLTON
	0900	76°	J. CARLTON
	1200	77°	J. CARLTON
	1500	79°	SANCHEZ
	1800	79°	SANCHEZ
	2100	79°	SANCHEZ
	2400	78°	S. ARENIVAS

#### Wednesday

Date	Time	Temp.	Name (Print)
<u>8/21/24</u>	0300	77°	S. ARENIVAS
	0600	77°	J. CARLTON
	0900	77°	J. CARLTON
	1200	78°	J. CERVANTES
	1500	80°	D. VERDUZCO
	1800	81°	D. VERDUZCO
	2100	80°	D. VERDUZCO
	2400	79°	SANCHEZ

#### Thursday

Date	Time	Temp.	Name (Print)
<u>8/22/24</u>	0300	78°	S. ARENIVAS
	0600	77°	J. CERVANTES
	0900	77°	J. CARLTON
	1200	78°	J. CARLTON
	1500	79°	D. VERDUZCO
	1800	80°	D. VERDUZCO
	2100	79°	D. VERDUZCO
	2400	78°	SANCHEZ

#### Friday

Date	Time	Temp.	Name (Print)
<u>8/23/24</u>	0300	75°	S. ARENIVAS
	0600	75°	S. DREGER
	0900	75°	S. DREGER
	1200	76°	A. ARREGUIN
	1500	77°	D. VERDUZCO
	1800	77°	D. VERDUZCO
	2100	76°	D. VERDUZCO
	2400	75°	S. VALLE

#### Saturday

Date	Time	Temp.	Name (Print)
<u>8/24/24</u>	0300	74°	S. VALLE
	0600	73°	S. DREGER
	0900	73°	S. DREGER
	1200	75°	S. DREGER
	1500	76°	L. Lang
	1800	77°	L. Lang
	2100	76°	A. RIVERA
	2400	75°	S. VALLE

#### Sunday

Date	Time	Temp.	Name (Print)
<u>8/25/24</u>	0300	74°	S. VALLE
	0600	73°	J. Quintanilla
	0900	74°	J. Quintanilla
	1200	75°	J. Quintanilla
	1500	76°	L. Lang
	1800	77°	A. RIVERA
	2100	76°	A. RIVERA
	2400	74°	J. GOMEZ

#### Notes

W  
L  
AM 0045

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 250 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/19/21	0300	76	R. Tamayo
	0600	75	Rivalcabu
	0900	78	Rivalcabu
	1200	78	J. Jones
	1500	78	X. Lee
	1800	78	X. Lee
	2100	79	X. Lee
	2400	77	Z. Orosco

Tuesday			
Date	Time	Temp.	Name (Print)
8/20/21	0300	76	R. Tamayo
	0600	75	S. Diaz
	0900	75	A. Solorio
	1200	76	A. Solorio
	1500	77	J. Quintanilla
	1800	78	J. Quintanilla
	2100	78	J. Quintanilla
	2400	77	Z. Orosco

Wednesday			
Date	Time	Temp.	Name (Print)
8/21/21	0300	76	Z. Orosco
	0600	75	A. Alomo
	0900	75	A. Alomo
	1200	77	R. Borchard
	1500	78	J. Calyan
	1800	79	A. Alomo
	2100	78	A. Alomo
	2400	77	D. Verdulco

Thursday			
Date	Time	Temp.	Name (Print)
8/22/21	0300	76°	R. Tamayo
	0600	76	A. Alomo
	0900	76	R. Borchard
	1200	76	R. Borchard
	1500	76°	J. Estrella
	1800	78	A. Alomo
	2100	76	J. Estrella
	2400	75	D. Verdulco

Friday			
Date	Time	Temp.	Name (Print)
8/23/21	0300	73°	R. Tamayo
	0600	73	R. Borchard
	0900	73	R. Borchard
	1200	74	R. Borchard
	1500	74	E. Garcia
	1800	74	M. Soria
	2100	74	C. Cuellar
	2400	72	T. Hoon?

Saturday			
Date	Time	Temp.	Name (Print)
8/24/21	0300	71	T. Hoon?
	0600	72	R. Borchard
	0900	72	R. Borchard
	1200	73	R. Borchard
	1500	73	J. Perez
	1800	74	R. Garcia
	2100	73	R. Garcia
	2400	73	Z. Orosco

Sunday			
Date	Time	Temp.	Name (Print)
8/25/21	0300	72	Z. Orosco
	0600	77	Rivalcabu
	0900	71	Rivalcabu
	1200	73	Rivalcabu
	1500	74	Rivalcabu
	1800	74°	B. Phelps
	2100	73	B. Phelps
	2400	72	Z. Orosco

Notes

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 310 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
<u>5/19/18</u>	0300	83	M. SENGULUWA
	0600	83	M. ESCARLANDA
	0900	83	J. M. TIER
	1200	83	J. GAGE
	1500	83	J. M. TIER
	1800	84	J. M. TIER
	2100	84	J. M. TIER
	2400	83	J. L. WILSON

## Tuesday

Date	Time	Temp.	Name (Print)
<u>5/20/18</u>	0300	82	J. L. WILSON
	0600	81	P. AGUEDA
	0900	81	J. L. WILSON
	1200	82	P. AGUEDA
	1500	83	J. M. TIER
	1800	83	J. ZUNDGAAZ
	2100	83	J. M. TIER
	2400	83	J. L. WILSON

## Wednesday

Date	Time	Temp.	Name (Print)
<u>5/21/18</u>	0300	82	J. L. WILSON
	0600	810	A. MAGANA
	0900	81	J. M. TIER
	1200	82	J. M. TIER
	1500	83	J. M. TIER
	1800	84	J. M. TIER
	2100	83	J. ZUNDGAAZ
	2400	82	C. MOON

## Thursday

Date	Time	Temp.	Name (Print)
<u>5/22/18</u>	0300	82	C. MOON
	0600	81	C. PACHECO
	0900	81	C. PACHECO
	1200	82	C. PACHECO
	1500	83	M. THOMAS JR
	1800	83	M. THOMAS JR
	2100	82	M. THOMAS JR
	2400	81	M. THOMAS JR

## Friday

Date	Time	Temp.	Name (Print)
<u>5/23/18</u>	0300	81	J. M. TIER
	0600	79	S. LAD
	0900	79	C. PACHECO
	1200	80	C. PACHECO
	1500	80	J. MOON
	1800	81	S. LAD
	2100	80	S. LAD
	2400	79	M. TOBIAS JR

## Saturday

Date	Time	Temp.	Name (Print)
<u>5/24/18</u>	0300	79	M. TOBIAS JR
	0600	70	S. LAD
	0900	78	S. LAD
	1200	79	S. LAD
	1500	79	J. ROBERTS
	1800	79	S. LAD
	2100	79	J. ROBERTS
	2400	79	M. TOBIAS JR

## Sunday

Date	Time	Temp.	Name (Print)
<u>5/25/18</u>	0300	79	M. J. LAD
	0600	78	L. LAD
	0900	79	S. LAD
	1200	78	S. LAD
	1500	79	J. ZUNDGAAZ
	1800	79	J. ZUNDGAAZ
	2100	79	S. LAD
	2400	78	M. TOBIAS JR

## Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 330 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/14/24	0300	80	H. FERRER
	0600	79	A. Herrera
	0900	80	A. Herrera
	1200	81	A. Herrera
	1500	83	A. GARCIA
	1800	83	R. PRADO
	2100	83	A. GARCIA
	2400	81°	H. FERRER

an @ 1430  
0205 DATES

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/24	0300	80°	L. Cardona
	0600	79	R. HIGGS
	0900	79	R. HIGGS
	1200	81	R. PINES
	1500	83°	L. GORDON
	1800	83°	L. GORDON
	2100	83°	L. GORDON
	2400	82°	D. OROZCO

R  
avg @ 1433  
0205 DATES  
RE

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/24	0300	80	D. JIMMYAN
	0600	79	R. PINES
	0900	80	R. HIGGS
	1200	81	R. HIGGS
	1500	83°	L. GORDON
	1800	83°	C. GODFORTH
	2100	83°	L. GORDON
	2400	83	D. JIMMYAN

Place  
dates

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/24	0300	80	D. JIMMYAN
	0600	79	RUIZ
	0900	80	RUIZ
	1200	81	HIGGS
	1500	83	YANG
	1800	83	YANG
	2100	81	YANG
	2400	80	D. OROZCO

RE

**Friday**

Date	Time	Temp.	Name (Print)
8/23/24	0300	79	B. HERDZHIYEVA
	0600	76	R. PINES
	0900	77	R. HIGGS
	1200	79	R. HIGGS
	1500	79	A. GARCIA
	1800	79	Y. YAO
	2100	79	A. GARCIA
	2400	79	H. FERRER

1225 CDT

P  
J  
0215 DATES

**Sunday**

Date	Time	Temp.	Name (Print)
8/25/24	0300	75°	J. GARCIA
	0600	74	A. Herrera
	0900	75	A. Herrera
	1200	77	M. LIMON
	1500	77	K. SOTO
	1800	79	K. SOTO
	2100	79	K. SOTO
	2400	79	H. FERRER

0215 DATES

**Saturday**

Date	Time	Temp.	Name (Print)
8/24/24	0300	79°	H. FERRER
	0600	78	V. POMPA
	0900	75°	L. WILLIS
	1200	77	V. POMPA
	1500	79	E. OIR
	1800	79	E. RUIZ
	2100	77	F. RUIZ
	2400	77°	H. FERRER

P  
J  
0215 DATES

**Notes**

---

---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 350 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
AUG 19 2024	0300	79	N. COMEA
	0600	73	S. LAO
	0900	78	S. LAO
	1200	80	S. LAO
	1500	81	M. LEE
	1800	82	M. LEE
	2100	82	M. LEE
	2400	80	L. REELING

0135 DENIS

**Tuesday**

Date	Time	Temp.	Name (Print)
AUG 20 2024	0300	79	L. REELING
	0600	78	S. LAO
	0900	78	S. LAO
	1200	79	S. LAO
	1500	81	M. LEE
	1800	82	M. LEE
	2100	81	M. LEE
	2400	80	M. MELGOZA

0135 DENIS

**Wednesday**

Date	Time	Temp.	Name (Print)
AUG 21 2024	0300	79	M. MELGOZA
	0600	78	S. LAO
	0900	76	S. LAO
	1200	80	S. LAO
	1500	81	M. LEE
	1800	81	M. LEE
	2100	81	M. LEE
	2400	80	A. GUZMAN

0135 DENIS

**Thursday**

Date	Time	Temp.	Name (Print)
AUG 22 2024	0300	79	A. GUZMAN
	0600	77	A. HERRERA
	0900	78	A. HERRERA
	1200	79	A. HERRERA
	1500	80	M. LEE
	1800	81	M. LEE
	2100	80	C. GOFORTH
	2400	78	T. HERNANDEZ

0135 DENIS

**Friday**

Date	Time	Temp.	Name (Print)
AUG 23 2024	0300	77	T. HERNANDEZ
	0600	76	A. HERRERA
	0900	76	A. HERRERA
	1200	77	A. HERRERA
	1500	78	N. COMEA
	1800	77	N. COMEA
	2100	76	K. SOTO
	2400	77	A. SOTO

0135 DENIS

**Saturday**

Date	Time	Temp.	Name (Print)
AUG 24 2024	0300	75	N. COMEA
	0600	75	A. HERRERA
	0900	74	A. HERRERA
	1200	75	S. PL
	1500	77	J. ESTRELLA
	1800	77	J. ESTRELLA
	2100	77	J. ESTRELLA
	2400	75	L. REELING

0135 DENIS

0130 DENIS

**Sunday**

Date	Time	Temp.	Name (Print)
AUG 25 2024	0300	75	N. COMEA L. REELING
	0600	74	S. PL
	0900	74	S. LAO
	1200	75	S. LAO
	1500	77	N. COMEA
	1800	77	N. COMEA
	2100	76	L. REITZEL
	2400	75	A. GUZMAN

0135 DENIS

**Notes**

**Attachment E**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASR Housing Unit: 410 Temp. Reading Location: 2 tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday			
Date	Time	Temp.	Name (Print)
5/19/24	0300	84	J. SPINN
	0600	85	S. WELSH
	0900	84	S. WELSH
	1200	84	S. WELSH
	1500	85	D. JIMIAN
	1800	82	D. JIMIAN
	2100	85	D. JIMIAN
	2400	84	A. PANDIA

Date	Time	Temp.	Name (Print)
5/20/24	0300	83	A. PROLLA
	0600	73	S. WELSH
	0900	72	S. WELSH
	1200	74	S. WELSH
	1500	74	R. GOLIVER
	1800	80	D. INTIDAN
	2100	83	B. GOLIVER
	2400	84	CALMSEA

Date	Time	Temp.	Name (Print)
5/24/24	0300	83	CARMONA
	0600	83	BRESA
	0900	83	BRESA
	1200	84	BRESA
	1500	85	D. GALVEZ
	1800	86	D. GALVEZ
	2100	85	DET. TURNO
	2400	89	N. Duran

Thursday			
Date	Time	Temp.	Name (Print)
8/24/24	0300	83	M. CFS/PCO
	0600	82	B RESA
	0900	82	B RESA
	1200	84	B RESA
	1500	84	H. LHM
	1800	85	H. LHM
	2100	84	H. LAM
	2400	83	M. Nuytem

Date	Time	Temp.	Name (Print)
5/23/24	0300	81	J. Pinon
	0600	81	J. Fierfman
	0900	80	M. Marchiando
	1200	81	L. Marchiando
	1500	82	H. LAM
	1800	82	H. LAM
	2100	82	B. CALVET
	2400	80	H. LAM

Date	Time	Temp.	Name (Print)
8/24/24	0300	80	H. LAM
	0600	79°	B. RHEIMS
	0900	86	H. Marchiondo
	1200	80°	B. RHEIMS
	1500	81	H. LAM
	1800	82	H. LAM
	2100	81	H. LAM
	2400	81°	E. RHEIMS

Date	Time	Temp.	Name (Print)
	0300	80°	E. Keyes
	0600	78°	L. Marchiando
	0900	79°	L. Marchiando
	1200	80	L. Marchiando
	1500	81	GONZALEZ
	1800	81	AMUNDI
	2100	80	GONZALEZ
	2400	79	J. Pinon

DISTRIBUTION: Original: Institution Beat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 430 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-19-2024

Date	Time	Temp.	Name (Print)
8/19	0300	82°	J. O/Ivarez
	0600	82°	J. Flores
	0900	82°	J. Flores
	1200	84	C. Gutierrez
	1500	86	A. Rocha
	1800	88	J. Johnson
	2100	87	J. Johnson
	2400	85	V. Villanueva

Tuesday

Date	Time	Temp.	Name (Print)
	0300	85	J. Hartman
	0600	84	J. Flores
	0900	84	J. Flores
	1200	84	J. Flores
	1500	84°	M. Alvarez
	1800	86°	M. Alvarez
	2100	84°	M. Alvarez
	2400	84	V. Villanueva

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	84	V. Villanueva
	0600	79	J. Canfield
	0900	80	J. Canfield
	1200	81	J. Canfield
	1500	82	S. Perkins
	1800	85	S. Perkins
	2100	84	S. Perkins
	2400	80	V. Villanueva

Thursday

Date	Time	Temp.	Name (Print)
	0300	80	V. Villanueva
	0600	80	J. Canfield
	0900	80	J. Canfield
	1200	81	J. Canfield
	1500	83	S. Perkins
	1800	84	S. Perkins
	2100	83	S. Perkins
	2400	86	J. Roberts

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	82	B. Garcia
	0600	82	J. Roberts
	0900	79	J. Canfield
	1200	80	J. Canfield
	1500	82	C. Alvarado
	1800	84	J. Johnson
	2100	83	C. Alvarado
	2400	80	A. Banuelos

Saturday

Date	Time	Temp.	Name (Print)
	0300	80	A. Banuelos
	0600	79	J. Canfield
	0900	78	J. Canfield
	1200	79	J. Canfield
	1500	80	S. Perkins
	1800	80	J. Johnson
	2100	79	S. Perkins
	2400	79	A. Banuelos

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	78	J. Johnson
	0600	78	A. Rocha
	0900	79	A. Rocha
	1200	79	A. Rocha
	1500	80	A. Rocha
	1800	81	A. Rocha
	2100	80	A. Rocha
	2400	79	A. Banuelos

Notes

DISTRIBUTION: Original: Institution Fleet Plan Coordinator

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDGR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 450 Temp. Reading Location: \_\_\_\_\_  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/19	0300	81	MARTINEZ
	0600	80	FLAGG
	0900	80	D. ROMERO
	1200	83	FLAGG
	1500	83	J. ROMERO
	1800	83	J. Rohrig
	2100	83	J. Rohrig
	2400	81	MARTINEZ

## Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	81	MARTINEZ
	0600	80	D. FLAGG
	0900	80	D. FLAGG
	1200	81	D. FLAGG
	1500	82	J. ROMERO
	1800	83	J. ROMERO
	2100	82	J. Rohrig
	2400	82	MARTINEZ

## Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	80	S. CAMBROS
	0600	80	D. FLAGG
	0900	80	D. FLAGG
	1200	81	D. FLAGG
	1500	82	J. ROMERO
	1800	83	J. ROMERO
	2100	82	J. ROMERO
	2400	81	S. CAMBROS

## Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	80	S. CAMBROS
	0600	80	D. FLAGG
	0900	80	D. FLAGG
	1200	81	D. FLAGG
	1500	82	T. VANG
	1800	82	S. CAMBROS
	2100	82	S. CAMBROS
	2400	80	S. CAMBROS

## Friday

Date	Time	Temp.	Name (Print)
8/23	0300	79	S. CAMBROS
	0600	78	R. SORNAZ
	0900	78	T. Denham
	1200	79	N. SORNAZ
	1500	80	T. VANG
	1800	80	T. VANG
	2100	79	T. VANG
	2400	78	MARTINEZ

## Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	77	MARTINEZ
	0600	78	J. ROMERO
	0900	78	T. Denham
	1200	78	T. Denham
	1600	79	J. ROMERO
	1800	79	J. ROMERO
	2100	79	S. CAMBROS
	2400	78	MARTINEZ

## Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	76	MARTINEZ
	0600	76	E. River
	0900	77	E. River
	1200	77	E. River
	1500	79	G. VALDERRAMA
	1800	79	E. River
	2100	78	J. Rohrig
	2400	77	J. Rohrig

## Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 510 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8-19-24	0300	76	M. FLORES
	0600	76°	D. Herrera
	0900	77°	D. Herrera
	1200	78°	D. Herrera
	1500	80°	D. Herrera
	1800	82°	D. Herrera
	2100	80	M. Flores
	2400	79	M. Flores

RF  
RD  
RF  
RF

**Tuesday**

Date	Time	Temp.	Name (Print)
8-20-24	0300	77	M. FLORES
	0600	76°	J. REYES
	0900	77°	J. REYES
	1200	79°	J. REYES
	1500	81°	C. CONTRERAS
	1800	82	J. DAVIS
	2100	80	J. DAVIS
	2400	80	J. DAVIS

RF  
RD  
RF  
RF

**Wednesday**

Date	Time	Temp.	Name (Print)
8-21-24	0300	78	J. DAVIS
	0600	76°	S. ARCEA
	0900	78°	S. ARCEA
	1200	80°	S. ARCEA
	1500	81°	C. CONTRERAS
	1800	82	J. DAVIS
	2100	81	J. DAVIS
	2400	80	J. DAVIS

RF  
RD  
RF  
RF

**Thursday**

Date	Time	Temp.	Name (Print)
8-22-24	0300	78	J. DAVIS
	0600	76°	S. ARCEA
	0900	78°	E. LARA
	1200	79°	E. LARA
	1500	80°	J. MANOZ
	1800	81°	D. GARCIA
	2100	79°	J. MANOZ
	2400	77°	J. DAVIS

RF  
RD  
RF  
RF

**Friday**

Date	Time	Temp.	Name (Print)
8-23-24	0300	76°	J. DAVIS
	0600	73°	S. ARCEA
	0900	74°	J. REYES
	1200	76°	J. REYES
	1500	77°	D. Herrera
	1800	77°	D. Herrera
	2100	76°	D. GARCIA
	2400	74°	R. BARAJAS

RF  
RD  
RF  
RF

**Saturday**

Date	Time	Temp.	Name (Print)
8-24-24	0300	74°	M. Arzola
	0600	73°	J. REYES
	0900	73°	S. ARCEA
	1200	75°	J. REYES
	1500	76°	D. GARCIA
	1800	77°	L. REITZEL
	2100	76°	L. REITZEL
	2400	76°	L. REITZEL

RF  
RD  
RF  
RF

**Sunday**

Date	Time	Temp.	Name (Print)
8-25-24	0300	74	R. BARAJAS
	0600	73°	S. ARCEA
	0900	74°	J. REYES
	1200	75°	D. Herrera
	1500	76°	D. GARCIA
	1800	77°	D. GARCIA
	2100	76°	D. GARCIA
	2400	74°	M. Flores

RF  
RD  
RF  
RF

**Notes**


STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 520 Temp. Reading Location: 1<sup>ST</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/19/2014	0300	78	JANIE
	0600	75	Guzman
	0900	77	J. Lee
	1200	76	Guzman
	1500	78	R. GONZALEZ
	1800	78	R. GONZALEZ
	2100	78	R. GONZALEZ
	2400	78	M. Salas

Tuesday

Date	Time	Temp.	Name (Print)
05/20/2014	0300	76	M. Salas
	0600	76	E. Flores
	0900	77	E. Flores
	1200	77	E. Flores
	1500	77	R. GONZALEZ
	1800	78	R. GONZALEZ
	2100	77	R. GONZALEZ
	2400	76	J. McCray

Wednesday

Date	Time	Temp.	Name (Print)
05/21/2014	0300	73	J. McCray
	0600	75	C. Lee
	0900	75	C. Lee
	1200	77	C. Lee
	1500	77	R. GONZALEZ
	1800	76	R. GONZALEZ
	2100	76	R. GONZALEZ
	2400	76	M. Salas

Thursday

Date	Time	Temp.	Name (Print)
05/22/2014	0300	74	M. Salas
	0600	74	J. McCray
	0900	75	C. CONTRERAS
	1200	75	C. CONTRERAS
	1500	76	R. GONZALEZ
	1800	77	R. GONZALEZ
	2100	76	R. GONZALEZ
	2400	75	M. Salas

Friday

Date	Time	Temp.	Name (Print)
05/23/2014	0300	73	M. Salas
	0600	72	O. Herrera
	0900	73	O. Herrera
	1200	73	O. Herrera
	1500	74	R. Ismael
	1800	74	R. GONZALEZ
	2100	77	R. Ismael
	2400	73	M. Salas

Saturday

Date	Time	Temp.	Name (Print)
05/24/2014	0300	72°	M. Salas
	0600	72°	O. Herrera
	0900	72°	O. Herrera
	1200	73	O. Larios
	1500	74	J. Lara
	1800	74	J. Lara
	2100	74	J. Lara
	2400	73	K. Li

Notes

Date	Time	Temp.	Name (Print)
05/25/2014	0300	72	K. Li
	0600	71	D. Larios
	0900	71	D. Larios
	1200	72	D. Larios
	1500	74	J. Lara
	1800	71	J. Lara
	2100	74	J. Lara
	2400	72	M. Salas

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 530

Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 10034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	81°	J. Esperanza
	0600	78	Olmos
	0900	78	Olmos
	1200	80	C. Jones
	1500	81	C. Jones
	1800	83	C. Jones
	2100	82	C. Jones
	2400	81	P. Avina

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	81°	P. Avina
	0600	79	Yan
	0900	78	Olmos
	1200	80.7	Yan
	1500	81	X. Lee
	1800	82	X. Lee
	2100	81	X. Lee
	2400	80	P. Avina

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	79°	P. Avina
	0600	78	D. Taylor
	0900	81	J. Yang
	1200	81°	D. Taylor
	1500	82°	E. Decrow
	1800	82°	E. Decrow
	2100	82°	F. Diaz
	2400	80°	P. Avina

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	79°	P. Avina
	0600	78	J. Yang
	0900	79°	J. Yang
	1200	79°	J. Yang
	1500	80°	J. Yang
	1800	81	J. Yang
	2100	80°	J. Yang
	2400	79°	P. Avina

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	78°	P. Avina
	0600	76	J. Yang
	0900	77	J. Yang
	1200	78	J. Yang
	1500	78	P. Diaz
	1800	79°	A. Mata
	2100	77	P. Diaz
	2400	76	J. Esperanza

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	75°	J. Esperanza
	0600	75	A. Robertson
	0900	75°	Olmos
	1200	74	Olmos
	1500	77	A. Diaz
	1800	77	A. Diaz
	2100	77	P. Diaz
	2400	76	J. Esperanza

Notes

Date	Time	Temp.	Name (Print)
8-25-24	0300	75	J. Esperanza
	0600	73	A. Robertson
	0900	74	Olmos
	1200	75	Olmos
	1500	73°	G. Diaz
	1800	77°	G. Diaz
	2100	77	Glor
	2400	75	J. Esperanza

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment G

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASO Housing Unit: 550 Temp. Reading Location: 2<sup>ND</sup> TIER

(e.g., 1<sup>ST</sup> tier, 2<sup>ND</sup> tier, 3<sup>RD</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-23	0300	83	K. XIONG
	0600	81	Gavilanes
	0900	82	Gavilanes
	1200	83	FLORES
	1500	84	GAVILANES
	1800	85	GAVILANES
	2100	84	K. XIONG
	2400	83	K. XIONG

Tuesday

Date	Time	Temp.	Name (Print)
8-20-23	0300	82	K. XIONG
	0600	81	Gavilanes
	0900	82	Gavilanes
	1200	82	Gavilanes
	1500	83	J. Alford
	1800	81	S. Avent
	2100	84	S. Avent
	2400	82	T. Taylor

Wednesday

Date	Time	Temp.	Name (Print)
8-21-23	0300	82	Taylor
	0600	81	Elenes
	0900	82	Elenes
	1200	83	Elenes
	1500	84	Taylor
	1800	84	Taylor
	2100	83	Taylor
	2400	84	T. DELL

Thursday

Date	Time	Temp.	Name (Print)
8-22-23	0300	83°	E. DRICO
	0600	81	Elenes
	0900	82	Elenes
	1200	83	Elenes
	1500	83	Taylor
	1800	83	Taylor
	2100	83	Taylor
	2400	82°	CARMONA

Friday

Date	Time	Temp.	Name (Print)
8-23-23	0300	80	CARMONA
	0600	80	Neri
	0900	79	C. ALVARADO
	1200	80	C. ALVARADO
	1500	80	C. Vargas
	1800	83	C. Vargas
	2100	82	C. Vargas
	2400	80	C. Vargas

Saturday

Date	Time	Temp.	Name (Print)
8-24-23	0300	79	C. Vargas
	0600	78°	C. ALVARADO
	0900	78°	C. ALVARADO
	1200	79°	C. ALVARADO
	1500	80°	C. Vargas
	1800	80°	C. Vargas
	2100	79	C. Vargas
	2400	78	K. XIONG

Notes

Date	Time	Temp.	Name (Print)
8-25-23	0300	78	K. XIONG
	0600	77	G. TM
	0900	77	G. TA
	1200	79	G. TA
	1500	80	C. Vargas
	1800	80	K. XIONG
	2100	79	K. XIONG
	2400	78	K. XIONG

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 610 Temp. Reading Location: 2<sup>nd</sup>  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/24	0300	82°	S. BRAVO
	0600	80°	V. VALDEZ
	0900	80°	V. VALDEZ
	1200	80°	V. VALDEZ
	1500	81°	MATA JR
	1800	81°	MATA JR
	2100	81°	MATA JR
	2400	85	D. VANG

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/24	0300	84	D. VANG
	0600	80	V. VALDEZ
	0900	80	V. VALDEZ
	1200	80	V. VALDEZ
	1500	80	V. VALDEZ
	1800	81	R. Brown
	2100	81	R. Brown
	2400	81°	A. AYALA

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/24	0300	81	A. AYALA
	0600	80	R. Perez
	0900	80	R. Perez
	1200	80	R. Perez
	1500	81	R. Perez
	1800	81	R. Perez
	2100	81	R. Perez
	2400	81	D. MARIO

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/24	0300	80	D. MARIO
	0600	80	R. Perez
	0900	80	R. Perez
	1200	80	R. Perez
	1500	80	R. BARAJAS
	1800	81°	R. Perez
	2100	81°	R. Perez
	2400	80°	C. CONTRERAS

**Friday**

Date	Time	Temp.	Name (Print)
8/23/24	0300	81°	C. CONTRERAS
	0600	79	R. Perez
	0900	78	R. Perez
	1200	78	R. Perez
	1500	78	R. BARAJAS
	1800	78	R. BARAJAS
	2100	78	R. BARAJAS
	2400	78°	A. AYALA

**Saturday**

Date	Time	Temp.	Name (Print)
8/24/24	0300	77°	A. AYALA
	0600	77	L. HUARAR
	0900	77	L. HUARAR
	1200	77	L. HUARAR
	1500	77	R. BARAJAS
	1800	77	R. BARAJAS
	2100	77	R. BARAJAS
	2400	77°	Panduro

**Notes**

Date	Time	Temp.	Name (Print)
8/25/24	0300	77°	Panduro
	0600	80°	R. Perez
	0900	80	R. Perez
	1200	80	R. Perez
	1500	76°	E. SARDIN
	1800	77	E. SARDIN
	2100	77	E. SARDIN
	2400	77°	Panduro

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**Attachment E**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 630 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/19	0300	80	A. Mendoza
	0600	79.2	L. Delacorda
	0900	79	T. Reijo
	1200	80.5	L. Delacorda
	1500	81.9	D. Brechenridge
	1800	82.6	D. Brechenridge
	2100	82.2	D. Brechenridge
	2400	81.4	R. Montijo

  

Tuesday			
Date	Time	Temp.	Name (Print)
8/20	0300	80.8	R. Montijo
	0600	78.8	L. Delacorda
	0900	79.5	T. Reijo
	1200	80.6	D. Brechenridge
	1500	81.8	D. Brechenridge
	1800	81.9	D. Brechenridge
	2100	81.7	D. Brechenridge
	2400	80.4	R. Montijo

  

Wednesday			
Date	Time	Temp.	Name (Print)
8/21	0300	79.1	R. Montijo
	0600	78.	M. Monesos
	0900	79.	M. Monesos
	1200	80.	M. Monesos
	1500	81.5	D. Brechenridge
	1800	82.1	C. Martinez
	2100	82.0	D. Brechenridge
	2400	80.	A. Jimenez

  

Thursday			
Date	Time	Temp.	Name (Print)
8/22	0300	79°	A. Jimenez
	0600	78°	M. Monesos
	0900	78°	M. Monesos
	1200	79.4	M. Monesos
	1500	81.1	D. Brechenridge
	1800	81.0	D. Brechenridge
	2100	80.5	D. Brechenridge
	2400	79°	A. Jimenez

  

Friday			
Date	Time	Temp.	Name (Print)
8/23	0300	79°	A. Jimenez
	0600	78°	M. Monesos
	0900	76°	T. Vang
	1200	77°	T. Vang
	1500	78°	M. Campos
	1800	78°	M. Campos
	2100	77.4	M. Campos
	2400	76°	A. Moya

  

Saturday			
Date	Time	Temp.	Name (Print)
8/24	0300	75°	A. Moya
	0600	75°	A. Moya
	0900	75°	R. Willis
	1200	76°	R. Willis
	1500	77°	A. Moya
	1800	77°	A. Moya
	2100	77°	A. Moya
	2400	76°	A. Moya

  

Sunday			
Date	Time	Temp.	Name (Print)
8/25	0300	74°	F. Geyer
	0600	73°	A. Moya
	0900	74°	L. Delacorda
	1200	76°	L. Delacorda
	1500	77°	O. Martinez
	1800	77°	O. Martinez
	2100	76°	O. Martinez
	2400	76°	A. Moya

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 650 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/19/2024	0300	78.	T. Hernandez
	0600	79	G. Soriano
	0900	77	G. Soriano
	1200	79	G. Soriano
	1500	80	Z. Oroscio
	1800	81	Z. Oroscio
	2100	80	Z. Oroscio
	2400	79	J. Manoz

Tuesday

Date	Time	Temp.	Name (Print)
08/20/2024	0300	78	J. Manoz
	0600	77	G. Soriano
	0900	77	G. Soriano
	1200	78	G. Soriano
	1500	80.7	M. CASTRO
	1800	80.	M. CASTRO
	2100	80	F. Avila
	2400	79.	V. MORALES

Wednesday

Date	Time	Temp.	Name (Print)
08/21/2024	0300	78	J. Manoz
	0600	76	L. Bustamante
	0900	77	L. Bustamante
	1200	79	L. Bustamante
	1500	80.	M. CASTRO
	1800	81.	F. Avila
	2100	80	M. CASTRO
	2400	79.	V. MORALES

Thursday

Date	Time	Temp.	Name (Print)
08/22/2024	0300	78	F. Avila
	0600	76	L. Bustamante
	0900	77	L. Bustamante
	1200	78	L. Bustamante
	1500	80	F. Avila
	1800	80	N. Diaz
	2100	79	N. Diaz
	2400	76	R. Barajas

Friday

Date	Time	Temp.	Name (Print)
08/23/2024	0300	76	V. MORALES
	0600	75	L. Bustamante
	0900	75	L. Bustamante
	1200	76	L. Bustamante
	1500	77	L. Lang
	1800	77	L. Lang
	2100	75	L. Lang
	2400	74	J. Martinez

Saturday

Date	Time	Temp.	Name (Print)
08/24/2024	0300	74	T. Hernandez
	0600	74	L. Bustamante
	0900	73.4	L. Bustamante
	1200	74.8	L. Bustamante
	1500	76	T. Hernandez
	1800	74	E. Jarquin
	2100	75	T. Hernandez
	2400	74	E. Jarquin

Sunday

Date	Time	Temp.	Name (Print)
08/25/2024	0300	72	E. Jarquin
	0600	72	V. MORALES
	0900	74	G. Soriano
	1200	75	G. Soriano
	1500	76	J. Pinon
	1800	76	J. Pinon
	2100	75	V. MORALES
	2400	74.	V. MORALES

Notes

CK

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: Officer 3010 Temp. Reading Location: Officers area  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	68	J. Gibson
	0600	67	E. Colmenares
	0900	68	E. Colmenares
	1200	68	E. Colmenares
	1500	69	J. Gibson
	1800	69	J. Gibson
	2100	69	J. Gibson
	2400	69	J. Gibson

Tuesday

Dat	Time	Temp.	Name (Print)
8/10	0300	70	D Andrade
	0600	70	D Andrade
	0900	70	J. MURILLO
	1200	76	J. MURILLO
	1500	70	D. Andrade
	1800	71	D. Andrade
	2100	71	D. Andrade
	2400	72	D Andrade

Wednesday

Date	Time	Temp.	Name (Print)
8/16	0300	72	J. Andrade
	0600	71	J. Andrade
	0900	70	J. Alvarez Jr.
	1200	72°	J. Alvarez Jr.
	1500	72°	O. MORA
	1800	73°	O. MORA
	2100	73°	O. MORA
	2400	72°	G. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	72°	G Gonzalez
	0600	71°	G Gonzalez
	0900	70°	J. Alvarez Jr
	1200	72°	J. Alvarez Jr
	1500	73°	T. Xiong
	1800	73°	T. Xiong
	2100	73°	T. Xiong
	2400	72°	Rodriguez R

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	71°	Rodriguez, R
	0600	71	M. Martin
	0900	70	L. Martin
	1200	72°	J. Baca
	1500	72	J. Baca
	1800	73	J. Baca
	2100	71	J. Baca
	2400	72	J. Baca

## Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	72	D. Anderson
	0600	72	D. Anderson
	0900	72	D. Western
	1200	72	D. Western
	1500	73	J. Gibson
	1800	73	J. Gibson
	2100	73	J. Gibson
	2400	71°	Martinez E.

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	70	Martinez E.
	0600	70	Martinez E.
	0900	70	E. Colmenares
	1200	77	E. Colmenares
	1500	77	J. Gibson
	1800	73	J. Gibson
	2100	73	J. Gibson
	2400	77	J. Gibson

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 110 Temp. Reading Location: 1st Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/26/24	0300	73.6	E. Reyes
	0600	73	D. Gonzalez
	0900	74	D. Gonzalez
	1200	75.0	B. JANAR
	1500	76	M. Gonzalez
	1800	77	M. Gonzalez
	2100	77	M. Gonzalez
	2400	76.6	MCCOTT ROLL

FF  
UP

**Wednesday**

Date	Time	Temp.	Name (Print)
08/28/24	0300	76.5	MCCOTT ROLL
	0600	75	S. Gonzalez
	0900	76	D. Gonzalez
	1200	78	CANTWELL
	1500	78	M. Gonzalez
	1800	80	CANTWELL
	2100	80	CANTWELL
	2400	78.4	MCCOTT ROLL

4P  
Rae  
X

**Friday**

Date	Time	Temp.	Name (Print)
08/30/24	0300	78.4	MCCOTT ROLL
	0600	77.4	Gonzalez
	0900	77	Gonzalez
	1200	79	GONZALEZ
	1500	80	Solano
	1800	81	Solano
	2100	81	Solano
	2400	80	L. Yang

X  
PB

**Sunday**

Date	Time	Temp.	Name (Print)
09/1/24	0300	80	L. Yang
	0600	79	D. Gonzalez
	0900	80	D. Gonzalez
	1200	81	D. Gonzalez
	1500	82	M. Gonzalez
	1800	83	M. Gonzalez
	2100	82	M. Gonzalez
	2400	81	L. Yang

✓  
Rae  
X

**Tuesday**

Date	Time	Temp.	Name (Print)
08/27/24	0300	75.7	C. MCCOTT
	0600	74.5	B. JANAR
	0900	75.6	B. JANAR
	1200	77.0	B. JANAR
	1500	78	M. Gonzalez
	1800	79	M. Gonzalez
	2100	78	M. Gonzalez
	2400	78	M. Quintero

EX  
US

**Thursday**

Date	Time	Temp.	Name (Print)
08/29/24	0300	77.5	MCCOTT ROLL
	0600	76	Gonzalez
	0900	77	Gonzalez
	1200	79	A. Gaudio
	1500	80	A. Gaudio
	1800	80	A. Solano
	2100	80	A. Gaudio
	2400	79.5	MCCOTT ROLL

AP  
US

**Saturday**

Date	Time	Temp.	Name (Print)
08/31/24	0300	79	L. Yang
	0600	78	D. Gonzalez
	0900	80	D. Gonzalez
	1200	80	D. Gonzalez
	1500	81°	Gonzalez
	1800	82°	Gonzalez
	2100	81	S. JAMES
	2400	81	L. Yang

AP  
US  
25

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 120

Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6938 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	77	K. Anderson
	0600	77	S. STATTER
	0900	77	S. STATTER
	1200	79	S. STATTER
	1500	81	S. STATTER
	1800	83	S. STATTER
	2100	83	S. STATTER
	2400	80	K. Anderson

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	80	K. Anderson
	0600	80	J. GOMER
	0900	81	S. STATTER
	1200	82	S. STATTER
	1500	83°	A. HUIZAR
	1800	84°	A. HUIZAR
	2100	84°	A. HUIZAR
	2400	80°	E. DELON

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	80°	B. SALINAS
	0600	82	FLORES
	0900	83	FLORES
	1200	84	FLORES
	1500	84°	A. HUIZAR
	1800	82°	A. HUIZAR
	2100	82°	A. HUIZAR
	2400	82	K. Anderson

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	82	K. Anderson
	0600	82	Gonzales
	0900	84°	Gonzales
	1200	85°	Gonzales
	1500	87°	J. DUVALL
	1800	87°	J. DUVALL
	2100	86°	J. DUVALL
	2400	84	K. Anderson

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	79	K. Anderson
	0600	79°	S. STATTER
	0900	80°	S. STATTER
	1200	81	J. GOMER
	1500	82°	S. STATTER
	1800	83°	S. STATTER
	2100	83°	S. STATTER
	2400	80	K. Anderson

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	78°	E. DELON
	0600	80	FLORES
	0900	82	FLORES
	1200	83	FLORES
	1500	83°	A. HUIZAR
	1800	85°	A. HUIZAR
	2100	86°	A. HUIZAR
	2400	80	J. SALINAS

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	80	K. Anderson
	0600	82°	Gonzales
	0900	83°	Gonzales
	1200	85°	Gonzales
	1500	86	M. XIONG
	1800	85	M. XIONG
	2100	85	M. XIONG
	2400	82	K. Anderson

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 130 Temp. Reading Location: TIER 1  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	68	A. Barraga
8/26/24	0600	67	M. Gonzalez
8/26/24	0900	68°	S. Palmer
8/26/24	1200	70°	S. Palmer
8/26/24	1500	72°	S. Palmer
8/26/24	1800	74°	S. Palmer
8/26/24	2100	74°	S. Palmer
8/26/24	2400	73	A. Barraga

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	68°	A. Barraga
8/27/24	0600	69°	X. Lee
8/27/24	0900	71°	R. Garcia
8/27/24	1200	72°	R. Garcia
8/27/24	1500	72°	Colin
8/27/24	1800	74°	Colin
8/27/24	2100	74°	Colin
8/27/24	2400	73	A. Barraga

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	71	A. Barraga
8/28/24	0600	69°	R. Garcia
8/28/24	0900	73	Colin
8/28/24	1200	74	Colin
8/28/24	1500	74	Colin
8/28/24	1800	74	Colin
8/28/24	2100	75	Colin
8/28/24	2400	74	A. Barraga

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	72	A. Barraga
8/29/24	0600	70°	R. Garcia
8/29/24	0900	71°	J. Ballen
8/29/24	1200	74°	J. Ballen
8/29/24	1500	74°	O. Mendoza
8/29/24	1800	75	Colin
8/29/24	2100	75	Colin
8/29/24	2400	74	A. Cruz

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	72	A. Cruz
8/30/24	0600	70	R. Garcia
8/30/24	0900	72°	J. Ballen
8/30/24	1200	74°	J. Ballen
8/30/24	1500	75	D. Valenzuela
8/30/24	1800	77	D. Valenzuela
8/30/24	2100	76	D. Valenzuela
8/30/24	2400	75	A. Cruz

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	75°	A. Cruz
8/31/24	0600	71°	J. Ballen
8/31/24	0900	72°	J. Ballen
8/31/24	1200	75°	J. Ballen
8/31/24	1500	75°	R. Garcia
8/31/24	1800	76°	R. Garcia
8/31/24	2100	75°	R. Garcia
8/31/24	2400	74	A. Cruz

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	73	A. Cruz
9/1/24	0600	72°	J. Ballen
9/1/24	0900	74°	J. Ballen
9/1/24	1200	77°	J. Ballen
9/1/24	1500	78	Hernandez
9/1/24	1800	78	Hernandez
9/1/24	2100	78	Hernandez
9/1/24	2400	74	A. Cruz

Notes

1620 00  
NDF

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SP Housing Unit: 140

Temp. Reading Location: 2ND TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6024 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	78	A. AMARO
	0600	79	A. AMARO
	0900	78	A. AMARO
	1200	78	A. AMARO
	1500	78	A. AMARO
	1800	78	A. AMARO
	2100	78	A. AMARO
	2400	78	A. AMARO

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	77	A. AMARO
	0600	78	A. AMARO
	0900	77	A. AMARO
	1200	76	A. AMARO
	1500	78	A. AMARO
	1800	77	A. AMARO
	2100	76	A. AMARO
	2400	76	C. ALVAREZ

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	74	C. PHILLIPS
	0600	73	NOP
	0900	74	NOP
	1200	77	NOP
	1500	80	VIRVEL
	1800	78	VIRVEL
	2100	78	VIRVEL
	2400	75	A. CARR

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	74	A. GOM
	0600	74	NOP
	0900	75	NOP
	1200	78	NOP
	1500	80	S. DIAZ
	1800	79	S. DIAZ
	2100	79	S. DIAZ
	2400	78	J. S. JONES

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	78	J. BAGG
	0600	73	C. VARGAS
	0900	75	C. VARGAS
	1200	78	C. VARGAS
	1500	80	R. TORRES
	1800	80	R. TORRES
	2100	80	R. TORRES
	2400	80	F. MONTAÑA

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	80	I. MONTAÑA
	0600	79	S. LIMERO
	0900	80	S. LIMERO
	1200	80	S. ROMERO
	1500	80	R. TORRES
	1800	80	R. TORRES
	2100	80	R. TORRES
	2400	79	C. PHILLIPS

Notes

Date	Time	Temp.	Name (Print)
9-1-24	0300	78	C. PHILLIPS
	0600	75	A. AMARO
	0900	78	A. AMARO
	1200	78	A. AMARO
	1500	80	A. CERVANTES
	1800	80	A. CERVANTES
	2100	79	A. CERVANTES
	2400	79	A. AMARO

A. BURK

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASY Housing Unit: 210 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	70	Cook
	0600	69	DeLaTorre
	0900	72	DeLaTorre
	1200	74	DeLaTorre
	1500	76	J.Torres
	1800	77	A. Bonilla
	2100	75	J.Torres
	2400	74	Cook

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	72	Cook
	0600	71	DeLaTorre
	0900	75	E.VARGAS
	1200	77	DeLaTorre
	1500	77	J.Torres
	1800	78	J.Torres
	2100	78	J.Torres
	2400	76	J.Amenader

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	74	T.Hernandez
	0600	74	J.Vargas
	0900	74	J.Vargas
	1200	77	J.Vargas
	1500	79	A. Bonilla
	1800	78°	K. VARGAS
	2100	78°	K. VARGAS
	2400	77	T.Hernandez

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	75	T.Hernandez
	0600	74	Munoz
	0900	78°	Q.McClellan
	1200	78°	Q.McClellan
	1500	79°	Z.C. K.Vargas
	1800	80°	K. VARGAS
	2100	79	A. Bonilla
	2400	77	Munoz

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	76	Munoz
	0600	74°	R.McClellan
	0900	76°	R.McClellan
	1200	78°	R.McClellan
	1500	78	Munoz
	1800	80	
	2100	78	
	2400	78	E.Ruiz

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	76	E.Ruiz
	0600	76	Q.McClellan
	0900	76°	Q.McClellan
	1200	79°	Q.McClellan
	1500	81°	K. VARGAS
	1800	81°	K. VARGAS
	2100	80°	K. VARGAS
	2400	79	COOK

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	78	Cook
	0600	77	D.Torres
	0900	79	D.Torres
	1200	80	D.Torres
	1500	82	C. Valdez
	1800	83	C. Valdez
	2100	82	C. Valdez
	2400	80	Cook

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 230 Temp. Reading Location: 2ND Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
08/26/24	0300	73	J. GOMEZ	08/27/24	0300	76°	T. Lee
	0600	72	J. CARLTON		0600	75	J. CARLTON
	0900	74	J. CARLTON		0900	76	J. CARLTON
	1200	76	J. CARLTON		1200	78	J. CARLTON
	1500	77	J. GOMEZ		1500	79	J. GOMEZ
	1800	78	J. GOMEZ		1800	80	J. GOMEZ
	2100	78	J. GOMEZ		2100	80	J. GOMEZ
	2400	77	T. Lee		2400	79	J. GOMEZ
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
08/28/24	0300	77°	S. ARENIVAS	08/29/24	0300	79	J. GOMEZ
	0600	76°	J. CERVANTES		0600	78	J. CERVANTES
	0900	77°	J. CARLTON		0900	78	J. CARLTON
	1200	80°	J. CERVANTES		1200	80	J. CARLTON
	1500	81°	D. VERDULCO		1500	80	D. VERDULCO
	1800	82°	D. VERDULCO		1800	81	D. VERDULCO
	2100	81°	D. VERDULCO		2100	80	D. VERDULCO
	2400	80	J. GOMEZ		2400	79	SANCHEZ
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
08/30/24	0300	78°	S. ARENIVAS	08/31/24	0300	79°	S. ARENIVAS
	0600	77°	S. DEETER		0600	77°	S. DEETER
	0900	77°	S. DEETER		0900	77°	S. DEETER
	1200	78°	S. DEETER		1200	78°	L. YANG
	1500	80°	J. MARTINEZ		1500	80°	L. YANG
	1800	81°	J. MARTINEZ		1800	81°	L. YANG
	2100	80°	J. MARTINEZ		2100	80°	L. YANG
	2400	79°	S. ARENIVAS		2400	79°	S. VALE
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
09/01/24	0300	78°	S. VALE				
	0600	77°	ARREGUIN				
	0900	78°	J. QUINTANILLA				
	1200	79°	J. QUINTANILLA				
	1500	80°	J. QUINTANILLA				
	1800	81°	J. QUINTANILLA				
	2100	81°	J. QUINTANILLA				
	2400	80	J. GOMEZ				

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 250 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>8/26/24</u>	0300	72	Z. Orosco
	0600	72	Ruvalcaba
	0900	72	J. Torres
	1200	72	Ruvalcaba
	1500	74	M. Wright
	1800	74	Ruvalcaba
	2100	75	Ruvalcaba
	2400	74	R. Tamayo

Tuesday			
Date	Time	Temp.	Name (Print)
<u>8/27/24</u>	0300	72	Zachary Orosco
	0600	73	R. BORCHARD
	0900	73	R. BORCHARD
	1200	74	R. BORCHARD
	1500	75	YANG
	1800	76	YANG
	2100	76	YANG
	2400	75	Z. Orosco

Wednesday			
Date	Time	Temp.	Name (Print)
<u>8/28/24</u>	0300	72	Z. Orosco
	0600	74	R. BORCHARD
	0900	74	R. BORCHARD
	1200	76	A. ALONZO
	1500	77	A. ALONZO
	1800	77	A. ALONZO
	2100	77	A. ALONZO
	2400	76°	R. Tamayo

Thursday			
Date	Time	Temp.	Name (Print)
<u>8/29/24</u>	0300	75°	R. Tamayo
	0600	75	A. ALONZO
	0900	75	A. ALONZO
	1200	76	A. ALONZO
	1500	77	J. ESTRELLA
	1800	79	A. ALONZO
	2100	78	A. ALONZO
	2400	76°	R. Tamayo

Friday			
Date	Time	Temp.	Name (Print)
<u>8/30/24</u>	0300	76	R. Tamayo
	0600	75	R. BORCHARD
	0900	75	Higuera
	1200	77	R. BORCHARD
	1500	78	R. CHAVEZ
	1800	79	R. CHAVEZ
	2100	79	A. MORA
	2400	77	THAO, P.

Saturday			
Date	Time	Temp.	Name (Print)
<u>8/31/24</u>	0300	76°	THAO, P.
	0600	76	Ruvalcaba
	0900	75	Ruvalcaba
	1200	76	Ruvalcaba
	1500	79	R. WILLIS
	1800	80	R. WILLIS
	2100	79	R. WILLIS
	2400	78	Z. Orosco

Sunday			
Date	Time	Temp.	Name (Print)
<u>9/1/24</u>	0300	77	Z. Orosco
	0600	76	Ruvalcaba
	0900	76	Ruvalcaba
	1200	78	Ruvalcaba
	1500	80	Ruvalcaba
	1800	81	Ruvalcaba
	2100	81	Ruvalcaba
	2400	79°	R. Tamayo

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASB Housing Unit: 310 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/20	0300	77	M. TobiasVera
	0600	77	R. Gauvin
	0900	77	C. Gonzales
	1200	78	R. Gauvin
	1500	79	J. Luwiano
	1800	80°	B. Bass
	2100	80°	B. Bass
	2400	79°	P. Roviero

0015 DATES  
0015 DATES

Tuesday

Date	Time	Temp.	Name (Print)
8/21	0300	79	J. Luwiano
	0600	78	M. Escarcega
	0900	78	P. Acevedo
	1200	79	M. Escarcega
	1500	81	J. Luwiano
	1800	81	J. Luwiano
	2100	81	G. Moon
	2400	81	J. Luwiano

0015 DATES  
0015 DATES

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	80	J. Luwiano
	0600	79	R. Montezano
	0900	79	R. Montezano
	1200	81	R. Montezano
	1500	82	J. Zuniga
	1800	82	J. Zuniga
	2100	82	G. Moon
	2400	81	G. Moon

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	81	G. Moon
	0600	80	R. Montezano
	0900	80	R. Montezano
	1200	81	G. Moon
	1500	84	M. TobiasVera
	1800	83	M. TobiasVera
	2100	83	M. TobiasVera
	2400	82	M. TobiasVera

0015 DATES

Friday

Date	Time	Temp.	Name (Print)
8/29	0300	82	M. TobiasVera
	0600	81	L. Leval
	0900	81	M. Stilson
	1200	82	M. Stilson
	1500	83	G. Moon
	1800	83	G. Moon
	2100	84	G. Moon
	2400	83	J. Luwiano

0015 DATES

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	83	J. Zuniga
	0600	82	L. Leval
	0900	83	L. Leval
	1200	83	L. Leval
	1500	84	B. Friedman
	1800	85	J. Zuniga
	2100	85	J. Friedman
	2400	84	M. TobiasVera

0015 DATES  
0015 DATES

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 330 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	78°	H. FERRER
	0600	74	A. Herrera
	0900	75	R. HIGGS
	1200	77	A. Herrera
	1500	79	R. Prado
	1800	80	R. Prado
	2100	79	R. Prado
	2400	79	J. GONZALEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	77°	H. FERRER
	0600	75	R. PRADO
	0900	79	R. HIGGS
	1200	80	R. HIGGS
	1500	81°	L. Cardaza
	1800	81°	L. Cardaza
	2100	81°	L. Cardaza
	2400	80	D. OPUZO

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	79	D. IMPERIAL
	0600	79	R. PIRES
	0900	80	R. HIGGS
	1200	81	R. HIGGS
	1500	83°	C. GARCIA
	1800	83°	C. GARCIA
	2100	83°	C. GARCIA
	2400	81	D. IMPERIAL

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	80	D. IMPERIAL
	0600	78	R. HIGGS
	0900	80	R. HIGGS
	1200	81	A. FLORES
	1500	83	E. RUIZ
	1800	83	E. RUIZ
	2100	83	E. RUIZ
	2400	83	D. OPUZO

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	83°	H. FERRER
	0600	79°	B. Bass
	0900	80	R. HIGGS
	1200	81	B. Bass
	1500	83	E. RUIZ
	1800	87	T. VANG
	2100	83	T. VANG
	2400	80	S. PERIN

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	80	S. PERIN
	0600	79°	T. VANG
	0900	80	T. VANG
	1200	83°	T. VANG
	1500	83°	A. MOUA
	1800	84°	A. MOUA
	2100	84°	A. MOUA
	2400	82°	H. FERRER

**Notes**

0005  
DANOS

1140pm  
Report

7/14  
Report

Date	Time	Temp.	Name (Print)
9/1	0300	83°	H. FERRER
	0600	81	A. Herrera
	0900	91	A. Herrera
	1200	83	A. Herrera
	1500	81	J. Vang
	1800	83	X. Lee
	2100	80	X. Lee
	2400	80	B. Bass

DANOS  
DANOS

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 350 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
AUG 26 2024	0300	74	A. Guzman
	0600	73	S. Flores
	0900	74	S. Flores
	1200	76	S. Flores
	1500	78	M. Vasquez
	1800	78	M. Vasquez
	2100	77	C. Yang
	2400	77	A. Guzman

**Tuesday**

Date	Time	Temp.	Name (Print)
AUG 27 2024	0300	75	A. Guzman
	0600	75	S. Flores
	0900	75	S. Flores
	1200	77	S. Flores
	1500	79	J. Tovar
	1800	80	J. Tovar
	2100	79	M. Lee
	2400	78	A. Guzman

**Wednesday**

Date	Time	Temp.	Name (Print)
AUG 28 2024	0300	77	A. Guzman
	0600	76	S. Flores
	0900	76	S. Flores
	1200	79	S. Flores
	1500	80	M. Lee
	1800	81	M. Lee
	2100	80	J. Tovar
	2400	79	A. Guzman

**Thursday**

Date	Time	Temp.	Name (Print)
AUG 29 2024	0300	77	A. Guzman
	0600	77	A. Herrera
	0900	77	A. Herrera
	1200	79	M. Limon
	1500	81	C. Goforth
	1800	81	M. Lee
	2100	80	C. Goforth
	2400	80	C. Goforth

**Friday**

Date	Time	Temp.	Name (Print)
AUG 30 2024	0300	78	A. Guzman
	0600	77	A. Herrera
	0900	78	A. Herrera
	1200	80	A. Herrera
	1500	81	N. Correa
	1800	82	N. Correa
	2100	82	N. Correa
	2400	80	N. Correa

**Saturday**

Date	Time	Temp.	Name (Print)
AUG 31 2024	0300	79	N. Correa
	0600	78	S. Flores
	0900	79	S. Flores
	1200	80	S. Flores
	1500	82	J. Tovar
	1800	83°	C. Goforth
	2100	82	J. Tovar
	2400	81	L. Keeling

**Notes**

Date	Time	Temp.	Name (Print)
SEP 1 2024	0300	80	L. Keeling
	0600	79	S. Flores
	0900	79	S. Flores
	1200	81	M. Escobar
	1500	83	J. Zambrano
	1800	84	N. Correa
	2100	83	S. Flores
	2400	82	N. Correa

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 410 Temp. Reading Location: 3rd 7th Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 60034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	79	J. PINON
	0600	78	S. WELSH
	0900	78	S. WELSH
	1200	80	S. WELSH
	1500	81	D. INIRIAN
	1800	83	A. BANUELOS
	2100	87	D. INIRIAN
	2400	87	A. PAPILLA

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	81	A. PAPILLA
	0600	81	B. RESA
	0900	81	B. RESA
	1200	83	B. RESA
	1500	84	D. INIRIAN
	1800	85	D. INIRIAN
	2100	85°	B. GALVEZ
	2400	83	N. DUNLAP

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	83	J. PINON
	0600	82	T. VANG
	0900	82	T. VANG
	1200	84	T. VANG
	1500	85	H. LAM
	1800	86	H. LAM
	2100	86	H. LAM
	2400	85	A. PAPILLA

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	84	J. PINON
	0600	84	L. SORIANO
	0900	85	L. SORIANO
	1200	86	L. SORIANO
	1500	87	GONZALEZ
	1800	88	GONZALEZ
	2100	87	GONZALEZ
	2400	86	A. CUE

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	80	A. PAPILLA
	0600	80	S. WELSH
	0900	81	S. WELSH
	1200	82	S. WELSH
	1500	83	D. INIRIAN
	1800	84	D. INIRIAN
	2100	83	D. INIRIAN
	2400	82	A. PAPILLA

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	81	N. DUNLAP
	0600	82	B. RESA
	0900	82	B. RESA
	1200	84	B. RESA
	1500	85	H. LAM
	1800	86	B. GALVEZ
	2100	85	B. GALVEZ
	2400	84	N. DUNLAP

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	84	N. DUNLAP
	0600	83	K. MARCHIANDO
	0900	89	K. MARCHIANDO
	1200	85	R. SONNAT
	1500	86	H. LAM
	1800	87	GONZALEZ
	2100	86	H. LAM
	2400	85	H. LAM

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 430 Temp. Reading Location: 2<sup>nd</sup>  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-26-24

Date	Time	Temp.	Name (Print)
8-26-24	0300	78	A. BANUELOS
	0600	78	J. Flores
	0900	79	J. Flores
	1200	80	J. Flores
	1500	81	A. Rocha
	1800	82	A. Rocha
	2100	82	A. Rocha
	2400	80	V. VILLANUEVA

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	80°	J. Hernandez
	0600	80°	C. Leon
	0900	79°	C. Leon
	1200	82°	C. Leon
	1500	82°	M. Alvarez
	1800	82°	M. Alvarez
	2100	82°	M. Alvarez
	2400	80	V. Villanueva

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	80	V. Villanueva
	0600	79	J. Canizales
	0900	80	J. Canizales
	1200	82	M. Escalera
	1500	82	S. Cao
	1800	81	S. Cao
	2100	86	S. Cao
	2400	84	S. Cao

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	80	V. Villanueva
	0600	79	J. Canizales
	0900	80	J. Canizales
	1200	82	M. Escalera
	1500	82	S. Cao
	1800	86	S. Cao
	2100	88	S. Cao
	2400	86	V. Villanueva

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	80	V. Villanueva
	0600	80	J. Canizales
	0900	80	J. Canizales
	1200	84	J. Canizales
	1500	85	A. Monroy
	1800	85	S. Peña
	2100	89	A. Monroy
	2400	82	V. Villanueva

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	80	V. Villanueva
	0600	81	J. Canizales
	0900	81	M. Escalera
	1200	82	J. Canizales
	1500	86	S. Peña
	1800	88	J. Johnson
	2100	85	S. Peña
	2400	84	J. Johnson

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	81	J. Roberts
	0600	81	J. Canizales
	0900	81	J. Canizales
	1200	84	J. Canizales
	1500	85	A. Rocha
	1800	86	A. Rocha
	2100	85	A. Rocha
	2400	89	A. Baneulos

Notes

0705  
C. Leon  
J. D.  
1950

DISTRIBUTION: Original: Institution Fleet Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 450 Temp. Reading Location: 1st TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	74	MARZINES
	0600	74	D. FLAGG
	0900	76	D. FLAGG
	1200	79	D. FLAGG
	1500	80	J. ROMERO
	1800	80	J. ROMERO
	2100	80	J. ROMERO
	2400	78	F. MANTINE

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	78	F. MANTINE
	0600	74	D. FLAGG
	0900	74	D. FLAGG
	1200	80	D. FLAGG
	1500	82	D. Tepece
	1800	85	D. Tepece
	2100	81	D. Tepece
	2400	80	S. CAMBEPES

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	79	S. CAMBEPES
	0600	78	D. FLAGG
	0900	79	D. FLAGG
	1200	81	D. FLAGG
	1500	83	J. Rohrig
	1800	82	J. Rohrig
	2100	82	J. Rohrig
	2400	81	L. CANO

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	80	L. CANO
	0600	79	D. FLAGG
	0900	80	D. FLAGG
	1200	82	D. FLAGG
	1500	83	T. VANG
	1800	84	T. VANG
	2100	82	T. VANG
	2400	82	S. CAMBEPES

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	80	S. CAMBEPES
	0600	80	T. Denham
	0900	81°	O. Conventos
	1200	82°	O. Conventos
	1500	83°	T. VANG
	1800	82	T. VANG
	2100	83°	T. VANG
	2400	82	CANO

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	81	CANO
	0600	81	T. Denham
	0900	81	T. Denham
	1200	82	T. Denham
	1500	84	A. PUCHA
	1800	85	A. PUCHA
	2100	84	S. ROMERO
	2400	82	CANO

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	80	CANO
	0600	80	J. Lee
	0900	81	J. Lee
	1200	83	J. Lee
	1500	85	J. Rohrig
	1800	86	J. Rohrig
	2100	86	J. Rohrig
	2400	81	J. Rohrig

010  
Lil' Sartanek Notes

W  
DAVIS  
2015

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 510 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>8/26/04</u>	0300	73	M. FLORES
	0600	72°	J. REYES
	0900	73°	J. REYES
	1200	74°	C. CONTRERAS
	1500	77	M. FLORES
	1800	78	C. CONTRERAS
	2100	77	CONTRERAS
	2400	76	H. Leya

Tuesday			
Date	Time	Temp.	Name (Print)
<u>8/27/04</u>	0300	75	M. FLORES
	0600	79°	A. ARELLAN
	0900	75°	J. REYES
	1200	77°	J. REYES
	1500	79°	J. DAVIS
	1800	80°	J. DAVIS
	2100	79°	J. DAVIS
	2400	77°	J. DAVIS

Wednesday			
Date	Time	Temp.	Name (Print)
<u>8/28/04</u>	0300	76	J. DAVIS
	0600	76	G. ARELLAN
	0900	77	E. LARA
	1200	79	E. LARA
	1500	81	C. CONTRERAS
	1800	81	J. DAVIS
	2100	80	J. DAVIS
	2400	79	S. Alvarado

Thursday			
Date	Time	Temp.	Name (Print)
<u>8/29/04</u>	0300	78	J. DAVIS
	0600	78	G. ARELLAN
	0900	78	E. LARA
	1200	79°	G. ARELLAN
	1500	81	A. Jimenez
	1800	82°	E. REYES
	2100	80°	A. Jimenez
	2400	79°	J. DAVIS

Friday			
Date	Time	Temp.	Name (Print)
<u>8/30/04</u>	0300	78°	J. DAVIS
	0600	77°	J. REYES
	0900	78°	J. REYES
	1200	80°	J. REYES
	1500	81°	D. GIBBS
	1800	82°	O. Herrera
	2100	81°	O. Herrera
	2400	80°	E. Montoya

Saturday			
Date	Time	Temp.	Name (Print)
<u>8/31/04</u>	0300	78°	E. Montoya
	0600	79°	G. GUZMAN
	0900	80°	G. GUZMAN
	1200	81°	G. GUZMAN
	1500	81	A. CARR
	1800	83	A. CARR
	2100	82	A. CARR
	2400	81	R. Ledesma

Sunday			
Date	Time	Temp.	Name (Print)
<u>9/01/04</u>	0300	78°	E. Montoya
	0600	78°	G. Arellan
	0900	79°	G. Arellan
	1200	81	G. Arellan
	1500	82°	D. Gibbs
	1800	84°	D. Gibbs
	2100	83°	D. Gibbs
	2400	81°	M. Flores

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: AER Housing Unit: 520 Temp. Reading Location: 1<sup>st</sup> TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6024 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
0300	70	M. Sefusant	
0600	71	S. McDaniels	
0900	71	D. Larios	
1200	73	S. McDaniels	
1500	74	P. Gonzalez	
1800	75	P. Gonzalez	
2100	75	P. Gonzalez	
2400	74	M. Sefusant	

#### Wednesday

Date	Time	Temp.	Name (Print)
0300	72	M. Sefusant	
0600	72	D. Larios	
0900	73	D. Larios	
1200	74	D. Larios	
1500	76	P. Gonzalez	
1800	76	P. Gonzalez	
2100	76	P. Gonzalez	
2400	75	J. Murray	

#### Friday

Date	Time	Temp.	Name (Print)
0300	73	M. Sefusant	
0600	74	O. Herrera	
0900	74	O. Herrera	
1200	75	O. Herrera	
1500	77	P. Gonzalez	
1800	76	P. Gonzalez	
2100	77	P. Gonzalez	
2400	76	E. Murray	

#### Sunday

Date	Time	Temp.	Name (Print)
0300	76	R. Garcia	
0600	75	R. Garcia	
0900	75	R. Garcia	
1200	77	R. Garcia	
1500	79	J. Laredo	
1800	79	J. Laredo	
2100	79	J. Laredo	
2400	78	K. Murray	

#### Tuesday

Date	Time	Temp.	Name (Print)
0300	72	M. Sefusant	
0600	72	D. Larios	
0900	72	D. Larios	
1200	73	D. Larios	
1500	75	P. Gonzalez	
1800	76	P. Gonzalez	
2100	75	P. Gonzalez	
2400	74	M. Sefusant	

#### Thursday

Date	Time	Temp.	Name (Print)
0300	75	J. Murray	
0600	73	C. Contreras	
0900	74	C. Contreras	
1200	75	C. Contreras	
1500	77	P. Gonzalez	
1800	77	P. Gonzalez	
2100	77	P. Gonzalez	
2400	76	M. Sefusant	

#### Saturday

Date	Time	Temp.	Name (Print)
0300	75	K. Murray	
0600	74	Herrera	
0900	74	Herrera	
1200	76	Herrera	
1500	78	J. Laredo	
1800	79	J. Laredo	
2100	78	J. Laredo	
2400	77	K. Murray	

#### Notes

*Red marks: 90, 95, 100, 105, 110, 115, 120, 125, 130, 135, 140, 145, 150, 155, 160, 165, 170, 175, 180, 185, 190, 195, 200, 205, 210, 215, 220, 225, 230, 235, 240, 245, 250, 255, 260, 265, 270, 275, 280, 285, 290, 295, 300, 305, 310, 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370, 375, 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450, 455, 460, 465, 470, 475, 480, 485, 490, 495, 500, 505, 510, 515, 520, 525, 530, 535, 540, 545, 550, 555, 560, 565, 570, 575, 580, 585, 590, 595, 600, 605, 610, 615, 620, 625, 630, 635, 640, 645, 650, 655, 660, 665, 670, 675, 680, 685, 690, 695, 700, 705, 710, 715, 720, 725, 730, 735, 740, 745, 750, 755, 760, 765, 770, 775, 780, 785, 790, 795, 800, 805, 810, 815, 820, 825, 830, 835, 840, 845, 850, 855, 860, 865, 870, 875, 880, 885, 890, 895, 900, 905, 910, 915, 920, 925, 930, 935, 940, 945, 950, 955, 960, 965, 970, 975, 980, 985, 990, 995, 1000, 1005, 1010, 1015, 1020, 1025, 1030, 1035, 1040, 1045, 1050, 1055, 1060, 1065, 1070, 1075, 1080, 1085, 1090, 1095, 1100, 1105, 1110, 1115, 1120, 1125, 1130, 1135, 1140, 1145, 1150, 1155, 1160, 1165, 1170, 1175, 1180, 1185, 1190, 1195, 1200, 1205, 1210, 1215, 1220, 1225, 1230, 1235, 1240, 1245, 1250, 1255, 1260, 1265, 1270, 1275, 1280, 1285, 1290, 1295, 1300, 1305, 1310, 1315, 1320, 1325, 1330, 1335, 1340, 1345, 1350, 1355, 1360, 1365, 1370, 1375, 1380, 1385, 1390, 1395, 1400, 1405, 1410, 1415, 1420, 1425, 1430, 1435, 1440, 1445, 1450, 1455, 1460, 1465, 1470, 1475, 1480, 1485, 1490, 1495, 1500, 1505, 1510, 1515, 1520, 1525, 1530, 1535, 1540, 1545, 1550, 1555, 1560, 1565, 1570, 1575, 1580, 1585, 1590, 1595, 1600, 1605, 1610, 1615, 1620, 1625, 1630, 1635, 1640, 1645, 1650, 1655, 1660, 1665, 1670, 1675, 1680, 1685, 1690, 1695, 1700, 1705, 1710, 1715, 1720, 1725, 1730, 1735, 1740, 1745, 1750, 1755, 1760, 1765, 1770, 1775, 1780, 1785, 1790, 1795, 1800, 1805, 1810, 1815, 1820, 1825, 1830, 1835, 1840, 1845, 1850, 1855, 1860, 1865, 1870, 1875, 1880, 1885, 1890, 1895, 1900, 1905, 1910, 1915, 1920, 1925, 1930, 1935, 1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980, 1985, 1990, 1995, 2000, 2005, 2010, 2015, 2020, 2025, 2030, 2035, 2040, 2045, 2050, 2055, 2060, 2065, 2070, 2075, 2080, 2085, 2090, 2095, 2100, 2105, 2110, 2115, 2120, 2125, 2130, 2135, 2140, 2145, 2150, 2155, 2160, 2165, 2170, 2175, 2180, 2185, 2190, 2195, 2200, 2205, 2210, 2215, 2220, 2225, 2230, 2235, 2240, 2245, 2250, 2255, 2260, 2265, 2270, 2275, 2280, 2285, 2290, 2295, 2300, 2305, 2310, 2315, 2320, 2325, 2330, 2335, 2340, 2345, 2350, 2355, 2360, 2365, 2370, 2375, 2380, 2385, 2390, 2395, 2400, 2405, 2410, 2415, 2420, 2425, 2430, 2435, 2440, 2445, 2450, 2455, 2460, 2465, 2470, 2475, 2480, 2485, 2490, 2495, 2500, 2505, 2510, 2515, 2520, 2525, 2530, 2535, 2540, 2545, 2550, 2555, 2560, 2565, 2570, 2575, 2580, 2585, 2590, 2595, 2600, 2605, 2610, 2615, 2620, 2625, 2630, 2635, 2640, 2645, 2650, 2655, 2660, 2665, 2670, 2675, 2680, 2685, 2690, 2695, 2700, 2705, 2710, 2715, 2720, 2725, 2730, 2735, 2740, 2745, 2750, 2755, 2760, 2765, 2770, 2775, 2780, 2785, 2790, 2795, 2800, 2805, 2810, 2815, 2820, 2825, 2830, 2835, 2840, 2845, 2850, 2855, 2860, 2865, 2870, 2875, 2880, 2885, 2890, 2895, 2900, 2905, 2910, 2915, 2920, 2925, 2930, 2935, 2940, 2945, 2950, 2955, 2960, 2965, 2970, 2975, 2980, 2985, 2990, 2995, 3000, 3005, 3010, 3015, 3020, 3025, 3030, 3035, 3040, 3045, 3050, 3055, 3060, 3065, 3070, 3075, 3080, 3085, 3090, 3095, 3100, 3105, 3110, 3115, 3120, 3125, 3130, 3135, 3140, 3145, 3150, 3155, 3160, 3165, 3170, 3175, 3180, 3185, 3190, 3195, 3200, 3205, 3210, 3215, 3220, 3225, 3230, 3235, 3240, 3245, 3250, 3255, 3260, 3265, 3270, 3275, 3280, 3285, 3290, 3295, 3300, 3305, 3310, 3315, 3320, 3325, 3330, 3335, 3340, 3345, 3350, 3355, 3360, 3365, 3370, 3375, 3380, 3385, 3390, 3395, 3400, 3405, 3410, 3415, 3420, 3425, 3430, 3435, 3440, 3445, 3450, 3455, 3460, 3465, 3470, 3475, 3480, 3485, 3490, 3495, 3500, 3505, 3510, 3515, 3520, 3525, 3530, 3535, 3540, 3545, 3550, 3555, 3560, 3565, 3570, 3575, 3580, 3585, 3590, 3595, 3600, 3605, 3610, 3615, 3620, 3625, 3630, 3635, 3640, 3645, 3650, 3655, 3660, 3665, 3670, 3675, 3680, 3685, 3690, 3695, 3700, 3705, 3710, 3715, 3720, 3725, 3730, 3735, 3740, 3745, 3750, 3755, 3760, 3765, 3770, 3775, 3780, 3785, 3790, 3795, 3800, 3805, 3810, 3815, 3820, 3825, 3830, 3835, 3840, 3845, 3850, 3855, 3860, 3865, 3870, 3875, 3880, 3885, 3890, 3895, 3900, 3905, 3910, 3915, 3920, 3925, 3930, 3935, 3940, 3945, 3950, 3955, 3960, 3965, 3970, 3975, 3980, 3985, 3990, 3995, 4000, 4005, 4010, 4015, 4020, 4025, 4030, 4035, 4040, 4045, 4050, 4055, 4060, 4065, 4070, 4075, 4080, 4085, 4090, 4095, 4100, 4105, 4110, 4115, 4120, 4125, 4130, 4135, 4140, 4145, 4150, 4155, 4160, 4165, 4170, 4175, 4180, 4185, 4190, 4195, 4200, 4205, 4210, 4215, 4220, 4225, 4230, 4235, 4240, 4245, 4250, 4255, 4260, 4265, 4270, 4275, 4280, 4285, 4290, 4295, 4300, 4305, 4310, 4315, 4320, 4325, 4330, 4335, 4340, 4345, 4350, 4355, 4360, 4365, 4370, 4375, 4380, 4385, 4390, 4395, 4400, 4405, 4410, 4415, 4420, 4425, 4430, 4435, 4440, 4445, 4450, 4455, 4460, 4465, 4470, 4475, 4480, 4485, 4490, 4495, 4500, 4505, 4510, 4515, 4520, 4525, 4530, 4535, 4540, 4545, 4550, 4555, 4560, 4565, 4570, 4575, 4580, 4585, 4590, 4595, 4600, 4605, 4610, 4615, 4620, 4625, 4630, 4635, 4640, 4645, 4650, 4655, 4660, 4665, 4670, 4675, 4680, 4685, 4690, 4695, 4700, 4705, 4710, 4715, 4720, 4725, 4730, 4735, 4740, 4745, 4750, 4755, 4760, 4765, 4770, 4775, 4780, 4785, 4790, 4795, 4800, 4805, 4810, 4815, 4820, 4825, 4830, 4835, 4840, 4845, 4850, 4855, 4860, 4865, 4870, 4875, 4880, 4885, 4890, 4895, 4900, 4905, 4910, 4915, 4920, 4925, 4930, 4935, 4940, 4945, 4950, 4955, 4960, 4965, 4970, 4975, 4980, 4985, 4990, 4995, 5000, 5005, 5010, 5015, 5020, 5025, 5030, 5035, 5040, 5045, 5050, 5055, 5060, 5065, 5070, 5075, 5080, 5085, 5090, 5095, 5100, 5105, 5110, 5115, 5120, 5125, 5130, 5135, 5140, 5145, 5150, 5155, 5160, 5165, 5170, 5175, 5180, 5185, 5190, 5195, 5200, 5205, 5210, 5215, 5220, 5225, 5230, 5235, 5240, 5245, 5250, 5255, 5260, 5265, 5270, 5275, 5280, 5285, 5290, 5295, 5300, 5305, 5310, 5315, 5320, 5325, 5330, 5335, 5340, 5345, 5350, 5355, 5360, 5365, 5370, 5375, 5380, 5385, 5390, 5395, 5400, 5405, 5410, 5415, 5420, 5425, 5430, 5435, 5440, 5445, 5450, 5455, 5460, 5465, 5470, 5475, 5480, 5485, 5490, 5495, 5500, 5505, 5510, 5515, 5520, 5525, 5530, 5535, 5540, 5545, 5550, 5555, 5560, 5565, 5570, 5575, 5580, 5585, 5590, 5595, 5600, 5605, 5610, 5615, 5620, 5625, 5630, 5635, 5640, 5645, 5650, 5655, 5660, 5665, 5670, 5675, 5680, 5685, 5690, 5695, 5700, 5705, 5710, 5715, 5720, 5725, 5730, 5735, 5740, 5745, 5750, 5755, 5760, 5765, 5770, 5775, 5780, 5785, 5790, 5795, 5800, 5805, 5810, 5815, 5820, 5825, 5830, 5835, 5840, 5845, 5850, 585*

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 530 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 10034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	74	T. Esperza
	0600	73	Olmos
	0900	74	Olmos
	1200	76	Olmos
	1500	77	6. Ion
	1800	78	6. Ion
	2100	77	G. ion
	2400	77	T. Acuna

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	76	P. Acuna
	0600	75.3	Y. ion
	0900	75	Olmos
	1200	78	Olmos
	1500	79°	Ritchie I
	1800	79°	Ritchie I
	2100	79°	Ritchie I
	2400	78°	P. Acuna

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	77°	P. Acuna
	0600	76	C. Yany
	0900	77	C. Yany
	1200	79	C. Yany
	1500	80°	L. Lopez I
	1800	81	M. Yany
	2100	81°	Ritchie I
	2400	79°	P. Acuna

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	78°	P. Acuna
	0600	77	T. Yany
	0900	78°	T. Yany
	1200	79	L. Lopez
	1500	81°	Ritchie I
	1800	82°	Ritchie I
	2100	81°	Ritchie I
	2400	80°	P. Acuna

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	79°	P. Acuna
	0600	78	L. Lopez
	0900	78	L. Lopez
	1200	80	L. Lopez
	1500	81	C. Acuña & DO
	1800	82	A. Ruiz
	2100	82	T. Xiong
	2400	80	P. Acuna

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	79°	P. Acuna
	0600	78	A. Robinson
	0900	79°	O. Olmos
	1200	81	O. Olmos
	1500	82	A. Ruiz
	1800	83	A. Ruiz
	2100	83	A. Ruiz
	2400	82	J. Mendez

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	80	J. Mendez
	0600	79	A. Robinson
	0900	79	A. Robinson
	1200	81	O. Olmos
	1500	82°	G. M
	1800	81°	G. M
	2100	83	G. M
	2400	82	J. Esperanza

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment G

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 550 Temp. Reading Location: 2ND TIER

Immediately notify the Watch Commander at extension 60034 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-21	0300	77	K. XIONG
	0600	76	A. Garzares
	0900	77	A. Garzares
	1200	79	A. Garzares
	1500	80	N. GUERRERO
	1800	80	N. GUERRERO
	2100	80	K. XIONG
	2400	79	K. XIONG

Wednesday

Date	Time	Temp.	Name (Print)
8-28-21	0300	80	GUERRERO
	0600	79	J. Flores
	0900	80	J. Flores
	1200	81	J. Flores
	1500	82	S. Allard
	1800	83	A. Jimenez
	2100	83	A. Jimenez
	2400	81	D. Larios

Friday

Date	Time	Temp.	Name (Print)
8-30-21	0300	81	D. Larios
	0600	81	C. ALVARADO
	0900	81	C. ALVARADO
	1200	82	C. ALVARADO
	1500	83	C. Vasquez
	1800	83	C. Vasquez
	2100	83	C. Vasquez
	2400	83	A. Huiz

Sunday

Date	Time	Temp.	Name (Print)
8-1-21	0300	82	K. XIONG
	0600	82	G. Ibar
	0900	82	G. Ibar
	1200	84	G. Ibar
	1500	85	K. XIONG
	1800	86	K. XIONG
	2100	85	K. XIONG
	2400	85	K. XIONG

Attachment G

Tuesday

Date	Time	Temp.	Name (Print)
8-29-21	0300	78	K. XIONG
	0600	78	J. Flores
	0900	79	J. Flores
	1200	80	A. Guzman
	1500	81	S. Allard
	1800	82	D. Taylor
	2100	81	J. Taylor
	2400	80	GUILLOCHON

Thursday

Date	Time	Temp.	Name (Print)
8-30-21	0300	81	D. Larios
	0600	80	Flores
	0900	80	Flores
	1200	81	Flores
	1500	83	Allard
	1800	84	Taylor
	2100	83	Taylor
	2400	82	J. Taylor

Saturday

Date	Time	Temp.	Name (Print)
8-31-21	0300	82	A. Ruiz
	0600	81	C. ALVARADO
	0900	81	C. ALVARADO
	1200	82	G. Ibar
	1500	82	M. Arellano
	1800	83	O. Cervantes
	2100	84	O. Cervantes
	2400	83	K. XIONG

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 610 Temp. Reading Location: 2<sup>nd</sup>  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26/24	0300	76°	Panduro
	0600	75	VALDEZ
	0900	75	VALDEZ
	1200	76	VALDEZ
	1500	77	H. Cda
	1800	78	H. Cda
	2100	78	H. Cda
	2400	78°	PANDURO

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/24	0300	77°	Panduro
	0600	77	VALDEZ
	0900	77	VALDEZ
	1200	77	VALDEZ
	1500	78	Garcia
	1800	79	R. Bern
	2100	79	R. Bern
	2400	79°	A. Ayala

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/24	0300	79°	A. Ayala
	0600	79	L. Huizar
	0900	78	R. Bern
	1200	79	L. Huizar
	1500	80	R. Bern
	1800	80	R. Bern
	2100	81	R. Chenzia
	2400	81°	A. Ayala

**Thursday**

Date	Time	Temp.	Name (Print)
8/29/24	0300	80°	A. Ayala
	0600	80	R. Bern
	0900	80	R. Bern
	1200	80	L. Huizar
	1500	82	M. Martinez
	1800	81	R. Baratas
	2100	81	R. Baratas
	2400	81°	A. Ayala

**Friday**

Date	Time	Temp.	Name (Print)
8/30/24	0300	81°	A. Ayala
	0600	81	L. Huizar
	0900	80	M. Chapa
	1200	80	M. Chapa
	1500	81	R. Baratas
	1800	82	R. Baratas
	2100	82	R. Baratas
	2400	82°	M. Chapa

**Saturday**

Date	Time	Temp.	Name (Print)
8/31/24	0300	82	M. Chapa
	0600	81	L. Lopez
	0900	81	L. Huizar
	1200	82	L. Lopez
	1500	82	TREJO
	1800	83	T. Vang
	2100	83	T. Vang
	2400	83°	A. Ayala

**Sunday**

Date	Time	Temp.	Name (Print)
9/1/24	0300	82°	A. Ayala
	0600	82	R. Bern
	0900	81	R. Bern
	1200	82	R. Bern
	1500	83	E. Jarquin
	1800	83	E. Jarquin
	2100	84	E. Jarquin
	2400	84°	Panduro

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

## Attachment E

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 6SP Housing Unit: 630 Temp. Reading Location: 2nd Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/27	0300	73	E. GARCIA
	0600	73.4	M. CAMPUS
	0900	75	M. MONTES
	1200	75.1	M. MONTES
	1500	78.2	D. BREEKENRIDGE
	1800	78.8	D. BREEKENRIDGE
	2100	78.9	D. BREEKENRIDGE
	2400	79	D. BREEKENRIDGE

Tuesday			
Date	Time	Temp.	Name (Print)
8/28	0300	75	A. MENDEZ
	0600	75	A. MENDEZ
	0900	76	L. DELACERDA
	1200	78	L. DELACERDA
	1500	80	D. BREEKENRIDGE
	1800	80	D. BREEKENRIDGE
	2100	79	D. BREEKENRIDGE
	2400	78	D. MORTIJO

Wednesday			
Date	Time	Temp.	Name (Print)
8/28	0300	77	R. MONTES
	0600	76	M. MENESSES
	0900	77	M. MENESSES
	1200	79	M. MENESSES
	1500	80	D. BREEKENRIDGE
	1800	81	D. BREEKENRIDGE
	2100	81	D. BREEKENRIDGE
	2400	79	A. JIMENEZ

Thursday			
Date	Time	Temp.	Name (Print)
8/29	0300	78.1	R. MONTES
	0600	77	M. MENESSES
	0900	79	M. MENESSES
	1200	79	M. MENESSES
	1500	81	D. BREEKENRIDGE
	1800	81	D. BREEKENRIDGE
	2100	81	D. BREEKENRIDGE
	2400	80.9	M. HERNANDEZ

Friday			
Date	Time	Temp.	Name (Print)
8/30	0300	78	A. JIMENEZ
	0600	78	T. VARGAS
	0900	78	T. VARGAS
	1200	79	T. VARGAS
	1500	80.9	M. OTHYRES
	1800	82.7	M. CAMPUS
	2100	81	M. CAMPUS
	2400	80	R. ENCIQUEZ

Saturday			
Date	Time	Temp.	Name (Print)
8/31	0300	80	A. MUÑA
	0600	81	A. MUÑA
	0900	78	D. LEON
	1200	79	D. LEON
	1500	82	L. LOPEZ
	1800	83	L. LOPEZ
	2100	82	L. LOPEZ
	2400	80	A. MUÑA

Sunday			
Date	Time	Temp.	Name (Print)
9/1	0300	79	R. ENCIQUEZ
	0600	79.0	O. CERVANTES
	0900	80.0	O. CERVANTES
	1200	80.0	O. CERVANTES
	1500	81	K. MARCHIANDA
	1800	83	L. LOPERA
	2100	82	L. LOPERA
	2400	80	GARCIA

Notes

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASP Housing Unit: 650 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6034 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/26/2024	0300	72	J. LARA
	0600	77	VALLADARES
	0900	75	VALLADARES
	1200	75	Soriano
	1500	77	Z. Orosco
	1800	77	M. CASTRO
	2100	76	Z. Orosco
	2400	76	J. MANOZ

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	74	J. MARIO
	0600	73	G. Sorondo
	0900	70	G. Sorondo
	1200	76	VANASARO
	1500	78	M. CASTRO
	1800	79. 4	M. CASTRO
	2100	78.6	M. CASTRO
	2400	77	J. MARIO

Wednesday

Date	Time	Temp.	Name (Print)
08/28/2024	0300	76	J. MANOZ
	0600	74	L. BUSTAMANTE
	0900	77	L. BUSTAMANTE
	1200	78	L. BUSTAMANTE
	1500	80	F. Avila
	1800	79	M. CASTRO
	2100	80-79	M. CASTRO
	2400	78	F. Avila

Thursday

Date	Time	Temp.	Name (Print)
08/29/2024	0300	77	V. Morales
	0600	75	L. Bustamante
	0900	76	L. Bustamante
	1200	79	L. Bustamante
	1500	80	F. Avila
	1800	81	N. Dunaway
	2100	80	N. Dunaway
	2400	79	R. Diaz

**Friday**

Date	Time	Temp.	Name (Print)
08/30/2024	0300	77	R. BARRAJAS
	0600	76	L. BUSTAMANTE
	0900	77	L. BUSTAMANTE
	1200	79	L. BUSTAMANTE
	1500	80	L. Yang
	1800	81	L. Yang
	2100	80	L. Yang
	2400	79	J. L. Pabon

Saturday

Date	Time	Temp.	Name (Print)
08/31/2024	0300	76	E. JARQUIN
	0600	76	L. BUSTAMANTE
	0900	77	L. BUSTAMANTE
	1200	79	L. BUSTAMANTE
	1500	81	E. JARQUIN
	1800	82	E. JARQUIN
	2100	81	THAO P.
	2400	80	E. JARQUIN

Sunday

Date	Time	Temp.	Name (Print)
09/01/2024	0300	79	J. LARA
	0600	75.1	VAGAS TRES
	0900	70	VILLANUEVA
	1200	81	Valladares
	1500	87	THANG
	1800	82	THAO P
	2100	82	THAO P
	2400	81	J. LARA

## Notes

---

---

---

---

---

---

---

---

---

---

# **Weekly List of Heat-Risk Inmate Patients**